


C_FILT1_10U · 10uF

C0805C106K8RACTU | C2167576 | Top side, 0°

KiCad X 96.750 mm / Y 62.550 mm

Whole board · top side up (top components only)



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.


Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: FILT1P

Pad 2: GND

Exact target · highlighted body and numbered pads




C_FILT2_10U · 10uF


C0805C106K8RACTU | C2167576 | Top side, 0°

KiCad X 96.750 mm / Y 77.450 mm

Whole board · top side up (top components only)



Exact target · highlighted body and numbered pads



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.

Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: FILT2P

Pad 2: GND

PCB SHA-256: 45ff675971600c279c1d1e34e1610a08426b144f8435349037919a2328987e26


Locator 2/23 · C_FILT2_10U

C_PWR_CT · 1uF

C0603C105K4RACTU | C2167386 | Top side, 0°

KiCad X 36.000 mm / Y 55.300 mm

Whole board · top side up (top components only)



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.


Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: PWR_CT

Pad 2: GND

Exact target · highlighted body and numbered pads




C_VDDA2_10N · 10nF

CL05B103KB5NNNC | C15195 | Top side, 180°

KiCad X 91.000 mm / Y 71.500 mm

Whole board · top side up (top components only)



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.


Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: 3V3_ADC

Pad 2: GND

Exact target · highlighted body and numbered pads




C_VMID1_470N · 470nF


CL10B474KA8NFNC | C318640 | Top side, 180°

KiCad X 90.600 mm / Y 65.700 mm

Whole board · top side up (top components only)



Exact target · highlighted body and numbered pads



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.

Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: VMID1


Pad 2: GND

C_VMID1_4U7 · 4.7uF


GRM188Z71C475KE21D | C389010 | Top side, 180°

KiCad X 90.700 mm / Y 63.900 mm

Whole board · top side up (top components only)



Exact target · highlighted body and numbered pads



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.

Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: VMID1


Pad 2: GND

C_VMID2_470N · 470nF

CL10B474KA8NFNC | C318640 | Top side, 180°

KiCad X 90.600 mm / Y 74.300 mm

Whole board · top side up (top components only)



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.


Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: VMID2

Pad 2: GND

Exact target · highlighted body and numbered pads




C_VMID2_4U7 · 4.7uF

GRM188Z71C475KE21D | C389010 | Top side, 180°

KiCad X 90.700 mm / Y 76.100 mm

Whole board · top side up (top components only)



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.


Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: VMID2

Pad 2: GND

Exact target · highlighted body and numbered pads




R_ADC_BOT · 10kΩ

RT0603BRD0710KL | C95204 | Top side, 90°

KiCad X 30.900 mm / Y 64.500 mm

Whole board · top side up (top components only)



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.


Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: ADC_SENSE

Pad 2: GND

Exact target · highlighted body and numbered pads




R_ADC_PD6N · 10kΩ


RC0402FR-0710KL | C60490 | Top side, 180°

KiCad X 69.750 mm / Y 85.100 mm

Whole board · top side up (top components only)



Exact target · highlighted body and numbered pads



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.

Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: ADC6N

Pad 2: GND

PCB SHA-256: 45ff675971600c279c1d1e34e1610a08426b144f8435349037919a2328987e26


Locator 10/23 · R_ADC_PD6N

R_ADC_TOP · 17.4kΩ

RT0603BRD0717K4L | C861167 | Top side, 90°

KiCad X 32.700 mm / Y 64.500 mm

Whole board · top side up (top components only)



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.


Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: 3V3_ADC

Pad 2: ADC_SENSE

Exact target · highlighted body and numbered pads




R_AUDIO_PD · 100kΩ

RC0402FR-07100KL | C60491 | Top side, 90°

KiCad X 37.170 mm / Y 59.650 mm

Whole board · top side up (top components only)



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.


Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: AUDIO_EN

Pad 2: GND

Exact target · highlighted body and numbered pads




R_AUDIO_PU · 10kΩ

RC0402FR-0710KL | C60490 | Top side, 90°

KiCad X 34.200 mm / Y 63.400 mm

Whole board · top side up (top components only)



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.


Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: 5V_LDO_HOLD

Pad 2: AUDIO_EN

Exact target · highlighted body and numbered pads




R_DUMP_TIME2 · 100kΩ

RC0402FR-07100KL | C60491 | Top side, 0°

KiCad X 58.650 mm / Y 78.200 mm

Whole board · top side up (top components only)



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.


Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: PWR_EN

Pad 2: DUMP_RC

Exact target · highlighted body and numbered pads




R_FILT1P · 1Ω

CRCW12061R00FKEAHP | C844653 | Top side, 0°

KiCad X 88.000 mm / Y 61.300 mm

Whole board · top side up (top components only)



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.


Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: 3V3_ADC

Pad 2: FILT1P

Exact target · highlighted body and numbered pads




R_IN6N · 10kΩ

RC0402FR-0710KL | C60490 | Top side, 0°

KiCad X 67.550 mm / Y 91.000 mm

Whole board · top side up (top components only)



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.


Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: BIAS_N6

Pad 2: AIN_N6

Exact target · highlighted body and numbered pads




R_PRE_G · 100kΩ

RC0402FR-07100KL | C60491 | Top side, 0°

KiCad X 43.600 mm / Y 61.000 mm

Whole board · top side up (top components only)



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.


Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: PRE_GATE

Pad 2: 5V_LDO_FEED

Exact target · highlighted body and numbered pads




R_PWR_BOT · 10kΩ

RT0603BRD0710KL | C95204 | Top side, 180°

KiCad X 30.000 mm / Y 56.700 mm

Whole board · top side up (top components only)



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.


Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: PWR_SENSE

Pad 2: GND

Exact target · highlighted body and numbered pads




R_PWR_TOP · 30.9kΩ

RT0603BRD0730K9L | C861313 | Top side, 180°

KiCad X 30.000 mm / Y 54.900 mm

Whole board · top side up (top components only)



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.


Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: 5V_BUCK

Pad 2: PWR_SENSE

Exact target · highlighted body and numbered pads




R_VMID1_BOT · 1kΩ

RT0603BRD071KL | C110776 | Top side, 90°

KiCad X 73.800 mm / Y 74.600 mm

Whole board · top side up (top components only)



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.


Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: VMID1_EXT

Pad 2: GND

Exact target · highlighted body and numbered pads




R_VMID1_TOP · 1kΩ

RT0603BRD071KL | C110776 | Top side, 90°

KiCad X 72.000 mm / Y 74.600 mm

Whole board · top side up (top components only)



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.


Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: 3V3_ADC

Pad 2: VMID1_EXT

Exact target · highlighted body and numbered pads




R_VMID2_BOT · 1kΩ


RT0603BRD071KL | C110776 | Top side, 90°

KiCad X 78.200 mm / Y 75.700 mm

Whole board · top side up (top components only)



Exact target · highlighted body and numbered pads



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.

Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: VMID2_EXT


Pad 2: GND

R_X6N · 300Ω

RC0402FR-07300RL | C138010 | Top side, 180°

KiCad X 65.900 mm / Y 92.350 mm

Whole board · top side up (top components only)



Use only with the exact release identified below.

Top-side orientation: Component side up. J1-J4 along the upper edge;

J5-J8 along the lower edge; J9 on the left.

Bottom-side context: select a bottom part in the HTML locator.

Identify the red target from its pad pattern and coordinates.

Check MPN/value against the exact released BOM.

Before power or rework, verify pad/net assignment.

Do not rely on a nearby silk name as a locator.

Bounding envelopes are context, not production geometry.

Pad 1: FB_N6

Pad 2: FILTER6N

Exact target · highlighted body and numbered pads

