



Graphs in Machine Learning


Spectral Graph Sparsifiers in ML

Ridge Sparsifiers and Applications

Michal Valko

Isara Labs

Partially based on material by: Rob Fergus, Nikhil Srivastava,
Yiannis Koutis, Joshua Batson, Daniel Spielman



Spectral Graph Sparsification: Intuition

What is this rescaling $\mathbf{v}_e = \mathbf{L}_G^{-1/2} \mathbf{b}_e$ doing to the norm?

$$\|\mathbf{v}_e\|^2$$

Spectral Graph Sparsification: Intuition

What is this rescaling $\mathbf{v}_e = \mathbf{L}_G^{-1/2} \mathbf{b}_e$ doing to the norm?

$$\|\mathbf{v}_e\|^2 = \left\| \mathbf{L}_G^{-1/2} \mathbf{b}_e \right\|^2$$

Spectral Graph Sparsification: Intuition

What is this rescaling $\mathbf{v}_e = \mathbf{L}_G^{-1/2} \mathbf{b}_e$ doing to the norm?

$$\|\mathbf{v}_e\|^2 = \left\| \mathbf{L}_G^{-1/2} \mathbf{b}_e \right\|^2 = \mathbf{b}_e^\top \mathbf{L}_G^{-1} \mathbf{b}_e$$

Spectral Graph Sparsification: Intuition

What is this rescaling $\mathbf{v}_e = \mathbf{L}_G^{-1/2} \mathbf{b}_e$ doing to the norm?

$$\|\mathbf{v}_e\|^2 = \left\| \mathbf{L}_G^{-1/2} \mathbf{b}_e \right\|^2 = \mathbf{b}_e^\top \mathbf{L}_G^{-1} \mathbf{b}_e$$

Random walk intuition: inverse of number of alternative paths

Spectral Graph Sparsification: Intuition

What is this rescaling $\mathbf{v}_e = \mathbf{L}_G^{-1/2} \mathbf{b}_e$ doing to the norm?

$$\|\mathbf{v}_e\|^2 = \left\| \mathbf{L}_G^{-1/2} \mathbf{b}_e \right\|^2 = \mathbf{b}_e^\top \mathbf{L}_G^{-1} \mathbf{b}_e = R_{\text{eff}}(e)$$

Random walk intuition: inverse of number of alternative paths

Electrical intuition: We want to find an electrically similar H and the importance of the edge is its effective resistance $R_{\text{eff}}(e)$.

$R_{\text{eff}}(e)$ is the potential difference between the nodes when injecting a unit current

Spectral Graph Sparsification: Intuition

What is this rescaling $\mathbf{v}_e = \mathbf{L}_G^{-1/2} \mathbf{b}_e$ doing to the norm?

$$\|\mathbf{v}_e\|^2 = \left\| \mathbf{L}_G^{-1/2} \mathbf{b}_e \right\|^2 = \mathbf{b}_e^\top \mathbf{L}_G^{-1} \mathbf{b}_e = R_{\text{eff}}(e)$$

Random walk intuition: inverse of number of alternative paths

Electrical intuition: We want to find an electrically similar H and the importance of the edge is its effective resistance $R_{\text{eff}}(e)$.

$R_{\text{eff}}(e)$ is the potential difference between the nodes when injecting a unit current

Edges with higher R_{eff} are more **electrically significant!**

<https://misovalko.github.io/mva-ml-graphs.html>