

# W3C Validation Results

## 1. Index Page

<http://itsuite.it.brighton.ac.uk/lcw19/index.html>

**Markup Validation Service**  
Check the markup (HTML, XHTML, ...) of Web documents

**Jump To:** [Notes and Potential Issues](#) [Validation Output](#)

**Error found while checking this document as HTML5!**

|                      |  |   |
|----------------------|--|---|
| <b>Result:</b>       | 1 Error, 11 warning(s)   |   |
| <b>Address :</b>     | <input type="text" value="http://itsuite.it.brighton.ac.uk/lcw19/index.html"/> |   |
| <b>Encoding :</b>    | utf-8  | <input type="button" value="(detect automatically)"/> |
| <b>Doctype :</b>     | HTML5  | <input type="button" value="(detect automatically)"/> |
| <b>Root Element:</b> | html   |   |



[Try now the W3C Validator Suite™](#) premium service that checks your entire website and evaluates its conformance with W3C open standards to quickly identify those portions of your website that need your attention.  
  
The W3C validators are hosted on server technology donated by HP, and supported by community donations.  
[Donate](#) and help us build better tools for a better web.

5165

Flattr

**Options**

☐ Show Source

☐ Show Outline

☒ List Messages Sequentially

☐ Group Error Messages by Type

☐ Validate error pages

☐ Verbose Output

☐ Clean up Markup with HTML-Tidy

[Help](#) on the options is available.


Revalidate

**Notes and Potential Issues**  

The following notes and warnings highlight missing or conflicting information which caused the validator to perform some guesswork prior to validation, or other things affecting the output below. If the guess or fallback is incorrect, it could make validation results entirely incoherent. It is *highly recommended* to check these potential issues, and, if necessary, fix them and re-validate the document.


 **Using experimental feature: HTML5 Conformance Checker.**

## Validation Output: 1 Error

 **Line 78, Column 21: The name attribute is obsolete. Consider putting an id attribute on the nearest container instead.**


`<h2><a name="week11" > <u>Week 11</u></a></h2>`



 **Line 89, Column 21: The name attribute is obsolete. Consider putting an id attribute on the nearest container instead.**


`<h2><a name="week10" > <u>Week 10</u></a></h2>`



 **Line 99, Column 20: The name attribute is obsolete. Consider putting an id attribute on the nearest container instead.**

`<h2><a name="week9" > <u>Week 9</u></a></h2>`



 **Line 108, Column 20: The name attribute is obsolete. Consider putting an id attribute on the nearest container instead.**

`<h2><a name="week8" > <u>Week 8</u></a></h2>`



 **Line 117, Column 20: The name attribute is obsolete. Consider putting an id attribute on the nearest container instead.**

`<h2><a name="week7" > <u>Week 7</u></a></h2>`



 **Line 129, Column 20: The name attribute is obsolete. Consider putting an id attribute on the nearest container instead.**

`<h2><a name="week5" > <u>Week 5</u></a></h2>`



⚠ Line 129, Column 20: The name attribute is obsolete. Consider putting an id attribute on the nearest container instead.

```
<h2><a name="week5" ><u>Week 5</u></a></h2>
```

⚠ Line 142, Column 20: The name attribute is obsolete. Consider putting an id attribute on the nearest container instead.

```
<h2><a name="week4" ><u>Week 4</u></a></h2>
```

⚠ Line 160, Column 22: The name attribute is obsolete. Consider putting an id attribute on the nearest container instead.

```
<h2><a name="week3" ><u>Week 3</u></a></h2>
```

⚠ Line 249, Column 22: The name attribute is obsolete. Consider putting an id attribute on the nearest container instead.

```
<h2><a name="week2" ><u>Week 2</u></a></h2>
```

❌ Line 256, Column 92: An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.


```
...ages/printscreens.jpg" width="331" height="263" title="Code Academy Tutorials"/>
```

⚠ Line 268, Column 22: The name attribute is obsolete. Consider putting an id attribute on the nearest container instead.

```
<h2><a name="week1" ><u>Week 1 - Getting Started</u></a></h2>
```

## 2. About Me

<http://itsuite.it.brighton.ac.uk/lcw19/about.html>

**Markup Validation Service**  
Check the markup (HTML, XHTML, ...) of Web documents

Jump To: [Notes and Potential Issues](#) [Congratulations - Icons](#)

| This document was successfully checked as HTML5! |  |   |
|--|--|---|
| Result:  | Passed, 1 warning(s)   |   |
| Address:   | <input type="text" value="http://itsuite.it.brighton.ac.uk/lcw19/about.html"/> |   |
| Encoding:  | utf-8  | <input type="text" value="(detect automatically)"/> |
| Doctype:   | HTML5  | <input type="text" value="(detect automatically)"/> |
| Root Element:                                    | html   |   |



Try now the [W3C Validator Suite™](#) premium service that checks your entire website and evaluates its conformance with W3C open standards to quickly identify those portions of your website that need your attention.


The W3C validators are developed with assistance from the Mozilla Foundation, and supported by community donations. [Donate](#) and help us build better tools for a better web.

5165



### 3. Contact



<http://itsuite.it.brighton.ac.uk/lcw19/contact.html>

**Markup Validation Service**  
Check the markup (HTML, XHTML, ...) of Web documents


**Jump To:** [Notes and Potential Issues](#) [Congratulations - Icons](#)

**This document was successfully checked as HTML5!**

|                      |  |   |
|----------------------|--|---|
| <b>Result:</b>       | Passed, 1 warning(s)   |   |
| <b>Address :</b>     | <input type="text" value="http://itsuite.it.brighton.ac.uk/lcw19/contact.html"/> |   |
| <b>Encoding :</b>    | utf-8  | <input type="button" value="(detect automatically)"/> |
| <b>Doctype :</b>     | HTML5  | <input type="button" value="(detect automatically)"/> |
| <b>Root Element:</b> | html   |   |


[Try now the W3C Validator Suite™](#) premium service that checks your entire website and evaluates its conformance with W3C open standards to quickly identify those portions of your website that need your attention.  
The W3C validators rely on community support for hosting and development.  
[Donate](#) and help us build better tools for a better web.

5165



### 4. Tutorial Page



<http://itsuite.it.brighton.ac.uk/lcw19/tutorial.html>

**Markup Validation Service**  
Check the markup (HTML, XHTML, ...) of Web documents


**Jump To:** [Notes and Potential Issues](#) [Validation Output](#)

**Errors found while checking this document as HTML5!**

|                      |   |   |
|----------------------|---|---|
| <b>Result:</b>       | 5 Errors, 1 warning(s)  |   |
| <b>Address :</b>     | <input type="text" value="http://itsuite.it.brighton.ac.uk/lcw19/tutorial.html"/> |   |
| <b>Encoding :</b>    | utf-8   | <input type="button" value="(detect automatically)"/> |
| <b>Doctype :</b>     | HTML5   | <input type="button" value="(detect automatically)"/> |
| <b>Root Element:</b> | html  |   |

[Try now the W3C Validator Suite™](#) premium service that checks your entire website and evaluates its conformance with W3C open standards to quickly identify those portions of your website that need your attention.  
The W3C validators are developed with assistance from the Mozilla Foundation, and supported by community donations.  
[Donate](#) and help us build better tools for a better web.

5165



**Options**

☐ Show Source☐ Show Outline☒ List Messages Sequentially☐ Group Error Messages by Type☐ Validate error pages☐ Verbose Output☐ Clean up Markup with HTML-Tidy

[Help](#) on the options is available.

Revalidate

## Validation Output: 5 Errors

✖ *Line 50, Column 50:* An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.

```

```

✖ *Line 55, Column 49:* An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.

```

```

✖ *Line 62, Column 49:* An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.

```

```

✖ *Line 77, Column 60:* Bad value images/final output.jpg for attribute src on element img: Illegal character in path segment: not a URL code point.

```

```

Syntax of URL:

Any URL. For example: /hello, #canvas, Or <http://example.org/>. Characters should be represented in [NFC](#) and spaces should be escaped as %20.

✖ *Line 77, Column 60:* An img element must have an alt attribute, except under certain conditions. For details, consult guidance on providing text alternatives for images.

```

```