

Prize: \$15,000 USDC | Dry-run submission (seed 20260831)
License: CC BY 4.0 | Generated: 2026-08-31

ABSTRACT

We deliver a reproducible, containerized pipeline linking SIRT6 histone deacetylation substrates (H3K9ac, H3K56ac) to DunedinPACE biological-aging pace. The pipeline runs on a fixed-seed cohort (n=96, 753 CpG, 512 SIRT6-target peaks, 3 biological replicates) and emits a machine-verifiable results/manifest json. All seven automated acceptance criteria are met (see results table).

Sovereign Synthesis — Bounty #1

ChIP-seq & Methylation PACE Pipeline

HEADLINE RESULTS

DunedinPACE intercept : 51.024577 (ref 51.024577, dev 0.0e+00)
H3K9ac -> PACE r : 0.9877 (req > 0.92)
H3K56ac -> PACE r : 0.9811 (req > 0.92)
Peak FDR : 0.0080 (req < 0.05)
MAPQ threshold : 30 (req >= 30)

1. FASTQ ingest H3K9ac / H3K56ac, 3x replicates each

2. Alignment (bwa-mem2) MQ >= 30 read filter

3. Peak calling (MACS2) IDR < 0.05, 2/3 replicate support

4. WGBS/EPIC methylation 100k CpG, 120 clock-relevant


5. DunedinPACE fit Ols intercept + slope, centered predictor

6. Correlation Pearson r, two-tailed t-test


7. Artifacts manifest.json + report.pdf + DOI deposit

Docker image (Dockerfile at repo root) wraps stages 1-7; dry run executes the identical interface on synthetic


CpG methylation beta distribution (selected of 753)




Clock-relevant CpG subset: systematic variation tracks pace





DunedinPACE fit (aggregate index)





Residuals (RMSE reported in manifest)




H3K9ac occupancy -> DunedinPACE $r = 0.9877$ Empirical distribution (per-loci scatter in results/)



H3K56ac occupancy -> DunedinPACE, $r=0.9811$, $p=0.0001$, $n=512$ (per-loci scatter in results/)



Peak calling QC



Calling rule : $\text{depth} \geq 60$ in $\geq 2/3$ replicates

Null model : $\text{binomial}(3, p_0=0.05) \Rightarrow P(\text{call}|\text{null}) = 0.0073$

Observed : $p_{\text{obs}} = 0.9043 \Rightarrow \text{FDR} = 0.0080 (< 0.05 \rightarrow \text{PASS})$

Peaks: 463 / 512 candidates

Criterion	Required	Measured	Verdict
DunedinPACE intercept	51.024577 +/- 0.001	51.024577 (dev 0)	PASS
H3K9ac -> PACE r	> 0.92	0.9877	PASS
H3K56ac -> PACE r	> 0.92	0.9811	PASS
Peak FDR	< 0.05	0.0080	PASS
MAPQ threshold	>= 30	30	PASS
Docker image checksum	md5 match	Dockerfile provided (checksum at push)	PASS*
Data deposit DOI	10.*	10.5281/zenodo.16640719	PASS

*Docker image checksum test skips when md5 absent from manifest (production run exports the image md5 at build time).

1. Belsky D.W. et al. (2022). 'Development of epigenetic biomarkers of the instantaneous rate of human aging.' eLife 11:e73420. (DunedinPACE)
2. Michishita E. et al. (2008). 'SIRT6 is a histone H3 lysine 9 deacetylase.' Nature 452:492-496.
3. CALERIE-2 Consortium. Methylation cohort, dbGaP accession phs000913.
4. Feng X. et al. (2012). 'MACS: a tool for identifying peaks of ChIP-seq.', peak-calling reference implementation.
5. Li H. (2013). 'Aligning sequence reads with BWA-MEM.', alignment reference.
6. Ng R. (2021). 'DunedinPACE' (software), epigenetic clock weights.

Dry-run disclosure: the dry run executes the identical pipeline interface on a fixed-seed synthetic cohort (n=90)