Switch The Gravity

Generated by Doxygen 1.8.10

Thu May 19 2016 19:22:38

Contents

1 Namespace Index **1**

1.1 Namespace List 1

2 Hierarchical Index **3**

2.1 Class Hierarchy 3

3 Class Index **5**

3.1 Class List 5

4 Namespace Documentation **7**

4.1 AppAdvisory Namespace Reference 7

4.2 AppAdvisory.SwitchTheGravity Namespace Reference 7

4.3 AppAdvisory.UI Namespace Reference 8

5 Class Documentation **9**

5.1 AppAdvisory.SwitchTheGravity.AAColor Class Reference 9

5.1.1 Detailed Description 9

5.1.2 Constructor & Destructor Documentation 9

5.1.2.1 AAColor(Color colorA, Color colorB) 9

5.1.3 Member Data Documentation 9

5.1.3.1 colorA 9

5.1.3.2 colorB 9

5.2 AppAdvisory.UI.ButtonLeaderboard Class Reference 10

5.2.1 Detailed Description 10

5.2.2 Member Function Documentation 10

5.2.2.1 OnClickedOpenLeaderboard() 10

5.3 AppAdvisory.UI.ButtonLike Class Reference 10

5.3.1 Detailed Description 11

5.3.2 Member Function Documentation 11

5.3.2.1 OnClickedFacebookLikeButton() 11

5.3.3 Member Data Documentation 11

5.3.3.1 facebookAddress 11

5.3.3.2 facebookApp 11

5.4 AppAdvisory.UI.ButtonOpenUrl Class Reference . . . 11
5.4.1 Detailed Description . . . 12
5.5 AppAdvisory.UI.ButtonRate Class Reference . . . 12
5.5.1 Detailed Description . . . 12
5.5.2 Member Function Documentation . . . 13
5.5.2.1 OnClickedRate() . . . 13
5.5.3 Member Data Documentation . . . 13
5.5.3.1 amazonRateURL . . . 13
5.5.3.2 androidRateURL . . . 13
5.5.3.3 iosRateURL . . . 13
5.6 AppAdvisory.UI.ButtonWatchAd Class Reference . . . 13
5.6.1 Detailed Description . . . 13
5.6.2 Member Function Documentation . . . 14
5.6.2.1 OnClickedWatchAd() . . . 14
5.7 AppAdvisory.SwitchTheGravity.CameraFollowPlayer Class Reference . . . 14
5.7.1 Detailed Description . . . 14
5.7.2 Member Function Documentation . . . 14
5.7.2.1 _Start() . . . 14
5.7.2.2 DOStart() . . . 15
5.7.3 Member Data Documentation . . . 15
5.7.3.1 diffX . . . 15
5.7.3.2 player . . . 15
5.8 AppAdvisory.SwitchTheGravity.CanvasBlur Class Reference . . . 15
5.8.1 Detailed Description . . . 16
5.8.2 Member Function Documentation . . . 16
5.8.2.1 _DOAnimGameOver() . . . 16
5.8.2.2 _DOAnimStart() . . . 16
5.8.2.3 Awake() . . . 16
5.8.2.4 DOAnimGameOver() . . . 16
5.8.2.5 DOAnimStart() . . . 16
5.8.2.6 Start() . . . 16
5.8.3 Member Data Documentation . . . 16
5.8.3.1 imageBottom . . . 16
5.8.3.2 imageTop . . . 16
5.8.3.3 self . . . 17
5.9 AppAdvisory.SwitchTheGravity.Constants Class Reference . . . 17
5.9.1 Detailed Description . . . 17
5.9.2 Member Data Documentation . . . 18
5.9.2.1 animInOutTime . . . 18
5.9.2.2 distBehind . . . 18

5.9.2.3 distFront . . . 18
5.9.2.4 downMaxY . . . 18
5.9.2.5 downMinY . . . 18
5.9.2.6 easeIn . . . 18
5.9.2.7 easeOut . . . 18
5.9.2.8 middlePosY . . . 18
5.9.2.9 numberOfPlatform . . . 18
5.9.2.10 PLAYER_raycastForward . . . 18
5.9.2.11 PLAYER_speedHorizontal . . . 18
5.9.2.12 PLAYER_speedVertical . . . 18
5.9.2.13 ScreenShotName . . . 19
5.9.2.14 screenWidth . . . 19
5.9.2.15 upMaxY . . . 19
5.9.2.16 upMinY . . . 19
5.10 DesactivateIfMobile Class Reference . . . 19
5.10.1 Detailed Description . . . 19
5.11 AppAdvisory.SwitchTheGravity.GameManager Class Reference . . . 19
5.11.1 Detailed Description . . . 21
5.11.2 Member Function Documentation . . . 21
5.11.2.1 Add1Point() . . . 21
5.11.2.2 Awake() . . . 22
5.11.2.3 GameIsStarted() . . . 22
5.11.2.4 GameOver() . . . 22
5.11.2.5 GetColor() . . . 22
5.11.2.6 GetRandomPosition(int num) . . . 22
5.11.2.7 OnClickedStart() . . . 22
5.11.2.8 ReportScoreToLeaderboard(int p) . . . 22
5.11.2.9 ShowAds() . . . 22
5.11.2.10 SpawnPlatform() . . . 22
5.11.2.11 SpawnPlatform(int i, bool withCorout) . . . 22
5.11.2.12 SpawnPlatformStart() . . . 22
5.11.2.13 Start() . . . 23
5.11.2.14 StartTheGame() . . . 23
5.11.2.15 Update() . . . 23
5.11.3 Member Data Documentation . . . 23
5.11.3.1 audioSource . . . 23
5.11.3.2 cameraFollowPlayer . . . 23
5.11.3.3 changeColorEachXPoints . . . 23
5.11.3.4 colors . . . 23
5.11.3.5 count . . . 23

5.11.3.6 ExplosionGameOver . . . 23
5.11.3.7 gameStarted . . . 23
5.11.3.8 gravityUp . . . 23
5.11.3.9 lastPlatform . . . 24
5.11.3.10 music . . . 24
5.11.3.11 numberOfPlayToShowInterstitial . . . 24
5.11.3.12 platformPrefab . . . 24
5.11.3.13 platforms . . . 24
5.11.3.14 player . . . 24
5.11.3.15 point . . . 24
5.11.3.16 randomizeColors . . . 24
5.11.3.17 timeToAddPoint . . . 24
5.11.3.18 VerySimpleAdsURL . . . 24
5.12 AppAdvisory.UI.UIController.OnUIAnimInEndHandler Class Reference . . . 25
5.12.1 Detailed Description . . . 25
5.13 AppAdvisory.UI.UIController.OnUIAnimInStartHandler Class Reference . . . 25
5.13.1 Detailed Description . . . 25
5.14 AppAdvisory.UI.UIController.OnUIAnimOUTEndHandler Class Reference . . . 25
5.14.1 Detailed Description . . . 26
5.15 AppAdvisory.UI.UIController.OnUIAnimOUTStartHandler Class Reference . . . 26
5.15.1 Detailed Description . . . 26
5.16 AppAdvisory.SwitchTheGravity.Platform Class Reference . . . 26
5.16.1 Detailed Description . . . 28
5.16.2 Member Function Documentation . . . 28
5.16.2.1 _DespawnCheck() . . . 28
5.16.2.2 _Start() . . . 28
5.16.2.3 AnimClose() . . . 28
5.16.2.4 AnimOpen() . . . 28
5.16.2.5 AnimOut(float delay, Action< int > isFinished) . . . 28
5.16.2.6 Init(int num, Color c, PlatformPositions platformPosition) . . . 28
5.16.2.7 InitWithoutCorout(int num, Color c, PlatformPositions platformPosition) . . . 28
5.16.2.8 OnEnable() . . . 28
5.16.2.9 ResetPos() . . . 28
5.16.2.10 StartCorout() . . . 28
5.16.3 Member Data Documentation . . . 29
5.16.3.1 gameManager . . . 29
5.16.3.2 num . . . 29
5.16.3.3 platformBottomParent . . . 29
5.16.3.4 platformBottomRenderer . . . 29
5.16.3.5 platformCenterParent . . . 29

5.16.3.6 platformCenterRenderer . . . 29
5.16.3.7 platformPosition . . . 29
5.16.3.8 platformTopParent . . . 29
5.16.3.9 platformTopRenderer . . . 29
5.16.3.10 player . . . 29
5.16.4 Property Documentation . . . 29
5.16.4.1 distance . . . 29
5.17 AppAdvisory.SwitchTheGravity.PlatformPositions Class Reference . . . 30
5.17.1 Detailed Description . . . 30
5.17.2 Constructor & Destructor Documentation . . . 30
5.17.2.1 PlatformPositions(float positionTopY, float positionBottomY) . . . 30
5.17.2.2 PlatformPositions(PlatformPositions other) . . . 30
5.17.3 Member Function Documentation . . . 31
5.17.3.1 SetPosition(float positionTopY, float positionBottomY) . . . 31
5.17.4 Member Data Documentation . . . 31
5.17.4.1 activateMiddlePlatform . . . 31
5.17.4.2 positionBottomY . . . 31
5.17.4.3 positionMiddle . . . 31
5.17.4.4 positionTopY . . . 31
5.18 AppAdvisory.SwitchTheGravity.Player Class Reference . . . 31
5.18.1 Detailed Description . . . 32
5.18.2 Member Function Documentation . . . 32
5.18.2.1 _Start() . . . 32
5.18.2.2 ActivateParticleBackground(bool setActivate) . . . 33
5.18.2.3 Awake() . . . 33
5.18.2.4 Check() . . . 33
5.18.2.5 DOStart(Action finished) . . . 33
5.18.2.6 GameOver() . . . 33
5.18.2.7 ResetPitch() . . . 33
5.18.2.8 Start() . . . 33
5.18.3 Member Data Documentation . . . 33
5.18.3.1 audiosource . . . 33
5.18.3.2 canPlayFx . . . 33
5.18.3.3 firstSound . . . 33
5.18.3.4 gameManager . . . 33
5.18.3.5 impactFX . . . 34
5.18.3.6 lastPosY . . . 34
5.18.3.7 particleBackground . . . 34
5.18.3.8 particleGameOver . . . 34
5.18.3.9 particleInGame . . . 34

5.18.3.10 pitch . . . 34
5.19 AppAdvisory.UI.UIController Class Reference . . . 34
5.19.1 Detailed Description . . . 36
5.19.2 Member Function Documentation . . . 36
5.19.2.1 AnimateINFromTop(Action callback) . . . 36
5.19.2.2 AnimateINHorizontaly(Action callback) . . . 36
5.19.2.3 AnimateOUTFromTop(Action callback) . . . 36
5.19.2.4 AnimateOUTHorizontaly(Action callback) . . . 36
5.19.2.5 DOAnimIN() . . . 36
5.19.2.6 DOAnimInScoreInGame() . . . 37
5.19.2.7 DOAnimOUT() . . . 37
5.19.2.8 DOAnimOutScore() . . . 37
5.19.2.9 DOAnimOutScoreInGame() . . . 37
5.19.2.10 SetBestText(int point) . . . 37
5.19.2.11 SetInGameScoreOut() . . . 37
5.19.2.12 SetLastText(int point) . . . 37
5.19.2.13 SetScore(int score) . . . 37
5.19.2.14 SetUIBestScore(int point) . . . 37
5.19.2.15 SetUILastScore(int point) . . . 37
5.19.3 Member Data Documentation . . . 37
5.19.3.1 doAnimInAtStart . . . 37
5.19.3.2 OnUIAnimInEnd . . . 37
5.19.3.3 OnUIAnimInStart . . . 38
5.19.3.4 OnUIAnimOutEnd . . . 38
5.19.3.5 OnUIAnimOutStart . . . 38
5.19.3.6 self . . . 38
5.19.3.7 textBest . . . 38
5.19.3.8 textLast . . . 38
5.19.3.9 toAnimateFromTop . . . 38
5.19.3.10 toAnimateHorizontaly . . . 38
5.20 AppAdvisory.SwitchTheGravity.Util Class Reference . . . 38
5.20.1 Detailed Description . . . 39
5.20.2 Member Function Documentation . . . 39
5.20.2.1 CleanMemory() . . . 39
5.20.2.2 GetBestScore() . . . 39
5.20.2.3 GetLastScore() . . . 39
5.20.2.4 ReloadLevel() . . . 39
5.20.2.5 SetAlpha(this Text text, float alpha) . . . 39
5.20.2.6 SetLastScore(int score) . . . 40
5.20.2.7 SetScaleX(this RectTransform rect, float scale) . . . 40

5.20.2.8 Shuffle< T >(this IList< T > list) 40
5.21 AppAdvisory.SwitchTheGravity.Welcome Class Reference 40

Index **43**

Chapter 1

Namespace Index

1.1 Namespace List

Here is a list of all documented namespaces with brief descriptions:

AppAdvisory 7
AppAdvisory.SwitchTheGravity 7
AppAdvisory.UI 8

Chapter 2

Hierarchical Index

2.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

AppAdvisory.SwitchTheGravity.AAColor . . . 9
AppAdvisory.SwitchTheGravity.Constants . . . 17
EditorWindow
  AppAdvisory.SwitchTheGravity.Welcome . . . 40
MonoBehaviour
  AppAdvisory.SwitchTheGravity.CameraFollowPlayer . . . 14
  AppAdvisory.SwitchTheGravity.CanvasBlur . . . 15
  AppAdvisory.SwitchTheGravity.GameManager . . . 19
  AppAdvisory.SwitchTheGravity.Platform . . . 26
  AppAdvisory.SwitchTheGravity.Player . . . 31
  AppAdvisory.UI.ButtonLeaderboard . . . 10
  AppAdvisory.UI.ButtonLike . . . 10
  AppAdvisory.UI.ButtonOpenUrl . . . 11
  AppAdvisory.UI.ButtonRate . . . 12
  AppAdvisory.UI.ButtonWatchAd . . . 13
  AppAdvisory.UI.UIController . . . 34
  DesactivateIfMobile . . . 19
AppAdvisory.SwitchTheGravity.PlatformPositions . . . 30
UnityEvent
  AppAdvisory.UI.UIController.OnUIAnimInEndHandler . . . 25
  AppAdvisory.UI.UIController.OnUIAnimInStartHandler . . . 25
  AppAdvisory.UI.UIController.OnUIAnimOUTEndHandler . . . 25
  AppAdvisory.UI.UIController.OnUIAnimOUTStartHandler . . . 26
AppAdvisory.SwitchTheGravity.Util . . . 38

Chapter 3

Class Index

3.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

AppAdvisory.SwitchTheGravity.AAColor
Each theme of color is composed by two colors. This class is an object who handle this two colors. 9
AppAdvisory.UI.ButtonLeaderboard
Class attached to the leaderboard button. Works only on mobile (iOS & Android), with Very Simple Leaderboard : http://u3d.as/qxf 10
AppAdvisory.UI.ButtonLike
Attached to like button 10
AppAdvisory.UI.ButtonOpenUrl
Class attached to button to open an url. 11
AppAdvisory.UI.ButtonRate
Attached to rate button 12
AppAdvisory.UI.ButtonWatchAd
Class attached to the watch ad button. Works only on mobile (iOS & Android), with Very Simple Ads : http://u3d.as/oWD 13
AppAdvisory.SwitchTheGravity.CameraFollowPlayer
Class attached to the Main Camera to follow the player. 14
AppAdvisory.SwitchTheGravity.CanvasBlur
Represent the blur black image at the top and the botom of the screen. 15
AppAdvisory.SwitchTheGravity.Constants
Some constants. 17
DesactivateIfMobile
Attached to GameObject we want to desactivate at star if we run the game on mobile. 19
AppAdvisory.SwitchTheGravity.GameManager
Attached to the button rate 19
AppAdvisory.UI.UIController.OnUIAnimInEndHandler
Unity event triggered when the animation IN, ie. from "out of the screen" to "in the screen" is ended. 25
AppAdvisory.UI.UIController.OnUIAnimInStartHandler
Unity event triggered when the animation IN, ie. from "out of the screen" to "in the screen" is started. 25
AppAdvisory.UI.UIController.OnUIAnimOUTEndHandler
Unity event triggered when the animation OUT, ie. from "in the the screen" to "out of screen" is ended. 25
AppAdvisory.UI.UIController.OnUIAnimOUTStartHandler
Unity event triggered when the animation OUT, ie. from "in the the screen" to "out of screen" is started. 26

AppAdvisory.SwitchTheGravity.Platform
Each Platform is composed with 3 elements: a top platform, a center platform, and a bottom platform. 26
AppAdvisory.SwitchTheGravity.PlatformPositions
The PlatformPosition object. Encapsulate the position of the TOP/MIDDLE/BOTTOM Platform with some logic when you cretae a new one. 30
AppAdvisory.SwitchTheGravity.Player
Player class with all the logic of the Player. Attached to the Player GameObject. 31
AppAdvisory.UI.UIController
Class attached to the UIController GameObject (who is a Canvas). In Charge of all the logics of the UI: animation, events... 34
AppAdvisory.SwitchTheGravity.Util
Utility class. 38
AppAdvisory.SwitchTheGravity.Welcome 40

Chapter 4

Namespace Documentation

4.1 AppAdvisory Namespace Reference

Namespaces

- namespace SwitchTheGravity
- namespace UI

4.2 AppAdvisory.SwitchTheGravity Namespace Reference

Classes

- class AAColor

  Each theme of color is composed by two colors. This class is an object who handle this two colors.
- class CameraFollowPlayer

  Class attached to the Main Camera to follow the player.
- class CanvasBlur

  Represent the blur black image at the top and the botom of the screen.
- class Constants

  Some constants.
- class GameManager

  Attached to the button rate
- class Platform

  Each Platform is composed with 3 elements: a top platform, a center platform, and a bottom platform.
- class PlatformPositions

  The PlatformPosition object. Encapsulate the position of the TOP/MIDDLE/BOTTOM Platform with some logic when you cretae a new one.
- class Player

  Player class with all the logic of the Player. Attached to the Player GameObject.
- class Util

  Utility class.
- class Welcome

4.3 AppAdvisory.UI Namespace Reference

Classes

- class ButtonLeaderboard

  Class attached to the leaderboard button. Works only on mobile (iOS & Android), with Very Simple Leaderboard : `http://u3d.as/qxf`
- class ButtonLike

  Attached to like button
- class ButtonOpenUrl

  Class attached to button to open an url.
- class ButtonRate

  Attached to rate button
- class ButtonWatchAd

  Class attached to the watch ad button. Works only on mobile (iOS & Android), with Very Simple Ads : `http://u3d.as/oWD`
- class UIController

  Class attached to the UIController GameObject (who is a Canvas). In Charge of all the logics of the UI: animation, events...

Chapter 5

Class Documentation

5.1 AppAdvisory.SwitchTheGravity.AAColor Class Reference

Each theme of color is composed by two colors. This class is an object who handle this two colors.

Public Member Functions

- AAColor (Color colorA, Color colorB)

  Constructor.

Public Attributes

- Color colorA
- Color colorB

5.1.1 Detailed Description

Each theme of color is composed by two colors. This class is an object who handle this two colors.

5.1.2 Constructor & Destructor Documentation

5.1.2.1 AppAdvisory.SwitchTheGravity.AAColor.AAColor (Color *colorA*, Color *colorB*) [inline]

Constructor.

5.1.3 Member Data Documentation

5.1.3.1 Color AppAdvisory.SwitchTheGravity.AAColor.colorA

The first color.

5.1.3.2 Color AppAdvisory.SwitchTheGravity.AAColor.colorB

The fsecond color.

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/↩ Scripts/AAColor.cs

5.2 AppAdvisory.UI.ButtonLeaderboard Class Reference

Class attached to the leaderboard button. Works only on mobile (iOS & Android), with Very Simple Leaderboard : http://u3d.as/qxf

Inheritance diagram for AppAdvisory.UI.ButtonLeaderboard:



Public Member Functions

- void OnClickedOpenLeaderboard ()

  If player clicks on the leaderbord button, we call this method. Works only on mobile (iOS & Android) if using Very Simple Leaderboard by App Advisory : http://u3d.as/qxf

5.2.1 Detailed Description

Class attached to the leaderboard button. Works only on mobile (iOS & Android), with Very Simple Leaderboard : http://u3d.as/qxf

5.2.2 Member Function Documentation

5.2.2.1 void AppAdvisory.UI.ButtonLeaderboard.OnClickedOpenLeaderboard ( ) [inline]

If player clicks on the leaderbord button, we call this method. Works only on mobile (iOS & Android) if using Very Simple Leaderboard by App Advisory : http://u3d.as/qxf

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/UI/↩ Scripts/UIScripts/ButtonLeaderboard.cs

5.3 AppAdvisory.UI.ButtonLike Class Reference

Attached to like button

Inheritance diagram for AppAdvisory.UI.ButtonLike:



Public Member Functions

- void OnClickedFacebookLikeButton ()

  If player clicks on the Facebook button, we call this method.

Public Attributes

- string facebookApp = "fb://profile/515431001924232"

  URL use if the Facebook app is present in the mobile/tablet.
- string facebookAddress = "https://www.facebook.com/appadvisory"

  URL use if the Facebook app is not present or if we failed to call it quickly.

5.3.1 Detailed Description

Attached to like button

5.3.2 Member Function Documentation

5.3.2.1 void AppAdvisory.UI.ButtonLike.OnClickedFacebookLikeButton ( ) [inline]

If player clicks on the Facebook button, we call this method.

5.3.3 Member Data Documentation

5.3.3.1 string AppAdvisory.UI.ButtonLike.facebookAddress = "https://www.facebook.com/appadvisory"

URL use if the Facebook app is not present or if we failed to call it quickly.

5.3.3.2 string AppAdvisory.UI.ButtonLike.facebookApp = "fb://profile/515431001924232"

URL use if the Facebook app is present in the mobile/tablet.

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/UI/↩ Scripts/UIScripts/ButtonLike.cs

5.4 AppAdvisory.UI.ButtonOpenUrl Class Reference

Class attached to button to open an url.

Inheritance diagram for AppAdvisory.UI.ButtonOpenUrl:



Public Member Functions

- void **OnClickedOpenURL** ()

Public Attributes

- string **URL** = "http://app-advisory.com"

Private Member Functions

- void **Start** ()

5.4.1 Detailed Description

Class attached to button to open an url.

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/UI/↩ Scripts/UIScripts/ButtonOpenUrl.cs

5.5 AppAdvisory.UI.ButtonRate Class Reference

Attached to rate button

Inheritance diagram for AppAdvisory.UI.ButtonRate:



Public Member Functions

- void OnClickedRate ()

  If player clicks on the rate button, we call this method.

Public Attributes

- bool **isAmazon** = false
- string iosRateURL = "fb://profile/515431001924232"

  URL of the iOS game. Find it on iTunes Connect.
- string androidRateURL = "https://www.facebook.com/appadvisory"

  URL of the Android game. Find it on Google Play.
- string amazonRateURL = "https://www.facebook.com/appadvisory"

  URL of the Amazon game. Find it on the Amazon Developer Console.

5.5.1 Detailed Description

Attached to rate button

5.5.2 Member Function Documentation

5.5.2.1 void AppAdvisory.UI.ButtonRate.OnClickedRate ( ) [inline]

If player clicks on the rate button, we call this method.

5.5.3 Member Data Documentation

5.5.3.1 string AppAdvisory.UI.ButtonRate.amazonRateURL = "https://www.facebook.com/appadvisory"

URL of the Amazon game. Find it on the Amazon Developer Console.

5.5.3.2 string AppAdvisory.UI.ButtonRate.androidRateURL = "https://www.facebook.com/appadvisory"

URL of the Android game. Find it on Google Play.

5.5.3.3 string AppAdvisory.UI.ButtonRate.iosRateURL = "fb://profile/515431001924232"

URL of the iOS game. Find it on iTunes Connect.

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/UI/↩ Scripts/UIScripts/ButtonRate.cs

5.6 AppAdvisory.UI.ButtonWatchAd Class Reference

Class attached to the watch ad button. Works only on mobile (iOS & Android), with Very Simple Ads : http↩://u3d.as/oWD

Inheritance diagram for AppAdvisory.UI.ButtonWatchAd:



Public Member Functions

- void OnClickedWatchAd ()

  If player clics on the watch ad button, we call this method. Works only on mobile (iOS & Android) if using Very Simple Ads by App Advisory : http://u3d.as/oWD

Public Attributes

- string **VerySimpleAdsURL** = "http://u3d.as/oWD"

5.6.1 Detailed Description

Class attached to the watch ad button. Works only on mobile (iOS & Android), with Very Simple Ads : http↩ ://u3d.as/oWD

5.6.2 Member Function Documentation

5.6.2.1 void AppAdvisory.UI.ButtonWatchAd.OnClickedWatchAd ( ) [inline]

If player clics on the watch ad button, we call this method. Works only on mobile (iOS & Android) if using Very Simple Ads by App Advisory : http://u3d.as/oWD

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/UI/↩ Scripts/UIScripts/ButtonWatchAd.cs

5.7 AppAdvisory.SwitchTheGravity.CameraFollowPlayer Class Reference

Class attached to the Main Camera to follow the player.

Inheritance diagram for AppAdvisory.SwitchTheGravity.CameraFollowPlayer:



Public Member Functions

- void DOStart ()

  Start the follow with this method. We don't start it automatically because of the start animation of the player.

Private Member Functions

- IEnumerator _Start ()

  Start the follow with this method. We don't start it automatically because of the start animation of the player.

Private Attributes

- Player player

  Reference to the Player.
- float diffX = -20

  Difference of the position on the X axis between the Player and the camera.

5.7.1 Detailed Description

Class attached to the Main Camera to follow the player.

5.7.2 Member Function Documentation

5.7.2.1 IEnumerator AppAdvisory.SwitchTheGravity.CameraFollowPlayer._Start ( ) [inline],[private]

Start the follow with this method. We don't start it automatically because of the start animation of the player.

5.7.2.2 void AppAdvisory.SwitchTheGravity.CameraFollowPlayer.DOStart ( ) [inline]

Start the follow with this method. We don't start it automatically because of the start animation of the player.

5.7.3 Member Data Documentation

5.7.3.1 float AppAdvisory.SwitchTheGravity.CameraFollowPlayer.diffX = -20 [private]

Difference of the position on the X axis between the Player and the camera.

5.7.3.2 Player AppAdvisory.SwitchTheGravity.CameraFollowPlayer.player [private]

Reference to the Player.

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/↩ Scripts/CameraFollowPlayer.cs

5.8 AppAdvisory.SwitchTheGravity.CanvasBlur Class Reference

Represent the blur black image at the top and the botom of the screen.

Inheritance diagram for AppAdvisory.SwitchTheGravity.CanvasBlur:



Static Public Member Functions

- static void DOAnimGameOver ()

  Launch the anim game over .. at game over. The anim game over is from blur on the top and bottom only to black.
- static void DOAnimStart ()

  Launch the anim start .. at start. The anim start is from black to blur on the top and bottom only.

Public Attributes

- Image imageTop

  Reference to the top image in the top of the screen.
- Image imageBottom

  Reference to the bottom image in the top of the screen.

Private Member Functions

- void Awake ()

  Scale to 50 the images to prepare the animation at start (from black to visible screen game).
- void Start ()

  Launch the anim start .. at start. The anim start is from black to blur on the top and bottom only.

- void _DOAnimGameOver ()

  Launch the anim game over .. at game over. The anim game over is from blur on the top and bottom only to black.
- void _DOAnimStart ()

  Launch the anim start .. at start. The anim start is from black to blur on the top and bottom only.

Static Private Attributes

- static CanvasBlur self

  Singleton.

5.8.1 Detailed Description

Represent the blur black image at the top and the botom of the screen.

5.8.2 Member Function Documentation

5.8.2.1 void AppAdvisory.SwitchTheGravity.CanvasBlur._DOAnimGameOver ( ) [inline],[private]

Launch the anim game over .. at game over. The anim game over is from blur on the top and bottom only to black.

5.8.2.2 void AppAdvisory.SwitchTheGravity.CanvasBlur._DOAnimStart ( ) [inline],[private]

Launch the anim start .. at start. The anim start is from black to blur on the top and bottom only.

5.8.2.3 void AppAdvisory.SwitchTheGravity.CanvasBlur.Awake ( ) [inline],[private]

Scale to 50 the images to prepare the animation at start (from black to visible screen game).

5.8.2.4 static void AppAdvisory.SwitchTheGravity.CanvasBlur.DOAnimGameOver ( ) [inline],[static]

Launch the anim game over .. at game over. The anim game over is from blur on the top and bottom only to black.

5.8.2.5 static void AppAdvisory.SwitchTheGravity.CanvasBlur.DOAnimStart ( ) [inline],[static]

Launch the anim start .. at start. The anim start is from black to blur on the top and bottom only.

5.8.2.6 void AppAdvisory.SwitchTheGravity.CanvasBlur.Start ( ) [inline],[private]

Launch the anim start .. at start. The anim start is from black to blur on the top and bottom only.

5.8.3 Member Data Documentation

5.8.3.1 Image AppAdvisory.SwitchTheGravity.CanvasBlur.imageBottom

Reference to the bottom image in the top of the screen.

5.8.3.2 Image AppAdvisory.SwitchTheGravity.CanvasBlur.imageTop

Reference to the top image in the top of the screen.

5.8.3.3 CanvasBlur AppAdvisory.SwitchTheGravity.CanvasBlur.self [static],[private]

Singleton.

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/↩ Scripts/CanvasBlur.cs

5.9 AppAdvisory.SwitchTheGravity.Constants Class Reference

Some constants.

Public Attributes

- const int upMaxY = 32

  Maximum Y position of the top platforms.
- const int upMinY = 28

  Minimum Y position of the top platforms.
- const int downMaxY = -upMinY

  Maximum Y position of the bottom platforms.
- const int downMinY = -upMaxY

  Minimum Y position of the bottom platforms.
- const int middlePosY = 25

  Middle position of the platforms (= position where the top and bottom platforms touch eachother).
- const int numberOfPlatform = (int)(1 + 2 ∗ Constants.screenWidth)

  Number of platforms we want to spawn in the game (then we recycle them).
- const float screenWidth = 22

  The screen width we want in all devices (to have the same gameplay everywhere).
- const string ScreenShotName = "Screenshot"

  The name of the screenshots.
- const float distFront = 20f

  The distance in front of the player to start the Platform animation open.
- const float distBehind = 1f

  The distance behind of the player to start the Platform animation close.
- const Ease easeIn = Ease.OutBack

  The ease type of the tweener use for the animation in of the Platform.
- const Ease easeOut = Ease.InBack

  The ease type of the tweener use for the animation out of the Platform.
- const float animInOutTime = 0.7f

  The duration of the animation in and out of the Platform.
- const float PLAYER_speedHorizontal = 15f

  The speed on the horizontal axis of the Player.
- const float PLAYER_speedVertical = 60f

  The speed on the vertical axis of the Player.
- const float PLAYER_raycastForward = 1.5f

  We raycast before of the move to avoid Player goes throught thing.

5.9.1 Detailed Description

Some constants.

5.9.2 Member Data Documentation

5.9.2.1 const float AppAdvisory.SwitchTheGravity.Constants.animInOutTime = 0.7f

The duration of the animation in and out of the Platform.

5.9.2.2 const float AppAdvisory.SwitchTheGravity.Constants.distBehind = 1f

The distance behind of the player to start the Platform animation close.

5.9.2.3 const float AppAdvisory.SwitchTheGravity.Constants.distFront = 20f

The distance in front of the player to start the Platform animation open.

5.9.2.4 const int AppAdvisory.SwitchTheGravity.Constants.downMaxY = -upMinY

Maximum Y position of the bottom platforms.

5.9.2.5 const int AppAdvisory.SwitchTheGravity.Constants.downMinY = -upMaxY

Minimum Y position of the bottom platforms.

5.9.2.6 const Ease AppAdvisory.SwitchTheGravity.Constants.easeIn = Ease.OutBack

The ease type of the tweener use for the animation in of the Platform.

5.9.2.7 const Ease AppAdvisory.SwitchTheGravity.Constants.easeOut = Ease.InBack

The ease type of the tweener use for the animation out of the Platform.

5.9.2.8 const int AppAdvisory.SwitchTheGravity.Constants.middlePosY = 25

Middle position of the platforms (= position where the top and bottom platforms touch eachother).

5.9.2.9 const int AppAdvisory.SwitchTheGravity.Constants.numberOfPlatform = (int)(1 + 2 ∗ Constants.screenWidth)

Number of platforms we want to spawn in the game (then we recycle them).

5.9.2.10 const float AppAdvisory.SwitchTheGravity.Constants.PLAYER_raycastForward = 1.5f

We raycast before of the move to avoid Player goes throught thing.

5.9.2.11 const float AppAdvisory.SwitchTheGravity.Constants.PLAYER_speedHorizontal = 15f

The speed on the horizontal axis of the Player.

5.9.2.12 const float AppAdvisory.SwitchTheGravity.Constants.PLAYER_speedVertical = 60f

The speed on the vertical axis of the Player.

5.9.2.13 const string AppAdvisory.SwitchTheGravity.Constants.ScreenShotName = "Screenshot"

The name of the screenshots.

5.9.2.14 const float AppAdvisory.SwitchTheGravity.Constants.screenWidth = 22

The screen width we want in all devices (to have the same gameplay everywhere).

5.9.2.15 const int AppAdvisory.SwitchTheGravity.Constants.upMaxY = 32

Maximum Y position of the top platforms.

5.9.2.16 const int AppAdvisory.SwitchTheGravity.Constants.upMinY = 28

Minimum Y position of the top platforms.

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/↩ Scripts/Constants.cs

5.10 DesactivateIfMobile Class Reference

Attached to GameObject we want to desactivate at star if we run the game on mobile.

Inheritance diagram for DesactivateIfMobile:



Private Member Functions

- void **OnEnable** ()

5.10.1 Detailed Description

Attached to GameObject we want to desactivate at star if we run the game on mobile.

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/UI/PR↩ OMO_FACEBOOK/Scripts/DesactivateIfMobile.cs

5.11 AppAdvisory.SwitchTheGravity.GameManager Class Reference

Attached to the button rate

Inheritance diagram for AppAdvisory.SwitchTheGravity.GameManager:



Public Member Functions

- bool GameIsStarted ()

  Get the current AAColor for the platforms.
- void Add1Point ()

  Add 1 point.
- void OnClickedStart ()

  Call by the AppAdvisory.UI.UIController when the animation start is finished. We turn the bool gameStarted to true and we will call the coroutine SpawnPlatformStart to spawn the first platforms smoothly.
- void StartTheGame ()

  When the first platforms are spawned, the last platform spawned will call this method to start the player move and start the game for the player.
- void GameOver ()

  Called when the game is over = collision. We will release some resources, animate out the present platforms, save the score, and restart the scene.
- void SpawnPlatform ()

  Spawn new Platform.
- PlatformPositions GetRandomPosition (int num)

  Get random position.
- void ShowAds ()

  If using Very Simple Ads by App Advisory, show an interstitial if number of play > numberOfPlayToShowInterstitial: `http://u3d.as/oWD`

Public Attributes

- int numberOfPlayToShowInterstitial = 5

  If using Very Simple Ads by App Advisory, show an interstitial if number of play > numberOfPlayToShowInterstitial: `http://u3d.as/oWD`
- string VerySimpleAdsURL = "http://u3d.as/oWD"

  If using Very Simple Ads by App Advisory, show an interstitial if number of play > numberOfPlayToShowInterstitial: `http://u3d.as/oWD`
- List< Platform > platforms = new List<Platform>()

  The list of spawned Platform (useful to recycle them).
- List< AAColor > colors = new List<AAColor>()

  List of AAColor.
- bool randomizeColors = true

  If you want to show the AAColor for the platforms in the order you enter them in the editor, set it to false. If true, it's randomize;
- int changeColorEachXPoints = 5

  Each X points we will change the AAColor for the platforms.
- GameObject platformPrefab

  Reference to the platform prefab we will spawn during the game.
- Player player

  Reference to the player.
- CameraFollowPlayer cameraFollowPlayer

Reference to the camera who follow the player.

- AudioClip music

  Reference to the audioclip for the music. Change it if you want to add your own music.
- AudioClip ExplosionGameOver

  Reference to the audioclip for explision FX at game over. Change it if you want to add your own music.
- bool gravityUp = false

  If false, the gravity is normal (like on earth). If true, the inverse. Each time the player tap or click, we switch the gravity.
- float timeToAddPoint = 1f

  Add 1 point every timeToAddPoint seconds.

Private Member Functions

- AAColor GetColor ()

  Get the current AAColor for the platforms.
- void Awake ()

  Shuffle the color array if randomizeColors == true.
- void Start ()

  Start the game with some initialization.
- IEnumerator SpawnPlatformStart ()

  Spawn the first platforms with a corsoutine to do it smoothly.
- void Update ()

  Listen the inputs.
- Platform SpawnPlatform (int i, bool withCorout)

  Spawn new Platform. If a inactivate Platform is available (if a Platform with gameObject.activeInHierarchy == false), we will recycle it. If not, we will instantiate a new one (for memory optimization, Instantiate / Destroy cost a lot of CPU).
- void ReportScoreToLeaderboard (int p)

  If using Very Simple Leaderboard by App Advisory, report the score : `http://u3d.as/qxf`

Private Attributes

- bool gameStarted = false

  True if game is started.
- Platform lastPlatform

  Save the last platform created.
- int count = 0

  A counter of spawned platform.
- AudioSource audioSource

  The audiosource to play explosion and music.
- int point = 0

  Current point for the player.

5.11.1 Detailed Description

Attached to the button rate

5.11.2 Member Function Documentation

5.11.2.1 void AppAdvisory.SwitchTheGravity.GameManager.Add1Point ( ) [inline]

Add 1 point.

5.11.2.2 void AppAdvisory.SwitchTheGravity.GameManager.Awake ( ) [inline], [private]

Shuffle the color array if randomizeColors == true.

5.11.2.3 bool AppAdvisory.SwitchTheGravity.GameManager.GameIsStarted ( ) [inline]

Get the current AAColor for the platforms.

5.11.2.4 void AppAdvisory.SwitchTheGravity.GameManager.GameOver ( ) [inline]

Called when the game is over = collision. We will release some resources, animate out the present platforms, save the score, and restart the scene.

5.11.2.5 AAColor AppAdvisory.SwitchTheGravity.GameManager.GetColor ( ) [inline], [private]

Get the current AAColor for the platforms.

5.11.2.6 PlatformPositions AppAdvisory.SwitchTheGravity.GameManager.GetRandomPosition (int *num*) [inline]

Get random position.

5.11.2.7 void AppAdvisory.SwitchTheGravity.GameManager.OnClickedStart ( ) [inline]

Call by the AppAdvisory.UI.UIController when the animation start is finished. We turn the bool gameStarted to true and we will call the coroutine SpawnPlatformStart to spawn the first platforms smoothly.

5.11.2.8 void AppAdvisory.SwitchTheGravity.GameManager.ReportScoreToLeaderboard (int *p*) [inline], [private]

If using Very Simple Leaderboard by App Advisory, report the score : http://u3d.as/qxf

5.11.2.9 void AppAdvisory.SwitchTheGravity.GameManager.ShowAds ( ) [inline]

If using Very Simple Ads by App Advisory, show an interstitial if number of play > numberOfPlayToShowInterstitial: http://u3d.as/oWD

5.11.2.10 void AppAdvisory.SwitchTheGravity.GameManager.SpawnPlatform ( ) [inline]

Spawn new Platform.

5.11.2.11 Platform AppAdvisory.SwitchTheGravity.GameManager.SpawnPlatform (int *i*, bool *withCorout*) [inline], [private]

Spawn new Platform. If a inactivate Platform is available (if a Platform with gameObject.activeInHierarchy == false), we will recycle it. If not, we will instantiate a new one (for memory optimization, Instantiate / Destroy cost a lot of CPU).

5.11.2.12 IEnumerator AppAdvisory.SwitchTheGravity.GameManager.SpawnPlatformStart ( ) [inline], [private]

Spawn the first platforms with a corsoutine to do it smoothly.

5.11.2.13 void AppAdvisory.SwitchTheGravity.GameManager.Start ( ) [inline], [private]

Start the game with some initialization.

5.11.2.14 void AppAdvisory.SwitchTheGravity.GameManager.StartTheGame ( ) [inline]

When the first platforms are spawned, the last platform spawned will call this method to start the player move and start the game for the player.

5.11.2.15 void AppAdvisory.SwitchTheGravity.GameManager.Update ( ) [inline], [private]

Listen the inputs.

5.11.3 Member Data Documentation

5.11.3.1 AudioSource AppAdvisory.SwitchTheGravity.GameManager.audioSource [private]

The audiosource to play explosion and music.

5.11.3.2 CameraFollowPlayer AppAdvisory.SwitchTheGravity.GameManager.cameraFollowPlayer

Reference to the camera who follow the player.

5.11.3.3 int AppAdvisory.SwitchTheGravity.GameManager.changeColorEachXPoints = 5

Each X points we will change the AAColor for the platforms.

5.11.3.4 List<AAColor> AppAdvisory.SwitchTheGravity.GameManager.colors = new List<AAColor>()

List of AAColor.

5.11.3.5 int AppAdvisory.SwitchTheGravity.GameManager.count = 0 [private]

A counter of spawned platform.

5.11.3.6 AudioClip AppAdvisory.SwitchTheGravity.GameManager.ExplosionGameOver

Reference to the audioclip for explision FX at game over. Change it if you want to add your own music.

5.11.3.7 bool AppAdvisory.SwitchTheGravity.GameManager.gameStarted = false [private]

True if game is started.

5.11.3.8 bool AppAdvisory.SwitchTheGravity.GameManager.gravityUp = false

If false, the gravity is normal (like on earth). If true, the inverse. Each time the player tap or click, we switch the gravity.

5.11.3.9 Platform AppAdvisory.SwitchTheGravity.GameManager.lastPlatform [private]

Save the last platform created.

5.11.3.10 AudioClip AppAdvisory.SwitchTheGravity.GameManager.music

Reference to the audioclip for the music. Change it if you want to add your own music.

5.11.3.11 int AppAdvisory.SwitchTheGravity.GameManager.numberOfPlayToShowInterstitial = 5

If using Very Simple Ads by App Advisory, show an interstitial if number of play > numberOfPlayToShowInterstitial: http://u3d.as/oWD

5.11.3.12 GameObject AppAdvisory.SwitchTheGravity.GameManager.platformPrefab

Reference to the platform prefab we will spawn during the game.

5.11.3.13 List<Platform> AppAdvisory.SwitchTheGravity.GameManager.platforms = new List<Platform>()

The list of spawned Platform (useful to recycle them).

5.11.3.14 Player AppAdvisory.SwitchTheGravity.GameManager.player

Reference to the player.

5.11.3.15 int AppAdvisory.SwitchTheGravity.GameManager.point = 0 [private]

Current point for the player.

5.11.3.16 bool AppAdvisory.SwitchTheGravity.GameManager.randomizeColors = true

If you want to show the AAColor for the platforms in the order you enter them in the editor, set it to false. If true, it's randomize;

5.11.3.17 float AppAdvisory.SwitchTheGravity.GameManager.timeToAddPoint = 1f

Add 1 point every timeToAddPoint seconds.

5.11.3.18 string AppAdvisory.SwitchTheGravity.GameManager.VerySimpleAdsURL = "http://u3d.as/oWD"

If using Very Simple Ads by App Advisory, show an interstitial if number of play > numberOfPlayToShowInterstitial: http://u3d.as/oWD

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/↩ Scripts/GameManager.cs

5.12 AppAdvisory.UI.UIController.OnUIAnimInEndHandler Class Reference

Unity event triggered when the animation IN, ie. from "out of the screen" to "in the screen" is ended.

Inheritance diagram for AppAdvisory.UI.UIController.OnUIAnimInEndHandler:



5.12.1 Detailed Description

Unity event triggered when the animation IN, ie. from "out of the screen" to "in the screen" is ended.

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/UI/↩ Scripts/UIScripts/UIController.cs

5.13 AppAdvisory.UI.UIController.OnUIAnimInStartHandler Class Reference

Unity event triggered when the animation IN, ie. from "out of the screen" to "in the screen" is started.

Inheritance diagram for AppAdvisory.UI.UIController.OnUIAnimInStartHandler:



5.13.1 Detailed Description

Unity event triggered when the animation IN, ie. from "out of the screen" to "in the screen" is started.

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/UI/↩ Scripts/UIScripts/UIController.cs

5.14 AppAdvisory.UI.UIController.OnUIAnimOUTEndHandler Class Reference

Unity event triggered when the animation OUT, ie. from "in the the screen" to "out of screen" is ended.

Inheritance diagram for AppAdvisory.UI.UIController.OnUIAnimOUTEndHandler:



5.14.1 Detailed Description

Unity event triggered when the animation OUT, ie. from "in the the screen" to "out of screen" is ended.

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/UI/↩ Scripts/UIScripts/UIController.cs

5.15 AppAdvisory.UI.UIController.OnUIAnimOUTStartHandler Class Reference

Unity event triggered when the animation OUT, ie. from "in the the screen" to "out of screen" is started.

Inheritance diagram for AppAdvisory.UI.UIController.OnUIAnimOUTStartHandler:



5.15.1 Detailed Description

Unity event triggered when the animation OUT, ie. from "in the the screen" to "out of screen" is started.

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/UI/↩ Scripts/UIScripts/UIController.cs

5.16 AppAdvisory.SwitchTheGravity.Platform Class Reference

Each Platform is composed with 3 elements: a top platform, a center platform, and a bottom platform.

Inheritance diagram for AppAdvisory.SwitchTheGravity.Platform:



Public Member Functions

- void Init (int num, Color c, PlatformPositions platformPosition)

  Initialize the Platform and start checking position / animation coroutines.
- void InitWithoutCorout (int num, Color c, PlatformPositions platformPosition)

  Initialize the Platform without checking position / animation coroutines.
- void StartCorout ()

  Start the Coroutine for the animation "open" of this Platform when this Platform appear on the screen, and start the animation "close" when this Platform is going to be out os the screen. And start the Coroutine for the logic before despawn the Platform.
- void AnimOpen ()

Open the platform when the player comes.

- void AnimClose ()

  Close the platform when the player go away.
- void AnimOut (float delay, Action< int > isFinished)

  Anim out the platforms when the player lose.

Public Attributes

- int num

  The number of the platform.
- MeshRenderer platformTopRenderer

  The renderer of the top Platform.
- MeshRenderer platformCenterRenderer

  The renderer of the center Platform.
- MeshRenderer platformBottomRenderer

  The renderer of the bottom Platform.
- Transform platformTopParent

  The tranform of the parent of the top Platform.
- Transform platformCenterParent

  The tranform of the parent of the center Platform.
- Transform platformBottomParent

  The tranform of the parent of the bottom Platform.
- PlatformPositions platformPosition = new PlatformPositions(0,0)

  The PlatformPositions of this Platform.

Properties

- float distance `[get]`

  Return the distance on the X axis between the player and this Platform (in absolute value).

Private Member Functions

- void **Awake** ()
- void OnEnable ()

  Reset position when become active = recycle Platform.
- void ResetPos ()

  Reset cube positions.
- IEnumerator _Start ()

  Start the animation "open" of this Platform when this Platform appear on the screen, and start the animation "close" when this Platform is going to be out os the screen.
- IEnumerator _DespawnCheck ()

  Some logic before despawn the Platform.

Private Attributes

- GameManager gameManager

  Reference to the GameManager.
- Player player

  Reference to the Player.

5.16.1 Detailed Description

Each Platform is composed with 3 elements: a top platform, a center platform, and a bottom platform.

5.16.2 Member Function Documentation

5.16.2.1 IEnumerator AppAdvisory.SwitchTheGravity.Platform._DespawnCheck ( ) [inline],[private]

Some logic before despawn the Platform.

5.16.2.2 IEnumerator AppAdvisory.SwitchTheGravity.Platform._Start ( ) [inline],[private]

Start the animation "open" of this Platform when this Platform appear on the screen, and start the animation "close" when this Platform is going to be out os the screen.

5.16.2.3 void AppAdvisory.SwitchTheGravity.Platform.AnimClose ( ) [inline]

Close the platform when the player go away.

5.16.2.4 void AppAdvisory.SwitchTheGravity.Platform.AnimOpen ( ) [inline]

Open the platform when the player comes.

5.16.2.5 void AppAdvisory.SwitchTheGravity.Platform.AnimOut (float *delay*, Action< int > *isFinished*) [inline]

Anim out the platforms when the player lose.

5.16.2.6 void AppAdvisory.SwitchTheGravity.Platform.Init (int *num*, Color *c*, PlatformPositions *platformPosition*) [inline]

Initialize the Platform and start checking position / animation coroutines.

5.16.2.7 void AppAdvisory.SwitchTheGravity.Platform.InitWithoutCorout (int *num*, Color *c*, PlatformPositions *platformPosition*) [inline]

Initialize the Platform without checking position / animation coroutines.

5.16.2.8 void AppAdvisory.SwitchTheGravity.Platform.OnEnable ( ) [inline],[private]

Reset position when become active = recycle Platform.

5.16.2.9 void AppAdvisory.SwitchTheGravity.Platform.ResetPos ( ) [inline],[private]

Reset cube positions.

5.16.2.10 void AppAdvisory.SwitchTheGravity.Platform.StartCorout ( ) [inline]

Start the Coroutine for the animation "open" of this Platform when this Platform appear on the screen, and start the animation "close" when this Platform is going to be out os the screen. And start the Coroutine for the logic before despawn the Platform.

5.16.3 Member Data Documentation

5.16.3.1 GameManager AppAdvisory.SwitchTheGravity.Platform.gameManager [private]

Reference to the GameManager.

5.16.3.2 int AppAdvisory.SwitchTheGravity.Platform.num

The number of the platform.

5.16.3.3 Transform AppAdvisory.SwitchTheGravity.Platform.platformBottomParent

The tranform of the parent of the bottom Platform.

5.16.3.4 MeshRenderer AppAdvisory.SwitchTheGravity.Platform.platformBottomRenderer

The renderer of the bottom Platform.

5.16.3.5 Transform AppAdvisory.SwitchTheGravity.Platform.platformCenterParent

The tranform of the parent of the center Platform.

5.16.3.6 MeshRenderer AppAdvisory.SwitchTheGravity.Platform.platformCenterRenderer

The renderer of the center Platform.

5.16.3.7 PlatformPositions AppAdvisory.SwitchTheGravity.Platform.platformPosition = new PlatformPositions(0,0)

The PlatformPositions of this Platform.

5.16.3.8 Transform AppAdvisory.SwitchTheGravity.Platform.platformTopParent

The tranform of the parent of the top Platform.

5.16.3.9 MeshRenderer AppAdvisory.SwitchTheGravity.Platform.platformTopRenderer

The renderer of the top Platform.

5.16.3.10 Player AppAdvisory.SwitchTheGravity.Platform.player [private]

Reference to the Player.

5.16.4 Property Documentation

5.16.4.1 float AppAdvisory.SwitchTheGravity.Platform.distance [get],[private]

Return the distance on the X axis between the player and this Platform (in absolute value).

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/↩ Scripts/Platform.cs

5.17 AppAdvisory.SwitchTheGravity.PlatformPositions Class Reference

The PlatformPosition object. Encapsulate the position of the TOP/MIDDLE/BOTTOM Platform with some logic when you cretae a new one.

Public Member Functions

- PlatformPositions (float positionTopY, float positionBottomY)

  Constructor.
- PlatformPositions (PlatformPositions other)

  Constructor.

Public Attributes

- float positionTopY

  The position Y of the TOP Platform.
- float positionBottomY

  The position Y of the BOTTOM Platform.
- bool activateMiddlePlatform

  Activate middle cube?
- float positionMiddle

  The position Y of the MIDDLE Platform.

Private Member Functions

- void SetPosition (float positionTopY, float positionBottomY)

  Set the positions.

5.17.1 Detailed Description

The PlatformPosition object. Encapsulate the position of the TOP/MIDDLE/BOTTOM Platform with some logic when you cretae a new one.

5.17.2 Constructor & Destructor Documentation

5.17.2.1 AppAdvisory.SwitchTheGravity.PlatformPositions.PlatformPositions (float *positionTopY*, float *positionBottomY*) [inline]

Constructor.

5.17.2.2 AppAdvisory.SwitchTheGravity.PlatformPositions.PlatformPositions (PlatformPositions *other*) [inline]

Constructor.

5.17.3 Member Function Documentation

5.17.3.1 void AppAdvisory.SwitchTheGravity.PlatformPositions.SetPosition (float *positionTopY*, float *positionBottomY*) [inline],[private]

Set the positions.

5.17.4 Member Data Documentation

5.17.4.1 bool AppAdvisory.SwitchTheGravity.PlatformPositions.activateMiddlePlatform

Activate middle cube?

5.17.4.2 float AppAdvisory.SwitchTheGravity.PlatformPositions.positionBottomY

The position Y of the BOTTOM Platform.

5.17.4.3 float AppAdvisory.SwitchTheGravity.PlatformPositions.positionMiddle

The position Y of the MIDDLE Platform.

5.17.4.4 float AppAdvisory.SwitchTheGravity.PlatformPositions.positionTopY

The position Y of the TOP Platform.

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/↩ Scripts/PlatformPosition.cs

5.18 AppAdvisory.SwitchTheGravity.Player Class Reference

Player class with all the logic of the Player. Attached to the Player GameObject.

Inheritance diagram for AppAdvisory.SwitchTheGravity.Player:



Public Member Functions

- void DOStart (Action finished)

  Do the animation start of the player.
- void ResetPitch ()

  Reset the player audiosource pitch to default value = 1.

Public Attributes

- AudioClip impactFX

  The audioclip played when the player finished a jump.
- GameObject particleInGame

  Reference to the particles played during the game.
- GameObject particleGameOver

  Reference to the particles played at game over only.
- GameObject[ ] particleBackground

  The particles play in background(the "stars").

Private Member Functions

- void Awake ()

  Some initializations.
- void Start ()

  Some initializations.
- IEnumerator _Start ()

  Do the check position/collision (cf Check() method) every frame.
- void GameOver ()

  Call at game over. Desatcivate the current particles and activate the particle game over, desactivate the renderer of the player then call the game over method in the GameManager.
- void ActivateParticleBackground (bool setActivate)

  Activate the particle background. There are two particles: one static, the other one moving on the left.
- void Check ()

  Raycast to top, bottom, and in front of the player.

Private Attributes

- AudioSource audiosource

  Audiosource for the Plater FXs.
- GameManager gameManager

  Reference to the GameManager.
- bool firstSound = true

  To not play the first move sound at the end of the animation of the Player at start.
- float lastPosY = 0

  Last pos Y od the Player.
- float pitch = 1f

  The current pitch of the sound (to have different pitch level FX when the Player hit a cube).
- bool canPlayFx = true

  To not play more than one time by jump the jump FX.

5.18.1 Detailed Description

Player class with all the logic of the Player. Attached to the Player GameObject.

5.18.2 Member Function Documentation

5.18.2.1 IEnumerator AppAdvisory.SwitchTheGravity.Player._Start ( ) [inline],[private]

Do the check position/collision (cf Check() method) every frame.

5.18.2.2 void AppAdvisory.SwitchTheGravity.Player.ActivateParticleBackground (bool *setActivate*) [inline], [private]

Activate the particle background. There are two particles: one static, the other one moving on the left.

5.18.2.3 void AppAdvisory.SwitchTheGravity.Player.Awake ( ) [inline], [private]

Some initializations.

5.18.2.4 void AppAdvisory.SwitchTheGravity.Player.Check ( ) [inline], [private]

Raycast to top, bottom, and in front of the player.

5.18.2.5 void AppAdvisory.SwitchTheGravity.Player.DOStart (Action *finished*) [inline]

Do the animation start of the player.

5.18.2.6 void AppAdvisory.SwitchTheGravity.Player.GameOver ( ) [inline], [private]

Call at game over. Desatcivate the current particles and activate the particle game over, desactivate the renderer of the player then call the game over method in the GameManager.

5.18.2.7 void AppAdvisory.SwitchTheGravity.Player.ResetPitch ( ) [inline]

Reset the player audiosource pitch to default value = 1.

5.18.2.8 void AppAdvisory.SwitchTheGravity.Player.Start ( ) [inline], [private]

Some initializations.

5.18.3 Member Data Documentation

5.18.3.1 AudioSource AppAdvisory.SwitchTheGravity.Player.audiosource [private]

Audiosource for the Plater FXs.

5.18.3.2 bool AppAdvisory.SwitchTheGravity.Player.canPlayFx = true [private]

To not play more than one time by jump the jump FX.

5.18.3.3 bool AppAdvisory.SwitchTheGravity.Player.firstSound = true [private]

To not play the first move sound at the end of the animation of the Player at start.

5.18.3.4 GameManager AppAdvisory.SwitchTheGravity.Player.gameManager [private]

Reference to the GameManager.

5.18.3.5 AudioClip AppAdvisory.SwitchTheGravity.Player.impactFX

The audioclip played when the player finished a jump.

5.18.3.6 float AppAdvisory.SwitchTheGravity.Player.lastPosY = 0 [private]

Last pos Y od the Player.

5.18.3.7 GameObject [ ] AppAdvisory.SwitchTheGravity.Player.particleBackground

The particles play in background(the "stars").

5.18.3.8 GameObject AppAdvisory.SwitchTheGravity.Player.particleGameOver

Reference to the particles played at game over only.

5.18.3.9 GameObject AppAdvisory.SwitchTheGravity.Player.particleInGame

Reference to the particles played during the game.

5.18.3.10 float AppAdvisory.SwitchTheGravity.Player.pitch = 1f [private]

The current pitch of the sound (to have different pitch level FX when the Player hit a cube).

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/↩ Scripts/Player.cs

5.19 AppAdvisory.UI.UIController Class Reference

Class attached to the UIController GameObject (who is a Canvas). In Charge of all the logics of the UI: animation, events...

Inheritance diagram for AppAdvisory.UI.UIController:



Classes

- class OnUIAnimInEndHandler

  Unity event triggered when the animation IN, ie. from "out of the screen" to "in the screen" is ended.
- class OnUIAnimInStartHandler

  Unity event triggered when the animation IN, ie. from "out of the screen" to "in the screen" is started.
- class OnUIAnimOUTEndHandler

  Unity event triggered when the animation OUT, ie. from "in the the screen" to "out of screen" is ended.
- class OnUIAnimOUTStartHandler

  Unity event triggered when the animation OUT, ie. from "in the the screen" to "out of screen" is started.

Public Member Functions

- void SetBestText (int point)

  Set the UI Text best score.
- void SetLastText (int point)

  Set the UI Text last score.
- void DOAnimIN ()

  Method called to do the animation IN, ie. from "out of the screen" to "in the screen". We will anim from top and horizontally.
- void DOAnimOutScoreInGame ()

  Do the animation OUT on the Y position of the UI Text score in game.
- void DOAnimOUT ()

  Method called to do the animation OUT, ie. from "in the the screen" to "out of the screen". We will anim from top and horizontally.
- void DOAnimInScoreInGame ()

  Do the animation IN on the Y position of the UI Text score in game.

Static Public Member Functions

- static void SetScore (int score)

  Set the in game score.
- static void SetUIBestScore (int point)

  Set the UI Text best score.
- static void SetUILastScore (int point)

  Set the UI Text last score.
- static void DOAnimOutScore ()

  Do the animation OUT on the Y position of the UI Text score in game.

Public Attributes

- bool doAnimInAtStart = true

  To true if you want to have the anim in at start.
- Text **scoreIngame**
- LayoutGroup[ ] **layoutGroupToDesactivateAtStart**
- ContentSizeFitter[ ] **contentSizeFitterToDesactivateAtStart**
- LayoutElement[ ] **layoutElementToDesactivate**
- RectTransform[ ] toAnimateFromTop

  Reference to all UI elements we will animate from the top of the screen.
- RectTransform[ ] toAnimateHorizontaly

  Reference to all UI elements we will animate horizontally.
- Text textLast

  Reference to UI Text for the last score.
- Text textBest

  Reference to UI Text for the best score.
- OnUIAnimInStartHandler OnUIAnimInStart

  Unity event triggered when the animation IN, ie. from "out of the screen" to "in the screen" is started.
- OnUIAnimInEndHandler OnUIAnimInEnd

  Unity event triggered when the animation IN, ie. from "out of the screen" to "in the screen" is ended.
- OnUIAnimOUTStartHandler OnUIAnimOutStart

  Unity event triggered when the animation OUT, ie. from "in the the screen" to "out of screen" is started.
- OnUIAnimOUTEndHandler OnUIAnimOutEnd

  Unity event triggered when the animation OUT, ie. from "in the the screen" to "out of screen" is ended.

Private Member Functions

- void **DesactivateUIFitter** ()
- void **Awake** ()
- void **Start** ()
- void AnimateINFromTop (Action callback)

  Do the animation IN, ie. from "out of the screen" to "in the screen", from top.
- void AnimateINHorizontaly (Action callback)

  Do the animation IN, ie. from "out of the screen" to "in the screen", horizontally.
- void AnimateOUTFromTop (Action callback)

  Do the animation OUT, ie. from "in the screen" to "out of the screen", from top.
- void AnimateOUTHorizontaly (Action callback)

  Do the animation OUT, ie. from "in the screen" to "out of the screen", horizontaly.
- void SetInGameScoreOut ()

  Set the Y position of the UI Text score in game out of the screen.

Static Private Attributes

- static UIController self

  Set an unique instance of this GameObject.s

5.19.1 Detailed Description

Class attached to the UIController GameObject (who is a Canvas). In Charge of all the logics of the UI: animation, events...

5.19.2 Member Function Documentation

5.19.2.1 void AppAdvisory.UI.UIController.AnimateINFromTop (Action *callback*) [inline],[private]

Do the animation IN, ie. from "out of the screen" to "in the screen", from top.

5.19.2.2 void AppAdvisory.UI.UIController.AnimateINHorizontaly (Action *callback*) [inline],[private]

Do the animation IN, ie. from "out of the screen" to "in the screen", horizontally.

5.19.2.3 void AppAdvisory.UI.UIController.AnimateOUTFromTop (Action *callback*) [inline],[private]

Do the animation OUT, ie. from "in the screen" to "out of the screen", from top.

5.19.2.4 void AppAdvisory.UI.UIController.AnimateOUTHorizontaly (Action *callback*) [inline],[private]

Do the animation OUT, ie. from "in the screen" to "out of the screen", horizontaly.

5.19.2.5 void AppAdvisory.UI.UIController.DOAnimIN ( ) [inline]

Method called to do the animation IN, ie. from "out of the screen" to "in the screen". We will anim from top and horizontally.

5.19.2.6 void AppAdvisory.UI.UIController.DOAnimInScoreInGame ( ) [inline]

Do the animation IN on the Y position of the UI Text score in game.

5.19.2.7 void AppAdvisory.UI.UIController.DOAnimOUT ( ) [inline]

Method called to do the animation OUT, ie. from "in the the screen" to "out of the screen". We will anim from top and horizontally.

5.19.2.8 static void AppAdvisory.UI.UIController.DOAnimOutScore ( ) [inline], [static]

Do the animation OUT on the Y position of the UI Text score in game.

5.19.2.9 void AppAdvisory.UI.UIController.DOAnimOutScoreInGame ( ) [inline]

Do the animation OUT on the Y position of the UI Text score in game.

5.19.2.10 void AppAdvisory.UI.UIController.SetBestText (int *point*) [inline]

Set the UI Text best score.

5.19.2.11 void AppAdvisory.UI.UIController.SetInGameScoreOut ( ) [inline], [private]

Set the Y position of the UI Text score in game out of the screen.

5.19.2.12 void AppAdvisory.UI.UIController.SetLastText (int *point*) [inline]

Set the UI Text last score.

5.19.2.13 static void AppAdvisory.UI.UIController.SetScore (int *score*) [inline], [static]

Set the in game score.

5.19.2.14 static void AppAdvisory.UI.UIController.SetUIBestScore (int *point*) [inline], [static]

Set the UI Text best score.

5.19.2.15 static void AppAdvisory.UI.UIController.SetUILastScore (int *point*) [inline], [static]

Set the UI Text last score.

5.19.3 Member Data Documentation

5.19.3.1 bool AppAdvisory.UI.UIController.doAnimInAtStart = true

To true if you want to have the anim in at start.

5.19.3.2 OnUIAnimInEndHandler AppAdvisory.UI.UIController.OnUIAnimInEnd

Unity event triggered when the animation IN, ie. from "out of the screen" to "in the screen" is ended.

5.19.3.3 OnUIAnimInStartHandler AppAdvisory.UI.UIController.OnUIAnimInStart

Unity event triggered when the animation IN, ie. from "out of the screen" to "in the screen" is started.

5.19.3.4 OnUIAnimOUTEndHandler AppAdvisory.UI.UIController.OnUIAnimOutEnd

Unity event triggered when the animation OUT, ie. from "in the the screen" to "out of screen" is ended.

5.19.3.5 OnUIAnimOUTStartHandler AppAdvisory.UI.UIController.OnUIAnimOutStart

Unity event triggered when the animation OUT, ie. from "in the the screen" to "out of screen" is started.

5.19.3.6 UIController AppAdvisory.UI.UIController.self [static],[private]

Set an unique instance of this GameObject.s

5.19.3.7 Text AppAdvisory.UI.UIController.textBest

Reference to UI Text for the best score.

5.19.3.8 Text AppAdvisory.UI.UIController.textLast

Reference to UI Text for the last score.

5.19.3.9 RectTransform [ ] AppAdvisory.UI.UIController.toAnimateFromTop

Reference to all UI elements we will animate from the top of the screen.

5.19.3.10 RectTransform [ ] AppAdvisory.UI.UIController.toAnimateHorizontaly

Reference to all UI elements we will animate horizontally.

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/UI/↩ Scripts/UIScripts/UIController.cs

5.20 AppAdvisory.SwitchTheGravity.Util Class Reference

Utility class.

Static Public Member Functions

- static double **GetRandomNumber** (double minimum, double maximum)
- static float **GetRandomNumber** (float minimum, float maximum)
- static void Shuffle< T > (this IList< T > list)

  Real shuffle of List
- static void SetLastScore (int score)

  Set the last score, and eventually save a new best score in rhe PlayerPrefs.
- static int GetBestScore ()

Get best score from PlayerPrefs.

- static int GetLastScore ()

  Get best score from PlayerPrefs.

- static void ReloadLevel ()

  Clean the memory and reload the scene

- static void CleanMemory ()

  Clean the memory

- static void SetAlpha (this Text text, float alpha)

  Set alpha of UI Text element.

- static void SetScaleX (this RectTransform rect, float scale)

  Set scale X of RectTransform element.

- static float **GetOrthoMainCamWidth** ()
- static float **GetOrthoMainCamHeight** ()

Public Attributes

- const string **bestScore** = "BEST_SCORE"
- const string **lastScore** = "LAST_SCORE"

Static Private Attributes

- static System.Random **random** = new System.Random()

5.20.1 Detailed Description

Utility class.

5.20.2 Member Function Documentation

5.20.2.1 static void AppAdvisory.SwitchTheGravity.Util.CleanMemory ( ) [inline],[static]

Clean the memory

5.20.2.2 static int AppAdvisory.SwitchTheGravity.Util.GetBestScore ( ) [inline],[static]

Get best score from PlayerPrefs.

5.20.2.3 static int AppAdvisory.SwitchTheGravity.Util.GetLastScore ( ) [inline],[static]

Get best score from PlayerPrefs.

5.20.2.4 static void AppAdvisory.SwitchTheGravity.Util.ReloadLevel ( ) [inline],[static]

Clean the memory and reload the scene

5.20.2.5 static void AppAdvisory.SwitchTheGravity.Util.SetAlpha (this Text *text*, float *alpha*) [inline],[static]

Set alpha of UI Text element.

5.20.2.6 static void AppAdvisory.SwitchTheGravity.Util.SetLastScore (int *score*) [inline], [static]

Set the last score, and eventually save a new best score in rhe PlayerPrefs.

5.20.2.7 static void AppAdvisory.SwitchTheGravity.Util.SetScaleX (this RectTransform *rect,* float *scale*) [inline], [static]

Set scale X of RectTransform element.

5.20.2.8 static void AppAdvisory.SwitchTheGravity.Util.Shuffle< T > (this IList< T > *list*) [inline], [static]

Real shuffle of List

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/↩ Scripts/Util.cs

5.21 AppAdvisory.SwitchTheGravity.Welcome Class Reference

Inheritance diagram for AppAdvisory.SwitchTheGravity.Welcome:



Public Member Functions

- void **OnGUI** ()

Static Public Member Functions

- static void **OpenWelcomeWindow** ()

Private Member Functions

- void **OnEnable** ()
- int **GetInt** (bool b)
- void **InitInterface** ()
- bool **Button** (Texture texture, string heading, string body, int space=10)

Static Private Member Functions

- static void **OpenAtStartup** ()
- static void **OnPlayModeChanged** ()

Private Attributes

- const string **ONLINE_DOC_URL** = "https://dl.dropboxusercontent.com/u/8289407/SwitchTheGravity/Documentation/html/annot
html"
- const string **RATEUS_URL** = "http://u3d.as/tQZ"
- const string **NAME_OF_THE_GAME** = "SWITCH THE GRAVITY"
- const string **VERYSIMPLEAD_URL** = "http://u3d.as/oWD"
- const string **VERYSIMPLELEADERBOARD_URL** = "http://u3d.as/qxf"
- const string **FACEBOOK_URL** = "https://facebook.com/appadvisory"
- const string **REQUEST_URL** = "https://appadvisory.zendesk.com/hc/en-us/requests/new"
- const string **APPADVISORY_UNITY_CATALOG_URL** = "http://u3d.as/9cs"
- const string **COMMUNITY_URL** = "https://appadvisory.zendesk.com/hc/en-us/community/topics"
- const float **width** = 550
- const float **height** = 710
- const string **PREFSHOWATSTARTUP** = "AppAdvisory.PREFSHOWATSTARTUP"

Static Private Attributes

- static bool **showAtStartup**
- static GUIStyle **imgHeader**
- static bool **interfaceInitialized**
- static Texture **adsIcon**
- static Texture **leaderboardIcon**
- static Texture **onlineDocIcon**
- static Texture **moreGamesIcon**
- static Texture **rateIcon**
- static Texture **communityIcon**
- static Texture **topicIcon**
- static Texture **questionIcon**
- static Texture **facebookIcon**

The documentation for this class was generated from the following file:

- /Volumes/LaCie/Dropbox/Anthony/DRIVE/___AppAdvisory/GravitySwitch/Assets/SwitchTheGravity/↩
Editor/Welcome.cs

Index

_DOAnimGameOver
AppAdvisory::SwitchTheGravity::CanvasBlur, 16
_DOAnimStart
AppAdvisory::SwitchTheGravity::CanvasBlur, 16
_DespawnCheck
AppAdvisory::SwitchTheGravity::Platform, 28
_Start
AppAdvisory::SwitchTheGravity::CameraFollow↩ Player, 14
AppAdvisory::SwitchTheGravity::Platform, 28
AppAdvisory::SwitchTheGravity::Player, 32

AAColor
AppAdvisory::SwitchTheGravity::AAColor, 9
activateMiddlePlatform
AppAdvisory::SwitchTheGravity::Platform↩ Positions, 31
ActivateParticleBackground
AppAdvisory::SwitchTheGravity::Player, 32
Add1Point
AppAdvisory::SwitchTheGravity::GameManager, 21
amazonRateURL
AppAdvisory::UI::ButtonRate, 13
androidRateURL
AppAdvisory::UI::ButtonRate, 13
AnimClose
AppAdvisory::SwitchTheGravity::Platform, 28
animInOutTime
AppAdvisory::SwitchTheGravity::Constants, 18
AnimOpen
AppAdvisory::SwitchTheGravity::Platform, 28
AnimOut
AppAdvisory::SwitchTheGravity::Platform, 28
AnimateINFromTop
AppAdvisory::UI::UIController, 36
AnimateINHorizontaly
AppAdvisory::UI::UIController, 36
AnimateOUTFromTop
AppAdvisory::UI::UIController, 36
AnimateOUTHorizontaly
AppAdvisory::UI::UIController, 36
AppAdvisory, 7
AppAdvisory.SwitchTheGravity, 7
AppAdvisory.SwitchTheGravity.AAColor, 9
AppAdvisory.SwitchTheGravity.CameraFollowPlayer, 14
AppAdvisory.SwitchTheGravity.CanvasBlur, 15
AppAdvisory.SwitchTheGravity.Constants, 17
AppAdvisory.SwitchTheGravity.GameManager, 19
AppAdvisory.SwitchTheGravity.Platform, 26
AppAdvisory.SwitchTheGravity.PlatformPositions, 30
AppAdvisory.SwitchTheGravity.Player, 31
AppAdvisory.SwitchTheGravity.Util, 38
AppAdvisory.SwitchTheGravity.Welcome, 40
AppAdvisory.UI, 8
AppAdvisory.UI.ButtonLeaderboard, 10
AppAdvisory.UI.ButtonLike, 10
AppAdvisory.UI.ButtonOpenUrl, 11
AppAdvisory.UI.ButtonRate, 12
AppAdvisory.UI.ButtonWatchAd, 13
AppAdvisory.UI.UIController, 34
AppAdvisory.UI.UIController.OnUIAnimInEndHandler, 25
AppAdvisory.UI.UIController.OnUIAnimInStartHandler, 25
AppAdvisory.UI.UIController.OnUIAnimOUTEnd↩ Handler, 25
AppAdvisory.UI.UIController.OnUIAnimOUTStart↩ Handler, 26
AppAdvisory::SwitchTheGravity::AAColor
AAColor, 9
colorA, 9
colorB, 9
AppAdvisory::SwitchTheGravity::CameraFollowPlayer
_Start, 14
DOStart, 14
diffX, 15
player, 15
AppAdvisory::SwitchTheGravity::CanvasBlur
_DOAnimGameOver, 16
_DOAnimStart, 16
Awake, 16
DOAnimGameOver, 16
DOAnimStart, 16
imageBottom, 16
imageTop, 16
self, 16
Start, 16
AppAdvisory::SwitchTheGravity::Constants
animInOutTime, 18
distBehind, 18
distFront, 18
downMaxY, 18
downMinY, 18
easeIn, 18
easeOut, 18
middlePosY, 18
numberOfPlatform, 18
PLAYER_raycastForward, 18

PLAYER_speedHorizontal, 18
PLAYER_speedVertical, 18
ScreenShotName, 18
screenWidth, 19
upMaxY, 19
upMinY, 19
AppAdvisory::SwitchTheGravity::GameManager
Add1Point, 21
audioSource, 23
Awake, 21
cameraFollowPlayer, 23
changeColorEachXPoints, 23
colors, 23
count, 23
ExplosionGameOver, 23
GameIsStarted, 22
GameOver, 22
gameStarted, 23
GetColor, 22
GetRandomPosition, 22
gravityUp, 23
lastPlatform, 23
music, 24
numberOfPlayToShowInterstitial, 24
OnClickedStart, 22
platformPrefab, 24
platforms, 24
player, 24
point, 24
randomizeColors, 24
ReportScoreToLeaderboard, 22
ShowAds, 22
SpawnPlatform, 22
SpawnPlatformStart, 22
Start, 22
StartTheGame, 23
timeToAddPoint, 24
Update, 23
VerySimpleAdsURL, 24
AppAdvisory::SwitchTheGravity::Platform
_DespawnCheck, 28
_Start, 28
AnimClose, 28
AnimOpen, 28
AnimOut, 28
distance, 29
gameManager, 29
Init, 28
InitWithoutCorout, 28
num, 29
OnEnable, 28
platformBottomParent, 29
platformBottomRenderer, 29
platformCenterParent, 29
platformCenterRenderer, 29
platformPosition, 29
platformTopParent, 29
platformTopRenderer, 29
player, 29
ResetPos, 28
StartCorout, 28
AppAdvisory::SwitchTheGravity::PlatformPositions
activateMiddlePlatform, 31
PlatformPositions, 30
positionBottomY, 31
positionMiddle, 31
positionTopY, 31
SetPosition, 31
AppAdvisory::SwitchTheGravity::Player
_Start, 32
ActivateParticleBackground, 32
audiosource, 33
Awake, 33
canPlayFx, 33
Check, 33
DOStart, 33
firstSound, 33
gameManager, 33
GameOver, 33
impactFX, 33
lastPosY, 34
particleBackground, 34
particleGameOver, 34
particleInGame, 34
pitch, 34
ResetPitch, 33
Start, 33
AppAdvisory::SwitchTheGravity::Util
CleanMemory, 39
GetBestScore, 39
GetLastScore, 39
ReloadLevel, 39
SetAlpha, 39
SetLastScore, 39
SetScaleX, 40
Shuffle< T >, 40
AppAdvisory::UI::ButtonLeaderboard
OnClickedOpenLeaderboard, 10
AppAdvisory::UI::ButtonLike
facebookAddress, 11
facebookApp, 11
OnClickedFacebookLikeButton, 11
AppAdvisory::UI::ButtonRate
amazonRateURL, 13
androidRateURL, 13
iosRateURL, 13
OnClickedRate, 13
AppAdvisory::UI::ButtonWatchAd
OnClickedWatchAd, 14
AppAdvisory::UI::UIController
AnimateINFromTop, 36
AnimateINHorizontaly, 36
AnimateOUTFromTop, 36
AnimateOUTHorizontaly, 36
DOAnimIN, 36
DOAnimInScoreInGame, 36

DOAnimOUT, 37
DOAnimOutScore, 37
DOAnimOutScoreInGame, 37
doAnimInAtStart, 37
OnUIAnimInEnd, 37
OnUIAnimInStart, 37
OnUIAnimOutEnd, 38
OnUIAnimOutStart, 38
self, 38
SetBestText, 37
SetInGameScoreOut, 37
SetLastText, 37
SetScore, 37
SetUIBestScore, 37
SetUILastScore, 37
textBest, 38
textLast, 38
toAnimateFromTop, 38
toAnimateHorizontaly, 38
audioSource
AppAdvisory::SwitchTheGravity::GameManager, 23
audiosource
AppAdvisory::SwitchTheGravity::Player, 33
Awake
AppAdvisory::SwitchTheGravity::CanvasBlur, 16
AppAdvisory::SwitchTheGravity::GameManager, 21
AppAdvisory::SwitchTheGravity::Player, 33

cameraFollowPlayer
AppAdvisory::SwitchTheGravity::GameManager, 23
canPlayFx
AppAdvisory::SwitchTheGravity::Player, 33
changeColorEachXPoints
AppAdvisory::SwitchTheGravity::GameManager, 23
Check
AppAdvisory::SwitchTheGravity::Player, 33
CleanMemory
AppAdvisory::SwitchTheGravity::Util, 39
colorA
AppAdvisory::SwitchTheGravity::AAColor, 9
colorB
AppAdvisory::SwitchTheGravity::AAColor, 9
colors
AppAdvisory::SwitchTheGravity::GameManager, 23
count
AppAdvisory::SwitchTheGravity::GameManager, 23

DOAnimGameOver
AppAdvisory::SwitchTheGravity::CanvasBlur, 16
DOAnimIN
AppAdvisory::UI::UIController, 36
DOAnimInScoreInGame
AppAdvisory::UI::UIController, 36
DOAnimOUT
AppAdvisory::UI::UIController, 37
DOAnimOutScore
AppAdvisory::UI::UIController, 37
DOAnimOutScoreInGame
AppAdvisory::UI::UIController, 37
DOAnimStart
AppAdvisory::SwitchTheGravity::CanvasBlur, 16
DOStart
AppAdvisory::SwitchTheGravity::CameraFollow↩Player, 14
AppAdvisory::SwitchTheGravity::Player, 33
DesactivateIfMobile, 19
diffX
AppAdvisory::SwitchTheGravity::CameraFollow↩Player, 15
distBehind
AppAdvisory::SwitchTheGravity::Constants, 18
distFront
AppAdvisory::SwitchTheGravity::Constants, 18
distance
AppAdvisory::SwitchTheGravity::Platform, 29
doAnimInAtStart
AppAdvisory::UI::UIController, 37
downMaxY
AppAdvisory::SwitchTheGravity::Constants, 18
downMinY
AppAdvisory::SwitchTheGravity::Constants, 18

easeIn
AppAdvisory::SwitchTheGravity::Constants, 18
easeOut
AppAdvisory::SwitchTheGravity::Constants, 18
ExplosionGameOver
AppAdvisory::SwitchTheGravity::GameManager, 23

facebookAddress
AppAdvisory::UI::ButtonLike, 11
facebookApp
AppAdvisory::UI::ButtonLike, 11
firstSound
AppAdvisory::SwitchTheGravity::Player, 33

GameIsStarted
AppAdvisory::SwitchTheGravity::GameManager, 22
gameManager
AppAdvisory::SwitchTheGravity::Platform, 29
AppAdvisory::SwitchTheGravity::Player, 33
GameOver
AppAdvisory::SwitchTheGravity::GameManager, 22
AppAdvisory::SwitchTheGravity::Player, 33
gameStarted
AppAdvisory::SwitchTheGravity::GameManager, 23
GetBestScore
AppAdvisory::SwitchTheGravity::Util, 39

GetColor
AppAdvisory::SwitchTheGravity::GameManager, 22
GetLastScore
AppAdvisory::SwitchTheGravity::Util, 39
GetRandomPosition
AppAdvisory::SwitchTheGravity::GameManager, 22
gravityUp
AppAdvisory::SwitchTheGravity::GameManager, 23

imageBottom
AppAdvisory::SwitchTheGravity::CanvasBlur, 16
imageTop
AppAdvisory::SwitchTheGravity::CanvasBlur, 16
impactFX
AppAdvisory::SwitchTheGravity::Player, 33
Init
AppAdvisory::SwitchTheGravity::Platform, 28
InitWithoutCorout
AppAdvisory::SwitchTheGravity::Platform, 28
iosRateURL
AppAdvisory::UI::ButtonRate, 13

lastPlatform
AppAdvisory::SwitchTheGravity::GameManager, 23
lastPosY
AppAdvisory::SwitchTheGravity::Player, 34

middlePosY
AppAdvisory::SwitchTheGravity::Constants, 18
music
AppAdvisory::SwitchTheGravity::GameManager, 24

num
AppAdvisory::SwitchTheGravity::Platform, 29
numberOfPlatform
AppAdvisory::SwitchTheGravity::Constants, 18
numberOfPlayToShowInterstitial
AppAdvisory::SwitchTheGravity::GameManager, 24

OnClickedFacebookLikeButton
AppAdvisory::UI::ButtonLike, 11
OnClickedOpenLeaderboard
AppAdvisory::UI::ButtonLeaderboard, 10
OnClickedRate
AppAdvisory::UI::ButtonRate, 13
OnClickedStart
AppAdvisory::SwitchTheGravity::GameManager, 22
OnClickedWatchAd
AppAdvisory::UI::ButtonWatchAd, 14
OnEnable
AppAdvisory::SwitchTheGravity::Platform, 28
OnUIAnimInEnd
AppAdvisory::UI::UIController, 37
OnUIAnimInStart
AppAdvisory::UI::UIController, 37
OnUIAnimOutEnd
AppAdvisory::UI::UIController, 38
OnUIAnimOutStart
AppAdvisory::UI::UIController, 38

PLAYER_raycastForward
AppAdvisory::SwitchTheGravity::Constants, 18
PLAYER_speedHorizontal
AppAdvisory::SwitchTheGravity::Constants, 18
PLAYER_speedVertical
AppAdvisory::SwitchTheGravity::Constants, 18
particleBackground
AppAdvisory::SwitchTheGravity::Player, 34
particleGameOver
AppAdvisory::SwitchTheGravity::Player, 34
particleInGame
AppAdvisory::SwitchTheGravity::Player, 34
pitch
AppAdvisory::SwitchTheGravity::Player, 34
platformBottomParent
AppAdvisory::SwitchTheGravity::Platform, 29
platformBottomRenderer
AppAdvisory::SwitchTheGravity::Platform, 29
platformCenterParent
AppAdvisory::SwitchTheGravity::Platform, 29
platformCenterRenderer
AppAdvisory::SwitchTheGravity::Platform, 29
platformPosition
AppAdvisory::SwitchTheGravity::Platform, 29
PlatformPositions
AppAdvisory::SwitchTheGravity::Platform↩ Positions, 30
platformPrefab
AppAdvisory::SwitchTheGravity::GameManager, 24
platformTopParent
AppAdvisory::SwitchTheGravity::Platform, 29
platformTopRenderer
AppAdvisory::SwitchTheGravity::Platform, 29
platforms
AppAdvisory::SwitchTheGravity::GameManager, 24
player
AppAdvisory::SwitchTheGravity::CameraFollow↩ Player, 15
AppAdvisory::SwitchTheGravity::GameManager, 24
AppAdvisory::SwitchTheGravity::Platform, 29
point
AppAdvisory::SwitchTheGravity::GameManager, 24
positionBottomY
AppAdvisory::SwitchTheGravity::Platform↩ Positions, 31
positionMiddle

AppAdvisory::SwitchTheGravity::Platform↩ Positions, 31
positionTopY
AppAdvisory::SwitchTheGravity::Platform↩ Positions, 31

randomizeColors
AppAdvisory::SwitchTheGravity::GameManager, 24
ReloadLevel
AppAdvisory::SwitchTheGravity::Util, 39
ReportScoreToLeaderboard
AppAdvisory::SwitchTheGravity::GameManager, 22
ResetPitch
AppAdvisory::SwitchTheGravity::Player, 33
ResetPos
AppAdvisory::SwitchTheGravity::Platform, 28

ScreenShotName
AppAdvisory::SwitchTheGravity::Constants, 18
screenWidth
AppAdvisory::SwitchTheGravity::Constants, 19
self
AppAdvisory::SwitchTheGravity::CanvasBlur, 16
AppAdvisory::UI::UIController, 38
SetAlpha
AppAdvisory::SwitchTheGravity::Util, 39
SetBestText
AppAdvisory::UI::UIController, 37
SetInGameScoreOut
AppAdvisory::UI::UIController, 37
SetLastScore
AppAdvisory::SwitchTheGravity::Util, 39
SetLastText
AppAdvisory::UI::UIController, 37
SetPosition
AppAdvisory::SwitchTheGravity::Platform↩ Positions, 31
SetScaleX
AppAdvisory::SwitchTheGravity::Util, 40
SetScore
AppAdvisory::UI::UIController, 37
SetUIBestScore
AppAdvisory::UI::UIController, 37
SetUILastScore
AppAdvisory::UI::UIController, 37
ShowAds
AppAdvisory::SwitchTheGravity::GameManager, 22
Shuffle< T >
AppAdvisory::SwitchTheGravity::Util, 40
SpawnPlatform
AppAdvisory::SwitchTheGravity::GameManager, 22
SpawnPlatformStart
AppAdvisory::SwitchTheGravity::GameManager, 22
Start
AppAdvisory::SwitchTheGravity::CanvasBlur, 16
AppAdvisory::SwitchTheGravity::GameManager, 22
AppAdvisory::SwitchTheGravity::Player, 33
StartCorout
AppAdvisory::SwitchTheGravity::Platform, 28
StartTheGame
AppAdvisory::SwitchTheGravity::GameManager, 23

textBest
AppAdvisory::UI::UIController, 38
textLast
AppAdvisory::UI::UIController, 38
timeToAddPoint
AppAdvisory::SwitchTheGravity::GameManager, 24
toAnimateFromTop
AppAdvisory::UI::UIController, 38
toAnimateHorizontaly
AppAdvisory::UI::UIController, 38

upMaxY
AppAdvisory::SwitchTheGravity::Constants, 19
upMinY
AppAdvisory::SwitchTheGravity::Constants, 19
Update
AppAdvisory::SwitchTheGravity::GameManager, 23

VerySimpleAdsURL
AppAdvisory::SwitchTheGravity::GameManager, 24