- **info**
  - **_postman_id**: 9d5f34be-1409-4c89-a7f9-a183304c4383
  - **name**: OTO API V2
  - **description**: ## Introduction **OTO REST API** provides seamless integration for managing shipments, tracking deliveries, and handling logistics operations. With powerful endpoints for creating, updating, and querying shipments, it ensures efficient and reliable communication between your systems and OTO's platform. ## Overview We continuously analyze the e-commerce and logistics industries to enhance shipping and fulfillment processes, making them easier for vendors. OTO APIs are designed to automate and simplify key logistics operations, including: ?? **Order Management** ? Process, update, and sync orders seamlessly. ?? **Shipment Management** ? Create, manage, and track shipments effortlessly. ?? **Return Management** ? Handle return requests and reverse logistics smoothly. ?? **Stock & Inventory Management** ? Keep inventory levels updated in real-time. ?? **Product Management** ? Organize, update, and synchronize products efficiently. ?? **Warehouse Management** ? Add, update, organize pickup locations. You can find guidance to assist you throughout the integration process [here](https://help.tryoto.com/en/support/solutions/folders/150000543243). #### Base endpoint: All API requests must be made over HTTPS to the following base endpoint: https://api.tryoto.com/rest/v2/ #### **Dev URL:** https://staging-api.tryoto.com/rest/v2/
  - **schema**: https://schema.getpostman.com/json/collection/v2.1.0/collection.json
  - **_exporter_id**: 43029587
  - **_collection_link**: https://www.postman.com/research-technologist-22286800/mistik/collection/x42ik8c/oto-api-v2?action=share&source=collection_link&creator=43029587
- **item**
  - **0**
    - **name**: Use Cases and Flows
    - **item**
      - **0**
        - **name**: Before Start
        - **item**: *(Empty List)*
      - **1**
        - **name**: Create Order
        - **item**: *(Empty List)*
      - **2**
        - **name**: Create Shipment
        - **item**: *(Empty List)*
    - **description**: ### Create Shipment: Follow the steps below for shipment create. <img src="https://content.pstmn.io/e0289dc3-eff9-4137-b365-0a5faf885eae/Q1JFQVRFIEEgU0hJUE1FTlQgR1VJREVfZHJhd2lvICgxKS5qcGc="> # Use Cases: <img src="https://content.pstmn.io/06135b63-87a7-4224-a8f4-0d474b79eaf6/YXNkMi5qcGc=" width="616" height="927"> <img src="https://content.pstmn.io/3ae56b98-310c-46e6-a006-1a929df708d5/cXdlcTExMS5qcGc=">
    - **auth**
      - **type**: noauth
    - **event**
      - **0**
        - **listen**: prerequest
        - **script**
          - **type**: text/javascript
          - **packages**: *(Empty Object)*
          - **exec**
            - **0**: *(Empty Text)*
      - **1**
        - **listen**: test
        - **script**
          - **type**: text/javascript
          - **packages**: *(Empty Object)*
          - **exec**
            - **0**: *(Empty Text)*
  - **1**
    - **name**: Authorization
    - **item**
      - **0**
        - **name**: Refresh Token
        - **event**
          - **0**
            - **listen**: test
            - **script**
              - **exec**
                - **0**

	var jsonData = pm.response.json();	
1	if(jsonData.access_token != undefined){	
2	pm.environment.set("oto-token", jsonData.access_token);	
3	}	
4	*(Empty Text)*	

type	text/javascript
packages	*(Empty Object)*

request

auth	type	noauth
method	POST	
header	*(Empty List)*	
body	mode	raw
	raw	{ "refresh_token":"AMf-vBwIRQZypzlW7dH-4a-gXlW1zw3VLXwoTvnePZPT5V6AnSESwhk9h4DKRMbDGGaSbDrbF-Tui21wq5PCI33HS7RaAapIFmwziKjlAAfAI2TUY3Vz5fKSlUwKUUKjfB5GTsBnFGjR1zdq9dryhPK88utLrE1-DSbRjfgdy4NNG6RTxk2ST0BplDKOdFN-y4ilOll4rY7F" }
	options	raw language json
url	raw	{{real-url}}/rest/v2/refreshToken
	host	0 {{real-url}}
	path	0 rest 1 v2 2 refreshToken
description	This API endpoint is used to obtain a new `access_token` by providing a valid `refresh_token`. The `access_token` is a temporary token with a lifespan of one hour, used to authenticate and authorize all subsequent API requests. Include the `access_token` in the request headers as: `Authorization: Bearer access_token` To adhere to security standards, it is recommended to renew the `access_token` periodically (every hour) to maintain uninterrupted access to the API while minimizing security risks. This endpoint ensures seamless and secure token management for applications relying on API interactions. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | refresh_token | yes | string | `refresh_token` can obtain token from the UI, this is permanent token, use only to get `access_token` |	

response

0	name	200 OK	
	originalRequest	method	POST
		header	*(Empty List)*
		body	mode raw
			raw { "refresh_token":"_refresh_token_" }
			options raw language json
		url	raw {{real-url}}/rest/v2/refresh

	Token
host	0 {{real-url}}
path	0 rest 1 v2 2 refreshToken

status	OK
code	200
_postman_previewlanguage	json
header	0 key: Content-Type value: text/plain;charset=iso-8859-1 1 key: X-Cloud-Trace-Context value: 5040bc2de0cdcc8f9bbaea8108d997f9;o=1 2 key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-T051=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 3 key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-T051=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 4 key: Alt-Svc value: clear 5 key: Date value: Tue, 21 Sep 2021 14:39:30 GMT 6 key: Server value: Google Frontend 7 key: Content-Length value: 1207 8 key: Via value: 1.1 google
cookie	*(Empty List)*
body	{ "access_token": "_access_token_",

"refresh_token": "_refresh_token_", "success": true, "token_type": "Bearer", "expires_in": "3600" }

1

name	Health Check
request	
method	GET
header	*(Empty List)*
url	
raw	{{real-url}}/rest/v2/healthCheck
host	0: {{real-url}}
path	0: rest 1: v2 2: healthCheck
description	**Available Packages:** All Packages This API endpoint is used to check if the system is working properly

response

0

name	200 OK
originalRequest	
method	GET
header	*(Empty List)*
url	
raw	{{real-url}}/rest/v2/healthCheck
host	0: {{real-url}}
path	0: rest 1: v2 2: healthCheck
status	OK
code	200
_postman_previewlanguage	json
header	

0	key	WWW-Authenticate
	value	Bearer realm="https://rest-api-gate-2zoj1r36.ew.gateway.dev/rest/v2/healthCheck"
1	key	Content-Type
	value	application/json
2	key	X-Cloud-Trace-Context
	value	73bb94d92619875946de4b001fb1cec2;o=1
3	key	Date
	value	Wed, 13 Oct 2021 12:06:25 GMT
4	key	Server
	value	Google Frontend
5	key	Content-Length
	value	40
6	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-T051=":443";

		ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
7	key	Alt-Svc
	value	clear
8	key	Via
	value	1.1 google
cookie	*(Empty List)*	
body	{ "status": "ok" }	

description	You need your `refresh_token` for authorization. You can obtain your token from the UI by following these steps: 1. Go to the **Integrations** menu. 2. Select **Sales Channels**. 3. Choose **OTO API** from the menu and complete the integration process. The `refresh_token` can only be used to get a new `access_token`. Use the `access_token` to call other API endpoints with the following header:
auth	type: noauth
event	0: listen: prerequest; script: type: text/javascript; exec: 0: *(Empty Text)*
	1: listen: test; script: type: text/javascript; exec: 0: *(Empty Text)*

2	name	Account
item	0: name	Register
request	method	POST
	header	*(Empty List)*
	body	mode: raw
		raw: { "mobileNumber":"966559665498", ⬚ ⬚ "fullName":"test vendor", ⬚ ⬚ "email":"test987654@example.com", "companyName":"test company 987654"}
		options: raw: language: json
	url	raw: https://api.tryoto.com/rest/v2/register
		protocol: https
		host: 0: api; 1: tryoto; 2: com
		path: 0: rest; 1: v2; 2: register
	description	**Available Packages:** Marketplaces This API endpoint is just for **marketplaces with multiple vendors**. Marketplaces can register their vendors to OTO with this endpoint. It requires a **special kind of token** provided by OTO. Regular refresh tokens will **not** work here. If you are a market place you can use register endpoint to create an OTO account for your

vendors. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | companyName | yes | string | Company name of your vendor | | email | yes | string | Email of your vendor.(e.g., [test@example.com](https://mailto:test@example.com)) | | fullName | yes | string | Full name of your vendor | | mobileNumber | yes | string | Mobile number of your vendor | | crNumber | no | string | CR number of your vendor | | vatNumber | no | string | Vat number of your vendor | | billingAddress | no | string | Billing address of your vendor | | companyLogoURL | no | string | Company logo URL of your vendor | | webhookURL | no | string | Webhook URL of your vendor | | webhookMethod | no | string | `POST`,`GET` | | webhookSecretKey | no | string | Webhook secret key of your vendor | | currency | no | string | ISO 4217 three-letter code: SAR, USD |

response	0		
		name	200 OK
		originalRequest	
			method: POST
			header: *(Empty List)*
			body: mode: raw; raw: { "companyLogoURL":"https://i.pinimg.com/550x/4d/72/97/example.jpg", "billingAddress":"test st.", "crNumber":"100003030", "vatNumber":"123456789013030", "mobileNumber":"96688877304", "fullName":"Test 30", "email":"test@example.com", "companyName":"test company 30", "webhookURL": "", "webhookMethod": "", "webhookSecretKey": "", "currency":"SAR" }; options: raw: language: json
			url: raw: https://api.tryoto.com/rest/v2/register; protocol: https; host: 0: api, 1: tryoto, 2: com; path: 0: rest, 1: v2, 2: register
		status	OK
		code	200
		_postman_previewlanguage	json
		header	0: key: Content-Type, value: application/json;charset=utf-8; 1: key: X-Cloud-Trace-Context, value: 1fbf1412d64e3a4ac3ee0f4b5c6ab666;o=1; 2:

	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-T051=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-T051=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key	Alt-Svc
	value	clear
5	key	Date
	value	Tue, 12 Oct 2021 15:02:07 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	420
8	key	Via
	value	1.1 google

cookie	*(Empty List)*
body	{ "success": true, "activationLink": "https://login.tryoto.com/XYZ", "refreshToken": "_refreshToken_" }

1	name	Client Info	
	request	method	POST
		header	*(Empty List)*
		body	mode: raw raw: { "email":"test30@tryoto.com" } options: raw: language: json
		url	raw: {{real-url}}/rest/v2/clientInfo host: 0: {{real-url}} path: 0: rest, 1: v2, 2: clientInfo
		description	**Available Packages:** Marketplaces This API endpoint is just for marketplaces. Marketplaces can register their vendors to OTO with a special kind of token provided by OTO. Regular refresh tokens will not work here. If you are a marketplace and used register endpoint to create an OTO account for your vendors , you can get the information about the client you have registered. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | email | yes | string | registered email of client |
	response	0	name: 200 OK

originalRequest	
method	POST
header	
0	
key	Authorization
value	Bearer {{oto-token}}
type	text
body	
mode	raw
raw	{ "email":"test30@tryoto.com" }
options	raw: language: json
url	
raw	https://api.tryoto.com/rest/v2/clientInfo
protocol	https
host	0: api; 1: tryoto; 2: com
path	0: rest; 1: v2; 2: clientInfo
status	OK
code	200
_postman_previewlanguage	json
header	
0	key: Content-Type; value: application/json;charset=utf8
1	key: X-Cloud-Trace-Context; value: 3c813ceaf2dbd0d9763206c5d247a06c;o=1
2	key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-T051=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
3	key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-T051=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key: Alt-Svc; value: clear
5	key: Date; value: Tue, 21 Sep 2021 15:34:05 GMT
6	key: Server; value: Google Frontend
7	key: Content-Length

	value	6925
8	key	Via
	value	1.1 google

cookie	*(Empty List)*
body	{ "userActivated": "false", "remainingOTOCredit": 0, "remainingShippingCredit": 0, "validityDate": "13-October-2028", "success": true }

2

name	Client Info

request

method	GET
header	*(Empty List)*

url

raw	https://api.tryoto.com/rest/v2/clientInfo
protocol	https

host

0	api
1	tryoto
2	com

path

0	rest
1	v2
2	clientInfo

description

Available Packages: Marketplaces This API endpoint provides detailed information about a vendor's account and its current status. This endpoint returns essential client-related data, including contact details, account balances, and service validity, enabling seamless integration for managing and monitoring client activities. **Request Parameters:** No request body parameters are required for this GET request. **Response:** ``` json { "remainingShippingCredit": 10, "phone": "+966567130000", "validityDate": "11-01-2028", "success": true, "name": "test Company", "remainingOTOCredit": 0, "email": "test@example.com" } ```

response

0

name	Client Info

originalRequest

method	GET
header	*(Empty List)*

url

raw	https://api.tryoto.com/rest/v2/clientInfo
protocol	https

host

0	api
1	tryoto
2	com

path

0	rest
1	v2
2	clientInfo

status	OK
code	200
_postman_previewlanguage	json

header

0

key	Content-Type
value	application/json
description	*(Empty Text)*
type	text

cookie	*(Empty List)*

	body	{ "remainingShippingCredit": 10, "phone": "+966567130000", "validityDate": "11-01-2028", "success": true, "name": "test Company", "remainingOTOCredit": 0, "email": "test@example.com" }

3

name	Buy OTO Credit	
request	method	POST
	header	*(Empty List)*
	body	mode: raw raw: { "amount": 1.00 } options: raw { language: json }
	url	raw: {{real-url}}/rest/v2/buyOTOCredit host: 0 {{real-url}} path: 0 rest, 1 v2, 2 buyOTOCredit
	description	**Available Packages:** All Packages In order to create a shipment with the delivery companies that you have a contract and OTO Flex, you need 1 OTO credits. You can use this endpoint to get a URL to the payment page. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | amount | yes | number | the amount of credit wanted to buy |

response	0	name	200
		originalRequest	method: POST header: *(Empty List)* body: mode: raw; raw: { "amount": 1.00 }; options: raw { language: json } url: raw: {{real-url}}/rest/v2/buyOTOCredit; host: 0 {{real-url}}; path: 0 rest, 1 v2, 2 buyOTOCredit
		status	OK
		code	200
		_postman_previewlanguage	json
		header	0: key: Content-Type, value: application/json;charset=utf-8 1: key: X-Cloud-Trace-Context, value: bf82bea2d3e69fb386fde1eabbcedb8a;o=1 2: key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-

		Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
5	key	Date
	value	Thu, 03 Feb 2022 15:59:02 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	110
8	key	Via
	value	1.1 google
	cookie	*(Empty List)*
	body	{ "success": true, "paymentURL": "https://checkout.payments.tap.company?mode=page&token=61fbfbc63beb390814885e82" }

4	name	Buy Shipping Credit	
	request	method	POST
		header	*(Empty List)*
		body	mode: raw raw: { "amount": 13.50 } options: raw, language: json
		url	raw: {{real-url}}/rest/v2/buyShippingCredit host: 0: {{real-url}} path: 0: rest, 1: v2, 2: buyShippingCredit
		description	**Available Packages:** All Packages Shipping credits is necessary to create shipments with OTO delivery options without contract needed. You can get these options using Check OTO delivery Fee endpoint with price info and delivery option id. Provide amount of credit you wanted to buy, this will response a `paymentURL`. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | amount | yes | number | the amount of credit wanted to buy |
	response	0	name: 200 originalRequest: method: POST, header: *(Empty List)*, body: mode: raw, raw: { "amount": 11.50 }

	options	raw: language: json
	url	raw: {{real-url}}/rest/v2/buyShippingCredit host: 0: {{real-url}} path: 0: rest, 1: v2, 2: buyShippingCredit
	status	OK
	code	200
	_postman_previewlanguage	json
	header	null
	cookie	*(Empty List)*
	body	{ "success": true, "paymentURL": "https://checkout.payments.tap.company?mode=page&token=60c9c154d2b4650d89xxxx" }

5	name	Credit Transactions
	request	
	method	GET
	header	0: key: x-forwarded-authorization, value: Bearer {{token}}, type: text
	url	raw: {{real-url}}/rest/v2/creditTransactions?perPage=50&page=1&minDate=2022-01-01&maxDate=2024-06-10 host: 0: {{real-url}} path: 0: rest, 1: v2, 2: creditTransactions query: 0: key: perPage, value: 50; 1: key: page, value: 1; 2: key: minDate, value: 2022-01-01; 3: key: maxDate, value: 2024-06-10; 4: key: orderId, value: 3078872, disabled: Yes
	description	**Available Packages**: Starter Package, Scale Package, Enterprise Package, Marketplaces This API endpoint provides a powerful way to retrieve credit transaction records from your system. This endpoint supports pagination for efficient data retrieval and allows filtering based on minimum and maximum dates. Additionally, if an `orderId` is provided, the `maxDate` and `minDate` parameters become optional, enabling direct access to transactions associated with the specified order. **Request Parameters:** | Name | Required |

Type | Description | | --- | --- | --- | --- | | perPage | yes | number | Credit transaction count in the response. Max limit 100 | | page | yes | number | Pagination number. You can iterate this field to get all items. | | minDate | yes (If there is no orderId) | date | Starting "Transaction Date" of your credit transactions in "yyyy-mm-dd" format. | | maxDate | yes (If there is no orderId) | date | Ending "Transaction Date" of your credit transactions in "yyyy-mm-dd" format. | | orderId | no | string | Order ID for transactions of a single Order | #### Response Body The response will include a `success` flag indicating the status of the request, and an `orders` array containing transaction details. Each transaction object in the `orders` array includes the following properties: - `transactionType` (string) - Type of the transaction. - `remainingAmount` (number) - The remaining amount for the transaction. - `amount` (number) - The transaction amount. - `deliveryCompanyName` (string) - Name of the delivery company. - `orderID` (string) - ID of the order. - `shipmentID` (string) - ID of the shipment. - `description` (string) - Description of the transaction. - `ID` (number) - Unique ID of the transaction. - `transactionDate` (string) - Date of the transaction. - `otoOrderID` (number) - OTO (One-Time-Only) order ID. - `orderPaymentType` (string) - Payment type for the order. - `status` (string) - Status of the transaction. - `chargeType`(string) -Type of the charge(charge, additionalCharge, refund, partialRefund) - `shipmentType`(string)-Type of the shipment(forward, return, reverse) In case of an empty result, the `orders` array will be empty with a `success` flag set to true.

response	0	name	200 OK
		originalRequest	method: GET
			header: 0 — key: x-forwarded-authorization; value: Bearer {{token}}; type: text
			url: raw: https://api.tryoto.com/rest/v2/creditTransactions?perPage=50&page=1&minDate=2020-01-01&maxDate=2024-06-10
			protocol: https
			host: 0: api; 1: tryoto; 2: com
			path: 0: rest; 1: v2; 2: creditTransactions
			query: 0: key: perPage, value: 50; 1: key: page, value: 1; 2: key: minDate, value: 2020-01-01; 3: key: maxDate, value: 2024-06-10
		status	OK

	code	200
	_postman_previewlanguage	json
	header	0 key: Date value: Tue, 02 Jul 2024 11:20:38 GMT 1 key: Content-Type value: application/json;charset=utf-8 2 key: Content-Length value: 7878 3 key: Server value: Jetty(9.4.3.v20170317)
	cookie	*(Empty List)*
	body	{ "success": true, "transactions": [{ "amount": 19, "orderID": "41590739", "deliveryCompanySettingsId": 5564, "description": "Shipment canceled. Delivery fees will be credited back to your account.", "transactionDate": "2024-09-16T11:26:01", "orderPaymentType": "cod", "shipmentType": "forward", "transactionType": "dcFee", "remainingAmount": 85.9, "deliveryCompanyName": "Deliver Now", "chargingType": "charge", "langKey": "dcFeeShipmentCanceledRevokedDescription", "shipmentID": "DNL05000049328", "ID": 8294185, "otoOrderID": 10690509, "status": "revoked" }, { "amount": 18, "orderID": "OID-20980-1092", "deliveryCompanySettingsId": 5551, "description": "Canceled shipment. Delivery fee credited back to your account.", "transactionDate": "2024-09-24T10:40:43", "orderPaymentType": "paid", "shipmentType": "forward", "transactionType": "dcFee", "remainingAmount": 51.8, "deliveryCompanyName": "Aramex", "chargingType": "refund", "langKey": "dcFeeShipmentCanceledDescription", "shipmentID": "50162082692", "ID": 8430556, "otoOrderID": 10748485, "status": "canceled" }, { "amount": 0.9, "orderID": "1203", "deliveryCompanySettingsId": 3022, "description": "OTO Fee Booked on shipment created", "transactionDate": "2024-09-01T11:37:10", "orderPaymentType": "cod", "transactionType": "otoFee", "remainingAmount": 111.2, "deliveryCompanyName": "OTO FLEX", "langKey": "otoFeeSearchingDriverDescription", "shipmentID": "0e073859", "ID": 8057956, "otoOrderID": 10248079, "status": "booked" }] }
1	name	400 Invalid Date
	originalRequest	method: GET header: 0 key: x-forwarded-authorization value: Bearer {{token}} type: text

url	raw	{{real-url}}/rest/v2/creditTransactions?perPage=50&page=1&minDate=asc&maxDate=2024-06-10
	host	0: {{real-url}}
	path	0: rest 1: v2 2: creditTransactions
	query	0: key: perPage, value: 50 1: key: page, value: 1 2: key: minDate, value: asc 3: key: maxDate, value: 2024-06-10

status	Bad Request
code	400
_postman_previewlanguage	json
header	0: key: Date, value: Tue, 02 Jul 2024 11:06:28 GMT 1: key: Content-Type, value: application/json;charset=utf-8 2: key: Content-Length, value: 63 3: key: Server, value: Jetty(9.4.3.v20170317)
cookie	*(Empty List)*
body	{ "success": false, "errorCode": 4, "errorMsg": "minDate is invalid" }

2

name	200 No Result	
originalRequest	method	GET
	header	0: key: x-forwarded-authorization, value: Bearer {{token}}, type: text
	url	raw: {{real-url}}/rest/v2/creditTransactions?perPage=50&page=1&minDate=2020-01-01&maxDate=2020-06-10
		host: 0: {{real-url}}
		path: 0: rest 1: v2 2: creditTransactions

query	0	key: perPage value: 50
	1	key: page value: 1
	2	key: minDate value: 2020-01-01
	3	key: maxDate value: 2020-06-10

status	OK
code	200
_postman_previewlanguage	json

header	0	key: Date value: Tue, 02 Jul 2024 11:07:11 GMT
	1	key: Content-Type value: application/json;charset=utf-8
	2	key: Content-Length value: 34
	3	key: Server value: Jetty(9.4.3.v20170317)

cookie	*(Empty List)*
body	{ "success": true, "transactions": [] }

3	name	Orders
item	0	name: Create Order

event

0	listen	prerequest
	script	exec: 0 *(Empty Text)* type: text/javascript packages: *(Empty Object)*
1	listen	test
	script	exec: 0 *(Empty Text)* type: text/javascript packages: *(Empty Object)*

request

method	POST
header	*(Empty List)*
body	mode: raw
raw	{ "orderId": "1234", "pickupLocationCode": "jdd_wh", "createShipment": "true", "deliveryOptionId": 564, "payment_method": "paid", "amount": 100, "amount_due": 0, "currency": "SAR", "customsValue":"12", "customsCurrency":"USD", "packageCount": 2, "packageWeight": 1, "boxWidth": 10, "boxLength": 10, "boxHeight": 10, "orderDate": "31/12/2022 15:45", "deliverySlotDate": "31/12/2020", "deliverySlotTo": "12pm", "deliverySlotFrom": "2:30pm", "senderName":"Sender Company", "customer": { "name": "??????? ???????", "email": "test@test.com", "mobile": "546607389", "address": "6832, Abruq AR

	Rughamah District, Jeddah 22272 3330, Saudi Arabia", "district": "Al Hamra", "city": "Jeddah", "country": "SA", "postcode": "12345", "lat": "40.706333", "lon": "29.888211", "refID":"1000012" }, "items": [{ "productId": 112, "name": "test product", "price": 100, "rowTotal": 100, "taxAmount": 15, "quantity": 1, "sku": "test-product", "image": "http://...." }, { "name": "test product 2", "price": 100, "quantity": 1, "sku": "test-product-2" }] }
options	raw language json

url	raw	{{real-url}}/rest/v2/createOrder
	host	0 {{real-url}}
	path	0 rest 1 v2 2 createOrder

description	**Available Packages:** All Packages This API endpoint is a critical component in e-commerce and logistics systems, enabling external applications to initiate and manage new orders seamlessly. This endpoint allows you to submit order details, such as customer information, product data, shipping preferences, and payment methods. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | orderId | yes | string | Id of the Order | | parentOrderId | no | string | parent id of splitted orders. | | ref1 | no | string | Reference for order optional | | pickupLocationCode | no | string | predefined pickup address of stores/warehouses, if it doesn't exist then OTO will assign it to a pickup location automatically. it is required when `serviceType` is filled `pickupfromStore` | | createShipment | no | boolean | if you fill it `true` then automatic shipment will be created for this order. `pickupLocationCode` is required when this field is `true`. | | serviceType | no | string | `pickupFromStore` this is optional for orders customer pick it up from store | | forReverseShipment | no | boolean | if it is true, order can be reverse shipped without forward shipment | | deliveryOptionId | no | string | activated delivery company option id, if this exists OTO try to create shipment with this settings. if not exists try with possible active settings. | | storeName | no | string | Name of the store | | payment_method | yes | string | Possible values: - _cod_ - _paid_ | | amount | yes | double | Total value amount of the order | | amount_due | yes | double | Total due amount of the order. If order paid amount_due will be 0. Otherwise equal to amount. | | currency | yes | string | Currency code of the order currency | | shippingAmount | no | double | shipping amount of this order | | subtotal | no | double | Subtotal of the order | | shippingNotes | no | string | Notes of customer for shipping. I.e `don?t ring the bell.` | | packageSize | no | string | Used for specifiying the maximum package size. Possible values smalbox | | packageCount | no | integer | States how many package in the order | | packageWeight | no | double | Total weight of the order | | boxWidth | conditional | double | width of the package, it is needed to use Aggregator shipping options | | boxLength | conditional | double | length of the package, it is needed to use Aggregator shipping options | | boxHeight | conditional | double | height of the package, it is needed to use Aggregator shipping options | | deliverySlotDate | no | date | Prefered `Delivery` date | | deliverySlotFrom | no | string | ?From? time for delivery time | | deliverySlotTo | no | string | ?To? time for delivery time | | orderDate | no | dateTime | Date of the order | | senderName | no | string | Sender name | | senderInformation | no | object | Sender Data | | customer | yes | object | Customer Data | | items | yes | array | Items data | | couponCode | no | text | Discount or special offer code. | | codFee | no | double | COD Fee | | brandId | no | long | Brand (Client Store) ID | | whoPays | no | string | If implemented, annotates who wil pay for the shipment. Possible values: marketplacePaysDeliveryFee, sellerPaysDeliveryFee |

		Request Parameters for Sender Information Data | **Name** | **Required** | **Type** | **Description** | | --- | --- | --- | --- | | senderAddressName | no | string | Name of the sender address | | senderId | yes | string | Id of the sender | | senderFullName | yes | string | Full name of the sender | | senderMobile | yes | string | Mobile number of sender | | senderEmail | no | string | In format of [test@example.com](https://mailto:test@example.com) | | senderCountry | yes | string | Country ISO2 code "SA","AE" etc. | | senderState | no | string | State name of the sender | | senderCity | yes | string | City name of the sender | | senderDistrict | no | string | District name of the sender | | senderPostcode | no | string | Postal code of the sender's address | | senderAdressLine | yes | string | Detailed address of the sender | | lat | no | number | Latitude, *if not exist orders may not assigned to pickupLocations automatically | | lon | no | number | Longitude, * if not exist orders may not assigned to pickupLocations automatically | **Request Parameters for Customer Data** | Name | Required | Type | Description | | --- | --- | --- | --- | | name | yes | string | Customer full name | | email | no | string | Customer email address | | mobile | yes | string | Mobile number of the customer | | address | yes | string | Address of the customer | | district | no | string | District or area name | | city | yes | string | City name | | state | no | string | State name | | country | yes | string | Possible values can be _SA_,_EG_,_UAE_,_BHR_,_KWT_ | | shortAddressCode | no | string | A simplified version of the traditional address transformed into a unique code. It consists of 4 letters (e.g., RAGI) assigned based on postal codes and 4 digits representing the building number (e.g., 2929). | | postcode | no | string | postal code of address | | street | no | string | Street of the customer | | lat | no | double | Latitude | | lon | no | double | Longitude | | refID | no | string | exp. customerId of ecommerce | | W3WAddress | no | string | if you want to define the address with using [what3words.com](https://what3words.com/clear.clear.clear) you can use this option | **Request Parameters for Items Data** | Name | Required | Type | Description | | --- | --- | --- | --- | | productId | no | long | Id of the product | | name | yes | string | Name of the product | | price | yes | double | Unit price of the product | | rowTotal | no | double | total amount of this line item | | taxAmount | no | double | tax amount of this line item | | quantity | yes | double | Quantity purchased | | serialnumber | no | string | Serial number of the product | | sku | yes | string | SKU number of the product | | image | no | string | Http link of the product main photo | | hsCode | no | string | a standardized numerical method of classifying traded products | | itemOrigin | no | string | Origin of the item |

response	0	name	200 sender information
		originalRequest	method: POST
			header: 0 → key: Accept; value: application/json; type: text
			body: mode: raw; raw: { "orderId": "12347772", "ref1": "1234ABCDE", "deliveryOptionId": "12364", "serviceType": "", "createShipment": false, "storeName": "Brand A English", "payment_method": "paid", "amount": 100, "amount_due": 0, "customsValue":"12", "customsCurrency":"U

SD",
"shippingAmount":20,
"subtotal":100,
"currency": "SAR",
"shippingNotes": "be careful. it is fragile",
"packageSize": "small",
"packageCount": 2,
"packageWeight": 1,
"boxWidth": 10,
"boxLength": 10,
"boxHeight": 10,
"orderDate": "30/12/2020 15:45",
"deliverySlotDate": "31/12/2020",
"deliverySlotTo": "12pm",
"deliverySlotFrom": "2:30pm",
"senderName":"Sender Company",
"senderInformation":{ "senderAddressName":"Home - John Doe",
"senderId":"123452",
"senderFullName":"John Doe",
"senderMobile":"905055055555",
"senderEmail":"test@example.com",
"senderCountry":"SA",
"senderCity":"Riyadh",
"senderPostcode":"11564",
"senderAddressLine":"???????? ?????? ??????? ??????? ?? ?????????, Riyadh 11564, Saudi Arabia",
"lat":"24.7310685013539",
"lon":"46.70160835803429" }, "customer": { "name": "??????? ???????", "email": "test@test.com",
"mobile": "546607389",
"address": "6832, Abruq AR Rughamah District, Jeddah 22272 3330, Saudi Arabia",
"district": "", "city": "Jeddah", "country": "SA", "postcode": "12345", "lat": "40.706333", "lon": "29.888211",
"refID":"1000012",
"W3WAddress":"alarmed.cards.stuffy" },
"items": [{
"productId": 112,
"name": "test product", "price": 100,
"rowTotal": 100,
"taxAmount": 15,
"quantity": 1,
"serialnumber": "ASD12312121333",

		"sku": "test-product", "image": "http://...." }, { "name": "test product 2", "price": 100, "rowTotal": 100, "taxAmount": 15, "quantity": 1, "sku": "test-product-2", "image": "http://...." }] }
	options	raw language json
	url	raw {{real-url}}/rest/v2/createOrder
		host 0 {{real-url}}
		path 0 rest 1 v2 2 createOrder
	status	OK
	code	200
	_postman_previewlanguage	json
	header	0 key Date value Thu, 05 Nov 2020 13:31:15 GMT
		1 key Server value Apache/2.4.29 (Ubuntu)
		2 key Content-Type value application/json;charset=UTF-8
		3 key Content-Length value 31
		4 key Keep-Alive value timeout=5, max=100
		5 key Connection value Keep-Alive
	cookie	*(Empty List)*
	body	{ "success": true, "otoId": 540789 }
1	name	200 pick up from store order
	originalRequest	method POST
		header 0 key Accept value application/json type text
		body mode raw
		raw { "orderId": "1234", "ref1": "1234ABCDE", "pickupLocationCode": "12364", "deliveryOptionId": "", "serviceType": "pickupFromStore", "createShipment": false, "storeName": "Brand A English",

				"payment_method": "paid", "amount": 100, "amount_due": 0, "customsValue":"12", "customsCurrency":"USD", "shippingAmount":20, "subtotal":100, "currency": "SAR", "shippingNotes": "be careful. it is fragile", "packageSize": "small", "packageCount": 2, "packageWeight": 1, "boxWidth": 10, "boxLength": 10, "boxHeight": 10, "orderDate": "30/12/2020 15:45", "deliverySlotDate": "31/12/2020", "deliverySlotTo": "12pm", "deliverySlotFrom": "2:30pm", "senderName":"Sender Company", "customer": { "name": "??????? ???????", "email": "test@test.com", "mobile": "546607389", "address": "6832, Abruq AR Rughamah District, Jeddah 22272 3330, Saudi Arabia", "district": "", "city": "Jeddah", "country": "SA", "postcode": "12345", "lat": "40.706333", "lon": "29.888211", "refID":"1000012", "W3WAddress":"alarmed.cards.stuffy" }, "items": [{ "productId": 112, "name": "test product", "price": 100, "rowTotal": 100, "taxAmount": 15, "quantity": 1, "serialnumber": "ASD12312121333", "sku": "test-product", "image": "http://...." }, { "name": "test product 2", "price": 100, "rowTotal": 100, "taxAmount": 15, "quantity": 1, "sku": "test-product-2", "image": "http://...." }] }
			options	raw language json
		url	raw	{{real-url}}/rest/v2/createOrder
			host	0

		{{real-url}}
	path	0 rest
		1 v2
		2 createOrder
	status	OK
	code	200
	_postman_previewlanguage	json
	header	0 key: Date; value: Thu, 05 Nov 2020 13:31:15 GMT
		1 key: Server; value: Apache/2.4.29 (Ubuntu)
		2 key: Content-Type; value: application/json;charset=UTF-8
		3 key: Content-Length; value: 31
		4 key: Keep-Alive; value: timeout=5, max=100
		5 key: Connection; value: Keep-Alive
	cookie	*(Empty List)*
	body	{ "success": true, "otoId": 540789 }
2	name	200 paid order
	originalRequest	method: POST
		header: 0 key: Accept; value: application/json; type: text
		body: mode: raw; raw: { "orderId": "1234", "ref1": "1234ABCDE", "pickupLocationCode": "12364", "deliveryOptionId": "", "serviceType": "", "createShipment": false, "storeName": "Brand A English", "payment_method": "paid", "amount": 100, "amount_due": 0, "customsValue":"12", "customsCurrency":"USD", "shippingAmount":20, "subtotal":100, "currency": "SAR", "shippingNotes": "be careful. it is fragile", "packageSize": "small", "packageCount": 2, "packageWeight": 1, "boxWidth": 10, "boxLength": 10, "boxHeight": 10,

	"orderDate": "30/12/2020 15:45", "deliverySlotDate": "31/12/2020", "deliverySlotTo": "12pm", "deliverySlotFrom": "2:30pm", "senderName":"Sender Company", "customer": { "name": "??????? ???????", "email": "test@test.com", "mobile": "546607389", "address": "6832, Abruq AR Rughamah District, Jeddah 22272 3330, Saudi Arabia", "district": "", "city": "Jeddah", "country": "SA", "postcode": "12345", "lat": "40.706333", "lon": "29.888211", "refID":"1000012", "W3WAddress":"alarmed.cards.stuffy" }, "items": [{ "productId": 112, "name": "test product", "price": 100, "rowTotal": 100, "taxAmount": 15, "quantity": 1, "serialnumber": "ASD12312121333", "sku": "test-product", "image": "http://...." }, { "name": "test product 2", "price": 100, "rowTotal": 100, "taxAmount": 15, "quantity": 1, "sku": "test-product-2", "image": "http://...." }] }
options	raw language json
url	raw {{real-url}}/rest/v2/createOrder
	host 0 {{real-url}}
	path 0 rest 1 v2 2 createOrder
status	OK
code	200
_postman_previewlanguage	json
header	0 key Date value Thu, 05 Nov 2020 13:31:15 GMT
	1 key Server value Apache/2.4.29 (Ubuntu)

	2	key: Content-Type value: application/json;charset=UTF-8
	3	key: Content-Length value: 31
	4	key: Keep-Alive value: timeout=5, max=100
	5	key: Connection value: Keep-Alive
	cookie	*(Empty List)*
	body	{ "success": true, "otoId": 540789 }
3	name	200 cod order
	originalRequest	method: POST
		header: 0 — key: Accept; value: application/json; type: text
		body: mode: raw
		raw: { "orderId": "1234", "ref1": "1234ABCDE", "pickupLocationCode": "12364", "deliveryOptionId": "", "serviceType": "", "createShipment": false, "storeName": "Brand A English", "payment_method": "cod", "amount": 100, "amount_due": 100, "customsValue":"12", "customsCurrency":"USD", "shippingAmount"20, "subtotal":100, "currency": "SAR", "shippingNotes": "be careful. it is fragile", "packageSize": "small", "packageCount": 2, "packageWeight": 1, "boxWidth": 10, "boxLength": 10, "boxHeight": 10, "orderDate": "30/12/2020 15:45", "deliverySlotDate": "31/12/2020", "deliverySlotTo": "12pm", "deliverySlotFrom": "2:30pm", "senderName":"Sender Company", "customer": { "name": "??????? ???????", "email": "test@test.com", "mobile": "546607389", "address": "6832, Abruq AR Rughamah District, Jeddah 22272

		3330, Saudi Arabia", "district": "", "city": "Jeddah", "country": "SA", "postcode": "12345", "lat": "40.706333", "lon": "29.888211", "refID":"1000012", "W3WAddress":"alarmed.cards.stuffy" }, "items": [{ "productId": 112, "name": "test product", "price": 100, "rowTotal": 100, "taxAmount": 15, "quantity": 1, "serialnumber": "ASD12312121333", "sku": "test-product", "image": "http://...." }, { "name": "test product 2", "price": 100, "rowTotal": 100, "taxAmount": 15, "quantity": 1, "sku": "test-product-2", "image": "http://...." }] }
	options	raw language json
	url	raw {{real-url}}/rest/v2/createOrder
		host 0 {{real-url}}
		path 0 rest 1 v2 2 createOrder
	status	OK
	code	200
	_postman_previewlanguage	json
	header	0 key Date value Thu, 05 Nov 2020 13:31:15 GMT 1 key Server value Apache/2.4.29 (Ubuntu) 2 key Content-Type value application/json;charset=UTF-8 3 key Content-Length value 31 4 key Keep-Alive value timeout=5, max=100 5 key Connection value Keep-Alive
	cookie	*(Empty List)*
	body	{ "success": true, "otoId": 540789 }
4	name	200 order box

originalRequest	method	POST	
	header	0	key	x-forwarded-authorization
			value	Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImQ0OWU0N2ZiZGQ0ZWUyNDE0Nzk2ZDhlMDhjZWY2YjU1ZDA3MDRlNGQiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI1OTgwIiwiY2xpZW50VHlwZSI6IlNjYWxlUGFja2FnZSIsIm1hcmtldFBsYWNlTmFtZSI6Im90b2FwaSIsInVzYWdlTW9kZSI6InJlYWwiLCJzdG9yZU5hbWUiOiJURVNUIiwidXNlclR5cGUiOiJzYWxlc0NoYW5uZWwiLCJ1c2VySWQiOiI5ODg1Iiwic2NjSWQiOilyODUwIiwiZW1haWwiOiI1OTgwLTI4NTAtb3RvYXBpQHRyeW90by5jb20iLCJpc3MiOiJodHRwczovL3NlY3VyZXRva2VuLmdvb2dsZS5jb20vb3RvLXN0YWdlLWFwaSIsImF1ZCI6Im90by1zdGFnZS1hcGkiLCJhdXRoX3RpbWUiOjE2ODY4MzUzNzcsInVzZXJfaWQiOiI3dHNScjZMcU5WWkJuOWU1bmswVThQV2d4a1Uyliwic3ViIjoiN3RzUnI2THFOVlpCbjllNW5rMFU4UFdneGtVMiIsImlhdCI6MTY5OTE3MzA1MSwiZXhwIjoxNjk5MTc2NjUxLCJlbWFpbF92ZXJpZmllZCI6ZmFsc2UsImZpcmViYXNlIjp7Im1kZW50aXRpZXMiOnsiZW1haWwiOlsiNTk4MC0yODUwLW90b2FwaUB0cnlvdG8uY29tIl19LCJzaWduX2luX3Byb3ZpZGVyIjoicGFzc3dvcmQifX0.PIsnK4gUBdBcT-4e-HCDrOsKXnNCPkQ9EWVRPLxLcu7EeaOTGSXZlBQ0IPLO8-6nSwIPiN-2yGBO0VDk0Onqj9pk0wObk2UuCI3nNj9QlgSEzpG-JvcGGAq8FjgC5QIo5epEEP42oYJFBXoNiZeMlooY59m9gh1ftuxM4aYffybb21yK8NxDo-

		CW68KdU030xkFtn-habvzT7EVakXWq9mMGVqYmFg-LIzs6nS5YNusSqx0bl2ABRAmjbqCKvUFSS3MzYNjHlUiT6H6EAwwIkpeLqdtuU_NhQAi4Aw7COGwGaFmpKnDeywBI1q2LiN3FBXiLyrcn5ft-N1osY_v_rg
	type	text
	disabled	Yes
body	mode	raw
	raw	{ "orderId": "post1368479842164864545483", "entityId": "12", "serviceType": "returnFromCustomer", "forReverseShipment": true, "deliveryOptionId": 2154, "storeName": "POSTMAN", "payment_method": "COD", "amount": 300.41, "amount_due": 185, "shippingAmount": 10.41, "subtotal": 290.00, "currency": "SAR", "shippingNotes": "postman orders, be careful. it is fragile", "packageSize": "small", "packageCount": 1, "packageWeight": 2.75, "boxes": [{ "dimensions": { "width": 10, "length": 10, "height": 10 }, "weight": 2, "boxName": "Box1" }], "orderDate": "13/07/2023 15:45", "deliverySlotDate": "15/07/2023", "deliverySlotTo": "12pm", "deliverySlotFrom": "2:30pm", "metadata": { "paymentRef": "ref" }, "customer": { "name": "asdasdas", "refID": "123", "email": "asdasd", "mobile": "555666555", "address": "8645 Istanbul St, As Sulay", "postcode": "14322", "district": "As Sulay", "city": "Riyadh", "country": "SA", "lat": "123", "lon": "123" }, "items": [{ "name":

	"test product 2", "price": 100, "rowTotal": 100, "taxAmount": 15, "quantity": 1, "sku": "test-product-2", "image": "http://...." }] }
options	raw language json
url	raw {{real-url}}/rest/v2/createOrder
	host 0 {{real-url}}
	path 0 rest 1 v2 2 createOrder
status	OK
code	200
_postman_previewlanguage	json
header	0 key Content-Type value application/json
	1 key X-Cloud-Trace-Context value a41f87e3141b894aaba774ceee0a0f61;o=1
	2 key Alt-Svc value h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
	3 key Alt-Svc value h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
	4 key Alt-Svc value h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
	5 key Date value Sun, 10 Mar 2024 07:29:31 GMT
	6 key Server value Google Frontend
	7 key Content-Length value 33
	8 key Via value 1.1 google
	9 key Access-Control-Allow-Origin value *(Empty Text)*
	10 key Access-Control-Allow-Methods value POST,GET,OPTIONS,PUT,DELETE,HEAD
	11 key Access-Control-Allow-Headers value Accept, Origin, Content-Type, Authorization, x-forwarded-

		authorization, X-Requested-With
12	key	Access-Control-Allow-Credentials
	value	true
13	key	Access-Control-Expose-Headers
	value	x-app-version, x-fetch-date
14	key	Access-Control-Max-Age
	value	728000
cookie	*(Empty List)*	
body	{ "success": true, "otoId": 30829625 }	
5	name	200 with multiple order boxes
originalRequest	method	POST
	header	0 key: x-forwarded-authorization
		value: Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImQ0OWU0N2ZiZGQ0ZWUyNDE0Nzk2ZDhlMDhjZWY2YjU1ZDA3MDRlNGQiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI1OTgwIiwiY2xpZW50VHlwZSI6IlNjYWxlUGFja2FnZSIsIm1hcmtldFBsYWNlTmFtZSI6Im90b2FwaSIsInVzYWdlTW9kZSI6InJlYWwiLCJzdG9yZU5hbWUiOiJURVNUIiwidXNlclR5cGUiOiJzYWxlc0NoYW5uZWwiLCJ1c2VySWQiOiI5ODg1IiwiC2NjSWQiOiIyODUwIiwiZW1haWwiOiI1OTgwLTI4NTAtb3RvYXBpQHRyeW90by5jb20iLCJpc3MiOiJodHRwczovL3NlY3VyZXRva2VuLmdvb2dsZS5jb20vb3RvLXN0YWdlLWFwaSIsImF1ZCI6Im90by1zdGFnZS1hcGkiLCJhdXRoX3RpbWUiOjE2ODY4MzUzNzcsInVzZXJfaWQiOiI3dHNScjZMcU5WWkJuOWU1bmswVThQV2d4a1Uyliwic3ViiljoiN3RzUnI2THFOVlpCbjlINW5rMFU4UFdneGtVMiIsImlhdCI6MTY5OTE3MzA1MSwiZXhwIjoxNjk5MTc2NjUxLCJlbWFpbF92ZXJpZmllZCI6ZmFsc2UsImZpcmViYXNlIjp7Im1kZW50aXRpZXMi

		OnsiZW1haWwiOlsiNTk4MC0yODUwLW90b2FwaUB0cnlvdG8uY29tIl19LCJzaWduX2luX3Byb3ZpZGVyIjoicGFzc3dvcmQifX0.PIsnK4gUBdBcT-4e-HCDrOsKXnNCPkQ9EWVRPLxLcu7EeaOTGSXZlBQ0IPLO8-6nSwIPiN-2yGBO0VDk0Onqj9pk0wObk2UuCI3nNj9QlgSEzpG-JvcGGAq8FjgC5QIo5epEEP42oYJFBXoNiZeMlooY59m9gh1ftuxM4aYffybb21yK8NxDo-CW68KdU030xkFtn-habvzT7EVakXWq9mMGVqYmFg-LIzs6nS5YNusSqx0bl2ABRAmjbqCKvUFSS3MzYNjHlUiT6H6EAwwIkpeLqdtuU_NhQAi4Aw7COGwGaFmpKnDeywBI1q2LiN3FBXiLyrcn5ft-N1osY_v_rg
	type	text
	disabled	Yes
body	mode	raw
	raw	{ "orderId": "post136847984216486483", "entityId": "12", "serviceType": "returnFromCustomer", "forReverseShipment": true, "deliveryOptionId": 2154, "storeName": "POSTMAN", "payment_method": "COD", "amount": 300.41, "amount_due": 185, "shippingAmount": 10.41, "subtotal": 290.00, "currency": "SAR", "shippingNotes": "postman orders, be careful. it is fragile", "packageSize": "small", "packageCount": 1, "packageWeight": 2.75, "boxes": [{ "dimensions": { "width": 10, "length": 10, "height": 10 }, "weight": 2, "boxName": "Box1" }, { "dimensions": { "width": 20, "length": 20, "height": 20 }, "weight": 3,

	"boxName": "Box2" }], "orderDate": "13/07/2023 15:45", "deliverySlotDate": "15/07/2023", "deliverySlotTo": "12pm", "deliverySlotFrom": "2:30pm", "metadata": { "paymentRef": "ref" }, "customer": { "name": "asdasdas", "refID": "123", "email": "asdasd", "mobile": "555666555", "address": "8645 Istanbul St, As Sulay ", "postcode": "14322", "district": "As Sulay", "city": "Riyadh", "country": "SA", "lat": "123", "lon": "123" }, "items": [{ "name": "test product 2", "price": 100, "rowTotal": 100, "taxAmount": 15, "quantity": 1, "sku": "test-product-2", "image": "http://...." }] }
options	raw language json
url	raw {{real-url}}/rest/v2/createOrder
	host 0 {{real-url}}
	path 0 rest 1 v2 2 createOrder
status	OK
code	200
_postman_previewlanguage	json
header	0 key Content-Type value application/json
	1 key X-Cloud-Trace-Context value d97bdd2d3e4dc96844f567faf9db6832;o=1
	2 key Alt-Svc value h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
	3 key Alt-Svc value h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
	4 key Alt-Svc value h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
	5 key Date

	value	Sun, 10 Mar 2024 07:28:51 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	33
8	key	Via
	value	1.1 google
9	key	Access-Control-Allow-Origin
	value	*(Empty Text)*
10	key	Access-Control-Allow-Methods
	value	POST,GET,OPTIONS,PUT,DELETE,HEAD
11	key	Access-Control-Allow-Headers
	value	Accept, Origin, Content-Type, Authorization, x-forwarded-authorization, X-Requested-With
12	key	Access-Control-Allow-Credentials
	value	true
13	key	Access-Control-Expose-Headers
	value	x-app-version, x-fetch-date
14	key	Access-Control-Max-Age
	value	728000

	cookie	*(Empty List)*
	body	{ "success": true, "otoId": 30829624 }
6	name	200 update Order
	originalRequest	

	method	POST
	header	

0	key	x-forwarded-authorization
	value	Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImQ0OWU0N2ZiZGQ0ZWUyNDE0Nzk2ZDhlMDhjZWY2YjU1ZDA3MDRlNGQiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI1OTgwIiwiY2xpZW50VHlwZSI6IlNjYWxlUGFja2FnZSIsIm1hcmtldFBsYWNlTmFtZSI6Im90b2FwaSIsInVzYWdlTW9kZSI6InJlYWwiLCJzdG9yZU5hbWUiOiJURVNUIiwidXNlclR5cGUiOiJzYWxlc0NoYW5uZWwiLCJ1c2VySWQiOiI5ODg1Iiwic2NjSWQiOiIyODUwIiwiZW1haWwiOiI1OTgwLTI4NTAtb3RvYXBpQHRyeW90by5jb20iLCJpc3MiOiJodHRwczovL3NlY3VyZ

		XRva2VuLmdvb2dsZS5jb20vb3RvLXN0YWdlLWFwaSIsImF1ZCI6Im90by1zdGFnZS1hcGkiLCJhdXRoX3RpbWUiOjE2ODY4MzUzNzcsInVzZXJfaWQiOiI3dHNScjZMcU5WWkJuOWU1bmswVThQV2d4a1Uyliwic3ViIjoiN3RzUnI2THFOVlpCbjlINW5rMFU4UFdneGtVMiIsImlhdCI6MTY5OTE3MzA1MSwiZXhwIjoxNjk5MTc2NjUxLCJlbWFpbF92ZXJpZmllZCI6ZmFsc2UsImZpcmViYXNlIjp7ImlkZW50aXRpZXMiOnsiZW1haWwiOlsiNTk4MC0yODUwLW90b2FwaUB0cnlvdG8uY29tIl19LCJzaWduX2luX3Byb3ZpZGVyIjoicGFzc3dvcmQifX0.PIsnK4gUBdBcT-4e-HCDrOsKXnNCPkQ9EWVRPLxLcu7EeaOTGSXZlBQ0IPLO8-6nSwIPiN-2yGBO0VDk0Onqj9pk0wObk2UuCI3nNj9QIgSEzpG-JvcGGAq8FjgC5QIo5epEEP42oYJFBXoNiZeMlooY59m9gh1ftuxM4aYffybb21yK8NxDo-CW68KdU030xkFtn-habvzT7EVakXWq9mMGVqYmFg-LIzs6nS5YNusSqx0bl2ABRAmjbqCKvUFSS3MzYNjHlUiT6H6EAwwlkpeLqdtuU_NhQAi4Aw7COGwGaFmpKnDeywBI1q2LiN3FBXiLyrcn5ft-N1osY_v_rg
	type	text
body	mode	raw
	raw	{ "orderId": "OID-9616-98798", "entityId": "12", "forReverseShipment": true, "deliveryOptionId": 2154, "storeName": "POSTMAN", "payment_method": "paid", "amount": 300.41, "amount_due": 0, "shippingAmount": 10.41, "subtotal": 290.00, "currency": "SAR", "shippingNotes": "postman orders, be careful. it is fragile", "packageSize": "small", "packageCount": 1, "packageWeight":

	2.75, "boxWidth": 10, "boxLength": 10, "boxHeight": 10, "orderDate": "13/07/2023 15:45", "deliverySlotDate": "15/07/2023", "deliverySlotTo": "12pm", "deliverySlotFrom": "2:30pm", "metadata": { "paymentRef": "ref" }, "customer": { "name": "K?l?f", "refID": "123", "email": "ocinar2525@gmail.com", "mobile": "555666555", "address": "8645 Istanbul St, As Sulay ", "postcode": "14322", "district": "As Sulay", "city": "Riyadh", "country": "SA", "lat": "123", "lon": "123" }, "items": [{ "productId": 112, "name": "test product", "price": 50.55, "quantity": 3, "serialNumber" : "ASD12312121333", "sku": "0747027564101", "image": "https://i.pinimg.com/564x/4b/46/de/4b46de036e796592bc7fa30e1e73b3ab.jpg", "metadata": { "colorCode": "VT-0070" } }] }
options	raw language json
url	raw {{real-url}}/rest/v2/createOrder
	host 0 {{real-url}}
	path 0 rest 1 v2 2 createOrder
status	OK
code	200
_postman_previewlanguage	json
header	0 key Content-Type value application/json
	1 key X-Cloud-Trace-Context value 79f672a9e47909bce14e2e9816246b14;o=1
	2 key Alt-Svc value h3=":443"; ma=2592000,h3-

		29=":443"; ma=2592000
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
4	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
5	key	Date
	value	Wed, 15 Nov 2023 06:39:00 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	172
8	key	Via
	value	1.1 google
9	key	Access-Control-Allow-Origin
	value	*(Empty Text)*
10	key	Access-Control-Allow-Methods
	value	POST,GET,OPTIONS,PUT,DELETE,HEAD
11	key	Access-Control-Allow-Headers
	value	Accept, Origin, Content-Type, Authorization, x-forwarded-authorization, X-Requested-With
12	key	Access-Control-Allow-Credentials
	value	true
13	key	Access-Control-Expose-Headers
	value	x-app-version, x-fetch-date
14	key	Access-Control-Max-Age
	value	728000

	cookie	*(Empty List)*
	body	{ "success": true, "warnings": ["Order already exists, now the updating process begins for the specified order with order id: OID-9616-98798"], "message": "Successfully updated" }
7	name	200 update but status is not valid for update
	originalRequest	method: POST
		header: 0 — key: x-forwarded-authorization
		value: Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImQ0OWU0N2ZiZGQ0ZWUyNDE0Nzk2ZDhlMDhjZWY2YjU1ZDA3MDRlNGQiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI1

		OTgwIiwiY2xpZW50VHlwZSI6IlNjYWxlUGFja2FnZSIsIm1hcmtldFBsYWNlTmFtZSI6Im90b2FwaSIsInVzYWdlTW9kZSI6InJlYWwiLCJzdG9yZU5hbWUiOiJURVNUIiwidXNlclR5cGUiOiJzYWxlc0NoYW5uZWwiLCJ1c2VySWQiOiI5ODg1Iiwic2NjSWQiOiIyODUwIiwiZW1haWwiOiI1OTgwLTI4NTAtb3RvYXBpQHRyeW90by5jb20iLCJpc3MiOiJodHRwczovL3NlY3VyZXRva2VuLmdvb2dsZS5jb20vLXN0YWdlLWFwaSIsImF1ZCI6Im90by1zdGFnZS1hcGkiLCJhdXRoX3RpbWUiOjE2ODY4MzUzNzcsInVzZXJfaWQiOiI3dHNScjZMcU5WWkJuOWU1bmswVThQV2d4a1Uyliwic3ViIjoiN3RzUnl2THFOVlpCbjllNW5rMFU4UFdneGtVMiIsImlhdCI6MTY5OTE3MzA1MSwiZXhwIjoxNjk5MTc2NjUxLCJlbWFpbF92ZXJpZmllZCI6ZmFsc2UsImZpcmViYXNlIjp7ImlkZW50aXRpZXMiOnsiZW1haWwiOlsiNTk4MC0yODUwLW90b2FwaUB0cnlvdG8uY29tIl19LCJzaWduX2luX3Byb3ZpZGVyIjoicGFzc3dvcmQifX0.PIsnK4gUBdBcT-4e-HCDrOsKXnNCPkQ9EWVRPLxLcu7EeaOTGSXZlBQ0IPLO8-6nSwIPiN-2yGBO0VDk0Onqj9pk0wObk2UuCI3nNj9QlgSEzpG-JvcGGAq8FjgC5QIo5epEEP42oYJFBXoNiZeMlooY59m9gh1ftuxM4aYffybb21yK8NxDo-CW68KdU030xkFtn-habvzT7EVakXWq9mMGVqYmFg-LIzs6nS5YNusSqx0bl2ABRAmjbqCKvUFSS3MzYNjHlUiT6H6EAwwlkpeLqdtuU_NhQAi4Aw7COGwGaFmpKnDeywBI1q2LiN3FBXiLyrcn5ft-N1osY_v_rg
	type	**text**
body	**mode**	**raw**
	raw	**{ "orderId": "post1234s", "entityId": "12", "serviceType": "returnFromCustomer", "forReverseShipment"**

			: true, "deliveryOptionId": 2154, "storeName": "POSTMAN", "payment_method": "paid", "amount": 300.41, "amount_due": 0, "shippingAmount": 10.41, "subtotal": 290.00, "currency": "SAR", "shippingNotes": "postman orders, be careful. it is fragile", "packageSize": "small", "packageCount": 1, "packageWeight": 2.75, "boxWidth": 10, "boxLength": 10, "boxHeight": 10, "orderDate": "13/07/2023 15:45", "deliverySlotDate": "15/07/2023", "deliverySlotTo": "12pm", "deliverySlotFrom": "2:30pm", "metadata": { "paymentRef": "ref" }, "customer": { "name": "K?l?f", "refID": "123", "email": "ocinar2525@gmail.com", "mobile": "555666555", "address": "8645 Istanbul St, As Sulay ", "postcode": "14322", "district": "As Sulay", "city": "Riyadh", "country": "SA", "lat": "123", "lon": "123" }, "items": [{ "productId": 112, "name": "test product", "price": 50.55, "quantity": 3, "serialNumber" : "ASD12312121333", "sku": "0747027564101", "image": "https://i.pinimg.com/564x/4b/46/de/4b46de036e796592bc7fa30e1e73b3ab.jpg", "metadata": { "colorCode": "VT-0070" } }] }
	options	raw	language json
url	raw		{{real-url}}/rest/v2/createOrder
	host	0	{{real-url}}
	path	0	rest

1	v2
2	createOrder

status	OK
code	200
_postman_previewlanguage	json

header

0	key	Content-Type
	value	application/json
1	key	X-Cloud-Trace-Context
	value	6477284d50d0ac434e77a21fc2ea6281
2	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
4	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
5	key	Date
	value	Wed, 15 Nov 2023 06:35:20 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	155
8	key	Via
	value	1.1 google
9	key	Access-Control-Allow-Origin
	value	*(Empty Text)*
10	key	Access-Control-Allow-Methods
	value	POST,GET,OPTIONS,PUT,DELETE,HEAD
11	key	Access-Control-Allow-Headers
	value	Accept, Origin, Content-Type, Authorization, x-forwarded-authorization, X-Requested-With
12	key	Access-Control-Allow-Credentials
	value	true
13	key	Access-Control-Expose-Headers
	value	x-app-version, x-fetch-date
14	key	Access-Control-Max-Age
	value	728000

cookie	*(Empty List)*
body	{ "success": true, "errorCode": 5, "message": "Successfully updated. Due to

		status only ref* updated", "errorMsg": "Order Status delivered not allowed for update" }
8	name	200 split order
	originalRequest	method: POST header: 0 — key: Accept; value: application/json; type: text body: mode: raw raw: { "orderId": "post{{ID}}", "entityId": "{{ID}}", "serviceType": "returnFromCustomer", "forReverseShipment": true, "deliveryOptionId": 2154, "storeName": "POSTMAN", "payment_method": "applePay", "amount": 300.41, "amount_due": 0, "shippingAmount": 10.41, "subtotal": 290.00, "currency": "SAR", "shippingNotes": "postman orders, be careful. it is fragile", "packageSize": "small", "packageCount": 1, "packageWeight": 2.75, "boxWidth": 10, "boxLength": 10, "boxHeight": 10, "orderDate": "13/07/2023 15:45", "deliverySlotDate": "15/07/2023", "deliverySlotTo": "12pm", "deliverySlotFrom": "2:30pm", "metadata": { "paymentRef": "ref" }, "customer": { "name": "{{$randomFullName}}", "refID": "123", "email": "{{$randomExampleEmail}}", "mobile": "555666555", "address": "8645 Istanbul St, As Sulay", "postcode": "14322", "district": "As Sulay", "city": "Riyadh", "country": "SA", "lat": "{{riyadhLat}}", "lon": "{{riyadhLon}}" }, "items": [{ "productId": 112, "name": "test

		product", "price": 50.55, "quantity": 3, "pickupLocation" :[{ "pickupLocationCode": "WHA", "quantity" : 1 }, { "pickupLocationCode": "WHA", "quantity" : 2 }], "serialNumber" : "ASD12312121333", "sku": "0747027564101", "image": "https://i.pinimg.com/564x/4b/46/de/4b46de036e796592bc7fa30e1e73b3ab.jpg", "metadata": { "colorCode": "VT-0070" } }] }
		options: raw, language: json
		url: raw: {{real-url}}/rest/v2/createOrder; host: 0: {{real-url}}; path: 0: rest, 1: v2, 2: createOrder
	status	OK
	code	200
	_postman_previewlanguage	json
	header	0: key: Date, value: Sun, 05 Nov 2023 07:03:17 GMT; 1: key: Content-Type, value: application/json; 2: key: Content-Length, value: 135; 3: key: Server, value: Jetty(9.4.3.v20170317)
	cookie	*(Empty List)*
	body	{ "success": true, "warnings": ["pickupLocation field exists in the items array, split order process begins"], "otoIds": [30794446, 30794447] }
9	name	200 split Order multiple items
	originalRequest	method: POST; header: 0: key: Accept, value: application/json, type: text; body: mode: raw; raw: { "orderId": "post{{ID}}", "entityId": "{{ID}}", "serviceType":

"returnFromCustomer",
"forReverseShipment": true,
"deliveryOptionId": 2154, "storeName": "POSTMAN",
"payment_method": "applePay", "amount": 300.41,
"amount_due": 0,
"shippingAmount": 10.41, "subtotal": 290.00, "currency": "SAR",
"shippingNotes": "postman orders, be careful. it is fragile",
"packageSize": "small",
"packageCount": 1,
"packageWeight": 2.75, "boxWidth": 10,
"boxLength": 10,
"boxHeight": 10,
"orderDate": "13/07/2023 15:45",
"deliverySlotDate": "15/07/2023",
"deliverySlotTo": "12pm",
"deliverySlotFrom": "2:30pm",
"metadata": { "paymentRef": "ref" },
"customer": { "name": "{{$randomFullName}}", "refID": "123",
"email": "{{$randomExampleEmail}}", "mobile": "555666555",
"address": "8645 Istanbul St, As Sulay", "postcode": "14322", "district": "As Sulay", "city": "Riyadh", "country": "SA", "lat": "{{riyadhLat}}", "lon": "{{riyadhLon}}" },
"items": [{ "productId": 112,
"name": "test product", "price": 50.55, "quantity": 3,
"pickupLocation" :[{ "pickupLocationCode": "WHA", "quantity" : 1 }, { "pickupLocationCode": "WHA", "quantity" : 2 }], "serialNumber" : "ASD12312121333",
"sku": "0747027564101",
"image": "https://i.pinimg.com/564x/4b/46/de/4b46de036e796592bc7fa30e1e73b3ab.jpg",
"metadata": {

		"colorCode": "VT-0070" } }, { "productId": 112, "name": "test without split", "price": 152, "quantity": 2, "serialNumber" : "ASD1231212133332", "sku": "0747027564101231", "image": "https://i.pinimg.com/564x/4b/46/de/4b46de036e796592bc7fa30e1e73b3ab.jpg", "metadata": { "colorCode": "VT-0070" } }] }
	options	raw language json
	url	raw {{real-url}}/rest/v2/createOrder host 0 {{real-url}} path 0 rest 1 v2 2 createOrder
	status	OK
	code	200
	_postman_previewlanguage	json
	header	0 key Date value Sun, 05 Nov 2023 07:20:04 GMT 1 key Content-Type value application/json 2 key Content-Length value 135 3 key Server value Jetty(9.4.3.v20170317)
	cookie	*(Empty List)*
	body	{ "success": true, "warnings": ["pickupLocation field exists in the items array, split order process begins"], "otolds": [30794452, 30794453] }
10	name	200 split order with order boxes for each split item
	originalRequest	method POST header 0 key x-forwarded-authorization value Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImQ0OWU0N2ZiZGQ0ZWUyNDE0Nzk2ZDhlMDhjZWY2YjU1ZDA3MDRlNGQiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiO

	iI1OTgwIiwiY2xpZW50VHlwZSI6IlNjYWxlUGFja2FnZSIsIm1hcmtldFBsYWNlTmFtZSI6Im90b2FwaSIsInVzYWdlTW9kZSI6InJlYWwiLCJzdG9yZU5hbWUiOiJURVNUIiwidXNlclR5cGUiOiJzYWxlc0NoYW5uZWwiLCJ1c2VySWQiOiI5ODg1Iiwic2NjSWQiOiIyODUwIiwiZW1haWwiOiI1OTgwLTI4NTAtb3RvYXBpQHRyeW90by5jb20iLCJpc3MiOiJodHRwczovL3NlY3VyZXRva2VuLmdvb2dsZS5jb20vb3RvLXN0YWdlLWFwaSIsImF1ZCI6Im90by1zdGFnZS1hcGkiLCJhdXRoX3RpbWUiOjE2ODY4MzUzNzcsInVzZXJfaWQiOiI3dHNScjZMcU5WWkJuOWU1bmswVThQV2d4a1Uyliwic3ViIjoiN3RzUnI2THFOVlpCbjllNW5rMFU4UFdneGtVMiIsImlhdCI6MTY5OTE3MzA1MSwiZXhwIjoxNjk5MTc2NjUxLCJlbWFpbF92ZXJpZmllZCI6ZmFsc2UsImZpcmViYXNlIjp7Im1kZW50aXRpZXMiOnsiZW1haWwiOlsiNTk4MC0yODUwLW90b2FwaUB0cnlvdG8uY29tIl19LCJzaWduX2luX3Byb3ZpZGVyIjoicGFzc3dvcmQifX0.PIsnK4gUBdBcT-4e-HCDrOsKXnNCPkQ9EWVRPLxLcu7EeaOTGSXZlBQ0IPLO8-6nSwIPiN-2yGBO0VDk0Onqj9pk0wObk2UuCI3nNj9QlgSEzpG-JvcGGAq8FjgC5QIo5epEEP42oYJFBXoNiZeMlooY59m9gh1ftuxM4aYffybb21yK8NxDo-CW68KdU030xkFtn-habvzT7EVakXWq9mMGVqYmFg-LIzs6nS5YNusSqx0bl2ABRAmjbqCKvUFSS3MzYNjHlUiT6H6EAwwlkpeLqdtuU_NhQAi4Aw7COGwGaFmpKnDeywBI1q2LiN3FBXiLyrcn5ft-N1osY_v_rg
type	**text**

	disabled	Yes
body	mode	raw
	raw	{ "orderId": "post78567857857684864", "entityId": "64849468484", "serviceType": "returnFromCustomer", "forReverseShipment": true, "deliveryOptionId": 2154, "storeName": "POSTMAN", "payment_method": "applePay", "amount": 300.41, "amount_due": 0, "shippingAmount": 10.41, "subtotal": 290.00, "currency": "SAR", "shippingNotes": "postman orders, be careful. it is fragile", "packageSize": "small", "packageCount": 1, "packageWeight": 2.75, "orderDate": "13/07/2023 15:45", "deliverySlotDate": "15/07/2023", "deliverySlotTo": "12pm", "deliverySlotFrom": "2:30pm", "metadata": { "paymentRef": "ref" }, "customer": { "name": "Furkan", "refID": "123", "email": "furkan@detail.com", "mobile": "555666555", "address": "8645 Istanbul St, As Sulay", "postcode": "14322", "district": "As Sulay", "city": "Riyadh", "country": "SA", "lat": "123", "lon": "123" }, "items": [{ "productId": 112, "name": "test product", "price": 50.55, "quantity": 3, "pickupLocation": [{ "pickupLocationCode": "WHA", "quantity": 1, "box": { "dimensions": { "width": 10, "length": 10, "height": 10 }, "weight": 10, "boxName": "newBox" } }, { "pickupLocationCode": "WHA", "quantity": 2, "box": { "dimensions": { "width": 10, "length": 10, "height":

	10 }, "weight": 20 } }], "serialNumber": "ASD12312121333", "sku": "0747027564101", "image": "https://i.pinimg.com/564x/4b/46/de/4b46de036e796592bc7fa30e1e73b3ab.jpg", "metadata": { "colorCode": "VT-0070" } }, { "productId": 112, "name": "test without split", "price": 152, "quantity": 2, "serialNumber": "ASD1231212133332", "sku": "0747027564101231", "image": "https://i.pinimg.com/564x/4b/46/de/4b46de036e796592bc7fa30e1e73b3ab.jpg", "metadata": { "colorCode": "VT-0070" } }] }
options	raw language json
url	raw {{real-url}}/rest/v2/createOrder host 0 {{real-url}} path 0 rest 1 v2 2 createOrder
status	OK
code	200
_postman_previewlanguage	json
header	0 key Content-Type value application/json 1 key X-Cloud-Trace-Context value d14421ffdfedb879b54acb33a1aac84e;o=1 2 key Alt-Svc value h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 3 key Alt-Svc value h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 4 key Alt-Svc value h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 5 key Date value Sun, 10 Mar 2024 07:27:46 GMT 6

	key	Server
	value	Google Frontend
7	key	Content-Length
	value	135
8	key	Via
	value	1.1 google
9	key	Access-Control-Allow-Origin
	value	*(Empty Text)*
10	key	Access-Control-Allow-Methods
	value	POST,GET,OPTIONS,PUT,DELETE,HEAD
11	key	Access-Control-Allow-Headers
	value	Accept, Origin, Content-Type, Authorization, x-forwarded-authorization, X-Requested-With
12	key	Access-Control-Allow-Credentials
	value	true
13	key	Access-Control-Expose-Headers
	value	x-app-version, x-fetch-date
14	key	Access-Control-Max-Age
	value	728000

	cookie	*(Empty List)*
	body	{ "success": true, "warnings": ["pickupLocation field exists in the items array, split order process begins"], "otoIds": [30829622, 30829623] }

11	name	400
	originalRequest	

	method	POST
	header	

0	key	Accept
	value	application/json
	type	text

	body	
	mode	raw
	raw	{ "orderId": "1234", "ref1": "1234ABCDE", "pickupLocationCode": "12364", "deliveryOptionId": "12364", "serviceType": "pickupFromStore", "storeName": "Brand A English", "payment_method": "paid", "amount": 100, "amount_due": 0, "shippingAmount":20, "subtotal":100, "currency": "SAR", "shippingNotes": "be careful. it is fragile", "packageSize": "small", "packageCount": 2,

		"packageWeight": 1, "boxWidth": 10, "boxLength": 10, "boxHeight": 10, "orderDate": "30/12/2020 15:45", "deliverySlotDate": "31/12/2020", "deliverySlotTo": "12pm", "deliverySlotFrom": "2:30pm", "senderName":"Sender Company", "customer": { "name": "??????? ???????", "email": "test@test.com", "mobile": "546607389", "address": "6832, Abruq AR Rughamah District, Jeddah 22272 3330, Saudi Arabia", "district": "Al Hamra", "city": "Riyadh", "country": "SA", "lat": "40.706333", "lon": "29.888211", "refID":"1000012" }, "items": [{ "productId": 112, "name": "test product", "price": 100, "quantity": 1, "sku": "test-product", "image": "http://...." }, { "name": "test product 2", "price": 100, "quantity": 1, "sku": "test-product-2", "image": "http://...." }] }
	options	raw language json
	url	raw {{real-url}}/rest/v2/createOrder
		host 0 {{real-url}}
		path 0 rest 1 v2 2 createOrder
	status	Bad Request
	code	400
	_postman_previewlanguage	json
	header	null
	cookie	*(Empty List)*
	body	{ "success": false, "errorCode": 5, "errorMsg": "customer name required" }
12	name	400 split Order wrong quantity
	originalRequest	method POST
		header 0 key Accept value application/json

	type	text
body	mode	raw
	raw	{ "orderId": "post{{ID}}", "entityId": "{{ID}}", "serviceType": "returnFromCustomer", "forReverseShipment": true, "deliveryOptionId": 2154, "storeName": "POSTMAN", "payment_method": "applePay", "amount": 300.41, "amount_due": 0, "shippingAmount": 10.41, "subtotal": 290.00, "currency": "SAR", "shippingNotes": "postman orders, be careful. it is fragile", "packageSize": "small", "packageCount": 1, "packageWeight": 2.75, "boxWidth": 10, "boxLength": 10, "boxHeight": 10, "orderDate": "13/07/2023 15:45", "deliverySlotDate": "15/07/2023", "deliverySlotTo": "12pm", "deliverySlotFrom": "2:30pm", "metadata": { "paymentRef": "ref" }, "customer": { "name": "{{$randomFullName}}", "refID": "123", "email": "{{$randomExampleEmail}}", "mobile": "555666555", "address": "8645 Istanbul St, As Sulay", "postcode": "14322", "district": "As Sulay", "city": "Riyadh", "country": "SA", "lat": "{{riyadhLat}}", "lon": "{{riyadhLon}}" }, "items": [{ "productId": 112, "name": "test product", "price": 50.55, "quantity": 3, "pickupLocation" :[{ "pickupLocationCode": "WHA", "quantity" : 1 }, { "pickupLocationCode": "WHA", "quantity" : 1 }], "serialNumber" : "ASD12312121333", "sku":

		"0747027564101", "image": "https://i.pinimg.com/564x/4b/46/de/4b46de036e796592bc7fa30e1e73b3ab.jpg", "metadata": { "colorCode": "VT-0070" } }] }
	options	raw language json
	url	raw {{real-url}}/rest/v2/createOrder
		host 0 {{real-url}}
		path 0 rest 1 v2 2 createOrder
	status	Bad Request
	code	400
	_postman_previewlanguage	json
	header	0 key Date value Sun, 05 Nov 2023 07:02:12 GMT 1 key Content-Type value application/json 2 key Content-Length value 373 3 key Server value Jetty(9.4.3.v20170317)
	cookie	*(Empty List)*
	body	{ "success": false, "warnings": ["pickupLocation field exists in the items array, split order process begins", "sum of objects in the pickupLocation array is bigger than the total quantity of the item. Split order process has been revoked "], "errorCode": 13, "errorMsg": "Item has pickupLocation array for split order process but the input is invalid in the array. Check warnings" }
13	name	400 split order wrong pickupLocationCode
	originalRequest	method POST
		header 0 key Accept value application/json type text
		body mode raw
		raw { "orderId": "post{{ID}}", "entityId": "{{ID}}", "serviceType": "returnFromCustomer", "forReverseShipment": true, "deliveryOptionId":

2154, "storeName": "POSTMAN", "payment_method": "applePay", "amount": 300.41, "amount_due": 0, "shippingAmount": 10.41, "subtotal": 290.00, "currency": "SAR", "shippingNotes": "postman orders, be careful. it is fragile", "packageSize": "small", "packageCount": 1, "packageWeight": 2.75, "boxWidth": 10, "boxLength": 10, "boxHeight": 10, "orderDate": "13/07/2023 15:45", "deliverySlotDate": "15/07/2023", "deliverySlotTo": "12pm", "deliverySlotFrom": "2:30pm", "metadata": { "paymentRef": "ref" }, "customer": { "name": "{{$randomFullName}}", "refID": "123", "email": "{{$randomExampleEmail}}", "mobile": "555666555", "address": "8645 Istanbul St, As Sulay ", "postcode": "14322", "district": "As Sulay", "city": "Riyadh", "country": "SA", "lat": "{{riyadhLat}}", "lon": "{{riyadhLon}}" }, "items": [{ "productId": 112, "name": "test product", "price": 50.55, "quantity": 3, "pickupLocation" :[{ "pickupLocationCode": "asd", "quantity" : 1 }, { "pickupLocationCode": "WHA", "quantity" : 2 }], "serialNumber" : "ASD12312121333", "sku": "0747027564101", "image": "https://i.pinimg.com/564x/4b/46/de/4b46de036e796592bc7fa30e1e73b3ab.jpg", "metadata": { "colorCode": "VT-0070" } }] }

options	raw	language	json

url	raw	{{real-url}}/rest/v2/createOrder
	host	0 {{real-url}}
	path	0 rest 1 v2 2 createOrder
status	Bad Request	
code	400	
_postman_previewlanguage	json	
header	0 key: Date value: Sun, 05 Nov 2023 07:03:40 GMT	
	1 key: Content-Type value: application/json	
	2 key: Content-Length value: 361	
	3 key: Server value: Jetty(9.4.3.v20170317)	
cookie	*(Empty List)*	
body	{ "success": false, "warnings": ["pickupLocation field exists in the items array, split order process begins", "Both the order pickupLocationCode and item's pickupLocationCode do not exist. Split order process has been revoked "], "errorCode": 13, "errorMsg": "Item has pickupLocation array for split order process but the input is invalid in the array. Check warnings" }	

14	name	400 split order invalid fields
	originalRequest	method: POST
		header: 0 key: Accept; value: application/json; type: text
		body: mode: raw
		raw: { "orderId": "post{{ID}}", "entityId": "{{ID}}", "serviceType": "returnFromCustomer", "forReverseShipment": true, "deliveryOptionId": 2154, "storeName": "POSTMAN", "payment_method": "applePay", "amount": 300.41, "amount_due": 0, "shippingAmount": 10.41, "subtotal": 290.00, "currency": "SAR", "shippingNotes": "postman orders, be

	careful. it is fragile", "packageSize": "small", "packageCount": 1, "packageWeight": 2.75, "boxWidth": 10, "boxLength": 10, "boxHeight": 10, "orderDate": "13/07/2023 15:45", "deliverySlotDate": "15/07/2023", "deliverySlotTo": "12pm", "deliverySlotFrom": "2:30pm", "metadata": { "paymentRef": "ref" }, "customer": { "name": " {{$randomFullName} }", "refID": "123", "email": " {{$randomExampleEmail}}", "mobile": "555666555", "address": "8645 Istanbul St, As Sulay ", "postcode": "14322", "district": "As Sulay", "city": "Riyadh", "country": "SA", "lat": " {{riyadhLat}}", "lon": "{{riyadhLon}}" }, "items": [{ "productId": 112, "name": "test product", "price": 50.55, "quantity": 3, "pickupLocation" :[{ "pickupLocationCode": "asd", "quantity" : 1 }, { "pickupLocationCode": "WHA" }], "serialNumber" : "ASD12312121333", "sku": "0747027564101", "image": "https://i.pinimg.com/564x/4b/46/de/4b46de036e796592bc7fa30e1e73b3ab.jpg", "metadata": { "colorCode": "VT-0070" } }] }
options	raw language json
url	raw {{real-url}}/rest/v2/createOrder
	host 0 {{real-url}}
	path 0 rest 1 v2 2 createOrder
status	Bad Request

	code	400
	_postman_previewlanguage	json
	header	0 key: Date value: Sun, 05 Nov 2023 07:05:06 GMT 1 key: Content-Type value: application/json 2 key: Content-Length value: 361 3 key: Server value: Jetty(9.4.3.v20170317)
	cookie	*(Empty List)*
	body	{ "success": false, "warnings": ["pickupLocation field exists in the items array, split order process begins", "Both the order pickupLocationCode and item's pickupLocationCode do not exist. Split order process has been revoked "], "errorCode": 13, "errorMsg": "Item has pickupLocation array for split order process but the input is invalid in the array. Check warnings" }
15	name	401
	originalRequest	method: POST header: 0 key: Accept value: application/json type: text body mode: raw raw: { "orderId": "1234", "ref1": "1234ABCDE", "pickupLocationCode": "12364", "deliveryOptionId": "12364", "serviceType": "pickupFromStore", "storeName": "Brand A English", "payment_method": "paid", "amount": 100, "amount_due": 0, "shippingAmount":20, "subtotal":100, "currency": "SAR", "shippingNotes": "be careful. it is fragile", "packageSize": "small", "packageCount": 2, "packageWeight": 1, "boxWidth": 10, "boxLength": 10, "boxHeight": 10, "orderDate": "30/12/2020 15:45", "deliverySlotDate": "31/12/2020", "deliverySlotTo": "12pm", "deliverySlotFrom": "2:30pm",

	"senderName":"Sender Company", "customer": { "name": "??????? ???????", "email": "test@test.com", "mobile": "546607389", "address": "6832, Abruq AR Rughamah District, Jeddah 22272 3330, Saudi Arabia", "district": "Al Hamra", "city": "Riyadh", "country": "SA", "lat": "40.706333", "lon": "29.888211" }, "items": [{ "productId": 112, "name": "test product", "price": 100, "quantity": 1, "sku": "test-product", "image": "http://...." }, { "name": "test product 2", "price": 100, "quantity": 1, "sku": "test-product-2", "image": "http://...." }] }
options	raw language json
url	raw {{real-url}}/rest/v2/createOrder
	host 0 {{real-url}}
	path 0 rest 1 v2 2 createOrder
status	Unauthorized
code	401
_postman_previewlanguage	json
header	null
cookie	*(Empty List)*
body	{ "message": "Jwt is expired", "code": 401 }

1	name	Update Order
	event	0 listen prerequest script exec 0 *(Empty Text)* type text/javascript
		1 listen test script exec 0 *(Empty Text)* type text/javascript
	request	method POST
		header *(Empty List)*
		body mode raw
		raw { "orderId": "202111081227", "ref1": "1234ABCDE",

		"pickupLocationCode": "12364", "deliveryOptionId": "12364", "storeName": "Brand A English", "payment_method": "paid", "amount": 100, "amount_due": 0, "shippingAmount":20, "subtotal":100, "currency": "SAR", "customsValue":"12", "customsCurrency":"USD", "shippingNotes": "be careful. it is fragile", "packageSize": "small", "packageCount": 2, "packageWeight": 1, "boxWidth": 10, "boxLength": 10, "boxHeight": 10, "orderDate": "30/12/2022 15:45", "deliverySlotDate": "31/12/2022", "deliverySlotTo": "12pm", "deliverySlotFrom": "2:30pm", "customer": { "name": "??????? ???????", "email": "test@test.com", "mobile": "546607389", "address": "6832, Abruq AR Rughamah District, Jeddah 22272 3330, Saudi Arabia", "district": "Al Hamra", "city": "Riyadh", "country": "SA", "postcode": "12345", "lat": "40.706333", "lon": "29.888211", "refID":"1000012", "W3WAddress":"alarmed.cards.stuffy" }, "items": [{ "productId": 112, "name": "test product", "price": 100, "quantity": 1, "sku": "test-product", "image": "http://...." }, { "name": "test product 2", "price": 100, "quantity": 1, "sku": "test-product-2", "image": "http://...." }] }
	options	raw language json
url		
	raw	{{real-url}}/rest/v2/updateOrder
	host	0 {{real-url}}
	path	0 rest 1 v2 2 updateOrder
description		**Available Packages:** All Packages This API endpoint allows you update order info with this endpoint before shipment creation. If you created a shipment and need to update an information after that you have to cancel the shipment first then you can update.
response	0	
	name	200
	originalRequest	
	method	POST
	header	*(Empty List)*
	body	
	mode	raw
	raw	{ "orderId": "202111081227", "ref1": "1234ABCDE", "pickupLocationCode": "12364", "deliveryOptionId": "12364", "storeName": "Brand A English", "payment_method": "paid", "amount": 100, "amount_due": 0, "shippingAmount":20, "subtotal":100, "currency": "SAR", "customsValue":"12", "customsCurrency":"USD", "shippingNotes": "be careful. it is fragile", "packageSize": "small", "packageCount": 2, "packageWeight": 1, "boxWidth": 10, "boxLength": 10,

	"boxHeight": 10, "orderDate": "30/12/2020 15:45", "deliverySlotDate": "31/12/2020", "deliverySlotTo": "12pm", "deliverySlotFrom": "2:30pm", "customer": { "name": "??????? ???????", "email": "test@test.com", "mobile": "546607389", "address": "6832, Abruq AR Rughamah District, Jeddah 22272 3330, Saudi Arabia", "district": "Al Hamra", "city": "Riyadh", "country": "SA", "postcode": "12345", "lat": "40.706333", "lon": "29.888211", "refID":"1000012", "W3WAddress":"alarmed.cards.stuffy" }, "items": [{ "productId": 112, "name": "test product", "price": 100, "quantity": 1, "sku": "test-product", "image": "http://...." }, { "name": "test product 2", "price": 100, "quantity": 1, "sku": "test-product-2", "image": "http://...." }] }
options	**raw** language json
url	**raw** {{real-url}}/rest/v2/updateOrder
	host 0 {{real-url}}
	path 0 rest 1 v2 2 updateOrder
status	OK
code	200
_postman_previewlanguage	json
header	0 **key** Content-Type **value** application/json;charset=utf-8
	1 **key** X-Cloud-Trace-Context **value** 39ccd2317d3c01a5548073a3ca31383b;o=1
	2 **key** Alt-Svc **value** h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"

3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key	Alt-Svc
	value	clear
5	key	Date
	value	Mon, 08 Nov 2021 10:41:22 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	2
8	key	Via
	value	1.1 google

cookie	*(Empty List)*
body	{ "success":true, "message": "Successfully updated" }

1	name	200 update branch
	originalRequest	
	method	POST
	header	*(Empty List)*
	body	
	mode	raw
	raw	{ "orderId": "1174", "ref1": "1234ABCDE", "pickupLocationCode": "12364", "deliveryOptionId": "12364", "storeName": "Brand A English", "payment_method": "paid", "amount": 100, "amount_due": 0, "shippingAmount":20, "subtotal":100, "currency": "SAR", "customsValue":"12", "customsCurrency":"USD", "shippingNotes": "be careful. it is fragile", "packageSize": "small", "packageCount": 2, "packageWeight": 1, "boxWidth": 10, "boxLength": 10, "boxHeight": 10, "orderDate": "30/12/2022 15:45", "deliverySlotDate": "31/12/2022", "deliverySlotTo": "12pm", "deliverySlotFrom": "2:30pm", "senderInformation":{ "senderAddressName": "Home - John Doe", "senderId":"12345", "senderFullName":"Joh

	n Doe", "senderMobile":"905055055555", "senderEmail":"test@example.com", "senderCountry":"SA", "senderCity":"Riyadh", "senderPostcode":"11564", "senderAddressLine":"??????? ?????? ??????? ??????? ?? ?????????, Riyadh 11564, Saudi Arabia", "lat":"24.7310685013539", "lon":"46.70160835803429" }, "customer": { "name": "??????? ???????", "email": "test@test.com", "mobile": "546607389", "address": "6832, Abruq AR Rughamah District, Jeddah 22272 3330, Saudi Arabia", "district": "Al Hamra", "city": "Riyadh", "country": "SA", "postcode": "12345", "lat": "40.706333", "lon": "29.888211", "refID":"1000012", "W3WAddress":"alarmed.cards.stuffy" }, "items": [{ "productId": 112, "name": "test product", "price": 100, "quantity": 1, "sku": "test-product", "image": "http://...." }, { "name": "test product 2", "price": 100, "quantity": 1, "sku": "test-product-2", "image": "http://...." }] }
options	raw language json
url	raw {{real-url}}/rest/v2/updateOrder
	host 0 {{real-url}}
	path 0 rest 1 v2 2 updateOrder
status	OK
code	200
_postman_previewlanguage	json
header	0 key Content-Type value application/json;charset=utf-8
	1 key X-Cloud-Trace-Context value 39ccd2317d3c01a5548073a3ca31383b;o=1

2	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key	Alt-Svc
	value	clear
5	key	Date
	value	Mon, 08 Nov 2021 10:41:22 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	2
8	key	Via
	value	1.1 google

cookie	*(Empty List)*
body	{ "success":true, "message": "Successfully updated" }

2	name	Update Order Status
	request	
	method	POST
	header	0
		key: x-forwarded-authorization
		value: *(Empty Text)*
		type: text
		disabled: Yes
	body	mode: raw
		raw: { "orderIds": [30846946], "status": "delivered", "date": "2024-08-06T21:00:00.000Z", "description": "aaaaaa" }
		options: raw, language: json
	url	raw: {{real-url}}/rest/v2/updateOrderStatus
		host: 0 {{real-url}}
		path: 0 rest, 1 v2, 2 updateOrderStatus
	description	**Available Packages:** Starter, Scale Package, Enterprise Package, Marketplaces This API endpoint allows you to modify the current status of an order within the system. You can update the order status to "delivered," "returned," or "picked up" if the order does not have an associated shipment. However, if a shipment exists, only statuses for integrator-managed shipments can be updated. **Request Parameters:**

| Name | Required | Type | Description | | --- | --- | --- | --- | | orderIds | yes | string | Id of the order/s | | status | yes | string | status of the shipment(delivered, returned, pickedUp) | | description | no | string | description of the status change | | date | no | date | the delivery date of the order |

response	0	name	200 OK
		originalRequest	method: POST
			header 0 key: x-forwarded-authorization
			value: Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImNlMzcxNzMwZWY4NmViYTI5YTUyMTJkOWI5NmYzNjc1NTA0ZjYyYmMiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI4NjQiLCJjbGllbnRUeXBlIjoicmV0YWlsIiwidXNlclR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VyTmFtZSI6Ik5pY2VzdXBlcmFkbWluIiwidXNlcklkIjoiNTUwOSIsImVtYWlsIjoibmljZXN1cGVyYWRtaW5AdHJ5b3RvLmNvbSIsImlzcyI6Imh0dHBzOi8vc2VjdXJldG9rZW4uZ29vZ2xlLmNvbS9vdG8tc3RhZ2UtYXBpIiwiYXVkIjoib3RvLXN0YWdlLWFwaSIsImF1dGhfdGltZSI6MTcyMzAzNTU0MCwidXNlcl9pZCI6InoxaHNpeFJjTjlVQkdsd1ZFbmpTRUlxZkt5ODMiLCJzdWIiOiJ6MWhzaXhSY045VUJHbHdWRW5qU0VJcWZLeTgzIiwiaWF0IjoxNzIzMDM1NTQwLCJleHAiOjE3MjMwMzkxNDAsImVtYWlsX3ZlcmlmaWVkIjpmYWxzZSwiZmlyZWJhc2UiOnsiaWRlbnRpdGllcyI6eyJlbWFpbCI6WyJuaWNlc3VwZXJhZG1pbkB0cnlvdG8uY29tIl19LCJzaWduX2luX3Byb3ZpZGVyIjoiY3VzdG9tIn19.mUkzwBrxlisXmFvb_vkaQx2hek2tEyT1FCFitF1KX3AyrRTi3aFEeh7f7MvBgZdK0JxCc2aifXARLV0nGgL2wyutoXnr-sulE8Pe5sc5qb4ENyokaZY7mKJD_gATzRSj3N7lw4G6pcpcAAtcup7nRgxlprY4x1bleNGD2uhpJOjGnHa3XCBoAUA-gYI9iRxL0Xj_s2WSugZp1Qc2e2yxDQzq

		aj8vLi4UvRJEZuVFJe9zX8IrqPkhJ8dXN4M9KD9t4016mFTuEe8cxdUrK4WObNp1wLbEJbJxov_SJlB7rd4rpC_L1Pzk8Hye6GoJKNQ30OGMczfDS8WX0L_fJrpTKg
	type	text
	disabled	Yes
body	mode	raw
	raw	{ "orderIds": [30846946], "status": "delivered", "date": "2024-08-06T21:00:00.000Z", "description": "delivered" }
	options	raw: language: json
url	raw	{{real-url}}/rest/v2/updateOrderStatus
	host	0: {{real-url}}
	path	0: rest 1: v2 2: updateOrderStatus
status	OK	
code	200	
_postman_previewlanguage	json	
header	0: key: Date, value: Thu, 08 Aug 2024 15:11:12 GMT	
	1: key: Content-Type, value: application/json;charset=utf-8	
	2: key: Content-Length, value: 56	
	3: key: Server, value: Jetty(9.4.3.v20170317)	
cookie	*(Empty List)*	
body	{ "result": [{}, { "success": true, "orderIds": ["30846946"] }] }	
3	name	Cancel Order
request	method	POST
	header	0: key: Accept, value: application/json, type: text
	body	mode: raw raw: { "orderId": "1234" } options: raw: language: json
	url	raw: {{real-url}}/rest/v2/cancelOrder

host	0	{{real-url}}
path	0	rest
	1	v2
	2	cancelOrder

description	**Available Packages: All Packages** This API endpoint allows users to cancel an existing order under specific conditions. It ensures smooth and efficient handling of cancellations while maintaining the integrity of related processes. **Important Note:** If the order has an associated shipment, it cannot be canceled via this endpoint. Shipment-related restrictions ensure the system prevents conflicts or inconsistencies in ongoing fulfillment processes. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | orderId | yes | string | orderId from which you want to cancel. |

response	0	name	Cancel Order
		originalRequest	method: POST
			header: *(Empty List)*
			body: mode: raw; raw: { "orderId": "1234" }; options: raw: language: json
			url: raw: {{real-url}}/rest/v2/cancelOrder; host: 0: {{real-url}}; path: 0: rest, 1: v2, 2: cancelOrder
		status	OK
		code	200
		_postman_previewlanguage	json
		header	null
		cookie	*(Empty List)*
		body	{ "success": true }

4	name	Get Orders	
	request	method	GET
		header	*(Empty List)*
		url	raw: {{real-url}}/rest/v2/orders?perPage=2&page=2&status=delivered
			host: 0: {{real-url}}
			path: 0: rest, 1: v2, 2: orders
			query: 0: key: perPage, value: 2; 1: key: page, value: 2; 2: key: minDate, value: 2024-01-01

	disabled	Yes
3	key	maxDate
	value	2024-02-02
	disabled	Yes
4	key	status
	value	delivered

description	**Available Packages:** All Packages This API endpoint is designed to provide a comprehensive overview of orders in your system. This endpoint returns detailed information about each order, including pickup locations, order IDs, item details, and current statuses. It enables seamless tracking and management of orders, ensuring better visibility and control. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | perPage | no | number | Order count in the response. Max limit 100 | | page | no | number | Pagination number. You can iterate this field to get all items. | | minDate | no | date | Starting "Order Creation Date" of your orders in "yyyy-mm-dd" format. | | maxDate | no | date | Ending "Order Creation Date" of your orders in "yyyy-mm-dd" format. | | status | no | string | Status of the orders. |

response

0

name	200 OK-new
originalRequest	
status	OK
code	200
_postman_previewlanguage	json
header	

originalRequest

method	GET	
header	*(Empty List)*	
url	raw	{{test-url}}/rest/v2/orders?perPage=5&page=1&minDate=2024-01-01&maxDate=2024-02-02&status=delivered
	host	0 {{test-url}}
	path	0 rest 1 v2 2 orders
	query	0 key perPage, value 5 1 key page, value 1 2 key minDate, value 2024-01-01 3 key maxDate, value 2024-02-02 4 key status, value delivered

header

0	key	X-Content-Type-Options
	value	nosniff
1	key	X-XSS-Protection
	value	0
2		

	key: Cache-Control value: no-cache, no-store, max-age=0, must-revalidate
3	key: Pragma value: no-cache
4	key: Expires value: 0
5	key: X-Frame-Options value: DENY
6	key: Content-Type value: application/json;charset=utf-8
7	key: Content-Length value: 2344
8	key: Date value: Tue, 25 Feb 2025 14:24:46 GMT
9	key: Keep-Alive value: timeout=60
10	key: Connection value: keep-alive
cookie	*(Empty List)*
body	{ "perPage": 5, "totalPage": 1, "success": true, "orders": [{ "skus": "", "orderId": "OID-2476-70000203527-1", "trackingURL": "", "reverseShipment": "false", "totalDue": 0, "quantities": "", "subTotal": 0, "totalCount": 2, "addressConfirm": "notYet", "customerPhone": "4563731231", "drivingDistance": 0, "originCity": "Al Kharj", "currency": "SAR", "modifiedBy": "Demo Niceone", "customerReturnReason": "test", "id": "30824696", "deliveryDate": "2024-02-28 14:44:30", "shipmentNumber": "", "customerAddress": "Unnamed Road 16464, Saudi Arabia", "isReturnShipment": "no", "amount": 700, "grandTotal": 700, "totalPage": 1, "weight": 0.0001, "destinationCountry": "SA", "customerName": "Zeynep Alaku?", "destinationCity": "Al Kharj", "deliverySlot": "", "district": "Al Kharj", "modifiedDate": "2024-09-23 13:04:29", "paymentMethod": "paid", "packageCount": 1, "orderDate": "2024-02-01 11:19:55", "items": [{ "quantity": 5, "productId": 591478, "price": 80, "name": "Raincoat", "taxAmount": 0, "sku": "5" }, { "quantity": 3, "productId": 591475, "price": 100, "name": "Black Tayt ", "taxAmount": 0, "sku": "2" }], "status": "delivered", "customer": { "country": "SA", "address": "Unnamed Road 16464, Saudi Arabia", "city": "Al Kharj", "district": "Al Kharj", "name": "ZeynepAlaku?", "mobile": "4563731231", "lon": 47.5413839, "id": 1, "state": "Riyadh Province", "lat": 24.0783327 } }, { "skus": "5", "orderId": "OID-2476-70000203528-2", "trackingURL": "", "reverseShipment": "false", "totalDue": 0, "quantities": "1", "pickupLocationCode": "10", "subTotal": 0, "totalCount": 2, "addressConfirm": "notYet",

"customerPhone": "4563731231", "drivingDistance": 0, "originCity": "Al Kharj", "currency": "SAR", "modifiedBy": "Demo Niceone", "id": "30824710", "deliveryDate": "2024-02-28 14:40:07", "shipmentNumber": "", "customerAddress": "Unnamed Road 16464, Saudi Arabia", "isReturnShipment": "no", "amount": 80, "grandTotal": 80, "totalPage": 1, "weight": 0.0001, "pickupLocation": "DefaultWH", "destinationCountry": "SA", "customerName": "Zeynep Alaku?", "destinationCity": "Al Kharj", "deliverySlot": "", "modifiedDate": "2024-12-08 16:15:23", "paymentMethod": "paid", "packageCount": 1, "orderDate": "2024-02-01 11:39:59", "items": [{ "quantity": 1, "price": 80, "name": "Raincoat", "taxAmount": 0, "sku": "5" }], "status": "delivered", "customer": { "country": "SA", "address": "Unnamed Road 16464, Saudi Arabia", "city": "Al Kharj", "name": "ZeynepAlaku?", "mobile": "4563731231", "lon": 47.5413839, "id": 1, "lat": 24.0783327 } }], "currentPage": 1, "totalCount": 2 }

1

name	200
originalRequest	
method	GET
header	*(Empty List)*
url	
raw	{{real-url}}/rest/v2/orders?perPage=3&page=1&minDate=2022-01-01&maxDate=2022-01-10
host	0: {{real-url}}
path	0: rest 1: v2 2: orders
query	0: key: perPage, value: 3 1: key: page, value: 1 2: key: minDate, value: 2022-01-01 3: key: maxDate, value: 2022-01-10
status	OK
code	200
_postman_previewlanguage	json
header	
0	key: Content-Type, value: application/json;charset=utf-8
1	key: X-Cloud-Trace-Context, value: 52cf90d4035b98974036c6edd4a970b3
2	key: Alt-Svc

	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
5	key	Date
	value	Mon, 21 Feb 2022 07:26:36 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	635
8	key	Via
	value	1.1 google

cookie	*(Empty List)*
body	{ "success": true, "orders": [{ "pickupLocationCode": "EG-ALX", "id": 1624606, "pickupLocation": "Branch Alexandria EG", "orderId": "202201040915", "items": [{ "sku": "test003", "quantity": 1 }, { "sku": "test002", "quantity": 2 }], "status": "searchingDriver" }, { "pickupLocationCode": "WMWHSE1", "id": 1627155, "pickupLocation": "Warehouse RIYADH ??????", "orderId": "202201040915-C", "items": [{ "sku": "test003", "quantity": 1 }, { "sku": "test002", "quantity": 2 }], "status": "assignedToWarehouse" }, { "pickupLocationCode": "WMWHSE1", "id": 1628829, "pickupLocation": "Warehouse RIYADH ??????", "orderId": "050122001", "items": [{ "sku": "002", "quantity": 2 }], "status": "pickedUp" }] }

2	name	400
	originalRequest	
	method	GET
	header	*(Empty List)*
	url	
	raw	{{real-url}}/rest/v2/orders?perPage=10&page=1&minDate=2022/01/01&maxDate=2022-01-14
	host	0 {{real-url}}
	path	0 rest
		1 v2
		2 orders

query	0: key: perPage, value: 10 1: key: page, value: 1 2: key: minDate, value: 2022/01/01 3: key: maxDate, value: 2022-01-14
status	Bad Request
code	400
_postman_previewlanguage	json
header	0: key: Content-Type, value: application/json;charset=utf-8 1: key: X-Cloud-Trace-Context, value: 7c5f421137c38db22a58ca567b7c6fef 2: key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 3: key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 4: key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 5: key: Date, value: Mon, 21 Feb 2022 07:31:12 GMT 6: key: Server, value: Google Frontend 7: key: Content-Length, value: 63 8: key: Via, value: 1.1 google
cookie	*(Empty List)*
body	{ "success": false, "errorCode": 4, "errorMsg": "minDate is invalid" }

3	name	Get Orders by Pickup Location
	originalRequest	method: GET header: *(Empty List)*

url	raw	{{real-url}}/rest/v2/orders?perPage=10&page=1&minDate=2022-01-01&maxDate=2022-01-14&pickupLocationCode=WMWHSE1
	host	0 {{real-url}}
	path	0 rest 1 v2 2 orders
	query	0 key perPage value 10 1 key page value 1 2 key minDate value 2022-01-01 3 key maxDate value 2022-01-14 4 key pickupLocationCode value WMWHSE1

_postman_previewlanguage	Text
header	*(Empty List)*
cookie	*(Empty List)*
body	*(Empty Text)*

4

name	200 OK - multiple statuses	
originalRequest	method	GET
	header	*(Empty List)*
	url	raw {{test-url}}/rest/v2/orders?perPage=5&page=1&minDate=2024-01-01&maxDate=2025-02-02&status=pickedUp,delivered,branchAssigned
		host 0 {{test-url}}
		path 0 rest 1 v2 2 orders
		query 0 key perPage value 5 1 key page value 1 2 key minDate value 2024-01-01 3 key maxDate value 2025-02-02 4 key status

	value: pickedUp,delivered,branchAssigned
status	OK
code	200
_postman_previewlanguage	json
header	0: key: x-content-type-options; value: nosniff 1: key: x-xss-protection; value: 0 2: key: cache-control; value: no-cache, no-store, max-age=0, must-revalidate 3: key: pragma; value: no-cache 4: key: expires; value: 0 5: key: x-frame-options; value: DENY 6: key: content-type; value: application/json;charset=utf-8 7: key: X-Cloud-Trace-Context; value: 63ab7217aa6c4b7219a2f3da2edb917c;o=1 8: key: Date; value: Thu, 13 Mar 2025 11:55:04 GMT 9: key: Server; value: Google Frontend 10: key: Content-Length; value: 6696 11: key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
cookie	*(Empty List)*
body	{ "perPage": 5, "totalPage": 8, "success": true, "orders": [{ "skus": "2, 7, 5", "orderId": "OID-2476-70000203525", "trackingURL": "", "reverseShipment": "false", "totalDue": 375, "quantities": "2, 2, 1", "subTotal": 0, "addressConfirm": "notYet", "customerPhone": "4563731231", "drivingDistance": 0, "packingStatus": "partiallyPicked", "originCity": "Jeddah", "currency": "SAR", "onHoldReason": "The products are out of stock", "modifiedBy": "Demo Niceone", "id": "30823059", "shipmentNumber": "", "customerAddress": "Jeddah", "isReturnShipment": "no", "amount": 370, "grandTotal": 370, "weight": 0.0001, "destinationCountry": "SA", "customerName": "Zeynep Alaku?", "destinationCity": "Jeddah", "deliverySlot":

"", "modifiedDate": "2024-07-25 08:08:46", "paymentMethod": "cod", "packageCount": 1, "orderDate": "2024-01-21 13:32:47", "deliveryName": "Safe arrival 5 days", "items": [{ "image": "https://cdn.dsmcdn.com/ty173/product/media/images/20210908/15/127661138/239090864/1/1_org_zoom.jpg", "quantity": 2, "productId": 591475, "price": 100, "name": "Black Tayt ", "sku": "2" }, { "image": "https://cdn.dsmcdn.com/ty162/product/media/images/20210824/5/121856083/232290387/0/0_org_zoom.jpg", "quantity": 2, "productId": 591480, "price": 45, "name": "Women's Wallets", "sku": "7" }, { "image": "https://admin.alsaifgallery.com/media/catalog/product/_/6/_6_2_6285360068059-2.jpg", "quantity": 1, "productId": 591478, "price": 80, "name": "Raincoat", "sku": "5" }], "status": "pickedUp", "customer": { "country": "SA", "address": "Jeddah", "city": "Jeddah", "name": "ZeynepAlaku?", "mobile": "4563731231", "lon": 39.1610863, "id": 1, "state": "Makkah Province", "lat": 21.5291545 } }, { "skus": "", "orderId": "OID-2476-70000203527-1", "trackingURL": "", "reverseShipment": "false", "totalDue": 0, "quantities": "", "subTotal": 0, "addressConfirm": "notYet", "customerPhone": "4563731231", "drivingDistance": 0, "originCity": "Al Kharj", "currency": "SAR", "customerReturnReason": "test", "modifiedBy": "Demo Niceone", "id": "30824696", "deliveryDate": "2024-02-28 14:44:30", "shipmentNumber": "", "customerAddress": "Unnamed Road 16464, Saudi Arabia", "isReturnShipment": "no", "amount": 700, "grandTotal": 700, "weight": 0.0001, "destinationCountry": "SA", "customerName": "Zeynep Alaku?", "destinationCity": "Al Kharj", "district": "Al Kharj", "deliverySlot": "", "modifiedDate": "2024-09-23 13:04:29", "paymentMethod": "paid", "packageCount": 1, "orderDate": "2024-02-01 11:19:55", "deliveryName": "Safe arrival 5 days", "items": [{ "quantity": 5, "productId": 591478, "price": 80, "name": "Raincoat", "taxAmount": 0, "sku": "5" }, { "quantity": 3, "productId": 591475, "price": 100, "name": "Black Tayt ", "taxAmount": 0, "sku": "2" }], "status": "delivered", "customer": { "country": "SA", "address": "Unnamed Road 16464, Saudi Arabia", "city": "Al Kharj", "district": "Al Kharj", "name": "ZeynepAlaku?", "mobile": "4563731231", "lon": 47.5413839, "id": 1, "state": "Riyadh Province", "lat": 24.0783327 } }, { "skus": "5", "orderId": "OID-2476-70000203528-2", "trackingURL": "", "reverseShipment": "false", "totalDue": 0, "quantities": "1", "pickupLocationCode": "10", "subTotal": 0, "addressConfirm": "notYet", "customerPhone": "4563731231", "drivingDistance": 0, "originCity": "Al Kharj", "currency": "SAR", "modifiedBy": "Demo Niceone", "id": "30824710", "deliveryDate": "2024-02-28 14:40:07", "shipmentNumber": "", "customerAddress": "Unnamed Road 16464, Saudi Arabia", "isReturnShipment": "no", "amount": 80, "grandTotal": 80, "weight": 0.0001, "pickupLocation": "DefaultWH",

"destinationCountry": "SA", "customerName": "Zeynep Alaku?", "destinationCity": "Al Kharj", "deliverySlot": "", "modifiedDate": "2024-12-08 16:15:23", "paymentMethod": "paid", "packageCount": 1, "orderDate": "2024-02-01 11:39:59", "deliveryName": "Safe arrival 5 days", "items": [{ "quantity": 1, "price": 80, "name": "Raincoat", "taxAmount": 0, "sku": "5" }], "status": "delivered", "customer": { "country": "SA", "address": "Unnamed Road 16464, Saudi Arabia", "city": "Al Kharj", "name": "ZeynepAlaku?", "mobile": "4563731231", "lon": 47.5413839, "id": 1, "lat": 24.0783327 } }, { "skus": "6, 5, 7, 500, asdasda", "orderId": "OID-2476-70000203558", "trackingURL": "https://app.tryoto.com/otoflex-tracking?enc=RFFTeDdjS1MzWGk2d2krZlc4cnllWXdDQkhPOVh1QWhQMzFUbmo4L2k4V01DZGJ3V0Z2L2d3PT0=", "reverseShipment": "false", "totalDue": 0, "quantities": "1, 1, 1, 1, 1", "subTotal": 0, "addressConfirm": "notYet", "shipmentCreationDate": "2024-07-17 09:22:56", "customerPhone": "966544517086", "drivingDistance": 0, "originCity": "Jeddah", "currency": "SAR", "modifiedBy": "Demo Niceone", "id": "30844197", "shipmentNumber": "53cab60e", "customerAddress": "F5PV+82C, Al-Suhaifah, Jeddah 22237, Saudi Arabia", "isReturnShipment": "no", "amount": 200, "grandTotal": 200, "weight": 0.0001, "pickupLocation": "BranchEx", "destinationCountry": "SA", "customerName": "Ezz ", "destinationCity": "Jeddah", "district": "Al-Suhaifah", "deliverySlot": "", "modifiedDate": "2024-08-18 12:45:29", "paymentMethod": "paid", "packageCount": 1, "orderDate": "2024-07-17 09:22:46", "deliveryName": "oto flex", "items": [{ "quantity": 1, "productId": 591479, "price": 1000, "name": "Apple Macbook Air 13'' M1", "taxAmount": 0, "sku": "6" }, { "quantity": 1, "productId": 591478, "price": 80, "name": "Raincoat", "taxAmount": 0, "sku": "5" }, { "quantity": 1, "productId": 591480, "price": 45, "name": " Women's Wallets", "taxAmount": 0, "sku": "7" }, { "quantity": 1, "productId": 6200329, "price": 200, "name": "ErenTest2", "taxAmount": 0, "sku": "500" }, { "quantity": 1, "productId": 6083509, "price": 123, "name": "ErenTest", "taxAmount": 123, "sku": "asdasda" }], "status": "delivered", "customer": { "country": "SA", "address": "F5PV+82C, Al-Suhaifah, Jeddah 22237, Saudi Arabia", "city": "Jeddah", "district": "Al-Suhaifah", "name": "Ezz", "postcode": "22237", "mobile": "966544517086", "lon": 39.1925062, "id": 1, "state": "Makkah Province", "lat": 21.4858187 } }, { "skus": "7, 5", "orderId": "OID-2476-70000203557-2", "trackingURL": "", "reverseShipment": "false", "totalDue": 0, "quantities": "1, 1", "pickupLocationCode": "222", "subTotal": 0, "addressConfirm": "notYet", "customerPhone": "962796699066", "drivingDistance": 0, "packingStatus": "picked", "originCity": "Jeddah", "currency": "SAR", "modifiedBy": "Demo Niceone", "id":

"30845010", "shipmentNumber": "", "customerAddress": "Jeddah Saudi Arabia", "isReturnShipment": "no", "amount": 125, "grandTotal": 125, "weight": 0.0001, "pickupLocation": "WH-5", "destinationCountry": "SA", "customerName": "Ezz sss", "destinationCity": "Jeddah", "deliverySlot": "", "modifiedDate": "2024-07-25 08:46:15", "paymentMethod": "paid", "packageCount": 1, "orderDate": "2024-07-23 06:34:57", "deliveryName": "Safe arrival 5 days", "items": [{ "quantity": 1, "productId": 591480, "price": 45, "name": " Women's Wallets", "taxAmount": 0, "sku": "7" }, { "quantity": 1, "productId": 591478, "price": 80, "name": "Raincoat", "taxAmount": 0, "sku": "5" }], "status": "pickedUp", "customer": { "country": "SA", "address": "Jeddah Saudi Arabia", "city": "Jeddah", "name": "Ezzsss", "mobile": "962796699066", "lon": 39.192505, "id": 1, "lat": 21.485811 } }], "currentPage": 1, "totalCount": 40 }

5

name	Get Order Details

event

0

listen	test
script	

exec

```
0 pm.test("Status code is 200", function () {
1 pm.response.to.have.status(200);
2 });
```

type	text/javascript
packages	*(Empty Object)*

request

method	GET
header	*(Empty List)*
url	

raw	{{real-url}}/rest/v2/orderDetails
host	0 {{real-url}}
path	0 rest 1 v2 2 orderDetails

description	**Available Packages:** All Packages This API endpoint provides detailed information about a specific order. By using this endpoint, you can retrieve comprehensive data about an order including status updates. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | orderId | yes | string | Id of the Order |

response

0

name	200
originalRequest	

method	GET
header	*(Empty List)*
url	

raw	https://api.tryoto.com/rest/v2/orderDetails
protocol	https
host	0 api 1 tryoto 2 com
path	0 rest 1 v2 2

	orderDetails
query	0: key: perPage; value: 10; disabled: Yes
	1: key: page; value: 1; disabled: Yes
	2: key: minDate; value: 2021-01-01; disabled: Yes
	3: key: maxDate; value: 2022-06-14; disabled: Yes
	4: key: id; value: 3077121; disabled: Yes
	5: key: orderId; value: flex80043; disabled: Yes
status	OK
code	200
_postman_previewlanguage	json
header	0: key: Content-Type; value: application/json;charset=utf-8
	1: key: X-Cloud-Trace-Context; value: 1a50328f024a40a5a98755e0b9af6f93;o=1
	2: key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
	3: key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
	4: key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
	5: key: Date; value: Thu, 17 Nov 2022 09:05:51 GMT

6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	1427
8	key	Via
	value	1.1 google
9	key	Access-Control-Allow-Origin
	value	*
10	key	Access-Control-Allow-Methods
	value	*
11	key	Access-Control-Allow-Headers
	value	*

	cookie	*(Empty List)*
	body	{ "orderId": "flex80043", "trackingURL": "https://login.tryoto.com/main/otoFlexTracking?enc=U2FEaTJIcUZrcDhCVk1OYStUVTlIOGYzZHlTNXg4aUw=", "packageWeight": 1, "deliverySlotFrom": "2:30pm", "dcName": "OTO Flex", "amount_due": 0, "currency": "SAR", "id": 3077400, "payment_method": "paid", "deliverySlotTo": "12pm", "amount": 100, "customsValue": 12, "pickupLocation": "Staging Warehouse", "deliveryOptionId": 1609, "statusHistory": [{ "date": "2022-11-15T07:09:52", "status": "assignedToWarehouse" }, { "date": "2022-11-15T07:09:52", "description": "", "deliveryCompany": "otoDriverApp", "shipmentId": "6ee37bc6", "status": "searchingDriver" }, { "date": "2022-11-16T00:30:24", "description": "Order accepted by Ali Zeynelabidin UZAR phone: 5427107399", "deliveryCompany": "otoDriverApp", "shipmentId": "6ee37bc6", "status": "shipmentCreated" }, { "date": "2022-11-16T00:30:34", "description": "Order goingToPickup by Ali Zeynelabidin UZAR", "deliveryCompany": "otoDriverApp", "shipmentId": "6ee37bc6", "status": "goingToPickup" }, { "date": "2022-11-16T00:32:08", "description": "Order pickedUp by Ali Zeynelabidin UZAR", "deliveryCompany": "otoDriverApp", "shipmentId": "6ee37bc6", "status": "pickedUp" }], "deliverySlotDate": "2020-12-31T00:00", "success": true, "customsCurrency": "USD", "name": " ", "packageCount": 2, "orderDate": "2022-11-15T07:09:52", "items": [{ "quantity": 1, "rowTotal": 100, "sku": "test-product", "taxAmount": 15, "price": 100 }, { "quantity": 1, "sku": "test-product-2", "price": 100 }], "status": "pickedUp" }

1	name	200
	originalRequest	method: GET header: *(Empty List)* url: raw: {{real-url}}/rest/v2/orderDetails

host	0 {{real-url}}
path	0 rest 1 v2 2 orderDetails
query	0 key: perPage, value: 10, disabled: Yes 1 key: page, value: 1, disabled: Yes 2 key: minDate, value: 2021-01-01, disabled: Yes 3 key: maxDate, value: 2022-06-14, disabled: Yes 4 key: id, value: 3077121, disabled: Yes 5 key: orderId, value: flex80043, disabled: Yes

status	OK
code	200
_postman_previewlanguage	json
header	0 key: Content-Type, value: application/json;charset=utf-8 1 key: X-Cloud-Trace-Context, value: a5aec0c9ff97fda3179097ae1021c86e;o=1 2 key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 3 key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 4 key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 5 key: Date

	value	Sun, 20 Nov 2022 09:02:17 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	2097
8	key	Via
	value	1.1 google
9	key	Access-Control-Allow-Origin
	value	*
10	key	Access-Control-Allow-Methods
	value	*
11	key	Access-Control-Allow-Headers
	value	*

cookie	*(Empty List)*
body	{ "deliverySlotTo": "12pm", "amount": 100, "orderId": "flex80043", "trackingURL": "https://login.tryoto.com/main/otoFlexTracking?enc=U2FEaTJIcUZrcDhCVk1OYStUVTlIOGYzZHlTNXg4aUw=", "packageWeight": 1, "customsValue": 12, "deliverySlotFrom": "2:30pm", "pickupLocation": "Staging Warehouse", "deliveryOptionId": 1609, "statusHistory": [{ "date": "2022-11-15T07:09:52", "status": "assignedToWarehouse" }, { "date": "2022-11-15T07:09:52", "description": "", "deliveryCompany": "otoDriverApp", "shipmentId": "6ee37bc6", "status": "searchingDriver" }, { "date": "2022-11-16T00:30:24", "description": "Order accepted by Ali Zeynelabidin UZAR phone: 5427107399", "deliveryCompany": "otoDriverApp", "shipmentId": "6ee37bc6", "status": "shipmentCreated" }, { "date": "2022-11-16T00:30:34", "description": "Order goingToPickup by Ali Zeynelabidin UZAR", "deliveryCompany": "otoDriverApp", "shipmentId": "6ee37bc6", "status": "goingToPickup" }, { "date": "2022-11-16T00:32:08", "description": "Order pickedUp by Ali Zeynelabidin UZAR", "deliveryCompany": "otoDriverApp", "shipmentId": "6ee37bc6", "status": "pickedUp" }, { "date": "2022-11-17T20:07:55", "description": "Order outForDelivery by Ali Zeynelabidin UZAR", "deliveryCompany": "otoDriverApp", "shipmentId": "6ee37bc6", "status": "outForDelivery" }, { "date": "2022-11-18T14:22:34", "description": "Order delivered by Ali Zeynelabidin UZAR", "deliveryCompany": "otoDriverApp", "shipmentId": "6ee37bc6", "status": "delivered" }], "deliverySlotDate": "2020-12-31T00:00", "dcName": "OTO Flex", "success": true, "customsCurrency": "USD", "amount_due": 0, "currency": "SAR", "id": 3077400, "packageCount": 2, "orderDate": "2022-11-15T07:09:52", "items": [{ "quantity": 1, "rowTotal": 100, "sku": "test-product", "taxAmount": 15, "price": 100 }, { "quantity": 1, "sku": "test-

product-2", "price": 100 }], "payment_method": "paid", "status": "delivered", "customer": { "country": "SA", "address": "6832, Abruq AR Rughamah District, Jeddah 22272 3330, Saudi Arabia", "city": "Jeddah", "street": "6832, Abruq AR Rughamah District, Jeddah 22272 3330, Saudi Arabia", "name": "Sammy Hudson", "mobile": "891-981-0352", "postcode": "12345", "lon": 46.724728, "region": "Al Hamra", "email": "test@test.com", "lat": 24.736599 } }

6

name	Hold Order
request	
method	POST
header	*(Empty List)*
body	
mode	raw
raw	{ "orderId": "OID-20980-1146", "onHoldReason": "Fraud", "onHoldReasonLang" : "en" }
options	raw | language | json
url	
raw	{{real-url}}/rest/v2/holdOrder
host	0 {{real-url}}
path	0 rest 1 v2 2 holdOrder
description	**Available Packages:** All Packages This API endpoint allows you to place an order on hold, temporarily pausing its processing. This is useful for scenarios such as payment verification, inventory issues, or customer requests. **Request Parameters:** | Name | Required | Type | **Description** | | --- | --- | --- | --- | | orderId | yes | string | Id of the order that you will place on hold. | | onHoldReason | yes | string | Reason for being an order on hold. | | onHoldReasonLang | yes | string | Values can be: eng, tr, ar. |
response	0
name	200
originalRequest	
method	POST
header	0 key: x-forwarded-authorization value: Berare {{oto-token}} type: text
body	
mode	raw
raw	{ "orderId": "OID-9616-1002", "onHoldReason": "Damaged", "onHoldReasonLang" : "en" }
options	raw | language | json
url	
raw	https://api.tryoto.com/rest/v2/holdOrder
protocol	https
host	0 api 1 tryoto 2 com
path	0

	0 rest 1 v2 2 holdOrder
status	OK
code	200
_postman_previewlanguage	json
header	0 key: Content-Type value: application/json;charset=utf-8 1 key: X-Cloud-Trace-Context value: 69415d98a3a3e7623ff9a7efb3d4b9ad;o=1 2 key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 3 key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 4 key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 5 key: Date value: Sun, 14 Jul 2024 10:51:24 GMT 6 key: Server value: Google Frontend 7 key: Content-Length value: 0 8 key: Via value: 1.1 google 9 key: Access-Control-Allow-Origin value: *(Empty Text)* 10 key: Access-Control-Allow-Methods value: POST,GET,OPTIONS,PUT,DELETE,HEAD 11 key: Access-Control-Allow-Headers value: Accept, Origin, Content-Type, Authorization, x-forwarded-authorization, X-Requested-With 12 key: Access-Control-Allow-Credentials value: true 13 key: Access-Control-Expose-Headers value: x-app-version, x-fetch-date 14 key: Access-Control-Max-Age value: 728000
cookie	*(Empty List)*
body	{ "success": true }

1	name	400 missing reason config lang
	originalRequest	method: POST header: 0 — key: x-forwarded-authorization; value: Berare {{oto-token}}; type: text body: mode: raw; raw: { "orderId": "OID-9616-1002", "onHoldReason": "qafasd" }; options: raw — language: json url: raw: {{real-url}}/rest/v2/holdOrder; host: 0: {{real-url}}; path: 0: rest, 1: v2, 2: holdOrder
	status	Bad Request
	code	400
	_postman_previewlanguage	json
	header	0 — key: Content-Type; value: application/json;charset=utf-8 1 — key: X-Cloud-Trace-Context; value: 073a89b2904476e504318424fdb6f7ac 2 — key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 3 — key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 4 — key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 5 — key: Date; value: Sun, 14 Jul 2024 10:51:43 GMT 6 — key: Server; value: Google Frontend 7 — key: Content-Length; value: 73 8 — key: Via; value: 1.1 google 9 — key: Access-Control-Allow-Origin; value: *(Empty Text)* 10 — key: Access-Control-Allow-Methods; value: POST,GET,OPTIONS,PUT,DELET

		E,HEAD
11	key	Access-Control-Allow-Headers
	value	Accept, Origin, Content-Type, Authorization, x-forwarded-authorization, X-Requested-With
12	key	Access-Control-Allow-Credentials
	value	true
13	key	Access-Control-Expose-Headers
	value	x-app-version, x-fetch-date
14	key	Access-Control-Max-Age
	value	728000
cookie		*(Empty List)*
body		{ "success": false, "errorCode": 5, "errorMsg": "onHoldReasonLang is required" }
2	name	400 missing reason config
originalRequest	method	POST
	header	0 key: x-forwarded-authorization; value: Berare {{oto-token}}; type: text
	body	mode: raw; raw: { "orderId": "OID-9616-1002" }; options: raw language: json
	url	raw: {{real-url}}/rest/v2/holdOrder; host: 0 {{real-url}}; path: 0 rest, 1 v2, 2 holdOrder
status		Bad Request
code		400
_postman_previewlanguage		json
header	0	key: Content-Type; value: application/json;charset=utf-8
	1	key: X-Cloud-Trace-Context; value: 04cfa15b92a1d97f03a4ab8a34b596bc;o=1
	2	key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
	3	key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
	4	

	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
5	key	Date
	value	Sun, 14 Jul 2024 10:51:55 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	69
8	key	Via
	value	1.1 google
9	key	Access-Control-Allow-Origin
	value	*(Empty Text)*
10	key	Access-Control-Allow-Methods
	value	POST,GET,OPTIONS,PUT,DELETE,HEAD
11	key	Access-Control-Allow-Headers
	value	Accept, Origin, Content-Type, Authorization, x-forwarded-authorization, X-Requested-With
12	key	Access-Control-Allow-Credentials
	value	true
13	key	Access-Control-Expose-Headers
	value	x-app-version, x-fetch-date
14	key	Access-Control-Max-Age
	value	728000

cookie	*(Empty List)*	
body	{ "success": false, "errorCode": 5, "errorMsg": "onHoldReason is required" }	

7	name	Unhold Order		
	request	method	POST	
		header	*(Empty List)*	
		body	mode	raw
			raw	{ "orderId": "OID-9616-98794" }
			options	raw → language: json
		url	raw	{{real-url}}/rest/v2/unHoldOrder
			host	0: {{real-url}}
			path	0: rest 1: v2 2: unHoldOrder
		description	**Available Packages:** All Packages This API endpoint allows users to release orders that are currently on hold. This endpoint is designed to resume the processing of held orders, making them available for fulfillment or further actions in the order management workflow. **Request Parameters:** |	

| Name | Required | Type | **Description** | | --- | --- | --- | --- | | orderId | yes | string | The orderId you want to unhold. |

- response
  - 0
    - name: 200
    - originalRequest
      - method: POST
      - header
        - 0
          - key: x-forwarded-authorization
          - value: Berare {{oto-token}}
          - type: text
      - body
        - mode: raw
        - raw: { "orderId": "OID-9616-98794" }
        - options
          - raw
            - language: json
      - url
        - raw: {{real-url}}/rest/v2/unHoldOrder
        - host
          - 0: {{real-url}}
        - path
          - 0: rest
          - 1: v2
          - 2: unHoldOrder
    - status: OK
    - code: 200
    - _postman_previewlanguage: json
    - header
      - 0
        - key: Content-Type
        - value: application/json;charset=utf-8
      - 1
        - key: X-Cloud-Trace-Context
        - value: 32dd74b85236114a7b97020ba6c3b061
      - 2
        - key: Alt-Svc
        - value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
      - 3
        - key: Alt-Svc
        - value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
      - 4
        - key: Alt-Svc
        - value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
      - 5
        - key: Date
        - value: Sun, 14 Jul 2024 11:00:42 GMT
      - 6
        - key: Server
        - value: Google Frontend
      - 7
        - key: Content-Length
        - value: 16
      - 8
        - key: Via
        - value: 1.1 google
      - 9
        - key: Access-Control-Allow-Origin
        - value: *(Empty Text)*
      - 10
        - key: Access-Control-Allow-Methods

	value	POST,GET,OPTIONS,PUT,DELETE,HEAD
11	key	Access-Control-Allow-Headers
	value	Accept, Origin, Content-Type, Authorization, x-forwarded-authorization, X-Requested-With
12	key	Access-Control-Allow-Credentials
	value	true
13	key	Access-Control-Expose-Headers
	value	x-app-version, x-fetch-date
14	key	Access-Control-Max-Age
	value	728000
cookie	*(Empty List)*	
body	{ "success": true }	
1	name	400 not allowed status
originalRequest	method	POST
	header	0 key: x-forwarded-authorization; value: Berare {{oto-token}}; type: text
	body	mode: raw; raw: { "orderId": "OID-9616-98794" }; options: raw language: json
	url	raw: {{real-url}}/rest/v2/unHoldOrder; host: 0 {{real-url}}; path: 0 rest, 1 v2, 2 unHoldOrder
status	Conflict	
code	409	
_postman_previewlanguage	json	
header	0	key: Content-Type; value: application/json;charset=utf-8
	1	key: X-Cloud-Trace-Context; value: b336dcfefa3e0b27e62fb7f46748a926;o=1
	2	key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
	3	key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
	4	key: Alt-Svc

	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
5	key	Date
	value	Sun, 14 Jul 2024 10:53:35 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	96
8	key	Via
	value	1.1 google
9	key	Access-Control-Allow-Origin
	value	*(Empty Text)*
10	key	Access-Control-Allow-Methods
	value	POST,GET,OPTIONS,PUT,DELETE,HEAD
11	key	Access-Control-Allow-Headers
	value	Accept, Origin, Content-Type, Authorization, x-forwarded-authorization, X-Requested-With
12	key	Access-Control-Allow-Credentials
	value	true
13	key	Access-Control-Expose-Headers
	value	x-app-version, x-fetch-date
14	key	Access-Control-Max-Age
	value	728000
cookie	*(Empty List)*	
body	{ "success": false, "errorCode": 6, "errorMsg": "Order Status searchingDriver not allowed for unHold" }	

4	name	Shipments		
	item	0	name	Create Shipment
			request	method: POST
				header: *(Empty List)*
				body: mode: raw; raw: { "orderId": "1232464", "deliveryOptionId":"12345" }; options: raw: language: json
				url: raw: {{real-url}}/rest/v2/createShipment; host: 0: {{real-url}}; path: 0: rest, 1: v2, 2: createShipment
				description: **Available Packages:** All Packages This API endpoint allows you create shipment for orders, while creating shipments need a valid delivery option id. You can get valid delivery

			options in two ways: - **Delivery Options with OTO rates**: No contracted delivery companies or activation is required. OTO offers a range of delivery company options, which are available for use. You can view these options and their associated fees by using the `Check OTO Delivery Fee` endpoint. - **Delivery Options with your own rates:** In this case, you already have agreements with one or more delivery companies. Each delivery company you connect is linked to a specific delivery option ID. You can retrieve these IDs by using the `Get Delivery Options` or `checkDeliveryFee` endpoints. **Note:** If deliveryOptionId is not sent on the request, the assignment is made to the delivery company that complies with your feasibility rule. If you do not have a feasibility rule setting, the order will be automatically assigned to the first delivery company added. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | orderId | yes | string | Order number for which you want to create a shipment | | deliveryOptionId | no | int | Activated delivery company option id | | whoPays | no | enum | Enum values: `marketplacePaysDeliveryFee` `sellerPaysDeliveryFee` |

response

0

name	**200**
originalRequest	**method**: **POST** **header**: *(Empty List)* **body**: **mode**: **raw**; **raw**: **{ "orderId": "1232464", "deliveryOptionId":"12345" }**; **options**: **raw**: **language**: **json** **url**: **raw**: **{{real-url}}/rest/v2/createShipment**; **host**: **0**: **{{real-url}}**; **path**: **0**: **rest**, **1**: **v2**, **2**: **createShipment**
status	**OK**
code	**200**
_postman_previewlanguage	**json**
header	**null**
cookie	*(Empty List)*
body	**{ "success": true, "message": "create shipment request is received." }**

1

name	**200 with whoPays**
originalRequest	**method**: **POST** **header**: *(Empty List)* **body**: **mode**: **raw**; **raw**: **{ "orderId": "1232464", "deliveryOptionId":"12345", "whoPays": "marketplacePaysDeliveryFee" }**; **options**: **raw**: **language**: **json** **url**: **raw**: **{{real-url}}/rest/v2/createShipment**; **host**: **0**: **{{real-url}}**

	path	0 rest 1 v2 2 createShipment
status	OK	
code	200	
_postman_previewlanguage	json	
header	null	
cookie	*(Empty List)*	
body	{ "success": true, "message": "create shipment request is received." }	

2	name	404	
	originalRequest	method	POST
		header	*(Empty List)*
		body	mode: raw raw: { "orderId": "1232464", "deliveryOptionId":"12345" } options: raw language: json
		url	raw: {{real-url}}/rest/v2/createShipment host: 0 {{real-url}} path: 0 rest, 1 v2, 2 createShipment
	status	Not Found	
	code	404	
	_postman_previewlanguage	json	
	header	null	
	cookie	*(Empty List)*	
	body	{ "success": false, "errorCode": 5, "errorMsg": "orderId is not found" }	

3	name	400 - credit	
	originalRequest	method	POST
		header	*(Empty List)*
		body	mode: raw raw: { "orderId": "1232464", "deliveryOptionId":"12345" } options: raw language: json
		url	raw: {{real-url}}/rest/v2/createShipment host: 0 {{real-url}} path: 0 rest, 1 v2, 2 createShipment
	status	Bad Request	

code	400
_postman_previewlanguage	json
header	null
cookie	*(Empty List)*
body	{ "success": false, "errorCode": 6, "errorMsg": "Credit is not enough" }

4

name	400 - orderId required
originalRequest	method: POST header: *(Empty List)* body: mode: raw; raw: { "orderId": "", "deliveryOptionId":"12345" }; options: raw: language: json url: raw: {{real-url}}/rest/v2/createShipment; host: 0: {{real-url}}; path: 0: rest, 1: v2, 2: createShipment
status	Bad Request
code	400
_postman_previewlanguage	json
header	null
cookie	*(Empty List)*
body	{ "success": false, "errorCode": 4, "errorMsg": "orderId is required" }

1

name	Cancel Shipment
request	method: POST header: *(Empty List)* body: mode: raw; raw: { "orderId": "24543ec5-1dd2-46a1-b4b3-d3bd47837665", "shipmentId": "F21SACO00227700000" }; options: raw: language: json url: raw: {{real-url}}/rest/v2/cancelShipment; host: 0: {{real-url}}; path: 0: rest, 1: v2, 2: cancelShipment description: **Available Packages**: All Packages This API initiates the cancellation process with the shipping company. - Shipments cannot be canceled once they have reached the "**picked up**" status. - Some shipping companies do not support shipment cancellations, which may result in a failure response indicating the shipment could not be canceled. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | orderId | yes | string | orderId from which shipment was created | | shipmentId | yes | string | Shipment id to be cancelled. |

response	0	name	200
		originalRequest	method: POST header: *(Empty List)* body: mode: raw raw: { "orderId": "fc800616-bf12-4cd0-b456-183ae2680b1b", "shipmentId": "44116718461" } options: raw: language: json url: raw: {{real-url}}/rest/v2/cancelShipment host: 0: {{real-url}} path: 0: rest; 1: v2; 2: cancelShipment
		status	OK
		code	200
		_postman_previewlanguage	json
		header	0: key: Content-Type; value: application/json;charset=utf-8 1: key: X-Cloud-Trace-Context; value: 85608d62696e5ef545d0f9c459c082d1 2: key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 3: key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 4: key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 5: key: Date; value: Sun, 22 Jan 2023 13:18:21 GMT 6: key: Server; value: Google Frontend 7: key: Content-Length; value: 16 8: key: Via

	value	1.1 google
cookie	*(Empty List)*	
body	{ "success": true }	

1

name	400	
originalRequest		
	method	POST
	header	*(Empty List)*
	body	
		mode: raw
		raw: { "orderId": "fc800616-bf12-4cd0-b456-183ae2680b1b" }
		options: raw: language: json
	url	
		raw: {{real-url}}/rest/v2/cancelShipment
		host: 0: {{real-url}}
		path: 0: rest, 1: v2, 2: cancelShipment
status	Bad Request	
code	400	
_postman_previewlanguage	json	
header		
	0	key: Content-Type; value: application/json;charset=utf-8
	1	key: X-Cloud-Trace-Context; value: 3bffd7092531ee3dd6b870b7377eb586
	2	key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
	3	key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
	4	key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
	5	key: Date; value: Sun, 22 Jan 2023 13:18:42 GMT
	6	key: Server; value: Google Frontend
	7	key: Content-Length; value: 67

8	key	Via
	value	1.1 google
cookie	*(Empty List)*	
body	{ "success": false, "errorCode": 5, "errorMsg": "shipmentId is required" }	

2	name	400
originalRequest	method	POST
	header	*(Empty List)*
	body	mode: raw raw: { "orderId": "fc800616-bf12-4cd0-b456-183ae2680b1b", "shipmentId": "44116718461000" } options: raw, language: json
	url	raw: {{real-url}}/rest/v2/cancelShipment host: 0 {{real-url}} path: 0 rest, 1 v2, 2 cancelShipment
status	Conflict	
code	409	
_postman_previewlanguage	json	
header	0	key: Content-Type value: application/json;charset=utf-8
	1	key: X-Cloud-Trace-Context value: 1fa64e540d134392bd3301c45950e16c
	2	key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
	3	key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
	4	key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
	5	key: Date value: Sun, 22 Jan 2023 13:18:57 GMT
	6	key: Server

	value	Google Frontend
7	key	Content-Length
	value	106
8	key	Via
	value	1.1 google

cookie	*(Empty List)*
body	{ "success": false, "errorCode": 6, "errorMsg": "Order Status shipmentCanceled not allowed for cancel shipment" }

2

name	Shipment Transactions

request

method	GET	
header	*(Empty List)*	
url	raw	{{real-url}}/rest/v2/shipmentTransactions?perPage=10&page=1&minDate=2024-01-01&maxDate=2024-09-14
	host	0 {{real-url}}
	path	0 rest 1 v2 2 shipmentTransactions
	query	0 key: perPage, value: 10 1 key: page, value: 1 2 key: minDate, value: 2024-01-01 3 key: maxDate, value: 2024-09-14

description

Shipment Transactions **Available Packages:** All Packages This API endpoint provides users with access to detailed information about shipment transactions. This API is designed to retrieve and display key transaction data, allowing users to monitor and review shipment-related activities.It retrieves shipment transactions with the option to paginate and filter by minimum and maximum dates. **Note:** If orderId exists maxDate and minDate are not required. If shipment number exists maxDate and minDate are not required. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | perPage | no | number | The number of transactions to be included per page. | | page | no | number | The page number for paginated results. | | minDate | yes (If there is no orderId) | date | Starting "Transaction Date" of your credit transactions in "yyyy-mm-dd" format. | | maxDate | yes (If there is no orderId) | date | Ending "Transaction Date" of your credit transactions in "yyyy-mm-dd" format. | | orderId | no | string | Order ID for transactions of a single Order | | shipmentNumber | no | string | Shipment Number for transactions of a single shipment | #### Response Body The response will include a `success` flag indicating the status of the request, and an `shipments` array containing transaction details. Each transaction object in the `shipments` array includes the following properties: ``` json { "success": true, "shipments": [{ "shipmentNumnber": "1231231AS", "orderId": "123123", "shipmentCreationDate": "2023-12-05T06:47:46", "deliveryCompanyName": "deliveryCompany", "dcConnectionName": "connectionName", "shipmentType": "Forward Shipment", "dcCharge": 25,

"currency": "TRY", "originalWeight": 100, "dcUpdatedWeight": 50, "status": "status", "dcInvoiceNumber": 15579456 } ```

response

0

name	200
originalRequest	
method	GET
header	*(Empty List)*
url	
raw	{{real-url}}/rest/v2/shipmentTransactions?perPage=10&page=1&minDate=2024-01-01&maxDate=2024-09-14
host	0: {{real-url}}
path	0: rest 1: v2 2: shipmentTransactions
query	0: key: perPage, value: 10 1: key: page, value: 1 2: key: minDate, value: 2024-01-01 3: key: maxDate, value: 2024-09-14 4: key: orderId, value: 123123, disabled: Yes
status	OK
code	200
_postman_previewlanguage	json
header	

0	key	Content-Type
	value	application/json;charset=utf-8
1	key	X-Cloud-Trace-Context
	value	ed83d57ca47db187364d7420e8a2c5f0
2	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key	Alt-Svc

	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
5	key	Date
	value	Thu, 19 Jan 2023 15:11:47 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	32
8	key	Via
	value	1.1 google
9	key	Access-Control-Allow-Origin
	value	*(Empty Text)*
10	key	Access-Control-Allow-Method
	value	*
11	key	Access-Control-Allow-Headers
	value	Accept, Origin, Content-Type, Authorization, x-forwarded-authorization, X-Requested-With
12	key	Access-Control-Allow-Credentials
	value	true
13	key	Access-Control-Expose-Headers
	value	x-app-version
cookie	*(Empty List)*	
body	{ "success": true, "shipments": [{ "shipmentNumber": "1231231AS", "orderId": "123123", "shipmentCreationDate": "2023-12-05T06:47:46", "deliveryCompanyName": "deliveryCompany", "dcConnectionName": "connectionName", "shipmentType": "Forward Shipment", "dcCharge": 25, "currency": "TRY", "originalWeight": 100, "dcUpdatedWeight": 50, "status": "status", "dcInvoiceNumber": 15579456 }, { "shipmentNumber": "12435356", "orderId": "342324234", "shipmentCreationDate": "2023-12-05T06:47:46", "deliveryCompanyName": "deliveryCompany", "dcConnectionName": "connectionName", "shipmentType": "Forward Shipment", "dcCharge": 40, "currency": "TRY", "originalWeight": 40, "dcUpdatedWeight": 5, "status": "status", "dcInvoiceNumber": 21626353729823 }, { "shipmentNumber": "657567", "orderId": "34534534", "shipmentCreationDate": "2023-12-05T06:47:46", "deliveryCompanyName": "deliveryCompany", "dcConnectionName": "connectionName", "shipmentType": "Forward Shipment", "dcCharge": 60, "currency": "TRY", "originalWeight": 80, "dcUpdatedWeight": 80, "status": "status", "dcInvoiceNumber": 21626353729823123213 }, { "shipmentNumber": "5423423", "orderId":	

"14335213", "shipmentCreationDate": "2023-12-05T06:47:46", "deliveryCompanyName": "deliveryCompany", "dcConnectionName": "connectionName", "shipmentType": "Forward Shipment", "dcCharge": 25, "currency": "TRY", "originalWeight": 100, "dcUpdatedWeight": 50, "status": "status", "dcInvoiceNumber": 2162635372 }] }

1

name	200 empty result
originalRequest	
method	GET
header	*(Empty List)*
url	
raw	{{real-url}}/rest/v2/shipmentTransactions?perPage=10&page=1&minDate=2024-01-01&maxDate=2024-09-14
host	0: {{real-url}}
path	0: rest 1: v2 2: shipmentTransactions
query	0: key: perPage, value: 10 1: key: page, value: 1 2: key: minDate, value: 2024-01-01 3: key: maxDate, value: 2024-09-14 4: key: orderId, value: 123123, disabled: Yes 5: key: shipmentNumber, value: 1231231AS, disabled: Yes
status	OK
code	200
_postman_previewlanguage	json
header	

0	key	Content-Type
	value	application/json;charset=utf-8
1	key	X-Cloud-Trace-Context
	value	ed83d57ca47db187364d7420e8a2c5f0
2	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443";

		ma=2592000,quic=":443"; ma=2592000; v="46,43"
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
5	key	Date
	value	Thu, 19 Jan 2023 15:11:47 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	32
8	key	Via
	value	1.1 google
9	key	Access-Control-Allow-Origin
	value	*(Empty Text)*
10	key	Access-Control-Allow-Method
	value	*
11	key	Access-Control-Allow-Headers
	value	Accept, Origin, Content-Type, Authorization, x-forwarded-authorization, X-Requested-With
12	key	Access-Control-Allow-Credentials
	value	true
13	key	Access-Control-Expose-Headers
	value	x-app-version
	cookie	*(Empty List)*
	body	{ "success": true, "shipments": [] }
2	name	200 with order informatoin
	originalRequest	method: GET header: *(Empty List)* url: raw: {{real-url}}/rest/v2/shipmentTransactions?perPage=10&page=1&minDate=2024-01-01&maxDate=2024-09-14&orderId=123123&shipmentNumber=1231231AS host: 0: {{real-url}} path: 0: rest

1	v2
2	shipmentTransactions

query

0	key	perPage
	value	10
1	key	page
	value	1
2	key	minDate
	value	2024-01-01
3	key	maxDate
	value	2024-09-14
4	key	orderId
	value	123123
5	key	shipmentNumber
	value	1231231AS

status	OK
code	200
_postman_previewlanguage	json

header

0	key	Content-Type
	value	application/json;charset=utf-8
1	key	X-Cloud-Trace-Context
	value	ed83d57ca47db187364d7420e8a2c5f0
2	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
5	key	Date
	value	Thu, 19 Jan 2023 15:11:47 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	32
8	key	Via
	value	1.1 google

9	key	Access-Control-Allow-Origin
	value	*(Empty Text)*
10	key	Access-Control-Allow-Method
	value	*
11	key	Access-Control-Allow-Headers
	value	Accept, Origin, Content-Type, Authorization, x-forwarded-authorization, X-Requested-With
12	key	Access-Control-Allow-Credentials
	value	true
13	key	Access-Control-Expose-Headers
	value	x-app-version

cookie	*(Empty List)*
body	{ "success": true, "shipments": [{ "shipmentNumber": "1231231AS", "orderId": "123123", "shipmentCreationDate": "2023-12-05T06:47:46", "deliveryCompanyName": "deliveryCompany", "dcConnectionName": "connectionName", "shipmentType": "Forward Shipment", "dcCharge": 25, "currency": "TRY", "originalWeight": 100, "dcUpdatedWeight": 50, "status": "status", "dcInvoiceNumber": 21626353729823954 }] }

3	name	400
	originalRequest	

originalRequest	method	GET
	header	*(Empty List)*
	url	

url	raw	{{real-url}}/rest/v2/shipmentTransactions?perPage=10&page=1&minDate=2024-01-01&maxDate=2024-09-14&orderId=123&shipmentNumber=1231231AS
	host	0 {{real-url}}
	path	0 rest 1 v2 2 shipmentTransactions

query	0	key	perPage
		value	10
	1	key	page
		value	1
	2	key	minDate
		value	2024-01-01
	3	key	maxDate
		value	2024-09-14
	4	key	orderId
		value	123

5	key: shipmentNumber value: 1231231AS

status	OK
code	200
_postman_previewlanguage	json
header	

0	key	Content-Type
	value	application/json;charset=utf-8
1	key	X-Cloud-Trace-Context
	value	ed83d57ca47db187364d7420e8a2c5f0
2	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
5	key	Date
	value	Thu, 19 Jan 2023 15:11:47 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	32
8	key	Via
	value	1.1 google
9	key	Access-Control-Allow-Origin
	value	*(Empty Text)*
10	key	Access-Control-Allow-Method
	value	*
11	key	Access-Control-Allow-Headers
	value	Accept, Origin, Content-Type, Authorization, x-forwarded-authorization, X-Requested-With
12	key	Access-Control-Allow-Credentials
	value	true
13	key	Access-Control-Expose-Headers

	value	x-app-version
cookie	*(Empty List)*	
body	{ "success": false, "errorCode": 4, "errorMsg": "order not exists" }	

3

name	Get Shipping Price Transactions List	
request		
	method	POST
	header	*(Empty List)*
	body	
		mode: raw
		raw: { "shipmentId": "2302416029", "orderId": "OID-22700-1013" }
		options: raw | language: json
	url	
		raw: {{real-url}}/rest/v2/getShippingPriceTransactionsList
		host: 0: {{real-url}}
		path: 0: rest; 1: v2; 2: getShippingPriceTransactionsList
	description	**Available Packages:** Starter Package, Scale Package, Enterprise Package, Marketplaces This API endpoint provides details of your Shipping Price Transactions, calculated based on your configured shipping price settings. By providing either the Order ID or Shipment ID, you can retrieve the shipping cost along with other transactional details. **Important Note:** The results from this API apply only to shipments created using your configured shipping price contracts. Shipping costs are calculated based on factors such as weight, destination, and other predefined configurations. **Request Parameters:** | Name | Required | Type | **Description** | | --- | --- | --- | --- | | orderId | yes | string | Id of the order. | | shipmentId | yes | string | The shipment ID to retrieve shipping cost details. |
response		
	0	
		name: 200 Order ID and Shipmetn ID request example
		originalRequest
		method: POST
		header: *(Empty List)*
		body
		mode: raw
		raw: { "shipmentId": "290399219480", "orderId": "OID-9618-1062" }
		options: raw | language: json
		url
		raw: {{real-url}}/rest/v2/getShippingPriceTransactionsList
		host: 0: {{real-url}}
		path: 0: rest; 1: v2; 2: getShippingPriceTransactionsList
		status: OK
		code: 200
		_postman_previewlanguage: json
		header: 0

	key	content-type
	value	application/json;charset=utf-8
1	key	X-Cloud-Trace-Context
	value	0f93a46645e019c12b559f306101a1f7;o=1
2	key	Date
	value	Mon, 11 Dec 2023 10:39:39 GMT
3	key	Server
	value	Google Frontend
4	key	Content-Length
	value	326
5	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000

cookie	*(Empty List)*	
body	{ "success": true, "count": 1, "shippingTransactions": [{ "amount": 11, "orderID": "OID-9618-1062", "shipmentID": "290615409716", "description": "shipment created", "orderStatus": "shipmentCreated", "ID": 1347, "transactionDate": "2023-12-06T16:18", "otoOrderID": 30798075, "deliveryName": "smsav2-2", "transaction": "shippingCost", "status": "booked" }] }	

1	name	200 Order ID request example		
	originalRequest	method	POST	
		header	*(Empty List)*	
		body	mode	raw
			raw	{ "orderId": "OID-9618-1062" }
			options	raw → language: json
		url	raw	{{real-url}}/rest/v2/getShippingPriceTransactionsList
			host	0: {{real-url}}
			path	0: rest 1: v2 2: getShippingPriceTransactionsList
	status	OK		
	code	200		
	_postman_previewlanguage	json		
	header	0	key	content-type
			value	application/json;charset=utf-8
		1	key	X-Cloud-Trace-Context
			value	e726dd2868e8c6f1fb0fbd22676450cd;o=1
		2	key	Date
			value	Mon, 11 Dec 2023 12:54:35 GMT

3	key	Server
	value	Google Frontend
4	key	Content-Length
	value	326
5	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000

cookie	*(Empty List)*
body	{ "success": true, "count": 1, "shippingTransactions": [{ "amount": 11, "orderID": "OID-9618-1062", "shipmentID": "290615409716", "description": "shipment created", "orderStatus": "shipmentCreated", "ID": 1347, "transactionDate": "2023-12-06T16:18", "otoOrderID": 30798075, "deliveryName": "smsav2-2", "transaction": "shippingCost", "status": "booked" }] }

2	name	200 Shipment ID request example
	originalRequest	method: POST header: *(Empty List)* body: mode: raw; raw: { "shipmentId": "290615403740" }; options: raw, language: json url: raw: {{real-url}}/rest/v2/getShippingPriceTransactionsList; host: 0: {{real-url}}; path: 0: rest, 1: v2, 2: getShippingPriceTransactionsList
	status	OK
	code	200
	_postman_previewlanguage	json
	header	0: key: content-type, value: application/json;charset=utf-8 1: key: X-Cloud-Trace-Context, value: 3b86b849a1fed0b6dcf23cafa07aff22;o=1 2: key: Date, value: Mon, 11 Dec 2023 12:57:51 GMT 3: key: Server, value: Google Frontend 4: key: Content-Length, value: 329 5: key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000

cookie	*(Empty List)*
body	{ "success": true, "count": 1, "shippingTransactions": [{ "amount": 11, "orderID": "OID-9618-1059", "shipmentID": "290615403740", "description": "shipment created", "orderStatus": "shipmentCreated", "ID": 1340, "transactionDate": "2023-12-06T15:56:26", "otoOrderID": 30798062, "deliveryName": "smsav2-2", "transaction": "shippingCost", "status": "booked" }] }

5

name	Return Shipments

item

0

name	Create Return Shipment

event

0

listen	prerequest
script	exec: 0 *(Empty Text)* type: text/javascript

1

listen	test
script	exec: 0 *(Empty Text)* type: text/javascript

request

method	POST
header	*(Empty List)*
body	mode: raw raw: { "orderId": "202111080914", "deliveryOptionId": "156", "pickupLocationCode": "wh1", "items": [{ "quantity": "1", "sku": "SKU045857" }] } options: raw: language: json
url	raw: {{real-url}}/rest/v2/createReturnShipment host: 0: {{real-url}} path: 0: rest; 1: v2; 2: createReturnShipment
description	**Available Packages:** All Packages This API endpoint allows you create reverse shipment for delivered orders, while creating shipments need a valid delivery option id. You can get valid delivery options in two ways: - **Delivery Options with OTO rates**: No contracted delivery companies or activation is required. OTO offers a range of delivery company options, which are available for use. You can view these options and their associated fees by using the `Check OTO Delivery Fee` endpoint. - **Delivery Options with your own rates:** In this case, you already have agreements with one or more delivery companies. Each delivery company you connect is linked to a specific delivery option ID. You can retrieve these IDs by using the `Get Delivery Options` or `checkDeliveryFee` endpoints. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | orderId | yes | string | Order number for which you want to create a reverse shipment. | | pickupLocationCode | no | string | Predefined pickup address of branches/warehouses from `Create Pickup Location` endpoint. | | deliveryOptionId | yes | string | Activated delivery company option id. | | items | no | Array | Array of items. | ###### Item fields definitions: | Name | Required | Type | Description | | --- | --- | --- | --- | | quantity | yes | string | Return quantity of item. | | sku | yes | string | Sku of return item. |

response

0

name	200	
originalRequest	method	POST
	header	*(Empty List)*
	body	mode: raw raw: { "orderId": "202111080914", "deliveryOptionId": "156", "pickupLocationCode": "wh1", "items": [{ "quantity": "1", "sku": "SKU045857" }] } options: raw: language: json
	url	raw: {{real-url}}/rest/v2/createReturnShipment host: 0: {{real-url}} path: 0: rest, 1: v2, 2: createReturnShipment
status	OK	
code	200	
_postman_previewlanguage	json	
header	null	
cookie	*(Empty List)*	
body	{ "msg": "Return shipment request is received", "success": true }	

1	name	Get Return Link	
	request	method	POST
		header	*(Empty List)*
		body	mode: raw raw: { "orderId":"123" } options: raw: language: json
		url	raw: {{real-url}}/rest/v2/getReturnLink host: 0: {{real-url}} path: 0: rest, 1: v2, 2: getReturnLink
		description	**Available Packages:** Starter Package, Scale Package, Enterprise Package, Marketplaces This API endpoint generates a link that serves as a return request portal for end customers. The portal allows customers to initiate return requests seamlessly. Additionally, the portal's details and settings can be customized in the OTO Dashboard to align with your specific requirements. **Request Parameters:** | Name | Required | Type | **Description** | | --- | --- | --- | --- | | orderId | yes | string | The order for which a return request is requested. |
	response	0	name: 200 originalRequest: method: POST header: *(Empty List)*

body	mode: raw raw: { "orderId":"1232464" } options: raw: language: json
url	raw: https://api.tryoto.com/rest/v2/getReturnLink protocol: https host: 0: api, 1: tryoto, 2: com path: 0: rest, 1: v2, 2: getReturnLink
status	OK
code	200
_postman_previewlanguage	json
header	0: key: Content-Type, value: application/json;charset=utf-8 1: key: X-Cloud-Trace-Context, value: 305f9067f6a75ceb7737673e299a615c;o=1 2: key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 3: key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 4: key: Alt-Svc, value: clear 5: key: Date, value: Wed, 03 Nov 2021 14:34:59 GMT 6: key: Server, value: Google Frontend 7: key: Content-Length, value: 114 8: key: Via, value: 1.1 google
cookie	*(Empty List)*
body	{ "success": true, "returnLink": "https://app.tryoto.com/sms/return-request?

		key=Y3RnL0MwMTJiTFYwOVo5UnhGS0lOcU0xcnhBclRVMGwzTENGcjd4bEZCST0=" }
1	name	404
	originalRequest	method: POST header: *(Empty List)* body: mode: raw; raw: { "orderId":"123" }; options: raw: language: json url: raw: {{real-url}}/rest/v2/getReturnLink; host: 0: {{real-url}}; path: 0: rest, 1: v2, 2: getReturnLink
	status	Not Found
	code	404
	_postman_previewlanguage	json
	header	null
	cookie	*(Empty List)*
	body	{ "success": false, "errorCode": 4, "errorMsg": "order not exists" }
2	name	400
	originalRequest	method: POST header: *(Empty List)* body: mode: raw; raw: { "orderId":"" }; options: raw: language: json url: raw: {{real-url}}/rest/v2/getReturnLink; host: 0: {{real-url}}; path: 0: rest, 1: v2, 2: getReturnLink
	status	Bad Request
	code	400
	_postman_previewlanguage	json
	header	null
	cookie	*(Empty List)*
	body	{ "success": false, "errorCode": 1, "errorMsg": "orderId required" }
2	name	Get Return Details
	request	method: POST header: 0: key: Accept; value: application/json; type: text

body	mode: raw raw: { "orderId": "OID-9616-1008" } options: raw: language: json
url	raw: {{real-url}}/rest/v2/getReturnDetails host: 0: {{real-url}} path: 0: rest 1: v2 2: getReturnDetails
description	**Available Packages:** All Packages This API endpoint allows you to retrieve detailed information about the reverse shipment associated with a specific order. Reverse shipments are typically created when an order is returned or exchanged. This endpoint provides comprehensive insights into the reverse shipment process, including: return reason, returned items etc. **Request Parameters:** | Name | Required | Type | **Description** | | --- | --- | --- | --- | | orderId | yes | string | Returned order id. | Global error codes are defined in the APPENDIX folder. These are the endpoint specific error codes.

response

0

name	200 OK
originalRequest	method: POST header: 0: key: Accept value: application/json type: text body: mode: raw raw: { "orderId": "OID-9616-1008" } options: raw: language: json url: raw: {{real-url}}/rest/v2/getReturnDetails host: 0: {{real-url}} path: 0: rest 1: v2 2: getReturnDetails
status	OK
code	200
_postman_previewlanguage	json
header	0: key: Content-Type value: application/json;charset=utf-8 1: key: X-Cloud-Trace-Context value: 4750d8956c29ab0ba5e57195e04c059f;o=1 2: key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 3: key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000

4	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
5	key	Date
	value	Thu, 21 Dec 2023 10:47:00 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	148
8	key	Via
	value	1.1 google
9	key	Access-Control-Allow-Origin
	value	*(Empty Text)*
10	key	Access-Control-Allow-Methods
	value	POST,GET,OPTIONS,PUT,DELETE,HEAD
11	key	Access-Control-Allow-Headers
	value	Accept, Origin, Content-Type, Authorization, x-forwarded-authorization, X-Requested-With
12	key	Access-Control-Allow-Credentials
	value	true
13	key	Access-Control-Expose-Headers
	value	x-app-version, x-fetch-date
14	key	Access-Control-Max-Age
	value	728000

cookie	*(Empty List)*	
body	{ "returnLocationCode": "Riyadh", "orderId": "OID-9616-1008", "returnReason": "Damaged", "items": [{ "sku": "123456", "quantityOrdered": 1 }], "status": "returned" }	

1	name	401 Unauthorized		
	originalRequest	method	POST	
		header	*(Empty List)*	
		body	mode	raw
			raw	{ "orderId": "1234" }
			options	raw → language: json
		url	raw	{{real-url}}/rest/v2/getReturnDetails
			host	0: {{real-url}}
			path	0: rest 1: v2 2: getReturnDetails

status	Unauthorized
code	401
_postman_previewlanguage	json
header	null
cookie	*(Empty List)*
body	{ "message": "Jwt is expired", "code": 401 }

3

name	Trigger Return SMS

request

method	POST
header	*(Empty List)*

body

mode	raw
raw	{ "orderId":"523939" }
options	raw: language: json

url

raw	{{real-url}}/rest/v2/triggerReturnSms
host	0: {{real-url}}
path	0: rest 1: v2 2: triggerReturnSms

description

Available Packages: Starter Package, Scale Package, Enterprise Package, Marketplaces This API endpoint will trigger an SMS for a successful return request, If your SMS settings are configured correctly. Please note that, since the SMS service operates asynchronously, the response does not confirm that the SMS has been delivered to the end customer. For a more detailed investigation of any SMS delivery issues, we recommend checking the **SMS Logs** under the **Logs** section in the OTO UI. **Request Parameters:** | Name | Required | Type | **Description** | | --- | --- | --- | --- | | orderId | yes | string | The orderId you want to trigger return sms. |

response

0

name	200

originalRequest

method	POST
header	*(Empty List)*

body

mode	raw
raw	{ "orderId":"flex80055" }
options	raw: language: json

url

raw	{{real-url}}/rest/v2/triggerReturnSms
host	0: {{real-url}}
path	0: rest 1: v2 2: triggerReturnSms

status	OK
code	200
_postman_previewlanguage	json

header

0	key	Content-Type
	value	application/json;charset=utf-8
1	key	X-Cloud-Trace-Context

	value	ed83d57ca47db187364d7420e8a2c5f0
2	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
5	key	Date
	value	Thu, 19 Jan 2023 15:11:47 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	32
8	key	Via
	value	1.1 google
9	key	Access-Control-Allow-Origin
	value	*(Empty Text)*
10	key	Access-Control-Allow-Method
	value	*
11	key	Access-Control-Allow-Headers
	value	Accept, Origin, Content-Type, Authorization, x-forwarded-authorization, X-Requested-With
12	key	Access-Control-Allow-Credentials
	value	true
13	key	Access-Control-Expose-Headers
	value	x-app-version
	cookie	*(Empty List)*
	body	{ "success": true, "otoId": 3077435 }
1	name	400
	originalRequest	
	method	POST
	header	*(Empty List)*
	body	
	mode	raw
	raw	{ "orderId":"123" }
	options	raw language json

url	**raw** {{real-url}}/rest/v2/triggerReturnSms
	host 0 {{real-url}}
	path 0 rest 1 v2 2 triggerReturnSms
status	Bad Request
code	400
_postman_previewlanguage	json
header	0 key Content-Type value application/json;charset=utf-8
	1 key X-Cloud-Trace-Context value db3d2adec7fb9a4e689a6140c1d363e0;o=1
	2 key Alt-Svc value h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
	3 key Alt-Svc value h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
	4 key Alt-Svc value h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
	5 key Date value Thu, 19 Jan 2023 15:10:12 GMT
	6 key Server value Google Frontend
	7 key Content-Length value 61
	8 key Via value 1.1 google
	9 key Access-Control-Allow-Origin value *(Empty Text)*
	10 key Access-Control-Allow-Method value *
	11 key Access-Control-Allow-Headers value Accept, Origin, Content-Type, Authorization, x-forwarded-authorization, X-Requested-With

12	key	Access-Control-Allow-Credentials
	value	true
13	key	Access-Control-Expose-Headers
	value	x-app-version

cookie	*(Empty List)*
body	{ "success": false, "errorCode": 4, "errorMsg": "order not exists" }

6

name	Shipping Label(AWB)

item 0

name	Print AWB

request

method	GET
header	*(Empty List)*

url

raw	{{real-url}}/rest/v2/print/:orderId	
host	0	{{real-url}}
path	0	rest
	1	v2
	2	print
	3	:orderId
variable	0	key: orderId

description: **Available Packages:** All Packages This API endpointallows you to access print URL for generated Air Waybill (AWB) for shipments. An AWB is a crucial document used in air delivery transport that contains essential shipping information. **Request Parameters:** | Name | Required | Type | **Description** | | --- | --- | --- | --- | | orderId | yes | string | Order id of the order to be printed |

response 0

name	200

originalRequest

method	GET	
header	*(Empty List)*	
url	raw	https://api.tryoto.com/rest/v2/print/OID-9616-1015
	protocol	https
	host	0: api; 1: tryoto; 2: com
	path	0: rest; 1: v2; 2: print; 3: OID-9616-1015

status	OK
code	200
_postman_previewlanguage	json

header

0	key	Content-Type
	value	application/json;charset=utf-8
1	key	X-Cloud-Trace-Context
	value	fb74f443b855e895a6bb29cb15

		d9014e
2	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
4	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
5	key	Date
	value	Thu, 21 Dec 2023 10:22:50 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	207
8	key	Via
	value	1.1 google
9	key	Access-Control-Allow-Origin
	value	*(Empty Text)*
10	key	Access-Control-Allow-Methods
	value	POST,GET,OPTIONS,PUT,DELETE,HEAD
11	key	Access-Control-Allow-Headers
	value	Accept, Origin, Content-Type, Authorization, x-forwarded-authorization, X-Requested-With
12	key	Access-Control-Allow-Credentials
	value	true
13	key	Access-Control-Expose-Headers
	value	x-app-version, x-fetch-date
14	key	Access-Control-Max-Age
	value	728000
cookie		*(Empty List)*
body		{ "printAWBURL": "https://app.tryoto.com/OTOAWB?enc=eyJpZHMiOlsxMjU1MDkzOF0sImNvbXBhbnlJZCI6MTQ5MjF9", "deliveryCompany": "otoDriverApp", "trackingNumber": "fabda637" }

7	name	Tracking			
	item	0	name	Order Tracking	
			request	method	POST
				header	0 key: Accept; value: application/json

	type	text
	disabled	Yes
body	mode	raw
	raw	{ "orderId": "1234" }
	options	raw: language: json
url	raw	{{real-url}}/rest/v2/orderStatus
	host	0: {{real-url}}
	path	0: rest 1: v2 2: orderStatus
description	**Available Packages:** All Packages This API endpoint enables you to track the real-time status and progress of an order. By using this endpoint, you can retrieve detailed tracking information, including: - Current order status (e.g.,pickedUp, outForDelivery, delivered). - Shipment details such as carrier, tracking number, and estimated delivery time, print AWB URL. **Request Parameters:** | Name | Required | Type | **Description** | | --- | --- | --- | --- | | orderId | yes | string | Id of the order that you will track. |	

response	0	name	200 OK
		originalRequest	method: POST
			header: 0: key: Accept; value: application/json; type: text
			body: mode: raw; raw: { "orderId": "1234" }; options: raw: language: json
			url: raw: {{real-url}}/rest/v2/orderStatus; host: 0: {{real-url}}; path: 0: rest; 1: v2; 2: orderStatus
		status	OK
		code	200
		_postman_previewlanguage	json
		header	0: key: Date; value: Thu, 05 Nov 2020 14:51:27 GMT
			1: key: Server; value: Apache/2.4.29 (Ubuntu)
			2: key: Content-Type; value: text/html;charset=utf-8
			3: key: Content-Language; value: en
			4: key: Content-Length; value: 1122

5	key: Keep-Alive value: timeout=5, max=100
6	key: Connection value: Keep-Alive

cookie	*(Empty List)*
body	{ "orderId": "1234", "status": "pickedUp", "deliveryCompany": "fastExpress", "shipmentId": "92358235823", "date": "30/12/2020 14:31:21", "note": "optional note to show in order history", "deliverySlotDate": "30/12/2020", "printAWBURL": "https://login.tryoto.com/service/rest/v1/printAWB/R0l0MGZCK1dDRUNUcTZGbHNDZVFVSjlYS2h3eGJMSnFndDErcUswdXVBRT0=" }

1

name	401 Unauthorized
originalRequest	method: POST header: 0 → key: Accept, value: application/json, type: text body: mode: raw, raw: { "orderId": "1234" }, options: raw, language: json url: raw: {{real-url}}/rest/v2/orderStatus, host: 0 → {{real-url}}, path: 0 → rest, 1 → v2, 2 → orderStatus
status	Unauthorized
code	401
_postman_previewlanguage	json
header	null
cookie	*(Empty List)*
body	{ "message": "Jwt is expired", "code": 401 }

1

name	Order History
request	method: POST header: 0 → key: Accept, value: application/json, type: text body: mode: raw, raw: { "orderIds": ["2414124","3223523"] }, options: raw, language: json url: raw: {{real-url}}/rest/v2/orderHistory, host: 0 → {{real-url}}, path: 0 → rest

1	v2	
2	orderHistory	

description	**Available Packages:** All Packages This API endpoint allows you to retrieve the complete history of an order, providing detailed insights into its lifecycle. This includes: - Status changes (e.g., pickedUp, arrivedTerminal, delivered). - Timestamps for each status update. - Actions taken during the order process, such as cancellations or modifications. **Request Parameters:** | Name | Required | Type | **Description** | | --- | --- | --- | --- | | orderId | yes | string | Id of the order that you will track. |

response

0

name	200 OK
originalRequest	

method	POST	
header	0	
	key	Accept
	value	application/json
	type	text
body		
	mode	raw
	raw	{ "orderIds": ["2414124","3223523"] }
	options	raw: language: json
url		
	raw	{{real-url}}/rest/v2/orderHistory
	host	0: {{real-url}}
	path	0: rest
		1: v2
		2: orderHistory

status	OK
code	200
_postman_previewlanguage	json
header	

0	key	Date
	value	Thu, 05 Nov 2020 14:54:08 GMT
1	key	Server
	value	Apache/2.4.29 (Ubuntu)
2	key	Content-Type
	value	text/html;charset=utf-8
3	key	Content-Language
	value	en
4	key	Content-Length
	value	1123
5	key	Keep-Alive
	value	timeout=5, max=100
6	key	Connection
	value	Keep-Alive

cookie	*(Empty List)*
body	{ "success":true, "items": [{ "orderId": "2414124", "branchName": "Olaya branch", "warehouseName": null, "deliveryCompany": "fastExpress",

"shipmentId": "92358235823", "status": "delivered", "driverName": "Mahmood", "driverPhone": "0520213123", "trackingUrl": "https://www.aramex.com/sa/ar/track/results?mode=0&ShipmentNumber=44116160255", "history": [{ "date": "14/07/2020 09:42:01", "status": "branchAssigned", "description": "Branch assigned to Olaya branch", "deliveryCompany": null, "shipmentId": null }, { "date": "14/07/2020 12:42:01", "status": "shipmentCreated", "description": "", "deliveryCompany": "fastExpress", "shipmentId": "92358235823" }, { "date": "14/07/2020 17:42:01", "status": "pickedUp", "description": "", "deliveryCompany": "fastExpress", "shipmentId": "92358235823" }, { "date": "16/07/2020 10:42:01", "status": "delivered", "description": "", "deliveryCompany": "fastExpress", "shipmentId": "92358235823" }] }] }

2

name	Track Shipment	
request	method	POST
	header	0: key: Authorization; value: Bearer {{token}}; type: text
	body	mode: raw
		raw: { "trackingNumber": "290692134777", "deliveryCompanyName":"smsaecom", "statusHistory":true, "brandName":"test brand" }
		options: raw: language: json
	url	raw: {{real-url}}/rest/v2/trackShipment
		host: 0: {{real-url}}
		path: 0: rest; 1: v2; 2: trackShipment
	description	**Available Packages:** Enterprise Package, Marketplaces This API endpoint enables you to track a shipment by providing the tracking number and delivery company name. Without requiring any authorization, it offers detailed shipment information, including tracking URL, real time status updates and status history. **Request Parameters:** | Name | Required | Type | **Description** | | --- | --- | --- | --- | | trackingNumber | yes | string | The shipment/ tracking number that you wanna track. | | deliveryCompanyName | yes | string | The name of the delivery company. You can get this information from `DC List` endpoint with `code` paramater | | statusHistory | yes | boolean(true, false) | To bring the history of the shipment. | | brandName | no | string | The brand name associated with the shipment. |
response	0: name	200 OK
	originalRequest	method: POST
		header: 0: key: Authorization; value: Bearer {{token}}; type: text

body	mode	raw
	raw	{ "trackingNumber": "290692134777", "deliveryCompanyName":"smsaecom", "statusHistory":false }
	options	raw: language: json
url	raw	{{real-url}}/rest/v2/trackShipment
	host	0: {{real-url}}
	path	0: rest 1: v2 2: trackShipment
status	OK	
code	200	
_postman_previewlanguage	json	
header	0: key: Date; value: Mon, 08 Jul 2024 14:30:51 GMT	
	1: key: Content-Type; value: application/json;charset=utf-8	
	2: key: Content-Length; value: 338	
	3: key: Server; value: Jetty(9.4.3.v20170317)	
cookie	*(Empty List)*	
body	{ "trackingUrl": "https://www.smsaexpress.com/trackingdetails?tracknumbers%5B0%5D=290692134777", "success": true, "items": [{ "dcStatus": "DATA RECEIVED", "updateStatusDate": true, "shipmentId": "290692134777", "otoStatus": "shipmentCreated", "success": true, "dcUpdateDate": "2024-05-08T11:39:00", "dcDescription": "DATA RECEIVED - Online Data Submitted" }] }	
1		
name	200 OK history	
originalRequest	method	POST
	header	0: key: Authorization; value: Bearer {{token}}; type: text
	body	mode: raw raw: { "trackingNumber": "289812708", "deliveryCompanyName":"naqel", "statusHistory":true } options: raw: language: json
	url	raw: {{real-

		url}}/rest/v2/trackShipment
	host	0 {{real-url}}
	path	0 rest 1 v2 2 trackShipment
	status	OK
	code	200
	_postman_previewlanguage	json
	header	0 key: Date, value: Mon, 08 Jul 2024 14:30:51 GMT 1 key: Content-Type, value: application/json;charset=utf-8 2 key: Content-Length, value: 338 3 key: Server, value: Jetty(9.4.3.v20170317)
	cookie	*(Empty List)*
	body	{ "trackingUrl": "https://www.naqelexpress.com/en/sa/tracking/", "success": true, "items": [{ "dcStatus": "1", "updateStatusDate": true, "shipmentId": "289812708", "otoStatus": "pickedUp", "success": true, "dcUpdateDate": "2024-08-15T11:36:00", "dcDescription": "1 Picked up by Naqel at : JEDDAH", "history": [{ "dcStatus": "0", "updateStatusDate": true, "shipmentId": "289812708", "otoStatus": "shipmentCreated", "dcUpdateDate": "2024-08-14T15:24:13", "dcDescription": "0 Waybill created. Shipment has not been received from the retailer" }, { "dcStatus": "1", "updateStatusDate": true, "shipmentId": "289812708", "otoStatus": "pickedUp", "dcUpdateDate": "2024-08-15T11:36:00", "dcDescription": "1 Picked up by Naqel at : JEDDAH" }] }] }
2	name	200 No result
	originalRequest	method: POST header: 0 key: Authorization, value: Bearer {{token}}, type: text body: mode: raw, raw: { "trackingNumber": "2906921347877", "deliveryCompanyName":"smsaecom" }, options: raw, language: json url: raw: {{real-url}}/rest/v2/trackShipment host: 0 {{real-url}}

	path	0 rest 1 v2 2 trackShipment
	status	OK
	code	200
	_postman_previewlanguage	json
	header	0 key: Date, value: Mon, 08 Jul 2024 14:31:11 GMT 1 key: Content-Type, value: application/json;charset=utf-8 2 key: Content-Length, value: 121 3 key: Server, value: Jetty(9.4.3.v20170317)
	cookie	*(Empty List)*
	body	{ "trackingUrl": "https://www.smsaexpress.com/trackingdetails?tracknumbers%5B0%5D=2906921347877", "success": true, "items": [] }
3	name	401 Unauthorized
	originalRequest	method: POST header: 0 key: Authorization, value: Bearer {{token}}, type: text body: mode: raw, raw: { "trackingNumber": "290692134777", "deliveryCompanyName":"smsa" }, options: raw, language: json url: raw: {{real-url}}/rest/v2/trackShipment, host: 0 {{real-url}}, path: 0 rest, 1 v2, 2 trackShipment
	status	Unauthorized
	code	401
	_postman_previewlanguage	json
	header	0 key: Date, value: Mon, 08 Jul 2024 14:32:51 GMT 1 key: Content-Type, value: application/json;charset=utf-8 2 key: Content-Length, value: 102

	3	key: Server value: Jetty(9.4.3.v20170317)
	cookie	*(Empty List)*
	body	{ "success": false, "errorCode": 3, "errorMsg": "you are not authorized to the resource." }
4	name	400 invalid format
	originalRequest	method: POST header: 0 → key: Authorization, value: Bearer {{token}}, type: text body: mode: raw, raw: { "trackingNumber": "290692134777" "deliveryCompanyName":"smsa" }, options: raw → language: json url: raw: {{real-url}}/rest/v2/trackShipment, host: 0 → {{real-url}}, path: 0 → rest, 1 → v2, 2 → trackShipment
	status	Bad Request
	code	400
	_postman_previewlanguage	json
	header	0 → key: Date, value: Mon, 08 Jul 2024 14:32:51 GMT 1 → key: Content-Type, value: application/json;charset=utf-8 2 → key: Content-Length, value: 102 3 → key: Server, value: Jetty(9.4.3.v20170317)
	cookie	*(Empty List)*
	body	{ "success": false, "errorCode": 4, "errorMsg": "invalid json format" }
5	name	400 missing field
	originalRequest	method: POST header: 0 → key: Authorization, value: Bearer {{token}}, type: text body: mode: raw, raw: { "deliveryCompanyName":"smsa" }

	options	raw: language: json
	url	raw: {{real-url}}/rest/v2/trackShipment host: 0: {{real-url}} path: 0: rest, 1: v2, 2: trackShipment
	status	Bad Request
	code	400
	_postman_previewlanguage	json
	header	0: key: Date, value: Mon, 08 Jul 2024 14:32:51 GMT 1: key: Content-Type, value: application/json;charset=utf-8 2: key: Content-Length, value: 102 3: key: Server, value: Jetty(9.4.3.v20170317)
	cookie	*(Empty List)*
	body	{ "success": false, "errorCode": 5, "errorMsg": "trackingNumber is required" }
6	name	400 missing field
	originalRequest	method: POST header: 0: key: Authorization, value: Bearer {{token}}, type: text body: mode: raw, raw: { "trackingNumber": "290692134777" }, options: raw: language: json url: raw: {{real-url}}/rest/v2/trackShipment, host: 0: {{real-url}}, path: 0: rest, 1: v2, 2: trackShipment
	status	Bad Request
	code	400
	_postman_previewlanguage	json
	header	0: key: Date, value: Mon, 08 Jul 2024 14:32:51 GMT 1: key: Content-Type, value: application/json;charset=utf-8

	2	key: Content-Length value: 102
	3	key: Server value: Jetty(9.4.3.v20170317)
	cookie	*(Empty List)*
	body	{ "success": false, "errorCode": 6, "errorMsg": "deliveryCompanyName is required" }
7	name	409 No tracking config
	originalRequest	method: POST header: 0 → key: Authorization, value: Bearer {{token}}, type: text body: mode: raw; raw: { "trackingNumber": "290692134777", "deliveryCompanyName":"smsa" }; options: raw, language: json url: raw: {{real-url}}/rest/v2/trackShipment; host: 0 {{real-url}}; path: 0 rest, 1 v2, 2 trackShipment
	status	Conflict
	code	409
	_postman_previewlanguage	json
	header	0 → key: Date, value: Mon, 08 Jul 2024 14:32:51 GMT 1 → key: Content-Type, value: application/json;charset=utf-8 2 → key: Content-Length, value: 102 3 → key: Server, value: Jetty(9.4.3.v20170317)
	cookie	*(Empty List)*
	body	{ "success": false, "errorCode": 7, "errorMsg": "Tracking configuration is not found" }
8	name	409 No response
	originalRequest	method: POST header: 0 → key: Authorization, value: Bearer {{token}}, type: text

body	mode: raw raw: { "trackingNumber": "290692134777", "deliveryCompanyName":"smsa" } options: raw: language: json
url	raw: {{real-url}}/rest/v2/trackShipment host: 0: {{real-url}} path: 0: rest 1: v2 2: trackShipment
status	Conflict
code	409
_postman_previewlanguage	json
header	0: key: Date, value: Mon, 08 Jul 2024 14:32:51 GMT 1: key: Content-Type, value: application/json;charset=utf-8 2: key: Content-Length, value: 102 3: key: Server, value: Jetty(9.4.3.v20170317)
cookie	*(Empty List)*
body	{ "success": false, "errorCode": 8, "errorMsg": "Delivery company couldn't respond properly." }

9	name	409 service not available
	originalRequest	method: POST header: 0: key: Authorization, value: Bearer {{token}}, type: text body: mode: raw raw: { "trackingNumber": "290692134777", "deliveryCompanyName":"smsa" } options: raw: language: json url: raw: {{real-url}}/rest/v2/trackShipment host: 0: {{real-url}} path: 0: rest 1: v2 2: trackShipment
	status	Conflict
	code	409

	_postman_previewlanguage	json
	header	0 key: Date; value: Mon, 08 Jul 2024 14:32:51 GMT 1 key: Content-Type; value: application/json;charset=utf-8 2 key: Content-Length; value: 102 3 key: Server; value: Jetty(9.4.3.v20170317)
	cookie	*(Empty List)*
	body	{ "success": false, "errorCode": 9, "errorMsg": "Tracking service is not available" }
10	name	409 system error
	originalRequest	method: POST header: 0 key: Authorization; value: Bearer {{token}}; type: text body: mode: raw; raw: { "trackingNumber": "290692134777", "deliveryCompanyName":"smsa" }; options: raw: language: json url: raw: {{real-url}}/rest/v2/trackShipment; host: 0 {{real-url}}; path: 0 rest, 1 v2, 2 trackShipment
	status	Conflict
	code	409
	_postman_previewlanguage	json
	header	0 key: Date; value: Mon, 08 Jul 2024 14:32:51 GMT 1 key: Content-Type; value: application/json;charset=utf-8 2 key: Content-Length; value: 102 3 key: Server; value: Jetty(9.4.3.v20170317)
	cookie	*(Empty List)*
	body	{ "success": false, "errorCode": 10, "errorMsg": "a system error occured" }
8		

name	Carrier Integrations		
item	0	name	Check OTO Delivery Fee
		request	

method	POST	
header	0	key: sec-ch-ua value: "Google Chrome";v="119", "Chromium";v="119", "Not?A_Brand";v="24" disabled: Yes
	1	key: sec-ch-ua-mobile value: ?0 disabled: Yes
	2	key: User-Agent value: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/119.0.0.0 Safari/537.36 disabled: Yes
	3	key: Content-Type value: application/json disabled: Yes
	4	key: Accept value: application/json, text/plain, */* disabled: Yes
	5	key: Referer value: https://qa.tryoto.com/price-calculator disabled: Yes
	6	key: sec-ch-ua-platform value: "Windows" disabled: Yes
body	mode	raw
	raw	{ "weight":"3", "originCity":"Riyadh", "destinationCity":"Jeddah", "height":30, "width":30, "length":30 }
	options	raw: language: json
url	raw	{{real-url}}/rest/v2/checkOTODeliveryFee
	host	0: {{real-url}}
	path	0: rest 1: v2 2: checkOTODeliveryFee
description	**Available Packages**: All Packages This API endpoint calculates shipping prices offered by OTO rates. By providing the origin city, destination city, and package details (such as weight and dimensions), the API computes the price based on the provided request parameters. ##### Important Note: - The prices returned by this API are applicable only to shipping options available under OTO's contracts. - To calculate prices for your own custom contracts, please use the Check Delivery Fee API. ##### Pricing Calculation Details: - The price is determined based on the greater value between the actual weight and the volumetric weight of the package. - Be sure to include the larger of these two values in your request. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | originCity | yes | string | pickup city | | destinationCity | yes | string |	

			destination city | | originLat | no | number | reqired for `bullet` type | | originLon | no | number | reqired for `bullet` type | | destinationLat | no | number | reqired for `bullet` type | | destinationLon | no | number | reqired for `bullet` type | | weight* | yes | number | approximate weight of package(kg) | | forReverseShipment | no | boolean | When you set is true, it will list the delivery companies that you can create reverse shipments. | | currency | no | string | ISO 4217 code, "SAR","KWD", etc | | packageCount | no | number | 1 | | totalDue | no | number | cash on delivery amount | | length | no | number | length of the package(cm) | | width | no | number | width of the package(cm) | | height | no | number | height of the package(cm) | | serviceType | no | enum | `express`,`sameDay`, `fastDelivery`, `coldDelivery`,`heavyAndBulky`, `electronicAndHeavy` | | deliveryType | no | enum | `toCustomerDoorstep pickupByCustomer toCustomerDoorstepOrPickupByCustomer` |
response	0	name	200
		originalRequest	method: POST
			header: 0 — key: sec-ch-ua; value: "Google Chrome";v="119", "Chromium";v="119", "Not?A_Brand";v="24"; disabled: Yes
			1 — key: sec-ch-ua-mobile; value: ?0; disabled: Yes
			2 — key: User-Agent; value: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/119.0.0.0 Safari/537.36; disabled: Yes
			3 — key: Content-Type; value: application/json; disabled: Yes
			4 — key: Accept; value: application/json, text/plain, */*; disabled: Yes
			5 — key: Referer; value: https://qa.tryoto.com/price-calculator; disabled: Yes
			6 — key: sec-ch-ua-platform; value: "Windows"; disabled: Yes
			body: mode: raw

raw	{ "weight":"3", "originCity":"Riyadh", "destinationCity":"Jeddah", "height":30, "width":30, "length":30 }
options	raw: language: json
url	raw: {{real-url}}/rest/v2/checkOTODeliveryFee host: 0: {{real-url}} path: 0: rest 1: v2 2: checkOTODeliveryFee
status	OK
code	200
_postman_previewlanguage	json
header	0: key: Content-Type, value: application/json;charset=utf-8 1: key: X-Cloud-Trace-Context, value: 9922201d62bc7c7f376d5d086f8b9f8b 2: key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 3: key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 4: key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 5: key: Date, value: Thu, 29 Feb 2024 13:08:22 GMT 6: key: Server, value: Google Frontend 7: key: Content-Length, value: 6259 8: key: Via, value: 1.1 google
cookie	*(Empty List)*
body	{ "traceId": "2e648363-2e85-49b3-9eea-75c9d10c09d0", "success": true, "deliveryCompany": [{ "serviceType": "express", "deliveryOptionName": "Kwick Box", "trackingType": "excellent", "codCharge": 10, "pickupCutOffTime": "17:00", "maxOrderValue": 3750, "insurancePolicy": "Up To 3500 SAR", "maxCODValue": 3750, "deliveryOptionId": 345, "extraWeightPerKg": 1, "deliveryCompanyName": "kwickbox", "returnFee": 13, "maxFreeWeight": 25,

"avgDeliveryTime": "1 to 2 Working Days", "price": 13, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/kwickbox.png", "pickupDropoff": "freePickup" }, { "serviceType": "pudo", "deliveryOptionName": "SPL - PUDO", "trackingType": "excellent", "codCharge": 8, "pickupCutOffTime": "12:00", "maxOrderValue": 10000, "insurancePolicy": "Up To 5000.00 SAR", "maxCODValue": 5000, "deliveryOptionId": 2748, "extraWeightPerKg": 1, "deliveryCompanyName": "saudiPost", "returnFee": 14, "maxFreeWeight": 15, "avgDeliveryTime": "1 to 5 Working Days", "price": 14, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/spl.jpg", "pickupDropoff": "dropoffOnly" }, { "serviceType": "express", "deliveryOptionName": "Thabit Logistics", "trackingType": "excellent", "codCharge": 6, "pickupCutOffTime": "17:00", "maxOrderValue": 3750, "insurancePolicy": "Up To 5000 SAR", "maxCODValue": 3750, "deliveryOptionId": 645, "extraWeightPerKg": 1, "deliveryCompanyName": "thabit", "returnFee": 19, "maxFreeWeight": 10, "avgDeliveryTime": "1 to 2 Working Days", "price": 19, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/thabit.png", "pickupDropoff": "freePickup" }, { "serviceType": "express", "deliveryOptionName": "Safe Arrival", "trackingType": "excellent", "codCharge": 3, "pickupCutOffTime": "16:00", "maxOrderValue": 3000, "insurancePolicy": "Up To 500 SAR", "maxCODValue": 3000, "deliveryOptionId": 3213, "extraWeightPerKg": 1, "deliveryCompanyName": "safearrival", "returnFee": 19, "maxFreeWeight": 10, "avgDeliveryTime": "1 to 2 Working Days", "price": 19, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/safearrival.png", "pickupDropoff": "freePickup" }, { "serviceType": "express", "deliveryOptionName": "Aymakan", "trackingType": "excellent", "codCharge": 6, "pickupCutOffTime": "15:00", "maxOrderValue": 5000, "insurancePolicy": "Up To 375 SAR", "maxCODValue": 3000, "deliveryOptionId": 994, "extraWeightPerKg": 2, "deliveryCompanyName": "aymakan", "returnFee": 19, "maxFreeWeight": 10, "avgDeliveryTime": "1 to 3 Working Days", "price": 19, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/aymakan.png", "pickupDropoff": "freePickup" }, { "serviceType": "express", "deliveryOptionName": "DELIVERIST ", "trackingType": "excellent", "codCharge": 3, "pickupCutOffTime": "13:00", "maxOrderValue": 3500, "insurancePolicy": "Up To 500 SAR", "maxCODValue": 3500, "deliveryOptionId": 4175, "extraWeightPerKg": 1,

"deliveryCompanyName": "deliveristLogestechs", "returnFee": 19, "maxFreeWeight": 10, "avgDeliveryTime": "1 to 3 Working Days", "price": 19, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/deliverist.png", "pickupDropoff": "freePickup" }, { "serviceType": "express", "deliveryOptionName": "Shipa Delivery", "trackingType": "excellent", "codCharge": 3, "pickupCutOffTime": "14:00", "maxOrderValue": 3750, "insurancePolicy": "Up To 100 SAR", "maxCODValue": 3750, "deliveryOptionId": 346, "extraWeightPerKg": 1, "deliveryCompanyName": "shipaV2", "returnFee": 20, "maxFreeWeight": 10, "avgDeliveryTime": "1 to 3 Working Days", "price": 20, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/shipa.png", "pickupDropoff": "freePickup" }, { "serviceType": "express", "deliveryOptionName": "Aramex", "trackingType": "excellent", "codCharge": 6, "pickupCutOffTime": "18:00", "maxOrderValue": 10000, "insurancePolicy": "Up To 1000 SAR", "maxCODValue": 5000, "deliveryOptionId": 332, "extraWeightPerKg": 1, "deliveryCompanyName": "aramex", "returnFee": 21, "maxFreeWeight": 10, "avgDeliveryTime": "1 to 2 Working Days", "price": 21, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/aramex.png", "pickupDropoff": "freePickupDropoff" }, { "serviceType": "express", "deliveryOptionName": "J&T Express", "trackingType": "excellent", "codCharge": 8, "pickupCutOffTime": "12:00", "maxOrderValue": 6000, "insurancePolicy": "Up To 400 SAR", "maxCODValue": 3000, "deliveryOptionId": 711, "extraWeightPerKg": 1, "deliveryCompanyName": "jtexpress", "returnFee": 21, "maxFreeWeight": 5, "avgDeliveryTime": "1 to 2 Working Days", "price": 21, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/jandt.png", "pickupDropoff": "freePickupDropoff" }, { "serviceType": "express", "deliveryOptionName": "UPS", "trackingType": "excellent", "codCharge": 8, "pickupCutOffTime": "15:00", "maxOrderValue": 5000, "insurancePolicy": "Up To 375 SAR", "maxCODValue": 2000, "deliveryOptionId": 1305, "extraWeightPerKg": 1, "deliveryCompanyName": "ups", "returnFee": 22, "maxFreeWeight": 15, "avgDeliveryTime": "1 to 5 Working Days", "price": 22, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/ups.png", "pickupDropoff": "freePickup" }, { "serviceType": "express", "deliveryOptionName": "SMSA", "trackingType": "excellent", "codCharge": 8, "pickupCutOffTime": "12:00", "maxOrderValue": 6000, "insurancePolicy": "Up To 100 SAR",

"maxCODValue": 3750, "deliveryOptionId": 979, "extraWeightPerKg": 1, "deliveryCompanyName": "secom", "returnFee": 24, "maxFreeWeight": 15, "avgDeliveryTime": "1 to 5 Working Days", "price": 24, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/smsav2.png", "pickupDropoff": "dropoffOnly" }, { "serviceType": "heavyAndBulky", "deliveryOptionName": "Flow PL", "trackingType": "excellent", "codCharge": 0, "pickupCutOffTime": "09:00", "maxOrderValue": 20000, "insurancePolicy": "Up To 500 SAR", "maxCODValue": 0, "deliveryOptionId": 2567, "extraWeightPerKg": 1, "deliveryCompanyName": "flowpl", "returnFee": 44, "maxFreeWeight": 30, "avgDeliveryTime": "1 to 5 Working Days", "price": 44, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/flow.png", "pickupDropoff": "freePickup" }, { "serviceType": "express", "deliveryOptionName": "DHL Express MyDHL", "trackingType": "excellent", "codCharge": 8, "pickupCutOffTime": "17:00", "maxOrderValue": 3750, "insurancePolicy": "Up To 100 SAR", "maxCODValue": 1, "deliveryOptionId": 1593, "extraWeightPerKg": 10, "deliveryCompanyName": "mydhl", "returnFee": 69, "maxFreeWeight": 5, "avgDeliveryTime": "1 to 5 Working Days", "price": 69, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/dhl-express.png", "pickupDropoff": "freePickupDropoff" }] }

1

name	**400 wrong city**
originalRequest	

originalRequest

method	**POST**

header

0	**key**	**sec-ch-ua**
	value	**"Google Chrome";v="119", "Chromium";v="119", "Not?A_Brand";v="24"**
	disabled	**Yes**
1	**key**	**sec-ch-ua-mobile**
	value	**?0**
	disabled	**Yes**
2	**key**	**User-Agent**
	value	**Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/119.0.0.0 Safari/537.36**
	disabled	**Yes**
3	**key**	**Content-Type**
	value	**application/json**
	disabled	**Yes**

4	key	Accept
	value	application/json, text/plain, */*
	disabled	Yes
5	key	Referer
	value	https://qa.tryoto.com/price-calculator
	disabled	Yes
6	key	sec-ch-ua-platform
	value	"Windows"
	disabled	Yes

body	mode	raw
	raw	{ "weight":"3", "originCity":"Riyadhj", "destinationCity":"Jeddah", "height":30, "width":30, "length":30 }
	options	raw language json
url	raw	{{real-url}}/rest/v2/checkOTODeliveryFee
	host	0 {{real-url}}
	path	0 rest 1 v2 2 checkOTODeliveryFee

status	Bad Request
code	400
_postman_previewlanguage	json

header

0	key	Date
	value	Sun, 19 Nov 2023 06:11:31 GMT
1	key	Content-Type
	value	application/json;charset=utf-8
2	key	Content-Length
	value	86
3	key	Server
	value	Jetty(9.4.3.v20170317)

cookie	*(Empty List)*
body	{ "success": false, "errorCode": 3, "errorMsg": "Given city could not be found on database" }

2

name	400 invalid fields

originalRequest

method	POST	
header	0	key sec-ch-ua
		value "Google Chrome";v="119", "Chromium";v="11

	9", "Not?A_Brand";v="24"
disabled	Yes

1	key	sec-ch-ua-mobile
	value	?0
	disabled	Yes
2	key	User-Agent
	value	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/119.0.0.0 Safari/537.36
	disabled	Yes
3	key	Content-Type
	value	application/json
	disabled	Yes
4	key	Accept
	value	application/json, text/plain, */*
	disabled	Yes
5	key	Referer
	value	https://qa.tryoto.com/price-calculator
	disabled	Yes
6	key	sec-ch-ua-platform
	value	"Windows"
	disabled	Yes

body	mode	raw		
	raw	{ "weight":"asd", "originCity":"Riyadh", "destinationCity":"Jeddah", "height":30, "width":30, "length":30 }		
	options	raw	language	json

url	raw	{{real-url}}/rest/v2/checkOTODeliveryFee
	host	0 {{real-url}}
	path	0 rest
		1 v2
		2 checkOTODeliveryFee

status	Bad Request
code	400
_postman_previewlanguage	json

header	0	key Date
		value Sun, 19 Nov 2023 06:12:10

		GMT
1	key	Content-Type
	value	application/json;charset=utf-8
2	key	Content-Length
	value	67
3	key	Server
	value	Jetty(9.4.3.v20170317)
cookie	*(Empty List)*	
body	{ "success": false, "errorCode": 2, "errorMsg": "weight must be a float" }	

1	name	Check Delivery Fee		
	request	method	POST	
		header	0	key: sec-ch-ua value: "Google Chrome";v="119", "Chromium";v="119", "Not?A_Brand";v="24" disabled: Yes
			1	key: sec-ch-ua-mobile value: ?0 disabled: Yes
			2	key: User-Agent value: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/119.0.0.0 Safari/537.36 disabled: Yes
			3	key: Content-Type value: application/json disabled: Yes
			4	key: Accept value: application/json, text/plain, */* disabled: Yes
			5	key: Referer value: https://qa.tryoto.com/price-calculator disabled: Yes
			6	key: sec-ch-ua-platform value: "Windows" disabled: Yes
		body	mode	raw
			raw	{ "weight":"50", "totalDue":10, "originCity":"Riyadh", "destinationCity":"Jeddah", "height":170, "width":50, "length":50 }
			options	raw: language: json
		url	raw	{{real-url}}/rest/v2/checkDeliveryFee
			host	0: {{real-url}}
			path	0: rest 1: v2 2: checkDeliveryFee

description	**Available Packages:** All Packages This API endpoint calculates contract-based pricing using your own rates. By providing the origin city, destination city, and package details such as weight and dimensions, the API determines the price based on the supplied parameters. Important Note: The prices returned by this API apply exclusively to your own contracts. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | originCity | yes | string | pickup city | | destinationCity | yes | string | destination city | | weight | yes | number | weight of package | | totalDue | no | number | cash on delivery amount | | deliveryType | no | enum | `bullet`,`courier` | | originLat | no | string | reqired for `bullet` type | | originLon | no | string | reqired for `bullet` type | | destinationLat | no | string | reqired for `bullet` type | | destinationLon | no | string | reqired for `bullet` type |	

response	0	name	200
		originalRequest	method: POST
			header: 0 — key: sec-ch-ua; value: "Google Chrome";v="119", "Chromium";v="119", "Not?A_Brand";v="24"; disabled: Yes
			header: 1 — key: sec-ch-ua-mobile; value: ?0; disabled: Yes
			header: 2 — key: User-Agent; value: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/119.0.0.0 Safari/537.36; disabled: Yes
			header: 3 — key: Content-Type; value: application/json; disabled: Yes
			header: 4 — key: Accept; value: application/json, text/plain, */*; disabled: Yes
			header: 5 — key: Referer; value: https://qa.tryoto.com/price-calculator; disabled: Yes
			header: 6 — key: sec-ch-ua-platform; value: "Windows"; disabled: Yes
			body: mode: raw; raw: { "weight":"50", "totalDue":10, "originCity":"Riyadh",

	"destinationCity":"Jeddah", "height":170, "width":50, "length":50 }
options	raw language json
url	raw {{real-url}}/rest/v2/checkDeliveryFee
	host 0 {{real-url}}
	path 0 rest 1 v2 2 checkDeliveryFee
status	OK
code	200
_postman_previewlanguage	json
header	0 key Date value Sun, 19 Nov 2023 06:10:43 GMT 1 key Content-Type value application/json;charset=utf-8 2 key Content-Length value 37 3 key Server value Jetty(9.4.3.v20170317)
cookie	*(Empty List)*
body	{ "success": true, "deliveryCompany": [{ "serviceType": "pudo", "deliveryOptionName": "SPL PUDO", "trackingType": "excellent", "codCharge": 8, "maxOrderValue": 10000, "maxCODValue": 5000, "deliveryOptionId": 69251112323, "extraWeightPerKg": 1, "deliveryCompanyName": "splUpds", "returnFee": 14, "maxFreeWeight": 15, "avgDeliveryTime": "1 to 2 Working Days", "price": 14, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/spl.jpg", "currency": "SAR", "pickupDropoff": "dropoffOnly", "cardOnDeliveryPercentage": "8.0 SAR plus 1.75% of the amount to be collected" }, { "serviceType": "express", "deliveryOptionName": "Shipa Delivery", "trackingType": "excellent", "codCharge": 3, "pickupCutOffTime": "12:00", "maxOrderValue": 3750, "maxCODValue": 3750, "deliveryOptionId": 54223133116, "extraWeightPerKg": 1, "deliveryCompanyName": "shipaV2", "returnFee": 21, "maxFreeWeight": 10, "avgDeliveryTime": "1 to 3 Working Days", "price": 21, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/shipa.png", "currency": "SAR", "pickupDropoff": "freePickup", "cardOnDeliveryPercentage": "3.0 SAR plus 0.8% of the amount to be collected" }, { "serviceType": "sameDay", "deliveryOptionName": "DELIVERIST Same

		Day", "trackingType": "excellent", "codCharge": 3, "pickupCutOffTime": "12:00", "maxOrderValue": 3750, "maxCODValue": 2500, "deliveryOptionId": 5432313429, "extraWeightPerKg": 1, "deliveryCompanyName": "deliveristLogestechs", "returnFee": 21, "maxFreeWeight": 10, "avgDeliveryTime": "sameDayPickUp", "price": 21, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/deliverist.png", "currency": "SAR", "pickupDropoff": "freePickup", "cardOnDeliveryPercentage": "3.0 SAR plus 2.5% of the amount to be collected" }, { "serviceType": "express", "deliveryOptionName": "Aymakan", "trackingType": "excellent", "codCharge": 6, "pickupCutOffTime": "17:00", "maxOrderValue": 5000, "maxCODValue": 3000, "deliveryOptionId": 54366343321, "extraWeightPerKg": 2, "deliveryCompanyName": "aymakan", "returnFee": 22, "maxFreeWeight": 10, "avgDeliveryTime": "1to3WorkingDays", "price": 22, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/aymakan.png", "currency": "SAR", "pickupDropoff": "freePickup", "cardOnDeliveryPercentage": "6.0 SAR plus 1.0% of the amount to be collected" }, { "serviceType": "sameDay", "deliveryOptionName": "Deliver Now", "trackingType": "excellent", "codCharge": 3, "pickupCutOffTime": "12:00", "maxOrderValue": 5000, "maxCODValue": 3000, "deliveryOptionId": 543432238, "extraWeightPerKg": 1, "deliveryCompanyName": "delivernow", "returnFee": 22, "maxFreeWeight": 15, "avgDeliveryTime": "Same Day of Pickup Date", "price": 22, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/delivery-now.png", "currency": "SAR", "pickupDropoff": "freePickup", "cardOnDeliveryPercentage": "3.0 SAR plus 0.0% of the amount to be collected" }] }
1	**name**	**400 wrong city**
	originalRequest	

method	**POST**	
header		
0	**key**	**sec-ch-ua**
	value	**"Google Chrome";v="119", "Chromium";v="119", "Not?A_Brand";v="24"**
	disabled	**Yes**
1	**key**	**sec-ch-ua-mobile**
	value	**?0**
	disabled	**Yes**
2	**key**	**User-Agent**
	value	**Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.**

	36 (KHTML, like Gecko) Chrome/119.0.0.0 Safari/537.36
disabled	Yes

3	
key	Content-Type
value	application/json
disabled	Yes

4	
key	Accept
value	application/json, text/plain, */*
disabled	Yes

5	
key	Referer
value	https://qa.tryoto.com/price-calculator
disabled	Yes

6	
key	sec-ch-ua-platform
value	"Windows"
disabled	Yes

body		
mode	raw	
raw	{ "weight":"50", "totalDue":10, "originCity":"Riyadhj", "destinationCity":"Jeddah", "height":170, "width":50, "length":50 }	
options	raw	language: json

url		
raw	{{real-url}}/rest/v2/checkDeliveryFee	
host	0	{{real-url}}
path	0	rest
	1	v2
	2	checkDeliveryFee

status	Bad Request
code	400
_postman_previewlanguage	json

header	0	
	key	Date
	value	Sun, 19 Nov 2023 06:11:31 GMT

	1	
	key	Content-Type
	value	application/json;charset=utf-8

	2	
	key	Content-Length
	value	86

	3	
	key	Server
	value	Jetty(9.4.3.v20170317)

cookie	*(Empty List)*

	body	{ "success": false, "errorCode": 3, "errorMsg": "Given city could not be found on database" }
2	name	400 invalid fields
	originalRequest	

originalRequest		
	method	POST
	header	

header		
0	key	sec-ch-ua
	value	"Google Chrome";v="119", "Chromium";v="119", "Not?A_Brand";v="24"
	disabled	Yes
1	key	sec-ch-ua-mobile
	value	?0
	disabled	Yes
2	key	User-Agent
	value	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/119.0.0.0 Safari/537.36
	disabled	Yes
3	key	Content-Type
	value	application/json
	disabled	Yes
4	key	Accept
	value	application/json, text/plain, */*
	disabled	Yes
5	key	Referer
	value	https://qa.tryoto.com/price-calculator
	disabled	Yes
6	key	sec-ch-ua-platform
	value	"Windows"
	disabled	Yes

body		
	mode	raw
	raw	{ "weight":"asd", "totalDue":10, "originCity":"Riyadh", "destinationCity":"Jeddah", "height":170, "width":50, "length":50 }
	options	raw: language: json

url		
	raw	{{real-url}}/rest/v2/checkDeliveryFee
	host	0: {{real-url}}

path	0	rest
	1	v2
	2	checkDeliveryFee

status	Bad Request
code	400
_postman_previewlanguage	json

header

0	key	Date
	value	Sun, 19 Nov 2023 06:12:10 GMT
1	key	Content-Type
	value	application/json;charset=utf-8
2	key	Content-Length
	value	67
3	key	Server
	value	Jetty(9.4.3.v20170317)

cookie	*(Empty List)*
body	{ "success": false, "errorCode": 2, "errorMsg": "weight must be a float" }

2

name	Get Delivery Fee

request

method	POST

header

0	key	sec-ch-ua
	value	"Google Chrome";v="119", "Chromium";v="119", "Not?A_Brand";v="24"
	disabled	Yes
1	key	sec-ch-ua-mobile
	value	?0
	disabled	Yes
2	key	User-Agent
	value	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/119.0.0.0 Safari/537.36
	disabled	Yes
3	key	Content-Type
	value	application/json
	disabled	Yes
4	key	Accept
	value	application/json, text/plain, */*
	disabled	Yes
5	key	Referer
	value	https://qa.tryoto.com/price-calculator
	disabled	Yes
6	key	sec-ch-ua-platform
	value	"Windows"
	disabled	Yes

body

mode	raw
raw	{ "orderId": "OID-22700-1006" }
options	raw

	language	json

url	raw	{{real-url}}/rest/v2/getDeliveryFee
	host	0 {{real-url}}
	path	0 rest 1 v2 2 getDeliveryFee
description	**Available Packages:** All Packages This API endpoint calculates the shipping fee for a specific order in OTO. It offers two methods for price calculation: 1. By Order ID: Provide the orderId, and the API will return all possible shipping rates for each defined shipping company. 2. By Delivery Option ID: Provide the deliveryOptionId to calculate the shipping fee for a specific shipping company. You can get this information from checkOTODeliveryFee or from checkDeliveryFee endpoints. **Request Parameters:** | Name | Required | **Type** | Description | | --- | --- | --- | --- | | orderId | yes | string | Id of the order | | deliveryCompanySettingsId | no | string | Delivery Company settings id |	

response	0	name	200 all options
		originalRequest	method: POST
			header: 0 key: sec-ch-ua; value: "Google Chrome";v="119", "Chromium";v="119", "Not?A_Brand";v="24"; disabled: Yes
			1 key: sec-ch-ua-mobile; value: ?0; disabled: Yes
			2 key: User-Agent; value: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/119.0.0.0 Safari/537.36; disabled: Yes
			3 key: Content-Type; value: application/json; disabled: Yes
			4 key: Accept; value: application/json, text/plain, */*; disabled: Yes
			5 key: Referer; value: https://qa.tryoto.com/price-calculator; disabled: Yes
			6 key: sec-ch-ua-platform

value	"Windows"
disabled	Yes

body	mode	raw
	raw	{ "orderId": "OID-22700-1006" }
	options	raw: language: json

url	raw	https://api.tryoto.com/rest/v2/getDeliveryFee
	protocol	https
	host	0: api 1: tryoto 2: com
	path	0: rest 1: v2 2: getDeliveryFee

status	OK
code	200
_postman_previewlanguage	json

header	0	key: Date value: Sun, 19 Nov 2023 20:32:45 GMT
	1	key: Content-Type value: application/json;charset=utf-8
	2	key: Content-Length value: 4988
	3	key: Server value: Jetty(9.4.3.v20170317)

cookie	*(Empty List)*
body	{ "success": true, "deliveryCompany": [{ "serviceType": "pudo", "deliveryOptionName": "SPL PUDO", "trackingType": "excellent", "codCharge": 8, "maxOrderValue": 10000, "maxCODValue": 5000, "deliveryOptionId": 6927, "extraWeightPerKg": 1, "deliveryCompanyName": "splUpds", "returnFee": 13, "maxFreeWeight": 15, "avgDeliveryTime": "1 to 2 Working Days", "price": 13, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/spl.jpg", "currency": "SAR", "pickupDropoff": "dropoffOnly", "cardOnDeliveryPercentage": "8.0 SAR plus 1.75% of the amount to be collected" }, { "serviceType": "pudo", "deliveryOptionName": "SPL PUDO", "trackingType": "excellent", "codCharge": 8, "maxOrderValue": 10000, "maxCODValue": 5000, "deliveryOptionId": 6925, "extraWeightPerKg": 1, "deliveryCompanyName": "splUpds", "returnFee": 14, "maxFreeWeight": 15, "avgDeliveryTime": "1 to 2 Working Days", "price": 14, "logo": "https://storage.googleapis.com/tryoto-

public/delivery-logo/spl.jpg", "currency": "SAR", "pickupDropoff": "dropoffOnly", "cardOnDeliveryPercentage": "8.0 SAR plus 1.75% of the amount to be collected" }, { "serviceType": "pudo", "deliveryOptionName": "SPL PUDO", "trackingType": "excellent", "codCharge": 8, "maxOrderValue": 10000, "maxCODValue": 5000, "deliveryOptionId": 6926, "extraWeightPerKg": 1, "deliveryCompanyName": "splUpds", "returnFee": 14, "maxFreeWeight": 15, "avgDeliveryTime": "1 to 2 Working Days", "price": 14, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/spl.jpg", "currency": "SAR", "pickupDropoff": "dropoffOnly", "cardOnDeliveryPercentage": "8.0 SAR plus 1.75% of the amount to be collected" }, { "serviceType": "express", "deliveryOptionName": "Shipa Delivery", "trackingType": "excellent", "codCharge": 3, "pickupCutOffTime": "12:00", "maxOrderValue": 3750, "maxCODValue": 3750, "deliveryOptionId": 5552, "extraWeightPerKg": 1, "deliveryCompanyName": "shipaV2", "returnFee": 17, "maxFreeWeight": 10, "avgDeliveryTime": "1 to 3 Working Days", "price": 17, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/shipa.png", "currency": "SAR", "pickupDropoff": "freePickup", "cardOnDeliveryPercentage": "3.0 SAR plus 0.8% of the amount to be collected" }, { "serviceType": "express", "deliveryOptionName": "Aramex", "trackingType": "excellent", "codCharge": 6, "pickupCutOffTime": "14:00", "maxOrderValue": 7000, "maxCODValue": 5000, "deliveryOptionId": 5551, "extraWeightPerKg": 1, "deliveryCompanyName": "aramex", "returnFee": 18, "maxFreeWeight": 10, "avgDeliveryTime": "1 to 2 Working Days", "price": 18, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/aramex.png", "currency": "SAR", "pickupDropoff": "freePickupDropoff", "cardOnDeliveryPercentage": "6.0 SAR plus 1.75% of the amount to be collected" }, { "serviceType": "express", "deliveryOptionName": "Shipa Delivery", "trackingType": "excellent", "codCharge": 3, "pickupCutOffTime": "12:00", "maxOrderValue": 3750, "maxCODValue": 3750, "deliveryOptionId": 5489, "extraWeightPerKg": 1, "deliveryCompanyName": "shipaV2", "returnFee": 18, "maxFreeWeight": 10, "avgDeliveryTime": "1 to 3 Working Days", "price": 18, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/shipa.png", "currency": "SAR", "pickupDropoff": "freePickup", "cardOnDeliveryPercentage": "3.0 SAR plus 0.8% of the amount to be collected" }, { "serviceType": "express", "deliveryOptionName": "J&T Express", "trackingType": "excellent", "codCharge":

8, "pickupCutOffTime": "16:00", "maxOrderValue": 6000, "maxCODValue": 3000, "deliveryOptionId": 5555, "extraWeightPerKg": 1, "deliveryCompanyName": "jtexpress", "returnFee": 18, "maxFreeWeight": 10, "avgDeliveryTime": "1 to 2 Working Days", "price": 18, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/jandt.png", "currency": "SAR", "pickupDropoff": "freePickup", "cardOnDeliveryPercentage": "8.0 SAR plus 0.9% of the amount to be collected" }, { "serviceType": "express", "deliveryOptionName": "Aymakan", "trackingType": "excellent", "codCharge": 6, "pickupCutOffTime": "17:00", "maxOrderValue": 5000, "maxCODValue": 3000, "deliveryOptionId": 5557, "extraWeightPerKg": 2, "deliveryCompanyName": "aymakan", "returnFee": 18, "maxFreeWeight": 10, "avgDeliveryTime": "1to3WorkingDays", "price": 18, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/aymakan.png", "currency": "SAR", "pickupDropoff": "freePickup", "cardOnDeliveryPercentage": "6.0 SAR plus 1.0% of the amount to be collected" }, { "serviceType": "sameDay", "deliveryOptionName": "Deliver Now", "trackingType": "excellent", "codCharge": 3, "pickupCutOffTime": "12:00", "maxOrderValue": 5000, "maxCODValue": 3000, "deliveryOptionId": 5564, "extraWeightPerKg": 1, "deliveryCompanyName": "delivernow", "returnFee": 18, "maxFreeWeight": 15, "avgDeliveryTime": "Same Day of Pickup Date", "price": 18, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/delivery-now.png", "currency": "SAR", "pickupDropoff": "freePickup", "cardOnDeliveryPercentage": "3.0 SAR plus 0.0% of the amount to be collected" }, { "serviceType": "express", "deliveryOptionName": "Thabit Logistics", "trackingType": "excellent", "codCharge": 6, "pickupCutOffTime": "13:00", "maxOrderValue": 3750, "maxCODValue": 3750, "deliveryOptionId": 5554, "extraWeightPerKg": 1, "deliveryCompanyName": "thabit", "returnFee": 19, "maxFreeWeight": 10, "avgDeliveryTime": "1to2WorkingDays", "price": 19, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/thabit.png", "currency": "SAR", "pickupDropoff": "freePickup", "cardOnDeliveryPercentage": "6.0 SAR plus 0.0% of the amount to be collected" }, { "serviceType": "express", "deliveryOptionName": "Aymakan", "trackingType": "excellent", "codCharge": 6, "pickupCutOffTime": "17:00", "maxOrderValue": 5000, "maxCODValue": 3000, "deliveryOptionId": 5494, "extraWeightPerKg": 2, "deliveryCompanyName": "aymakan",

"returnFee": 19, "maxFreeWeight": 10, "avgDeliveryTime": "1to3WorkingDays", "price": 19, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/aymakan.png", "currency": "SAR", "pickupDropoff": "freePickup", "cardOnDeliveryPercentage": "6.0 SAR plus 1.0% of the amount to be collected" }, { "serviceType": "coldDelivery", "deliveryOptionName": "Delex", "trackingType": "excellent", "codCharge": 7, "pickupCutOffTime": "10:00", "maxOrderValue": 500, "maxCODValue": 500, "deliveryOptionId": 5568, "extraWeightPerKg": 2, "deliveryCompanyName": "delexLogestechs", "returnFee": 19, "maxFreeWeight": 12, "avgDeliveryTime": "1to3WorkingDays", "price": 19, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/delex.png", "currency": "SAR", "pickupDropoff": "freePickup", "cardOnDeliveryPercentage": "7.0 SAR plus 0.0% of the amount to be collected" }, { "serviceType": "sameDay", "deliveryOptionName": "Deliver Now", "trackingType": "excellent", "codCharge": 3, "pickupCutOffTime": "12:00", "maxOrderValue": 5000, "maxCODValue": 3000, "deliveryOptionId": 5501, "extraWeightPerKg": 1, "deliveryCompanyName": "delivernow", "returnFee": 19, "maxFreeWeight": 15, "avgDeliveryTime": "Same Day of Pickup Date", "price": 19, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/delivery-now.png", "currency": "SAR", "pickupDropoff": "freePickup", "cardOnDeliveryPercentage": "3.0 SAR plus 0.0% of the amount to be collected" }, { "serviceType": "express", "deliveryOptionName": "Thabit Logistics", "trackingType": "excellent", "codCharge": 6, "pickupCutOffTime": "13:00", "maxOrderValue": 3750, "maxCODValue": 3750, "deliveryOptionId": 5491, "extraWeightPerKg": 1, "deliveryCompanyName": "thabit", "returnFee": 20, "maxFreeWeight": 10, "avgDeliveryTime": "1to2WorkingDays", "price": 20, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/thabit.png", "currency": "SAR", "pickupDropoff": "freePickup", "cardOnDeliveryPercentage": "6.0 SAR plus 0.0% of the amount to be collected" }, { "serviceType": "express", "deliveryOptionName": "J&T Express", "trackingType": "excellent", "codCharge": 8, "pickupCutOffTime": "16:00", "maxOrderValue": 6000, "maxCODValue": 3000, "deliveryOptionId": 5492, "extraWeightPerKg": 1, "deliveryCompanyName": "jtexpress", "returnFee": 20, "maxFreeWeight": 10, "avgDeliveryTime": "1 to 2 Working Days", "price": 20, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/jandt.png",

"currency": "SAR", "pickupDropoff": "freePickup", "cardOnDeliveryPercentage": "8.0 SAR plus 0.9% of the amount to be collected" }, { "serviceType": "express", "deliveryOptionName": "SMSA", "trackingType": "excellent", "codCharge": 8, "maxOrderValue": 6000, "maxCODValue": 3750, "deliveryOptionId": 5556, "extraWeightPerKg": 1, "deliveryCompanyName": "secom", "returnFee": 20, "maxFreeWeight": 15, "avgDeliveryTime": "1to5WorkingDays", "price": 20, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/smsa-logo.png", "currency": "SAR", "pickupDropoff": "dropoffOnly", "cardOnDeliveryPercentage": "8.0 SAR plus 0.0% of the amount to be collected" }] }

1

name	**200 with specific deliveryCompanySettingsId**
originalRequest	

method POST

header

0	**key**	**sec-ch-ua**
	value	**"Google Chrome";v="119", "Chromium";v="119", "Not?A_Brand";v="24"**
	disabled	**Yes**
1	**key**	**sec-ch-ua-mobile**
	value	**?0**
	disabled	**Yes**
2	**key**	**User-Agent**
	value	**Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/119.0.0.0 Safari/537.36**
	disabled	**Yes**
3	**key**	**Content-Type**
	value	**application/json**
	disabled	**Yes**
4	**key**	**Accept**
	value	**application/json, text/plain, */***
	disabled	**Yes**
5	**key**	**Referer**
	value	**https://qa.tryoto.com/price-calculator**
	disabled	**Yes**
6	**key**	**sec-ch-ua-platform**
	value	**"Windows"**

	disabled	Yes
body	mode	raw
	raw	{ "orderId": "OID-22700-1006", "deliveryCompanySettingsId": 5504 }
	options	raw: language: json
url	raw	{{real-url}}/rest/v2/getDeliveryFee
	host	0: {{real-url}}
	path	0: rest 1: v2 2: getDeliveryFee
status	OK	
code	200	
_postman_previewlanguage	json	
header	0	key: Date value: Sun, 19 Nov 2023 20:33:11 GMT
	1	key: Content-Type value: application/json;charset=utf-8
	2	key: Content-Length value: 955
	3	key: Server value: Jetty(9.4.3.v20170317)
cookie	*(Empty List)*	
body	{ "success": true, "deliveryCompany": [{ "serviceType": "express", "deliveryOptionName": "Naqel Express", "trackingType": "excellent", "codCharge": 14, "pickupCutOffTime": "16:00", "maxOrderValue": 5000, "maxCODValue": 3500, "deliveryOptionId": 5504, "extraWeightPerKg": 1, "deliveryCompanyName": "naqel", "returnFee": 24, "maxFreeWeight": 10, "avgDeliveryTime": "1to4WorkingDays", "price": 24, "logo": "https://storage.googleapis.com/tryoto-public/delivery-logo/naqel.png", "currency": "SAR", "pickupDropoff": "freePickup", "cardOnDeliveryPercentage": "14.0 SAR plus 0.0% of the amount to be collected" }] }	
2	name	400 could not find an option with delivery company
	originalRequest	method: POST
	header	0: key: sec-ch-ua value: "Google Chrome";v="119", "Chromium";v="119", "Not?A_Brand";v="24"

disabled	Yes

1	key	sec-ch-ua-mobile
	value	?0
	disabled	Yes
2	key	User-Agent
	value	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/119.0.0.0 Safari/537.36
	disabled	Yes
3	key	Content-Type
	value	application/json
	disabled	Yes
4	key	Accept
	value	application/json, text/plain, */*
	disabled	Yes
5	key	Referer
	value	https://qa.tryoto.com/price-calculator
	disabled	Yes
6	key	sec-ch-ua-platform
	value	"Windows"
	disabled	Yes

body	mode	raw
	raw	{ "orderId": "OID-22700-1006", "deliveryCompanySettingsId": 22954 }
	options	raw language json
url	raw	{{real-url}}/rest/v2/getDeliveryFee
	host	0 {{real-url}}
	path	0 rest
		1 v2
		2 getDeliveryFee

status	Conflict
code	409
_postman_previewlanguage	json

header	0	key Date
		value Sun, 19 Nov 2023 20:36:15 GMT
	1	key Content-Type
		value application/json;charset=utf-8

2	key	Content-Length
	value	119
3	key	Server
	value	Jetty(9.4.3.v20170317)

cookie	*(Empty List)*
body	{ "success": false, "errorCode": 16, "errorMsg": "Could not find a delivery option for the given order and delivery company" }

3	name	400 no delivery option for the order
	originalRequest	

originalRequest

method	POST

header

0	key	sec-ch-ua
	value	"Google Chrome";v="119", "Chromium";v="119", "Not?A_Brand";v="24"
	disabled	Yes
1	key	sec-ch-ua-mobile
	value	?0
	disabled	Yes
2	key	User-Agent
	value	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/119.0.0.0 Safari/537.36
	disabled	Yes
3	key	Content-Type
	value	application/json
	disabled	Yes
4	key	Accept
	value	application/json, text/plain, */*
	disabled	Yes
5	key	Referer
	value	https://qa.tryoto.com/price-calculator
	disabled	Yes
6	key	sec-ch-ua-platform
	value	"Windows"
	disabled	Yes

body

mode	raw		
raw	{ "orderId": "Package Count" }		
options	raw	language	json

url

raw	{{real-

	url}}/rest/v2/getDeliveryFee
host	0 {{real-url}}
path	0 rest 1 v2 2 getDeliveryFee

status	Conflict
code	409
_postman_previewlanguage	json
header	0 key: Date; value: Sun, 19 Nov 2023 20:40:52 GMT 1 key: Content-Type; value: application/json;charset=utf-8 2 key: Content-Length; value: 98 3 key: Server; value: Jetty(9.4.3.v20170317)
cookie	*(Empty List)*
body	{ "success": false, "errorCode": 16, "errorMsg": "Could not find a delivery option for the given order" }

3

name	Get Delivery Estimation
request	

method	POST
header	0 key: sec-ch-ua; value: "Google Chrome";v="119", "Chromium";v="119", "Not?A_Brand";v="24"; disabled: Yes 1 key: sec-ch-ua-mobile; value: ?0; disabled: Yes 2 key: User-Agent; value: Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/119.0.0.0 Safari/537.36; disabled: Yes 3 key: Content-Type; value: application/json; disabled: Yes 4 key: Accept; value: application/json, text/plain, */*; disabled: Yes 5 key: Referer; value: https://qa.tryoto.com/price-calculator; disabled: Yes 6 key: sec-ch-ua-platform; value: "Windows"

disabled	Yes

body	mode	raw
	raw	{ "calculationData": { "originAddress": { "city": "Riyadh", "country": "SA", "lat": 45, "lon": 45, "district": "" }, "destinationAddress": { "city": "Riyadh", "country": "SA", "lat": 45, "lon": 45, "district": "" } }, "deliveryCompanySettingsId": 1233, "slaMethodType": "CITY_BASED" }
	options	raw language json

url	raw	{{real-url}}/rest/v2/getDeliveryEstimation
	host	0 {{real-url}}
	path	0 rest
		1 v2
		2 getDeliveryEstimation

description	**Available Packages:** Scale Package, Enterprise Package, Marketplaces This API endpoint allows you to access estimated delivery dates, times, and other last-mile process details by utilizing the SLA configurations of your shipping partners. By providing key information such as the pickup and customer addresses, you can retrieve precise delivery and pickup date estimates. This capability enhances the accuracy of your shipping operations and proves invaluable for businesses and logistics providers aiming to streamline workflows and deliver reliable delivery timelines to their customers. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | calculationData | yes | JSONObject | Attributes will be used to calculate estimations | | deliveryCompanySettingsId | no | number | To ask for specific contract | | slaMethodType | no | enum | To filter contracts based on the SLA Calculation Method. Enum list: \ ["BULLET_KM","CITY_BASED","DISTRICT_BASED","KM_BASED", "TIER_BASED"\] | **Request Paramaters: originAddress and destinationAddress** | Name | Required | Type | Description | | --- | --- | --- | --- | | city | yes | string | Pickup city and destination city separately | | country | yes | string | Pickup country and destination country separately | | lat | no | number | Reqired for bullet type | | lon | no | number | Reqired for bullet type | | district | no | number | Reqired for dtistrict based sla |

response	0	name	200
		originalRequest	method POST
			header 0 key sec-ch-ua
			value "Google Chrome";v="119", "Chromium";v="119", "Not?A_Brand";v="24"
			disabled Yes
			1 key sec-ch-ua-mobile
			value ?0
			disabled Yes
			2 key User-Agent
			value Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)

	Chrome/119.0.0.0 Safari/537.36
disabled	Yes

3	key	Content-Type
	value	application/json
	disabled	Yes
4	key	Accept
	value	application/json, text/plain, */*
	disabled	Yes
5	key	Referer
	value	https://qa.tryoto.com/price-calculator
	disabled	Yes
6	key	sec-ch-ua-platform
	value	"Windows"
	disabled	Yes

body	mode	raw
	raw	{ "calculationData": { "originAddress": { "city": "Riyadh", "country": "SA", "lat": 45, "lon": 45, "district": "" }, "destinationAddress": { "city": "Riyadh", "country": "SA", "lat": 45, "lon": 45, "district": "" } }, "deliveryCompanySettingsId": 1233, "slaMethodType": "CITY_BASED" }
	options	raw language json
url	raw	{{real-url}}/rest/v2/getDeliveryEstimation
	host	0 {{real-url}}
	path	0 rest
		1 v2
		2 getDeliveryEstimation
status	OK	
code	200	
_postman_previewlanguage	json	
header	0 key	Content-Type
	value	application/json;charset=utf-8
	1 key	X-Cloud-Trace-Context
	value	c2b0f154a650504a9f5a81a1772748be
	2 key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-

		29=":443"; ma=2592000
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
4	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
5	key	Date
	value	Wed, 10 Jan 2024 14:45:30 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	419
8	key	Via
	value	1.1 google
	cookie	*(Empty List)*
	body	{ "result": [{ "estimatedTransferDuration": 3, "shippingContract": { "agreementType": "INTEGRATOR", "deliveryCompanySettingsId": 1233, "name": "Smsa Ecom V2", "id": 117, "slaMethodType": "TIER_BASED", "deliveryIntegrationName": "secom" }, "estimatedPickupDate": "2024-01-15", "cutOffSameDayPickup": "15:00", "estimatedTransferCompletionDate": "2024-01-18", "estimatedDeliveryDate": "2024-01-18", "shipmentCreateDate": "2024-01-10" }], "success": true }
1	name	200 No result
	originalRequest	
	method	POST
	header	
	0 key	sec-ch-ua
	0 value	"Google Chrome";v="119", "Chromium";v="119", "Not?A_Brand";v="24"
	0 disabled	Yes
	1 key	sec-ch-ua-mobile
	1 value	?0
	1 disabled	Yes
	2 key	User-Agent
	2 value	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/119.0.0.0 Safari/537.36
	2 disabled	Yes
	3 key	Content-Type
	3 value	application/json

disabled	Yes

4	key	Accept
	value	application/json, text/plain, */*
	disabled	Yes

5	key	Referer
	value	https://qa.tryoto.com/price-calculator
	disabled	Yes

6	key	sec-ch-ua-platform
	value	"Windows"
	disabled	Yes

body	mode	raw	
	raw	{ "calculationData": { "originAddress": { "city": "Riyadh", "country": "SA", "lat": 45, "lon": 45, "district": "" }, "destinationAddress": { "city": "Riyadh", "country": "SA", "lat": 45, "lon": 45, "district": "" } }, "deliveryCompanySettingsId": 2087, "slaMethodType": "CITY_BASED" }	
	options	raw	language: json

url	raw	{{real-url}}/rest/v2/getDeliveryEstimation
	host	0: {{real-url}}
	path	0: rest 1: v2 2: getDeliveryEstimation

status	OK
code	200
_postman_previewlanguage	json

header	0	key: Content-Type value: application/json;charset=utf-8
	1	key: X-Cloud-Trace-Context value: 8b3985b74be2cc4e9427d898e530644d;o=1
	2	key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
	3	key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
	4	key: Alt-Svc

	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
5	key	Date
	value	Wed, 10 Jan 2024 14:45:59 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	28
8	key	Via
	value	1.1 google
cookie	*(Empty List)*	
body	{ "result": [], "success": true }	

4	name	Check Coverage	
request	method	POST	
	header	*(Empty List)*	
	body	mode	raw
		raw	{ "lat": "24.28738403", "lon": "46.44305038", "city": "Riyadh" }
		options	raw language json
	url	raw	{{real-url}}/rest/v2/checkCoverage
		host	0 {{real-url}}
		path	0 rest 1 v2 2 checkCoverage
	description	**Available Packages**: Starter Package, Scale Package, Enterprise Package, Marketplaces This API endpoint allows you to verify whether the location provided in your request is within the coverage area defined by your OTO settings, including the coverage configurations for delivery companies and the branches. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | city | yes | string | City to check coverage | | lat | yes | long | Latitude | | lon | yes | long | Longitude | | packageSize | no | string | `small`,`medium`,`large`,`simcard`,`iphone13`, |	
response	0	name	200 OK
		originalRequest	method POST
			header *(Empty List)*
			body mode raw
			raw { "city":"riyadh", "lat":"24", "lon":"46", "packageSize":"simcard" }
			options raw language json
			url raw {{real-url}}/rest/v2/checkCoverage
			host 0 {{real-url}}
			path 0 rest

	1	v2
	2	checkCoverage

status	OK
code	200
_postman_previewlanguage	json

header

0	key	Content-Type
	value	application/json;charset=utf-8
1	key	X-Cloud-Trace-Context
	value	fb24555c8d1b915052ac9f39d242da30;o=1
2	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-T051=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-T051=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key	Alt-Svc
	value	clear
5	key	Date
	value	Tue, 19 Oct 2021 08:49:07 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	84
8	key	Via
	value	1.1 google

cookie	*(Empty List)*
body	{ "branchCoverage": true, "courierDelivery": true, "success": true, "bulletDelivery": true }

1

name	401
originalRequest	

method	POST		
header	*(Empty List)*		
body	mode	raw	
	raw	{ "lat": "24.28738403", "lon": "46.44305038", "city": "Riyadh", "packageSize":"simcard" }	
	options	raw	language: json

url	raw	{{real-url}}/rest/v2/checkCoverage
	host	0: {{real-url}}
	path	0: rest 1: v2 2: checkCoverage
status	Unauthorized	
code	401	
_postman_previewlanguage	json	
header	0	key: WWW-Authenticate value: Bearer realm="https://rest-api-gate-2zoj1r36.ew.gateway.dev/rest/v2/checkCoverage", error="invalid_token"
	1	key: Content-Type value: application/json
	2	key: X-Cloud-Trace-Context value: 9062054075c24db24582ae2fd0e9fecd
	3	key: Date value: Wed, 20 Oct 2021 10:46:54 GMT
	4	key: Server value: Google Frontend
	5	key: Content-Length value: 40
	6	key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-T051=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
	7	key: Alt-Svc value: clear
	8	key: Via value: 1.1 google
cookie	*(Empty List)*	
body	{ "message": "Jwt is expired", "code": 401 }	
2	name	400 Bad Request
originalRequest	method	POST
	header	*(Empty List)*
	body	mode: raw raw: { "lat": "24.28738403", "city": "Riyadh" }

	options	raw
	language	json
url	raw	{{real-url}}/rest/v2/checkCoverage
	host	0: {{real-url}}
	path	0: rest 1: v2 2: checkCoverage
status	Bad Request	
code	400	
_postman_previewlanguage	json	
header	0	key: WWW-Authenticate value: Bearer realm="https://rest-api-gate-2zoj1r36.ew.gateway.dev/rest/v2/checkCoverage", error="invalid_token"
	1	key: Content-Type value: application/json
	2	key: X-Cloud-Trace-Context value: 9062054075c24db24582ae2fd0e9fecd
	3	key: Date value: Wed, 20 Oct 2021 10:46:54 GMT
	4	key: Server value: Google Frontend
	5	key: Content-Length value: 40
	6	key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-T051=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
	7	key: Alt-Svc value: clear
	8	key: Via value: 1.1 google
cookie	*(Empty List)*	
body	{ "success": false, "errorCode": 5, "errorMsg": "lon is required" }	

5	name	Available Cities	
	request	method	POST
		header	*(Empty List)*
		body	mode: raw raw: { "limit":3 }

options	raw	language: json

url	raw	{{real-url}}/rest/v2/availableCities
	host	0: {{real-url}}
	path	0: rest 1: v2 2: availableCities

description	**Available Packages**: Starter Package, Scale Package, Enterprise Package, Marketplaces This API endpoint retrieves a list of cities available for delivery based on your coverage settings for active delivery companies you have contracts with. To obtain results, ensure that the delivery companies' coverage areas are configured by adding cities through the OTO UI. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | page | no | number | Number of page, default is 1 | | limit | no | number | Number of cities in a single page, default is 100 |

response

0

name	200
originalRequest	method: POST header: *(Empty List)* body: mode: raw; raw: { "limit":3 }; options: raw; language: json url: raw: {{real-url}}/rest/v2/availableCities; host: 0: {{real-url}}; path: 0: rest, 1: v2, 2: availableCities
status	OK
code	200
_postman_previewlanguage	json
header	0: key: Content-Type; value: application/json;charset=utf-8 1: key: X-Cloud-Trace-Context; value: 30615b694022d3d8fcf04c612958ca51;o=1 2: key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 3: key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443";

		ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key	Alt-Svc
	value	clear
5	key	Date
	value	Wed, 03 Nov 2021 15:33:40 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	169
8	key	Via
	value	1.1 google
	cookie	*(Empty List)*
	body	{ "success": true, "limit": 3, "page": 1, "orders": [{ "city": "Riyadh", "city_ar": "??????" }, { "city": "Dammam", "city_ar": "??????" }, { "city": "Jeddah", "city_ar": "???" }] }

6	name	Available Time Slots		
	request	method	POST	
		header	*(Empty List)*	
		body	mode	raw
			raw	{ "serviceType": "bullet", "packageSize": "simCard", "lat": "24.00", "lon": "46.00" }
			options	raw language json
		url	raw	{{real-url}}/rest/v2/availableTimeslots
			host	0 {{real-url}}
			path	0 rest
				1 v2
				2 availableTimeslots
		description	**Available Packages**: Starter Package, Scale Package, Enterprise Package, Marketplaces This API endpoint retrieves the available delivery time slots for delivery companies based on their specified working hours. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | lat | no | string | Latitude | | lon | no | string | Longitude | | serviceType | yes | string | Possible values: `bullet`,`courier` | | packageSize | no | string | |	
	response	0	name	200
			originalRequest	method POST
				header *(Empty List)*
				body mode raw
				raw { "serviceType": "bullet", "packageSize": "simCard", "lat": "24.00", "lon": "46.00" }
				options raw language json

url	raw	{{real-url}}/rest/v2/availableTimeslots
	host	0: {{real-url}}
	path	0: rest 1: v2 2: availableTimeslots
status	OK	
code	200	
_postman_previewlanguage	json	
header	0: key: Content-Type value: application/json;charset=utf-8	
	1: key: X-Cloud-Trace-Context value: b9f75f4060068538cad8b739cd47b9e6;o=1	
	2: key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"	
	3: key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"	
	4: key: Alt-Svc value: clear	
	5: key: Date value: Thu, 04 Nov 2021 06:49:08 GMT	
	6: key: Server value: Google Frontend	
	7: key: Content-Length value: 36	
	8: key: Via value: 1.1 google	
cookie	*(Empty List)*	
body	{ "success": true, "availableSlots": [{ "times": ["9:30AM-11:30AM", "11:30AM-1:30PM", "1:30PM-3:30PM", "3:30PM-5:30PM", "5:30PM-7:30PM", "7:30PM-9:30PM", "9:30PM-11:30PM"], "day": "05/11/2020" }, { "times": ["5:30PM-7:30PM", "7:30PM-9:30PM", "9:30PM-11:30PM"], "day": "06/11/2020" }, { "times": ["9:30AM-11:30AM", "11:30AM-1:30PM", "1:30PM-3:30PM", "3:30PM-5:30PM", "5:30PM-7:30PM", "7:30PM-	

9:30PM", "9:30PM-11:30PM"], "day": "07/11/2020" }] }

7

name	DC List
request	

request

method	POST
header	*(Empty List)*
url	

url

raw	{{real-url}}/rest/v2/dcList
host	0: {{real-url}}
path	0: rest 1: v2 2: dcList

description	**Available Packages:** Starter Package, Scale Package, Enterprise Package, Marketplaces This API endpoint provides a list of all delivery companies integrated with OTO. If you have a contract with any of these companies, you can connect your account to OTO. Use the company's unique code to configure settings through the **DC Activation** and **DC Config** API endpoints. If a delivery company you have a contract with is not listed, please notify us to initiate the integration process.

response

0

name	200
originalRequest	

originalRequest

method	GET
header	*(Empty List)*
url	

url

raw	https://api.tryoto.com/rest/v2/dcList
protocol	https
host	0: api 1: tryoto 2: com
path	0: rest 1: v2 2: dcList

status	OK
code	200
_postman_previewlanguage	json
header	

header

0	key	Content-Type
	value	application/json;charset=utf-8
1	key	X-Cloud-Trace-Context
	value	1eb9d134855ffb0a5fba73ec6ef2ea55;o=1
2	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-

	Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key: Alt-Svc value: clear
5	key: Date value: Mon, 08 Nov 2021 06:48:40 GMT
6	key: Server value: Google Frontend
7	key: Content-Length value: 4380
8	key: Via value: 1.1 google
cookie	*(Empty List)*
body	{ "data": [{ "Name": "3speeds", "code": "3speeds" }, { "Name": "4PL", "code": "4pl" }, { "Name": "4U Express", "code": "4uexpress" }, { "Name": "4U Logistics", "code": "4u" }, { "Name": "9Cloud", "code": "9cloud" }, { "Name": "Adam Pharmacy", "code": "adamPharmacy" }, { "Name": "Adwar Logistics", "code": "adwar" }, { "Name": "Adwar Logistics (Logestechs)", "code": "adwarLogestechs" }, { "Name": "AHOY", "code": "ahoy" }, { "Name": "Ajalogistic", "code": "ajalogistic" }, { "Name": "Ajeek", "code": "ajeek" }, { "Name": "AJEX Logistics", "code": "ajex" }, { "Name": "AJEX T&#65533;rkiye", "code": "ajex-tr" }, { "Name": "Ajoul", "code": "ajoul" }, { "Name": "Ajwaa Afaq", "code": "ajwa" }, { "Name": "Al Hajer Logistics", "code": "alhajer" }, { "Name": "Al Saif Express", "code": "alsaifexpress" }, { "Name": "Al Shouroq express", "code": "alshouroq" }, { "Name": "Alam alkon", "code": "alamalkon" }, { "Name": "Alamyal", "code": "alamyal" }, { "Name": "Albabtain Logistic", "code": "albabtainLogistic" }, { "Name": "Alma Express", "code": "alma" }, { "Name": "Altariq App", "code": "altariq" }, { "Name": "Anwan Express", "code": "anwan" }, { "Name": "Araba Shipping Service", "code": "araba" }, { "Name": "Aramex", "code": "aramex" }, { "Name": "Aras Kargo", "code": "araskargo" }, { "Name": "Asyad Express", "code": "asyadV2" }, { "Name": "Atheryoun Express", "code": "atheryoun" }, { "Name": "Awfar Express", "code": "awfar" }, { "Name": "Awssal", "code": "awssal" }, { "Name": "Aymakan", "code": "aymakan" }, { "Name": "Banabikurye", "code": "banabikurye" }, { "Name": "Barig Logistics", "code": "barig" }, { "Name": "Barq Express", "code": "barqexpress" }, { "Name": "Barq Fleet", "code": "barq" }, { "Name": "Barq Jawhara", "code": "barq-jawhara" }, { "Name": "Beebolt", "code": "beebolt" }, { "Name": "BeeThere Delivery", "code": "beethere" }, { "Name": "Beez", "code": "beez" }, { "Name": "Beone", "code": "beone" }, { "Name": "Beone Fulfillment V2", "code": "beoneFfl"

}, { "Name": "Beone Lastmile", "code": "beoneLastmile" }, { "Name": "Best One", "code": "bestone" }, { "Name": "Beyond Delivery", "code": "beyondDelivery" }, { "Name": "BlueSky Express", "code": "bskyexpress" }, { "Name": "Bolt Kargo", "code": "boltkargo" }, { "Name": "Bosta", "code": "bostaV2" }, { "Name": "Boxed Up", "code": "boxedup" }, { "Name": "Boxex Express", "code": "boxex" }, { "Name": "BTC Logistics", "code": "btclogistic" }, { "Name": "Captain H", "code": "captainh" }, { "Name": "Careem", "code": "careem" }, { "Name": "Cigo", "code": "cigo" }, { "Name": "Cloud Express", "code": "cloudexpress" }, { "Name": "Cloud Shelf", "code": "cloud-shelf" }, { "Name": "Coldt", "code": "coldt" }, { "Name": "Collect+", "code": "collectplus" }, { "Name": "Dal", "code": "channels" }, { "Name": "Dal Cross City", "code": "dalCrossCity" }, { "Name": "Dal Fulfillment", "code": "channelsfulfillment" }, { "Name": "Dash Delivery", "code": "dashSaudi" }, { "Name": "Dayer Logistics", "code": "dayer" }, { "Name": "Dele Fast", "code": "delefast" }, { "Name": "Delex", "code": "delex" }, { "Name": "Delex (Logestechs)", "code": "delexLogestechs" }, { "Name": "Delifast", "code": "delifast" }, { "Name": "Deliver Now Logistics", "code": "delivernow" }, { "Name": "Deliverist", "code": "deliverist" }, { "Name": "Deliverist (Logestechs)", "code": "deliveristLogestechs" }, { "Name": "Delivery Support", "code": "deliverysupport" }, { "Name": "Delybell", "code": "delybell" }, { "Name": "DHL Express MyDHL", "code": "mydhl" }, { "Name": "DHL T&#65533;rkiye", "code": "dhlTr" }, { "Name": "DOS Express", "code": "dosexpress" }, { "Name": "Drb Express", "code": "drbexpress" }, { "Name": "Easy Delivery", "code": "easyDelivery" }, { "Name": "Ejack", "code": "ejack" }, { "Name": "Elite", "code": "elite" }, { "Name": "Emdad", "code": "emdad" }, { "Name": "Emirates Post", "code": "emiratespost" }, { "Name": "EMX", "code": "emx" }, { "Name": "Esal Parcel Transport Company", "code": "esal" }, { "Name": "Esnad Express", "code": "esnad" }, { "Name": "Eva Express", "code": "evaexpress" }, { "Name": "Falcon Express", "code": "falconExpress" }, { "Name": "Fareye", "code": "fareye" }, { "Name": "Fast Move Express", "code": "fastMove" }, { "Name": "Fastlo", "code": "fastlo" }, { "Name": "Fawran Logistics", "code": "fawran" }, { "Name": "Fazaah Logistics", "code": "fazaahLogistics" }, { "Name": "Fedex", "code": "fedex" }, { "Name": "FedEx Uluslararas? (PTS)", "code": "ptsv5FedEx" }, { "Name": "FedexGlobal", "code": "fedexGlobal" }, { "Name": "Fenix Express", "code": "fenix" }, { "Name": "Fenx Kuwait", "code": "fenxKuwait" }, { "Name": "Flexe Express", "code": "flexe" }, { "Name": "Flexible", "code": "flexible" }, { "Name": "Flickapp", "code": "flickapp" }, { "Name": "Flow Business - Flow LTD", "code":

"flowldt" }, { "Name": "Flow Express", "code": "flowexpress" }, { "Name": "Flowpl", "code": "flowpl" }, { "Name": "FODEL", "code": "fodel" }, { "Name": "Fulfillment Bridge", "code": "fulfillmentbridge" }, { "Name": "FULLex", "code": "fullex" }, { "Name": "Galaxy Delivery", "code": "galaxy" }, { "Name": "Gawamen", "code": "gawamen" }, { "Name": "Genac", "code": "genac" }, { "Name": "Getswift", "code": "getswift" }, { "Name": "GFS Express", "code": "gfsexpress" }, { "Name": "GLC", "code": "glcLogestechs" }, { "Name": "GLT Express", "code": "gltexpress" }, { "Name": "Happiness Gem", "code": "happinessgem" }, { "Name": "Hawa Logistics", "code": "hawa" }, { "Name": "Hejen Expresss", "code": "hejen" }, { "Name": "HepsiJet", "code": "hepsijet" }, { "Name": "HepsiJet Marketplace", "code": "hepsijetmarketplace" }, { "Name": "Hiblocks", "code": "hiblocks" }, { "Name": "Holol Al Diar", "code": "holol-aldiar" }, { "Name": "Horizon Speed", "code": "horizons" }, { "Name": "Horoz Lojistik", "code": "horoz" }, { "Name": "Horoz Lojistik Pazaryeri", "code": "horoz-marketplace" }, { "Name": "?letmen", "code": "iletmen" }, { "Name": "iMile", "code": "imile" }, { "Name": "IntercityXpress", "code": "intercityxpress" }, { "Name": "J&T Express", "code": "jtexpress" }, { "Name": "Jana Express", "code": "janaExpress" }, { "Name": "Jeebly", "code": "jeebly" }, { "Name": "Jeebly Now", "code": "jeeblynow" }, { "Name": "Jeebly V2", "code": "jeeblyV2" }, { "Name": "Jetizz", "code": "jetizz" }, { "Name": "JFL Express", "code": "jflexpress" }, { "Name": "Jones International Transportation Co.", "code": "jonestco" }, { "Name": "Jumia Logistics", "code": "jumia" }, { "Name": "KargoIst", "code": "kargoist" }, { "Name": "Kargoist", "code": "kargoistmarketplace" }, { "Name": "Kasib Express", "code": "kasib" }, { "Name": "Kedan", "code": "kedan" }, { "Name": "Kolay Gelsin", "code": "kolaygelsin" }, { "Name": "Kolay Gelsin (OTO)", "code": "kolaygelsin-marketplace" }, { "Name": "Kwick Box", "code": "kwickbox" }, { "Name": "Labaih", "code": "labaih" }, { "Name": "Lafasta", "code": "lafasta" }, { "Name": "Lafasta V4", "code": "lafastaV4" }, { "Name": "Lamha", "code": "lamha" }, { "Name": "Last Step", "code": "laststep" }, { "Name": "LastPoint", "code": "lastpoint" }, { "Name": "Logistic Care", "code": "logcare" }, { "Name": "Logistic Supplier", "code": "logisticSupplier" }, { "Name": "Logistiq", "code": "logistiq" }, { "Name": "Lyve", "code": "lyve" }, { "Name": "Lyve Bullet", "code": "lyve317" }, { "Name": "Macm", "code": "macm" }, { "Name": "Madar Express", "code": "madarexpress" }, { "Name": "Magic Delivery", "code": "magicexpress" }, { "Name": "Mahmool", "code": "mahmool" }, { "Name": "MajEx Express", "code": "majex" }, { "Name": "MATP Logistics", "code": "matp" }, {

"Name": "Milenow", "code": "milenow" }, { "Name": "Miles Speed", "code": "milespeeds" }, { "Name": "Mina Excellence", "code": "minaExcellence" }, { "Name": "Mkhdoom", "code": "mkhdoom" }, { "Name": "Mlc Go", "code": "mlcgo" }, { "Name": "MNG Kargo", "code": "mngkargo" }, { "Name": "MNG Kargo (OTO)", "code": "mngkargo-marketplace" }, { "Name": "Modern Support ", "code": "msc" }, { "Name": "Moments Logistics Service", "code": "momentsksa" }, { "Name": "Moovo Express", "code": "moovo" }, { "Name": "Mosool", "code": "mosool" }, { "Name": "Motqen", "code": "motqen" }, { "Name": "Mowasalt", "code": "mowasalt" }, { "Name": "MQ Express", "code": "mqexpress" }, { "Name": "Mrsool", "code": "mrsool" }, { "Name": "Munch On", "code": "munchon" }, { "Name": "Mylerz", "code": "mylerz" }, { "Name": "Najiz", "code": "najiz" }, { "Name": "Najiz Express", "code": "najizxpress" }, { "Name": "Naqel Bullet", "code": "naqelbullet" }, { "Name": "Naqel express", "code": "naqel" }, { "Name": "Naqel Fulfillment", "code": "naqelfulfillment" }, { "Name": "Naql Express", "code": "naql" }, { "Name": "Naseem Cold Delivery", "code": "naseem" }, { "Name": "Nashmi", "code": "nashmiLogestechs" }, { "Name": "Nasxpress", "code": "nasxpress" }, { "Name": "nGage", "code": "ngage" }, { "Name": "NiceOne Fleet", "code": "niceOneFleet" }, { "Name": "Nizar Logistics", "code": "nizar" }, { "Name": "Nord Logistics", "code": "nordlogistics" }, { "Name": "NYAZIK Logistics", "code": "nyazik" }, { "Name": "Octovan", "code": "octovan" }, { "Name": "Okadoc", "code": "okadoc" }, { "Name": "Omni Llama", "code": "omnillama" }, { "Name": "One Click Delivery", "code": "oneclick" }, { "Name": "Ontime Express", "code": "ontime" }, { "Name": "Onway", "code": "onway" }, { "Name": "OTO DMS", "code": "OTODMS" }, { "Name": "OTO Flex", "code": "otoDriverApp" }, { "Name": "PackUpp Delivery", "code": "packupp" }, { "Name": "Paket Taxi", "code": "pakettaxi" }, { "Name": "PDC", "code": "pdc" }, { "Name": "Pharmaciaty", "code": "pharmaciaty" }, { "Name": "Pharmaciaty TMS", "code": "pharmaciatyTMS" }, { "Name": "Placer", "code": "placer" }, { "Name": "Porter Express", "code": "porterex" }, { "Name": "Posta Plus V2", "code": "postaPlusV2" }, { "Name": "Postage Fulfillment", "code": "postageFulfillment" }, { "Name": "Postagexp", "code": "postagexp" }, { "Name": "PostaPlus", "code": "postaplus" }, { "Name": "Premium Shipping", "code": "premium-shipping" }, { "Name": "Pro Logistics", "code": "prolo" }, { "Name": "PTL Logistics", "code": "ptlLogistics" }, { "Name": "PTS Flex Uluslararas?", "code": "ptsv5Flex" }, { "Name": "PTT Kargo", "code": "pttKargo" }, { "Name": "Qatar Post", "code": "qatarpost" }, { "Name": "QDelivery", "code": "qdelivery" }, { "Name": "QLS Express", "code":

"qlsexpress" }, { "Name": "Quick Ship", "code": "quickship" }, { "Name": "Quick Silver", "code": "quicksilver" }, { "Name": "Quiqup", "code": "quiqup" }, { "Name": "R2 Express", "code": "r2express" }, { "Name": "R2S Logistics", "code": "r2slogistics" }, { "Name": "Rabbit Delivery", "code": "rabbitsa" }, { "Name": "Rabel Express", "code": "rabel" }, { "Name": "ReceiveHere", "code": "receivehere" }, { "Name": "RedBox", "code": "redbox" }, { "Name": "Redbox V2", "code": "redboxv2" }, { "Name": "Reverse Delivery", "code": "reverseDelivery" }, { "Name": "Road logistics", "code": "roadlogistic" }, { "Name": "Roban AlQiadah", "code": "robanAlQiadah" }, { "Name": "Roz Express", "code": "rozexpress" }, { "Name": "Run-X Logistics", "code": "runx" }, { "Name": "Runner", "code": "runner" }, { "Name": "S:Mile", "code": "smile" }, { "Name": "SaaSMile", "code": "saasmile" }, { "Name": "SACO LM", "code": "medscan" }, { "Name": "Saee", "code": "saee" }, { "Name": "Safe Arrival ", "code": "safearrival" }, { "Name": "Safe Box", "code": "safebox" }, { "Name": "Sahab Express", "code": "sahabexpress" }, { "Name": "Sahab Logistics", "code": "sahabLogistics" }, { "Name": "Sahm", "code": "sahm" }, { "Name": "Salasa (API Dog)", "code": "salasaApiDog" }, { "Name": "Sarokh", "code": "sarokh" }, { "Name": "Saudi Salam Logistics", "code": "salam" }, { "Name": "Send", "code": "send" }, { "Name": "Shgardi", "code": "shgardi" }, { "Name": "Ship Hero", "code": "shiphero" }, { "Name": "Shipa", "code": "shipa" }, { "Name": "Shipa Delivery V2", "code": "shipaV2" }, { "Name": "Shipa Fulfillment", "code": "shipafulfillment" }, { "Name": "Shipco Transport", "code": "shipco" }, { "Name": "ShipEntegra", "code": "shipEntegra" }, { "Name": "Shipox", "code": "shipox" }, { "Name": "Shuttle", "code": "shuttle" }, { "Name": "Skip Express", "code": "skipexpress" }, { "Name": "Skynet", "code": "skynet" }, { "Name": "SLD (Saudi Logistics and Delivery)", "code": "sld" }, { "Name": "SLS Express", "code": "sls" }, { "Name": "SLSC Logistic", "code": "slsclogsitic" }, { "Name": "Smart Point", "code": "smartpoint" }, { "Name": "SMB Express", "code": "smbexpress" }, { "Name": "SMI Express", "code": "smiexpress" }, { "Name": "SMSA B2B", "code": "smsab2b" }, { "Name": "Smsa Ecom V2", "code": "secom" }, { "Name": "Smsa Express", "code": "smsaV2" }, { "Name": "Smsa Omni", "code": "smsaomni" }, { "Name": "SMSA SDM", "code": "smsasdm" }, { "Name": "Soon Express", "code": "soonexpress" }, { "Name": "Sor3a Express", "code": "sor3aexpress" }, { "Name": "Speed Logistics", "code": "speedLogistics" }, { "Name": "SPL", "code": "saudiPost" }, { "Name": "SPL Fulfillment", "code": "splfulfillment" }, { "Name": "SPL UPDS", "code": "splUpds" }, { "Name": "SPL V2", "code": "saudiPostV2" }, { "Name":

"Sprint", "code": "sprint" }, { "Name": "Sps Express", "code": "spsexpress" }, { "Name": "Starlinks", "code": "starlinks" }, { "Name": "Starlinks (New)", "code": "starlinksNew" }, { "Name": "Styla Sewa", "code": "stylasewa" }, { "Name": "Sundouq", "code": "sundouq" }, { "Name": "S&#65533;rat Kargo (OTO)", "code": "surat-kargo-marketplace" }, { "Name": "SWEX Express", "code": "swex" }, { "Name": "Swift", "code": "swift" }, { "Name": "Syaal", "code": "syaal" }, { "Name": "Tabex", "code": "tabex" }, { "Name": "Tal Delivery", "code": "talDelivery" }, { "Name": "Tam", "code": "tam" }, { "Name": "Tamex", "code": "tamex" }, { "Name": "Tard Delivery", "code": "tard" }, { "Name": "Tard Delivery 2", "code": "tardV2" }, { "Name": "Tasawuq", "code": "tasawuq" }, { "Name": "Tawsela", "code": "tawsela" }, { "Name": "Tawzea Logistics", "code": "tawzea" }, { "Name": "TD Logistics", "code": "touchDown" }, { "Name": "TFM Express", "code": "tfmexpress" }, { "Name": "Thabit Logistics", "code": "thabit" }, { "Name": "The Arrow", "code": "thearrow" }, { "Name": "Tookan", "code": "tookan" }, { "Name": "Transcorp", "code": "transcorp" }, { "Name": "UPS", "code": "ups" }, { "Name": "UPS OAuth", "code": "ups2" }, { "Name": "UPS Uluslararas? (PTS)", "code": "ptsv5Ups" }, { "Name": "Uruk Express", "code": "uruk" }, { "Name": "USPS", "code": "usps" }, { "Name": "uTrac", "code": "utrac" }, { "Name": "Utrac Delivery", "code": "utracDelivery" }, { "Name": "VAAL", "code": "vaal" }, { "Name": "Wadha", "code": "wadha" }, { "Name": "Waseel Logistics", "code": "waseel" }, { "Name": "Waslnee", "code": "waslnee" }, { "Name": "Way Express", "code": "wayexpress" }, { "Name": "WeDeliver", "code": "wedeliver" }, { "Name": "Weenk App", "code": "weenkapp" }, { "Name": "Wepik Express", "code": "wepikexpress" }, { "Name": "XTurbo", "code": "xturbo" }, { "Name": "Yallow", "code": "yallow" }, { "Name": "Yamamah Express", "code": "yamamahexpress" }, { "Name": "Yamamah Express Logestechs", "code": "yamamahLogestechs" }, { "Name": "Yango", "code": "yango" }, { "Name": "Yango Next Day Delivery", "code": "yangondd" }, { "Name": "Yeswa", "code": "yeswa" }, { "Name": "Yurti&#65533;i Kargo", "code": "yurticiKargo" }, { "Name": "Yurti&#65533;i Kargo", "code": "yurtici-kargo-marketplace" }, { "Name": "Zajel", "code": "zajel" }, { "Name": "Zajil", "code": "zajil" }], "success": true }

8	**name**	**DC Config**
	request	
		method : **POST**
		header : *(Empty List)*
		body
		mode : **raw**
		raw : { "code":"aramex" }
		options : **raw** : **language** : **json**

url	raw	{{real-url}}/rest/v2/dcConfig
	host	0 {{real-url}}
	path	0 rest 1 v2 2 dcConfig
description	**Available Packages**: All Packages This API endpoint allows you to view the required account credentials and the template for the delivery company specified in the request, which are needed for the next step: DC activation. Retrieve the delivery company configuration template. Use this template to create a valid configuration object, similar to the given `exampleJson`. This configuration object is then used to activate the delivery company with the `DC Activation` API endpoint. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | code | yes | string | The integration name obtained from the DC List. |	

response	0	name	200
		originalRequest	method: POST header: *(Empty List)* body: mode: raw; raw: { "code":"aramex" }; options: raw, language: json url: raw: {{real-url}}/rest/v2/dcConfig; host: 0 {{real-url}}; path: 0 rest, 1 v2, 2 dcConfig
		status	OK
		code	200
		_postman_previewlanguage	json
		header	0 key: Content-Type; value: application/json;charset=utf-8 1 key: X-Cloud-Trace-Context; value: 665037e4022cd58163e6ab40071a6d60 2 key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 3 key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 4 key: Alt-Svc

	value	clear
5	key	Date
	value	Mon, 08 Nov 2021 06:50:09 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	943
8	key	Via
	value	1.1 google

cookie	*(Empty List)*
body	{ "settings": [{ "fieldName": "UserName", "parentJson": "ClientInfo", "fieldType": "string" }, { "fieldName": "Password", "parentJson": "ClientInfo", "fieldType": "string" }, { "fieldName": "Version", "parentJson": "ClientInfo", "fieldType": "string" }, { "fieldName": "AccountNumber", "parentJson": "ClientInfo", "fieldType": "string" }, { "fieldName": "AccountPin", "parentJson": "ClientInfo", "fieldType": "string" }, { "fieldName": "AccountEntity", "parentJson": "ClientInfo", "fieldType": "string" }, { "fieldName": "AccountCountryCode", "parentJson": "ClientInfo", "fieldType": "string" }, { "fieldName": "Source", "parentJson": "ClientInfo", "fieldType": "string" }, { "fieldName": "productType", "fieldType": "enum", "enumValues": "EPX,CDS,OND,GPX,GDX,DPX,DDX,PLX,PPX,PDX" }], "success": true, "exampleJSON": { "delivery_fee": 0, "rating": 0, "ClientInfo": { "UserName": "", "Version": "v1", "AccountPin": "", "AccountCountryCode": "SA", "AccountEntity": "RUH", "Source": 24, "Password": "", "AccountNumber": "" }, "productType": "CDS" } }

9

name	DC Activation	
request	method	POST
	header	*(Empty List)*
	body	mode: raw
		raw: { "code":"aramex", "deliveryOptionName":"api test aramex", "settings":{ "ClientInfo": { "UserName": "apitest@example.com", "Version": "v1", "AccountPin": "123", "AccountCountryCode": "SA", "AccountEntity": "RUH", "Source": 24, "Password": "123abc", "AccountNumber": "123456" }, "productType": "CDS" } }
		options: raw — language: json
	url	raw: {{real-url}}/rest/v2/dcActivation
		host: 0: {{real-url}}
		path: 0: rest; 1: v2; 2: dcActivation

description	**Available Packages:** All Packages This API endpoint is used to perform Delivery Company (DC) activation. It enables you to activate a delivery company by providing the required configuration details. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | code | yes | string | The integration name obtained from the `DC List.` | | deliveryOptionName | yes | string | A name you assign to easily identify this configuration. | | brandId | no | number | id of the brand created by `Create Brand` endpoint | | settings | yes | object | A configuration object created based on the example provided by the `DC Config` endpoint. | Note: You can activate 1 DC for the Free package and 3 DC for the Starter package and unlimited for other packages.		

response	0	name	200			
		originalRequest	method	POST		
			header	*(Empty List)*		
			body	mode	raw	
				raw	{ "code":"aramex", "deliveryOptionName" :"api test aramex", "brandID": 123, "settings":{ "ClientInfo": { "UserName": "apitest@example.com", "Version": "v1", "AccountPin": "123", "AccountCountryCode" : "SA", "AccountEntity": "RUH", "Source": 24, "Password": "123abc", "AccountNumber": "123456" }, "productType": "CDS" } }	
				options	raw	language json
			url	raw	{{real-url}}/rest/v2/dcActivation	
				host	0	{{real-url}}
				path	0	rest
					1	v2
					2	dcActivation
		status	OK			
		code	200			
		_postman_previewlanguage	json			
		header	0	key	Content-Type	
				value	application/json;charset=utf-8	
			1	key	X-Cloud-Trace-Context	
				value	f474b1f2ae9d6506663056823aae78a0;o=1	
			2	key	Alt-Svc	
				value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443";	

		ma=2592000,quic=":443"; ma=2592000; v="46,43"
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key	Alt-Svc
	value	clear
5	key	Date
	value	Mon, 08 Nov 2021 06:53:45 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	53
8	key	Via
	value	1.1 google
	cookie	*(Empty List)*
	body	{ "success": true, "deliveryOptionId":"123" }

10	name	Get Delivery Options	
	request	method	GET
		header	*(Empty List)*
		url	raw: {{real-url}}/rest/v2/getDeliveryOptions host: 0: {{real-url}} path: 0: rest; 1: v2; 2: getDeliveryOptions
		description	**Available Packages:** Starter Package, Scale Package, Enterprise Package, Marketplaces This API endpoint allows you to check coverage for your active delivery company contracts by providing either the `orderId` or the `city` details. Follow these guidelines: **Important:** - Do not include both `orderId` and `city` in the same request, as this will result in an error. - Ensure your request contains only one of these parameters to proceed successfully. **Request Parameters:** | Name | Required | **Type** | **Description** | | --- | --- | --- | --- | | city | no | string | Check coverage in the city. | | orderId | no | string | Check coverage for that specific order. |
	response	0	

name	200	
originalRequest	method	GET
	header	*(Empty List)*
	url	raw: {{real-url}}/rest/v2/getDeliveryOptions host: 0: {{real-url}} path: 0: rest

1	v2	
2	getDeliveryOptions	

status	OK
code	200
_postman_previewlanguage	json

header

0	key	Content-Type
	value	application/json;charset=utf-8
1	key	X-Cloud-Trace-Context
	value	d4eae5a4fbb49159a85b0764c0a0e8d5;o=1
2	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key	Alt-Svc
	value	clear
5	key	Date
	value	Tue, 02 Nov 2021 13:22:59 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	1565
8	key	Via
	value	1.1 google

cookie	*(Empty List)*
body	{ "success": true, "options": [{ "name": "Tam", "deliveryOptionId": 4, "integrationName": "tam" }, { "name": "Aymakan", "deliveryOptionId": 20, "webhookUrl": "https://login.tryoto.com/shipmentStatus?token=7NhG6Fhsk8MMoLYBMmMo&dc=aymakan" }, { "name": "Aramex", "deliveryOptionId": 22, "webhookUrl": "https://login.tryoto.com/shipmentStatus?token=TMcFSCSFSD3ctGpIk7wX&dc=aramex" }] }

1

name	200-by-id
originalRequest	

method	GET	
header	*(Empty List)*	
url	raw	{{real-url}}/rest/v2/getDeliver

		yOptions?id=10
	host	0 {{real-url}}
	path	0 rest 1 v2 2 getDeliveryOptions
	query	0 key: id value: 10
	status	OK
	code	200
	_postman_previewlanguage	json
	header	0 key: Content-Type value: application/json;charset=utf-8 1 key: X-Cloud-Trace-Context value: 057372a7e5413d00cc3a6e2ef93df252 2 key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 3 key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 4 key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 5 key: Date value: Sun, 30 Jan 2022 07:23:38 GMT 6 key: Server value: Google Frontend 7 key: Content-Length value: 174 8 key: Via value: 1.1 google
	cookie	*(Empty List)*
	body	{ "success": true, "options": [{ "name": "Clex ", "deliveryOptionId": 10, "dcName": "Clex ", "webhookUrl": "https://login.tryoto.com/shipmentStatus?token=VBV78cyfmn9mXDHYUK1Z&dc=clex" }] }
2	name	200-by city
	originalRequest	method: GET

header	0	key: Content-Type value: application/json type: text
url	raw	{{real-url}}/rest/v2/getDeliveryOptions?city=Riyadh
	host	0: {{real-url}}
	path	0: rest 1: v2 2: getDeliveryOptions
	query	0: key: city, value: Riyadh

_postman_previewlanguage	Text
header	null
cookie	*(Empty List)*
body	{ "success": true, "options": [{ "name": "Esnad Express", "deliveryOptionId": 679412, "integrationName": "esnad", "dcName": "Esnad Express" }, { "name": "Tam DC", "deliveryOptionId": 679312, "integrationName": "tam", "dcName": "Tam" }, { "name": "naqel", "deliveryOptionId": 644612, "integrationName": "naqel", "dcName": "Naqel express" }, { "name": "jtexpress", "deliveryOptionId": 631112, "integrationName": "jtexpress", "dcName": "J&T Express" }, { "name": "Spl test", "deliveryOptionId": 627912, "integrationName": "saudiPostV2", "dcName": "SPL V2" }] }

11

name	Get Cities	
request	method	POST
	header	0: key: x-forwarded-authorization value: Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImMxNTQwYWM3MWJiOTJhYTA2OTNjODI3MTkwYWNhYmU1YjA1NWNiZWMiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI4NjQiLCJjbGllbnRUeXBlIjoiRW50ZXJwcmlzZVBhY2thZ2UiLCJ1c2VyVHlwZSI6ImRyaXZlclVzZXIiLCJ1c2VyTmFtZSI6Ik11aGFtbWVkIE5lY2F0aSBQb2xhdCIsInVzZXJJZCI6IjI0NDI5IiwiZW1haWwiOiJtbnBAZ21haWwuY29tIiwiaXNzIjoiaHR0cHM6Ly9zZWN1cmV0b2tlbi5nb29nbGUuY29tL290by1zdGFnZS1hcGkiLCJhdWQiOiJvdG8tc3RhZ2UtYXBpIiwiYXV0aF90aW1lIjoxNzAyODkzNDY2LCJ1c2VyX2lkIjoiMEs0RXhjRWphSFg1aDNRRm1uTkxrTzczaERBMiIsInN1YiI6IjBLNEV4Y0VqYUhYNWgzUUZtbk5Ma083M2hEQTIiLCJpYXQiOjE3MjEyMjE2NjcsImV4cCI6MTcyMTIyNTI2NywiZW1haWxfdmVyaWZpZWQiOmZhbHNlLCJmaXJlYmFzZSI6eyJpZGVudGl0aWVzIjp7ImVtYWlsIjpbIm1ucEBnbWFpbC5jb20iXX0sInNpZ25faW5fcHJvdmlkZXIiOiJwYXNzd29yZCJ9fQ.on3ZFVUA6ys0dAcJZPIAsuBCJ-t7CVkQAhd4Pn7pW0i0H_uKCmfjyC4Yy4UhHrm3_oeRRq4_RmPMhDffwZOfT4913CSwzMeBuL1uJVAh0mytuOhegC-Tid84QAg84LFrjutnSfJYC618Cd1c5pzM5z5LVFnlyxxVzMISWKF8cvaKwJ4UnheuTpK0ps0P9UM09ExWkoJi5gP1T1aS8xOnW23QlegG16EMvOzzArbtp-8sRm1UtqDsSE6w1fMzxLZGOB6Zv6ofuNdjwTDR

	d0wFK1aF93vExnR84XbXUoPj9zMb-7_h9JfOafyb8BjoxmK3YQGXW1DAoh8fzqPfEdIv_g
type	text
disabled	Yes

body	mode	raw
	raw	{ "country": "SA", "perPage": 10, "page": 1 }
	options	raw language json

url	raw	{{real-url}}/rest/v2/getCities
	host	0 {{real-url}}
	path	0 rest 1 v2 2 getCities

description	**Available Packages:** All Packages This API endpoint is used to retrieve a list of cities of a given country. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | country | yes | string | The country for which cities are to be retrieved. | | perPage | no | integer | The number of cities to be displayed per page. Default value is 100, max value is 500. | | page | no | integer | The page number for pagination. | Example Response: ``` json { "getCities": { "totalCount": 1, "perPage": 1, "Cities": [{ "name": "Riyadh" }] } } ```

response

0

name	200 OK
originalRequest	method POST header *(Empty List)* body: mode raw; raw { "country": "SA", "perPage": 400, "page": 1 }; options raw language json url: raw https://api.tryoto.com/rest/v2/getCities; protocol https; host 0 api, 1 tryoto, 2 com; path 0 rest, 1 v2, 2 getCities
status	OK
code	200
_postman_previewlanguage	json
header	0 key Date; value Wed, 17 Jul 2024 15:13:59 GMT 1 key Content-Type; value application/json;charset=utf-8 2 key Content-Length; value 8672

3	key: Server value: Jetty(9.4.3.v20170317)
cookie	*(Empty List)*
body	{ "getCities": { "totalCount": 704, "perPage": 400, "Cities": [{ "name": "Aba Alworood" }, { "name": "Abayt" }, { "name": "Abha" }, { "name": "Abha Manhal" }, { "name": "Abiar Al Mashi" }, { "name": "Abil" }, { "name": "Abu Ajram" }, { "name": "Abu Al Arj" }, { "name": "Abu Arish" }, { "name": "Abu Arradeef" }, { "name": "Abu Dhiba" }, { "name": "Abu Hadriyah" }, { "name": "Abu Hajar" }, { "name": "Abu Muloh" }, { "name": "Abu Rakah" }, { "name": "Abu Rakh" }, { "name": "Ad Dahinah" }, { "name": "Ad Dalfaah" }, { "name": "Ad Dilam" }, { "name": "Ad Diriyah" }, { "name": "Ad Dubaiyah" }, { "name": "Ad Dumayriyah" }, { "name": "Ad Duwadimi" }, { "name": "Addayer" }, { "name": "Adham" }, { "name": "Afif" }, { "name": "Afraa" }, { "name": "Ahad Al Musarihah" }, { "name": "Ahad Bani Zayd" }, { "name": "Ahad Rifaydah" }, { "name": "Ain Al Nakhal" }, { "name": "Ain Dar" }, { "name": "Airj" }, { "name": "Al Aarid" }, { "name": "Al Abar" }, { "name": "Al Abyar" }, { "name": "Al Adari" }, { "name": "Al Adhiriyah" }, { "name": "Al Aflaj (Layla)" }, { "name": "Al Ahmar" }, { "name": "Al Ahmar-Yanbu" }, { "name": "Al Ahsaa" }, { "name": "Al Ais" }, { "name": "Al Aithmah" }, { "name": "Al Ajfar" }, { "name": "Al Ama ir" }, { "name": "Al Amaaria" }, { "name": "Al Amajiyah" }, { "name": "Al Amar" }, { "name": "Al Amlah" }, { "name": "Al Ammarah" }, { "name": "Al Amoah" }, { "name": "AL Andalus" }, { "name": "Al Aqiqah" }, { "name": "Al Aqool" }, { "name": "Al Aradiyah" }, { "name": "Al Araq" }, { "name": "Al Ardah" }, { "name": "Al Ardiyat" }, { "name": "Al Arfaa " }, { "name": "Al Arin" }, { "name": "Al Arja" }, { "name": "Al Aroos" }, { "name": "Al Artawi" }, { "name": "Al Asad" }, { "name": "Al Aseelh" }, { "name": "Al Ataya" }, { "name": "Al Atheeb" }, { "name": "Al Atif" }, { "name": "Al Awamer" }, { "name": "Al Bada" }, { "name": "Al Badai" }, { "name": "Al Badie Al Shamali " }, { "name": "Al Baha" }, { "name": "Al Bahah Region" }, { "name": "Al Baheem" }, { "name": "Al Bashayer" }, { "name": "AL BASR" }, { "name": "Al Batra" }, { "name": "Al Bijadyah" }, { "name": "Al Bikreyah" }, { "name": "Al Bir" }, { "name": "Al Bukayriyah" }, { "name": "Al Butayn" }, { "name": "Al Dalemya" }, { "name": "Al Dhabyah" }, { "name": "Al Dhahreyah" }, { "name": "Al Dheelah" }, { "name": "AL DUGHAIMIYAH" }, { "name": "Al Dulaymiyah" }, { "name": "Al Fagali" }, { "name": "Al Fara" }, { "name": "Al Farshah" }, { "name": "Al Fatiha" }, { "name": "Al Fawwarah" }, { "name": "Al Furaysh" }, { "name": "Al Fuwaileq" }, { "name": "Al Gafrat" }, { "name": "Al Gamri" }, { "name": "Al Gandla" }, { "name": "Al Gharif " }, { "name": "Al Ghat" }, { "name": "Al

Habjeia" }, { "name": "Al Haddar" }, { "name": "Al Hadror" }, { "name": "Al Haeer" }, { "name": "Al Haith" }, { "name": "Al Haqu" }, { "name": "Al Harara" }, { "name": "Al Hariq" }, { "name": "Al Harth" }, { "name": "Al Hayathem" }, { "name": "Al Hayeet" }, { "name": "Al Hazim" }, { "name": "Al Hazmi" }, { "name": "Al Henayah" }, { "name": "Al Heno" }, { "name": "Al Hifah" }, { "name": "Al Hijf" }, { "name": "Al Hilaliyah" }, { "name": "Al Hinnah" }, { "name": "Al huda" }, { "name": "Al Hudud Al Shamaliyah" }, { "name": "Al Hufayr" }, { "name": "Al Hufayyirah" }, { "name": "Al Hufuf" }, { "name": "Al Hulayfah As Sufla" }, { "name": "Al Hulwah" }, { "name": "Al Husayni" }, { "name": "Al Husayniyah" }, { "name": "Al Husayy" }, { "name": "Al Husima" }, { "name": "Al Huwaya east" }, { "name": "Al Idabi" }, { "name": "Al JABRIYAH" }, { "name": "Al Jafr" }, { "name": "Al Jaradiyah" }, { "name": "Al Jarf" }, { "name": "Al Jarn" }, { "name": "Al Jawf Region" }, { "name": "Al Jawwah" }, { "name": "Al Jifah" }, { "name": "Al Jithamiyah" }, { "name": "Al Jubail" }, { "name": "Al Jubailah" }, { "name": "Al Jumum" }, { "name": "Al kadami" }, { "name": "Al Kadarah" }, { "name": "Al Kamil" }, { "name": "Al Khafji" }, { "name": "Al Khalaf" }, { "name": "Al Khaniq" }, { "name": "Al Kharj" }, { "name": "Al Kharkhir" }, { "name": "Al Khashabiyah" }, { "name": "Al Khasiybahi" }, { "name": "Al Khitah" }, { "name": "Al khoba" }, { "name": "Al Khubar" }, { "name": "Al Khuffiyah" }, { "name": "Al khuraybah" }, { "name": "Al Khuraytah" }, { "name": "Al Khurmah" }, { "name": "Al Khushaybi" }, { "name": "Al Lahien" }, { "name": "Al Laqayit" }, { "name": "Al Lsawiyah" }, { "name": "Al Ma`ashabah" }, { "name": "Al Mada" }, { "name": "Al Madaya" }, { "name": "Al Madha" }, { "name": "Al Madinah Region" }, { "name": "AL MAHANI" }, { "name": "Al Mahd" }, { "name": "Al Majardah" }, { "name": "Al Majmaah" }, { "name": "AL MALIDA" }, { "name": "Al Marameh" }, { "name": "Al Markaz" }, { "name": "Al Marmuthah" }, { "name": "Al Marooj" }, { "name": "Al Masgi" }, { "name": "Al Mayyah" }, { "name": "Al Midhnab" }, { "name": "Al Midrij" }, { "name": "Al Mishaliah" }, { "name": "Al Mothalath" }, { "name": "Al Mozvin" }, { "name": "Al Mubarakah" }, { "name": "Al Mudayyih" }, { "name": "Al Mukhwah" }, { "name": "Al Mulaylih" }, { "name": "Al Muntashar" }, { "name": "Al Musayjid" }, { "name": "Al Muwaylih" }, { "name": "Al Muzahimiyah" }, { "name": "Al Nabah" }, { "name": "Al Nuzha" }, { "name": "Al Ogam" }, { "name": "Al Qaa" }, { "name": "Al Qaid" }, { "name": "Al Qaied" }, { "name": "Al Qarin" }, { "name": "Al Qarinah" }, { "name": "Al Qassim Region" }, { "name": "Al Qatif" }, { "name": "Al Qeddeh" }, { "name": "Al Qirawan" }, { "name": "Al qowarah" }, { "name": "Al Qulayyib" }, { "name": "Al Qunfidhah" }, { "name": "Al Qurainah" }, { "name": "Al Qurayyat" }, { "name": "AL

QURESHIYAT" }, { "name": "Al Rafaeya'a" }, { "name": "Al Rafaie" }, { "name": "Al Rathaya" }, { "name": "Al Rayis" }, { "name": "Al Reeth" }, { "name": "Al Ruqi" }, { "name": "Al Sahalil" }, { "name": "Al Salamah" }, { "name": "AL SAYL ALKHABIR" }, { "name": "AL SAYL ALSAGHIR" }, { "name": "Al Shatt" }, { "name": "Al Shegrah" }, { "name": "Al Shehiyah" }, { "name": "Al Sheqiqah" }, { "name": "Al Shlayil" }, { "name": "Al Shoqiyah" }, { "name": "Al Shuaba" }, { "name": "Al Sih" }, { "name": "Al Subaykhah" }, { "name": "Al Sulaimi" }, { "name": "Al tanumah" }, { "name": "Al Taraf" }, { "name": "Al Theniah" }, { "name": "Al Torkiyah" }, { "name": "Al Twaitheer" }, { "name": "Al Udayd" }, { "name": "Al Uferiah" }, { "name": "Al Uwayqilah" }, { "name": "Al Waddean" }, { "name": "Al Wajh" }, { "name": "Al Wannan" }, { "name": "Al Wasayta" }, { "name": "Al-Batna" }, { "name": "Al-halaa" }, { "name": "AL-JUAYMAH" }, { "name": "Al-Matan" }, { "name": "Al-MNSALA" }, { "name": "Al-Nasifa" }, { "name": "Al-Umran" }, { "name": "Al-Wozeyh" }, { "name": "Alabadilah" }, { "name": "Alarjeen" }, { "name": "Alasilan" }, { "name": "Alearduh" }, { "name": "Algayed" }, { "name": "Alhada" }, { "name": "Alhayma" }, { "name": "Aliland" }, { "name": "AlJanadria" }, { "name": "Alkhazzan" }, { "name": "AlKhhafah" }, { "name": "Almazef" }, { "name": "Almutayrifi" }, { "name": "Almuzayri" }, { "name": "Alnabhanya" }, { "name": "Alqabil" }, { "name": "Alquaba" }, { "name": "AlQudaih" }, { "name": "Alqurra" }, { "name": "Alshahili" }, { "name": "Alshihyah" }, { "name": "Alshuqayri" }, { "name": "Alshwaaq" }, { "name": "Alsilaa" }, { "name": "Alsulmania" }, { "name": "Alturfiyah" }, { "name": "Alwasqah" }, { "name": "Alyutamah" }, { "name": "Amaaer Ben Sana'a" }, { "name": "Amaq" }, { "name": "An Nabiyah" }, { "name": "An Nabk Abu Qasr" }, { "name": "An nabqiyyah" }, { "name": "An Nafiah" }, { "name": "An Nasiriyah" }, { "name": "An Nawwariyyah" }, { "name": "An Nazayim" }, { "name": "An Nuayriyah" }, { "name": "An Nuqrah" }, { "name": "Aqiq" }, { "name": "Ar Radifah" }, { "name": "Ar Rafi'ah" }, { "name": "Ar Rafiah" }, { "name": "Ar Rass" }, { "name": "Ar Rawdah " }, { "name": "AR RAYN" }, { "name": "Ar Rishawiyah" }, { "name": "Arafa" }, { "name": "Arar" }, { "name": "Artawiah" }, { "name": "As Sahwah" }, { "name": "As Sam'uriyah" }, { "name": "As Shamli" }, { "name": "As Sihaf" }, { "name": "As Sulaimaniyah" }, { "name": "As Sulayyil" }, { "name": "As Sulubiayh" }, { "name": "Asbtar" }, { "name": "asdadadeaed" }, { "name": "asdasd" }, { "name": "asdasdrertyr" }, { "name": "asdqtrawqew" }, { "name": "Asfan" }, { "name": "Ash Shaara" }, { "name": "Ash Shananah" }, { "name": "Ash Shimasiyah" }, { "name": "Ash Shinan" }, { "name": "Ash Shumaysi" }, { "name": "Ash Shuqaiq" }, { "name": "Ash

Shuqrah" }, { "name": "Asheerah Sudayer" }, { "name": "Asir" }, { "name": "Asir Region" }, { "name": "Assadawi" }, { "name": "Assalmanyah" }, { "name": "Assiyah" }, { "name": "Asuwayq" }, { "name": "At Tan'Im" }, { "name": "At Tiraq" }, { "name": "At Tuwal" }, { "name": "At Tuwayr" }, { "name": "Atawleh" }, { "name": "Ath Thamiriyah" }, { "name": "Ath Thybiyah" }, { "name": "Awamiah" }, { "name": "Awdah Sudayer" }, { "name": "Ayn Fuhayd" }, { "name": "Az Zughayn" }, { "name": "Az Zulfi" }, { "name": "Badar Hunain" }, { "name": "Badr" }, { "name": "Badr Al Janoub" }, { "name": "Bahara" }, { "name": "Bahr Abu Sukaynah" }, { "name": "Bahrain Causeway" }, { "name": "Bahrat Al Moujoud" }, { "name": "Balahmar" }, { "name": "Baljurashi" }, { "name": "Balqarn" }, { "name": "Banban" }, { "name": "Bani Hamim" }, { "name": "Bani Hasan" }, { "name": "Bani Malek" }, { "name": "Baqa Ash Sharqiyah" }, { "name": "Baqaa" }, { "name": "Bareq" }, { "name": "Batha" }, { "name": "Bawathil" }, { "name": "Baynah" }, { "name": "Baysh" }, { "name": "Billasmar" }, { "name": "Bin Aqeel Palace" }, { "name": "Bir Bin Harmas" }, { "name": "Birk" }, { "name": "Bishah" }, { "name": "Buqayq" }, { "name": "Buraydah" }, { "name": "Daelim" }, { "name": "Dahu" }, { "name": "Damad" }, { "name": "Dammam" }, { "name": "Darb" }, { "name": "Dariyah" }, { "name": "Dawmat Al Jandal" }, { "name": "dayida" }, { "name": "Deraab" }, { "name": "Dhahban" }, { "name": "Dhahran" }, { "name": "Dhahran Al Janoub" }, { "name": "DHALAM" }, { "name": "Dhurma" }, { "name": "Duba" }, { "name": "DUBAY'AH" }, { "name": "Duhknah" }, { "name": "Dulay Rashid" }, { "name": "Dulayhan" }, { "name": "dummy" }, { "name": "Eaqabat shiear" }, { "name": "Eastern Province" }, { "name": "Eastern Region" }, { "name": "Eayan dar aljadida" }, { "name": "Eayan dar alqadima" }, { "name": "Edadh" }, { "name": "Either" }, { "name": "El-Ebva" }, { "name": "Eshirah" }] } }

1	**name**	409 country null
	originalRequest	

originalRequest

method	POST	
header	*(Empty List)*	
body	**mode**	raw
	raw	{ "perPage": 1000, "page": 1 }
	options	**raw** → **language** → json
url	**raw**	{{real-url}}/rest/v2/getCities
	host	0 → {{real-url}}
	path	0 → rest 1 → v2 2 → getCities

status	Conflict
code	409
_postman_previewlanguage	json
header	0: key: Date, value: Wed, 17 Jul 2024 15:00:18 GMT 1: key: Content-Type, value: application/json;charset=utf-8 2: key: Content-Length, value: 46 3: key: Server, value: Jetty(9.4.3.v20170317)
cookie	*(Empty List)*
body	{ "success": false, "errorMsg": "country is null" }

9

name	Pickup Locations

item 0

name	Create Pickup Location

request

method	POST
header	*(Empty List)*

body

mode	raw
raw	{ "type": "warehouse", "code": "code-02", "name": "Location-02 Name", "mobile": "555888777", "address": "Test warehouse 3539, Al Khalidiyyah Al Janubiyyah, Dammam 32225", "contactName": "Test Contact", "contactEmail": "Test Email", "lat": "26.001", "lon": "50.001", "city": "Dammam", "country":"SA", "postcode": "12345", "servingRadius": "10", "brandName": "Example Seller" }
options	raw: language: json

url

raw	{{real-url}}/rest/v2/createPickupLocation
host	0: {{real-url}}
path	0: rest 1: v2 2: createPickupLocation

description

Available Packages: All Packages This API endpoint allows you to define and register a new pickup location within the system. By specifying the location details, you can expand your network of pickup points, improving logistics and delivery workflows. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | name | yes | string | Name of the pickup location | | type | no | string | You can enter these values: `branch`, `warehouse`.
Branch can only be used by enterprise and marketplace packages | | code | yes | string | Code of the pickup location | | mobile | yes | string | Mobile number of the pickup location | | lat | no | number | Latitude, *if not exist orders may not assigned to pickupLocations automatically | | lon | no | number | Longitude, * if not exist orders may not assigned to pickupLocations automatically | | city | yes | string | City name of the pickup location | | country | yes | string | Country ISO2 code "SA","AE" etc. | | postcode | no | string | Postal code of the pickup location | | address | yes | string | Address of the pickup location | | district | no | string | The district or area where the location is situated | | state | no | string | The state or province where the pickup location is located | | street | no

| string | The street address of the pickup location | | contactName | yes | string | If not exists you may not create shipments with some delivery companies | | contactEmail | yes | string | In format of [test@example.com](https://) | | servingRadius | no | number | Serving radius of branch in KM | | brandName | no | string | Store brand name which this location belongs to. | | status | no | string | Status of the pickup location(active, inactive) |

response	0	name	200 warehouse
		originalRequest	method: POST
			header: *(Empty List)*
			body: mode: raw
			raw: { "type": "warehouse", "code": "code-01", "name": "Location Name", "mobile": "555888777", "address": "Test warehouse 3539, Al Khalidiyyah Al Janubiyyah, Dammam 32225", "contactName": "Test Contact", "contactEmail": "Test Email", "lat": "26.001", "lon": "50.001", "city": "Dammam", "district":"Al Khalidiyyah", "street":"Al Janubiyyah", "state":"Eastern Province", "country":"SA", "postcode": "12345", "servingRadius": "10", "brandName": "Example Seller", "status": "active" }
			options: raw: language: json
			url: raw: https://api.tryoto.com/rest/v2/createPickupLocation
			protocol: https
			host: 0: api; 1: tryoto; 2: com
			path: 0: rest; 1: v2; 2: createPickupLocation
		status	OK
		code	200
		_postman_previewlanguage	json
		header	0: key: Content-Type; value: application/json;charset=utf-8
			1: key: X-Cloud-Trace-Context; value: 670ef00be5ba7a8b959e8e6c913

		be189;o=1
2	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key	Alt-Svc
	value	clear
5	key	Date
	value	Tue, 02 Nov 2021 14:19:10 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	71
8	key	Via
	value	1.1 google
	cookie	*(Empty List)*
	body	{ "warhouseId": "123", "pickupLocationCode":"code-01", "success": true, "message": "warhouse has been created" }
1	name	200 branch
	originalRequest	
	method	POST
	header	*(Empty List)*
	body	
	mode	raw
	raw	{ "type": "branch", "code": "code-01", "name": "Location Name", "mobile": "555888777", "address": "Test warehouse 3539, Al Khalidiyyah Al Janubiyyah, Dammam 32225", "contactName": "Test Contact", "contactEmail": "Test Email", "lat": "26.001", "lon": "50.001", "city": "Dammam", "district":"Al Khalidiyyah", "street":"Al Janubiyyah", "state":"Eastern Province", "country":"SA",

	"postcode": "12345", "servingRadius": "10", "brandName": "Example Seller", "status": "active" }
options	raw language json
url	raw {{real-url}}/rest/v2/createPickupLocation
	host 0 {{real-url}}
	path 0 rest 1 v2 2 createPickupLocation
status	OK
code	200
_postman_previewlanguage	json
header	0 key Content-Type value application/json;charset=utf-8
	1 key X-Cloud-Trace-Context value 670ef00be5ba7a8b959e8e6c913be189;o=1
	2 key Alt-Svc value h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
	3 key Alt-Svc value h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
	4 key Alt-Svc value clear
	5 key Date value Tue, 02 Nov 2021 14:19:10 GMT
	6 key Server value Google Frontend
	7 key Content-Length value 71
	8 key Via value 1.1 google
cookie	*(Empty List)*
body	{ "warehouseId": "123", "pickupLocationCode":"code-01", "success": true, "message": "warhouse has been created" }

2	name	200-exist
	originalRequest	method: POST header: *(Empty List)* body: mode: raw raw: { "type": "warehouse", "code": "code-01", "name": "Location Name", "mobile": "555888777", "address": "Test warehouse 3539, Al Khalidiyyah Al Janubiyyah, Dammam 32225", "contactName": "Test Contact", "contactEmail": "Test Email", "lat": "26.001", "lon": "50.001", "city": "Dammam", "district":"Al Khalidiyyah", "street":"Al Janubiyyah", "state":"Eastern Province", "country":"SA", "postcode": "12345", "servingRadius": "10", "brandName": "Example Seller", "status": "active" } options: raw: language: json url: raw: {{real-url}}/rest/v2/createPickupLocation host: 0: {{real-url}} path: 0: rest; 1: v2; 2: createPickupLocation
	status	OK
	code	200
	_postman_previewlanguage	json
	header	0: key: Content-Type; value: application/json;charset=utf-8 1: key: X-Cloud-Trace-Context; value: dc5da99dde98c1bbeb822597dd7958fc 2: key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 3: key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-

		Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key	Alt-Svc
	value	clear
5	key	Date
	value	Tue, 02 Nov 2021 14:29:23 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	74
8	key	Via
	value	1.1 google
cookie		*(Empty List)*
body		{ "warhouseId": "123", "pickupLocationCode":"code-01", "success": true, "message": "warhouse has already exist" }

1	name	Update Pickup Location	
	event	0	listen: test
			script: exec: 0
			1 // var jsonData = pm.response.json();
			2 // console.log("branchId"+jsonData.branchId);
			3
			4
			5 pm.test("Status code is 200", function () {
			6 pm.response.to.have.status(200);
			7 });
			type: text/javascript
			packages: *(Empty Object)*
	request	method	POST
		header	*(Empty List)*
		body	mode: raw
			raw: { "type": "warehouse", "code": "code-02", "name": "Location-02 Name", "mobile": "555888777", "address": "Test warehouse 3539, Al Khalidiyyah Al Janubiyyah, Dammam 32225", "contactName": "Test Contact", "contactEmail": "Test Email", "lat": "26.001", "lon": "50.001", "city": "Dammam", "district":"Latifah Manaf", "street":"Long Street", "state":"Eastern Province", "country": "SA", "postcode": "77777", "servingRadius": "10", "brandName": "Example Seller 2", "status":"active" }
			options: raw: language: json
		url	raw: {{real-url}}/rest/v2/updatePickupLocation
			host: 0 {{real-url}}
			path: 0 rest
			1 v2
			2 updatePickupLocation

description	**Available Packages:** All Packages This API endpoint allows you to modify the details of your existing pickup locations efficiently. This endpoint provides a streamlined way to ensure that your pickup location information remains accurate and up to date, enabling smooth and reliable operations. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | name | yes | string | Name of the pickup location | | type | no | string | You can enter these values: `branch`, `warehouse`. Branch can only be used by enterprise and marketplace packages | | code | yes | string | Code of the pickup location | | mobile | yes | string | Mobile number of the pickup location | | lat | no | number | Latitude, *if not exist orders may not assigned to pickupLocations automatically | | lon | no | number | Longitude, * if not exist orders may not assigned to pickupLocations automatically | | city | yes | string | City name of the pickup location | | country | yes | string | Country ISO2 code "SA","AE" etc. | | postcode | no | string | Postal code of the pickup location | | address | yes | string | Address of the pickup location | | district | no | string | The district or area where the location is situated | | state | no | string | The state or province where the pickup location is located | | street | no | string | The street address of the pickup location | | contactName | yes | string | If not exists you may not create shipments with some delivery companies | | contactEmail | yes | string | In format of [test@example.com](https://) | | servingRadius | no | number | Serving radius of branch in KM | | brandName | no | string | Store brand name which this location belongs to. | | status | no | string | Status of the pickup location(active, inactive) |

response

0

name	200 OK
originalRequest	
method	POST
header	*(Empty List)*
body	
mode	raw
raw	{ "type": "warehouse", "code": "code-02", "name": "Location-02 Name", "mobile": "555888777", "address": "Test warehouse 3539, Al Khalidiyyah Al Janubiyyah, Dammam 32225", "contactName": "Test Contact", "contactEmail": "Test Email", "lat": "26.001", "lon": "50.001", "city": "Dammam", "postcode": "77777", "servingRadius": "10", "brandName": "Example Seller 2" }
options	raw: language: json
url	
raw	{{real-url}}/rest/v2/updatePickupLocation
host	0: {{real-url}}
path	0: rest 1: v2 2: updatePickupLocation
status	OK
code	200

	_postman_previewlanguage	json
	header	0 key: Content-Type value: application/json;charset=utf-8 1 key: X-Cloud-Trace-Context value: 7b588b60963af03b8c9917c6dcec1da5;o=1 2 key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 3 key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 4 key: Alt-Svc value: clear 5 key: Date value: Mon, 25 Oct 2021 15:15:59 GMT 6 key: Server value: Google Frontend 7 key: Content-Length value: 34 8 key: Via value: 1.1 google
	cookie	*(Empty List)*
	body	{ "branchId": "1878", "pickupLocationCode": "code-02", "success": true }
1	name	400 Bad Request
	originalRequest	method: POST header: *(Empty List)* body: mode: raw raw: { "type": "warehouse", "code": "code-02", "name": "Location-02 Name", "mobile": "555888777", "address": "Test warehouse 3539, Al Khalidiyyah Al Janubiyyah, Dammam 32225", "contactName": "Test Contact", "contactEmail": "Test Email", "lat": "26.001", "lon": "50.001", "city": "Dammam",

	"postcode": "77777", "servingRadius": "10", "brandName": "Example Seller 2" }
options	raw language json
url	
raw	{{real-url}}/rest/v2/updatePickupLocation
host	0 {{real-url}}
path	0 rest 1 v2 2 updatePickupLocation
status	Bad Request
code	400
_postman_previewlanguage	json
header	
0	key Content-Type value application/json;charset=utf-8
1	key X-Cloud-Trace-Context value e2bd74db5e3f67597b8346cc21d76614;o=1
2	key Alt-Svc value h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
3	key Alt-Svc value h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key Alt-Svc value clear
5	key Date value Mon, 25 Oct 2021 15:27:24 GMT
6	key Server value Google Frontend
7	key Content-Length value 87
8	key Via value 1.1 google
cookie	*(Empty List)*
body	{ "success": false, "errorCode": 5, "errorMsg": "Code, Mobile and Location must be provided" }
2	name 404

originalRequest	method: POST header: *(Empty List)* body: mode: raw raw: { "type": "branch", "code": "code-02", "name": "Location-02 Name", "mobile": "555888777", "address": "Test warehouse 3539, Al Khalidiyyah Al Janubiyyah, Dammam 32225", "contactName": "Test Contact", "contactEmail": "Test Email", "lat": "26.001", "lon": "50.001", "city": "Dammam", "postcode": "77777", "servingRadius": "10", "brandName": "Example Seller 2" } options: raw: language: json url: raw: {{real-url}}/rest/v2/updatePickupLocation host: 0: {{real-url}} path: 0: rest 1: v2 2: updatePickupLocation
status	Not Found
code	404
_postman_previewlanguage	json
header	0: key: Content-Type, value: application/json;charset=utf-8 1: key: X-Cloud-Trace-Context, value: a3e8bb4c874420c2b88394045a067463;o=1 2: key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 3: key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 4: key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000

Converted by anyconv.com

5	key	Date
	value	Sun, 16 Jan 2022 10:45:05 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	56
8	key	Via
	value	1.1 google

cookie	*(Empty List)*
body	{ "success": false, "errorMsg": "Pickup locaiton not found" }

2

name	Get Pickup Location List		
protocolProfileBehavior	disableBodyPruning	Yes	
request	method	GET	
	header	*(Empty List)*	
	body	mode	raw
		raw	*(Empty Text)*
		options	raw language json
	url	raw	{{real-url}}/rest/v2/getPickupLocationList?minDate=2024-08-01&maxDate=2024-08-05&status=active
		host	0 {{real-url}}
		path	0 rest 1 v2 2 getPickupLocationList
		query	0 key minDate value 2024-08-01 1 key maxDate value 2024-08-05 2 key status value active
	description	**Available Packages:** All Packages This API endpoint enables you to retrieve a comprehensive list of pickup locations by specifying a date range and status. This endpoint provides an efficient way to filter and access relevant pickup location data, ensuring streamlined tracking and management. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | minDate | no | date | Starting Pickup location create date in "yyyy-mm-dd" format. (e.g. "2024-08-01") | | maxDate | no | date | Ending Pickup location create date in "yyyy-mm-dd" format. (e.g. "2024-08-05") | | status | no | string | Status of the pickup location(active, inactive) | **Response Body** The response includes a boolean flag "success" indicating the success of the request, along with arrays of "warehouses" and "branches" containing details of pickup locations including their codes, addresses,	

			contact information, geographical coordinates, and other relevant attributes. ``` json { "success": true, "warehouses": [{ "code": "code-999", "address": "Test warehouse 3539, Al Khalidiyyah Al Janubiyyah, Dammam 32225", "contactEmail": "Test Email", "city": "Dammam", "name": "Location Name", "contactPerson": "Test Contact", "lon": 50.001, "id": 17051, "contactPhone": "555888777", "lat": 26.001 }, { "code": "code-95", "address": "Test warehouse 3539, Al Khalidiyyah Al Janubiyyah, Dammam 32225", "contactEmail": "Test Email", "city": "Dammam", "name": "Location Name", "contactPerson": "Test Contact", "lon": 50.001, "id": 17052, "contactPhone": "555888777", "lat": 26.001 }], "branches": [{ "code": "code-96", "address": "Test warehouse 3539, Al Khalidiyyah Al Janubiyyah, Dammam 32225", "contactEmail": "Test Email", "city": "Dammam", "name": "Location-02 Name", "contactPerson": "Test Contact", "lon": 50.001, "id": 18203, "contactPhone": "555888777", "lat": 26.002 }] } ```
response	0	name	200 OK
		originalRequest	method: GET
			header: 0 — key: x-forwarded-authorization
			value: Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImMxNTQwYWM3MWJiOTJhYTA2OTNjODI3MTkwYWNhYmU1YjA1NWNiZWMiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI4NjQiLCJjbGllbnRUeXBlIjoiRW50ZXJwcmlzZVBhY2thZ2UiLCJ1c2VyVHlwZSI6ImRyaXZlclVzZXIiLCJ1c2VyTmFtZSI6Ik11aGFtbWVkIE5lY2F0aSBQb2xhdCIsI

nVzZXJJ
ZCI6IjI0
NDI5Iiwi
ZW1ha
WwiOiJt
bnBAZ2
1haWw
uY29tIi
wiaXNzI
joiaHR0
cHM6Ly
9zZWN1
cmV0b2
tlbi5nb2
9nbGUu
Y29tL29
0by1zd
GFnZS1
hcGkiLC
JhdWQi
OiJvdG8
tc3RhZ2
UtYXBpI
iwiYXV0
aF90aW
1lIjoxNz
AyODkz
NDY2LC
J1c2VyX
2lkIjoiM
Es0RXhj
RWphS
Fg1aDN
RRm1uT
kxrTzcz
aERBMiI
sInN1YiI
6IjBLNE
V4Y0Vq
YUhYN
WgzUU
Ztbk5M
a083M2
hEQTIiL
CJpYXQi
OjE3MjE
yMjE2Nj
csImV4c
CI6MTcy
MTIyNTI
2NywiZ
W1haW
xfdmVy
aWZpZ
WQiOm
ZhbHNl
LCJmaXJ
lYmFzZ
SI6eyJp
ZGVudG
l0aWVzI
jp7ImVt
YWlsIjp
bIm1uc
EBnbWF
pbC5jb2
0iXX0sI
nNpZ25
faW5fc
HJvdmlk
ZXIiOiJ
wYXNzd
29yZCJ9

		fQ.on3ZFVUA6ys0dAcJZPIAsuBCJ-t7CVkQAhd4Pn7pW0i0H_uKCmfjyC4Yy4UhHrm3_oeRRq4_RmPMhDffwZOfT4913CSwzMeBuL1uJVAh0mytuOhegC-Tid84QAg84LFrjutnSfJYC618Cd1c5pzM5z5LVFnIyxxVzMISWKF8cvaKwJ4UnheuTpK0ps0P9UM09ExWkoJi5gP1T1aS8xOnW23QlegG16EMvOzzArbtp-8sRm1UtqDsSE6w1fMzxLZGOB6Zv6ofuNdjwTDRd0wFK1aF93vExnR84XbXUoPj9zMb-7_h9JfOafyb8BjoxmK3YQGXW1DAoh8fzqPfEdIv_g
	type	text
url	raw	https://api.tryoto.com/rest/v2/getPickupLocationList
	protocol	https
	host	0 api 1 tryoto 2 com

	path	0 rest 1 v2 2 getPickupLocationList
status	OK	
code	200	
_postman_previewlanguage	json	
header	0 key: Date value: Sun, 04 Aug 2024 14:58:18 GMT 1 key: Content-Type value: application/json;charset=utf-8 2 key: Content-Length value: 819 3 key: Server value: Jetty(9.4.3.v20170317)	
cookie	*(Empty List)*	
body	{ "success": true, "warehouses": [{ "code": "code-999", "address": "Test warehouse 3539, Al Khalidiyyah Al Janubiyyah, Dammam 32225", "contactEmail": "Test Email", "city": "Dammam", "name": "Location Name", "contactPerson": "Test Contact", "lon": 50.001, "id": 17051, "contactPhone": "555888777", "lat": 26.001 }, { "code": "code-95", "address": "Test warehouse 3539, Al Khalidiyyah Al Janubiyyah, Dammam 32225", "contactEmail": "Test Email", "city": "Dammam", "name": "Location Name", "contactPerson": "Test Contact", "lon": 50.001, "id": 17052, "contactPhone": "555888777", "lat": 26.001 }], "branches": [{ "code": "code-96", "address": "Test warehouse 3539, Al Khalidiyyah Al Janubiyyah, Dammam 32225", "contactEmail": "Test Email", "city": "Dammam", "name": "Location-02 Name", "contactPerson": "Test Contact", "lon": 50.001, "id": 18203, "contactPhone": "555888777", "lat": 26.002 }] }	
1 name	400 Bad Request	
originalRequest		

method	GET		
header	0	key	x-forwarded-authorization
		value	Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImMxNTQwYWM3MWJiOTJhYTA2OTNjODI3MTkwYWNhYmU1YjA1NWNiZWMiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI4NjQiLCJjbGllbnRUeXBlIjoiRW50ZXJwcmlzZVBhY2thZ2UiLCJ1c2VyVHlwZSI6ImRyaXZlclVzZXIiLCJ1c2VyTmFtZSI6Ik11aGFtbWVkIE5lY2F0aSBQb2xhdCIsInVzZXJJZCI6IjI0NDI5IiwiZW1haWwiOiJtbnBAZ21haWwuY29tIiwiaXNzIjoiaHR0cHM6Ly9zZWN1cmV0b2tlbi5nb29nbGUuY29tL290by1zdGFnZS1hcGkiLCJhdWQiOiJvdG8tc3RhZ2UtYXBpIiwiYXV0aF90aW1lIjoxNz

AyODkz
NDY2LC
J1c2VyX
2lkIjoiM
Es0RXhj
RWphS
Fg1aDN
RRm1uT
kxrTzcz
aERBMiI
sInN1YiI
6IjBLNE
V4Y0Vq
YUhYN
WgzUU
Ztbk5M
a083M2
hEQTIiL
CJpYXQi
OjE3MjE
yMjE2Nj
csImV4c
CI6MTcy
MTIyNTI
2NywiZ
W1haW
xfdmVy
aWZpZ
WQiOm
ZhbHNl
LCJmaXJ
lYmFzZ
SI6eyJp
ZGVudG
l0aWVzI
jp7ImVt
YWlsIjp
bIm1uc
EBnbWF
pbC5jb2
0iXX0sI
nNpZ25
faW5fc
HJvdmlk
ZXIiOiJ
wYXNzd
29yZCJ9
fQ.on3Z
FVUA6y
s0dAcJZ
PIAsuB
CJ-
t7CVkQ
Ahd4Pn
7pW0i0
H_uKCm
fjyC4Yy
4UhHrm
3_oeRR
q4_RmP
MhDffw
ZOfT49
13CSwz
MeBuL1
uJVAh0
mytuOh
egC-
Tid84Q
Ag84LFr
jutnSfJY
C618Cd
1c5pzM
5z5LVFn

	lyxxVzMISWKF8cvaKwJ4UnheuTpK0ps0P9UM09ExWkoJi5gP1T1aS8xOnW23QIegG16EMvOzzArbtp-8sRm1UtqDsSE6w1fMzxLZGOB6Zv6ofuNdjwTDRd0wFK1aF93vExnR84XbXUoPj9zMb-7_h9JfOafyb8BjoxmK3YQGXW1DAoh8fzqPfEdIv_g
	type: text
url	raw: {{real-url}}{/rest/v2/getPickupLocationList
	host: 0: {{real-url}}{
	path: 0: rest 1: v2 2: getPickupLocationList
status	Bad Request
code	400
_postman_previewlanguage	json
header	0: key: Date, value: Sun, 04 Aug 2024 14:59:05 GMT
	1: key: Content-Type, value: application/json;charset=utf-8
	2: key: Content-Length, value: 63
	3: key: Server, value: Jetty(9.4.3.v20170317)
cookie	*(Empty List)*
body	{ "success": false, "errorCode": 4, "errorMsg":

		"maxDate is invalid" }
2	name	401 Unauthorized
	originalRequest	method: GET header: 0 → key: Accept, value: application/json, type: text url: raw: {{real-url}}/rest/v2/getPickupLocationList host: 0 → {{real-url}} path: 0 → rest, 1 → v2, 2 → getPickupLocationList
	status	Unauthorized
	code	401
	_postman_previewlanguage	json
	header	*(Empty List)*
	cookie	*(Empty List)*
	body	{ "message": "Jwt is expired", "code": 401 }

10	name	Brands	
	item	0	
		name	Get List of Brands (Client Store)
		request	method: GET header: *(Empty List)* url: raw: {{real-url}}/rest/v2/getBrandList host: 0 → {{real-url}} path: 0 → rest, 1 → v2, 2 → getBrandList description: **Available Packages:** Starter Package, Scale Package, Enterprise Package, Marketplaces This API endpoint provides access to a comprehensive list of brand (client store) details. This endpoint enables users to retrieve information about brands associated with their account, including key attributes such as brand name, store identifiers, and other relevant metadata. **Request Parameters:** No request body parameters are required for this GET request. **Response:** Upon a successful execution, the server responds with a 200 status code and a JSON object containing the following fields: - `success` (boolean) - Indicates the success status of the request. - `clientStores` (array) - An array of client store objects, each containing the following fields: - `companyId` (integer) - The ID of the company. - `storeName` (string) - The name of the store. - `ID` (integer) - The ID of the store. - `wareHouseName` (string) - The name of the warehouse. - `brandLogo` (string) - The URL of the brand logo. - `defaultWarehouseId` (integer) - The ID of the default warehouse. In case of an empty response, the server still returns a 200 status code with an empty `clientStores` array.

response	0	name	200
		originalRequest	method: GET header: *(Empty List)* url: raw: {{real-url}}/rest/v2/getBrandList host: 0: {{real-url}} path: 0: rest, 1: v2, 2: getBrandList
		_postman_previewlanguage	json
		header	0: key: Content-Type, value: application/json, description: *(Empty Text)*, type: text
		cookie	*(Empty List)*
		body	{ "success": true, "clientStores": [{ "companyId": 24772, "storeName": "test123", "ID": 1161, "wareHouseName": "DefaultWH", "brandLogo": "https://storage.googleapis.com/download/storage/v1/b/oto-files-stage/", "defaultWarehouseId": 16415 }] }
1		name	Create Brand (Client Store)
		request	method: POST header: *(Empty List)* body: mode: raw raw: { "storeName": "Brand A", "logo": "https://storage.googleapis.com/download/storage/v1/b/oto-files-stage/o/files%2F24772%2Fimport%2Fb58b6d41-af83-492c-a416-d4bb0d076be1.png?generation=1721804238908930&alt=media", "defaultWarehouseID": 16415, "stores": [{ "storeName": "store A", "salesChannelCredentialsID": 4512 }] } options: raw: language: json url: raw: {{real-url}}/rest/v2/createBrand host: 0: {{real-url}} path: 0: rest, 1: v2, 2: createBrand description: **Available Packages:** Starter Package, Scale Package, Enterprise Package, Marketplaces This API endpoint allows you to add a new brand (client store) to the system. By using this endpoint, you can define and register a brand with essential details, enabling integration with various systems. **Request Parameters:** | Name | Required | **Type** | Description | | --- | --- | --- | --- | | storeName | yes | string | The name of the store | | logo | no | string | The logo URL of the brand | | defaultWarehouseID | no | integer | The ID of the default warehouse | | stores | no | array | An array of store objects containing the following fields | | storeName | no | string | The name of the store | | salesChannelCredentialsID | no | integer | The ID of the sales channel credentials | ``` json { "success": true, "clientStoreId": 1193 } ```

response	0	name	200
		originalRequest	method: POST header: *(Empty List)* body: mode: raw raw: { "storeName": "Brand A", "logo": "https://storage.googleapis.com/download/storage/v1/b/oto-files-stage/o/files%2F24772%2Fimport%2Fb58b6d41-af83-492c-a416-d4bb0d076be1.png?generation=1721804238908930&alt=media", "defaultWarehouseID": 16415, "stores": [{ "storeName": "store A", "salesChannelCredentialsID": 4512 }] } options: raw: language: json url: raw: https://api.tryoto.com/rest/v2/createBrand protocol: https host: 0: api; 1: tryoto; 2: com path: 0: rest; 1: v2; 2: createBrand
		status	OK
		code	200
		_postman_previewlanguage	json
		header	0: key: Content-Type; value: application/json;charset=utf-8 1: key: X-Cloud-Trace-Context; value: d5b1cacf0d118a345a53d32408e100f5 2: key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 3: key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 4: key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 5: key: Date; value: Wed, 24 Jul 2024 07:30:38 GMT 6: key: Server; value: Google Frontend

7	key	Content-Length
	value	37
8	key	Via
	value	1.1 google
9	key	Access-Control-Allow-Origin
	value	*(Empty Text)*
10	key	Access-Control-Allow-Methods
	value	POST,GET,OPTIONS,PUT,DELETE,HEAD
11	key	Access-Control-Allow-Headers
	value	Accept, Origin, Content-Type, Authorization, x-forwarded-authorization, X-Requested-With
12	key	Access-Control-Allow-Credentials
	value	true
13	key	Access-Control-Expose-Headers
	value	x-app-version, x-fetch-date
14	key	Access-Control-Max-Age
	value	728000

cookie	*(Empty List)*
body	{ "success": true, "clientStoreId": 1193 }

11	name	Products	
	item	0	
		name	Create Product
		request	
			method: POST
			header: 0 — key: Acc; value: application/json; type: text; disabled: Yes
			body: mode: raw; raw: { "productName": "Pencil", "sku": "1234AB123CDEas", "price": "23.5", "taxAmount": "11", "barcode": "1245125123421", "secondBarcode": "231412312", "description": "This is product description", "brandId": 6345, "category" : "Category of the product", "productImage": "", "customAttributes": [{ "attributeName": "112", "attributeValue": "test product" }] }; options: raw; language: json
			url: raw: {{real-url}}/rest/v2/createProduct; host: 0 {{real-url}}; path: 0 rest, 1 v2, 2 createProduct
			description: **Available Packages:** All Packages This API endpointallows clients to add new products to the system by providing key product details. This endpoint is essential for catalog

management, enabling businesses to define and register products for use in their operations, such as inventory management, sales, and order processing. **Request Parameters:** | Name | Required | Type | **Description** | | --- | --- | --- | --- | | sku | yes | string | SKU of the product | | productName | yes | string | Name of the product | | price | yes | string | Price of the product | | taxAmount | no | string | Tax Amount of the product | | brandId | no | string | Brand id of the product | | description | no | string | Description of the product | | barcode | no | string | Barcode of the product | | secondBarcode | no | string | Second Barcode of the product | | productImage | no | string | Image Link of the product | | category | no | string | Category of the product | | hsCode | no | string | A standardized numerical method of classifying traded products | | itemOrigin | no | string | Origin of the product | | bundleItems | no | boolean | It can be true/ false | | category | no | | Category of product | | customAttributes | no | JSONArray | Custom attributes of the product | **Request Paramaters for Custom Attributes array:** | **Name** | **Required** | **Type** | **Description** | | --- | --- | --- | --- | | attributeValue | no | string | Value of the attribute | | attributeName | yes | string | Name of the attribute |

response	0	name	200
		originalRequest	method: POST
			header: 0 → key: Accept; value: application/json; type: text
			body: mode: raw; raw: { "productName": "Pencil", "sku": "1234AB123CDE", "price": "23.5", "taxAmount": "11", "barcode": "1245125123421", "secondBarcode": "231412312", "description": "This is product description", "brandId": 645, "imageLink": "", "customAttributes": [{ "attributeName": "112", "attributeValue": "test product" }] }; options: raw: language: json
			url: raw: {{real-url}}/rest/v2/createProduct; host: 0: {{real-url}}; path: 0: rest; 1: v2; 2: createProduct
		status	OK
		code	200
		_postman_previewlanguage	json
		header	0: key: Date; value: Wed, 08 Nov 2023 08:24:46 GMT
			1: key: Content-Type

	value	application/json;charset=utf-8
2	key	Content-Length
	value	36
3	key	Server
	value	Jetty(9.4.3.v20170317)
cookie	*(Empty List)*	
body	{ "productId": 6084100, "success": true }	

1	name	400 already existing SKU	
	originalRequest	method	POST
		header	0 key: Accept; value: application/json; type: text
		body	mode: raw; raw: { "productName": "Pencil", "sku": "1234ABCDE", "price": "23.5", "taxAmount": "11", "barcode": "1245125123421", "secondBarcode": "231412312", "description": "This is product description", "brandId": 645, "imageLink": "", "customAttributes": [{ "attributeName": "112", "attributeValue": "test product" }] }; options: raw: language: json
		url	raw: {{real-url}}/rest/v2/createProduct; host: 0 {{real-url}}; path: 0 rest, 1 v2, 2 createProduct
	status	Bad Request	
	code	400	
	_postman_previewlanguage	json	
	header	0 key: Date; value: Wed, 08 Nov 2023 08:24:27 GMT	
		1 key: Content-Type; value: application/json;charset=utf-8	
		2 key: Content-Length; value: 74	
		3 key: Server; value: Jetty(9.4.3.v20170317)	
	cookie	*(Empty List)*	
	body	{ "success": false, "errorCode": 14,	

"errorMsg": "Product with this SKU exists"
}

2	name	400 wrong price value
	originalRequest	
	method	POST
	header	0
		key: x-forwarded-authorization
		value: Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImYyZTgyNzMyYjk3MWExMzVjZjE0MTZlOGI0NmRhZTA0ZDgwODk0ZTciLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI1ODAzIiwiY2xpZW50VHlwZSI6IkZyZWVQYWNrYWdlIiwidXNlclR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VySWQiOiI5NjE2IiwiZW1haWwiOiJmZWFzaWJpbHR5QGNoZWNrLmNvbSIsImlzcyI6Imh0dHBzOi8vc2VjdXJldG9rZW4uZ29vZ2xlLmNvbS9vdG8tc3RhZ2UtYXBpIiwiYXVkIjoib3RvLXN0YWdlLWFwaSIsImF1dGhfdGltZSI6MTY3OTM4Nzc2NywidXNlcl9pZCI6IjJqYXhpTnd4UGhjZkZ4cjFvNzFTeGlpaUZ5QzliLCJzdWIiOiIyamF4aU53eFBoY2ZGeHIxbzcxU3hpaWlGeUMyIiwiaWF0IjoxNjk3MDMyODMxLCJleHAiOjE2OTcwMzY0MzEsImVtYWlsX3ZlcmlmaWVkIjpmYWxzZSwiZmlyZWJhc2UiOnsiaWRlbnRpdGllcyI6eyJlbWFpbCI6WyJmZWFzaWJpbHR5QGNoZWNrLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6InBhc3N3b3JkIn19.TEeK7xUuFR0QlNneXE0xtvyf12tJM0zSoLum_pH-NJwqPMC2S9d8Akn99YQtoGuNTLSkwDUCuQ09CUducVTo2ZSh6GihPVC6e1iTs3s63QApyj9veWzRxvr8F5vq3acxsRm_9iLchK-l8T8LFHKimvw9NYZaojLaDYdErRhaGMxHDqML6IiAJLPAuePFlrGHRTp4LOTpOYmn6DOZF8nXgFbD90ciFWzeXWucb6bBNZgSDnC3ibNL8KA42GHJhnuVahdEFtkzUs4TqbyH3yp90wTzXpG8OeYs5qYElhYiqVnwzuhrot7a4gOo02JIeBAcRyQM0mKqtzjZwwvENEogzQ
		type: text
	body	mode: raw

	raw	{ "productName": "Pencil", "sku": "1234AB123CDEas", "price": "23.5A", "taxAmount": "11", "barcode": "1245125123421", "secondBarcode": "231412312", "description": "This is product description", "brandId": 645, "imageLink": "", "customAttributes": [{ "attributeName": "112", "attributeValue": "test product" }] }
	options	raw: language: json
	url	raw: http://api.tryoto.com/rest/v2/createProduct protocol: http host: 0: api, 1: tryoto, 2: com path: 0: rest, 1: v2, 2: createProduct
status	Bad Request	
code	400	
_postman_previewlanguage	json	
header	0: key: Date, value: Thu, 09 Nov 2023 07:45:04 GMT 1: key: Content-Type, value: application/json;charset=utf-8 2: key: Content-Length, value: 129 3: key: Server, value: Jetty(9.4.3.v20170317)	
cookie	*(Empty List)*	
body	{ "success": false, "errorCode": 99, "errorDetail": "For input string: \"23.5A\"", "errorMsg": "An error occurred during data retrieval" }	
3		
name	400 brand id does not exist	
originalRequest	method: POST header: 0: key: x-forwarded-authorization, value: Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImYyZTgyNzMyYjk3MWExMzVjZjE0MTZlOGI0NmRhZTA0ZDgwODk0ZTciLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI1ODAzIiw	

	iY2xpZW50VHlwZSI6IkZyZWVQYWNrYWdlIiwidXNlclR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VySWQiOiI5NjE2IiwiZW1haWwiOiJmZWFzaWJpbHR5QGNoZWNrLmNvbSIsImlzcyI6Imh0dHBzOi8vc2VjdXJldG9rZW4uZ29vZ2xlLmNvbS9vdG8tc3RhZ2UtYXBpIiwiYXVkIjoib3RvLXN0YWdlLWFwaSIsImF1dGhfdGltZSI6MTY3OTM4Nzc2NywidXNlcl9pZCI6IjJqYXhpTnd4UGhjZkZ4cjFvNzFTeGlpaUZ5QzliLCJzdWIiOiIyamF4aU53eFBoY2ZGeHIxbzcxU3hpaWlGeUMyIiwiaWF0IjoxNjk3MDMyODMxLCJleHAiOjE2OTcwMzY0MzEsImVtYWlsX3ZlcmlmaWVkIjpmYWxzZSwiZmlyZWJhc2UiOnsiaWRlbnRpdGllcyI6eyJlbWFpbCI6WyJmZWFzaWJpbHR5QGNoZWNrLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6InBhc3N3b3JkIn19.TEeK7xUuFR0QlNneXE0xtvyf12tJM0zSoLum_pH-NJwqPMC2S9d8Akn99YQtoGuNTLSkwDUCuQ09CUducVTo2ZSh6GihPVC6e1iTs3s63QApyj9veWzRxvr8F5vq3acxsRm_9iLchK-l8T8LFHKimvw9NYZaojLaDYdErRhaGMxHDqML6IiAJLPAuePFlrGHRTp4LOTpOYmn6DOZF8nXgFbD90ciFWzeXWucb6bBNZgSDnC3ibNL8KA42GHJhnuVahdEFtkzUs4TqbyH3yp90wTzXpG8OeYs5qYElhYiqVnwzuhrot7a4gOo02JleBAcRyQM0mKqtzjZwwvENEogzQ
	type: text
body	mode: raw
	raw: { "productName": "Pencil", "sku": "1234AB123CDEas", "price": "23.5", "taxAmount": "11", "barcode": "1245125123421", "secondBarcode": "231412312", "description": "This is product description", "brandId": 6345, "imageLink": "", "customAttributes": [{ "attributeName": "112", "attributeValue": "test product" }] }

	options	raw language json
url	raw	http://api.tryoto.com/rest/v2/createProduct
	protocol	http
	host	0 api 1 tryoto 2 com
	path	0 rest 1 v2 2 createProduct
status	Bad Request	
code	400	
_postman_previewlanguage	json	
header	0 key	Date
	value	Thu, 09 Nov 2023 07:45:49 GMT
	1 key	Content-Type
	value	application/json;charset=utf-8
	2 key	Content-Length
	value	69
	3 key	Server
	value	Jetty(9.4.3.v20170317)
cookie	*(Empty List)*	
body	{ "success": false, "errorCode": 15, "errorMsg": "BrandId does not exists" }	

1	name	Product List	
	request	method	POST
		header	*(Empty List)*
		body	mode raw
			raw { "pageSize":100, "currentPage":1 }
			options raw language json
		url	raw {{real-url}}/rest/v2/productList
			host 0 {{real-url}}
			path 0 rest 1 v2 2 productList
		description	**Available Packages:** All Packages This API endpoint provides a simple and efficient way to retrieve a list of products available in your inventory. This endpoint returns essential product details such as names, images, SKUs, and barcodes, enabling applications to display and manage product information effectively. **Request Parameters:** | **Name** | **Required** | **Type** | **Description** | | --- | --- | --- | --- | | pageSize | no | number | items per page, default is 100 | | currentPage | no | number | page numbe to be called, default is 1 |
	response	0 name	200
		originalRequest	method POST
			(Empty List)

header	
body	mode: raw raw: { "pageSize":100, "currentPage":1 } options: raw: language: json
url	raw: {{real-url}}/rest/v2/productList host: 0: {{real-url}} path: 0: rest, 1: v2, 2: productList
status	OK
code	200
_postman_previewlanguage	json
header	0: key: Content-Type, value: application/json;charset=utf-8 1: key: X-Cloud-Trace-Context, value: 7d403a627766e75eae3f4cde23d62486;o=1 2: key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 3: key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 4: key: Alt-Svc, value: clear 5: key: Date, value: Tue, 21 Dec 2021 11:51:00 GMT 6: key: Server, value: Google Frontend 7: key: Content-Length, value: 482 8: key: Via, value: 1.1 google
cookie	*(Empty List)*
body	{ "success": true, "productCount": 3, "products": [{ "name": "renegade", "productImage": "https://i.pinimg.com/564x/8b/46/bd/8b46bd024b6a53f09ad35c29f8ffb50b.jpg", "sku": "001", "barcode": "1111" }, { "name":

"football", "productImage": "https://i.pinimg.com/236x/e4/be/bb/e4bebbaf7a4b7efa305e198720248e9b.jpg", "sku": "002", "barcode": "6120000210" }, { "name": "icecream", "productImage": "https://i.pinimg.com/236x/96/e7/ac/96e7accacdb0c1ec87c7ebfd2dc26f3b.jpg", "sku": "003", "barcode": "4666588851222000574" }] }

2

name	Add Box
request	

request

method	POST
header	

header

0	

0

key	x-forwarded-authorization
value	Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImJjNDAxN2U3MGE4MWM5NTMxY2YxYjY4MjY4M2Q5OThlNGY1NTg5MTkiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI4NjQiLCJjbGllbnRUeXBlIjoicmV0YWlsIiwidXNlclR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VyTmFtZSI6IkRlbW8gTmljZW9uZSIsInVzZXJJZCI6IjI0NzYiLCJlbWFpbCI6Im5pY2VvbmVkZW1vQHRyeW90by5jb20iLCJpc3MiOiJodHRwczovL3NlY3VyZXRva2VuLmdvb2dsZS5jb20vb3RvLXN0YWdlLWFwaSIsImF1ZCI6Im90by1zdGFnZS1hcGkiLCJhdXRoX3RpbWUiOjE3MDE1NjI1MDYsInVzZXJfaWQiOiJTY1V5cTFsREczTmhiV3ZFMDh4WmQwc3VoYUQzIiwic3ViIjoiU2NVeXExbERHM05oYld2RTA4eFpkMHN1aGFEMyIsImlhdCI6MTc0MTUyNTIyOSwiZXhwIjoxNzQxNTI4ODI5LCJlbWFpbF92ZXJpZmllZCI6ZmFsc2UsImZpcmViYXNlIjp7ImlkZW50aXRpZXMiOnsiZW1haWwiOlsibmljZW9uZWRlbW9AdHJ5b3RvLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6ImN1c3RvbSJ9fQ.IuVELOE63H67tMeaH1l3NH2WaXEg-tdYE0Nlnei8EimDWTFSpRsCOG0MUZUQf6QeexeW1RoV9ZoAflVKX6Dg6bQNYIEiB7sL-nLWBbbpDCOmv5mC2PcvweY8fWOvUIHLcTZZjnwGTILFfbVZFQQbhVtiljH3lc0G7h1WKZPd8qk3kgiAd5O2_Q4cJLKVtFf1PH4jB-BMYjvS2QUquQNPPH6w1hXJQ5A9LQtdvuU_UyE5lRs25LDA38ZAGPht8Lez7Go2j9N9Q7aFcauPtbzfJgq4DWaLTQzyycScFcRPR3_su7Cx6CgCqbImqbRaFG6NmUWiYDB6ZkPoARlmjEblqA
type	text
disabled	Yes

body	

body

mode	raw
raw	{ "name":"xsmall", "length":25, "width":24, "height":9 }
options	raw: language: json

url	

url

raw	{{real-url}}/rest/v2/addBox
host	0: {{real-url}}
path	0: rest 1: v2 2: addBox

description	**Available Packages:** All Packages This API endpoint allows you to create new boxes with the dimensions you provided. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | name | yes | string | name of the box, name should be unique | | length | yes | double | length of the package | | width | yes | double | width of the package | | height | yes | double | height of the package |

response	0: name: 200 OK

originalRequest	method	POST	
	header	0	key: x-forwarded-authorization
			value: Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImJjNDAxN2U3MGE4MWM5NTMxY2YxYjY4MjY4M2Q5OThlNGY1NTg5MTkiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI4NjQiLCJjbGllbnRUeXBlIjoicmV0YWlsIiwidXNlcIR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VyTmFtZSI6IkRlbW8gTmljZW9uZSIsInVzZXJJZCI6IjI0NzYiLCJlbWFpbCI6Im5pY2VvbmVkZW1vQHRyeW90by5jb20iLCJpc3MiOiJodHRwczovL3NlY3VyZXRva2VuLmdvb2dsZS5jb20vb3RvLXN0YWdlLWFwaSIsImF1ZCI6Im90by1zdGFnZS1hcGkiLCJhdXRoX3RpbWUiOjE3MDE1NjI1MDYsInVzZXJfaWQiOiJTY1V5cTFsREczTmhiV3ZFMDh4WmQwc3VoYUQzIiwic3ViIjoiU2NVeXExbERHM05oYld2RTA4eFpkMHN1aGFEMyIsImlhdCI6MTc0MTUyNTIyOSwiZXhwIjoxNzQxNTI4ODI5LCJlbWFpbF92ZXJpZmllZCI6ZmFsc2UsImZpcmViYXNlIjp7ImlkZW50aXRpZXMiOnsiZW1haWwiOlsibmljZW9uZWRlbW9AdHJ5b3RvLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6ImN1c3RvbSJ9fQ.IuVELOE63H67tMeaH1l3NH2WaXEg-tdYE0Nlnei8EimDWTFSpRsCOG0MUZUQf6QeexeW1RoV9ZoAflVKX6Dg6bQNYIEiB7sL-nLWBbbpDCOmv5mC2PcvweY8fWOvUlHLcTZZjnwGTlLFfbVZFQQbhVtiljH3lc0G7h1WKZPd8qk3kgiAd5O2_Q4cJLKVtFf1PH4jB-BMYjvS2QUquQNPPH6w1hXJQ5A9LQtdvuU_UyE5lRs25LDA38ZAGPht8Lez7Go2j9N9Q7aFcauPtbzfJgq4DWaLTQzyycScFcRPR3_su7Cx6CgCqbImqbRaFG6N

	mUWiYDB6ZkPoARImjEblqA
type	text
disabled	Yes

body	mode	raw
	raw	{ "name":"xlarge", "length":22, "width":24, "height":9 }
	options	raw: language: json
url	raw	https://api.tryoto.com/rest/v2/addBox
	protocol	https
	host	0: api 1: tryoto 2: com
	path	0: rest 1: v2 2: addBox

status	OK
code	200
_postman_previewlanguage	json

header	0	key: X-Content-Type-Options value: nosniff
	1	key: X-XSS-Protection value: 0
	2	key: Cache-Control value: no-cache, no-store, max-age=0, must-revalidate
	3	key: Pragma value: no-cache
	4	key: Expires value: 0
	5	key: X-Frame-Options value: DENY
	6	key: Content-Type value: application/json;charset=utf-8
	7	key: Content-Length value: 53
	8	key: Date value: Sun, 09 Mar 2025 13:00:46 GMT
	9	key: Keep-Alive value: timeout=60
	10	key: Connection value: keep-alive
cookie	*(Empty List)*	

	body	{ "success": true, "message": "Box successfully created" }
1	name	409-already exists
	originalRequest	
	method	POST
	header	
	0	
	key	x-forwarded-authorization
	value	Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImJjNDAxN2U3MGE4MWM5NTMxY2YxYjY4MjY4M2Q5OThlNGY1NTg5MTkiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI4NjQiLCJjbGllbnRUeXBlIjoicmV0YWlsIiwidXNlclR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VyTmFtZSI6IkRlbW8gTmljZW9uZSIsInVzZXJJZCI6IjI0NzYiLCJlbWFpbCI6Im5pY2VvbmVkZW1vQHRyeW90by5jb20iLCJpc3MiOiJodHRwczovL3NlY3VyZXRva2VuLmdvb2dsZS5jb20vb3RvLXN0YWdlLWFwaSIsImF1ZCI6Im90by1zdGFnZS1hcGkiLCJhdXRoX3RpbWUiOjE3MDE1NjI1MDYsInVzZXJfaWQiOiJTY1V5cTFsREczTmhiV3ZFMDh4WmQwc3VoYUQzIiwic3ViIjoiU2NVeXExbERHM05oYld2RTA4eFpkMHN1aGFEMyIsImlhdCI6MTc0MTUyNTIyOSwiZXhwIjoxNzQxNTI4ODI5LCJlbWFpbF92ZXJpZmllZCI6ZmFsc2UsImZpcmViYXNlIjp7ImlkZW50aXRpZXMiOnsiZW1haWwiOlsibmljZW9uZWRlbW9AdHJ5b3RvLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6ImN1c3RvbSJ9fQ.IuVELOE63H67tMeaH1l3NH2WaXEg-tdYE0Nlnei8EimDWTFSpRsCOG0MUZUQf6QeexeW1RoV9ZoAflVKX6Dg6bQNYIEiB7sL-nLWBbbpDCOmv5mC2PcvweY8fWOvUIHLcTZZjnwGTILFfbVZFQQbhVtiljH3lc0G7h1WKZPd8qk3kgiAd5O2_Q4cJLKVtFf1PH4jB-BMYjvS2QUquQNPPH6w1hXJQ5A9LQtdvuU_UyE5lRs25LD

	A38ZAGPht8Lez7Go2j9N9Q7aFcauPtbzfJgq4DWaLTQzyycScFcRPR3_su7Cx6CgCqbImqbRaFG6NmUWiYDB6ZkPoARlmjEblqA
type	text
disabled	Yes

body

mode	raw
raw	{ "name":"xlarge", "length":22, "width":24, "height":9 }
options	raw: language: json

url

raw	{{real-url}}/rest/v2/addBox
host	0: {{real-url}}
path	0: rest 1: v2 2: addBox

status	Conflict
code	409
_postman_previewlanguage	json

header

0	key	X-Content-Type-Options
	value	nosniff
1	key	X-XSS-Protection
	value	0
2	key	Cache-Control
	value	no-cache, no-store, max-age=0, must-revalidate
3	key	Pragma
	value	no-cache
4	key	Expires
	value	0
5	key	X-Frame-Options
	value	DENY
6	key	Content-Type
	value	application/json;charset=utf-8
7	key	Content-Length
	value	127
8	key	Date
	value	Sun, 09 Mar 2025 13:01:04 GMT
9	key	Keep-Alive
	value	timeout=60
10	key	Connection
	value	keep-alive

cookie	*(Empty List)*

	body	{ "otoErrorCode": "OTO1147", "success": false, "errorCode": 4, "otoErrorMessage": "Box already exists", "errorMsg": "Box already exists" }
2	name	409-invalid json
	originalRequest	

method	POST	
header	0	
	key	x-forwarded-authorization
	value	Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImJjNDAxN2U3MGE4MWM5NTMxY2YxYjY4MjY4M2Q5OThlNGY1NTg5MTkiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI4NjQiLCJjbGllbnRUeXBlIjoicmV0YWlsIiwidXNlclR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VyTmFtZSI6IkRlbW8gTmljZW9uZSIsInVzZXJJZCI6IjI0NzYiLCJlbWFpbCI6Im5pY2VvbmVkZW1vQHRyeW90by5jb20iLCJpc3MiOiJodHRwczovL3NlY3VyZXRva2VuLmdvb2dsZS5jb20vb3RvLXN0YWdlLWFwaSIsImF1ZCI6Im90by1zdGFnZS1hcGkiLCJhdXRoX3RpbWUiOjE3MDE1NjI1MDYsInVzZXJfaWQiOiJTY1V5cTFsREczTmhiV3ZFMDh4WmQwc3VoYUQzIiwic3ViIjoiU2NVeXExbERHM05oYld2RTA4eFpkMHN1aGFEMyIsImlhdCI6MTc0MTUyNTIyOSwiZXhwIjoxNzQxNTI4ODI5LCJlbWFpbF92ZXJpZmllZCI6ZmFsc2UsImZpcmViYXNlIjp7ImlkZW50aXRpZXMiOnsiZW1haWwiOlsibmljZW9uZWRlbW9AdHJ5b3RvLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6ImN1c3RvbSJ9fQ.IuVELOE63H67tMeaH1l3NH2WaXEg-tdYE0Nlnei8EimDWTFSpRsCOG0MUZUQf6QeexeW1RoV9ZoAflVKX6Dg6bQNYIEiB7sL-nLWBbbpDCOmv5mC2PcvweY8fWOvUlHLcTZZjnwGTILFfbVZFQQbhVtiljH3lc0G7h1WKZPd8qk3kgiAd5O2_Q4cJLKVtFf1PH4jB-BMYjvS2QUquQNP

	PH6w1hXJQ5A9LQtdvuU_UyE5lRs25LDA38ZAGPht8Lez7Go2j9N9Q7aFcauPtbzfJgq4DWaLTQzyycScFcRPR3_su7Cx6CgCqbImqbRaFG6NmUWiYDB6ZkPoARlmjEblqA
type	text
disabled	Yes

body	mode	raw
	raw	{ "name":"xlarge", "length":22 "width":24, "height":9 }
	options	raw language json
url	raw	{{real-url}}/rest/v2/addBox
	host	0 {{real-url}}
	path	0 rest 1 v2 2 addBox

status	Conflict
code	409
_postman_previewlanguage	json

header		
0	key	X-Content-Type-Options
	value	nosniff
1	key	X-XSS-Protection
	value	0
2	key	Cache-Control
	value	no-cache, no-store, max-age=0, must-revalidate
3	key	Pragma
	value	no-cache
4	key	Expires
	value	0
5	key	X-Frame-Options
	value	DENY
6	key	Content-Type
	value	application/json;charset=utf-8
7	key	Content-Length
	value	135
8	key	Date
	value	Sun, 09 Mar 2025 13:01:39 GMT
9	key	Keep-Alive
	value	timeout=60
10	key	Connection
	value	keep-alive

	cookie	*(Empty List)*
	body	{ "otoErrorCode": "OTO1075", "success": false, "errorCode": 1, "otoErrorMessage": "Invalid Json format", "errorMsg": "Please provide valid JSON" }
3	name	409
	originalRequest	
	method	POST
	header	
	0	
	key	x-forwarded-authorization
	value	Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImJjNDAxN2U3MGE4MWM5NTMxY2YxYjY4MjY4M2Q5OThlNGY1NTg5MTkiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI4NjQiLCJjbGllbnRUeXBlIjoicmV0YWlsIiwidXNlcIR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VyTmFtZSI6IkRlbW8gTmljZW9uZSIsInVzZXJJZCI6IjI0NzYiLCJlbWFpbCI6Im5pY2VvbmVkZW1vQHRyeW90by5jb20iLCJpc3MiOiJodHRwczovL3NlY3VyZXRva2VuLmdvb2dsZS5jb20vb3RvLXN0YWdlLWFwaSIsImF1ZCI6Im90by1zdGFnZS1hcGkiLCJhdXRoX3RpbWUiOjE3MDE1NjI1MDYsInVzZXJfaWQiOiJTY1V5cTFsREczTmhiV3ZFMDh4WmQwc3VoYUQzIiwic3ViIjoiU2NVeXExbERHM05oYld2RTA4eFpkMHN1aGFEMyIsImlhdCI6MTc0MTUyNTIyOSwiZXhwIjoxNzQxNTI4ODI5LCJlbWFpbF92ZXJpZmllZCI6ZmFsc2UsImZpcmViYXNlIjp7ImlkZW50aXRpZXMiOnsiZW1haWwiOlsibmljZW9uZWRlbW9AdHJ5b3RvLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6ImN1c3RvbSJ9fQ.IuVELOE63H67tMeaH1l3NH2WaXEg-tdYE0Nlnei8EimDWTFSpRsCOG0MUZUQf6QeexeW1RoV9ZoAflVKX6Dg6bQNYIEiB7sL-nLWBbbpDCOmv5mC2PcvweY8fWOvUIHLcTZZjnwGTILFfbVZFQQbhVtiljH3lc0G7h1WKZPd8qk3kgiAd5O2_Q4cJLKVt

	Ff1PH4jB-BMYjvS2QUquQNPPH6w1hXJQ5A9LQtdvuU_UyE5lRs25LDA38ZAGPht8Lez7Go2j9N9Q7aFcauPtbzfJgq4DWaLTQzyycScFcRPR3_su7Cx6CgCqbImqbRaFG6NmUWiYDB6ZkPoARlmjEblqA
type	text
disabled	Yes

body	mode	raw
	raw	{ "name":"xlarge1", "length":true, "width":24, "height":9 }
	options	raw: language: json

url	raw	{{real-url}}/rest/v2/addBox
	host	0: {{real-url}}
	path	0: rest 1: v2 2: addBox

status	Conflict
code	409
_postman_previewlanguage	json

header	0	key: X-Content-Type-Options value: nosniff
	1	key: X-XSS-Protection value: 0
	2	key: Cache-Control value: no-cache, no-store, max-age=0, must-revalidate
	3	key: Pragma value: no-cache
	4	key: Expires value: 0
	5	key: X-Frame-Options value: DENY
	6	key: Content-Type value: application/json;charset=utf-8
	7	key: Content-Length value: 135
	8	key: Date value: Sun, 09 Mar 2025 13:02:27 GMT
	9	key: Keep-Alive value: timeout=60
	10	

	key	Connection
	value	keep-alive
cookie	*(Empty List)*	
body	{ "otoErrorCode": "OTO1009", "success": false, "errorCode": 99, "otoErrorMessage": "Something went wrong", "errorMsg": "a system error occurred" }	

3

name	Update Box	
request	method	POST
	header	0
		key: x-forwarded-authorization
		value: Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImJjNDAxN2U3MGE4MWM5NTMxY2YxYjY4MjY4M2Q5OThlNGY1NTg5MTkiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI4NjQiLCJjbGllbnRUeXBlIjoicmV0YWlsIiwidXNlclR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VyTmFtZSI6IkRlbW8gTmljZW9uZSIsInVzZXJJZCI6IjI0NzYiLCJlbWFpbCI6Im5pY2VvbmVkZW1vQHRyeW90by5jb20iLCJpc3MiOiJodHRwczovL3NlY3VyZXRva2VuLmdvb2dsZS5jb20vb3RvLXN0YWdlLWFwaSIsImF1ZCI6Im90by1zdGFnZS1hcGkiLCJhdXRoX3RpbWUiOjE3MDE1NjI1MDYsInVzZXJfaWQiOiJTY1V5cTFsREczTmhiV3ZFMDh4WmQwc3VoYUQzIiwic3ViIjoiU2NVeXExbERHM05oYld2RTA4eFpkMHN1aGFEMyIsImlhdCI6MTc0MTUyNTIyOSwiZXhwIjoxNzQxNTI4ODI5LCJlbWFpbF92ZXJpZmllZCI6ZmFsc2UsImZpcmViYXNlIjp7ImlkZW50aXRpZXMiOnsiZW1haWwiOlsibmljZW9uZWRlbW9AdHJ5b3RvLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6ImN1c3RvbSJ9fQ.IuVELOE63H67tMeaH1l3NH2WaXEg-tdYE0NInei8EimDWTFSpRsCOG0MUZUQf6QeexeW1RoV9ZoAflVKX6Dg6bQNYIEiB7sL-nLWBbbpDCOmv5mC2PcvweY8fWOvUIHLcTZZjnwGTILFfbVZFQQbhVtiljH3lc0G7h1WKZPd8qk3kgiAd5O2_Q4cJLKVtFf1PH4jB-BMYjvS2QUquQNPPH6w1hXJQ5A9LQtdvuU_UyE5lRs25LDA38ZAGPht8Lez7Go2j9N9Q7aFcauPtbzfJgq4DWaLTQzyycScFcRPR3_su7Cx6CgCqbImqbRaFG6NmUWiYDB6ZkPoARlmjEblqA
		type: text
		disabled: Yes
	body	mode: raw
		raw: { "name":"xsmall", "length":3, "width":4, "height":3 }
		options: raw — language: json
	url	raw: {{real-url}}/rest/v2/updateBox
		host: 0 — {{real-url}}
		path: 0 — rest; 1 — v2; 2 — updateBox
	description	**Available Packages:** All Packages You can change the dimension information of an existing box. Since the name is unique, you can change the information of that box by entering the name information in the request.
response	0	
	name	200 OK
	originalRequest	method: POST
		header: 0 — key: x-forwarded-authorization

value	**Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImJjNDAxN2U3MGE4MWM5NTMxY2YxYjY4MjY4M2Q5OThlNGY1NTg5MTkiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI4NjQiLCJjbGllbnRUeXBlIjoicmV0YWlsIiwidXNlclR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VyTmFtZSI6IkRlbW8gTmljZW9uZSIsInVzZXJJZCI6IjI0NzYiLCJlbWFpbCI6Im5pY2VvbmVkZW1vQHRyeW90by5jb20iLCJpc3MiOiJodHRwczovL3NlY3VyZXRva2VuLmdvb2dsZS5jb20vb3RvLXN0YWdlLWFwaSIsImF1ZCI6Im90by1zdGFnZS1hcGkiLCJhdXRoX3RpbWUiOjE3MDE1NjI1MDYsInVzZXJfaWQiOiJTY1V5cTFsREczTmhiV3ZFMDh4WmQwc3VoYUQzIiwic3ViIjoiU2NVeXExbERHM05oYld2RTA4eFpkMHN1aGFEMyIsImlhdCI6MTc0MTUyNTIyOSwiZXhwIjoxNzQxNTI4ODI5LCJlbWFpbF92ZXJpZmllZCI6ZmFsc2UsImZpcmViYXNlIjp7ImlkZW50aXRpZXMiOnsiZW1haWwiOlsibmljZW9uZWRlbW9AdHJ5b3RvLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6ImN1c3RvbSJ9fQ.IuVELOE63H67tMeaH1l3NH2WaXEg-tdYE0Nlnei8EimDWTFSpRsCOG0MUZUQf6QeexeW1RoV9ZoAflVKX6Dg6bQNYIEiB7sL-nLWBbbpDCOmv5mC2PcvweY8fWOvUIHLcTZZjnwGTILFfbVZFQQbhVtiljH3lc0G7h1WKZPd8qk3kgiAd5O2_Q4cJLKVtFf1PH4jB-BMYjvS2QUquQNPPH6w1hXJQ5A9LQtdvuU_UyE5lRs25LDA38ZAGPht8Lez7Go2j9N9Q7aFcauPtbzfJgq4DWaLTQzyycScFcRPR3_su7Cx6CgCqbImqbRaFG6NmUWiYDB6ZkPoARlmjEblqA**
type	**text**
disabled	**Yes**

body	mode	raw
	raw	{ "name":"xsmall", "length":3, "width":4, "height":3 }
	options	raw: language: json
url	raw	https://api.tryoto.com/rest/v2/updateBox
	protocol	https
	host	0: api 1: tryoto 2: com
	path	0: rest 1: v2 2: updateBox
status	OK	
code	200	
_postman_previewlanguage	json	
header	0	key: X-Content-Type-Options value: nosniff
	1	key: X-XSS-Protection value: 0
	2	key: Cache-Control value: no-cache, no-store, max-age=0, must-revalidate
	3	key: Pragma value: no-cache
	4	key: Expires value: 0
	5	key: X-Frame-Options value: DENY
	6	key: Content-Type value: application/json;charset=utf-8
	7	key: Content-Length value: 53
	8	key: Date value: Sun, 09 Mar 2025 13:09:56 GMT
	9	key: Keep-Alive value: timeout=60
	10	key: Connection value: keep-alive
cookie	*(Empty List)*	
body	{ "success": true, "message": "Box successfully updated" }	
1	name	409-not found
	originalRequest	method: POST

header	0	key	x-forwarded-authorization
		value	Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImJjNDAxN2U3MGE4MWM5NTMxY2YxYjY4MjY4M2Q5OThlNGY1NTg5MTkiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI4NjQiLCJjbGllbnRUeXBlIjoicmV0YWlsIiwidXNlcIR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VyTmFtZSI6IkRlbW8gTmljZW9uZSIsInVzZXJJZCI6IjI0NzYiLCJlbWFpbCI6Im5pY2VvbmVkZW1vQHRyeW90by5jb20iLCJpc3MiOiJodHRwczovL3NlY3VyZXRva2VuLmdvb2dsZS5jb20vb3RvLXN0YWdlLWFwaSIsImF1ZCI6Im90by1zdGFnZS1hcGkiLCJhdXRoX3RpbWUiOjE3MDE1NjI1MDYsInVzZXJfaWQiOiJTY1V5cTFsREczTmhiV3ZFMDh4WmQwc3VoYUQzIiwic3ViIjoiU2NVeXExbERHM05oYld2RTA4eFpkMHN1aGFEMyIsImlhdCI6MTc0MTUyNTIyOSwiZXhwIjoxNzQxNTI4ODI5LCJlbWFpbF92ZXJpZmllZCI6ZmFsc2UsImZpcmViYXNlIjp7ImlkZW50aXRpZXMiOnsiZW1haWwiOlsibmljZW9uZWRlbW9AdHJ5b3RvLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6ImN1c3RvbSJ9fQ.IuVELOE63H67tMeaH1l3NH2WaXEg-tdYE0Nlnei8EimDWTFSpRsCOG0MUZUQf6QeexeW1RoV9ZoAflVKX6Dg6bQNYIEiB7sL-nLWBbbpDCOmv5mC2PcvweY8fWOvUIHLcTZZjnwGTILFfbVZFQQbhVtiljH3lc0G7h1WKZPd8qk3kgiAd5O2_Q4cJLKVtFf1PH4jB-BMYjvS2QUquQNPPH6w1hXJQ5A9LQtdvuU_UyE5lRs25LDA38ZAGPht8Lez7Go2j9N9Q7aFcauPtbzfJgq4DWaLTQzyycScFcRPR3_su7Cx6CgCqbImqbRaFG6N

	mUWiYDB6ZkPoARImjEblqA
type	text
disabled	Yes

body	mode	raw
	raw	{ "name":"xsmall-1", "length":3, "width":4, "height":3 }
	options	raw language json
url	raw	{{real-url}}/rest/v2/updateBox
	host	0 {{real-url}}
	path	0 rest
		1 v2
		2 updateBox

status	Conflict
code	409
_postman_previewlanguage	json

header	0	key X-Content-Type-Options
		value nosniff
	1	key X-XSS-Protection
		value 0
	2	key Cache-Control
		value no-cache, no-store, max-age=0, must-revalidate
	3	key Pragma
		value no-cache
	4	key Expires
		value 0
	5	key X-Frame-Options
		value DENY
	6	key Content-Type
		value application/json;charset=utf-8
	7	key Content-Length
		value 135
	8	key Date
		value Sun, 09 Mar 2025 13:04:01 GMT
	9	key Keep-Alive
		value timeout=60
	10	key Connection
		value keep-alive

cookie	*(Empty List)*
body	{ "otoErrorCode": "OTO1149", "success": false, "errorCode": 4, "otoErrorMessage": "Box could not be found", "errorMsg": "Box could not be found" }

2	name	409-invalid json
	originalRequest	method: POST
		header: 0
		key: x-forwarded-authorization
		value: Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImJjNDAxN2U3MGE4MWM5NTMxY2YxYjY4MjY4M2Q5OThlNGY1NTg5MTkiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI4NjQiLCJjbGllbnRUeXBlIjoicmV0YWlsIiwidXNlcIR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VyTmFtZSI6IkRlbW8gTmljZW9uZSIsInVzZXJJZCI6IjI0NzYiLCJlbWFpbCI6Im5pY2VvbmVkZW1vQHRyeW90by5jb20iLCJpc3MiOiJodHRwczovL3NlY3VyZXRva2VuLmdvb2dsZS5jb20vb3RvLXN0YWdlLWFwaSIsImF1ZCI6Im90by1zdGFnZS1hcGkiLCJhdXRoX3RpbWUiOjE3MDE1NjI1MDYsInVzZXJfaWQiOiJTY1V5cTFsREczTmhiV3ZFMDh4WmQwc3VoYUQzIiwic3ViIjoiU2NVeXExbERHM05oYld2RTA4eFpkMHN1aGFEMyIsImlhdCI6MTc0MTUyNTIyOSwiZXhwIjoxNzQxNTI4ODI5LCJlbWFpbF92ZXJpZmllZCI6ZmFsc2UsImZpcmViYXNlIjp7ImlkZW50aXRpZXMiOnsiZW1haWwiOlsibmljZW9uZWRlbW9AdHJ5b3RvLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6ImN1c3RvbSJ9fQ.IuVELOE63H67tMeaH1l3NH2WaXEg-tdYE0Nlnei8EimDWTFSpRsCOG0MUZUQf6QeexeW1RoV9ZoAflVKX6Dg6bQNYIEiB7sL-nLWBbbpDCOmv5mC2PcvweY8fWOvUIHLcTZZjnwGTILFfbVZFQQbhVtiljH3lc0G7h1WKZPd8qk3kgiAd5O2_Q4cJLKVtFf1PH4jB-BMYjvS2QUquQNPPH6w1hXJQ5A9LQtdvuU_UyE5lRs25LDA38ZAGPht8Lez7Go2j9N9Q7aFcauPtbzfJgq4DWaLTQzyyc

	ScFcRPR3_su7Cx6CgCqbImqbRaFG6NmUWiYDB6ZkPoARlmjEblqA
type	text
disabled	Yes

body	mode	raw
	raw	{ "name":"xsmall", "length":3 "width":4, "height":3 }
	options	raw: language: json
url	raw	{{real-url}}/rest/v2/updateBox
	host	0: {{real-url}}
	path	0: rest 1: v2 2: updateBox

status	Conflict
code	409
_postman_previewlanguage	json

header		
0	key	X-Content-Type-Options
	value	nosniff
1	key	X-XSS-Protection
	value	0
2	key	Cache-Control
	value	no-cache, no-store, max-age=0, must-revalidate
3	key	Pragma
	value	no-cache
4	key	Expires
	value	0
5	key	X-Frame-Options
	value	DENY
6	key	Content-Type
	value	application/json;charset=utf-8
7	key	Content-Length
	value	135
8	key	Date
	value	Sun, 09 Mar 2025 13:04:21 GMT
9	key	Keep-Alive
	value	timeout=60
10	key	Connection
	value	keep-alive

cookie	*(Empty List)*
body	{ "otoErrorCode": "OTO1075", "success": false, "errorCode": 1, "otoErrorMessage":

		"Invalid Json format", "errorMsg": "Please provide valid JSON" }
3	name	409
	originalRequest	
		method: POST
		header: 0
		key: x-forwarded-authorization
		value: Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImJjNDAxN2U3MGE4MWM5NTMxY2YxYjY4MjY4M2Q5OThlNGY1NTg5MTkiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI4NjQiLCJjbGllbnRUeXBlIjoicmV0YWlsIiwidXNlclR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VyTmFtZSI6IkRlbW8gTmljZW9uZSIsInVzZXJJZCI6IjI0NzYiLCJlbWFpbCI6Im5pY2VvbmVkZW1vQHRyeW90by5jb20iLCJpc3MiOiJodHRwczovL3NlY3VyZXRva2VuLmdvb2dsZS5jb20vb3RvLXN0YWdlLWFwaSIsImF1ZCI6Im90by1zdGFnZS1hcGkiLCJhdXRoX3RpbWUiOjE3MDE1NjI1MDYsInVzZXJfaWQiOiJTY1V5cTFsREczTmhiV3ZFMDh4WmQwc3VoYUQzIiwic3ViIjoiU2NVeXExbERHM05oYld2RTA4eFpkMHN1aGFEMyIsImlhdCI6MTc0MTUyNTIyOSwiZXhwIjoxNzQxNTI4ODI5LCJlbWFpbF92ZXJpZmllZCI6ZmFsc2UsImZpcmViYXNlIjp7ImlkZW50aXRpZXMiOnsiZW1haWwiOlsibmljZW9uZWRlbW9AdHJ5b3RvLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6ImN1c3RvbSJ9fQ.luVELOE63H67tMeaH1l3NH2WaXEg-tdYE0Nlnei8EimDWTFSpRsCOG0MUZUQf6QeexeW1RoV9ZoAflVKX6Dg6bQNYIEiB7sL-nLWBbbpDCOmv5mC2PcvweY8fWOvUIHLcTZZjnwGTILFfbVZFQQbhVtiIjH3lc0G7h1WKZPd8qk3kgiAd5O2_Q4cJLKVtFf1PH4jB-BMYjvS2QUquQNPPH6w1hXJQ5A9LQtdvuU_UyE5lRs25LDA38ZAGPht8Lez7Go2j9N9Q7aFcauPtbzfJgq4DWaLTQzyycScFcRPR3_su7Cx6CgCqbImqbRaFG6NmUWiYDB6ZkPoARlmjEblqA
		type: text
		body: mode: raw

raw	{ "name":"xsmall", "length":true, "width":4, "height":3 }	
options	raw	language json
url	raw	{{real-url}}/rest/v2/updateBox
	host	0 {{real-url}}
	path	0 rest 1 v2 2 updateBox
status	Conflict	
code	409	
_postman_previewlanguage	json	
header	0	key X-Content-Type-Options value nosniff
	1	key X-XSS-Protection value 0
	2	key Cache-Control value no-cache, no-store, max-age=0, must-revalidate
	3	key Pragma value no-cache
	4	key Expires value 0
	5	key X-Frame-Options value DENY
	6	key Content-Type value application/json;charset=utf-8
	7	key Content-Length value 135
	8	key Date value Sun, 09 Mar 2025 13:04:38 GMT
	9	key Keep-Alive value timeout=60
	10	key Connection value keep-alive
cookie	*(Empty List)*	
body	{ "otoErrorCode": "OTO1009", "success": false, "errorCode": 99, "otoErrorMessage": "Something went wrong", "errorMsg": "a system error occurred" }	

4	name	Get Box	
	request	method	GET
		header	0 key x-forwarded-authorization value Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImJjNDAxN2U3MGE

	4MWM5NTMxY2YxYjY4MjY4M2Q5OThlNGY1NTg5MTkiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI4NjQiLCJjbGllbnRUeXBlIjoicmV0YWlsIiwidXNlclR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VyTmFtZSI6IkRlbW8gTmljZW9uZSIsInVzZXJJZCI6IjI0NzYiLCJlbWFpbCI6Im5pY2VvbmVkZW1vQHRyeW90by5jb20iLCJpc3MiOiJodHRwczovL3NlY3VyZXRva2VuLmdvb2dsZS5jb20vb3RvLXN0YWdlLWFwaSIsImF1ZCI6Im90by1zdGFnZS1hcGkiLCJhdXRoX3RpbWUiOjE3MDE1NjI1MDYsInVzZXJfaWQiOiJTY1V5cTFsREczTmhiV3ZFMDh4WmQwc3VoYUQzIiwic3ViIjoiU2NVeXExbERHM05oYld2RTA4eFpkMHN1aGFEMyIsImlhdCI6MTc0MTUyNTIyOSwiZXhwIjoxNzQxNTI4ODI5LCJlbWFpbF92ZXJpZmllZCI6ZmFsc2UsImZpcmViYXNlIjp7ImlkZW50aXRpZXMiOnsiZW1haWwiOlsibmljZW9uZWRlbW9AdHJ5b3RvLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6ImN1c3RvbSJ9fQ.IuVELOE63H67tMeaH1l3NH2WaXEg-tdYE0Nlnei8EimDWTFSpRsCOG0MUZUQf6QeexeW1RoV9ZoAflVKX6Dg6bQNYIEiB7sL-nLWBbbpDCOmv5mC2PcvweY8fWOvUIHLcTZZjnwGTILFfbVZFQQbhVtiljH3lc0G7h1WKZPd8qk3kgiAd5O2_Q4cJLKVtFf1PH4jB-BMYjvS2QUquQNPPH6w1hXJQ5A9LQtdvuU_UyE5lRs25LDA38ZAGPht8Lez7Go2j9N9Q7aFcauPtbzfJgq4DWaLTQzyycScFcRPR3_su7Cx6CgCqbImqbRaFG6NmUWiYDB6ZkPoARlmjEblqA
	type text
	disabled Yes
url	**raw** {{real-url}}/rest/v2/getBox
	host 0 {{real-url}}
	path 0 rest 1 v2 2 getBox
	query 0 **key** name **value** medium **disabled** Yes
description	**Available Packages:** All Packages This API endpoint you to retrieve the name, id and dimension information of all boxes currently in your account.
response	0 **name** 200 OK
	originalRequest **method** GET
	header 0 **key** x-forwarded-authorization
	value Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImJjNDAxN2U3MGE4MWM5NTMxY2YxYjY4MjY4M2Q5OThlNGY1NTg5MTkiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI4NjQiLCJjbGllbnRUeXBlIjoicmV0YWlsIiwidXNlclR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VyTmFtZSI6IkRlbW8gTmljZW9uZSIsInVzZXJJZCI6IjI0NzYiLCJlbWFpbCI6Im5pY2VvbmVkZW1vQH

		RyeW90by5jb20iLCJpc3MiOiJodHRwczovL3NlY3VyZXRva2VuLmdvb2dsZS5jb20vb3RvLXN0YWdlLWFwaSIsImF1ZCI6Im90by1zdGFnZS1hcGkiLCJhdXRoX3RpbWUiOjE3MDE1NjI1MDYsInVzZXJfaWQiOiJTY1V5cTFsREczTmhiV3ZFMDh4WmQwc3VoYUQzIiwic3ViIjoiU2NVeXExbERHM05oYld2RTA4eFpkMHN1aGFEMyIsImlhdCI6MTc0MTUyNTIyOSwiZXhwIjoxNzQxNTI4ODI5LCJlbWFpbF92ZXJpZmllZCI6ZmFsc2UsImZpcmViYXNlIjp7ImlkZW50aXRpZXMiOnsiZW1haWwiOlsibmljZW9uZWRlbW9AdHJ5b3RvLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6ImN1c3RvbSJ9fQ.IuVELOE63H67tMeaH1l3NH2WaXEg-tdYE0Nlnei8EimDWTFSpRsCOG0MUZUQf6QeexeW1RoV9ZoAflVKX6Dg6bQNYIEiB7sL-nLWBbbpDCOmv5mC2PcvweY8fWOvUIHLcTZZjnwGTILFfbVZFQQbhVtiljH3lc0G7h1WKZPd8qk3kgiAd5O2_Q4cJLKVtFf1PH4jB-BMYjvS2QUquQNPPH6w1hXJQ5A9LQtdvuU_UyE5lRs25LDA38ZAGPht8Lez7Go2j9N9Q7aFcauPtbzfJgq4DWaLTQzyycScFcRPR3_su7Cx6CgCqbImqbRaFG6NmUWiYDB6ZkPoARlmjEblqA
	type	text
	disabled	Yes
url	raw	https://api.tryoto.com/rest/v2/getBox?name=medium
	protocol	https
	host	0 api 1 tryoto 2 com
	path	0 rest 1 v2 2 getBox
	query	0 key name

	value	medium
status	OK	
code	200	
_postman_previewlanguage	json	
header	0	key: X-Content-Type-Options value: nosniff
	1	key: X-XSS-Protection value: 0
	2	key: Cache-Control value: no-cache, no-store, max-age=0, must-revalidate
	3	key: Pragma value: no-cache
	4	key: Expires value: 0
	5	key: X-Frame-Options value: DENY
	6	key: Content-Type value: application/json;charset=utf-8
	7	key: Content-Length value: 90
	8	key: Date value: Sun, 09 Mar 2025 13:05:48 GMT
	9	key: Keep-Alive value: timeout=60
	10	key: Connection value: keep-alive
cookie	*(Empty List)*	
body	{ "boxes": [{ "length": 10, "width": 9, "boxName": "medium", "id": 2642, "height": 5 }], "success": true }	
1		
name	409-not found	
originalRequest	method: GET	
header	0	key: x-forwarded-authorization value: Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImJjNDAxN2U3MGE4MWM5NTMxY2YxYjY4MjY4M2Q5OThlNGY1NTg5MTkiLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI4NjQiLCJjbGllbnRUeXBlIjoicmV0YWlsIiwidXNlcIR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VyTmFtZSI6IkRlbW8gTmljZW9uZSIsInVzZXJJZCI6IjI0NzYi

		LCJlbWFpbCI6Im5pY2VvbmVkZW1vQHRyeW90by5jb20iLCJpc3MiOiJodHRwczovL3NlY3VyZXRva2VuLmdvb2dsZS5jb20vb3RvLXN0YWdlLWFwaSIsImF1ZCI6Im90by1zdGFnZS1hcGkiLCJhdXRoX3RpbWUiOjE3MDE1NjI1MDYsInVzZXJfaWQiOiJTY1V5cTFsREczTmhiV3ZFMDh4WmQwc3VoYUQzIiwic3ViIjoiU2NVeXExbERHM05oYld2RTA4eFpkMHN1aGFEMyIsImlhdCI6MTc0MTUyNTIyOSwiZXhwIjoxNzQxNTI4ODI5LCJlbWFpbF92ZXJpZmllZCI6ZmFsc2UsImZpcmViYXNlIjp7ImlkZW50aXRpZXMiOnsiZW1haWwiOlsibmljZW9uZWRlbW9AdHJ5b3RvLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6ImN1c3RvbSJ9fQ.IuVELOE63H67tMeaH1l3NH2WaXEg-tdYE0Nlnei8EimDWTFSpRsCOG0MUZUQf6QeexeW1RoV9ZoAflVKX6Dg6bQNYIEiB7sL-nLWBbbpDCOmv5mC2PcvweY8fWOvUIHLcTZZjnwGTILFfbVZFQQbhVtiljH3lc0G7h1WKZPd8qk3kgiAd5O2_Q4cJLKVtFf1PH4jB-BMYjvS2QUquQNPPH6w1hXJQ5A9LQtdvuU_UyE5lRs25LDA38ZAGPht8Lez7Go2j9N9Q7aFcauPtbzfJgq4DWaLTQzyycScFcRPR3_su7Cx6CgCqbImqbRaFG6NmUWiYDB6ZkPoARlmjEblqA
	type	text
	disabled	Yes
url	raw	{{real-url}}/rest/v2/getBox?name=2
	host	0: {{real-url}}
	path	0: rest 1: v2 2: getBox
	query	0: key: name, value: 2

status	Conflict
code	409
_postman_previewlanguage	json
header	0: key: X-Content-Type-Options; value: nosniff 1: key: X-XSS-Protection; value: 0 2: key: Cache-Control; value: no-cache, no-store, max-age=0, must-revalidate 3: key: Pragma; value: no-cache 4: key: Expires; value: 0 5: key: X-Frame-Options; value: DENY 6: key: Content-Type; value: application/json;charset=utf-8 7: key: Content-Length; value: 137 8: key: Date; value: Sun, 09 Mar 2025 13:06:04 GMT 9: key: Keep-Alive; value: timeout=60 10: key: Connection; value: keep-alive
cookie	*(Empty List)*
body	{ "otoErrorCode": "OTO1149", "success": false, "errorCode": 404, "otoErrorMessage": "Box could not be found", "errorMsg": "Box could not be found" }

12	name	Stock Management
	item	0: name: Update Stock Quantity
	request	method: POST
	header	0: key: Content-Type; value: application/json 1: key: x-forwarded-authorization; value: Bearer {{staging-feasibility}}; type: text
	body	mode: raw raw: { "actionType": "adjust", "locationCode": "ASDS", "sku": "156487494561", "qty": "40" }
	url	raw: {{real-url}}/rest/v2/updateStockQuantity host: 0: {{real-url}}

path	0	rest	
	1	v2	
	2	updateStockQuantity	
description	**Available Packages:** Scale Package, Enterprise Package, Marketplaces This API endpoint enables efficient inventory management by allowing you to update the quantity of a SKU in two flexible ways: 1. **Adjust**: Modify the existing quantity by adding or deducting a specified amount. To decrease the quantity, provide a negative value for `qty`. For example, setting `qty` to `-5` will deduct 5 units from the current stock. 2. **Set**: Directly set the quantity on hand to a specific value, replacing the current stock with the provided `qty`. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | actionType | yes | enum | "set","adjust" | | locationCode | yes | string | Location code of the inventory | | sku | yes | string | SKU of the product in the inventory | | qty | yes | integer | Quantity to be set or adjusted in the inventory |	

response	0	name	200 actionType "set"		
		originalRequest	method	POST	
			header	0	key: Content-Type value: application/json name: Content-Type type: text
				1	key: x-forwarded-authorization value: Bearer {{staging-feasibility}} type: text
			body	mode	raw
				raw	{ "actionType": "set", "locationCode": "ASDS", "sku": "156487494561", "qty": "1" }
				options	raw: language: json
			url	raw	{{real-url}}/rest/v2/updateStockQuantity
				host	0: {{real-url}}
				path	0: rest 1: v2 2: updateStockQuantity
		status	OK		
		code	200		
		_postman_previewlanguage	json		
		header	0	key: Date value: Thu, 16 Nov 2023 10:45:14 GMT	
			1	key: Content-Type value: application/json	
			2	key: Content-Length value: 123	

3	key	Server
	value	Jetty(9.4.3.v20170317)

cookie	*(Empty List)*
body	{ "success": true, "warnings": ["Inventory quantity set to the given qty according to the action type"], "transactionID": 591611 }

1

name	200 actionType "adjust"

originalRequest

method	POST	
header	0	key: Content-Type value: application/json name: Content-Type type: text
	1	key: x-forwarded-authorization value: Bearer {{staging-feasibility}} type: text
body	mode	raw
	raw	{ "actionType": "adjust", "locationCode": "ASDS", "sku": "156487494561", "qty": "40" }
	options	raw: language: json
url	raw	{{real-url}}/rest/v2/updateStockQuantity
	host	0: {{real-url}}
	path	0: rest 1: v2 2: updateStockQuantity

status	OK
code	200
_postman_previewlanguage	json

header

0	key	Date
	value	Thu, 16 Nov 2023 11:08:22 GMT
1	key	Content-Type
	value	application/json
2	key	Content-Length
	value	100
3	key	Server
	value	Jetty(9.4.3.v20170317)

cookie	*(Empty List)*
body	{ "success": true, "warnings": ["Inventory quantity increased by the given qty"], "transactionID": 591620 }

2

name	400 invalid quantity

originalRequest	method	POST
	header	0: key: Content-Type; value: application/json; name: Content-Type; type: text 1: key: x-forwarded-authorization; value: Bearer {{staging-feasibility}}; type: text
	body	mode: raw raw: { "actionType": "adjust", "locationCode": "ASDS", "sku": "156487494561", "qty": "40.75" } options: raw: language: json
	url	raw: {{real-url}}/rest/v2/updateStockQuantity host: 0: {{real-url}} path: 0: rest; 1: v2; 2: updateStockQuantity
status	Bad Request	
code	400	
_postman_previewlanguage	json	
header	0: key: Date; value: Thu, 16 Nov 2023 11:11:36 GMT 1: key: Content-Type; value: application/json 2: key: Content-Length; value: 65 3: key: Server; value: Jetty(9.4.3.v20170317)	
cookie	*(Empty List)*	
body	{ "success": false, "errorCode": 7, "errorMsg": "qty must be a number" }	
3		
name	400 invalid SKU	
originalRequest	method	POST
	header	0: key: Content-Type; value: application/json; name: Content-Type; type: text 1: key: x-forwarded-authorization; value: Bearer {{staging-feasibility}}

	type	text
body	mode	raw
	raw	{ "actionType": "adjust", "locationCode": "ASDS", "sku": "156487494561123412312", "qty": "40" }
	options	raw: language: json
url	raw	{{real-url}}/rest/v2/updateStockQuantity
	host	0: {{real-url}}
	path	0: rest 1: v2 2: updateStockQuantity
status	Bad Request	
code	400	
_postman_previewlanguage	json	
header	0: key: Date, value: Thu, 16 Nov 2023 11:11:55 GMT	
	1: key: Content-Type, value: application/json	
	2: key: Content-Length, value: 86	
	3: key: Server, value: Jetty(9.4.3.v20170317)	
cookie	*(Empty List)*	
body	{ "success": false, "errorCode": 11, "errorMsg": "Given SKU does not belong to any Product" }	
4		
name	400 invalid location code	
originalRequest	method	POST
	header	0: key: Content-Type, value: application/json, name: Content-Type, type: text
		1: key: x-forwarded-authorization, value: Bearer {{staging-feasibility}}, type: text
	body	mode: raw
		raw: { "actionType": "adjust", "locationCode": "ASDSA", "sku": "156487494561", "qty": "40" }
		options: raw: language: json

	url	raw: {{real-url}}/rest/v2/updateStockQuantity host: 0: {{real-url}} path: 0: rest, 1: v2, 2: updateStockQuantity
	status	Bad Request
	code	400
	_postman_previewlanguage	json
	header	0: key: Date, value: Thu, 16 Nov 2023 11:12:10 GMT 1: key: Content-Type, value: application/json 2: key: Content-Length, value: 107 3: key: Server, value: Jetty(9.4.3.v20170317)
	cookie	*(Empty List)*
	body	{ "success": false, "errorCode": 11, "errorMsg": "Given LocationCode does not belong to any Warehouse or Branch" }
5	name	400 invalid actionTypr
	originalRequest	method: POST header: 0: key: Content-Type, value: application/json 1: key: x-forwarded-authorization, value: Bearer {{staging-feasibility}}, type: text body: mode: raw, raw: { "actionType": "adjuast", "locationCode": "ASDS", "sku": "156487494561", "qty": "40" } url: raw: {{real-url}}/rest/v2/updateStockQuantity host: 0: {{real-url}} path: 0: rest, 1: v2, 2: updateStockQuantity
	status	Bad Request
	code	400
	_postman_previewlanguage	json
	header	0: key: Date

	value	Thu, 16 Nov 2023 11:12:33 GMT
1	key	Content-Type
	value	application/json
2	key	Content-Length
	value	80
3	key	Server
	value	Jetty(9.4.3.v20170317)
cookie	*(Empty List)*	
body	{ "success": false, "errorCode": 2, "errorMsg": "actionType can be 'set' or 'adjust'" }	

1

name	Check Inventory Stock		
request	method	GET	
	header	*(Empty List)*	
	url	raw	{{real-url}}/rest/v2/checkInventoryStock?sku=SG1,SG2,SG3
		host	0 {{real-url}}
		path	0 rest
			1 v2
			2 checkInventoryStock
		query	0 key: sku; value: SG1,SG2,SG3
	description	**Available Packages:** Scale Package, Enterprise Package, Marketplaces This API endpoint allows you to retrieve real-time stock availability for products at specific locations. It provides detailed information on the quantity of items on hand and forecasted stock for each product at various pickup locations, offering a location-based view of inventory distribution. **Request Parameters:** | Name | Required | Type | **Description** | | --- | --- | --- | --- | | sku | yes | string | The product's SKU identifier | **Response:** - **success**: Indicates whether the request was successful (`true` or `false`). - **stock**: A dictionary with SKUs as keys, containing a list of stock details for each location: - **pickupLocationCode**: The code representing the specific location. - **sku**: The product's SKU identifier. - **quantityForecasted**: The forecasted stock level at the location. - **quantityOnHand**: The actual available stock at the location.	
response	0	name	200
		originalRequest	method: GET
			header: *(Empty List)*
			url: raw: https://api.tryoto.com/rest/v2/checkInventoryStock?sku=SG1,SG2,SG3
			protocol: https
			host: 0 api; 1 tryoto; 2 com
			path: 0 rest; 1 v2; 2 checkInventoryStoc

	k
query	0 key: sku value: SG1,SG2,SG3
status	OK
code	200
_postman_previewlanguage	json
header	0 key: Content-Type value: application/json;charset=utf-8 1 key: X-Cloud-Trace-Context value: c4fe578fca49fa3b709de526ac5ecfc1 2 key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 3 key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 4 key: Alt-Svc value: clear 5 key: Date value: Mon, 13 Dec 2021 20:37:51 GMT 6 key: Server value: Google Frontend 7 key: Content-Length value: 569 8 key: Via value: 1.1 google
cookie	*(Empty List)*
body	{ "success": true, "stock": { "SG1": [{ "pickupLocationCode": "DMW", "sku": "SG1", "quantityForecasted": 261, "quantityOnHand": 277 }, { "sku": "SG1", "quantityForecasted": -16, "quantityOnHand": -7 }], "SG3": [{ "pickupLocationCode": "DMW", "sku": "SG3", "quantityForecasted": 55, "quantityOnHand": 67 }, { "sku": "SG3", "quantityForecasted": -7, "quantityOnHand": -6 }], "SG2": [{ "pickupLocationCode": "DMW", "sku": "SG2", "quantityForecasted": 185, "quantityOnHand": 198 }, { "sku": "SG2", "quantityForecasted": -20, "quantityOnHand": -12 }] } }

2	name	Check Global Stock
	request	
		method: GET
		header: *(Empty List)*
		url: raw: {{real-url}}/rest/v2/checkGlobalStock?sku=12,123123
		host: 0: {{real-url}}
		path: 0: rest; 1: v2; 2: checkGlobalStock
		query: 0: key: sku, value: 12,123123
		description: **Available Packages:** Scale Package, Enterprise Package, Marketplaces This API endpoint provides an overview of total stock availability for SKUs across all locations. This endpoint aggregates stock levels to display a global view, helping businesses understand their overall inventory status. **Request Parameters:** | Name | Required | Type | **Description** | | --- | --- | --- | --- | | sku | yes | string | The product's SKU identifier | **Response:** - **success**: Indicates whether the request was successful (`true` or `false`). - **stock**: A dictionary with SKUs as keys, containing global stock details for each product: - **sku**: The product's unique SKU identifier. - **quantityOnHand**: The total quantity of the product available across all locations. - **quantityForecasted**: The total forecasted stock quantity, if applicable. - **minInventory**: The minimum inventory threshold for the product, if defined.
	response	0: name: 200
		originalRequest: method: GET; header: *(Empty List)*; url: raw: https://api.tryoto.com/rest/v2/checkGlobalStock?sku=12,123123; protocol: https; host: 0: api, 1: tryoto, 2: com; path: 0: rest, 1: v2, 2: checkGlobalStock; query: 0: key: sku, value: 12,123123
		status: OK
		code: 200
		_postman_previewlanguage: json
		header: 0: key: Content-Type, value: application/json;charset=utf-8; 1: key: X-Cloud-Trace-Context, value: c4fe578fca49fa3b709de526ac5ecfc1; 2: key: Alt-Svc, value: h3=":443"; ma=2592000,h3-

		29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key	Alt-Svc
	value	clear
5	key	Date
	value	Mon, 13 Dec 2021 20:37:51 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	569
8	key	Via
	value	1.1 google
	cookie	*(Empty List)*
	body	{ "success": true, "stock": { "12": [{ "minInventory": 50, "sku": "12", "quantityForecasted": 122, "quantityOnHand": 39 }], "123123": [{ "sku": "123123", "quantityOnHand": 14 }] } }

3	name	Create Inventory Order		
	request	method	POST	
		header	*(Empty List)*	
		body	mode	raw
			raw	{ "action":"inbound", "locationCode": "WHA", "binLocationName": "test", "orderDate": "31/03/2022", "deliveryDate": "31/03/2023", "waybillNumber": "12345", "description": "loc1", "items": [{ "sku": "123123", "qty": "1" }] }
			options	raw → language: json
		url	raw	{{real-url}}/rest/v2/createInventoryOrder
			host	0: {{real-url}}
			path	0: rest 1: v2 2: createInventoryOrder
		description	**Available Packages:** Scale Package, Enterprise Package, Marketplaces This API endpoint creates inventory order as inbound or outbound for a warehouse or branch location. This API is used mostly to provide the incoming or outgoing bulk items from ERP systems to OTO. Once the order is created the status will be new for the warehouse or branch to accept and process the order. **Request Parameters:** | Name | Required | Type | **Description** | | --- | --- | --- | --- | | action |	

yes | enum | "inbound": Creates the order as purchase type and sets the ingoing location field
"outbound": Creates the order as disposal and sets the outgoing location field | | locationCode | yes | string | Code of the warehouse or the branch of the inventory | | binLocationName | no | string | Name of the desired Bin | | orderDate | no | date | Date of the order, must be a valid date value | | deliveryDate | no | date | Date of the delivery, must be a valid date value | | waybillNumber | no | string | WayBillNumber of the order | | description | no | string | Arbitrary description of the order | | items | no | JSONArray | An array of the items of the order | **Request paramaters for Items array:** | **Name** | **Required** | **Type** | **Description** | | --- | --- | --- | --- | | sku | yes | string | SKU of the item of the customer that exists on database | | qty | yes | integer | Quantity of the item, must be a positive number |

response	0	name	200
		originalRequest	method: POST
			header: 0 — key: x-forwarded-authorization
			value: Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImYyZTgyNzMyYjk3MWExMzVjZjE0MTZlOGI0NmRhZTA0ZDgwODk0ZTciLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI1ODAzIiwiY2xpZW50VHlwZSI6IkZyZWVQYWNrYWdlIiwidXNlclR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VySWQiOiI5NjE2IiwiZW1haWwiOiJmZWFzaWJpbHR5QGNoZWNrLmNvbSIsImlzcyI6Imh0dHBzOi8vc2VjdXJldG9rZW4uZ29vZ2xlLmNvbS9vdG8tc3RhZ2UtYXBpIiwiYXVkIjoib3RvLXN0YWdlLWFwaSIsImF1dGhfdGltZSI6MTY3OTM4Nzc2NywidXNlcl9pZCI6IjJqYXhpTnd4UGhjZkZ4cjFvNzFTeGlpaUZ5QzliLCJzdWIiOiIyamF4aU53eFBoY2ZGeHIxbzcxU3hpaWlGeUMyIiwiaWF0IjoxNjk3MDMyODMxLCJleHAiOjE2OTcwMzY0MzEsImVtYWlsX3ZlcmlmaWVkIjpmYWxzZSwiZmlyZWJhc2UiOnsiaWRlbnRpdGllcyI6eyJlbWFpbCI6WyJmZWFzaWJpbHR5QGNoZWNrLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6InBhc3N3b3JkIn19.TEeK7xUuFR0QlNneXE0xtvyf12tJM0zSoLum_pH-NJwqPMC2S9d8Akn99YQtoGuNTLSkwDUCuQ09CUducVTo2ZSh6GihPVC6e1iTs3s63QApyj9veWzRxvr8F5vq3acxsRm_9iLchK-l8T8LFHKimvw9NYZaojLaDYdErRhaGMxHDq

		ML6IiAJLPAuePFlrGHRTp4LOTpOYmn6DOZF8nXgFbD90ciFWzeXWucb6bBNZgSDnC3ibNL8KA42GHJhnuVahdEFtkzUs4TqbyH3yp90wTzXpG8OeYs5qYElhYiqVnwzuhrot7a4gOo02JIeBAcRyQM0mKqtzjZwwvENEogzQ
	type	text
body	mode	raw
	raw	{ "action":"inbound", "locationCode": "WHA", "binLocationName": "test", "orderDate": "31/03/2022", "deliveryDate": "31/03/2023", "waybillNumber": "12345", "description": "loc1", "items": [{ "sku": "123123", "qty": "1" }] }
	options	raw language json
url	raw	{{real-url}}/rest/v2/createInventoryOrder
	host	0 {{real-url}}
	path	0 rest 1 v2 2 createInventoryOrder

status	OK	
code	200	
_postman_previewlanguage	json	
header	0	key Date value Wed, 08 Nov 2023 08:23:07 GMT
	1	key Content-Type value application/json
	2	key Content-Length value 29
	3	key Server value Jetty(9.4.3.v20170317)
cookie	*(Empty List)*	
body	{ "success": true, "otoId": 4026 }	

1	name	400 wrong location code
	originalRequest	method POST
	header	0 key x-forwarded-authorization value Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImYyZTgyNzMyYjk3MWExMzVjZjE0MTZlOGI0NmRhZTA0ZDgwODk0ZTciLCJ0eXAi

	OiJKV1QifQ.eyJjb21wYW55SWQiOiI1ODAzIiwiY2xpZW50VHlwZSI6IkZyZWVQYWNrYWdlIiwidXNlclR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VySWQiOiI5NjE2IiwiZW1haWwiOiJmZWFzaWJpbHR5QGNoZWNrLmNvbSIsImlzcyI6Imh0dHBzOi8vc2VjdXJldG9rZW4uZ29vZ2xlLmNvbS9vdG8tc3RhZ2UtYXBpIiwiYXVkIjoib3RvLXN0YWdlLWFwaSIsImF1dGhfdGltZSI6MTY3OTM4Nzc2NywidXNlcl9pZCI6IjJqYXhpTnd4UGhjZkZ4cjFvNzFTeGlpaUZ5QzliLCJzdWIiOiIyamF4aU53eFBoY2ZGeHIxbzcxU3hpaWlGeUMyIiwiaWF0IjoxNjk3MDMyODMxLCJleHAiOjE2OTcwMzY0MzEsImVtYWlsX3ZlcmlmaWVkIjpmYWxzZSwiZmlyZWJhc2UiOnsiaWRlbnRpdGllcyI6eyJlbWFpbCI6WyJmZWFzaWJpbHR5QGNoZWNrLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6InBhc3N3b3JkIn19.TEeK7xUuFR0QlNneXE0xtvyf12tJM0zSoLum_pH-NJwqPMC2S9d8Akn99YQtoGuNTLSkwDUCuQ09CUducVTo2ZSh6GihPVC6e1iTs3s63QApyj9veWzRxvr8F5vq3acxsRm_9iLchK-l8T8LFHKimvw9NYZaojLaDYdErRhaGMxHDqML6IiAJLPAuePFlrGHRTp4LOTpOYmn6DOZF8nXgFbD90ciFWzeXWucb6bBNZgSDnC3ibNL8KA42GHJhnuVahdEFtkzUs4TqbyH3yp90wTzXpG8OeYs5qYElhYiqVnwzuhrot7a4gOo02JIeBAcRyQM0mKqtzjZwwvENEogzQ
	type text
body	**mode** raw
	raw { "action":"inbound", "locationCode": "WHASA", "binLocationName": "test", "orderDate": "31/03/2022", "deliveryDate": "31/03/2023", "waybillNumber": "12345", "description": "loc1", "items": [{ "sku": "123123", "qty": "1" }] }
	options raw **language** json

url	raw	{{real-url}}/rest/v2/createInventoryOrder
	host	0 {{real-url}}
	path	0 rest 1 v2 2 createInventoryOrder
status	Bad Request	
code	400	
_postman_previewlanguage	json	
header	0 key	Date
	value	Thu, 09 Nov 2023 07:41:55 GMT
	1 key	Content-Type
	value	application/json
	2 key	Content-Length
	value	107
	3 key	Server
	value	Jetty(9.4.3.v20170317)
cookie	*(Empty List)*	
body	{ "success": false, "errorCode": 11, "errorMsg": "Given LocationCode does not belong to any Warehouse or Branch" }	

2	name	400 wrong action value	
	originalRequest	method	POST
		header	0 key: x-forwarded-authorization
			value: Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImYyZTgyNzMyYjk3MWExMzVjZjE0MTZlOGI0NmRhZTA0ZDgwODk0ZTciLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI1ODAzIiwiY2xpZW50VHlwZSI6IkZyZWVQYWNrYWdlIiwidXNlclR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VySWQiOiI5NjE2IiwiZW1haWwiOiJmZWFzaWJpbHR5QGNoZWNrLmNvbSIsImlzcyI6Imh0dHBzOi8vc2VjdXJldG9rZW4uZ29vZ2xlLmNvbS9vdG8tc3RhZ2UtYXBpIiwiYXVkIjoib3RvLXN0YWdlLWFwaSIsImF1dGhfdGltZSI6MTY3OTM4Nzc2NywidXNlcl9pZCI6IjJqYXhpTnd4UGhjZkZ4cjFvNzFTeGlpaUZ5QzliLCJzdWIiOiIyamF4aU53eFBoY2ZGeHIxbzcxU3hpaWlGeUMyIiwiaWF0IjoxNjk3MDMyODMxLCJleHAiOjE2OTcwMzY0MzEsImVtYWlsX3ZlcmlmaWVkIjpmYW

	xzZSwiZmlyZWJhc2UiOnsiaWRlbnRpdGllcyI6eyJlbWFpbCI6WyJmZWFzaWJpbHR5QGNoZWNrLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6InBhc3N3b3JkIn19.TEeK7xUuFR0QINneXE0xtvyf12tJM0zSoLum_pH-NJwqPMC2S9d8Akn99YQtoGuNTLSkwDUCuQ09CUducVTo2ZSh6GihPVC6e1iTs3s63QApyj9veWzRxvr8F5vq3acxsRm_9iLchK-l8T8LFHKimvw9NYZaojLaDYdErRhaGMxHDqML6IiAJLPAuePFlrGHRTp4LOTpOYmn6DOZF8nXgFbD90ciFWzeXWucb6bBNZgSDnC3ibNL8KA42GHJhnuVahdEFtkzUs4TqbyH3yp90wTzXpG8OeYs5qYElhYiqVnwzuhrot7a4gOo02JIeBAcRyQM0mKqtzjZwwvENEogzQ
type	text
body	
mode	raw
raw	{ "action":"inbouand", "locationCode": "WHA", "binLocationName": "test", "orderDate": "31/03/2022", "deliveryDate": "31/03/2023", "waybillNumber": "12345", "description": "loc1", "items": [{ "sku": "123123", "qty": "1" }] }
options	
raw	
language	json
url	
raw	{{real-url}}/rest/v2/createInventoryOrder
host	
0	{{real-url}}
path	
0	rest
1	v2
2	createInventoryOrder
status	Bad Request
code	400
_postman_previewlanguage	json
header	
0	
key	Date
value	Thu, 09 Nov 2023 07:42:13 GMT
1	
key	Content-Type
value	application/json
2	
key	Content-Length
value	82
3	

	key	Server
	value	Jetty(9.4.3.v20170317)
cookie	*(Empty List)*	
body	{ "success": false, "errorCode": 6, "errorMsg": "action can be 'inbound' or 'outbound'" }	

3	name	200 wrong date format ignored		
	originalRequest	method	POST	
		header	0	key	x-forwarded-authorization
				value	Bearer eyJhbGciOiJSUzI1NiIsImtpZCI6ImYyZTgyNzMyYjk3MWExMzVjZjE0MTZlOGI0NmRhZTA0ZDgwODk0ZTciLCJ0eXAiOiJKV1QifQ.eyJjb21wYW55SWQiOiI1ODAzIiwiY2xpZW50VHlwZSI6IkZyZWVQYWNrYWdlIiwidXNlclR5cGUiOiJjb21wYW55QWRtaW4iLCJ1c2VySWQiOiI5NjE2IiwiZW1haWwiOiJmZWFzaWJpbHR5QGNoZWNrLmNvbSIsImlzcyI6Imh0dHBzOi8vc2VjdXJldG9rZW4uZ29vZ2xlLmNvbS9vdG8tc3RhZ2UtYXBpIiwiYXVkIjoib3RvLXN0YWdlLWFwaSIsImF1dGhfdGltZSI6MTY3OTM4Nzc2NywidXNlcl9pZCI6IjJqYXhpTnd4UGhjZkZ4cjFvNzFTeGlpaUZ5QzliLCJzdWIiOiIyamF4aU53eFBoY2ZGeHIxbzcxU3hpaWlGeUMyIiwiaWF0IjoxNjk3MDMyODMxLCJleHAiOjE2OTcwMzY0MzEsImVtYWlsX3ZlcmlmaWVkIjpmYWxzZSwiZmlyZWJhc2UiOnsiaWRlbnRpdGllcyI6eyJlbWFpbCI6WyJmZWFzaWJpbHR5QGNoZWNrLmNvbSJdfSwic2lnbl9pbl9wcm92aWRlciI6InBhc3N3b3JkIn19.TEeK7xUuFR0QINneXE0xtvyf12tJM0zSoLum_pH-NJwqPMC2S9d8Akn99YQtoGuNTLSkwDUCuQ09CUducVTo2ZSh6GihPVC6e1iTs3s63QApyj9veWzRxvr8F5vq3acxsRm_9iLchK-l8T8LFHKimvw9NYZaojLaDYdErRhaGMxHDqML6IiAJLPAuePFlrGHRTp4LOTpOYmn6DOZF8nXgFbD90ciFWzeXWucb6bBNZgSDnC3ibNL8KA42GHJhnuVahdEFtkzUs4TqbyH3yp90wTzXpG8OeYs5qYElhYiqVnwzuhrot7a4gOo02JIeB

		AcRyQM0mKqtzjZwwvENEogzQ
	type	text

body	mode	raw
	raw	{ "action":"inbound", "locationCode": "WHA", "binLocationName": "test", "orderDate": "31/03/2022", "deliveryDate": "3103/2023", "waybillNumber": "12345", "description": "loc1", "items": [{ "sku": "123123", "qty": "1" }] }
	options	raw: language: json
url	raw	{{real-url}}/rest/v2/createInventoryOrder
	host	0: {{real-url}}
	path	0: rest 1: v2 2: createInventoryOrder

status	OK
code	200
_postman_previewlanguage	json
header	0: key: Date, value: Thu, 09 Nov 2023 07:42:35 GMT 1: key: Content-Type, value: application/json 2: key: Content-Length, value: 152 3: key: Server, value: Jetty(9.4.3.v20170317)
cookie	*(Empty List)*
body	{ "success": true, "otoId": 4038, "warnings": ["deliveryDate is in an invalid format, order inserted without order date. Please provide dates as DD/MM/YYYY"] }

4	name	Update Packing Status
	request	

request	method	POST
	header	*(Empty List)*
	body	mode: raw raw: { "orderId":"123", "packingStatus":"packed" } options: raw: language: json
	url	raw: {{real-url}}/rest/v2/updatePackingStatus host: 0: {{real-url}} path: 0: rest 1:

		v2
	2	updatePackingStatus
description		**Available Packages:** Scale Package, Enterprise Package, Marketplaces This API endpoint allows you to update the packing status of an order during the fulfillment process. This endpoint is used to record and track the progress of orders as they move through the packing stage, ensuring accurate status updates for operational visibility. **Request Parameters:** | Name | Required | Type | **Description** | | --- | --- | --- | --- | | orderId | yes | string | Id of the order that you wanna update packing status | | packingStatus | yes | string | Packing status value can be `packed` or `picked` |

response	0	name		200
		originalRequest	method	POST
			header	*(Empty List)*
			body	mode: raw raw: { "orderId":"123", "packingStatus":"packed" } options: raw, language: json
			url	raw: {{real-url}}/rest/v2/updatePackingStatus host: 0: {{real-url}} path: 0: rest, 1: v2, 2: updatePackingStatus
		status		OK
		code		200
		_postman_previewlanguage		json
		header		null
		cookie		*(Empty List)*
		body		{ "success": true, "message": "Successfully updated" }

5	name		Get Orders Ready For Packing
	request	method	POST
		header	*(Empty List)*
		body	mode: raw raw: { "warehouseCode": "WH123" } options: raw, language: json
		url	raw: {{real-url}}/rest/v2/getPackingOrders host: 0: {{real-url}} path: 0: rest, 1: v2, 2: getPackingOrders
		description	**Available Packages:** Scale Package, Enterprise Package, MarketplacesEndFragment This API endpoint retrieves a list of orders that are ready for pick and pack operations. This endpoint is designed to streamline warehouse workflows by providing access to orders that have completed prior processes and are prepared for fulfillment. **Request

Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | warehouseCode | yes | String | `pickupLocationCode` of the warehouse. |

response

0

name	200 OK
originalRequest	method: POST header: *(Empty List)* body: mode: raw raw: { "warehouseCode": "WH123" } options: raw: language: json url: raw: {{real-url}}/rest/v2/getPackingOrders host: 0: {{real-url}} path: 0: rest, 1: v2, 2: getPackingOrders
status	OK
code	200
_postman_previewlanguage	json
header	null
cookie	*(Empty List)*
body	{ "success":true, "count": 2, "orders": [{ "orderId": "11022", "items": [{ "productId": 112, "name": "test product", "quantity": 1, "sku": "test-product" }, { "name": "test product 2", "quantity": 1, "sku": "test-product-2" }] }, { "orderId": "11051222", "items": [{ "productId": 12312, "name": "test2 product", "quantity": 1, "sku": "test-product" }, { "name": "test3 product 3", "quantity": 2, "sku": "test3-product-3" }] }] }

1

name	401 Unauthorized
originalRequest	method: POST header: 0: key: Accept, value: application/json, type: text body: mode: raw raw: { "warehouseCode": "WH123" } options: raw: language: json url: raw: {{real-url}}/rest/v2/getPackingOrders host: 0: {{real-url}} path: 0: rest, 1: v2, 2: getPackingOrders
status	Unauthorized

code	401
_postman_previewlanguage	json
header	null
cookie	*(Empty List)*
body	{ "message": "Jwt is expired", "code": 401 }

13

name	Webhook

item

0

name	webhook

event

0

listen	test

script

exec	0	pm.test("Status code is 200", function () {
	1	pm.response.to.have.status(200);
	2	});
type		text/javascript
packages		*(Empty Object)*

request

method		POST
header		*(Empty List)*
body	mode	raw
	raw	{ "method":"post", "url":"https://webhook.site/3e53c98a-a089-4ca4-9bc4-df10e5a71e4b", "orderPrefix":"fulfillment", "timestampFormat":"2025-01-01 13:14:34", "secretKey":"key1234", "authorizationKey":"authorizationkey123", "webhookType":"shipmentError" }
	options	raw language json

url

raw		{{real-url}}/rest/v2/webhook
host	0	{{real-url}}
path	0	rest
	1	v2
	2	webhook

description

Available Packages: Starter Package, Scale Package, Enterprise Package, Marketplaces This endpoint enables OTO to send update payloads to the specified URL using the defined method. Optional security measures, such as token authentication and payload validation, can be configured for enhanced security. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | method | yes | string | `POST` or `PUT` | | url | yes | string | Your endpoint listens to get OTO webhook payload, when order status changes. exp.`https://webhook.site/3e53c98a-a089-4ca4-9bc4-df10e5a71e4b` | | secretKey | no | string | With this key message is signed and receiver validate. | | authorizationKey | no | string | Secure token used to authenticate and validate incoming webhook requests. | | timestampFormat | no | string | Exp "yyyy-MM-dd HH:mm:ss" format receiver want to get. | | orderPrefix | no | string | If orders has prefix in OTO, then put prefix string to be removed before webhook body prepared. | | webhookType | no | string | `shipmentError`, sends create shipment error messages; `orderStatus` sends order status changes. default is `orderStatus and newOrders` webhook is used to create orders in a different WMS. |

response	0	name	200 webhook-order status
		originalRequest	method: POST header: *(Empty List)* body: mode: raw raw: { "method":"post", "url":"https://webhook.site/3e53c98a-a089-4ca4-9bc4-df10e5a71e4b", "orderPrefix":"fulfillment", "timestampFormat":"2025-01-01 13:14:34", "secretKey":"key1234", "authorizationKey":"authorizationkey123", "webhookType":"orderStatus" } options: raw: language: json url: raw: https://api.tryoto.com/rest/v2/webhook protocol: https host: 0: api; 1: tryoto; 2: com path: 0: rest; 1: v2; 2: webhook
		status	OK
		code	200
		_postman_previewlanguage	json
		header	0: key: Content-Type; value: application/json;charset=utf-8 1: key: X-Cloud-Trace-Context; value: 4341c271e3b9c749f0555d1add18f113 2: key: Alt-Svc; value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"

3	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
4	key	Alt-Svc
	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
5	key	Date
	value	Wed, 02 Feb 2022 14:11:07 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	63
8	key	Via
	value	1.1 google

cookie	*(Empty List)*	
body	{ "success": true, "id": "59", "message": "webhook has been created" }	

1	name	200 webhook- shipment error		
	originalRequest	method	POST	
		header	*(Empty List)*	
		body	mode	raw
			raw	{ "method":"post", "url":"https://webhook.site/3e53c98a-a089-4ca4-9bc4-df10e5a71e4b", "orderPrefix":"fulfillment", "timestampFormat":"2025-01-01 13:14:34", "secretKey":"key1234", "authorizationKey":"authorizationkey123", "webhookType":"shipmentError" }
			options	raw language json
		url	raw	{{real-url}}/rest/v2/webhook

host	0 {{real-url}}
path	0 rest 1 v2 2 webhook
status	OK
code	200
_postman_previewlanguage	json
header	0 key: Content-Type value: application/json;charset=utf-8 1 key: X-Cloud-Trace-Context value: 4341c271e3b9c749f0555d1add18f113 2 key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 3 key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 4 key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 5 key: Date value: Wed, 02 Feb 2022 14:11:07 GMT 6 key: Server value: Google Frontend 7 key: Content-Length value: 63 8 key: Via value: 1.1 google
cookie	*(Empty List)*
body	{ "success": true, "id": "59", "message": "webhook has been created" }

1

- name: webhook
- event
  - 0
    - listen: test
    - script
      - exec
        - 0: pm.test("Status code is 200", function () {
        - 1: pm.response.to.have.status(200);
        - 2: });
      - type: text/javascript
- request
  - method: GET
  - header: *(Empty List)*
  - url
    - raw: {{real-url}}/rest/v2/webhook
    - host
      - 0: {{real-url}}
    - path
      - 0: rest
      - 1: v2
      - 2: webhook
  - description: **Available Packages:** Starter Package, Scale Package, Enterprise Package, Marketplaces This endpoint allows you to retrieve a list of all registered webhook definitions. It provides detailed information about each webhook, including its configuration and associated event triggers, enabling you to manage and review your webhook integrations effectively. **Note:** You can filter by id if you know the id of the webhook. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | id | no | string | id of the webhook |
- response
  - 0
    - name: 200
    - originalRequest
      - method: GET
      - header: *(Empty List)*
      - url
        - raw: https://api.tryoto.com/rest/v2/webhook
        - protocol: https
        - host
          - 0: api
          - 1: tryoto
          - 2: com
        - path
          - 0: rest
          - 1: v2
          - 2: webhook
    - status: OK
    - code: 200
    - _postman_previewlanguage: json
    - header
      - 0
        - key: Content-Type
        - value: application/json;charset=utf-8
      - 1
        - key: X-Cloud-Trace-Context
        - value: 5ae767cdbb3cacc38c0de4dee7bc72b6
      - 2
        - key: Alt-Svc
        - value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443";

		ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
	3	key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43"
	4	key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
	5	key: Date value: Wed, 02 Feb 2022 14:11:12 GMT
	6	key: Server value: Google Frontend
	7	key: Content-Length value: 238
	8	key: Via value: 1.1 google
	cookie	*(Empty List)*
	body	{ "webhooks": [{ "method": "post", "secretKey": "secret123", "authorizationKey": "authorization123", "timestampFormat": "2025-01-01 10:10:10", "id": 59, "url": "https://webhook.site/3e53c98a-a089-4ca4-9bc4-df10e5a71e4b", "orderPrefix": "fulfillment" }], "success": true }
1	name	200-filterById
	originalRequest	method: GET header: *(Empty List)* url: raw: {{real-url}}/rest/v2/webhook?id=59 host: 0: {{real-url}} path: 0: rest; 1: v2; 2: webhook query: 0: key: id, value: 59
	status	OK

code	200
_postman_previewlanguage	json
header	0 key: Content-Type value: application/json;charset=utf-8 1 key: X-Cloud-Trace-Context value: 040b4492b339fb264261c8fcfe739c97 2 key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 3 key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 4 key: Alt-Svc value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000 5 key: Date value: Wed, 02 Feb 2022 14:12:39 GMT 6 key: Server value: Google Frontend 7 key: Content-Length value: 238 8 key: Via value: 1.1 google
cookie	*(Empty List)*
body	{ "webhooks": [{ "method": "post", "secretKey": "secret123", "authorizationKey": "authorization123", "timestampFormat": "2025-01-01 10:10:10", "id": 59, "url": "https://webhook.site/3e53c98a-a089-4ca4-9bc4-df10e5a71e4b", "orderPrefix": "fulfillment" }], "success": true }

2	name	webhook

event	0	listen: test
		script: exec: 0: pm.test("Status code is 200", function () {
		1: pm.response.to.have.status(200);
		2: });
		type: text/javascript
		packages: *(Empty Object)*
request		method: PUT
		header: *(Empty List)*
		body: mode: raw
		raw: { "id":59, "method":"post", "url":"https://webhook.site/3e53c98a-a089-4ca4-9bc4-df10e5a71e4b", "orderPrefix":"test-2", "timestampFormat":"2025-01-01 10:10:10", "secretKey":"secret123", "authorizationKey":"authorizationkey123", "webhookType":"orderStatus" }
		options: raw: language: json
		url: raw: {{real-url}}/rest/v2/webhook
		host: 0: {{real-url}}
		path: 0: rest
		1: v2
		2: webhook
		description: **Available Packages:** Starter Package, Scale Package, Enterprise Package, Marketplaces This API endpoint allows updating an already registered webhook by providing its unique ID. This ensures you can modify existing webhook configurations, such as URL, secretKey, or other parameters, without needing to delete and recreate it. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | id | yes | string | Id of the webhook record. | | method | yes | string | `POST` or `PUT` | | url | yes | string | Your endpoint listens to get OTO webhook payload, when order status changes. exp.`https://webhook.site/3e53c98a-a089-4ca4-9bc4-df10e5a71e4b` | | secretKey | no | string | With this key message is signed and receiver validate. | | authorizationKey | no | string | Authorization key. | | timestampFormat | no | string | Exp "yyyy-MM-dd HH:mm:ss" format receiver want to get. | | orderPrefix | no | string | If orders has prefix in OTO, then put prefix string to be removed before webhook body prepared. | | webhookType | no | string | `shipmentError`, sends create shipment error messages; `orderStatus` sends order status changes. default is `orderStatus and newOrders` webhook is used to create orders in a different WMS. |
response	0	name: 200
		originalRequest: method: PUT
		header: *(Empty List)*
		body: mode: raw
		raw: { "id":59, "method":"POST", "url":"https://webhook.site/3e53c98a-a089-4ca4-9bc4-df10e5a71e4b",

	"orderPrefix":"test-2", "timestampFormat":"2025-01-01 10:10:10", "secretKey":"secret123", "authorizationKey":"authorization123" }
options	raw / language: json
url	raw: https://api.tryoto.com/rest/v2/webhook protocol: https host: 0 api, 1 tryoto, 2 com path: 0 rest, 1 v2, 2 webhook
status	OK
code	200
_postman_previewlanguage	json
header	0 key: Content-Type, value: application/json;charset=utf-8 1 key: X-Cloud-Trace-Context, value: f80e87e442367c64b2e0d7deab70bb50 2 key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 3 key: Alt-Svc, value: h3=":443"; ma=2592000,h3-29=":443"; ma=2592000,h3-Q050=":443"; ma=2592000,h3-Q046=":443"; ma=2592000,h3-Q043=":443"; ma=2592000,quic=":443"; ma=2592000; v="46,43" 4 key: Alt-Svc

	value	h3=":443"; ma=2592000,h3-29=":443"; ma=2592000
5	key	Date
	value	Wed, 02 Feb 2022 14:12:05 GMT
6	key	Server
	value	Google Frontend
7	key	Content-Length
	value	53
8	key	Via
	value	1.1 google
cookie	*(Empty List)*	
body	{ "success": true, "message": "webhook has been updated" }	

3	name	webhook
event	0	
	listen	test
	script	
	exec	0 pm.test("Status code is 200", function () {
		1 pm.response.to.have.status(200);
		2 });
	type	text/javascript
request		
	method	DELETE
	header	*(Empty List)*
	url	
	raw	{{real-url}}/rest/v2/webhook
	host	0 {{real-url}}
	path	0 rest
		1 v2
		2 webhook
	description	**Available Packages:** Starter Package, Scale Package, Enterprise Package, Marketplaces This API endpoint enables the removal of a registered webhook from the system using its unique ID. This ensures you can effectively manage and clean up webhook configurations that are no longer needed. **Request Parameters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | id | yes | string | Id of the webhook record. |
response	0	
	name	webhook
	originalRequest	
	method	DELETE
	header	*(Empty List)*
	url	
	raw	{{real-url}}/rest/v2/webhook?id=3
	host	0 {{real-url}}
	path	0 rest
		1 v2
		2 webhook
	query	0 key id
		value 3

_postman_previewlanguage	json
header	null
cookie	*(Empty List)*
body	{ "success": true, "message": "webhook has been deleted" }

description

WEBHOOK for ORDER There are 3 types of webhook for now, `newOrders,` `orderStatus` and `shipmentError`. OTO will push updates to the registered webhook endpoint for the `orderStatus` type whenever an order status changes. This includes statuses such as Processing, Delivered, Returned, and more. OTO will push an update via the `shipmentError` webhook type, providing details about the error, if an error occurs while an order shipment. OTO will push the order details to you through the `newOrders` webhook type, If you need to create an existing order in a different WMS system. timestamp value belongs to UTC time zone. ``` json { "orderId": "1234", "status": "shipmentProcessing|delivered|returned|...", "dcStatus": "status coming from the delivery company", "note": "optional note to show in order history", "pickupLocationCode":"code-101", "driverName": "FirstName LastName", "driverPhone": "966555444333", "driverEmail": "driver@example.com", "driverId":"123124", "printAWBURL": "https://login.tryoto.com/service/rest/v1/printAWB/XXXXX", "trackingNumber": "ASD00123", "trackingUrl": "www.example?...", "deliveryCompany": "fastExpress", "timestamp": "1595941360328", "signature": "S7aLSdZjfZAIf9IOArNgTLI5PXhKDkTeYmrhIfhpE79REU2NLg6Kbeb9KavwRfhV3UhAoFNefnezBEbnn5VO7GlTN4FSESUjf1wKctrfO5gJLFuK2JhIG/p32HSj7A4XvvVYg1xWNOmuM9Ua61zyR7TG5gC0fDipDYcxYAd4vP/RvqWm056IwIRAuevlxLr/EL6JuS9gmNGrAXz733rkjt6RV+ZmFS4VAtSK/WDQOQU3o2CyJipCA6cCo9DRwvHrzUYZNWMakpi70wjhajZRZ5L/4Z7u3D21FsB/LUeRQ9D5niVCaNjDU3e9PQe9ig1frR3LsYOiz5Y0UAyq9izfKg==" } ``` Signed ?orderId:status:timestamp? with ?HmacSHA256? method and Base64 Encoded string. Public key for the signature will be shared on private. if registered to `shipmentError`, endpoint will get a payload: ``` json { "orderId": "7523", "signature": "bQnNzL2VVwu0joYPfx6Qs3lsoEdVCMR+5xSPdMbABFE=", "errorMessage": "delivery company not allow to create shipment", "deliveryCompanyResponse": "error: Shipper.PartyAddress - City/Zipcode is empty", "errorCode": "deliveryCompanyError", "deliveryCompany": "aramex", "timestamp": "1653642441399" } ``` Signed ?orderId:errorCode:timestamp? with ?HmacSHA256? method and Base64 Encoded string. Public key for the signature will be shared on private. ``` json { "order": { "warehouseId": 21251, "branchId": null, "grandTotal": 3, "otoId": 30868940, "paymentMethod": "string", "weight": 1.0, "incrementId": "string", "salesChannel": "string", "brand": "string", "codFee": 0.0, "items": [{ "itemId": 12402868, "qtyOrdered": 1, "sku": "10143", "qtyReturned": null, "productId": "string", "productName": "string" "itemType": "string" }], "status": "assignedToWarehouse" }, "signature": "BS1lFr2bf6Jcj4dqX9s9nrjrKluxq9jwLgM6l7cX8PI=", "timestamp": 1734601087777 } ```

event

0

listen	prerequest
script	type: text/javascript exec: 0 *(Empty Text)*

1

listen	test
script	type: text/javascript packages: *(Empty Object)* exec: 0 *(Empty Text)*

14

name OTO FLEX

item

0

name	assignDriver
request	method: POST header: *(Empty List)* body: mode: raw; raw: { "orderIDs": [3079460], "driverID": 8702 }; options: raw; language: json url: raw: https://api.tryoto.com/rest/v2/assignDriver

protocol	https
host	0 api 1 tryoto 2 com
path	0 rest 1 v2 2 assignDriver
description	**Available Packages:** Starter Package, Scale Package, Enterprise Package, Marketplaces This API endpoint enables clients to assign a specific driver to their shipments for the OTO Flex app. This endpoint streamlines the allocation process, allowing businesses to efficiently manage driver assignments and ensure smooth delivery operations. **Request Paramaters:** | Name | Required | Type | Description | | --- | --- | --- | --- | | orderIDs | yes | array | An array of orderIDs objects containing the order ids | | driverID | yes | long | ID of the driver |
response	*(Empty List)*

15

name	List Of Statuses
item	*(Empty List)*
description	| | **Stage** | Description | | --- | --- | --- | | new | Order Management | New order | | paymentConfirmed | Order Management | Payment is confirmed for the order | | waitingAddressConfirmation | Order Management | Order waits address confirmation by customer | | addressConfirmed | Order Management | Customer confirmed the order address | | needConfirmation | Order Management | Order waits for confirmation | | paymentTypeConfirmed | Order Management | The payment type and amounts are confirmed | | codOrderConfirmed | Order Management | COD order is confirmed by end customer | | orderConfirmed | Order Management | Order is confirmed | | pickupFromStore | Order Management | Order will be collected by end customer | | interDepotTransfer | Order Management | Order is shipping to another warehouse before shipping to the end customer | | canceled | Order Management | Order is canceled | | deleted | Order Management | Order is deleted | | readyForCollection | Warehouse Management | Order is ready to be collected by end customer | | branchAssigned | Warehouse Management | Order is assigned to branch | | assignedToWarehouse | Warehouse Management | Order is assigned to warehouse | | shipmentOnHoldWarehouse | Warehouse Management | Shipment is on hold by warehouse | | shipmentOnHoldToCancel | Warehouse Management | Shipment is on hold by warehouse | | notAvailableBR | Warehouse Management | Order is not available in the assigned branch | | notAvailableWH | Warehouse Management | Order is not available in the assigned warehouse | | picked | Warehouse Management | Order items picked by picker | | packed | Warehouse Management | Order items packed by packer | | searchingDriver | Creation | Shipment created and waiting for delivery company to assign driver | | shipmentCreated | Creation | Shipment accepted by the delivery company and driver is assigned | | goingToPickup | Creation | Driver is going to pickup location | | arrivedPickup | Creation | Driver arrived to pickup location and receiving the package | | pickedUp | Pickup | Shipment is picked up by | | arrivedDestinationTerminal | Transit | Shipment arrived to final destination hub of delivery company | | arrivedTerminal | Transit | Shipment arrived to delivery company's facility | | departedTerminal | Transit | Shipment left the delivery company's facility | | inTransit | Transit | Shipment is on the way through to destination | | arrivedOriginTerminal | Transit | Shipment arrived to origin hub of delivery company | | outForDelivery | Transit | Driver is on the way to end customer to deliver the package | | arrivedDestination | Transit | Shipment arrived to destination | | shipmentInProgress | Transit | Shipment is under process | | undeliveredAttempt | Transit | Shipment attempted for delivery but not successful | | shipmentOnHold | Transit | Shipment on hold by delivery company | | delivered | Delivery | Order is delivered to end customer successfully | | returned | Returned | Order is returned back to origin | | returnProcessing | Failed | Shipment is under return process | | returnShipmentProcessing | Failed | Shipment is under return process | | reverseShipmentProcessing | Reverse Creation | Reverse shipment created and waiting for delivery company to assign driver | | reverseShipmentCreated | Reverse Creation | Reverse Shipment is created for the order | | reverseShipmentCanceled | Tracking and Return Management | Reverse Shipment is canceled for the order | | reverseGoingToPickup | Reverse Creation | Driver is going to pickup location for reverse shipment | | reversePickedUp | Reverse Pickup | Reverse Shipment is picked

		up by delivery company | | reverseOutForDelivery | Reverse Transit | Reverse Shipment is on the way to | | reverseArrivedTerminal | Reverse Transit | Reverse shipment arrived to delivery company's facility | | reverseDepartedTerminal | Reverse Transit | Reverse shipment left the delivery company's facility | | reverseArrivedDestinationTerminal | Reverse Transit | Reverse shipment arrived final destination delivery company facility before the delivery | | reverseUndeliveredAttempt | Reverse Transit | Reverse Shipment attempted for delivery but not successful | | reverseShipmentOnHold | Reverse Transit | Reverse shipment on hold by delivery company | | reverseReturned | Reverse Delivery | Reverse Shipment returned to destination location | | reverseConfirmReturn | Tracking and Return Management | Returned order items are confirmed by warehouse/branch | | shipmentCanceled | Tracking and Return Management | Shipment is canceled | | lostOrDamaged | Tracking and Return Management | Shipment is lost or damaged | | confirmedReturn | Tracking and Return Management | Returned order items are confirmed by warehouse/branch | | approved | Tracking and Return Management | Return request approved | | rejected | Tracking and Return Management | Return request rejected | | reverseShipmentCanceled | Tracking and Return Management | Reverse shipment is canceled | | reverseConfirmReturn | Tracking and Return Management | Reverse returned order items are confirmed by warehouse/branch | | returnReverseComment | Tracking and Return Management | Comment of returned reverse order |

16	**name**	Error Codes
	item	*(Empty List)*
	description	**HTTP Status Codes** | Error Code | Error Description | | --- | --- | | 200 | SUCCESS | | 400 | BAD REQUEST | | 403 | FORBIDDEN | | 404 | NOT FOUND | | 409 | CONFLICT | | 500 | INTERNAL_SERVER_ERROR | **OTO Error Codes** Error codes and messages are returned as otoErrorCode and otoErrorMessage responses. | **OTO Error Code** | **OTO Error Description** | | --- | --- | | OTO1001 | Invalid or missing order Id | | OTO1002 | Order is not exist | | OTO1004 | There is no available delivery company setting | | OTO1006 | Credit is not enough | | OTO1009 | Something went wrong | | OTO1010 | Check the missing details | | OTO1011 | Shipment is already exist | | OTO1015 | Database Error | | OTO1016 | Sender details are missing or invalid | | OTO1021 | Recipient address is missing or invalid | | OTO1022 | Recipient city is missing or invalid | | OTO1029 | Recipient name is missing or invalid | | OTO1030 | Recipient phone is missing or invalid | | OTO1049 | Weight is missing or invalid | | OTO1063 | Order Id is already exist | | OTO1067 | Order Status is not allowed for update | | OTO1070 | Pickup location code is missing or invalid | | OTO1071 | Item has pickupLocation array for split order process but the input is invalid in the array. | | OTO1072 | This orderId is used on another split item before. | | OTO1073 | Box name is missing or invalid | | OTO1074 | Invalid items | | OTO1075 | Invalid Json format | | OTO1077 | Error occurred while generating zpl data | | OTO1079 | Shipment id is required | | OTO1080 | This account is not authorized for the use this service | | OTO1082 | Order Status is not allowed for cancel shipment | | OTO1083 | Refresh Token is required | | OTO1084 | Login is required | | OTO1085 | Email is missing or invalid | | OTO1086 | User does not exist | | OTO1087 | Country is missing or invalid | | OTO1088 | This action is not allowed for this token | | OTO1089 | Company already exists | | OTO1090 | Unknown integration | | OTO1091 | Sales channel registration error | | OTO1092 | Company registration error | | OTO1093 | Amount is required | | OTO1094 | Store name is missing or invalid | | OTO1095 | Brand name already exists | | OTO1096 | Invalid or missing delivery company information | | OTO1097 | City information is missing or invalid | | OTO1098 | Lat and Lon is missing or invalid | | OTO1099 | Integration code is required | | OTO1100 | Brand is missing or invalid | | OTO1101 | Settings is required | | OTO1102 | Volumetric weight rate is missing or invalid | | OTO1103 | Status of the order is not suitable for the action | | OTO1104 | Customer is missing or invalid | | OTO1105 | Wait for 1 minute before request again! | | OTO1106 | whoPays parameter is missing or invalid | | OTO1107 | minDate or maxDate is missing or invalid | | OTO1108 | Status is required | | OTO1109 | SMS is missing or invalid | | OTO1110 | On Hold reason is missing or invalid | | OTO1111 | Reason config is missing or invalid | | OTO1112 | Maximum order id number exceeded! | | OTO1113 | Shipment is not exist | | OTO1114 | SMS service error occurred | | OTO1116 | Delivery company couldn't respond properly. | | OTO1117 | Branch has already exist. | | OTO1118 | Serving radius is not a number! | | OTO1119 | Type should be branch or warehouse! | | OTO1120 | You cannot register more than 10 webhooks | | OTO1121 | url, method must be provided. | | OTO1122 | Url already registered for this company | | OTO1123 | authorizationKey size is longer than 255 | | OTO1124 | secretKey size is longer than 255 | | OTO1125 | webhook id is required | | OTO1126 | sku is missing or invalid | | OTO1127 | productName required | | OTO1128 | price required | | OTO1129 | taxAmount required | | OTO1130 | actionType is required | | OTO1131 | packingStatus is required | | OTO1132 | Quantity is missing or invalid | | OTO1133 | Location Code is missing or invalid | | OTO1134 | Inventory could not be found with given SKU and locationCode | | OTO1135 | Stock is missing or invalid | | OTO1136 | Action is missing

		or invalid | | OTO1137 | Given binLocationName does not exist on database | | OTO1138 | Driver id is missing or invalid | | OTO1139 | Driver not found! | | OTO1140 | Driver capacity is exceeded! | | OTO1141 | PDF Not found | | OTO1142 | perPage and page are required. | | OTO1143 | Too many request! | | OTO1144 | attributeValue or attributeName fields are missing or invalid. | | OTO1145 | Order array is required! | | OTO1146 | Integration name missing | | OTO1147 | Box already exists | | OTO1148 | Dimension unit is missing or invalid | | OTO1149 | Box could not be found | | OTO1150 | You do not have access to this resource. Please upgrade your plan. | | OTO1151 | Invalid URL format for store ur | | OTO1152 | Sales channels code is missing or wrong | | OTO1153 | Sales channels information is missing or wrong |
event	**0**	
		listen prerequest
		script
		type text/javascript
		exec **0** *(Empty Text)*
	1	
		listen test
		script
		type text/javascript
		exec **0** *(Empty Text)*
variable	**0**	
		key real-url
		value https://api.tryoto.com
	1	
		key test-url
		value https://staging-api.tryoto.com