MITALI DARDA

selected works 2019-2026

table of contents

01. city dive
community swimming hub I academic

02. shade commons
rainscreen pavilion I grad school

03. crossweave
urban housing I grad school

04. MCA
sports village for cricket association I professional work

05. walk to work
modular co working spaces I academic

06. co live
community housing I academic

07. kaleidoscope
geodesic dome for stadium I professional work

08. hands on
arch, vault, dome I workshop

09. gfc's
construction and working drawings I professional work

city dive

community swimming hub

area : 7184 sq.m | **location** : Pune, India | **type** : thesis

sem 10: indiv. design

an urban swimming hub that maintains a legacy of sustaining itself entirely on a source of natural springs without sourcing any water from the Pune corporation or government. The pool reuses and recycles the water using oxidation and bio pools, two booming sustainable approaches for the treatment of water in a growing city like Pune in India.

It thrives to regain its lost identity that once brought a strong cohesion between recreation and competition with maximum participation of all age groups. It tries to bridge the gap between a strict training environment with more frank and open leisure corridors. Bio pool focuses on bringing back the dying source of water and naturally treating it thereby creating an ecosystem within itself.

swimming in natural springs



1922 - 1988



competitive swimming

recreational swimming in natural springs



1988 - 2020



competitive swimming

destruction of natural springs



2020 - present



1922
quarry with natural springs

1988 - 2019
natural springs and competitive pools

2020 - present
competitive pools, no springs



existing natural spring and contour



rearranging pools



soil



bridge and additional viewing pavilion



shade

softscape



joining contours



roof plaza



quarry and spring


Ground Floor Plan
Scale 1:200
1. competition pool
2. warm up pol
3. natural pool
4. kid's pool
5. women's area
6. play area
7. regenration zone
8. viewing area
9. swimmer's zone
10. changing room
11. official's room
12. staff room
13. store room
14. gym
15. cafeteria
16. plant room


First Floor Plan (at +4800)
Scale 1:200
1. viewing gallery
2. admin
3. physio and dope test room
4. toilet
5. girl's common room
6. boy's common room
7. footover bridge to viewing area
8. gym
9. cafeteria


plaza
olympic pool
bio pond
natural springs




walking plaza
olympic pool
natural springs
bio pond


600x300
tandur stone
gravel
waterflow to
regeneration
area
planter bed
reed bed
gravel
350mm thk
stone wall
100m pcc
towards jet
nozzles
(supply)
Filtration detail
Scale 1:20


30mm timber
deck
150thk rcc
balancing tank
sieve
350 thk stone
wall
drain pipe to
plant
100mm thk pcc
Balancing tank detail
scale 1:20


main rafter frame grid on columns
c@c 4.15m
1.
bracing
c@c 4.15m
2.


top purlin frame ob bracing
c@c 4.15 m
3.
120m thk ferrocement
(upwards ribs)
4.



crossweave

community housing

area : 2050 sq.m I location : S.Downtown, Atlanta I type : academic

grad sem: studio 1

located in the heart of South Downtown Atlanta, along Trinity Avenue, the project reimagines urban living through a layered approach that blends housing, community, and movement. The design is based on a stacking concept of interlocking balconies, creating a dynamic façade without relying on cantilevers. Each level is strategically offset to foster visual connection, natural ventilation, and shared semi-private outdoor spaces that encourage interaction among residents.

at the ground level, the building opens into a vibrant food plaza, serving as a social and cultural anchor for the neighborhood. This active base invites pedestrians from all directions, supported by pathways that cut across Broad Street, Trinity Avenue, and Forsyth Street, seamlessly connecting the site to the larger urban fabric. The circulation pattern not only enhances walkability but also revitalizes the underutilized edges of the downtown corridor.

design development







Underpass floor plan

Ground Floor Plan



First Floor Plan









shade commons

rainscreen pavilion

area : 100 sq.m | location : LOOP, Atlanta | type : academic

grad sem: independant study, sem 3

located as a public installation at LOOP, Atlanta, Shade Commons investigates how computational design and digital fabrication can make the hidden histories of recycled materials visible. Utilizing five distinct streams of locally sourced recycled High Density Polyethylene (HDPE), including bottle caps, thermoformed pallets, industrial pipe scrap and 3D printing scrap, the pavilion establishes a new model for circular construction and material legibility.

the process began by shredding the waste plastic into raw pellets. By testing the distinct density, melt behavior, and color composition of each material stream, the project established a computational system that designs directly with material difference. The pellets were then transformed through a fabrication sequence of thermal sheet pressing, CNC milling, and modular assembly into an overlapping shingle rainscreen system. Secured to a structural steel framework, the modular panels provide weather protection and complete design for disassembly. Shade Commons turns discarded plastic into a legible, physical record of post-consumer lifecycles.

1

sourcing and granulation:
collecting local HDPE waste streams (bottle caps, pallet scrap, industrial pipes) and shredding them into uniform plastic pellets.

2

material profiling and mapping:
analyzing and testing each plastic stream to categorize its density, melt index and viscosity

3

thermal sheet pressing:
heat-pressing the pellets under controlled thermal and pressure fields to create composite sheets.



4

CNC milling and fabrication:
milling raw pressed sheets to create shingle profiles and expose sub-surface material layers

5

tectonic assembly:
mounting the modular shingles onto a steel frame designed for easy disassembly and future reuse





MCA

sports village for cricket association

area : 20k sq.m I location : Gahunje, Pune, India I type : professional

contribution: design, drawings, modeling, rendering

co live is an approach grasping on the idea of intergenerational living in PCMC, Pune. It offers a range of accommodations, including single-sharing, four-sharing, six-sharing rooms, and two-sharing units for married couples. The staggered floor arrangement creates terraces and varied visual planes, allowing interaction and enhancing the overall aesthetic. Box windows punctuate the facade, adding architectural interest and a sense of rhythm to the building's exterior.

the project also incorporates a cafeteria and a library, encouraging communal engagement and intellectual exchange. Extensive open areas provide ample room for outdoor activities, further nurturing a sense of community. This hostel goes beyond basic accommodation by offering a holistic environment that promotes interaction, learning, and leisure, while maintaining a balance between public and private spaces

Identifying the existing movement corridor

scope of land use

intervention of green pockets

GHORADESHWAR MOUNTAINS
OPEN LANDS
VIP ROAD
PUBLIC ACCESS
ENTRANCE
D
C
E
VIP PARKING
B2
A1
A2
A3
B1
B3
M C A ROAD
FARM LANDS
VIP ENTRY
EXISTING GATE
PUBLIC ENTRY
ZONES
A. CLUBHOUSE
A1 amphitheatre
A2 banquets
A3 admin, eateries, museum
B. TRAINING AND SPORTS
B1. indoor sports
B2. cricket training centre
B3. outdoor sports
C. AQUATICS AND RECREATION
c. yoga and meditation
c. spa
D. ACCOMODATION
E. PARKING
10m 20 m 50 m

frame of reference













Maharashtra Cricket
Association


FLOOR PLAN at 0.0 M
(lower ground)
LEGEND
1. Entrance drop-off
2. Reception
3. Open gallery
4. Restaurant 01
5. Courtyard 01
6. Courtyard 02
7. Cafeteria
8. Underpass
9. Member's parking
10. Pre-function area 01
11. Amphitheatre
12. V.I.P. road
13. Banquet lawn
14. Service road
15. Parking lobby
16. Store room
17. Kitchen
18. Changing & Feeding room
19. Souvenir shop
20. Control room
21. Service room
22. A.V. room
23. Services for Parking
24. Control room
25. Cabin for security
Parking
Entry to parking
Exit
entry/exit from parking
Drop-off
ENTRY GATE-03
ENTRY GATE-02
ENTRY GATE-01
Entrance plaza
KEY PLAN


members only
visitors






Section BB'
5m
10m
20m


section AA'

VIP CAR PARK



walk to work

modular coworking spaces

area : 4128 sq.m | **location** : Kharadi, Pune | **type** : academic

sem 8: indiv. design

this modular coworking space, located on the banks of the Mula Mutha tributary in the Kharadi neighborhood, is designed with a deep respect for the local ecology. The architectural layout embraces the natural contours of the land, minimizing disruption to the surrounding environment.

the neighbourhood of Kharadi is majorly categorized under the I.T. sector. After a three-week study of the neighborhood, a common matter in question surfaced underlying the lack of a healthy work environment, especially for working mothers. Commutation to work under an accepted time limit reflected poorly on managing chores at home.

a responsive infusion extended to existing residential quarters. Focusing primarily on the idea of walking to work, modules responding to passive design strategies and open learning seemed an appropriate solution.



group theme

transformation of neighbourhoods by reviving tributaries of Mula Mutha river



study of kharadi
I.T. sector, tulja bhavani nagar

The service provider cycle system. Due to an increase in the IT sector, the residential area grew which in turn increases the need of service providers around **tulja bhavani nagar**

Livelihood of Immigrants



Supervisors : 20 %
Service providers : 40 %
Corporate jobs : 40 %

Income range

G2 (mid rise) : 30 %
G3 (high rise) : 70 %

The service provider cycle . The cycle includes the maids as well as construction workers .





I.T. sector

The service provider cycle . Due to increase in IT industry. The need of transportation increased as there is inadequate public transport .

Livelihood of Immigrants

Supervisors : 11.1 %
Service providers : 33.33 %
Corporate jobs : 55.6 %

Income range

G2 (mid rise) : 20 %
G3 (high rise) : 80 %

built vs unbuilt typologies and requirements



a group theme extended to each individual to expand on the lines of ecology. Individual inserts along the tributaries of the river incorporating an 8m wide stretch for riverfront development. An extensive study of the area and livelihood led to an outcome of co working inserts at multiple sites

scope of built along the tributary





6M WIDE
8M WIDE
Rushab's Housing Site
Pedestrian pathway of Housing plot
Towards Linear Garden
Towards workspace
Entry to Work Space
Towards the Common Pathway
Entrance
Parking
Enquiry Desk
Library
Open working space
Library/ reading space
Co-Work Cafe
Linear Park
Walking/Cycling Spine
Ghat Seating towards the tributary
Mound Seating
Mound Seating/ Working Space
Main Pedestrian Walkway
Common 6M Pathway running along the entire tributary
Ground floor plan
Scale 1:200
TRIBUTARY OF MULA MUTHA RIVER





primary co working module

the module is a geometrical result of a cube cut in four triangles merging with a central spine of circulation. The triangles contribute as breathers of the workspace

First floor plan
Scale 1:100

Ground floor plan
Scale 1:100




763
322
150
300
650
300
1250
managlore tiles fixed on wooden framework
mud rolls
8mm thk wedge plates
300thk r.c.c. gutter
g.i flashing


54°
g.i. flashing
mangalore tiles fixed on wooden framework
mud rolls 100mm dia
rafter
wooden anchor support


118°
675
600
wooden anchor support 40 x 100mm
wooden tie member 50 x 50mm
r.c.c lintel support







co live

community hostel living

area : 20k sq.m I **location** : PCMC, Pune, India I **type** : academic

sem 6: indiv. design

co live is an approach grasping on the idea of intergenerational living in PCMC, Pune. It offers a range of accommodations, including single-sharing, four-sharing, six-sharing rooms, and two-sharing units for married couples. The staggered floor arrangement creates terraces and varied visual planes, allowing interaction and enhancing the overall aesthetic. Box windows punctuate the facade, adding architectural interest and a sense of rhythm to the building's exterior.

the project also incorporates a cafeteria and a library, encouraging communal engagement and intellectual exchange. Extensive open areas provide ample room for outdoor activities, further nurturing a sense of community. This hostel goes beyond basic accommodation by offering a holistic environment that promotes interaction, learning, and leisure, while maintaining a balance between public and private spaces



Ground Floor Plan
Scale 1:200









elevations









single sharing unit



triple sharing unit



married couple unit



First and fourth floor





kaleidoscope

geodesic dome

area : 180 sq.m I **location** : Delhi, India I **type** : professional

contribution: design, drawings, model

the geodesic dome serves as an elegant viewing pavilion within a sports gymkhana, overlooking a cricket ground. As per the client, the dome is an additional intervention for VIP crowd as a viewing pavilion. The dome accommodates up to fifty people, offering a modern, airy space for spectators. The dome's exterior and interior are adorned with trigonal pyramidal panels, which add visual complexity and enhance its dynamic, geometric form.

the dome spans 17 meters with a lightweight and an efficient form that minimizes use of material. The interplay of light and shadow through the triangular facets creates a captivating visual experience, making the pavilion a centerpiece of the sports facility. The dome provides an unobstructed view of the cricket field, making it a unique and efficient architectural element within the gymkhana's landscape.

requirement

a covered shell over the viewing arena for VIP members to spectate the cricket matches and other sports events




tri star frame 6mm thk
6mm thk T plate
welded to tristar
sealant
18mm thk glass
6mm thk aluminium plate
6mm thk steel plate
CHS-100 6mm thk
tri star frame 6m thk
100
700
500
250
350
500




dome
panel
outer tri star panels
frame
glass
inner tri star panels
structure of the dome
exploded view of the panel

hands on

arches, vaults, domes

location : Auroville, India I **type** : non academic workshop

the AVD course covered the structural design and construction of vaulted earthen masonry. It offered an in-depth understanding of various methods of stability analysis for arches, vaults and domes following the principles of Limit Analysis of Masonry. It is one of the courses which combine structural design of AVD with integrated principles of construction. The course focused on the use of Compressed Stabilised Earth Block (CSEB) as a building material and vault construction methods developed by AVEI even preofessing on long free spanning structures.

the course intensified on the stability and neutralization study of a given arch specified with the applicable brick size and specifications. Following the calculations, a hands-on masonry in which we studied constructive principles and techniques, and build various types and scales of arches, vaults and domes.

understanding masonry of arches, vaults and domes

the structural design of vaulted masonry along with integrated principles of construction, and includes honds-on sessions on the construction of arches, vaults and domes. It focuses on the use of compressed stabilised eorth block (CSEB) os a building material and vault construction methods developed by AVEI .construction principles for building arches vaults and domes, building various arches with centring, building various vaults without centring (learning basics), building various vaults without centring (creative work), building various domes without centring ,masonry pattern for on optimised orch, construction principles, building techniques, binder quality.

arch



vault



dome

good for construction drawings

professional work I reference working drawings

Elevation A
Scale-1:30

Elevation B
Scale 1:30



Section AA
Scale-1:30

Detail C
Scale 1:5



Detail B
Scale 1:5

Detail D
Scale 1:5



Elevation C
Scale-1:30



Plan (Security cabin)
Scale-1:30



Roof Plan (Security cabin)
Scale-1:30



Detail A

© This drawing is the property of Stapati Calicut and is not to be copied or used without their permission.

Notes.

All dimensions shall be checked and correlated with structural drawings and any ambiguity shall be reported immediately to the Architects before commencement of work.

Special Notes.

1. All the wall thickness are 23cm and 13 cm unless specified
2. All dimensions and levels are in cms unless specified otherwise.
3. All dimensions and levels given in the drawing are finished dimensions and levels (including finishes)
4. All heights are measured from finished floor level
5. Levels marked are with respect to finished ground level ± 0.00 corresponding to datum level------
6. Drawing should not be scaled. Only written dimensions should be followed.
7. Follow architectural drawing for dimensions , levels and details
8. Latest revison of drawing should be followed. The drawing showing previous revison should be cancelled.
9. For structural, electrical, landscape etc refer respective consultant's drawings.

No.	Date.	Revision details.
R2	.....	.....
R1	.....	.....

Revisions.

SCHEDULE OF OPENINGS:

Type.	Remarks.	Width.	Height.

Purpose.

Key Plan.

Principal Architect.	Ar.Tony Joseph.	Partner Architect.	Ar.Harish

Architects.

STAPATI
calicut
architecture · planning · interiors

5 / 2759 C, Kalipoika, Mini by pass rd., Calicut, Kerala
673 004 , India. t : + 91 495 2771102, 2771103
f : + 91 495 2771101 e : calicut@stapati.com

Client.	M/S. MALABAR DEVELOPERS

Project Title.

MALABAR GOLD FACTORY AT TELENGANA

Building Title.

FACTORY AND REFINERY BLOCK
SECURITY CABIN

Drawing Title.

Security cabin details

Project Architect.	Ar.Godwin

Project No:	Drawing No.
494/1648	AR/WD-7.23B

Revision Suffix.

Scale.	Date.	Drawn.	Checked.
	11-16-23	Mitali	Godwin



DETAIL - X
SCALE 1:3



SECTION - XX
SCALE- 1:20



DETAIL A
SCALE 1:3



ELEVATION FLAT C (LIVING)
SCALE 1:20



ELEVATION FLAT D (LIVING)
SCALE 1:20



KEY PLAN



SECTION-AA
SCALE 1:2



PLAN FLAT A (LIVING)
SCALE 1:20



ELEVATION FLAT A (LIVING)
SCALE 1:20



ELEVATION FLAT B (LIVING)
SCALE 1:20



PLAN FLAT B (LIVING)
SCALE 1:20



PLAN FLAT C (LIVING)
SCALE 1:20



PLAN FLAT D (LIVING)
SCALE 1:20

© This drawing is the property of Stapati Calicut and not to be copied or used without their permission

Notes

All dimensions shall be checked and correlated with structural drawings and any ambiguity shall be reported immediately to the Architects before commencement of work.

Special Notes

1. All the wall thickness are 230m and 115 cm unless specified
2. All dimensions and levels are in cms unless specified otherwise
3. All dimensions and levels given in the drawing are finished dimensions and levels (including finishes)
4. All heights are measured from finished floor level
5. Levels marked are +/-th respect to finished ground level ±0.00 corresponding to datum level----
6. Drawing should not be scaled. Only written dimensions should be followed.
7. Follow architectural drawing for dimensions , levels and details
8. Latest revision of drawing should be followed. The drawing showing previous revision should be cancelled.
9. For structural, electrical, landscape etc refer respective consultant's drawings.

No	Date	Revision details
Revisions		

SCHEDULE OF OPENINGS

Purpose

Key Plan

Principal Architect	Ar.Tony Joseph	Partner Architect	Ar.Harish

Architects

STAPATI
calicut
architecture · planning · interiors

5 / 2759 C, Kalipoika, Mini by pass rd., Calicut, Kerala - 673 004 , India. t : + 91 495 2771102, 2771103
f : + 91 495 2771101 e : calicut@stapati.com

Client: Florina properties LLP

Project Title:
PROPOSED APARTMENT BUILDING AT CHEVAYUR

Building Title:
ASSET CHEVAYUR APARTMENT BUILDING

Drawing Title:
BALCONY HANDRAIL DETAILS TYPICAL FLOOR

Project Architect	Ar. Sreerag		
Project No.	482/1643	Drawing No.	AR/WD- 5.1
Revision Suffix			
Scale	1:20	Date	19-July-2023
Drawn	Mitali	Checked	Sreerag



Detail 1 - ENTRY 1 ROAD EDGE
Scale 1:20



Detail 2 - Entrance cobble and lawn
Scale 1:20



Detail 3 - Driveway
Scale 1:20



Detail 4 - PAVING DETAIL 1
Scale 1:20



Detail 4.2 - DRIVEWAY EDGE DETAIL 1
Scale 1:20



Detail 6,7 - PAVING DETAIL
Scale 1:20



Detail 5 - Water Body Detail
Scale 1:20



Detail 8 - STEPS EDGE DETAIL
Scale 1:20

© This drawing is the property of Vanam Landscape Architects and is not to be copied or used without their permission.

Notes.
All dimensions shall be checked and correlated with structural drawings and any ambiguity shall be reported immediately to the Architects before commencement of work.

Special Notes.

1. All the wall thickness are 23cm and 13 cm unless specified
2. All dimensions and levels are in cms unless specified otherwise
3. All dimensions and levels given in the drawing are finished dimensions and levels (including finishes)
4. All heights are measured from finished floor level
5. Levels marked are with respect to finished ground level ± 0.00 corresponding to datum level-----
6. Drawing should not be scaled. Only written dimensions should be followed.
7. Follow architectural drawing for dimensions , levels and details
8. Latest revision of drawing should be followed. The drawing showing previous revision should be cancelled.
9. For structural, electrical, irrigation etc refer respective consultant's drawings.
10. Our drawings are based on the site plan and other details provided by client.
11. Client will be solely responsible for the accuracy of site boundaries and everything existing at the site.

No.	Date.	Revision details.
R2	.....	.....
R1	.....	.....

Revisions.

Annotation and Abbreviations

BOP	-Bottom of the pond/pool	PA	-Planting Area
BS	-Bottom of Slope	RTL	-Road Top Level
BK	-Bottom of Kerb	TK	-Top of kerb
BW	-Bottom of Wall	TS	-Top of Slope
BP	-Bottom of Pitching	TW	-Top of Wall
BPL	-Bottom of Plinth	TP	-Top of Pitching
BD	-Bottom of Drain	TPL	-Top of Plinth
EL	-Existing level	TYP	-Typical
FFL	-Finish Floor level	TD	-Top of Drain
FLL	-Finished Landscape level	WF	-Water Feature
FG	-Finish Grade	WL	-Water level

+70.00 General finish lvl
+70.00 TK Top of Kerb
+70.00 TF Top of Finish
+70.00 TW Top of Wall
+70.00 TS Top of Slope

Proposed level
Existing level
Existing level
Proposed Road chainage / Existing ground profile
Soil Grading Line

DETAIL TAG
SECTION LINE

Landscape Architects.
VANAM
Landscape Architecture | Environmental Planning
5 / 2759 C, Kaipoika, Mini by pass rd., Calicut, Kerala 673 004 . India. t : + 91 495 2771102, 2771103 f : + 91 495 2771101 e : calicut@stapati.com

Project Title.
Arun Residence

Client	Mr. Shivkumar
Architects	STAPATI, KOCHI
Purpose	FOR DISCUSSION ONLY

Drawing Title.
HARDSCAPE TYPICAL DETAILS - ENTRY GATE 1

Landscape Architect.	Ar. Asha
Project No.	19/103/R
Drawing No.	VN_SKM19_04_002.A
Revision Suffix.	R1
Sheet Size.	A2
Scale.	1:20
Date.	21/08/2023
Drawn.	Mitali
Checked.	Vasil