Column space and Null space

Mitaxi Mehta: Lecture 7

$$\left(\begin{array}{cccc}
a_{11} & \dots & a_{1n} \\
\dots & \dots & \dots \\
a_{n1} & \dots & a_{nn}
\end{array}\right)$$

$$\left(\begin{array}{cccc}
a_{11} & \dots & a_{1n} \\
\dots & \dots & \dots \\
a_{n1} & \dots & a_{nn}
\end{array}\right)$$

Think of each column as a vector.

$$\left(\begin{array}{cccc}
a_{11} & \dots & a_{1n} \\
\dots & \dots & \dots \\
a_{n1} & \dots & a_{nn}
\end{array}\right)$$

- Think of each column as a vector.
- Consider linear combination of the column vectors,

$$c_1 v_1 \uparrow + ... + c_n v_n \uparrow$$

for
$$c_1, ..., c_n \in R$$
.

$$\left(\begin{array}{cccc}
a_{11} & \dots & a_{1n} \\
\dots & \dots & \dots \\
a_{n1} & \dots & a_{nn}
\end{array}\right)$$

- Think of each column as a vector.
- Consider linear combination of the column vectors,

$$c_1 v_1 \uparrow + ... + c_n v_n \uparrow$$

for
$$c_1, ..., c_n \in R$$
.

All such vectors are members of the column space.

$$\left(\begin{array}{cc} 2 & 6 \\ 3 & 9 \end{array}\right) \left(\begin{array}{c} x \\ y \end{array}\right) = \left(\begin{array}{c} 4 \\ 6 \end{array}\right)$$

$$\left(\begin{array}{cc} 2 & 6 \\ 3 & 9 \end{array}\right) \left(\begin{array}{c} x \\ y \end{array}\right) = \left(\begin{array}{c} 4 \\ 6 \end{array}\right)$$

• What is the column space Geometrically? Draw it.

$$\left(\begin{array}{cc} 2 & 6 \\ 3 & 9 \end{array}\right) \left(\begin{array}{c} x \\ y \end{array}\right) = \left(\begin{array}{c} 4 \\ 6 \end{array}\right)$$

- What is the column space Geometrically? Draw it.
- Draw the RHS vector, Does the RHS belong to the column space ?

$$\left(\begin{array}{cc} 2 & 6 \\ 3 & 9 \end{array}\right) \left(\begin{array}{c} x \\ y \end{array}\right) = \left(\begin{array}{c} 4 \\ 6 \end{array}\right)$$

- What is the column space Geometrically? Draw it.
- Draw the RHS vector, Does the RHS belong to the column space ?
- Is the equation solvable?

Column space

Consider the following equation.

$$\left(\begin{array}{cc}2&4\\3&6\end{array}\right)\left(\begin{array}{c}x\\y\end{array}\right)=\left(\begin{array}{c}3\\7\end{array}\right)$$

Column space

Consider the following equation.

$$\left(\begin{array}{cc}2&4\\3&6\end{array}\right)\left(\begin{array}{c}x\\y\end{array}\right)=\left(\begin{array}{c}3\\7\end{array}\right)$$

Answer the same questions as in the previous slide.

• When the RHS is an element of the C(A) the equation is solvable and not solvable otherwise.

- When the RHS is an element of the C(A) the equation is solvable and not solvable otherwise.
- Row space of A is column space of A^T , Thus while solving $A^Tx \uparrow = b \uparrow$, the equation has a solution if $b \uparrow$ is an element of the R(A).

• The null space of a matrix A consists of all such vectors $x \uparrow$ so that $Ax \uparrow = 0 \uparrow$

- The null space of a matrix A consists of all such vectors $x \uparrow$ so that $Ax \uparrow = 0 \uparrow$
- Find the null space of the matrix in the first problem and draw it.