#### Introduction.

Mitaxi Mehta Lecture 1

#### Course Introduction

• This time the handout will be dynamical. The weekly plan will be announced beforehand. I intend to cover most of the topics previously covered but in a new application based format. The old handout document will be made available to see the topics covered previously and the books used.

#### Course Introduction

- This time the handout will be dynamical. The weekly plan will be announced beforehand. I intend to cover most of the topics previously covered but in a new application based format. The old handout document will be made available to see the topics covered previously and the books used.
- Ask a question when you don't understand a concept/method (I know Gujarati, Hindi and English). It is better to be dumb once than to be dumb for your lifetime

#### Course Introduction

- This time the handout will be dynamical. The weekly plan will be announced beforehand. I intend to cover most of the topics previously covered but in a new application based format. The old handout document will be made available to see the topics covered previously and the books used.
- Ask a question when you don't understand a concept/method (I know Gujarati, Hindi and English). It is better to be dumb once than to be dumb for your lifetime and it is even better to find out if your teacher is being dumb. :)

 The lecture slides, assignments and much more will be available on github, Please note that exams will be problems based, You will not have to prove standard results.

 The lecture slides, assignments and much more will be available on github, Please note that exams will be problems based, You will not have to prove standard results.

 Each lecture will have an associated set of exercises, you don't need to do more problems than that but if you would like more practice, I suggest you look up online resources like MIT OCW, NPTEL, EDEX etc.

 All the exams will be open notebook. Please note that only one noteboook can be used, loose or stapled sheets, photocopies etc. will not be permitted.

 All the exams will be open notebook. Please note that only one noteboook can be used, loose or stapled sheets, photocopies etc. will not be permitted.

 Please note that the goal of the course is to learn, not to be tested.

 You can enter or leave the class at anytime without my permission, but you are requested to not to disturb others.
 Be responsible and make sure that your attendance requirements are met.

 You can enter or leave the class at anytime without my permission, but you are requested to not to disturb others.
 Be responsible and make sure that your attendance requirements are met.

 I shall regularly upload Jupyter notebooks on github for you to play with, to visualize some of the concepts learnt and to get some coding practice.

• The evaluations breakup is

- The evaluations breakup is
- Quizzes 20%, I generally take four quizzes but the number may change.

- The evaluations breakup is
- Quizzes 20%, I generally take four quizzes but the number may change.
- Midterm exam 20%.

- The evaluations breakup is
- Quizzes 20%, I generally take four quizzes but the number may change.
- Midterm exam 20%.
- Group project (To be announced after midterm exam) 10%.

- The evaluations breakup is
- Quizzes 20%, I generally take four quizzes but the number may change.
- Midterm exam 20%.
- Group project (To be announced after midterm exam) 10%.
- Final exam 50%. The last exam has the highest weight, to give you a chance to catch-up in case you have been lagging behind.

Mathematics is the language of science and technology.

Mathematics is the language of science and technology.
 How to enjoy mathematics ?

- Mathematics is the language of science and technology.
   How to enjoy mathematics ?
- Mathematics is a language, speak it.

- Mathematics is the language of science and technology.
   How to enjoy mathematics ?
- Mathematics is a language, speak it.
   "If you don't keep quiet I shall differentiate you, Laplace transform you, convert you into a continued fraction."

- Mathematics is the language of science and technology.
   How to enjoy mathematics ?
- Mathematics is a language, speak it.
   "If you don't keep quiet I shall differentiate you, Laplace transform you, convert you into a continued fraction."
- Mathematical jokes,

- Mathematics is the language of science and technology.
   How to enjoy mathematics ?
- Mathematics is a language, speak it.
   "If you don't keep quiet I shall differentiate you, Laplace transform you, convert you into a continued fraction."
- Mathematical jokes, Expand  $(a + b)^2$

- Mathematics is the language of science and technology.
   How to enjoy mathematics ?
- Mathematics is a language, speak it.
   "If you don't keep quiet I shall differentiate you, Laplace transform you, convert you into a continued fraction."
- Mathematical jokes, Expand  $(a + b)^2$ Ans.  $(a + b)^2$ .

- Mathematics is the language of science and technology.
   How to enjoy mathematics ?
- Mathematics is a language, speak it.
   "If you don't keep quiet I shall differentiate you, Laplace transform you, convert you into a continued fraction."
- Mathematical jokes, Expand  $(a + b)^2$ Ans.  $(a + b)^2$ . insults,

- Mathematics is the language of science and technology.
   How to enjoy mathematics ?
- Mathematics is a language, speak it.
   "If you don't keep quiet I shall differentiate you, Laplace transform you, convert you into a continued fraction."
- Mathematical jokes, Expand  $(a+b)^2$ Ans.  $(a+b)^2$ . insults, "You Riemann zeta zero, Ziglin's theorem, Logarithm."

Poetry,

 Poetry, Here is one from http://www.pleacher.com/handley/humor/mhumor.html

 Poetry, Here is one from http://www.pleacher.com/handley/humor/mhumor.html

"The Mobius Strip"

 Poetry, Here is one from http://www.pleacher.com/handley/humor/mhumor.html

"The Mobius Strip"

A mathematician confided

 Poetry, Here is one from http://www.pleacher.com/handley/humor/mhumor.html

"The Mobius Strip"

A mathematician confided That a Mobius band is one-sided.

 Poetry, Here is one from http://www.pleacher.com/handley/humor/mhumor.html

"The Mobius Strip"

A mathematician confided
That a Mobius band is one-sided.
And you'll get quite a laugh

 Poetry, Here is one from http://www.pleacher.com/handley/humor/mhumor.html

"The Mobius Strip"

A mathematician confided
That a Mobius band is one-sided.
And you'll get quite a laugh
If you cut it in half,

 Poetry, Here is one from http://www.pleacher.com/handley/humor/mhumor.html

"The Mobius Strip"

A mathematician confided
That a Mobius band is one-sided.
And you'll get quite a laugh
If you cut it in half,
For it stays in one piece when divided.

 Mathematical puzzles/games. Some good authors are Martin Gardner, Raymond Smullyan, Douglas Hofstadter. Our library has some of these books.

 Mathematical puzzles/games. Some good authors are Martin Gardner, Raymond Smullyan, Douglas Hofstadter. Our library has some of these books.

 If you know of a good book that we don't have in our library, let me know, we shall try to get it.

 Mathematical puzzles/games. Some good authors are Martin Gardner, Raymond Smullyan, Douglas Hofstadter. Our library has some of these books.

 If you know of a good book that we don't have in our library, let me know, we shall try to get it.

Many recreational mathematics webpages are there.

#### Functions of a real variable.

Examples of functions of a real variable.

- Examples of functions of a real variable.
- Temperature (T) at a point as a function of time (t): T(t).

- Examples of functions of a real variable.
- Temperature (T) at a point as a function of time (t): T(t).
- Resistance (R) as a function of temperature (T): R(T).

- Examples of functions of a real variable.
- Temperature (T) at a point as a function of time (t): T(t).
- Resistance (R) as a function of temperature (T): R(T).
- Velocity of a point mass as a function of time.

- Examples of functions of a real variable.
- Temperature (T) at a point as a function of time (t): T(t).
- Resistance (R) as a function of temperature (T): R(T).
- Velocity of a point mass as a function of time.
   (a vector function of a real variable)

$$\vec{V}(t) = (V_x(t), V_y(t), V_z(t))$$

.

We shall work mainly with scalar function of one real variable.




 Note: One input one output value. Mathematically a real function can have the same value for different values of the variable.

i.e.,  $f(x_1) = f(x_2)$  is possible but for a given value of x different values of f(x) are not possible.

 Note: One input one output value. Mathematically a real function can have the same value for different values of the variable.

i.e.,  $f(x_1) = f(x_2)$  is possible but for a given value of x different values of f(x) are not possible.

$$f(x_1) = f(x_2)$$
A function
$$x_1 \quad x_2$$



• Note: In all of the previous cases, the variables (t, T) and the functions  $T, \vec{V}, R$  are real.

- Note: In all of the previous cases, the variables (t, T) and the functions T,  $\vec{V}$ , R are real.
- Give examples of (1) real functions of many real variables.
   (2) Complex functions of one real variable.

• Real functions of many variables:

- Real functions of many variables:
  - (1) Temperature as a function of coordinates and time, T(x,y,z,t)

- Real functions of many variables:
  - (1) Temperature as a function of coordinates and time, T(x,y,z,t)
  - (2) Pressure P(x,y,z,t)

- Real functions of many variables:
  - (1) Temperature as a function of coordinates and time, T(x,y,z,t)
  - (2) Pressure P(x,y,z,t)
  - (3) Intensity of light I(x,y,z,t).

• Complex function of one variable:

- Complex function of one variable:
  - (1) Position of a point in x-y plane as a function of time P(t) = x(t) + i y(t)

- Complex function of one variable:
  - (1) Position of a point in x-y plane as a function of time P(t) = x(t) + i y(t)
  - (2) Positions of CG of two masses, moving along a line and connected by a spring, as a function of time  $P(t) = x_1(t) + ix_2(t)$ .

- Complex function of one variable:
  - (1) Position of a point in x-y plane as a function of time P(t) = x(t) + i y(t)
  - (2) Positions of CG of two masses, moving along a line and connected by a spring, as a function of time  $P(t) = x_1(t) + ix_2(t)$ .
  - (3) Concentrations of two chemicals in a chemical reaction  $C(t) = C_1(t) + iC_2(t)$

• In general any two real functions (f, g) dependent on the same real variable t can be represented by a single complex function h(t) = f(t) + ig(t).

• In general any two real functions (f, g) dependent on the same real variable t can be represented by a single complex function h(t) = f(t) + ig(t).

 There are special type of complex functions called analytic functions, which are very useful in applications. You shall encounter them in detail later courses.