



Analyse

Library family F-03 sharkfin · 16 of 17 members in scope

Search spans, runs, families

Ctrl K

3 need you

M4 held out

full chain

source Library family · F-03 sharkfin

arrived via Analyse events

null matched random windows · 200×

6 s · 3 of 3 cached

Save as template

Run chain



Explore



Analyse



Discovery



Models



Review



Library



Jobs · 3



Settings

Library family

Prior run

Review selection

Explore spans

filter families

clustering v3 · Ward t 10.1

family

members

recordings

adjudicated

F-03 sharkfin

17

3

11 / 17

cross-recording

F-07 slow drift

212

5

48 / 212

cross-recording

F-01 single drop

64

2

60 / 64

cross-recording

F-11 biphasic

9

1

0 / 9

F-12 burst

31


4

12 / 31

cross-recording


swapping a SpanSet source keeps 01 and 02; they re-run on the new members

s-0341




CH4_A2 · 336.9 h

m-0112




CH2 · 61.4 h

s-0346




CH3_A2 · 339.1 h

m-0118




CH2 · 64.0 h

1-0007




CH1 · 12.2 h

s-0343



CH4_A2 · 337.8 h

s-0348



CH4_A2 · 340.0 h

seed interesting unadjudicated artifact


1-10 of 17

Members overlaid

random 10 of 16 in scope · aligned on onset

resample

align onset



Scope

members in scope by recording × channel

recording	CH1	CH2	CH3	CH4	Σ
M2_aug fs1	—	—	3	6	9
M3_jul	—	5	—	—	5
L_LM_Jul26_J	2	—	—	—	2
excluded				1	1

Source settings

members

all in scope (16)

resolve from

original recording

context padding

± 0.5 × span

on missing source

fail the run

members keep identity by file · channel · sample range

Where this family came from

Open in Library

promoted from run 114 · 2 Sept

seeded by exemplar E-0102

edges: scale-invariant distance · threshold 0.35

recipe a7f39c · clustering v3

exclusions scope this run only · Library unchanged