



Explore



Analyse



Discovery



Models



Review



Library



Jobs · 3



Settings

< full chain



cnn_windows_v3 unsaved

Signal · CH4_A2 · span 0-45.2 h ▾

null label shuffle

gap 5 → 10 min · 01 → 05 stale

Apply & re-run from 01



Human verdicts per split

train	347 windows	88 reviewed · 31 interesting
val	76 windows	19 reviewed · 8 interesting
test	100 windows	24 reviewed · 9 interesting

cluster labels exist for every window; manual labels only for reviewed ones – the paired comparison in Models uses windows with both

Parameters

windows from

window length 10 min stride 5 min · 50 % overlap

= current CNN input = recommended

gap between blocks 10 min split

≥ window length · was 5 70 / 15 / 15 ▾

blocks 4 contiguous ▾ seed 17 ▾

Checks

- no window crosses a split boundary
 - gap 10 min ≥ window 10 min
 - linked recordings (fs1 / fs2) never split – n/a on one channel
 - 412 of 543 windows have no human verdict – the manual-label arm needs them
- Send 412 unseen windows to Review
- Review queue holds up to 20,000 windows

1 unapplied change gap 5 → 10 min drops 12 windows · 01 → 05 go stale

Revert to recommended

Apply & re-run from 01