

Add runs

Apply templateSeed search

Search templates

fits Signal → SpanSet ✓

kind all ▾

sort last used ▾

Models run inside detection templates – add a Model stage in Analyse

Open Analyse

mp_discord_v3

template

Signal → Scores → SpanSet

not yet scored · saved 12 Sep

spike_shape_v1

template

Signal → SpanSet

precision 31 % over 88 reviewed

drop_motifs9

template

Signal → SpanSet

in this session

sharkfin_v2

template

Signal → SpanSet

in this session

seed_F03_native

seed

Signal + exemplar → SpanSet

already in this session · runs from medoid m-1846

seed_sharkfin_rebind

seed

Signal + exemplar → SpanSet

rebind · asks for an exemplar

mp_discord_v3

template

Open in Analyse

Stages

Source

→ Signal

01 Baseline removal

Signal → Signal

window 3 h

02 Matrix profile

Signal → Scores

m 600 s · STUMP

03 Threshold to spans

Scores → SpanSet

below p5 of null

parameters come from the template ⓘ

Channels in scope

CH2_A1

174 h ≈ 2.1 h

CH4_A2

174 h ≈ 2.1 h

CH7_B2

174 h ≈ 2.1 h

compute

≈ 6.4 h

0(n²) per channel

disk

0.6 GB

scores kept

null

200×

circular shift

Sample preview

4 h of CH4_A2

done

11 spans in 4 h · null gives 2 → ≈ 1,435 over 522 h

above the local ceiling → routes to cluster

2 templates selected × 3 channels

≈ 6.5 h · cluster

Cancel

+ Add 2 runs

Add and run

Create SLURM script