



📶

Explore

🔗

Analyse

🎯

Discovery

🔧

Models

📋

Review

📖

Library

⚙️

Jobs · 3

⚙️

Settings

⬆️ Upload results and continue

✕

r-0431 · Discovery run mp_drops_v3 · stage 3 of 4 · Matrix profile on M2_aug fs1 CH2_A1-CH4_A2

📄

mp_M2aug_CH2-4.npz

1.9 GB · from Downloads · copied off hpc-1 by hand

Choose another file

will be placed at

🔒 ./PROFILES/M2_aug_fs1_CH2-4_1Hz_m120_9b24e1f0.npz

 named by Storage

checks

- ✔️

readable matrix-profile file

npz · profile, index, meta
- ✔️

one profile per channel

CH2_A1 · CH3_A2 · CH4_A2
- ✔️

length matches the signal

2,595,481 samples per channel (721 h at 1 Hz, less m)
- ✔️

values finite

no NaN or Inf
- ❌

made with this run's parameters

file says m = 60 s · recipe 77ab10c3 – the run expects m = 120 s · 9b24e1f0
- ⚠️

null draws

not in the file – stage 3's null would run separately

❌

This file cannot continue r-0431

It was made with different parameters. Continuing with it would give the run a recipe it did not follow.

📄 Choose another file

🔗 Start a new run with m = 60 s

When a file passes but has no null draws

its null (200 circular shifts) runs next – ~25 min, over the 20 min limit, so it goes to the cluster.

nothing is placed until every check passes

Cancel

▶ Place file and continue