



Library



Jobs · 3



Settings

Library

Templates 14 saved

Search spans, runs, families

Ctrl K

3 need you

M4 held out

Motifs 1,402 Window sets 6 Templates 14

all detection seed search training interrogation contains a Model stage sort last run

mp_drops_v3

v3

Signal → SpanSet

 >  >  > 

precision 0.78 · recall 0.61 4 runs
over 14 h · run r-0412

drop_motifs9

v2

Signal → SpanSet

 >  >  > 

precision 0.64 · recall 0.70 2 runs
over 14 h · run r-0398

seed_E-0102

v1

seed · carry

Signal → SpanSet

 >  > 

precision 0.83 1 run
recall: no reviewed overlap

seed_family_medoid

v1

seed · rebind

Signal → SpanSet

 > 

not yet scored 0 runs

cnn_detect_cluster_v1

v1

model cnn_cluster_v1

Signal → SpanSet

 >  >  > 


not yet run 0 runs

cnn_windows_v3

v3

training

Signal → Model

 >  >  > 

macro F1 0.71 1 job
test block · job j-0212

slope_interrogation

v1

interrogation

SpanSet → Features

 > 

used on F-03 3 uses
112 events

New in Analyse Import JSON

mp_drops_v3

v3

detection

recipe 9b24...elf0 · null: circular shift 200×

stages · parameters locked

 Source

one channel · any recording

 Bandpass filter

0.005 - 0.1 Hz · order 4

 Matrix profile

m = 120 s · exclusion m/2

 Threshold to spans

0.62 · min 20 s · merge 5 s

versions

v3 threshold 0.60 → 0.62 · 12 Sep

v2 bandpass added · 9 Sep

diff

v1 matrix profile only · 2 Sep

diff

scores belong to runs

run	scope	prec	recall	× null
r-0412	fs1 · 3 ch · 721 h	0.78	0.61	6.1
r-0398	M3_jul · 280 h	0.71	0.55	4.8
r-0377	LLM · 5 ch · 22 h	0.52	—	2.2
r-0360	fs1 CH4_A2 · 4 h	0.90	0.40	7.9

recall “—”: no reviewed overlap on that scope

Apply in Discovery →

Open in Analyse →

Duplicate Export JSON Archive