repABC Origin Maps — ALL ORIGINS

118 origins | 482,255 bp total

Synthesis ease: {'Easy': np.int64(112), 'Moderate': np.int64(6)} | Est. cost: $48,141

Rep classes: 40 | Strains: 29

Sinorhizobium_fredii_NGR234_U00090.2 | unknown | Sinorhizobium fredii NGR234

Span: 3,829 bp | GC: 57.4% | Tier: PRIMARY rank #1
Genes: repB+repC | Elements: oriV, parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $383



WS163_contig_4 | unknown | Agrobacterium tumefaciens

Span: 3,927 bp | GC: 58.7% | Tier: PRIMARY rank #2
Genes: repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $393



Sinorhizobium_fredii_NGR234_CP000874.1 | unknown | Sinorhizobium fredii NGR234

Span: 4,118 bp | GC: 61.5% | Tier: PRIMARY rank #3
Genes: repA+repB+repC | Elements: parS(1), ctRNA, S-elem | Ease: 70/100 (Moderate) | Cost: $412



AF3.44_contig_3_pTi_Type_X | Type X | Agrobacterium tumefaciens

Span: 4,091 bp | GC: 53.3% | Tier: PRIMARY rank #4
Genes: repA+repB+repC | Elements: oriV, parS(1), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $409



15-1187-1-2a_CP123842.1_pTi_Type_III_rep_2 | Type III rep 2 | Agrobacterium tumefaciens

Span: 4,047 bp | GC: 53.8% | Tier: PRIMARY rank #5
Genes: repA+repB+repC | Elements: oriV, parS(3) | Ease: 80/100 (Easy) | Cost: $405



C58_AE007871.2_pTi_Type_I.a | Type I.a | Agrobacterium fabrum

Span: 4,031 bp | GC: 56.4% | Tier: PRIMARY rank #6
Genes: repA+repB+repC | Elements: oriV, parS(3) | Ease: 80/100 (Easy) | Cost: $403



NCPPB_1641_NZ_LT009777.1_pTi_Type_XI | Type XI | Agrobacterium vitis

Span: 3,998 bp | GC: 55.8% | Tier: PRIMARY rank #7
Genes: repA+repB+repC | Elements: parS(1), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $400



1D1524_plasmid2_pTi_Type_IV.a | Type IV.a | Agrobacterium tumefaciens

Span: 4,390 bp | GC: 56.1% | Tier: PRIMARY rank #8
Genes: repA+repB+repC | Elements: oriV, parS(2) | Ease: 80/100 (Easy) | Cost: $439



AMS008_plasmid3_pTi_Type_IV.b | Type IV.b | Agrobacterium tumefaciens

Span: 4,392 bp | GC: 56.1% | Tier: PRIMARY rank #9
Genes: repA+repB+repC | Elements: oriV, parS(4) | Ease: 80/100 (Easy) | Cost: $439



B230_85_contig_5_pTi_Type_VIII.a | Type VIII.a | Agrobacterium tumefaciens

Span: 4,070 bp | GC: 54.4% | Tier: PRIMARY rank #10
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $407



L51_94_contig_5_pTi_Type_VIII.b | Type VIII.b | Agrobacterium tumefaciens

Span: 4,130 bp | GC: 55.2% | Tier: PRIMARY rank #11
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $413



B21_90_contig_3_pTi_Type_VII | Type VII | Agrobacterium tumefaciens

Span: 4,141 bp | GC: 56.0% | Tier: PRIMARY rank #12
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $414



1D1514_plasmid2_pTi_Type_V_rep_1 | Type V rep 1 | Agrobacterium tumefaciens

Span: 3,734 bp | GC: 54.6% | Tier: PRIMARY rank #13
Genes: repA(pseudo)+repB+repC | Elements: parS(1), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $373



S7_73_contig_3_pTi_Type_IX | Type IX | Agrobacterium tumefaciens

Span: 4,083 bp | GC: 54.1% | Tier: PRIMARY rank #14
Genes: repA+repB+repC | Elements: ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $408



1D1514_plasmid2_pTi_Type_V_rep_2 | Type V rep 2 | Agrobacterium tumefaciens

Span: 4,152 bp | GC: 52.3% | Tier: PRIMARY rank #15
Genes: repA+repB+repC | Elements: parS(2) | Ease: 80/100 (Easy) | Cost: $415



CG474_CG474_3_pTi_Type_I.c | Type I.c | Agrobacterium tumefaciens

Span: 4,550 bp | GC: 56.2% | Tier: PRIMARY rank #16
Genes: repA+repB+repC | Elements: parS(5) | Ease: 80/100 (Easy) | Cost: $455



15-1187-1-2a_CP123842.1_pTi_Type_III_rep_1 | Type III rep 1 | Agrobacterium tumefaciens

Span: 4,270 bp | GC: 54.8% | Tier: PRIMARY rank #17
Genes: repB+repC | Elements: oriV, parS(2) | Ease: 80/100 (Easy) | Cost: $427



Q15_94_contig_5_pTi_Type_VI | Type VI | Agrobacterium tumefaciens

Span: 4,386 bp | GC: 56.2% | Tier: PRIMARY rank #18
Genes: repB+repC | Elements: oriV, parS(3) | Ease: 80/100 (Easy) | Cost: $439



CA75_95_contig_3_pTi_Type_IV.c | Type IV.c | Agrobacterium tumefaciens

Span: 4,390 bp | GC: 56.6% | Tier: PRIMARY rank #19
Genes: repB+repC | Elements: oriV, parS(3) | Ease: 80/100 (Easy) | Cost: $439



K599_CAICSX020000003.1_pRi_Type_I | Type I | Agrobacterium rhizogenes

Span: 3,655 bp | GC: 53.6% | Tier: PRIMARY rank #20
Genes: repA+repB+repC | Elements: oriV, ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $366



T155_95_NZ_JAAMCX010000012.1_pRi_Type_III | Type III | Agrobacterium rhizogenes

Span: 4,003 bp | GC: 55.0% | Tier: PRIMARY rank #21
Genes: repA+repB+repC | Elements: parS(1), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $400



NCIB_8196_NZ_JAAMDI010000041.1_pRi_Type_II | Type II | Agrobacterium rhizogenes

Span: 4,003 bp | GC: 55.3% | Tier: PRIMARY rank #22
Genes: repA+repB+repC | Elements: parS(1), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $400



1D1524_pAt | pAt | Agrobacterium tumefaciens

Span: 4,013 bp | GC: 51.4% | Tier: PRIMARY rank #23
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $401



1D1524_chromid | chromid | Agrobacterium tumefaciens

Span: 4,902 bp | GC: 53.8% | Tier: PRIMARY rank #24
Genes: repA+repB+repC | Elements: oriV, parS(2) | Ease: 80/100 (Easy) | Cost: $490



Atu_K84_pAtK84b_CP000630.1 | pAt | Agrobacterium radiobacter

Span: 4,409 bp | GC: 56.1% | Tier: PRIMARY rank #25
Genes: repA+repB+repC | Elements: parS(4) | Ease: 80/100 (Easy) | Cost: $441



Atu_K84_pAgK84_CP000632.1 | pAg | Agrobacterium radiobacter

Span: 2,965 bp | GC: 54.3% | Tier: PRIMARY rank #26
Genes: repA | Elements: parS(1) | Ease: 90/100 (Easy) | Cost: $296



Atu_K84_chromid_CP000629.1 | chromid | Agrobacterium radiobacter

Span: 3,982 bp | GC: 57.2% | Tier: PRIMARY rank #27
Genes: none | Elements: parS(2) | Ease: 80/100 (Easy) | Cost: $398



1D1514_plasmid1 | unknown | Agrobacterium tumefaciens

Span: 3,984 bp | GC: 54.8% | Tier: PRIMARY rank #28
Genes: repA+repB+repC | Elements: oriV, parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $398



NCIB_8196_NZ_JAAMDI010000039.1 | unknown | Agrobacterium rhizogenes

Span: 3,983 bp | GC: 56.6% | Tier: PRIMARY rank #29
Genes: repA+repB+repC | Elements: oriV, parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $398



CA75_95_contig_2 | unknown | Agrobacterium tumefaciens

Span: 3,983 bp | GC: 57.2% | Tier: PRIMARY rank #30
Genes: repA+repB+repC | Elements: oriV, parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $398



Q15_94_contig_6 | unknown | Agrobacterium tumefaciens

Span: 4,017 bp | GC: 54.8% | Tier: PRIMARY rank #31
Genes: repA+repB+repC | Elements: oriV, parS(4), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $402



B230_85_contig_6 | unknown | Agrobacterium tumefaciens

Span: 3,898 bp | GC: 55.9% | Tier: PRIMARY rank #32
Genes: repA+repB+repC | Elements: parS(1), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $390



Rhizobium_etli_CFN_42_CP000135.1 | unknown | Rhizobium etli CFN 42

Span: 3,948 bp | GC: 59.8% | Tier: PRIMARY rank #33
Genes: repA+repB+repC | Elements: parS(3), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $395



AMS008_plasmid2 | unknown | Agrobacterium tumefaciens

Span: 3,984 bp | GC: 54.7% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: oriV, parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $398



T155_95_NZ_JAAMCX010000007.1 | unknown | Agrobacterium rhizogenes

Span: 3,983 bp | GC: 56.8% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: oriV, parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $398



AB2_73_contig_3 | unknown | Agrobacterium tumefaciens

Span: 4,065 bp | GC: 58.9% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: oriV, parS(1), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $406



T155_95_NZ_JAAMCX010000013.1 | unknown | Agrobacterium rhizogenes

Span: 4,070 bp | GC: 56.3% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: oriV, parS(6) | Ease: 80/100 (Easy) | Cost: $407



B230_85_contig_4 | unknown | Agrobacterium tumefaciens

Span: 4,096 bp | GC: 53.7% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: oriV, ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $410



Rhizobium_etli_CFN_42_U80928.5 | unknown | Rhizobium etli CFN 42

Span: 3,800 bp | GC: 55.5% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(1), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $380



CG507_CG507_8 | unknown | Agrobacterium tumefaciens

Span: 3,943 bp | GC: 50.3% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(4), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $394



Q15_94_contig_4 | unknown | Agrobacterium tumefaciens

Span: 3,940 bp | GC: 55.7% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(1), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $394



B230_85_contig_2_rep_2 | unknown | Agrobacterium tumefaciens

Span: 4,016 bp | GC: 53.8% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(4), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $402



L51_94_contig_2_rep_1 | unknown | Agrobacterium tumefaciens

Span: 4,016 bp | GC: 53.9% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(5), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $402



B21_90_contig_2_rep_2 | unknown | Agrobacterium tumefaciens

Span: 4,016 bp | GC: 53.7% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(4), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $402



CG958_CG958_3 | unknown | Agrobacterium tumefaciens

Span: 4,014 bp | GC: 52.2% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $401



AMS008_pAt | pAt | Agrobacterium tumefaciens

Span: 4,013 bp | GC: 51.0% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $401



WS16_contig_4 | unknown | Agrobacterium tumefaciens

Span: 3,957 bp | GC: 59.0% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $396



1D1514_pAt | pAt | Agrobacterium tumefaciens

Span: 4,014 bp | GC: 50.7% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $401



WS192_contig_4 | unknown | Agrobacterium tumefaciens

Span: 3,958 bp | GC: 59.2% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $396



WS287_contig_6_rep_2 | unknown | Agrobacterium tumefaciens

Span: 4,014 bp | GC: 55.8% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $401



Q15_94_contig_7 | unknown | Agrobacterium tumefaciens

Span: 4,021 bp | GC: 55.8% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(4), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $402



WS163_contig_7 | unknown | Agrobacterium tumefaciens

Span: 4,020 bp | GC: 56.2% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $402



WS16_contig_2 | unknown | Agrobacterium tumefaciens

Span: 4,020 bp | GC: 56.0% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $402



CG507_CG507_2 | unknown | Agrobacterium tumefaciens

Span: 4,061 bp | GC: 51.7% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $406



1D1524_plasmid1 | unknown | Agrobacterium tumefaciens

Span: 4,065 bp | GC: 53.3% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(1), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $406



CG474_CG474_4_rep_2 | unknown | Agrobacterium tumefaciens

Span: 4,070 bp | GC: 53.8% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $407



Q15_94_contig_3 | unknown | Agrobacterium tumefaciens

Span: 4,062 bp | GC: 55.8% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $406



S7_73_contig_4 | unknown | Agrobacterium tumefaciens

Span: 4,062 bp | GC: 55.9% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $406



C58_AE007872.2 | unknown | Agrobacterium fabrum

Span: 4,065 bp | GC: 55.7% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(1), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $406



AB2_73_contig_2 | unknown | Agrobacterium tumefaciens

Span: 4,062 bp | GC: 56.7% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(1), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $406



S7_73_contig_2 | unknown | Agrobacterium tumefaciens

Span: 4,084 bp | GC: 54.3% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(3), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $408



Q15_94_contig_2 | unknown | Agrobacterium tumefaciens

Span: 4,084 bp | GC: 54.3% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(3), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $408



15-1187-1-2a_CP123839.1 | unknown | Agrobacterium tumefaciens

Span: 4,084 bp | GC: 54.4% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(3), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $408



C58_AE007870.2 | unknown | Agrobacterium fabrum

Span: 4,087 bp | GC: 54.9% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(3), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $409



K599_CAICSX020000002.1 | unknown | Agrobacterium rhizogenes

Span: 4,087 bp | GC: 54.9% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(3), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $409



NCPPB_1641_NZ_LT009776.1 | unknown | Agrobacterium vitis

Span: 4,087 bp | GC: 55.0% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(3), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $409



L51_94_contig_4 | unknown | Agrobacterium tumefaciens

Span: 4,097 bp | GC: 56.9% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(3), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $410



AF3.44_contig_2 | unknown | Agrobacterium tumefaciens

Span: 4,101 bp | GC: 53.8% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(1), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $410



B230_85_contig_3 | unknown | Agrobacterium tumefaciens

Span: 4,097 bp | GC: 57.2% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(3), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $410



B21_90_contig_4 | unknown | Agrobacterium tumefaciens

Span: 4,097 bp | GC: 57.2% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(3), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $410



L51_94_contig_2_rep_2 | unknown | Agrobacterium tumefaciens

Span: 4,099 bp | GC: 59.6% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(3), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $410



L51_94_contig_3 | unknown | Agrobacterium tumefaciens

Span: 4,140 bp | GC: 56.3% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $414



WS16_contig_5 | unknown | Agrobacterium tumefaciens

Span: 4,110 bp | GC: 59.4% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $411



B21_90_contig_2_rep_1 | unknown | Agrobacterium tumefaciens

Span: 3,783 bp | GC: 59.4% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(3), ctRNA | Ease: 80/100 (Easy) | Cost: $378



WS192_contig_2 | unknown | Agrobacterium tumefaciens

Span: 4,128 bp | GC: 59.2% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $413



B230_85_contig_2_rep_1 | unknown | Agrobacterium tumefaciens

Span: 3,497 bp | GC: 57.3% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(3) | Ease: 80/100 (Easy) | Cost: $350



Rhizobium_etli_CFN_42_CP000134.1_rep_2 | unknown | Rhizobium etli CFN 42

Span: 3,924 bp | GC: 56.4% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(3), S-elem | Ease: 80/100 (Easy) | Cost: $392



AMS008_plasmid4 | unknown | Agrobacterium tumefaciens

Span: 3,957 bp | GC: 56.0% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(1), S-elem | Ease: 80/100 (Easy) | Cost: $396



AB2_73_contig_5 | unknown | Agrobacterium tumefaciens

Span: 4,010 bp | GC: 57.3% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(1), S-elem | Ease: 80/100 (Easy) | Cost: $401



1D1514_plasmid3 | unknown | Agrobacterium tumefaciens

Span: 4,035 bp | GC: 55.2% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(3), S-elem | Ease: 80/100 (Easy) | Cost: $404



Rhizobium_etli_CFN_42_CP000137.1 | unknown | Rhizobium etli CFN 42

Span: 3,757 bp | GC: 60.1% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 70/100 (Moderate) | Cost: $376



AF3.44_contig_4 | unknown | Agrobacterium tumefaciens

Span: 4,067 bp | GC: 55.6% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(1), ctRNA | Ease: 80/100 (Easy) | Cost: $407



NCPPB_1641_NZ_LT009778.1 | unknown | Agrobacterium vitis

Span: 4,102 bp | GC: 55.5% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA | Ease: 80/100 (Easy) | Cost: $410



CG474_chromid | chromid | Agrobacterium tumefaciens

Span: 4,903 bp | GC: 53.0% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: oriV, parS(3) | Ease: 80/100 (Easy) | Cost: $490



1D1514_chromid | chromid | Agrobacterium tumefaciens

Span: 4,903 bp | GC: 53.1% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: oriV, parS(3) | Ease: 80/100 (Easy) | Cost: $490



AMS008_chromid | chromid | Agrobacterium tumefaciens

Span: 4,904 bp | GC: 53.0% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: oriV, parS(3) | Ease: 80/100 (Easy) | Cost: $490



Rhizobium_etli_CFN_42_CP000136.1 | unknown | Rhizobium etli CFN 42

Span: 3,907 bp | GC: 60.5% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 70/100 (Moderate) | Cost: $391



Rhizobium_etli_CFN_42_CP000138.1_rep_1 | unknown | Rhizobium etli CFN 42

Span: 4,055 bp | GC: 61.8% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 70/100 (Moderate) | Cost: $406



NCIB_8196_NZ_JAAMDI010000042.1 | unknown | Agrobacterium rhizogenes

Span: 4,069 bp | GC: 54.8% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $407





B21_90_contig_5 | unknown | Agrobacterium tumefaciens

Span: 4,096 bp | GC: 54.0% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $410



AB2_73_contig_4_pTi_Type_IX | Type IX | Agrobacterium tumefaciens

Span: 4,083 bp | GC: 54.1% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $408



CG958_CG958_5 | unknown | Agrobacterium tumefaciens

Span: 4,096 bp | GC: 54.1% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $410



WS16_contig_3 | unknown | Agrobacterium tumefaciens

Span: 4,057 bp | GC: 59.6% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $406



WS192_contig_5 | unknown | Agrobacterium tumefaciens

Span: 4,057 bp | GC: 59.8% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $406



Rhizobium_etli_CFN_42_CP000134.1_rep_1 | unknown | Rhizobium etli CFN 42

Span: 4,150 bp | GC: 53.8% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(1) | Ease: 80/100 (Easy) | Cost: $415



CG507_CG507_4 | unknown | Agrobacterium tumefaciens

Span: 4,158 bp | GC: 51.8% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(2) | Ease: 80/100 (Easy) | Cost: $416



WS192_contig_3 | unknown | Agrobacterium tumefaciens

Span: 4,146 bp | GC: 58.7% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(1) | Ease: 80/100 (Easy) | Cost: $415



Rhizobium_etli_CFN_42_CP000138.1_rep_2 | unknown | Rhizobium etli CFN 42

Span: 3,945 bp | GC: 61.8% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(1), ctRNA | Ease: 70/100 (Moderate) | Cost: $394



CG474_CG474_4_rep_1 | unknown | Agrobacterium tumefaciens

Span: 4,297 bp | GC: 55.0% | Tier: SECONDARY
Genes: repB+repC | Elements: oriV, parS(4) | Ease: 80/100 (Easy) | Cost: $430



WS287_contig_3 | unknown | Agrobacterium tumefaciens

Span: 3,926 bp | GC: 59.4% | Tier: SECONDARY
Genes: repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $393



WS198_contig_3 | unknown | Agrobacterium tumefaciens

Span: 3,926 bp | GC: 59.3% | Tier: SECONDARY
Genes: repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $393



WS287_contig_6_rep_1 | unknown | Agrobacterium tumefaciens

Span: 4,005 bp | GC: 57.8% | Tier: SECONDARY
Genes: repB+repC | Elements: parS(5), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $400



CG958_CG958_4_pTi_Type_IV.b | Type IV.b | Agrobacterium tumefaciens

Span: 4,390 bp | GC: 55.9% | Tier: SECONDARY
Genes: repB+repC | Elements: oriV, parS(3) | Ease: 80/100 (Easy) | Cost: $439



15-1187-1-2a_CP123841.1 | unknown | Agrobacterium tumefaciens

Span: 4,069 bp | GC: 54.1% | Tier: SECONDARY
Genes: repB+repC | Elements: parS(3), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $407



Atu_K84_pAtK84c_CP000631.1 | pAt | Agrobacterium radiobacter

Span: 4,069 bp | GC: 54.8% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: none | Ease: 80/100 (Easy) | Cost: $407



WS163_contig_3 | unknown | Agrobacterium tumefaciens

Span: 4,057 bp | GC: 59.5% | Tier: SECONDARY
Genes: repB+repC | Elements: parS(1), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $406



15-1187-1-2a_CP123840.1 | unknown | Agrobacterium tumefaciens

Span: 4,121 bp | GC: 55.4% | Tier: SECONDARY
Genes: repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $412



WS163_contig_6 | unknown | Agrobacterium tumefaciens

Span: 4,110 bp | GC: 56.6% | Tier: SECONDARY
Genes: repB+repC | Elements: parS(3), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $411



WS287_contig_5 | unknown | Agrobacterium tumefaciens

Span: 4,111 bp | GC: 57.1% | Tier: SECONDARY
Genes: repB+repC | Elements: parS(3), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $411



WS198_contig_4 | unknown | Agrobacterium tumefaciens

Span: 4,109 bp | GC: 59.3% | Tier: SECONDARY
Genes: repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $411



WS163_contig_5 | unknown | Agrobacterium tumefaciens

Span: 4,112 bp | GC: 59.5% | Tier: SECONDARY
Genes: repB+repC | Elements: parS(3), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $411



WS287_contig_4 | unknown | Agrobacterium tumefaciens

Span: 4,109 bp | GC: 59.4% | Tier: SECONDARY
Genes: repB+repC | Elements: parS(2), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $411



CG1055_contig_3 | unknown | Agrobacterium tumefaciens

Span: 4,016 bp | GC: 54.3% | Tier: SECONDARY
Genes: repB | Elements: oriV, parS(4), ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $402



WS198_contig_2 | unknown | Agrobacterium tumefaciens

Span: 4,056 bp | GC: 59.9% | Tier: SECONDARY
Genes: repB+repC | Elements: ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $406



WS287_contig_2 | unknown | Agrobacterium tumefaciens

Span: 4,057 bp | GC: 59.9% | Tier: SECONDARY
Genes: repB+repC | Elements: ctRNA, S-elem | Ease: 80/100 (Easy) | Cost: $406



WS198_contig_5 | unknown | Agrobacterium tumefaciens

Span: 4,145 bp | GC: 58.7% | Tier: SECONDARY
Genes: repB+repC | Elements: parS(1) | Ease: 80/100 (Easy) | Cost: $414



CG958_chromid | chromid | Agrobacterium tumefaciens

Span: 5,005 bp | GC: 53.2% | Tier: SECONDARY
Genes: repA+repB+repC | Elements: parS(3) | Ease: 70/100 (Moderate) | Cost: $416



CG1055_contig_2 | unknown | Agrobacterium tumefaciens

Span: 4,641 bp | GC: 56.8% | Tier: SECONDARY
Genes: repB+repC | Elements: parS(1) | Ease: 80/100 (Easy) | Cost: $464