

History — screen polish

Aggregate-over-time traffic surface. Chart-only, no per-app drill. Built on the ZenVizor design system, patterned on the App Detail polish round. Light theme covers every state; one dark mock audits theme-swap.

Locked decisions

- Q1 · composition

Locked — separate cards. A “Total traffic” summary card sits above the chart card; parallel hierarchy, two metallic surfaces.
- Q2 · grain

Locked — re-label. Resolution shown as user-facing vocabulary (Per-minute / Hourly / Daily); the term “grain” and “N buckets” never surface.
- Q3 · header

Locked — caption beneath. Explainer as a text.caption line under the title, matching existing app patterns (Per-App).
- Summary cells

Resolution · Uploaded · Downloaded · **Average · Peak** (with timestamp). Average + Peak are combined (up+down) at the window-implied step.
- Refresh / picker

ArrowSync24 + “Refresh” text; shorthand window picker with long-form tooltip.

New calculation for Claude Code: Average & Peak are combined up+down at the **window-implied step** — 1h→per-minute, 24h→per-hour, 7d/30d/90d→per-day — which is deliberately *not* the chart grain. Average = total ÷ step count; Peak = busiest step's combined rate + its timestamp.

No new **tokens**. Two per-card pointer renames: `CardBackgroundFillColorDefaultBrush` → `metal.card`
`ControlElevationBorderBrush` → `border.card`. Grain-adaptive labelers, forgiving hover, DescribeView subtitle and the opaque tooltip are inherited from the shared `ChartBuilder` / `ChartTheming`.

§2

States · light


Every state in the default theme. **default** shows the expanded window picker (long-form tooltip) and the chart tooltip in its active state, so the opaque background + drop shadow + per-series rows are auditable.

Steady state. Expanded picker + active chart tooltip. Summary filled; banner collapsed.




loading

Centered ProgressRing; "Loading..." caption appears after a 1 s delay (debounced so fast refreshes don't flash). Summary values render em-dash placeholders.




empty

Query succeeded, zero traffic. Summary reads 0 B (genuinely zero, not em-dash); chart shows the no-data overlay; subtitle still rendered.




disconnected pipe down

status.critical banner. Summary + chart retain last-known data, dimmed to Opacity 0.6 (history-class: preserve, don't clear).



error query failed

status.caution banner with the exception type + message. Data dimmed to Opacity 0.6, last-known preserved.



§3 Dark theme


Canonical default state in dark — 7-day window, Hourly grain, stacked columns. Audits the theme-swap of the metallic card recipe, chart-chrome paints, and the violet/teal series.

default · dark 7d · hourly · stacked columns



§4 Annotated reference

The default mock with its token map. Every surface, text run, banner, chart paint and tooltip element is labelled. Metallic-recipe surfaces carry the full stack: `metal.card` `edge.light` `border.card` `shadow.card` `radius.card`.



Page header

Q3 · caption

History

text.subtitle · font.display
(Urbanist) — matches Per-App
page title.

explainer

text.caption · text.secondary,
caption beneath the title.

Window: label
picker

text.body · text.secondary.

metal.control + border.control
+ radius.control; shorthand
value in font.mono; long-
form ToolTip.

Refresh

secondary chip · ArrowSync24
+ text · radius.control.

Summary card

surface.card

“Total traffic”

text.subtitle.

eyebrow labels

text.caption, uppercase,
tracking-wide · text.tertiary.

Up / Down values

text.mono · chart.upSeries /
chart.downSeries.

Average / Peak

text.mono, combined, at the
window-implied step; Peak
shows a text.tertiary
timestamp beneath.

card recipe

metal.card · edge.light ·
border.card · shadow.card ·
radius.card.

Chart card & chrome

subtitle	text.caption · text.secondary — DescribeView shorthand, no "Showing" prefix.	
legend	chart.legend.text · series names "Up" / "Down" (no unit suffix).	
chart.axis	chart.gridline	chart.axis.label
chart.upSeries	chart.downSeries	
chart.tooltip.bg (opaque)	chart.tooltip.text	
Y labeler	nice-rounded rate + grain suffix /min · /hr · /day (never "/bucket").	
X labeler	HH:mm (Samples) · MM-dd HH (Hourly) · MM-dd (Daily).	
tooltip	opaque chart.tooltip.bg + DropShadow(0,4,8,8,~38%); X-snap finding; rows show grain-rate.	
hover	GeometrySize=20, markers invisible — forgiving hit area (inherited).	

Banner states & layout


disconnected → status.critical.bg / status.critical	
error → status.caution.bg / status.caution.text	
banner	radius.control · padding space.8 · no border.
page margin	space.24 (mandatory). 4-based scale elsewhere.
chart card	MinHeight 320 + Row MinHeight 320; inner chart MinHeight 280.
DrawMargin	(80, 10, 10, 30) — code.
page scroll	none — chart fills the residual viewport.

§5


Chart grains across windows

Grain-adaptive axis labelers + DescribeView subtitles. Samples → line series; Hourly / Daily → stacked columns (Up bottom, Down top). The 90-day window resolves to Daily at a 2-day cadence — subtitle reads “2-day buckets · last 90 days”.


1h / 24h — Samples line · /min · HH:mm




7d — Hourly columns · /hr · MM-dd HH



30d — Daily columns · /day · MM-dd



90d — Daily (2-day buckets) columns · /day · MM-dd



§6

Hand-off notes

new tokens	None. Every token resolves in DesignTokens.xml / colors_and_type.css today.
new calc · average	Combined (up+down) total ÷ step count at the window-implied step (1h→min, 24h→hr, 7d+→day) — not the chart grain.
new calc · peak	Busiest single step's combined rate at the same implied step, with its timestamp (HH:mm for sub-day, MM-dd for multi-day).
new pattern	Summary strip = a horizontal row of cells in an opaque surface.card titled "Total traffic"; each cell is an uppercase text.caption eyebrow above a text.mono value, with Peak adding a text.tertiary timestamp beneath. Reuse for any future aggregate-summary surface.
density	n/a — no DataGrid / ListView on this screen; the only data surface is the chart.
scroll	none — the page does not scroll; the chart card fills the residual viewport (chart card MinHeight 320 + Row MinHeight 320, inner chart MinHeight 280).
pointer renames	Per card: CardBackgroundFillColorDefaultBrush → metal.card; ControlElevationBorderBrush → border.card. Paired with edge.light + shadow.card.
inherited (ChartBuilder)	Grain-adaptive Y/X labelers, GeometrySize=20 forgiving hover, BuildSeries line/column switch, DescribeView subtitle.
inherited (ChartTheming)	Paint propagation on ApplicationThemeManager.Changed; X-snap finding; opaque tooltip + drop shadow. Call ApplyToSeries after every Series assignment.
axis lifecycle	Axes created once in ctor, mutated in place via UpdateAxesForGrain(grain, preset) after result.GrainUsed.
disconnected vs error	IsConnectionLost filter as first catch (critical); generic catch second (caution). Both SetDataOpacity(0.6).
loading	Chart-card-viewport ProgressRing + 1 s-delayed caption (DispatcherTimer + _isLoading guard). No shimmer.
bottom-bar mirror	The up/down rate strip is MainWindow chrome, not HistoryPage — drawn here for context only.
spacing in XAML	space.* are sys:Double — write Margin/Padding as literals (24, "12.8"), token-aligned not token-bound.