

Dashboard — annotated mockup

The live, glance-shaped surface — the user pops open ZenVizor and reads the totals and the trend in one look. This polish pass covers every state, migrates the data cards to the opaque token family, gives the chart its anti-jitter axis and relative labels, and holds the page steady so nothing re-flows in the user's peripheral vision.

How to read this

SURFACES

Every data-bearing card — the 4 status cards, the chart card, the talkers card — is `surface.card` (opaque). On Mica, translucent `surface.card.alt` would make text contrast wallpaper-dependent, so it is never used here.

ANNOTATIONS

The margin column beside each window names the design tokens by **canonical dotted name** (`surface.card` , `chart.upSeries` , `space.16`). These are the hand-off contract — never the CSS back-compatible aliases.

THEMES

The default state is shown in both light and dark; the other six in dark. Token names are identical across themes — every brush `DynamicResource` -swaps with the OS theme.


INVARIANTS

Passive-only — no block / kill affordances anywhere. The talkers “Top 10” cap is the intended glance-surface exception; Per-App is the uncapped drill surface. No skeleton-shimmer; loading is a static `ProgressRing` .

state: default

Default — connected, data flowing

Steady state, fully labelled, shown in both themes (tokens are identical — they theme-swap). Headline rate row answers “is anything moving?” at a glance; the chart and talkers list hold their rhythm without re-flow.



Talkers card

surface.card , border.card , radius.card , padding 0. MinHeight=140 / MaxHeight=320 , scroll: pane — overflow scrolls inside the card, enforced on SizeChanged.

Header strip

space.12,space.8 padding: bottom rule border.subtle 1px. 5-col grid * / 200 / 90 / 110 / 110; text.body.strong ; numeric headers right-aligned. Each header carries a WPF ToolTip.

Row item

density: default (8,4). App text.body ; Publisher text.body / text.secondary ; Signature text.body (plain — no chip); Up/Dn text.mono right-aligned. App + Publisher TextTrimming=CharacterEllipsis.

Dimmed-row persistence

Rows dropping below the active cap stay at opacity=0.5 for ~30 s, then disappear — coarsen by **time, not rank**. Grows 10 active → ~20 rows; internal scroll absorbs it.


Honest attribution

co-hosted services render as svchost.exe [Dnscache, NlaSvc]; the Up/Dn cells report the PID total — bytes are **not** split across services.

state: empty + state: loading

Empty / Loading — before first sample

Initial paint before the first 2-second tick lands, and any in-flight refetch with no data on hand. The two states share one surface treatment.



CHANGES VS DEFAULT

Status card values

Render as “—” (em-dash) in `font.mono`, `text.tertiary`. Sublines collapse (hidden) until first data.

Chart card body

Centered Fluent `ProgressRing` (indeterminate) + `space.12` below a `text.caption` `text.secondary` caption “Waiting for first sample...”.

Talkers card body

Same centered `ProgressRing` + “Waiting for first sample...”.

state: loading ≡ state: empty

Loading is functionally identical — the same `ProgressRing` covers first-paint and any in-flight refetch with no data on hand. **No skeleton-shimmer** (locked §8). Bottom-bar mirror shows — until first rate.

state: warming

Warming — capture started, first flush pending

WindowSeconds ≤ 0 or no apps yet. Top-of-page banner plus the chart spinner both point at the same ~5s wait.

Dark theme

ZenVizor

Dashboard

Per-app

History

Reports

Alerts

Settings

Current activity

Warming up — first flush bucket lands within ~5 s

UPLOAD

DOWNLOAD

ACTIVE PROCESSES

WAN VS LOCAL

Live rates

Waiting for first sample...

App	Publisher	Signature	Up/s	Dn/s
No active talkers in this window.				

Service: **connected** (0.1.0+ce70260..., proto 1.0)

CHANGES VS DEFAULT

- Warming banner

Background `status.warming.background` **NEW**, foreground `status.caution.text`, copy "Warming up — first flush bucket lands within ~5 s". `radius.control`, `space.8` padding.
- Status cards

Values stay “—” (`text.tertiary`) until first tick; sublines hidden.
- Chart card

Empty (no series) — centered `ProgressRing` + "Waiting for first sample...". (Banner + spinner both point at the same wait — redundant but helpful.)
- Talkers card

Centered `text.body` `text.secondary` "No active talkers in this window." — the canonical empty-talkers copy.
- Connection dot


Reads `status.warming` in the bottom bar.

● state: warming → empty (no talkers)

Quiet — warming cleared, no traffic yet

The system connected and warmed up, but nothing has logged traffic in the trailing window.

■ Dark theme



CHANGES VS DEFAULT

Status cards

Warming cleared, system quiet: 0 B/s / 0 B/s / 0. Sublines visible again.

WAN vs LOCAL card

Stacked bar empty; subtitle "No active traffic".

Chart

Two flat lines at 0 across the trailing window (series present, all zero).

Talkers card


"No active talkers in this window." (text.body / text.secondary).

● state: disconnected — transient

Disconnected — transient (1st failed cycle)

"Still connecting". Last-known numbers are preserved and dimmed; nothing is cleared.


Dark theme



- state: disconnected — steady

Disconnected — steady (>1 failed cycle)

Same layout; banner escalates to the critical class with "last refresh stale".

☒ Dark theme

CHANGES VS DEFAULT

Disconnected banner

Critical class — background `status.critical.background`, foreground `status.critical`, copy "Service disconnected (<reason>) — last refresh stale".

Last-known content preserved

Cards, chart, and talkers all dim to `opacity=0.6` and keep their last-known values — history is **not** cleared, no new tick appended. (error state is intentionally merged with disconnected on Dashboard — §8.)

Bottom-bar rate mirror

Renders $\uparrow$ $\downarrow$ — with `text.tertiary` on arrows + values. Connection
dot `status.disconnected`.

transient $\rightarrow$ steady

Identical layout to the transient sub-state; only the banner swaps from caution to critical vocabulary after >1 consecutive failed cycle.

Hand-off notes

For Claude Code: the dotted token names are the contract. Below are the deltas this brief introduces.

NEW TOKEN

status.warming.background

Caution-class background, semantically named for the warming state so warming banners can be repointed away from the generic subtle fill. Value: an **alias** of `status.caution.background`. Rationale: warming and user-visible caution are distinct states even when the paint matches — one alias token lets the warming banner be repointed without touching every caution banner. Add to `DesignTokens.xaml` + `design-system.md` + `colors_and_type.css` before XAML work begins.

Chrome changes (MainWindow, not the page)

- **Bottom-bar rate mirror** — Up/Down totals mirrored in the status bar, visible on every screen. Binds to `MainWindow`-scoped observables.
- **Poller ownership** moves from `DashboardPage` to `MainWindow` (one poller / process, 2 s cadence unchanged) so the mirror works app-wide.
- **MainWindow `MinHeight 500` → `600`** to give the 4-row composition headroom at the smallest legal size.

Layout hints

- Page `scroll: none` — status cards + chart always visible.
- Talkers card `MinHeight=140` / `MaxHeight=320` . `scroll: pane` — enforced on `SizeChanged` (`NavigationCacheMode` keeps the page instance, so `Loaded` won't refire).
- Chart card has **no** internal `MinHeight` — it competes with talkers for residual height.
- Talkers `ListView` `density: default` (8,4) — not compact.

Chart-chrome tokens (wired in code)

`LiveCharts2` paints none of these from the theme — set them in `ChartTheming.cs`, re-applied on theme flip:

`chart.axis``chart.gridline``chart.axis.Label``chart.tooltip.bg``chart.tooltip.text``chart.legend.text``chart.upSeries``chart.downSeries``chart.wan``chart.local`