# Evidence of accurate logical reasoning in online sentence comprehension

47th annual meeting of the Society for Philosophy and Psychology

Maksymilian Dąbkowski<sup>1</sup>, Roman Feiman<sup>2</sup> June 30, 2021

<sup>1</sup>University of California, Berkeley, <sup>2</sup>Brown University

slides available at https://ling.auf.net/lingbuzz/005989

Introduction

# logic in thought

- · what is the status of logic in thought?
- · logic studies relations among propositions

#### Dictum de omni

All rats love to eat.

- :. All spotted rats love to eat.
  - do such schemata capture the nature of thought?

#### logic in psychology

- psychology has focused on difficulties in logical reasoning
  - Wason's (1968) selection tasks easier when ecologically valid (Cheng and Holyoak, 1985, 1989; Cheng, Holyoak, et al., 1986)
  - · dual-process theories (Evans and Stanovich, 2013; Kahneman, 2011)

# logic in linguistics

formal semantics presupposes logical ability
 the logical notions are embedded in our deepest nature, in
 the very form of our language and thought

Chomsky (1988, p. 99)

- linguists predict some logical thought as effortless as language
- can we find evidence for spontaneous logical computation?
- entailment: if p is true, then q is also true

#### Dictum de omni

All rats love to eat.

... All spotted rats love to eat.

# Methods

#### methods

- two novel self-paced reading experiments
- tested for signatures of accurate inferences between quantified sentences
- experiment 1 involved detecting logical contradictions
- experiment 2 leveraged variable entailments of the first and second arguments of quantifiers to detect incorrect inferences
- preregistered design and analyses on OSF

**Experiment 1** 

#### experiment 1

- tested whether speakers detect logical contradictions
- · 400 participants on Amazon Mechanical Turk
- · 12 target items displayed line by line
- 6 conditions differing in quantifiers

#### Test item


- (1) A group of scientists wanted to know whether spotted rats,
- (2) who are pickier eaters than other rats, liked a new kind of food.
- (3) They tested white, black, and spotted rats of both sexes.
- (4) The scientists discovered that QUANT1 of the rats loved the food.
- (5) Now that they knew that QUANT2 of the rats loved the food,
- (6) they decided to issue a recommendation based on their findings.
  - measured variable: RT of the conclusion line (5)
  - participants were asked unrelated comprehension questions
    - The researchers studied rodents.

TRUE F

# experiment 1 conditions

	QUANT1	QUANT2
IDENTITY	<b>SOMe</b> of the rats loved they knew tha	t <b>SOMe</b> of the rats
IDENTITY	<b>not all</b> of the rats loved they knew tha	t <b>not all</b> of the rats
ENTAILMENT	<b>all</b> of the rats loved they knew tha	t <b>SOMe</b> of the rats
ENTAILMENT	<b>none</b> of the rats loved they knew tha	t <b>not all</b> of the rats
CONTRADICTION	<b>none</b> of the rats loved they knew tha	t <b>SOMe</b> of the rats
CONTRADICTION	<b>all</b> of the rats loved they knew tha	t <b>not all</b> of the rats

# experiment 1 results



# Experiment 2

#### experiment 2

- same paradigm to detect subtler unlicensed inferences (n = 400)
- manipulated quantifiers and premise quantifier's 1st arg

#### Test item


- (1) A group of scientists wanted to know whether spotted rats,
- (2) who are pickier eaters than other rats, liked a new kind of food.
- (3) They tested white, black, and spotted rats of both sexes.
- (4) The scientists discovered that <u>QUANT</u> of the <u>((male) spotted) rats</u> loved the food.
- (5) Now that they knew that QUANT of the spotted rats loved the food,
- (6) they decided to issue a recommendation based on their findings.
  - 4 quantifiers × 3 containment relations = 12 conditions
    - 4 conditions: premise identical to (trivally entails) conclusion
    - · 4 conditions: premise entails conclusion
    - 4 conditions: premise does not entail conclusion
  - · within quantifier, critical lines have identical lexical content

# experiment 2 conditions, full

	SOME	NOT ALL	ALL	NONE
SUBSET $\rightarrow$	SOME of the male spotted rats loved the food. Now that they knew that SOME of	not all of the male spotted rats loved the food. Now that they knew that not all of	all of the male spotted rats loved the food. Now that they knew that all of the	none of the male spotted rats loved the food. Now that they knew that none of
of spotted rats $\rightarrow$	the <b>spotted rats</b>	the <b>spotted rats</b>	spotted rats	the <b>spotted rats</b>
$\overline{IDENTICAL} \to$	<b>some</b> of the <b>spotted rats</b> loved the food. Now that	not all of the spotted rats loved the food. Now that	all of the spotted rats loved the food. Now that	none of the spotted rats loved the food. Now that
to spotted rats $\rightarrow$	they knew that <b>SOME</b> of the <b>Spotted rats</b>	they knew that <b>not all</b> of the <b>spotted rats</b>	they knew that <b>all</b> of the <b>spotted rats</b>	they knew that <b>none</b> of the <b>spotted rats</b>
$\overline{\text{SUPERSET}} \rightarrow$	<b>SOMe</b> of the rats loved the food. Now that	not all of the rats loved the food. Now that	all of the rats loved the food. Now that	none of the rats
of spotted rats $\rightarrow$	they knew that <b>SOMe</b> of the <b>Spotted rats</b>	they knew that <b>not all</b> of the <b>spotted rats</b>	they knew that <b>all</b> of the <b>spotted rats</b>	they knew that <b>none</b> of the <b>spotted rats</b>

- trivially entailed
- entailed
- not entailed

#### experiment 2 results






subset: male spotted rats ≺ spotted rats
ident: spotted rats ≺ spotted rats

 $superset: \ \mathit{rats} \prec \mathit{spotted} \ \mathit{rats}$ 

# experiment 2 results, quantifiers grouped by entailment



■ entailed subset: male spotted rats ≺ spotted rats
 ■ not entailed superset: rats ≺ spotted rats

containment (subset vs. superset) × entailment (up vs. down):  $\chi^2=$  10.9, p< 0.001

# Discussion

#### discussion

- language involves accurate and spontaneous logical computations
- differs from dual-process theories of cognition
   it is assumed that people's intuitive logical knowledge
   emerges from a learning process in which key principles have
   been practiced to automaticity

De Neys and Pennycook (2019)

- consistent with some logic being naturally intuitive
  - · natural logic in reasoning (e.g. Braine and O'Brien, 1998)
  - · logic (L-analyticity) in grammar (e.g. Gajewski, 2002)
- inference derives from compositionality?

# thank you!

slides available at

https://ling.auf.net/lingbuzz/005989

#### references i



Cheng, Patricia W. and Keith J. Holyoak (1985). "Pragmatic Reasoning Schemas". In: *Cognitive Psychology* 17.4, pp. 391–416.


Cheng, Patricia W. and Keith J. Holyoak (1989). "On the natural selection of reasoning theories". In: *Cognition*.

Cheng, Patricia W., Keith J. Holyoak, Richard E. Nisbett, and Lindsay M. Oliver (1986). "Pragmatic versus syntactic approaches to training deductive reasoning". In: *Cognitive Psychology* 18.3, pp. 293–328.

De Neys, Wim and Gordon Pennycook (2019). "Logic, fast and slow: Advances in dual-process theorizing". In: *Current Directions in Psychological Science* 28.5, pp. 503–509.

#### references ii





Kahneman, Daniel (2011). *Thinking, Fast and Slow*. Farrar, Straus and Giroux.

Wason, Peter C. (1968). "Reasoning about a rule". In: Quarterly Journal of Experimental Psychology 20.3, pp. 273–281.