

VerboWeb 3.0: Decoding Verb Behavior in Brazilian Portuguese – From Lexical Semantics to Web-Verified Syntactic Patterns

Márcia Cançado (UFMG/CNPq)¹

Abstract. *This paper introduces VerboWeb 3.0, an enhanced lexical-semantic and syntactic database of Brazilian Portuguese verbs. Building on previous releases, it catalogs over 2,000 lemmas and roughly 20,000 constructed examples (in progress). Data are organized into seven core semantic categories and subdivided into more than 65 classes. Each class is validated against web-attested sentences to ensure empirical accuracy. A key innovation is flexible granularity, allowing verbs to belong to multiple overlapping classes. Classes have been reorganized to better reflect the structure of the BP verbal system. The user interface has been redesigned for greater intuitiveness and accessibility. VerboWeb 3.0 supports theoretical linguistics through detailed argument structure analysis, provides high-quality training data for NLP tasks, and aids education by facilitating the creation of language exercises.*

Keywords: Brazilian Portuguese; lexical-semantic 2000 verbs database; verb classification; syntactic profiles; web-verified examples

1. Introduction

The study of verb behavior is at the core of both theoretical and descriptive linguistics. VerboWeb 3.0 (available at: <http://verboweb.org>) provides a comprehensive resource for the Brazilian Portuguese (henceforth BP) verbal lexicon, integrating lexical-semantic and syntactic insights with empirically attested usage patterns. The database currently catalogs over 2,000 verbs and approximately 20,000 constructed examples (still in development), systematically organized into seven semantic categories, over 65 classes, and their respective syntactic properties, many of which validated against real-world sentences retrieved from the web.

Building on the framework established in VerboWeb 1.0 and 2.0, version 3.0 introduces three key innovations. First, it relaxes rigid notions of granularity by allowing verbs to participate in multiple overlapping classes, each defined by a core semantic feature. Second, although many of these classes have their origins in earlier versions, they have been reorganized to better reflect the underlying structure of the BP verbal system. Third, it incorporates authentic, web-attested examples (via Google and other corpora) to ensure that its syntactic profiles capture real-world BP usage rather than idealized

¹ Cançado, M. (2025). *VerboWeb 3.0: Decoding Verb Behavior in Brazilian Portuguese – From Lexical Semantics to Web-Verified Syntactic Patterns*. Preprint. Available at: <https://ling.auf.net/lingbuzz/009208>

sentences. In addition, the user interface has been significantly improved, making the database more intuitive and accessible for a broader range of users.

These enhancements make VerboWeb 3.0 not only a powerful descriptive tool for linguists but also a practical resource for language teachers and NLP practitioners. By combining formal theoretical frameworks with corpus-based validation, VerboWeb 3.0 provides an empirically grounded platform for analyzing argument structure, alternation patterns, and lexical-aspectual phenomena in BP.

In this paper, we first survey the theoretical foundations of lexical-semantic verb classification (Section 2). Next, we describe our data collection, and system architecture (Section 3). Section 4 presents the core contents and interface of VerboWeb 3.0, including its seven semantic categories and syntactic profiles. We then illustrate possible applications in theoretical linguistics, elementary education, and natural language processing (Section 5), and conclude with a discussion of limitations and future directions (Section 6).

2. Theoretical Background

This section reviews key lexical-semantic approaches to verb classification, laying the groundwork for the comprehensive syntactic–semantic framework of VerboWeb 3.0. The first step is to define what constitutes a verb class within lexical semantic approaches. Authors such as Fillmore (1970), Pinker (1989), Dowty (1991), Levin (1993), Levin and Rappaport Hovav (1995, 2005), Van Valin (2005), and Wunderlich (2012), among many others, propose that similarities in meaning components alone are not sufficient to classify verbs in a generalized and systematic way.

For instance, Pesetsky (1995) shows that there is no kind of syntactic generalization contrasting verbs that denote emission of loud speech (*holler*, *shout*) with verbs that denote emission of quiet speech (*whisper*, *murmur*).

Conversely, the distinction between English verbs that denote a manner of speaking (*holler*, *whisper*) and verbs that denote a content of speaking (*say*, *propose*) seems to be relevant for their selection properties, since only the latter accept sentential complements: *Mary said that she is hungry* is well-formed, but *Mary whispered that she is hungry* is not.

Therefore, in the view adopted by these authors, classifying verbs implies grouping them in clusters that share an array of semantic properties that have impact in their syntactic behavior, such as possible argument realizations, passivization, reflexivization, etc. Thus, the semantic information carried by a verb is not just a list of idiosyncratic meanings, but contains types of meanings that are grammatically relevant. These meanings are encoded in the semantic of verbs and can be represented in many different ways.

Furthermore, Levin (2010) emphasizes that verb classes can vary in granularity, reflecting different levels of specificity in their semantic characterization. For instance, verbs can be grouped into coarse-grained, medium-grained, or fine-grained classes, each capturing a distinct level of semantic detail.

Medium-grained classes are the most canonical, typically defined by thematic role structures or decomposition patterns (e.g., change of state verbs), which capture the core event structure and argument relationships. Fine-grained classes, on the other hand,

represent highly specific semantic groupings, such as verbs of bodily expulsion, which are distinguished by precise, context-dependent meanings. Finally, coarse-grained classes capture broader distinctions, such as the well-established contrast between internally caused verbs (e.g., *grow*) and externally caused verbs (e.g., *break*), as proposed by Levin and Rappaport Hovav (1995), which reflect more general aspects of event causation.

In all cases, these differences in verb class granularity are ultimately grounded in the lexical-semantic representation of verbal meanings, reflecting the varying degrees to which semantic properties influence syntactic behavior. In any case, we expect that these differences in verb class grain-size ultimately find their source in the lexical semantic representation of the verbal meanings.

Building on the foundational work cited above, VerboWeb 3.0's framework operates under the following key assumptions:

Semantic-syntactic coupling: the semantic properties of a verb—or more broadly, a verb class—determine some syntactic organization of sentences.

Non-granular classification: verbs can be classified through multiple semantic lenses, some intersecting with morphological or pragmatic factors. These classifications coexist without a fixed hierarchy of *grain size*.

Multi-class membership: a single verb may belong to multiple classes, provided it shares the semantic feature(s) central to a given classification. It is this feature—specific to a class—that drives syntactic patterning.

The framework proposes semantic categories for verb classification: all verbs are categorized according to their event structure, thematic-role structure, and lexical aspect—properties inherent to verbs and directly linked to their syntactic behavior. Other categories such as semantic content, semantic-morphological content, and semantic-pragmatic content are context-dependent. These classifications apply selectively, depending on the grammatical relevance of a verb's semantic content, whether purely lexical (e.g., meaning), morphologically encoded, or pragmatically constrained. Each syntactic property a verb displays is rooted in specific semantic information tied to its respective category.

These categories are further organized into semantic classes that capture distinct verb behaviors and are systematically linked to corresponding syntactic properties, following the progression: Categories → Classes → Syntactic Properties.

3. Methodology: data and analysis

The methodological goal is to identify, list, describe, analyze, and classify Brazilian Portuguese verbs as exhaustively as possible. To that end, we can list three main stages.

The data collection is based on previous studies and working hypotheses. We choose one target class (e.g., change-of-state verbs) and isolate a defining diagnostic property (e.g., causative-inchoative alternation). Guided by this property, the researcher inspects each entry in Borba's verb dictionary – a comprehensive BP verb resource, since it provides semantic classifications, corpus examples, and definitions. When Borba (1990) lacks verbs recently incorporated into BP, we turn to the Houaiss electronic dictionary. We verify each candidate verb against the diagnostic property until we obtain as complete a list as possible.

The individual analysis and classification operate on the hypothesis that semantics drives syntax. We subject each verb to a battery of tests—aspectual diagnostics, passivization, argument-deletion, acceptable adjunction patterns, and so on—to determine its precise syntactic and semantic profile. Verbs are grouped according to shared syntactic behaviors that reflect a common semantic trait. Polysemous verbs may split across classes if their distinct senses correspond to different argument structures. For instance, the verb *uniformizar* can mean either *make uniform*, a change-of-state sense, alongside *quebrar* ‘break’ (e.g., *O pintor uniformizou a parede* ‘the painter made the wall uniform’), or *provide with a uniform*, a change-of-possession sense, alongside *amanteigar* ‘butter’ (e.g., *O gerente uniformizou os funcionários* ‘the manager provided the workers with uniforms’). If multiple senses share the same core event structure, they remain in a single class.

Empirical attestation ensures that the grammatical structures under study genuinely reflect BP grammar. Crafted sentences are cross-checked against real-world usage, primarily using examples indexed by Google, supplemented by data from Linguatca repositories and the Corpus do Português. However, some structures may lack attestation due to their predominantly oral nature or infrequent use.

The research team collectively reviews both the dictionary-based analyses and the attested examples, ensuring that each verb’s classification is grounded in solid empirical evidence. This collaborative process builds on prior individual research projects.

Finally, using dictionary examples as a foundation, we carefully craft illustrative sentences for each verb both to exemplify usage and to test specific properties. These constructed examples—validated against attested data—allow us to confirm which structures are grammatical or impossible in BP, thereby incorporating negative evidence in the spirit of Chomskyan methodology.

4. VerboWeb 3.0: Architecture and Content

The framework proposes seven semantic categories for verb classification, but additional categories may emerge as our understanding of the language deepens. These categories are as follows.

Event structure refers to the internal temporal and causal organization of an event or eventuality, as described by a predicate. It defines how an event unfolds over time, including its sub-events (such as initiation, causation, process, and result state), participants, and the relationships between them. These phases are closely related to Vendler’s aspectual classes. To represent this, we use a predicate decomposition metalanguage.

Thematic-role structure refers to the system of assigning semantic roles (thematic roles) to the participants (arguments) involved in an event described by a verb. These roles define how entities participate in the event (e.g., who performs the action, who undergoes it, or who benefits from it). Thematic roles bridge semantics (meaning) and syntax (sentence structure), as they determine how arguments are mapped to grammatical positions (e.g., subject, object).

Lexical aspect refers to the inherent temporal structure of a predicate, categorizing how the action, event, or state it describes unfolds over time. Unlike grammatical aspect (e.g., progressive or perfect), which is marked by auxiliary verbs or inflections, lexical

aspect is an intrinsic property of the verb's meaning. It determines whether an action is viewed as having a natural endpoint, duration, or static quality.

Selectional restriction refers to the semantic constraints that a verb or predicate imposes on its arguments (e.g. [+/-animate]; [+/-object]; [+/-liquid] etc.). These restrictions determine which entities can plausibly fill specific roles in a sentence based on their meaning, rather than their syntactic form. Basically, they govern what kinds of things or entities can participate in an action or state denoted by the verb.

Semantic Content refers to the inherent, shared meaning that unites a group of verbs based on their core, context-independent semantic properties. For example, verbs of manner of motion (e.g., *roll*, *spin*, *wave* etc.) all share the semantic feature of describing specific types of movement.

Semantic-Morphological Content refers to the relationship between shared semantic meaning and morphological derivation in verbs. These verbs derive their form from nouns denoting instruments, locations, means, retaining a core semantic link to the source noun. Crucially, the instrument noun, for instance, can be syntactically specified in an adjunct position (e.g., *Ele martelou o prego com um martelo de pedra* 'he hammered the nail with a stone hammer'), reinforcing the semantic-morphological connection.

Semantic-Pragmatic Content refers to a group of verbs that share specific syntactic properties but are constrained by semantic restrictions (meaning-based rules) and pragmatic norms (context-dependent usage conventions). These verbs can only function within particular grammatical and cultural frameworks, where syntax, semantics, and pragmatics intersect to license their use (e.g. *Eu cortei o cabelo com o famoso cabeleireiro* 'I cut my hair with the famous hairdresser'). The preposition *com* 'with' introduces an adjunct indicating delegated action (the hairdresser performed the cut), licensed by BP syntax-pragmatics interface.

First, we present the category organization in VerboWeb's interface, as shown in Figure 1.




Figure 1 – Semantic categories

Figure 2 illustrates how specific categories are linked to a particular verb.




Figure 2 - Specific categories linked to a particular verb

Each category comprises specific classes related to its semantic feature. For example, the event structure category includes causation types and their specifications (result events, state changes, etc.), culmination types and their specifications (results, locations, etc.), manner verb types and their specifications (affected, instrument, etc.), and state types and their specifications (locative, possessive, etc.), as shown in Figure 3.




Figure 3 - Semantic classes associated with the event structure category

The following illustrates how a specific class appears in the database:

VerboWeb
classificação sintática-semântica dos verbos do português brasileiro

CLASSE
CAUSAÇÃO: VERBOS COM MUDANÇA DE ESTADO

Esses verbos denotam um evento em que tanto uma causa, quanto um agente pode causar uma mudança de estado em um paciente. Por exemplo, na sentença o grito da soprano quebrou a taça de cristal, temos uma causa desencadeando uma mudança de estado na taça de cristal; já na sentença a soprano quebrou a taça de cristal de propósito, temos a soprano que faz uma ação proposital para ter como resultado a taça quebrada.

VERBOS VINCULADOS A ESTA CLASSE:

Filtre pela primeira letra - A B C D E F G H I J L M N O P Q R S T U V

1) ABALAR 1	128) DEBILITAR	255) EMPERRAR	382) LATINIZAR
2) ABRANDAR 1	129) DECOMPOR	256) EMPOBRECER	383) LEGALIZAR
3) ABRASILEIRAR	130) DEFORMAR	257) EMPOERAR	384) LEGITIMAR
4) ABRILHANTAR	131) DEGENERAR	258) EMPORCALHAR	385) LEVANTAR
5) ABRIR 1	132) DEGRADAR	259) ENCAIXAR	386) LIBERALIZAR
6) ACALMAR 1	133) DEMOCRATIZAR	260) ENCARACOLAR	387) LIGAR 2
7) ACENDER	134) DENSIFICAR	261) ENCARECER	388) LIQUEFAZER

Figure 4 - Detailed example of a specific Class

Furthermore, all of this information is consolidated in each verb's template, which records the class-defining properties (e.g., passive, causative-inchoative alternation, etc) derived from the verb's semantic structure. For instance, any verb whose event structure can be represented as $[[X \text{ ACT}] \text{ CAUSE } [\text{BECOME } [Y <RESULT-STATE>]]]$ will consistently exhibit: resultative passive, stative passive, causative-inchoative alternation (marked by the clitic *se*). Each property is illustrated with carefully constructed examples and corroborated by authentic Google attestations, as shown in Figure 5.

Verbo: QUEBRAR 1
Exemplos: O grito da soprano quebrou a taça de cristal.
Estrutura sintática: [SN/SV V SN] (transitive)

ESTRUTURA DE EVENTOS
VERBOS DE CAUSAÇÃO: MUDANÇA DE ESTADO

Propriedades:

- Estrutura de eventos: $[[X \text{ ACT}] \text{ CAUSE } [\text{BECOME } [Y <RESULT-STATE>]]]$
- Passiva resultativa (BECOME <STATE> - evidência da raiz)
 - A taça de cristal ficou quebrada.
- Passiva estativa (estar + ADJ)
 - A taça de cristal está quebrada.
- Alternância causativo-inchoativa com clítico *se*
 - A taça de cristal *se* quebrou.

Exemplos do Google:

"Um morador do prédio que sou síndico quebrou um vaso de plantas ao dar ré com o carro e não se acusou."
"O oleiro estava dando forma ao vaso em suas mãos e a certa altura do processo de modelagem, o vaso se quebrou."
"Na semana passada, um elevador ficou quebrado no Mercado Público, e uma cadete que precisava acessar o local precisou ser carregada."
"E quando você perceber que seu vaso está quebrado ou danificado, desça a casa do oleiro."

Figure 5 - Properties and constructed examples, accompanied by attested occurrences

Finally, Figure 6 illustrates how VerboWeb 3.0 delivers in-context explanations and references for every category, class, and property via pop-up windows (the trigger icons are highlighted in Figure 5).




Figure 6 - Pop-up activated

5. Applications and Relevance

There are many potential applications of the VerboWeb 3.0 that have yet to be explored. We highlight three key areas, as following.

Theoretical Linguistics Application: VerboWeb 3.0 currently documents over 2,000 BP verbs and provides approximately 20,000 illustrative sentences, with ongoing expansion. It systematically covers Vendler's four aspectual classes: activities, accomplishments, achievements, and states, offering a comprehensive mapping of the BP verb lexicon. This rich empirical resource supports detailed analyses of argument structure, alternation patterns, lexical-aspectual behavior, and other semantically relevant phenomena. Moreover, most of the 20,000 constructed examples are corroborated by web-attested sentences (e.g., via Google – in progress), ensuring empirical validity. Because the database places no theoretical constraints on users, VerboWeb 3.0 is a highly versatile tool for a wide range of theoretical-linguistic investigations.

Applications in elementary education and Portuguese as an Additional Language (PAL): VerboWeb 3.0's syntactic profiles enable teachers to develop exercises in which students identify subjects, objects and verb complements within age-appropriate sentences, while its exportable examples make it easy to generate customized worksheets that target specific verb classes (such as action versus state verbs) or structures (transitive versus intransitive). By incorporating web-attested sentences, lessons become more engaging and grounded in real-world usage, allowing learners to see how verbs function in everyday communication. Furthermore, educators can leverage VerboWeb's aspectual classifications to design activities with progressively increasing complexity—starting with simpler action verbs and advancing to more abstract states or achievements—thereby reinforcing both semantic understanding and syntactic proficiency over time. In this context, I am currently developing a project entitled "*Manual of Grammatical Investigation: From Semantic Intuition to Theory via VerboWeb*", which aims to guide

teachers in implementing these strategies in elementary classrooms through an investigative and meaning-centered approach.

Potential in Natural Language Processing (NLP): VerboWeb 3.0 offers significant potential for processing NLP applications in BP. Its richly annotated thematic-role data—identifying Agents, Patients, Experiencers, and more—combined with many web-attested example sentences, can serve as high-quality, automatically generated training material for semantic role labeling systems. Meanwhile, the database’s detailed aspectual and semantic-class labels, together with contextualized usage examples, provide robust lexical features to improve word sense disambiguation by helping models distinguish among multiple verb senses in context. Additionally, the extracted syntactic profiles—which document properties such as transitivity, passivization, and alternation patterns—can be exported to construct comprehensive subcategorization lexicons for parsers and dependency analyzers, thereby constraining attachment decisions and reducing syntactic ambiguity errors. Finally, by identifying low-frequency or domain-specific constructions that are often underrepresented in existing corpora, VerboWeb 3.0 enables the creation of more balanced and expansive training datasets.

6. Final Considerations

VerboWeb 3.0 offers extensive coverage of the Brazilian Portuguese verbal lexicon—even in its final development phase—and provides freely accessible data. Compared to existing resources such as VerbNet.Br and Verbo-Brasil, it delivers more precise linguistic analyses, making it a valuable tool for researchers in theoretical linguistics, natural language processing, and language education.

Nonetheless, several limitations remain. The current dataset relies on manual data collection, which demands specialized expertise that is relatively scarce in Brazil. This constraint has limited both the quantity of usage examples and the representativeness of oral or low-frequency constructions. Future work will prioritize the automatic extraction of examples from diverse corpora and genres, and the expansion of polysemous and complex verbal expressions.

We invite researchers, educators, and developers to explore VerboWeb 3.0, integrate it into their research and teaching practices, and contribute new examples or corrections via our collaborative platform. By pooling community expertise and feedback, we can continue to refine VerboWeb into an even more comprehensive, accurate, and versatile resource for the study and teaching of Brazilian Portuguese.

AI Contribution Statement

The author(s) utilized ChatGPT, developed by OpenAI, in the revision and organization of the manuscript. The AI tool was employed to enhance clarity and coherence, with all content subsequently reviewed and edited by the author(s) to ensure accuracy and originality.

References

- Borba, F. S. (1990). *Dicionário de usos do português do Brasil*. Ática.
- Cançado, M. (2025). *Manual de Investigação Gramatical: da intuição semântica à teoria via VerboWeb 3.0*. Projeto em andamento.

- Cançado, M; Amaral, L.; Meirelles, L. 2017. *VerboWeb 1.0: classificação sintático-semântica dos verbos do português brasileiro*. Banco de dados lexicais. UFMG. Disponível em: http://www.letras.ufmg.br/padrao_cms/?web=verboweb&lang=1&page=1461&menu=806&tipo=1.
- Davies, M., & Ferreira, M. (2006). *Corpus do Português: 1300s–1900s*. Brigham Young University & Universidade de Lisboa. Available in <https://www.corpusdoportugues.org>
- Dowty, D. (1991). “Thematic Proto-Roles and Argument Selection”. *Language*, 67(3), 547-619.
- Fillmore, C. J. (1970). “The case for case”. In E. Bach & R. T. Harms (Eds.), *Universals in Linguistic Theory* (pp. 1-88). Holt, Rinehart and Winston.
- Levin, B. (1993). *English Verb Classes and Alternations: A Preliminary Investigation*. University of Chicago Press.
- Levin, B. (2010). “Verb Classes and Alternations Revisited”. In M. Rappaport Hovav, E. Doron, & I. Sichel (Eds.), *Syntax, Lexical Semantics, and Event Structure* (pp. 35-68). Oxford University Press.
- Levin, B., & Rappaport Hovav, M. (1995). *Unaccusativity: At the Syntax-Lexical Semantics Interface*. MIT Press.
- Levin, B., & Rappaport Hovav, M. (2005). *Argument Realization*. Cambridge University Press.
- Pesetsky, D. (1995). *Zero Syntax: Experiencers and Cascades*. MIT Press.
- Rodrigues, R., Lemos-Couto, M., Coelho, F. L., & Vale, O. A. (2022). “Bases lexicais verbais do português brasileiro”. *Domínios de Linguagem*, 16(4).
- Santos, D., & Bick, E. (2000). *Linguateca: Resource Center for Portuguese Language Technology*. Available at <https://www.linguateca.pt>
- Van Valin, R. D. (2005). *Exploring the Syntax-Semantics Interface*. Cambridge University Press.
- VerbNet.Br. (2022). *Brazilian Portuguese Verb Classification Database*. Available in <http://143.107.183.175:21380/verbnnetbr/index.html>.
- Verbo-Brasil. (2022). *Brazilian Portuguese Verb Database*. Available in <http://143.107.183.175:21380/verbobrasil/index.php?lang=pt-br>.
- Wunderlich, D. (2012). “Lexical decomposition in grammar. In M. Everaert, M. Marelj, & T. Siloni (Eds.), *The Theta System: Argument Structure at the Interface* (pp. 139-166). Oxford University Press.