

HANDOVER PACKAGE

The Hitchhikers Workshop

*the babblefish recursion — one understanding, three tongues,
a blind gate that checks it survives translation*

A public-goods research instrument for a masters cohort and a shared,
air-gapped local mage. Everything described is built, verified, and
replayable offline on one commodity machine.

Contents

	document	what it carries
01	The Delivery Brief	the whole work and how a cohort plays out, week 0 to the leaving
02	The University One-Pager	the one-page pitch — read this first if time is short
03	The Curriculum	the ten-week arc, week by week
04	The Opening Ceremony	the week-one rite, run-of-show
05	Understanding as Key	the access ladder — how access deepens with demonstrated understanding
06	The Pre-Flight Checklist	venue day: everything checked before the room arrives

07	The Consent Architecture	one agreement in four registers: plain language, legal, machine-readable, and Lexon
08	Letter — to the International-Law Chair	draft letter; sending remains a human act
09	Letter — to the Cryptography Chair	draft letter; sending remains a human act
10	The Auto-Research Pattern	the public-goods auto-research pattern: the moving ceiling, the dream cycle, the mage lineage
11	The Suite Mapping	how these methods seat into the wider agentprivacy suite
12	Provenance — What the Students Keep	the students' verifiable record as the mage's first trainers
13	Machine Setup	a fresh machine from zero — no internet, no framework checkout
14	The Front Door (README)	the instrument's front door: quickstart, the five answers, the map

How a skeptic checks

```
node tools/check.mjs           # nine gates: axioms → laws → every run re-
derives
node tools/verify_run.mjs . <run> # replay any verdict from saved bytes, no
model, no net
node tools/corpus_pack.mjs --verify # the training chain re-derives to the signed
hash
node lexon/check.mjs           # the law compiles; the absence claims hold
node tools/dream_cycle.mjs     # the standing watch – measure everything,
fold nothing
```

The full instrument (code, canon, runs, interfaces) travels as the `hh_workshop` repository: `github.com/mitchuski/hh_workshop` — the public upstream harness is

github.com/mitchuski/agentprivacy-harness.

Mitchell Travers · mitchell@soulbis.com · bound 2026-07-27

"This document travels at the speed of trust."

The Hitchhikers Workshop — a brief of the work, and how it plays out

Delivered with the hh_workshop instrument. Everything described here is built, verified, and running on one commodity machine; nothing described here requires a cloud, a subscription, or a network. Where a claim can be checked, the command that checks it is named.

1 • The premise

A shared computer sits in a seminar room. The cohort calls it **the mage**, because a good name matters and they chose it together. It runs a local language model, air-gapped: nothing the room thinks ever leaves the room. Over a ten-week course, the students train it — not abstractly, but literally: their consented writing becomes its grounding, week by week, until the machine answers in the room's own words.

The course runs one exercise, recursively. Each student carries a single understanding across three tongues:

***sci-fi narrative** (casting it forward) → **poem** (compressing it until a person can say it aloud) → **formal paper** (making it checkable) → and around again.*

We call this the **babblefish recursion**, after the fish that translates every tongue. The pedagogical thesis, made mechanical: *understanding only counts when it survives translation*. A rendering that is beautiful but no longer carries the mechanism is a drift, not a translation — and the instrument catches it.

How it catches it is the serious part. Submitted work faces **the gate**: a cryptographic draw — commit first, salt after, hash-derived — selects ONE of the three tongues, and a blind reader who has never seen the answer key must recover, from that text alone, every claim the tongue declares. The author cannot know which tongue will be interrogated, so polishing one at the others' expense is a losing strategy. Every verdict is replayable offline from saved bytes by anyone who distrusts it.

2 • What exists today (built, verified)

The instrument is a standalone repository, copyable to any machine with Node and a local model runtime. Its current, checkable state:

- **The harness** — a verification loop (propose → hold-apart → assay → critic → chronicle) with the blind gate above; registered as instance #12 of the public agentprivacy dual-agent harness. `node tools/check.mjs` → **all 9 gates pass**; every recorded run re-derives offline (`node tools/verify_run.mjs . --all`).
- **The canon** — a 31-claim register distilled from the founding chronicle, plus a seed triptych (story, poem, paper) that passes the gate by construction — the canary that proves the exam is passable.
- **Live rounds** — real rounds have run with a local 12-billion-parameter model holding every seat: a full census recovered 20/20 claims through the story tongue; another round recovered 10/10 through the *poem* — hard evidence the compressed form can carry mechanism through a blind read.
- **The mage + the mirror** — the facilitator persona grounded in the consent-gated corpus; a chat surface (the mirror) where its first live answer near-quoted the cohort's own folded voice note. Two hats, two invocations, by law: the persona'd mage converses; only the *base* model ever sits in the judge's seat.
- **The consent architecture** — one agreement in four registers: plain language, legal, machine-readable, and **Lexon** — controlled natural language a lawyer reads and a machine parses. The laws compile (26 checks, `node lexon/check.mjs`), including **absence claims**: the checker *proves* no clause routes a student's expression to the operator, and proves it falsifiably, by

generating the mutated contract that adds the route and catching it. Consent is enforced in the pipes — the corpus packer and every exporter refuse unledgered material.

- **The provenance chain** — a rotating student steward folds each week's consented expressions into the mage; each fold is hashed, signed into a log, and re-derived in public (`node tools/corpus_pack.mjs --verify`). The chain is printed into every bound book: the cohort's verifiable record as this machine's first trainers.
- **The interfaces** — one local control surface (**the Towel**, with a newcomer's front door: don't panic, three role paths, a glossary); **the workshop's 42** (a game board where stations light only when the ledgers record real trust tasks); **the web** (a knowledge graph derived — never authored — from the repo's own ledgers, with a constellation forge that lets a bearer star a path of nodes and sign it into a new artefact); a generative static site; and a one-command wiki build for federation outward. A fully fictional, clearly-bannered **sample cohort at week 5** exists for demonstrations.
- **The autonomous layer** — a measure-only **dream cycle** (measures everything, folds nothing, files a dated watch report) and a derived **keystone queue** (everything waiting on a human, one page). The governing split, enforced structurally: *the instrument measures and proposes; only humans fold, and only humans open doors*. There is no publish, push, or send button anywhere in the system.

3 • How it plays out — the course, walked

Week 0 — the seed. The machine is prepared: model pulled, canon seeded, gates green, the zeroth fold signed by the facilitator. The instrument arrives at the university already *whole*: the course could be examined before it begins.

Week 1 — the rite. The flight case opens. The room joins a carried local network (the venue's plumbing is never trusted — the first hour teaches why, with a true story about a hostname that died), resolves the mage's one good name, and each student

offers — is never scanned for — their presence. Each signs their consent line: their words, their signature, their standing right to withdraw. Each writes a first expression of what they understood; each expression is simultaneously their **key** (access deepens with demonstrated understanding — there are no logins) and the mage's **food**. The room seals: one artefact that says *we reached the shared mind together*.

Weeks 2–7 — the loop. The weekly shape, every week:

1. *Handover.* Last week's steward verifies the fold-chain green in front of everyone, reads their log entry aloud, and passes the key. A different student holds the mage's training every week — by course end, every name is in the chain.
2. *Ingest.* Voice notes and drafts run through the local transcriber; authors sign their consent lines; the steward admits what is covered and nothing that isn't (the tools refuse otherwise).
3. *Write.* Students work their triptychs, entering at whichever tongue they love — and talking it through with the mirror, which reflects and connects but never grades.
4. *The gate.* Submitted triptychs face the blind draw. The tongue you didn't polish is the one interrogated — that lesson lands in week two and never leaves.
5. *The fold.* The steward packs the week's corpus; the hash is read aloud like a grace; the mirror deepens.
6. *The board.* The workshop's 42 lights another station or two — laws compiled, folds logged, rounds proven, pages spooled. Progress is visible instantly; *credit* moves only when the gate validates. Students pair by a hash-drawn matching (complementary tongues first — nobody tunes who they're paired with); earned events — serving as a blind reader, holding the steward week — mint signed edges in a small, real trust graph.

Week 8 — own the evaluation. The turn that makes this a course about knowledge rather than compliance: the cohort re-fits the exam itself — the metric, the gate, the hard constraints, the canary — through the keystone discipline, with the

conformance gate green before and after. They graduate owning the examiner, not just having passed it.

Weeks 9–10 — the leaving. The pipeline binds three books — the Book of Poems, the Collected Papers, the Story Anthology — each carrying the steward chain in its endpapers. Students may forge **constellations**: named, signed paths through the knowledge web that become artefacts in their own right ("The Proverb Chain" was the first). Consented pages spool toward the hitchhikers.earth federation — carried outward only by a person, by hand. The seal disc closes on the cohort's board state; each student leaves with books, verdicts anyone can replay, their weeks in the chain, and the right — standing, structural — to withdraw their words.

4 • What the university receives

A **public-goods research instrument**, in the strict sense: zero marginal dependency (one commodity box is the whole stack), non-extractive by construction (the absence claims make extraction structurally impossible, not merely forbidden), forkable (the upstream harness is public; a sister department copies the directory and owns its own), and with the students positioned as **provenance, never product**.

Assessment posture: the gate answers *"does the understanding survive translation?"* — blind, replayable, third-party auditable. Marks remain the institution's own act, informed by artefacts the instrument makes unusually legible: validated triptychs, fold history, each student's contributions to the register. The consent architecture is designed to make the ethics-board conversation short: per-expression, author-signed, withdrawable, machine-enforced, and written in a law that compiles.

The research horizon compounds across cohorts: each cohort's mage is a reproducible generation; cross-cohort verification (one cohort's work assayed by another's model — a genuinely distinct prior) is the natural follow-on experiment; and between sister universities, the **erasmus rule** keeps sovereignty intact: *methods and probes travel; corpora never do*.

5 • How a skeptic checks (the whole point)

```
node tools/check.mjs                # nine gates: axioms → laws → every run re-
derives
node tools/verify_run.mjs . <run>   # replay any verdict from saved bytes, no
model, no net
node tools/corpus_pack.mjs --verify # the training chain re-derives to the signed
hash
node lexon/check.mjs                # the law compiles; the absence claims hold;
the twins are caught
node tools/dream_cycle.mjs          # the standing watch – measure everything,
fold nothing
```

Nothing in this brief asks to be believed.

6 • The path from here

1. **A room and a colleague** — eight to fourteen masters students, a faculty co-host, ten sessions (a summer intensive compresses well). The letters to the law and cryptography chairs travel with this package; the demonstration cohort at `/demo/` shows week five before week one exists.
2. **The pilot cohort** — the course as §3; the university keeps the machine, the corpus, the method, and everything the cohort makes.
3. **The federation** — consented outputs travel to the hitchhikers.earth commons; a second university makes the erasmus weave real; the trust graph grows the only way it can here: earned.

7 • The package

document	what it carries
<code>docs/BRIEF.md</code>	this document
<code>README.md</code>	the instrument's front door + quickstart

workshop/CURRICULUM.md · workshop/CEREMONY.md	the ten-week arc · the opening rite, run-of-show
workshop/UNIVERSITY_ONEPAGER.md	the one-page pitch
letters/	to the international-law chair · to the cryptography chair
workshop/consent/ + lexon/	the agreement in four registers; the laws that compile
docs/AUTO_RESEARCH.md	the public-goods auto-research pattern
docs/SUITE_MAPPING.md	how the new methods seat into the wider agentprivacy suite
artifact/PROVENANCE.md	what the students verifiably keep
mage/MACHINE_SETUP.md · workshop/PREFLIGHT.md	a fresh machine from zero · venue day
docs/UX_REVIEW.md · chronicles/	how the interfaces were audited · the honest build record, reversals included
KEYSTONE_QUEUE.md	live: everything currently waiting on a human

*Contact: Mitchell Travers · mitchell@soulbis.com · the public upstream:
github.com/mitchuski/agentprivacy-harness*

"This document travels at the speed of trust."

The Hitchhikers Workshop — a one-pager for a university partner

A facilitated masters-level course where the cohort trains its own local AI, writes across three forms, builds its own evaluator, and leaves holding books, papers, and verifiable provenance. This page merges the two threads the idea grew from: the air-gapped babblefish workshop, and the universities-as-partners vision from the Hitchhiker timeline sessions.

The course in one paragraph

A shared, **air-gapped local AI** (no cloud — the room's thinking never leaves the room) sits in a flight case in a seminar room. Each week the cohort writes one understanding across three tongues — **sci-fi narrative** (casting forward), **poem** (compressing to human-readable), **formal paper** — and a blind, hash-drawn gate checks the understanding *survives translation*. A different student **stewards the machine's training each week**: the model is grounded in the cohort's own consented words — audio notes, drafts, transcripts — until it is, literally, a mirror of the room. The cohort's capstone is re-fitting the evaluation harness itself: they graduate owning the examiner, not just passing it.

What students walk away with

- **Three bound artefacts** — a Book of Poems, the Collected Papers, a Story Anthology (print-ready, produced by the course's own pipeline);
- **verifiable provenance** — a hash chain proving *they* began this machine's training (every student stewards one week; every fold is signed and re-derivable offline);

- **a working evaluation harness** they amended themselves — metric, blind gate, hard constraints — a transferable research artefact;
- **consent literacy in practice** — every expression enters the corpus under a signed, withdrawable consent line (IEEE Std 7012-2025 / MyTerms — the machine-readable personal-terms standard).

Why a university — and which

The timeline vision names the partner profile precisely: **niche-research universities outside the top-tier model-aligned institutions** — departments that want sovereign compute and their own corpus, not a subscription to someone else's frontier. The course runs on one commodity machine; the department keeps the model, the corpus, and the method. Summer intensive timing ("after the universities are broken up") or a semester seminar both fit; the format is a natural node in a **"global erasmus"** knowledge- exchange — cohorts at sister institutions each train their own mage, and the *methods* federate while the *corpora* stay home.

What the institution provides / what arrives in the flight case

the university	the workshop
a seminar room, 8–14 masters students, 8–10 weekly sessions	the mage machine + carried network/naming layer (works in any room, needs no IT integration)
a faculty co-host; the grading of record	facilitation, the harness, the ceremony, the bound-book pipeline
ethics-board conversation (the consent ledger is designed to make this easy)	consent registers in three forms: plain-language, legal stub, machine-readable

Assessment posture

The course's gate answers "*does the understanding survive translation?*" — blind, replayable, third-party auditable. Marks remain the institution's own act, informed by artefacts the harness makes unusually legible: validated triptychs, fold history, each student's register contributions.

Lineage & federation

The course is the local expression of the hitchhikers.earth federation ("Proof of Understanding" is its gate too); consented outputs can federate to the community's wiki as seeds. The method's canon, engine, and audit tooling are public: github.com/mitchuski/agentprivacy-harness.

Contact: Mitchell Travers · mitchell@soulbis.com

CURRICULUM.md — the course arc

A masters-cohort course (8–12 weeks works; the arc below is written for 10) around the shared mage: **sci-fi casting forward** → **poems compressing into human-readable** → **formal papers**, each week feeding the machine the room trains. The cohort ends holding its own evaluation harness, three bound books, and the provenance chain (artifact/PROVENANCE.md).

The weekly shape (every week, after week 1)

1. **Steward handover** — outgoing steward's `corpus_pack --verify` green in front of the room; incoming steward takes the key (mage/STEWARD.md).
2. **Ingest** — the week's audio notes and drafts through `ingest/transcribe.mjs` → consent lines → corpus (INGEST.md).
3. **Express** — participants work their triptychs with the mage as mirror (never as grader — FACILITATOR.md rule 4).
4. **The babblefish round** — submitted triptychs face the blind gate (`node driver/run_round.mjs --model <mage> --run w<N> --tritych <dir>`). The probe form is drawn where no one can tune it: *the tongue you didn't polish is the lesson*.
5. **Fold** — the keystone pair folds VALIDATED levers (frontier first, prose second); the steward folds the week's corpus; both hashes read aloud.
6. **Seal** — the week closes with the group seal (CEREMONY.md §7).

The arc

weeks	movement	what happens
-------	----------	--------------

1	The Rite	full ceremony (CEREMONY.md); the room reads the seed triptych + register; everyone's first expression = their Traveler key
2–3	Casting forward	sci-fi entry: each participant drafts a narrative carrying claims they choose; first live rounds; lexicon workshop — the cohort proposes its first new claims to the keystone
4–5	Compressing	poem entry: the scarcest tongue (frontier OT-1); pairs swap — compress <i>each other's</i> narrative; Mentor rungs open (blind-assayer service)
6–7	Formalizing	paper entry: formal renderings; citations discipline; triptychs complete and face the census
8	The turn: own the evaluation	the cohort re-fits the five answers (metric · gate · hard constraint · canary · Gap recipe) in a keystone session — the course's stated goal: they graduate owning the examiner, not just passing it. Register amendments folded; conform must stay green before and after (Go)
9	Binding	<code>bind_book.mjs</code> — the Book of Poems, the Collected Papers, the Story Anthology; provenance page checked by a stranger (someone outside the cohort replays the chain)
10	The Oasis leg	consented pages spooled and carried to the federation (OASIS_LOOP.md); closing seal; the mage's flight case shuts on a corpus that is <i>them</i>

The trust ladder → mechanics

Rungs are earned by expressed understanding (never by credential — C5), and audited by the enumerable checklist in UNDERSTANDING_KEY.md:

rung	earned by
Traveler	consented + first expression admitted (week 1 seal)

Contributor	at least one form carrying ≥ 1 claim through the gate
Author	a full triptych VALIDATED by the census
Mentor	serving as blind assayer for another's triptych (the human seat of the prover — reads the probe form cold, never the canon)
Fellow	proposing a claim the keystone accepts into the register — their words become part of what every later triptych is measured against

Steward rotation is orthogonal to the ladder: every student takes exactly one week holding the mage's training, whatever their rung — the chain in `mage/steward_log.md` must end the course with every name in it.

Assessment posture (for the university partner)

The harness produces the artefacts a program can assess — validated triptychs, fold history, the amended register — but the *grading* of record stays the institution's own act. The workshop's gate answers "does the understanding survive translation?", which is a different and complementary question to "what mark does this earn?" (UNIVERSITY_ONEPAGER.md).

CEREMONY.md — the Portable Proof-of-Understanding Ceremony

*The 8-section spec proposed in the LAN-ceremony chronicle (2026-06-28, §5), filled.
This is the rite that opens the course and re-opens every venue.*

1 • Premise & myth

A shared local mage — an air-gapped model in a flight case — sits on the table. The room co-holds it: a witness the group bears together, like a bowl too wide for one pair of hands (C10, C11). The ceremony's output is not a deployment; it is **proof of understanding** — shared comprehension made legible as a seal (C9). The myth the room steps into is the babblefish: one truth, many tongues, and the joy of hearing it speak in each (C1–C3).

2 • The trust/sync rite

The human sequence, in order — each rung consent-gated, understanding is what climbs (LAN §4^{3/4}):

1. **Arrive** — the room assembles; the steward of the week uncrates the mage.
2. **Join the local net** — the carried network (§3), never the venue's Wi-Fi as a dependency.
3. **Resolve the mage's one good name** — every client, identically (C24, C25).
The room *says the name together*; thirteen of fourteen resolving is a failure state, not a quorum.
4. **Offer, don't probe** — each participant *offers* their address to the roster (C16).
Nobody is scanned.

5. **Read the gateway with your own agency** — the front-door page carries the rite; understanding-as-key begins at the moment of reading (C5).
6. **First shared exchange** — each participant expresses, in their own words, what they understood; the expression is admitted through the consent gate and becomes both key and food (C7).
7. **The seal** — when every participant is synced and expressed, the group seals: one artefact that says *this room reached the shared mind together* (C9). The seal is logged; the trust artefact (§4 below) opens the cookie jar (C8).

3 • The portable substrate

What physically travels (C14):

- **the mage machine** — the local LLM host (mage/MACHINE_SETUP.md);
- **the carried naming layer** — our own resolver answering the one good name deterministically (C25); venue mDNS is never load-bearing;
- **participant clients** — mixed PC/Mac laptops; must Just Work against the carried layer;
- **the flight-case extras** — cables, a small switch/AP if the venue's network is hostile (client isolation = reach for the overlay), the steward's key.

4 • The naming contract

- ONE good name per mage instance; whoever holds the mage names it; there is no canonical string (C24). Everything else is a **path** under the name (`/mage` , `/roster` , `/gateway`), never a second name.
- Never `.localhost` for a shared name (RFC 6761 — C27).
- The front door serves a **catch-all** so near-misses degrade soft (C28).
- The trust artefact issued on sealing is a **myTerms (IEEE 7012) agreement** — bilateral, First Person ↔ workshop-holder; the mage and every agent are fabric,

not parties (C17–C19). Registers in `workshop/consent/`.

5 • Failure-mode playbook

Seeded from the canonical live case ("the name that worked in the browser"):

symptom the room sees	trap	move
one laptop resolves, the next doesn't; or it worked five minutes ago	mDNS/ <code>.local</code> intermittency (C26)	never trust a warm browser; test from a clean shell (<code>ping</code> , <code>nslookup</code>) on ≥ 2 clients; fail over to the carried resolver
name dead AND raw IP returns 502	name-keyed routing (C23)	the catch-all front door (C28); never serve only one literal string
devices can't see each other at all	client/AP isolation	no LAN trick helps — carried switch/AP, or the overlay/tunnel
yesterday's address is wrong today	DHCP drift	static/reserved address for the mage; the naming layer leans on it

6 • Pre-flight checklist

Run on arrival, before participants enter (2 minutes): see `workshop/PREFLIGHT.md` — resolution from a clean resolver on two clients, catch-all answering, roster empty, steward's `--verify` green.

7 • Ceremony script (run-of-show)

1. Steward's opening: last week's fold read aloud; `corpus_pack --verify` green in front of the room (the chain is public to itself).
2. The rite of §2, walked.

3. The week's babblefish round: entries, renderings, the blind gate (workshop/CURRICULUM.md carries the session arc).
4. Steward's fold: the week's consented expressions eaten; new pack hash logged and read aloud.
5. Handover: next week's steward takes the key.

8 • Canon binding

- Every session ends with a chronicle draft (the harness's Chronicle seat, or the steward's hand) filed in `chronicles/`.
- Outputs that should travel are spooled (`fedwiki/export_page.mjs`) and walk the Oasis loop home (`fedwiki/OASIS_LOOP.md`) — fork → cast → transmit, with the outward legs at the First Person's door (T6).
- The course's lineage lands in the City's canon the way the first oasis did: as a named, real link — never an abstract placeholder.

UNDERSTANDING_KEY.md — the access ladder (an AUDITOR, and it says so)

The harness in this repo guards translation fidelity — an adversarial, non-enumerable claim space. **This file is the other thing:** the understanding-as-key access ladder, which is an *enumerable checklist plus a human door*, i.e. an **auditor** (ADOPTION Step 0 upstream: what you can count, count; running the Gap on an enumerable list is the universe-builder's catalogued mistake). Naming that honestly is part of the design.

The rungs, as checkable facts

Per participant, per rung — every item is a yes/no a script or a stranger can check:

rung	checklist
Traveler	consent row signed (CONSENT_LEDGER.md) · ≥1 expression admitted to corpus/
Contributor	≥1 (claim, form) pair of theirs carried through a VALIDATED round (verdict.json replayable)
Author	a full triptych of theirs VALIDATED (all three forms declared + census passed)
Mentor	served as blind assayer on ≥1 round (named in that round's chronicle; never saw the canon that round)
Fellow	≥1 register claim of theirs folded by the keystone (visible in canon/UNDERSTANDING.md history)

The cookie jar (graduated access to the mage)

Access deepens with the rung — host-scoped, brokered, never a raw credential in anyone's context (C8):

rung	jar
Traveler	converse with the mage (read + chat)
Contributor	submit triptychs to the round runner
Author	propose corpus folds to the steward
Mentor	hold the assay seat
Fellow	sit with the keystone when the register amends

The steward's weekly key is separate from the ladder — every student holds it exactly once (CURRICULUM.md).

The door

The last check on every rung is human: the facilitator (and on outward acts, the First Person) confirms the checklist and turns the key. An auditor plus a door — never a self-certifying gate, which would be the exact trust the proverb warns about (C30).

PREFLIGHT.md — venue checklist + naming contract + failure playbook

Run **on arrival, before participants enter**. Two minutes when everything is healthy; the whole point is discovering when it isn't (C22: you find the missing dependency standing in a strange room — this list makes you find it *first*).

The 2-minute pre-flight

- [] Mage powered; `curl http://127.0.0.1:11434/api/tags` answers ****on the mage box**** (model present — pulled before travel, never at the venue).

- [] Carried naming layer up; the one good name resolves from a ****clean resolver*** (`ping <name>` in a fresh* shell — never a warm browser, C26) on **two different client machines** (one PC, one Mac if mixed).

- [] Raw-IP fallback answers something soft (the catch-all — C28), not a 502.
- [] Client-to-client reachability: one laptop pings another. If this fails, the venue has client/AP isolation → carried switch/AP or overlay; no LAN trick will help (playbook, CEREMONY.md §5).

- [] `node tools/check.mjs` green on the mage box (axioms → runs re-derive).
- [] `node tools/corpus_pack.mjs --verify` green (the chain is intact before the room watches it extend).

- [] Roster page empty and serving; consent registers printed/loadable (workshop/consent/).

Naming contract (carried, not negotiated per venue)

- ONE good name for this mage instance — chosen by the cohort, held by the holder, no canonical string (C24). Services are **paths** under it.
- Resolution comes from **our resolver**, deterministic and identical for every client (C25). Venue mDNS may work; it is never *load-bearing*.
- Never `.localhost` for a shared name (RFC 6761 forces it to loopback — C27). Plain TLD (`.mesh` and friends) per instance.
- DHCP: the mage box gets a static/reserved address the resolver leans on.

Failure playbook (what the room sees → the move)

the room sees	it is	the move
"can't find the server" on SOME laptops	mDNS intermittency (C26)	switch everyone to the carried name; verify from clean shells
name dead AND raw IP 502s	name-keyed vhost (C23)	catch-all front door; never one literal string
nothing reaches anything	client isolation	carried AP/switch; else the overlay/tunnel
worked at home, dead here	outsourced naming (C22)	this checklist, next time run FIRST
it loads in the browser but ping fails	warm cache lying (C26)	trust the clean resolver, not the browser

The meta-rule: a flaky pass is a fail. A name that resolves *sometimes* ships the failure to the exact moment the room is watching.

The Consent Architecture

Consent — plain language register

*One agreement, three registers (C19) — plus a fourth that is two at once: this human-readable page, the legal stub, the machine-readable JSON, and the **Lexon law** (`Lexon/consent_agreement.Lex`), a controlled-natural-language text a lawyer can read that a machine also parses — mechanically checked (`node Lexon/check.mjs`) so the law and the code stay one voice. If any register disagrees with another, we stop and fix it — none of them silently wins.*

What you are agreeing to (and what you aren't)

You propose; we accept. Under this workshop's standard (IEEE 7012 / MyTerms), *you* are the one offering terms — the workshop accepts them, counter-offers once, or declines. Not the other way around (C17). The agreement is between **you and the workshop-holder** only. The mage, the harness, and every agent in the room are furniture around the agreement, not parties to it (C18).

What "corpus" scope means. The local machine (the mage) may read your consented expressions — your drafts, poems, papers, transcribed audio notes — so it can reflect the room back. It is air-gapped: nothing it reads leaves the room (C10).

What "export" scope means. The named piece may travel — into the bound books and/or the federation wiki. Nothing travels without this scope.

You sign per piece, not per person. One ledger row per expression (`corpus/CONSENT_LEDGER.md`), signed by you. No blanket capture; a group recording only enters trimmed to the voices that consented.

You can leave. Withdrawal = your file is deleted, your ledger row struck (visibly), and the machine's next context pack simply no longer contains you. Provenance

includes the right to leave (INGEST.md).

Nobody probes you. You *offer* your device's address to join the room's network; nothing scans you (C16).

What the workshop promises back

- The machine never grades you; a blind gate grades renderings, and humans hold the doors (FACILITATOR.md rule 4).
 - Your name enters the steward chain when you hold the mage's week — that record is yours to keep and to verify, forever, offline.
-

Consent — legal register (STUB · requires counsel review before first cohort)

***Status: DRAFT STUB.** This register must be reviewed by qualified counsel (and, for a university deployment, the institution's ethics board) before any participant signs. It exists so the three-register structure (C19) is complete from day one; it is not yet legal advice or a binding instrument.*

1. **Parties.** This Agreement is bilateral between the individual participant ("First Person") and the workshop-holder ("Second Party"). Software agents, devices, and trust communities are expressly not parties (IEEE Std 7012-2025 posture).
2. **Offer.** Terms are proposed by the First Person from the workshop's standard registers; the Second Party may accept, make one counter-offer, or decline.
3. **Licence, per expression.** For each expression listed against the First Person's name in the Consent Ledger, the First Person grants the Second Party a revocable, non-exclusive licence limited to the recorded scope: (a) *corpus* —

local machine-reading/grounding on air-gapped hardware within the workshop;
(b) *export* — inclusion in the workshop's bound artefacts and/or federated wiki publication. No other use is licensed.

4. **Revocation.** The First Person may revoke per expression at any time; the Second Party shall delete the corpus copy, strike the ledger entry, and rebuild the machine context without it within [N] days. Copies already in printed artefacts or federated forks are governed by [to be drafted].
5. **No automated assessment of the person.** Machine outputs are not used as the assessment of record of the First Person.
6. **Records.** The Consent Ledger and steward log constitute the record of licences and processing; both are inspectable by the First Person.
7. **Governing law / institution-specific terms.** [To be completed with counsel / the partner institution.]
8. **Controlled-language rendering.** The structural content of clauses 2–4 is also rendered as a Lexon controlled-natural-language contract (`lexon/consent_agreement.lex`), mechanically verified for internal coherence (`node lexon/check.mjs`), including the structural absence of any transfer route to the Second Party. In case of conflict between registers, the parties' recorded intent governs and all registers are corrected together.

lexon/ — the workshop's law, compiling

The workshop's legal-shaped invariants written in **Lexon** — controlled natural language a lawyer can read AND a machine can parse — and held green by the same gate the `lexon_pvm` harness uses. This is the fourth face of the consent layer: where `workshop/consent/` carries plain-language, legal, and machine-JSON registers as three files, a Lexon law is **one text that is both the legal prose and the parseable structure** — the babblefish thesis applied to law itself.

What "compiling" means here (the regime, honestly)

There is **no public Lexon compiler for this platform** (the reference compiler is a macOS-only alpha, source unpublished). This lane runs the **spec-checker regime** vendored from `lexon_pvm`: a hand-written validator of an *attested subset* of Lexon (every grammar production is backed by a lexon.org golden fixture). "Compiles" = passes:

1. **the base gate** (`tools/lexon_check.mjs`) — parse into subject-verb- object triples · noun binding (definitions immutable) · **round-trip** (triples re-serialize to canonical sentences that re-parse identically) · promise typing (every action edge typed promise/commitment, polarity +);
2. **every relation claim** (`tools/relation_check.mjs`) — the structural fact each law exists to state, verified on the clause graph **with a falsifiability twin**: a minimally mutated contract must still gate-pass yet fail the claim, or the claim proves nothing. Negative expectations (claims that must come back ABSENT) prove the gate can refuse.

Run it: `node lexon/check.mjs` — also wired into `node tools/check.mjs`.

The three laws

law	what it compiles	the load-bearing claims
<code>consent_agreement.lex</code>	the myTerms/IEEE-7012 bilateral (First Person proffers, Workshop Holder accepts; per-expression corpus/export scope; revocation with mandatory return)	<code>Consented = Proffered $\wedge$ Accepted</code> (the invitation pattern); Admit gated on Consented; absence: no transfer clause routes anything to the Workshop Holder — the extraction shape is structurally impossible, not merely forbidden
<code>steward_fold.lex</code>	the weekly steward's duties (STEWARD.md as law)	Admit gated on Consented; <code>Complete = Pack Hash $\wedge$ Fold</code>

		Record ; Handover gated on Verified; absence: nothing routes to the Steward
<code>babblefish_gate.lex</code>	the harness's own gate discipline (T2/T5/D1 as law)	Draw gated on Committed (grind-proofing: the draw cannot precede the commit); Validate gated on Recovered; Fold gated on Validated; absence: nothing routes to the Proposer or the Assayer — the seats cannot be paid off

Each law's `.claims.json` uses `{expect, claim}` rows — `RELATION PASS` rows are the law's asserted structure; `RELATION ABSENT` rows are the counter-claims that must fail (a gate that cannot refuse is worth less than none).

House grammar (the attested subset — imitate exactly)

Types: `person amount text time binary data contract number account` · Verbs: `pay return appoint fix certify register grant declare file send terminate set` ·
Shape: `LEX <Title>. · "Name" is a <type>. definitions · one recital (no modal) ·`
`CLAUSE: <Name>. blocks · may / must · conditions , if <Binary> is declared: or ,`
`if this <Noun> is <Predicate>: · conjunctions via "P" is defined as: the A is`
`fixed and the B is fixed. · never an em dash (the upstream census refuses`
`them).`

Provenance & the loop back

Checker + goldens vendored verbatim from `C:\Users\mitch\lexon_pvm @ 4d9a3ad`
(see `../VENDOR.md`). The upstream LEXICON already carries the 7012 family
(LEXPVM-T-055/059/060/067) these laws are stylistic kin to. **Possible upstream
fold (the First Person's call, lexon_pvm's own keystone discipline):** the

workshop's terms — babblefish recursion, understanding- as-key, steward, translation-debt — are candidates for lexon_pvm census terms; these three laws are ready-made draft expressions for that fold. In the course itself, Lexon is a natural **fourth tongue** for advanced cohorts (understanding → narrative → poem → paper → *law*); staged, not yet in the harness gate.

The laws, verbatim (.lex sources)

consent_agreement.lex

LEX Workshop Consent.

"First Person" is a person.

"Workshop Holder" is a person.

"Federation" is a person.

"Expression" is a data.

"Agreement" is a text.

"Terms" is a text.

"Proffered" is a binary.

"Accepted" is a binary.

"Corpus Scope" is a binary.

"Export Scope" is a binary.

"Revoked" is a binary.

The First Person fixes the Terms, fixes the Agreement, and appoints the Workshop Holder.

CLAUSE: Proffer.

The First Person may declare Proffered.

CLAUSE: Accept.

The Workshop Holder may, if Proffered is declared: declare Accepted.

CLAUSE: Standing.

"Consented" is defined as: Proffered is declared and Accepted is declared.

CLAUSE: Scope Corpus.

The First Person may declare Corpus Scope.

CLAUSE: Scope Export.

The First Person may declare Export Scope.

CLAUSE: Admit.

The Workshop Holder may, if this Agreement is Consented: register the Expression.

CLAUSE: Export.

The Workshop Holder may, if Export Scope is declared: send the Expression to the Federation.

CLAUSE: Revoke.

The First Person may declare Revoked.

CLAUSE: Withdraw.

The Workshop Holder must, if Revoked is declared: return the Expression to the First Person.

CLAUSE: Close.

The First Person may, if Revoked is declared: terminate this contract.

steward_fold.lex

LEX Fold.

"First Person" is a person.

"Steward" is a person.

"Successor" is a person.

"Expression" is a data.

"Fold Record" is a text.

"Pack Hash" is a text.

"Fold" is a text.

"Consented" is a binary.

"Verified" is a binary.

The First Person appoints the Steward, and fixes the Fold.

CLAUSE: Admit.

The Steward may, if Consented is declared: register the Expression.

CLAUSE: Pack.

The Steward may fix the Pack Hash, and file the Fold Record.

CLAUSE: Ready.

"Complete" is defined as: the Pack Hash is fixed and the Fold Record is fixed.

CLAUSE: Verify.

The Steward may, if this Fold is Complete: declare Verified.

CLAUSE: Handover.

The Steward may, if Verified is declared: appoint the Successor.

CLAUSE: Close.

The First Person may terminate this contract.

babblefish_gate.lex

LEX Babblefish Gate.

"Keystone" is a person.

"Proposer" is a person.

"Assayer" is a person.

"Triptych" is a text.

"Probe Form" is a text.

"Committed" is a binary.

"Drawn" is a binary.

"Recovered" is a binary.

"Validated" is a binary.

The Keystone appoints the Proposer, and appoints the Assayer.

CLAUSE: Commit.

The Proposer may fix the Triptych, and declare Committed.

CLAUSE: Draw.

The Keystone may, if Committed is declared: fix the Probe Form, and declare Drawn.

CLAUSE: Assay.

The Assayer may, if Drawn is declared: declare Recovered.

CLAUSE: Validate.

The Keystone may, if Recovered is declared: declare Validated.

CLAUSE: Fold.

The Keystone may, if Validated is declared: register the Triptych.

CLAUSE: Close.

The Keystone may terminate this contract.

To the professor of international law

Draft for Mitch's hand — sending is the door. Salutation left open until the university is chosen.

Dear Professor —

I want to tell you about a machine in a flight case, and about a small law it carries that your students could hold to a standard most statutes never meet: the law checks itself for coherence, and it can prove what it makes impossible.

Let me start with the story, because the course does. In the seminar room there is a shared computer — no cloud behind it, nothing it hears ever leaves the room. The students call it the mage, because a good name matters and they chose it together. Douglas Adams gave us the babel fish: drop it in your ear and every tongue becomes yours. This course runs the babel fish in reverse. Each week, students take one understanding and are asked to carry it across three tongues — a science-fiction story that casts it forward, a poem that compresses it until a person can say it aloud, and a formal paper that makes it checkable. A blind examiner — one that has never seen the answer key — is handed *one* of the three tongues, drawn by a hash nobody can influence, and must recover from that text alone every claim it says it carries. A translation that is beautiful but no longer carries the mechanism is caught. That is the whole pedagogy: **understanding is only counted when it survives translation.** I suspect you recognise the shape — it is what treaty drafting has always demanded of a text that must live in six languages at once.

Here is the part I am writing to you specifically about. The workshop's own legal layer — the consent agreement each student signs, the duties of the weekly steward, even the examination procedure itself — is written in **Lexon**, a controlled natural language: prose a lawyer reads without training that a machine parses without mercy.

Three registers of the same agreement exist side by side (plain language, legal, machine-readable — the structure of **IEEE 7012-2025**, the "MyTerms" standard, which inverts notice-and-consent so that *the individual proposes the terms* and the institution accepts, counters once, or declines). The Lexon text is the fourth register, and it is two of them at once. Every clause compiles through a grammar gate; every structural claim the law makes is verified against the clause graph — including, and this is the part I would most like to put in front of your students, **absence claims**: the checker proves that *no clause routes a student's expression to the workshop-holder*. Extraction is not forbidden. It is structurally impossible, and a mutated twin of the contract — one that quietly adds the route — is generated and caught, mechanically, every time the suite runs. A prohibition you can disobey; an absence you would have to *amend into existence*, in public, in a diff.

There is a jurisprudential thesis under this that I hold seriously and would enjoy defending in your seminar. The workshop's founding proverb, arrived at by way of Gödel: *any agreement complete enough to need no one outside it has either stopped listening or begun to lie*. So everything here is built incomplete on purpose — the consent ledger keeps a visible strike-through when a student withdraws (the right to leave is part of the record, not an embarrassment to it), the trust artefacts are witnessed by communities standing outside the agreements they witness, and the one gate no machine may open — publication, the outward act — belongs to a person, always. Law students tend to meet "code is law" as a slogan to attack. I would rather they meet it as a drafting exercise with a compiler that tells them when their clauses contradict themselves, and a checker that asks the better question: *what does your contract make impossible?*

What the university receives is a public good in the strict sense. The whole instrument — harness, mage, law lane, bound-book pipeline — arrives in the flight case and stays: no subscription, no API, no data leaving the building. The students walk away with a book of their poems, a collection of their papers, and something I have not seen a course give before: **verifiable provenance as the first trainers of an institution's own AI** — a signed, hash-chained steward log in which every student's name appears, replayable offline by anyone, forever. Their consent architecture is not

a form they signed at intake; it is the thing they studied, drafted in, and can walk a regulator through afterwards.

None of this is a proposal in the speculative sense. It is built. The gates are green; the examiner ran its first live round on a local model this week; the laws compile — twenty-six checks, including the twins. What I am asking for is a room, eight to fourteen masters students, and a colleague on the law side willing to co-hold the question this course keeps open: what does agreement mean, when the text can finally check itself — and still, on purpose, cannot certify itself?

I would be glad to bring the flight case to you and run the first hour: it begins, as it should, with a story about a name that died.

With respect and anticipation,

Mitchell Travers mitchell@soulbis.com · the agentprivacy work:
github.com/mitchuski/agentprivacy-harness

To the professor of cryptography and cybersecurity

Draft for Mitch's hand — sending is the door. Salutation left open until the university is chosen.

Dear Professor —

I want to offer your masters students a semester inside a live protocol — not a lecture about commitment schemes, but a course whose grading pipeline *is* one, running on an air-gapped machine they train themselves, where every verdict that ever touches them can be re-derived offline from saved bytes by anyone who distrusts it.

The course wears science fiction on the outside, deliberately. The shared local model in the flight case is called the mage; the writing exercise is the "babblefish recursion" (one understanding carried across three tongues: a sci-fi story, a poem, a formal paper); the first session opens with a short story about a hostname that died on a strange router and took the whole rig with it. Under the story, your students will find the following, all built and verified:

A Fiat–Shamir hold-apart. Students submit a triptych; the examiner must be blind. Each proposal is canonically serialized (recursive sorted keys, no whitespace — those exact bytes are persisted) and hashed; a run-level salt secret, drawn after the proposal is committed and never shown to any seat, derives a per-proposal salt; the seed is `sha256(h_source || h_proposal || salt)`. The draw that seed governs is the detail I am proudest of pedagogically: the *census* probes every claim ($N=31$, and the conformance gate refuses sampling below the census threshold — students can read the refusal message and the detection- probability arithmetic behind it), while the seed selects **which of the three tongues gets interrogated**. The author cannot know which of their renderings will face the blind assayer, so polishing one at the

expense of the others is a losing strategy. Grinding the proposal cannot fix the draw; the salt lands after commitment. Your students will meet grind-resistance not as a slide but as the reason they must write all three tongues well.

Offline, fail-closed verification. Every round persists `proposal_canon.json`, `gap.json`, `verdict.json`. A zero-dependency verifier replays the whole chain — byte-canonicity, hash, salted seed, draw — with no model calls and no network, and exits non-zero on anything it cannot establish, with `UNVERIFIABLE` as a distinct verdict, never a pass. I will happily show your students the failure that hardened it: in our first live round, the model returned a `VALIDATED` verdict without its pass-ratio field; the verifier refused the run. The fix was not to soften the verifier but to make the field required in the schema — with structured-output enforcement, *an optional field is a field the model may omit*. That is a security lesson I could not have scripted better.

An adversarial architecture with its parameters declared. Proposer and prover are separated seats; the one thing they share is the human at the root. When one local model wears both hats, the separation term is zero — and the system *declares* $\Phi_{\text{inference}} = 0$ rather than hiding it. A second machine, or a visiting model from a sister cohort, raises it: a pre-registered experiment your students can run and measure. The named failure mode — a MIRAGE, a candidate that passes the author's probe and fails the real gate — is the course's favourite word, and it earns it.

Content addressing and an earned trust graph. Every artefact is κ -addressed (`sha256` over canonical bytes, label excluded from its own preimage); the mage's weekly training folds form a hash chain signed by a rotating student steward, so "who trained this model on what, when" is a replayable record — the students' provenance as the machine's first trainers, verifiable years later on a laptop with Node and nothing else. On top of it sits a small, real trust graph: workshop events (serving as a blind assayer, holding the steward week, keystone folds) mint ed25519 `did:key` edges over the κ -addressed persona holons — earned edges only, no self-edges, every signature verifiable offline. The consent layer that feeds the model is enforced *in the pipes* — the corpus packer and the exporter both refuse unledgered material — and the workshop's own law, written in a controlled natural language, carries machine-checked **absence claims**: the checker proves no clause routes a student's expression

to the operator, and proves it falsifiably, by generating the mutated twin that adds the route and catching it.

Security people will also appreciate what is *not* here: no cloud, no telemetry, no credentials in any agent's context (write access is brokered and scoped), and one gate no automation can open — publication and federation are a human's outward act, structurally. The threat model extends to the seminar room's own network: the first hour of the course is a live lesson in why you never let a venue's mDNS be load-bearing.

The university keeps everything: the machine's stack (one commodity box, zero external dependencies), the harness, the corpus its students consented into it, and each cohort's model lineage — with cross-cohort verification (your students' proposals assayed by a *different* cohort's model, a genuinely distinct-prior prover) waiting as the natural follow-on experiment. It is a public-goods donation in an auto-research pattern: the instrument measures and proposes on its own; humans keep the folds and the doors.

It is built. The gate suite is nine-for-nine; the first live round ran this week on a 12-billion-parameter local model that recovered twenty of twenty declared claims through the probe tongue, and the run re-derives from its own bytes. What I need is a room, the students, and a colleague who will enjoy asking them, in week one: *the browser loads the page and ping says the host doesn't exist — what do you trust, and why?*

With respect and anticipation,

Mitchell Travers mitchell@soulbis.com · the agentprivacy work:
github.com/mitchuski/agentprivacy-harness

AUTO_RESEARCH.md — the workshop as a public-goods research instrument

The frame the First Person named: this build is, in theory, a public-goods donation to a university in an auto-research pattern. This doc says what that means mechanically, which patterns from the wider work are woven in, and which are staged next. It is the bridge between the course (CURRICULUM.md) and the letters in `Letters/`.

1 • The donation, precisely

What the university receives is not a syllabus. It is a **self-improving research instrument** with its provenance attached:


- **the instrument** — this repository: a verification harness whose gate is blind and replayable, a local mage whose training corpus is consent-gated at the pipe, a law lane that compiles, and a control surface (the Towel) that can only do what the repo's own scripts do;
- **the method** — the babblefish recursion as a research protocol: understanding is only counted when it survives translation across tongues, checked by an assayer who never sees the canon;
- **the record** — everything the instrument produces is a citable artifact: the amended claim register, validated triptychs with offline-replayable verdicts, the steward chain, the bound books, each cohort's mage.

Public-goods properties, by construction: zero marginal dependency (no cloud, no subscription, no API key — the machine in the flight case is the whole stack); **non-extractive** (the absence claims in `lexon/` make extraction *structurally impossible*, not merely forbidden); forkable (the engine's upstream is public; a sister department

copies the directory and owns its own instrument); and **the students are not the product — they are the provenance** (artifact/PROVENANCE.md).

2 · The auto-research pattern

The loop research runs on its own; humans hold the folds and the doors.



Three patterns from the wider work are load-bearing here:

- **The moving ceiling (V6's R(t))** — research never "completes." When the cohort folds new claims into the register, 3·N grows, debt jumps, and the frontier advances against a *raised* target. An honest instrument reports the ceiling's motion, not just the score. `frontier.json` is the sole authority; OT-numbered open targets carry the "next number to beat."
- **The dream cycle (measure-only upkeep)** — between sessions the instrument can run unattended in the safest posture: `measure + verify_run --all + corpus_pack --verify + lexon/check` on a schedule. A standing watch that surfaces gaps and drift, folds nothing, opens no door. (The `lexon_pvm runtime-01` "standing watch" and the fleet's dream cycle are the precedents.) Proposal rounds can also run unattended — verdicts queue as *candidates*; folding stays a human act at the next session. That split — **automate the measuring and the proposing, never the folding or the door** — is the whole pattern.

- **Chronicles as the research record** — every session ends in a chronicle (GR-7). For a university this is the lab notebook, pre-formatted: verdict-first, reversals at win-prominence, a handoff naming the next lead.

3 • Weaving the fine-tuning inference system

The mage is one Ollama endpoint wearing three hats, and the weave is that the hats share provenance:

1. **Facilitator** (inference) — `hh-mage`, the base model grounded in the consent-gated context pack; the mirror the room talks to.
2. **The seats** (inference-as-verification) — the same endpoint holds `measure/propose/gap/assay/critic/chronicle` in the harness rounds.
 $\Phi_{\text{inference}} = 0$ on a one-box room and is *declared*, never hidden; a second box (or a visiting model) raises it — a pre-registered experiment any cohort can run.
3. **The trained lineage** (fine-tuning) — each steward fold advances the mage's grounding; each cohort's endpoint state is reproducible from `steward_log.md` + the corpus at that hash. When option B (LoRA) lands, each cohort mints a **generation**: `hh-mage-c1`, `hh-mage-c2` ... — and the lineage itself becomes the research object: - *ablation across generations* — does cohort-2's mage assay cohort-1's

trptychs differently? (a measurable claim about what the room's words did to the weights); - *cross-cohort Φ* — cohort-N's proposer assayed by cohort-M's prover is a genuinely distinct-prior pair: the separation term the PVM wants, grown organically; - *the erasmus weave* — sister universities exchange **methods and probes, never corpora**: a visiting mage assays the local triptychs (blind, offline-verifiable) and goes home. The corpus never travels; the verdicts do. That is the "global erasmus" with sovereignty intact.

4 • The Game of 42 lane — persona → geometry → trust graph

The chain the First Person named, now wired (`tools/workshop_ui.mjs` , `/game/`):

1. **Persona + skill matching** — students join the roster (consent-gated: no ledger row, no seat) declaring a persona and their tongues. Pair matching is deterministic and hash-drawn — the Gap's idiom applied socially: nobody tunes who they're paired with, and complementary tongues pair first (the finder pair, in human form).
2. **Geometry** — the vendored Game of 42 board (6 axes × 7 stations; the City of Mages seed preset "meets you where you're up to"). Each node is a trust task: assign an agent or yourself. The cohort's weekly seal is the fold — the room's state made one star-form, κ -addressed, dated.
3. **The trust graph** — earned, never declared: workshop events mint ed25519 `did:key` edges over κ -addressed persona holons (`tools/vrc.mjs`) — mentor-assay, steward-fold, pair-swap, keystone-fold, seal-witness. No self-edges (C30: a trust that certifies itself). Every edge verifies offline. By course end the cohort holds a small, real, replayable trust graph *that grew out of verified work* — the  VRC pattern at seminar scale, and the on-ramp to the wider graph (hitchhikers.earth's Proof of Understanding; the agentprivacy trust communities) — federated later, at the door, by the bearer.

The sci-fi carries all of it: the canon claims are taught through "The Name That Died" before they are ever stated formally; the game's personas give the room its cast; the serious iterations (PVM, IEEE 7012, Lexon, the harness trusts T1–T6) stand behind every mechanic the students touch. Story first, spec always underneath — that ordering is the babblefish thesis.

5 • Staged next (named, not built)

- **scheduled dream cycle** — a cron/loop invoking the measure-only watch; trivial once the mage box has a clock discipline (the scripts exist; the schedule is

a venue decision).

- **cohort LoRA generations** (MACHINE_SETUP.md option B) — hardware-gated.
- **cross-university probe exchange** — needs one sister instance to exist.
- **seal → City-Key bridge** — the game's sealed PNG already carries a cityKey projection; binding cohort seals into the wider identity surface is the bearer's outward act.
- **Lexon as the fourth tongue** — advanced cohorts render a triptych claim as a compiling law; the checker lane is already green and waiting.

SUITE_MAPPING.md — new processes → agentprivacy personas + skills (PROPOSALS)

*The hh_workshop build produced processes that did not exist in the suite before. This doc maps each to a proposed skill (agentprivacy-skills-v5 naming) and a keeper persona from the City canon. **Proposals only** — minting skills into the canonical repo, seating keepers, and any tome act are the First Person's and the keystone's; nothing here writes outside this directory.*

#	new process (born here)	proposed skill	proposed keeper / persona	why that keeper
1	the babblefish gate — translation-fidelity harness: carry declarations per tongue, census over a frozen claim register, probe FORM drawn Fiat-Shamir, assayer blind to canon, translation-debt ↓	agentprivacy-babblefish-gate	Vagari 🌿 (Holon Hitchhikers, V31 — the Oasis Protocol)	the shop about wholes that travel and return carrying seeds; a triptych is exactly a whole carried across tongues, and this workshop is the shop's first real course
2	generative-website derivation — walk a repo's ledgers → typed KG (spellweb dialect) + self-contained site/wiki/graph; re-run = re-true; now also instance-generic in the	agentprivacy-generative-web	the Cartographer (model visual runtime)	already keeps the live instruments on /model; this is the same law — projections derived from the source, never

	framework (tools/spellweb.mjs)			authored beside it
3	the steward fold — rotating human steward of a local model's training; consent-gated corpus at the pipe; pack- hash provenance chain, verified in public; handover rite	agentprivacy- steward-fold	the Archivist 📁 (the Tower, Tome VIII)	the Tower keeps records that outlive their keepers; the steward log is exactly such a record — a chain of hands, replayable forever
4	workshop law compiling — invariants of a live practice written in the attested Lexon subset; relation claims with falsifiability twins; ABSENCE claims (extraction structurally impossible)	agentprivacy- workshop-law	seat beside lexon_pvm (its census is the natural home; the three laws here are ready-made draft expressions for its OT-8-era folds)	one spec-checker regime, one grammar — two homes would drift
5	the local mage runtime — pure-data seats + Ollama rt driver; all hashing code-side (the seat physically cannot see the salt); fail- closed offline replay; required-fields lesson (an optional field is a field a schema-forced model omits)	agentprivacy- local-mage-rt	Soulbis ✂️ ⊥ Soulbae 🤖 themselves (a HARNESS_PATHS pattern note, not a shop)	it is not a domain — it is how the pair sits down anywhere there is no cloud
6	earned trust edges — VRC edges minted only on verifiable events	agentprivacy- earned-edges	the 🌀 VRC canon (trust-graph layer),	the 42's nodes are trust tasks; this is the edge-

	(mentor-assay, steward-fold, pair-swap, keystone-fold, seal-witness); no self-edges; consent-gated roster; deterministic hash-drawn pairing (the Gap's idiom, socially)		with the Game of 42 as its board	minting discipline they were waiting for
7	the understanding-key auditor — access ladders as honest AUDITORS (enumerable rungs + human door), never harnesses; graduated cookie-jar	agentprivacy-understanding-key	the Gatehouse (proof-of-reading kin)	same primitive — understanding-as-key — already gates the sealed rooms

Where each would land (when minted)

- skills → `agentprivacy_master/agentprivacy-skills/agentprivacy-skills-v5` (the canonical V5 repo), then the skill wiki via the wiki-sync flow;
- keeper seatings and any new shop/act → City canon through the keystone (tome discipline; this doc deliberately proposes NO count changes);
- the framework pattern notes (#5) → `dual-agent-harness/HARNESS_PATHS.md` prose, where instance #12's at-a-glance already carries the seed.

The reflection already made

`tools/spellweb.mjs` now lives in the framework repo (uncommitted): the instance-GENERIC autobuilder — config, frontier, runs, levers, claims, killed levers, chronicles → graph.json + a self-contained web.html for any of the twelve instances.

hh_workshop keeps its richer instance-specific walkers (claims register, triptychs, lexon triples, roster). Same dialect top to bottom, so a future fold into spellweb-the-

site's hand-curated data is a straight emit — and each cohort can equally keep **their own** spellweb, derived from their own instance, which may be the truer shape.

PROVENANCE.md — the students who began the training

What a cohort walks away with is not only the books — it is a **re-derivable claim**: *we are the people whose words this mage is made of*. This file says how that claim is carried and how a stranger checks it.

The chain

```
consent line (CONSENT_LEDGER.md, signed by the speaker)
  → corpus/ file (admitted by the week's steward)
    → context pack (tools/corpus_pack.mjs — deterministic bytes, sha256)
      → steward_log.md entry (week · steward · files folded · pack hash)
        → the mage (Modelfile / context grounding the room talks to)
          → the books (bind_book.mjs prints the steward chain into every copy)
```

Three properties make it provenance and not a story:

1. **Consented at the root** — no unconsented word can enter the chain; the packer and the exporter refuse at the pipe (hard constraint b).
2. **Re-derivable at every link** — `node tools/corpus_pack.mjs --verify` re-hashes the corpus and must match the latest steward entry; a moved corpus with an unlogged fold fails loudly.
3. **Named hands** — every fold names its steward. The rotation means every student's name enters the chain at least once: the cohort is not "acknowledged", it is *structural*.

What each student takes away

- the bound artefacts (`book_of_poems.html` , `collected_papers.html` , `story_anthology.html` — print to PDF), each carrying the steward chain;
- their triptychs, with gate verdicts a third party can replay offline (`node tools/verify_run.mjs . <runId>`);
- their line(s) in `mage/steward_log.md` — their week holding the mirror;
- their consent rows — which they may also withdraw (INGEST.md): provenance here includes the right to leave.

For the university partner

This chain is the course's assessment story inverted: instead of the institution grading the students, the students build the evaluator (the harness config is cohort-amended through the keystone), train the examiner's opposite (the mage is their mirror, and it never grades), and leave holding a verifiable record that the whole apparatus began with them.

MACHINE_SETUP.md — a fresh mage box, from zero

The standalone claim, as a runnable list. Target: one commodity machine (the "mage box") that will sit air-gapped in the workshop room. Everything below is offline-safe except the two marked **pull-before-you-travel** steps.

1 • Install

1. **Copy this directory** (`hh_workshop/`) onto the box. That is the whole install — zero npm dependencies; the engine, tools, canon, and docs are all inside (VENDOR.md records their provenance).
2. **Node** $\geq$ **18** — offline: carry the installer (nodejs.org/dist, the `.msi` / `.pkg` /tarball for the box's OS).
3. **Ollama** — install, then **pull-before-you-travel**: `ollama pull <model>` while still online. Default class: an 8–14B instruct model (e.g. `gemma3:12b`, `llama3.1:8b-instruct`, `qwen2.5:14b-instruct`). Final choice is the First Person's, on the box. Verify: `curl http://127.0.0.1:11434/api/tags` lists it.
4. *(optional, for audio ingestion)* **ffmpeg + whisper.cpp** — carry a built `whisper-cli` and a ggml model (**pull-before-you-travel**; the large-v3-turbo q5 model file is ~550 MB). Point the pipeline at them via `$HH_WHISPER`, `$HH_WHISPER_MODEL`, `$HH_FFMPEG` (ingest/transcribe.mjs).

2 • Prove it (no model needed)

```
node tools/check.mjs                # all gates: axioms → instance → runs
re-derive
node driver/run_round.mjs --stub --run smoke    # full six-phase round,
```

```
deterministic
node tools/verify_run.mjs . smoke           # the round replays from its own bytes
```

All green on Node alone — the loop, the salted Gap, and the audit trail are proven before the model ever wakes.

3 • Wake the mage

```
node tools/corpus_pack.mjs                # pack the consented corpus;
refresh Modelfile
ollama create hh-mage -f mage/Modelfile    # the room-grounded mage
(option A)
node driver/run_round.mjs --model gemma3:12b --run r1 --tritych canon/seed-
tritych
node tools/console.mjs                    # the WINDOW — GET-only,
127.0.0.1:4242
node tools/workshop_ui.mjs                # the TOWEL — control surface
+ game + web, 127.0.0.1:4245
node web/site.mjs                          # derive the generative site
(graph + pages)
```

The Towel (`--lan` to serve the workshop room) can only invoke the repo's own scripts; push/cast/publish do not exist there — the door stays a human act.

Two hats, two invocations — never confuse them: `hh-mage` (the base wearing FACILITATOR.md + the room's context pack) is for *conversation* — the mirror the room talks to. **Rounds run on the BASE model** (`gemma3:12b` or whatever the box pulled): FACILITATOR.md rule 4 says the mage does not grade, and seating the persona'd facilitator as the blind assayer would contradict the workshop's own law. The drivers and the Towel default to the base for rounds.

4 • Training depth (C13: ship the good, grow into the perfect)

- **Option A — context grounding (default, any hardware).** The weekly fold rebuilds `mage/context_pack.md + mage/Modelfile`; the mage *reads* the room live. Fully offline, seconds to rebuild, trivially reversible (withdrawal = repack).
- **Option B — LoRA fine-tune (capable hardware; the parked "perfect").** When the box carries a suitable GPU: train a LoRA on the consented corpus (unsloth/axolotl-class tooling; pull-before-you-travel), convert to GGUF, layer it in the Modelfile. The steward duty is unchanged — fold, hash, log — only the depth changes. Named as an open build item in SOURCES.md; decide it once the real box exists.

5 • Venue day

Run `workshop/PREFLIGHT.md` before participants enter. The naming rules it enforces (one good name · carried resolver · no `.localhost` · catch-all) are claims C24–C28 — the lesson the whole rig was built around.

hh_workshop — the Hitchhikers Workshop harness

A **standalone** harness instance for a facilitated masters-cohort workshop around a shared, air-gapped local mage: the **babblefish recursion** —

```
sci-fi narrative → poem → white paper → (recurse) ↻
```

— one understanding rendered across three tongues, with a blind, hash-drawn gate checking that the understanding *survives translation*. Understanding is the key (access is expressed, never issued); participant expressions are both key and food (the cohort trains its own mage, week by week, through a rotating steward); the cohort graduates owning its own evaluation harness, three bound books, and verifiable provenance as the mage's first trainers.

A sibling instance of the dual-agent harness (github.com/mitchuski/agentprivacy-harness): the engine is vendored verbatim (VENDOR.md), `harness.config.mjs` is the divergence surface, and TRUSTS.md T1–T6 bind unchanged. Copy this directory onto a fresh machine and it runs — no framework checkout, no internet, no Claude Code (mage/MACHINE_SETUP.md).

Quickstart

```
node tools/check.mjs                # every gate – green before
anything else
node driver/run_round.mjs --stub --run smoke    # the loop,
deterministically, no model
node driver/run_round.mjs --model <m> --run r1 --tritych canon/seed-tritych  #
the mage holds the seats
node tools/verify_run.mjs . r1          # the round replays offline
```

```
node tools/console.mjs
127.0.0.1:4242
```

```
# the room's window -
```

The five answers (harness.config.mjs)

artifact	the cohort canon (<code>canon/UNDERSTANDING.md</code> , 31 numbered claims) + triptychs (<code>artifact/*/</code> — three tongues + <code>carry.json</code> declarations)
metric	translation-debt ↓ — (claim, form) pairs not yet carried; <code>node tools/measure_debt.mjs</code> ; baseline 32 (<code>frontier.json</code>)
gate	babblefish census: all 31 claims, probed through ONE form drawn Fiat-Shamir from the committed triptych — the tongue you didn't polish is the one interrogated; assayer blind to canon; any miss = zero
hard constraint	no canon drift (additive-only register, keystone-folded) + consent-first (nothing enters corpus or export without a signed ledger line — enforced in the pipes, not the prose)
canary	<code>canon/seed-triptych/</code> — authored with the register; passes the census by construction

The map

<code>canon/</code>	the claim register + seed triptych (the canary)
<code>harness.config.mjs</code> · <code>engine/</code> · <code>seats/</code> · <code>TRUSTS.md</code>	the harness (engine vendored — <code>VENDOR.md</code>)
<code>driver/</code>	local-model runtime: <code>run_round.mjs</code> (round runner + audit-trail writer), <code>ollama_rt.mjs</code> , <code>stub_rt.mjs</code>
<code>corpus/</code> · <code>ingest/</code>	the mage's food: consent ledger, audio→text pipeline (local <code>whisper.cpp</code>)

mage/	machine setup, facilitator persona, Modelfile, the steward's rite + log (the provenance chain)
tools/	check · verify_run · console · measure_debt (the counting rule) · corpus_pack (the fold) · bind_book (the leave-with-it artefacts)
workshop/	the ceremony (8 sections) · curriculum · access ladder (an auditor, honestly) · pre-flight · university one-pager · consent registers ×3
fedwiki/	the Oasis bridge: export → offline spool → local farm; casting to hitchhikers.earth stays the First Person's door
lexon/	the workshop's law, compiling: consent agreement, steward fold, and the babblefish gate itself in controlled natural language, held green by the lexon_pvm spec-checker (node lexon/check.mjs)
tools/workshop_ui.mjs	the Towel 🧣 — the local control surface (:4245): dashboard + whitelisted actions (rounds, folds, books, spool, regenerate-the-websites) + the Game of 42 + the web lane; the console (:4242) stays the GET-only window; the door is never a button
web/	the spellweb lane: graph.mjs DERIVES the knowledge graph from the ledgers (spellweb dialect — typed nodes, snake_case verb edges, incl. the laws' modal-verb triples); site.mjs emits a self-contained generative site (force-layout web, carried matrix) — copy web/out/site/ anywhere = the snapshot
fedwiki/build_site.mjs	the fedwiki auto-build: the whole wiki spool derived in one command (hub, register, laws, roster, chronicles, knowledge-web page carrying the graph as a fenced <code>`` `hhgraph ```</code> block)
game/	the workshop's 42 — the cohort's own board at /game/ : 6 axes × 7 stations lit only by ledger events, seal κ re-derived per load (board.html + boardState()); plus the lane:

consent-gated roster, hash-drawn pairs, earned ed25519 trust edges; the full always-on game (vendored dist) at
`/game/full/`

<code>docs/BRIEF.md</code>	the delivery brief — the whole work and how a cohort plays out, week 0 to the leaving; bound print-ready at <code>artifact/brief.html</code> (<code>node tools/bind_brief.mjs</code>); §7 is the package manifest
<code>docs/AUTO_RESEARCH.md</code>	the public-goods auto-research pattern: what the university receives, the moving ceiling, the dream cycle, the mage lineage as citable artifacts
<code>letters/</code>	drafts to the university professors (international law · cryptography/cybersecurity) — sending is the First Person's door
<code>runs/ · chronicles/ · artifact/</code>	audit trails, session records, bound books + <code>PROVENANCE.md</code>

Lineage

Distilled from the LAN-ceremony chronicle (2026-06-28: the naming barrier, understanding-as-key, the babblefish recursion) and the hitchhikers.earth first-oasis link (2026-07-07: Proof of Understanding ↔ understanding-as-key; The Three Mice). The university thread comes from the Hitchhiker timeline sessions (niche-research universities, the "global erasmus"). This instance is where those threads first meet in one buildable thing.