

Simulation Project Analysis

CSCI-4210

Operating Systems

Mitesh Kumar <kumarm4>, Jason Lam <laj7>, William He <hew7>

March 22, 2021

1 Best Algorithm for CPU-bound vs I/O-bound Processes

Table 6 shows the behavior of each algorithm when all processes are CPU bound. *RR* is the best performing algorithm for this test as it has the lowest average wait time of 2249.39 ms and the lowest average turnaround time of 3913.57 ms.

Table 12 shows the behavior of each algorithm when the majority of processes are CPU bound and when there are some I/O bound processes intermixed. Here, the best performing algorithm is *SRT* as it had the lowest average wait time and the lowest average turnaround time. Since the second scenario is much more representative of a real case, the team argues that *SRT* is the best algorithm for CPU bound processes.

Table 1 shows the behavior of each algorithm when all processes are I/O bound. *FCFS* seems to be the best performing algorithm as it has the lowest average wait times, turnaround times, and a middle CPU utilization percentage.

Table 14 shows the behavior of each algorithm when the majority of processes are I/O bound, but a few are CPU bound. We can see that *FCFS* is not nearly as good now because some short CPU burst processes get blocked behind the sparse set of CPU bound processes. Here *SRT* seems to be the best algorithm as it has the lowest average wait time and lowest average turnaround time. Therefore, the team argues that, as Table 14 represents a more common scenario, the *SRT* algorithm is the best suited for I/O bound processes.

2 RR Algorithm With rr_{add} set to BEGINNING vs END

Tables 4,5,9 and 10 show data from runs that have the optional flag $rr_{add}:\text{BEGINNING}$. By comparing the results for algorithm *RR* in Table 3 and Table 4, which have the same configurations except for $rr_{add}:\text{BEGINNING}$, the team found that $rr_{add}:\text{BEGINNING}$ raised the average wait time and the average turn around time, and it decreased the CPU utilization. We can therefore say that $rr_{add}:\text{END}$ is better here.

3 Comparison Between SJF and SRT

The preemption added to *SJF* tends to lower average waiting times and average turnaround time while lowering CPU utilization. This difference in CPU utilization is more pronounced when there are higher context switch latencies. This is because *SRT* will always have more context switching than *SJF*. Although *SRT* is fairer, the preemptions cause a drop in CPU utilization. We can see this in the results from Table 14 where we have much lower average wait times and turnaround times in *SRT* but an almost 3% worse CPU utilization.

4 Limitations of Our Simulation

Some limitations

5 Priority Scheduling Algorithm of Our Own Design

6 Appendix

Program Arguments

[executable] [n] [seed] [λ] [limit] [t_{cs}] [α] [t_{slice}] [rr_{add} : BEGINNING or END, default: END]

Program Execution Data

Table 1: I/O bound [n:1] [seed:2] [λ :0.01] [limit:256] [t_{cs} :4] [α :0.5] [t_{slice} :128]

Algorithm	Average CPU Burst Time (ms)	Average Wait Time (ms)	Average Turnaround Time (ms)	Total Number of Context Switches	Total Number of Preemptions	CPU Utilization (%)
<i>FCFS</i>	286.957	82.3043	373.261	23	0	39.3185
<i>SJF</i>	286.957	87.5217	378.478	23	0	38.5514
<i>SRT</i>	286.957	87.5217	378.478	23	0	38.5514
<i>RR</i>	286.957	95.6522	388.87	36	13	38.1856

Table 2: I/O bound [n:16] [seed:2] [λ :0.01] [limit:256] [t_{cs} :4] [α :0.75] [t_{slice} :64]

Algorithm	Average CPU Burst Time (ms)	Average Wait Time (ms)	Average Turnaround Time (ms)	Total Number of Context Switches	Total Number of Preemptions	CPU Utilization (%)
<i>FCFS</i>	286.957	82.3043	373.261	23	0	39.3185
<i>SJF</i>	286.957	87.5217	378.478	23	0	38.5514
<i>SRT</i>	286.957	87.5217	378.478	23	0	38.5514
<i>RR</i>	286.957	93.6957	389.174	49	26	38.1062

Table 3: I/O bound [$n:8$] [seed:64] [$\lambda:0.001$] [limit:4096] [$t_{cs}:4$] [$\alpha:0.5$] [$t_{slice}:2048$]

Algorithm	Average CPU Burst Time (ms)	Average Wait Time (ms)	Average Turnaround Time (ms)	Total Number of Context Switches	Total Number of Preemptions	CPU Utilization (%)
<i>FCFS</i>	286.957	82.3043	373.261	23	0	39.3185
<i>SJF</i>	286.957	87.5217	378.478	23	0	38.5514
<i>SRT</i>	286.957	113.522	405.174	27	4	38.5424
<i>RR</i>	286.957	82.3043	373.261	23	0	39.3185

Table 4: I/O bound [$n:8$] [seed:64] [$\lambda:0.001$] [limit:4096] [$t_{cs}:4$] [$\alpha:0.5$] [$t_{slice}:2048$] [$rr_{add}:\text{BEGINNING}$]

Algorithm	Average CPU Burst Time (ms)	Average Wait Time (ms)	Average Turnaround Time (ms)	Total Number of Context Switches	Total Number of Preemptions	CPU Utilization (%)
<i>FCFS</i>	286.957	82.3043	373.261	23	0	39.3185
<i>SJF</i>	286.957	87.5217	378.478	23	0	38.5514
<i>SRT</i>	286.957	113.522	405.174	27	4	38.5424
<i>RR</i>	286.957	156.217	447.174	23	0	38.6281

Table 5: I/O bound [$n:8$] [seed:64] [$\lambda:0.001$] [limit:4096] [$t_{cs}:20$] [$\alpha:0.5$] [$t_{slice}:2048$] [$rr_{add}:\text{BEGINNING}$]

Algorithm	Average CPU Burst Time (ms)	Average Wait Time (ms)	Average Turnaround Time (ms)	Total Number of Context Switches	Total Number of Preemptions	CPU Utilization (%)
<i>FCFS</i>	286.957	88.4783	395.435	23	0	38.9841
<i>SJF</i>	286.957	95.8696	402.826	23	0	38.1944
<i>SRT</i>	286.957	106.522	416.087	26	3	38.1503
<i>RR</i>	286.957	163.87	470.826	23	0	38.3053

Table 6: CPU bound [$n:1$] [seed:2] [$\lambda:0.01$] [limit:256] [$t_{cs}:4$] [$\alpha:0.5$] [$t_{slice}:128$]

Algorithm	Average CPU Burst Time (ms)	Average Wait Time (ms)	Average Turnaround Time (ms)	Total Number of Context Switches	Total Number of Preemptions	CPU Utilization (%)
<i>FCFS</i>	1629.22	3216.87	4850.09	23	0	98.0326
<i>SJF</i>	1629.22	2596.35	4229.57	23	0	94.7603
<i>SRT</i>	1629.22	2543.57	4178.17	31	8	94.6836
<i>RR</i>	1629.22	2249.39	3913.57	201	178	92.0236

Table 7: CPU bound [$n:16$] [seed:2] [$\lambda:0.01$] [limit:256] [$t_{cs}:4$] [$\alpha:0.75$] [$t_{slice}:64$]

Algorithm	Average CPU Burst Time (ms)	Average Wait Time (ms)	Average Turnaround Time (ms)	Total Number of Context Switches	Total Number of Preemptions	CPU Utilization (%)
<i>FCFS</i>	1629.22	3216.87	4850.09	23	0	98.0326
<i>SJF</i>	1629.22	2596.35	4229.57	23	0	94.7603
<i>SRT</i>	1629.22	2543.57	4178.17	31	8	94.6836
<i>RR</i>	1629.22	2327.13	4024.17	390	367	90.0683

Table 8: CPU bound [$n:8$] [seed:64] [$\lambda:0.001$] [limit:4096] [$t_{cs}:4$] [$\alpha:0.5$] [$t_{slice}:2048$]

Algorithm	Average CPU Burst Time (ms)	Average Wait Time (ms)	Average Turnaround Time (ms)	Total Number of Context Switches	Total Number of Preemptions	CPU Utilization (%)
<i>FCFS</i>	1629.22	3216.87	4850.09	23	0	98.0326
<i>SJF</i>	1629.22	2730.65	4363.87	23	0	95.3146
<i>SRT</i>	1629.22	2017.39	3652.35	33	10	94.6645
<i>RR</i>	1629.22	2829.35	4463.78	30	7	95.2468

Table 9: CPU bound [$n:8$] [seed:64] [$\lambda:0.001$] [limit:4096] [$t_{cs}:4$] [$\alpha:0.5$] [$t_{slice}:2048$] [$rr_{add}:\text{BEGINNING}$]

Algorithm	Average CPU Burst Time (ms)	Average Wait Time (ms)	Average Turnaround Time (ms)	Total Number of Context Switches	Total Number of Preemptions	CPU Utilization (%)
<i>FCFS</i>	1629.22	3216.87	4850.09	23	0	98.0326
<i>SJF</i>	1629.22	2730.65	4363.87	23	0	95.3146
<i>SRT</i>	1629.22	2017.39	3652.35	33	10	94.6645
<i>RR</i>	1629.22	1743.61	3378.04	30	7	95.6162

Table 10: CPU bound [$n:8$] [seed:64] [$\lambda:0.001$] [limit:4096] [$t_{cs}:20$] [$\alpha:0.5$] [$t_{slice}:2048$] [$rr_{add}:\text{BEGINNING}$]

Algorithm	Average CPU Burst Time (ms)	Average Wait Time (ms)	Average Turnaround Time (ms)	Total Number of Context Switches	Total Number of Preemptions	CPU Utilization (%)
<i>FCFS</i>	1629.22	3255.13	4904.35	23	0	97.0978
<i>SJF</i>	1629.22	2761.26	4410.48	23	0	94.4307
<i>SRT</i>	1629.22	2057.74	3715.65	33	10	93.4184
<i>RR</i>	1629.22	2876.65	4531.96	30	7	94.0987

Table 11: Mostly CPU bound [$n: 8$] [seed: 64] [$\lambda: 0.001$] [limit: 4096] [$t_{cs}: 20$] [$\alpha: 0.5$] [$t_{slice}: 2048$]

Algorithm	Average CPU Burst Time (ms)	Average Wait Time (ms)	Average Turnaround Time (ms)	Total Number of Context Switches	Total Number of Preemptions	CPU Utilization (%)
<i>FCFS</i>	1256.77	3088.9	4365.67	30	0	63.1108
<i>SJF</i>	1256.77	2744.7	4021.47	30	0	61.9799
<i>SRT</i>	1256.77	1960.37	3245.13	42	12	70.4413
<i>RR</i>	1256.77	2608.07	3890.17	38	8	69.7958

Table 12: Mostly CPU bound [$n: 8$] [seed: 64] [$\lambda: 0.001$] [limit: 4096] [$t_{cs}: 4$] [$\alpha: 0.5$] [$t_{slice}: 2048$]

Algorithm	Average CPU Burst Time (ms)	Average Wait Time (ms)	Average Turnaround Time (ms)	Total Number of Context Switches	Total Number of Preemptions	CPU Utilization (%)
<i>FCFS</i>	1256.77	3041.43	4302.2	30	0	63.6219
<i>SJF</i>	1256.77	2703.63	3964.4	30	0	62.4729
<i>SRT</i>	1256.77	2161.47	3423.57	40	10	62.1946
<i>RR</i>	1256.77	2549.93	3811.77	38	8	70.5692

Table 13: Mostly I/O bound [n : 8] [seed: 64] [λ : 0.001] [limit: 4096] [t_{cs} : 20] [α : 0.5] [t_{slice} : 2048]

Algorithm	Average CPU Burst Time (ms)	Average Wait Time (ms)	Average Turnaround Time (ms)	Total Number of Context Switches	Total Number of Preemptions	CPU Utilization (%)
<i>FCFS</i>	1256.77	3088.9	4365.67	30	0	63.1108
<i>SJF</i>	1256.77	2744.7	4021.47	30	0	61.9799
<i>SRT</i>	1256.77	1960.37	3245.13	42	12	70.4413
<i>RR</i>	1256.77	2608.07	3890.17	38	8	69.7958

Table 14: Mostly I/O bound [n : 8] [seed: 64] [λ : 0.001] [limit: 4096] [t_{cs} : 4] [α : 0.5] [t_{slice} : 2048]

Algorithm	Average CPU Burst Time (ms)	Average Wait Time (ms)	Average Turnaround Time (ms)	Total Number of Context Switches	Total Number of Preemptions	CPU Utilization (%)
<i>FCFS</i>	1710.3	3412.33	5126.63	30	0	99.4187
<i>SJF</i>	1710.3	2505.97	4220.27	30	0	99.1842
<i>SRT</i>	1710.3	756	2472.03	43	13	96.731
<i>RR</i>	1710.3	1314.93	3030.17	37	7	96.8295