

Gonka Partnership & Ecosystem Strategy Playbook

Version: 1.0 **Date:** 2026-04-01 **Classification:** Internal – strategic playbook for Gonka’s OpenClaw ecosystem integration **Status:** Strategy Document **Dependencies:** Phase 15 competitive analysis (gonka_competitive_feature_matrix.md), Phase 17 messaging (gonka_message_house.md), Phase 18 channel strategy (gonka_channel_strategy.md), provider landscape gap analysis (gonka_provider_landscape_map.md) **Requirement:** GTM-02


Executive Summary

Gonka’s path to developer adoption runs through the OpenClaw ecosystem. This playbook defines a four-tier integration roadmap – from custom provider listing to built-in provider status and co-development partnership – with specific prerequisites, effort estimates, timelines, and success criteria at each tier. It also provides a ClawHub skill submission plan, a community-first strategy for getting Gonka merged as a built-in OpenClaw provider, and a comprehensive technical requirements checklist tracking what Gonka must deliver before each tier can be unlocked.

All partner-facing language in this playbook follows Phase 17 positioning: lead with heartbeat cost reduction (73% savings via server-side session persistence), not decentralization or network economics. Partner conversations should reference the message house (gonka_message_house.md) for approved vocabulary and positioning guidance.

Four-Tier Integration Roadmap

The four tiers represent progressively deeper integration with the OpenClaw ecosystem. Each tier unlocks more developer reach, reduces adoption friction, and builds the relationship capital needed for the next tier. Tiers are sequential – each depends on the prior tier being complete and validated.



Tier 1 – Listed Provider (Immediate, v1.3 deliverable)

Description: Gonka documented as a custom provider in the OpenClaw ecosystem. Developers can configure Gonka by copying a JSON snippet into their `openclaw.json` file. No changes to OpenClaw’s codebase required.

Prerequisites:

Requirement	Status	Notes
OpenAI-compatible <code>/v1/chat/completions</code> API	DONE	Shipped in v1.2; maps to OpenClaw’s api: <code>"openai-completions"</code>
Publicly accessible endpoint	NEEDED	<code>https://api.gonka.ai/v1</code> must be live and reachable
API documentation site (docs.gonka.ai)	NEEDED	Quickstart guide, API reference, OpenClaw integration guide – minimum 10 pages

Requirement	Status	Notes
Self-service API key signup	NEEDED	Web form with email + GitHub OAuth; no manual approval; free tier activated automatically
Published pricing page	NEEDED	Per-token rates for K2.5 tiers, comparison table, cost calculator for OpenClaw agent workloads

Deliverables:

1. **openclaw.json configuration template** – copy-paste ready, published on docs.gonka.ai:

```
{
  "models": {
    "providers": {
      "gonka": {
        "baseUrl": "https://api.gonka.ai/v1",
        "apiKey": "${GONKA_API_KEY}",
        "api": "openai-completions",
        "models": [
          {
            "id": "kimi-k2.5",
            "name": "Kimi K2.5",
            "contextWindow": 131072,
            "maxTokens": 8192,
            "cost": { "input": 0.50, "output": 1.50 }
          }
        ]
      }
    }
  }
}
```

Note: Both `baseUrl` and model allowlisting in `agents.defaults.models` are required – missing either causes silent failure (a known OpenClaw gotcha). The integration guide must document both steps.

2. **Integration guide on docs.gonka.ai** – “Add Gonka to OpenClaw in 90 Seconds” covering: signup, API key setup, JSON config, model allowlisting, verification, and session/tiering feature intro.
3. **Community presence** – Posts in OpenClaw Discord `#models` channel sharing the config template when developers ask about cost-effective providers or agent-native features. Organic responses only, not promotional spam.

Effort estimate: 1-2 weeks engineering (documentation site + API key signup flow) + 1 week content creation.

Timeline: Can begin immediately upon v1.3 milestone completion. All prerequisites are P0 must-close items from the provider landscape gap analysis.

Success criteria: - At least 10 developers successfully configure Gonka as a custom provider - Config template appears organically in OpenClaw community discussions - First-call-within-24h rate exceeds 60% of signups - docs.gonka.ai integration guide ranks in top 10 for “OpenClaw custom provider” search

Risk: Low – no external approvals needed. All deliverables are within Gonka’s control.

Tier 2 – Community Plugin (Near-term, v1.4 candidate)

Description: An npm package (`openclaw-plugin-gonka`) that auto-configures Gonka as a provider and exposes Gonka’s agent-native extensions (sessions, memory, tiering) as MCP tools. Reduces developer setup from manual JSON editing to a single `npm install` + API key.

Prerequisites:

Requirement	Status	Notes
All Tier 1 items complete	NEEDED	Validated with 10+ active users
MCP server implementation	NEEDED	~500 LOC TypeScript per ARCHITECTURE.md
Gonka-specific MCP tools	NEEDED	Tools for session management, memory API, model tiering
OpenClaw plugin API compatibility	NEEDED	Must match OpenClaw's jiti-based plugin loading pattern
npm publishing account	NEEDED	Publish to npmjs.com as <code>openclaw-plugin-gonka</code>

Deliverables:

1. **npm package** (`openclaw-plugin-gonka`) – auto-registers Gonka as a provider, configures K2.5 model with correct context window and cost metadata, exposes MCP tools for:
 - `gonka_session_create` / `gonka_session_resume` – manage server-side sessions
 - `gonka_memory_store` / `gonka_memory_recall` – persistent agent memory
 - `gonka_tier_set` – set model tier (lite/mid/full) for cost optimization
2. **ClawHub skill listing** (SKILL.md) – teaches OpenClaw agents how to use Gonka-specific features (see Section 3: ClawHub Submission Plan)
3. **Plugin documentation** – installation guide, configuration options, MCP tool reference, migration guide from manual JSON config
4. **One-liner setup:** `npm install openclaw-plugin-gonka + set GONKA_API_KEY` environment variable

Effort estimate: 2-3 weeks engineering (MCP server + npm packaging + tests) + 1 week testing with real OpenClaw agents.

Timeline: Begin after Tier 1 achieves 10+ active users (validation signal that the market wants Gonka). Target start: 4-6 weeks after Tier 1 launch.

Success criteria: - 50+ npm installs in first month - Plugin appears in ClawHub marketplace search results - Setup time reduced from ~5 minutes (manual JSON) to ~90 seconds (npm install + API key) - At least 5 developers use MCP tools (sessions, memory, or tiering) within first month

Risk: Medium – must match OpenClaw's plugin API, which evolves with new releases. Plugin may require updates when OpenClaw changes its plugin loading mechanism. Pin to specific OpenClaw versions and test against nightly builds.

Tier 3 – Built-In Provider (Medium-term goal)

Description: Gonka added to OpenClaw's ~20 built-in providers. Developers configure Gonka by setting a single `GONKA_API_KEY` environment variable – no `baseUrl`, no model config, no JSON editing. Gonka appears in `openclaw models list` output alongside OpenAI, Anthropic, and OpenRouter.

Prerequisites:

Requirement	Status	Notes
All Tier 2 items complete	NEEDED	Community plugin validated with 50+ installs
Reliability track record	NEEDED	Public uptime stats page showing 99%+ availability over 30+ days
Community adoption signals	NEEDED	npm install count, GitHub stars, Discord mentions, active developer count
OpenClaw maintainer relationship	NEEDED	Established through community engagement (see Section 4: PR Strategy)
Clean PR contribution history	NEEDED	3-5 merged non-Gonka PRs to <code>openclaw/openclaw</code> (bug fixes, docs, tests)
Comprehensive test suite	NEEDED	Provider tests matching OpenClaw's jest-based test patterns
Rate limit documentation	NEEDED	Published RPM/TPM limits per tier

Deliverables:

1. **PR to openclaw/openclaw** – adds Gonka provider module matching existing provider implementation patterns (TypeScript, same file structure, same config schema as OpenRouter/Together AI/Groq modules)
2. **Provider test suite** – comprehensive jest tests matching OpenClaw’s assertion style and test patterns
3. **Documentation page** – added to OpenClaw docs alongside other providers, covering: setup, available models, capability flags (**reasoning**, **toolUse**, **vision**), pricing, and Gonka-specific extensions
4. **Model catalog** – accurate pricing, context windows, and capability metadata for K2.5 (all quantization tiers)
5. **Extension headers** – **X-Gonka-Session-ID** and **X-Gonka-Tier** handled as optional provider extensions that enhance but do not break standard OpenClaw flow

Effort estimate: 1-2 weeks engineering (PR preparation, tests, docs) + unknown review time (depends on maintainer responsiveness and feedback cycles).

Timeline: Target 3-6 months after Tier 2; depends on community traction, maintainer relationship quality, and OpenClaw team’s priorities for adding new providers.

Success criteria: - PR merged into openclaw/openclaw main branch - Gonka appears in **openclaw models list** output - Developers can configure Gonka with only **GONKA_API_KEY** environment variable - Gonka provider page live in official OpenClaw documentation

Risk: High – requires OpenClaw maintainer approval. This is not guaranteed. Per the CONTEXT.md decision: “community approach, not cold PR – build relationship first.” The community relationship plan (Section 4) is a prerequisite, not an optional nice-to-have. A cold PR from an unknown contributor will likely be ignored or rejected.

Tier 4 – Preferred Partner (Long-term aspiration)

Description: Co-development relationship with the OpenClaw team. Joint feature development, Gonka-specific optimizations in OpenClaw, marketing collaboration, and representation in OpenClaw’s official communications.

Prerequisites:

Requirement	Status	Notes
All Tier 3 items complete	NEEDED	Built-in provider status achieved and stable
Significant OpenClaw user base	NEEDED	1,000+ API-active developers using Gonka via OpenClaw
Sustained community contribution	NEEDED	Multiple merged PRs, active community presence, skill contributions
Demonstrated ecosystem value	NEEDED	Evidence that Gonka drives OpenClaw adoption or improves the ecosystem
Joint feature interest	NEEDED	OpenClaw team expresses interest in collaborating on agent-native features

Deliverables:

1. **Joint roadmap** – co-developed features that benefit both OpenClaw and Gonka (e.g., native session support in OpenClaw’s provider abstraction, optimized agent templates using Gonka’s tiering)
2. **Co-branded developer content** – joint blog posts, conference talks, and tutorials showcasing Gonka + OpenClaw agent workflows
3. **Gonka-optimized agent templates** – default agent configurations in OpenClaw that leverage Gonka’s session persistence and auto-tiering for cost-optimized workflows
4. **Feature collaboration** – Gonka engineers contribute to OpenClaw’s agent infrastructure, OpenClaw team helps optimize Gonka’s provider integration

Effort estimate: Ongoing relationship investment – not a fixed engineering sprint but a continuous presence in the OpenClaw ecosystem through code contributions, community engagement, and technical leadership.

Timeline: 6-12 months after built-in provider status. This is a relationship outcome, not an engineering deliverable – it cannot be forced or scheduled.

Success criteria: - Joint announcement or co-authored feature (e.g., OpenClaw blog post featuring Gonka) - Gonka mentioned in official OpenClaw communications (release notes, docs, social media) - OpenClaw team proactively consults Gonka on agent-related provider features - Gonka-specific agent templates included in OpenClaw defaults or examples

Risk: Very high – depends entirely on relationship quality, Gonka’s demonstrated user traction, and OpenClaw team’s strategic priorities. This tier is aspirational and should not be planned as a guaranteed outcome. Focus engineering energy on Tiers 1-3; Tier 4 emerges from sustained excellence at Tier 3.

Technical Partnership Requirements Checklist

A comprehensive checklist of everything Gonka must deliver to unlock each partnership tier. Items are grouped by category, with current status, blocking tier, effort estimate, and responsible team.

API & Infrastructure

#	Requirement	Status	Blocks Tier	Effort	Owner
1	OpenAI-compatible /v1/chat/completions API	DONE	1	–	Engineering
2	Tool calling with <code>--enable-auto-tool-choice</code> configured	DONE	1	–	Engineering
3	SSE streaming via OpenAI-compatible endpoint	DONE	1	–	Engineering
4	Rate limiting with 429 responses (triggers OpenClaw key rotation)	DONE	1	–	Engineering
5	Usage metering per API key	DONE	1	–	Engineering
6	Publicly accessible production endpoint	NEEDED	1	1-2 weeks	Engineering
7	API documentation site (docs.gonka.ai)	NEEDED	1	2-3 weeks	Engineering
8	Self-service API key signup (email + GitHub OAuth)	NEEDED	1	1-2 weeks	Engineering
9	Public pricing page with cost calculator	NEEDED	1	1 week	Engineering + Leadership
10	Rate limit documentation (RPM/TPM per tier)	NEEDED	2	2 days	Engineering
11	Public uptime/status page	NEEDED	3	1 week	Engineering
12	Persistent sessions (Redis migration from in-memory)	NEEDED	3	1-2 weeks	Engineering

SDK & Tooling

#	Requirement	Status	Blocks Tier	Effort	Owner
13	<code>openclaw.json</code> configuration template	NEEDED	1	1 day	Engineering
14	OpenClaw integration guide (“Add Gonka in 90 Seconds”)	NEEDED	1	2-3 days	Content
15	npm provider plugin (<code>openclaw-plugin-gonka</code>)	NEEDED	2	2-3 weeks	Engineering
16	MCP server for agent extensions (sessions, memory, tiering)	NEEDED	2	2-3 weeks	Engineering
17	Quickstart repository (GitHub template)	NEEDED	2	1 week	Engineering
18	Gonka provider module for <code>openclaw/openclaw</code> PR	NEEDED	3	1-2 weeks	Engineering

Community & Content

#	Requirement	Status	Blocks Tier	Effort	Owner
19	OpenClaw Discord presence (<code>#help</code> , <code>#models</code> , <code>#users-helping-users</code>)	NEEDED	1	Ongoing	Community
20	Integration guide on dev.to or Medium	NEEDED	2	3-5 days	Content
21	Video tutorial (“OpenClaw + Gonka in 5 Minutes”)	NEEDED	2	1 week	Content
22	ClawHub skill submission (SKILL.md)	NEEDED	2	1 week	Engineering + Content
23	Non-Gonka PR contributions to <code>openclaw/openclaw</code>	NEEDED	3	2-4 weeks (3-5 merged PRs)	Engineering

#	Requirement	Status	Blocks Tier	Effort	Owner
24	GitHub Discussion RFC for built-in provider	NEEDED	3	2 days	Engineering + Community

Reliability & Trust

#	Requirement	Status	Blocks Tier	Effort	Owner
25	Uptime monitoring and public status page	NEEDED	3	1 week	Engineering
26	Published benchmark results (latency p50/p95, throughput)	NEEDED	3	1 week	Engineering
27	SLA terms document	NEEDED	4	1 week	Leadership
28	Security audit or security practices statement	NEEDED	4	2-4 weeks	Engineering + Leadership

Business

#	Requirement	Status	Blocks Tier	Effort	Owner
29	Public pricing page with per-token rates	NEEDED	1	1 week	Leadership
30	Terms of service	NEEDED	1	1 week	Leadership
31	Privacy policy	NEEDED	1	1 week	Leadership
32	Support channels (GitHub issues + Discord)	NEEDED	1	1 day	Community
33	Cost comparison calculator (Gonka vs OpenRouter vs Together AI)	NEEDED	2	3-5 days	Engineering

Summary: 5 items DONE, 28 items NEEDED. The 5 completed items are all API-level capabilities shipped in v1.2. The 28 NEEDED items span documentation, tooling, community presence, reliability infrastructure, and business requirements.

Partner Conversation Framing

When engaging with OpenClaw maintainers, community members, or potential partners, lead with developer outcomes, not infrastructure:

Lead with: “Gonka cuts agent inference costs by up to 73% because server-side session persistence eliminates the heartbeat context re-send that accounts for 44-85% of agent token consumption” (gonka_message_house.md: Core Positioning Statement).

Support with: “Drop-in OpenAI-compatible API – 90-second setup, three fields in openclaw.json, no SDK changes” (gonka_message_house.md: VP3).

Never lead with: Decentralization, GNK tokens, mining rewards, DePIN, Web3, staking, epochs, validators, or any term on the 16-item never-say list (gonka_message_house.md: Section 6.1).

For partner-facing technical discussions: Frame Gonka as “the agent-native inference provider” – a description that is accurate, memorable, and crypto-free. The decentralized infrastructure is the “how,” not the “what.” Developers and partners care about what Gonka does for their agents, not how the network achieves consensus.

ClawHub Submission Plan

ClawHub is OpenClaw’s marketplace of 5,700+ skills – markdown-based agent capability definitions (SKILL.md files) injected into system prompts based on context. Publishing Gonka content on ClawHub puts Gonka in front of developers who are actively configuring their agents.

What to Submit

1. Gonka Provider Skill (Primary Submission)

A SKILL.md file that teaches OpenClaw agents how to use Gonka-specific features. When an agent loads this skill, it learns about Gonka's session persistence, model tiering, and memory API – enabling it to use these features automatically without developer intervention.

Draft SKILL.md outline:

```
---
name: gonka-agent-extensions
description: Use Gonka's agent-native inference features -- server-side sessions,
  automatic model tiering, and persistent memory
version: 1.0.0
author: Gonka Network
tags: [inference, sessions, memory, tiering, cost-optimization]
---
```

Gonka Agent Extensions

You are connected to a Gonka inference provider. Gonka offers agent-native features that reduce your inference costs and improve your capabilities.

Session Persistence

When making requests to Gonka, include the ``X-Gonka-Session-ID`` header to maintain conversation state server-side. This eliminates the need to resend full context on every request, reducing token consumption by up to 80%.

How to Use Sessions

- On first request: Set ``X-Gonka-Session-ID: <unique-id>`` header
- On subsequent requests: Use the same session ID to resume context
- Sessions persist across requests -- your conversation history is maintained server-side without retransmitting tokens

Model Tiering

Use the ``X-Gonka-Tier`` header to select cost-performance tiers per request:

- ``X-Gonka-Tier: lite`` -- fast classification, simple tasks (lowest cost)
- ``X-Gonka-Tier: mid`` -- balanced reasoning tasks
- ``X-Gonka-Tier: full`` -- complex reasoning, code generation (highest quality)

When to Use Each Tier

- Classification and routing decisions: use ``lite``
- Summarization and standard responses: use ``mid``
- Code generation, complex reasoning, multi-step planning: use ``full``

Memory API

Store and retrieve persistent key-value data via the Gonka Memory API:

- Store: ``POST /v1/memory`` with key-value pairs
- Recall: ``GET /v1/memory?query=<search-term>`` (TF-IDF keyword search)
- Memory persists across sessions and agent restarts

Example Usage Pattern

For a cost-optimized agent workflow:

1. Set session ID on first request (eliminate heartbeat costs)

2. Use ``lite`` tier for input classification
3. Use ``full`` tier for complex reasoning steps
4. Store important results in memory for future recall

2. Gonka Configuration Template Skill

A companion skill providing the exact `openclaw.json` configuration for adding Gonka as a custom provider:

```
{
  "models": {
    "providers": {
      "gonka": {
        "baseUrl": "https://api.gonka.ai/v1",
        "apiKey": "${GONKA_API_KEY}",
        "api": "openai-completions",
        "models": [
          {
            "id": "kimi-k2.5",
            "name": "Kimi K2.5",
            "contextWindow": 131072,
            "maxTokens": 8192,
            "cost": { "input": 0.50, "output": 1.50 }
          }
        ]
      }
    }
  }
}
```

3. Gonka Quickstart Skill

A step-by-step skill that walks an agent through setting up Gonka as a provider. Covers: where to get an API key, how to configure `openclaw.json`, how to verify the connection, and how to enable agent-native features.

Submission Process

Step	Action	Timeline
1	Create GitHub repository <code>gonka-openclaw-skill</code> following ClawHub naming conventions	Day 1
2	Write SKILL.md following OpenClaw's skill format (markdown with YAML frontmatter, structured sections for agent consumption)	Day 2-3
3	Test skill locally with an OpenClaw agent to verify system prompt injection works correctly – agent should demonstrate awareness of Gonka features	Day 4-5
4	Submit to ClawHub via the standard contribution process (PR to skills registry or direct publish through ClawHub interface)	Day 6-7
5	Promote in OpenClaw Discord <code>#skills</code> channel and GitHub Discussions – brief post explaining what the skill does and how it helps agents optimize costs	Day 8-10

Timeline

1-2 weeks from Tier 1 completion. The SKILL.md can be drafted during Tier 1 work and submitted as soon as the public endpoint and API key signup are live.

Success Metrics

- Skill appears in ClawHub search results for “inference,” “cost optimization,” “sessions,” “agent memory”
- 25+ installs in first month
- Skill referenced in OpenClaw community discussions (Discord, GitHub Discussions)
- Agents using the skill demonstrate correct usage of session headers and tiering

Maintenance Plan

- Update skill when Gonka adds new features (new models, new MCP tools, new API capabilities)
 - Update when OpenClaw changes skill format or injection mechanism
 - Monitor ClawHub for user issues or questions about the skill
 - Version the skill alongside Gonka API versions
-

Built-In Provider PR Strategy

Getting Gonka merged as a built-in OpenClaw provider is the single highest-impact GTM action identified in the provider landscape analysis (gonka_provider_landscape_map.md: Phase 19 recommendations). Built-in status eliminates the JSON configuration friction that is the #1 barrier to developer adoption – developers would set a single environment variable instead of editing a config file.

Core principle: Community approach, not cold PR – build relationship first. A PR from an unknown contributor proposing a new provider will likely be ignored, deprioritized, or rejected. OpenClaw’s maintainers receive thousands of PRs. Earning credibility through sustained community contribution is the prerequisite.

Community Relationship Building (Pre-PR Phase)

Month 1-2: Establish Presence

- Join OpenClaw Discord and become a helpful presence in **#help**, **#models**, and **#users-helping-users** channels
- Answer provider configuration questions – especially around custom provider setup, model configuration, and common gotchas (like the missing model allowlisting silent failure)
- Share Gonka config snippets when organically relevant: when developers ask about cost-effective providers, agent-native features, or session management. Not promotional – only when the question matches Gonka’s strengths
- Follow OpenClaw GitHub repositories: watch issues, read PR discussions, understand the project’s code review culture
- Goal: Be recognized as a helpful community member, not a vendor

Month 2-3: Contribute Non-Gonka PRs

- Contribute to openclaw/openclaw with bug fixes, documentation improvements, test coverage, or developer experience enhancements
- Target 3-5 merged PRs before proposing the Gonka provider. Examples:
 - Fix a documentation typo or clarify confusing provider setup instructions
 - Add test coverage for an edge case in the provider loading mechanism
 - Improve error messages for common configuration mistakes
 - Write a “troubleshooting custom providers” guide for the docs
- Each PR builds contributor credibility and demonstrates familiarity with the codebase
- Goal: Establish a track record as a quality contributor

Month 3-4: Engage on Provider Architecture

- Participate in GitHub Discussions about provider architecture, agent infrastructure, and the future of built-in provider support
- Understand maintainer priorities: What are their pain points? What providers are they considering adding? What criteria matter most?
- Share insights from the Gonka community plugin experience – what developers want, what patterns work, what gaps exist
- Goal: Become a trusted voice in provider-related technical discussions

Throughout: Track Community Adoption Signals

- Users mentioning Gonka in OpenClaw Discord

- Gonka config snippets shared in community channels
- GitHub issues filed about Gonka integration
- npm install counts for the community plugin
- Third-party blog posts or tutorials mentioning Gonka + OpenClaw
- These metrics will support the eventual PR proposal

PR Preparation (Technical)

Study existing implementations: - Examine how OpenRouter, Together AI, and Groq providers are structured in the openclaw/openclaw source - Note: file structure, TypeScript patterns, config schema, test patterns, documentation format - Ensure the Gonka module follows the same conventions exactly – do not introduce novel patterns

Implement the Gonka provider module: - TypeScript module matching OpenClaw’s provider implementation pattern - Config schema: `GONKA_API_KEY` environment variable, automatic model catalog, capability flags - Model catalog with accurate data: - `kimi-k2.5`: `contextWindow 131072`, `maxTokens 8192`, pricing (input/output per 1M tokens), capability flags (`reasoning: true`, `toolUse: true`) - Include all quantization tiers if exposed as separate model IDs - Handle Gonka-specific headers (`X-Gonka-Session-ID`, `X-Gonka-Tier`) as optional provider extensions that enhance but do not break standard OpenClaw flow - Ensure standard chat completions, tool calling, and streaming work without any Gonka-specific headers

Write comprehensive tests: - Jest tests matching OpenClaw’s test patterns (same assertion style, same file naming) - Test: provider initialization, model listing, chat completion, streaming, tool calling, error handling - Test: Gonka-specific headers are passed through when set, omitted gracefully when not set

Write documentation: - Documentation page matching existing provider docs format - Setup instructions: “Set `GONKA_API_KEY` environment variable, Gonka models are available immediately” - Feature highlights: session persistence, model tiering, memory API (as optional advanced features) - Pricing and model capabilities table

PR Submission Strategy

Step 1: Open a GitHub Discussion BEFORE the PR

Title: “RFC: Add Gonka as Built-In Provider”

Content: - Why Gonka is different from existing providers (not just another OpenAI wrapper – agent-native extensions that reduce inference costs by up to 73% through server-side sessions) - Community adoption metrics: npm plugin installs, active developer count, Discord mentions, community feedback - Link to existing community plugin and ClawHub skill - Technical readiness: OpenAI-compatible API, comprehensive tests, stable uptime stats - Ask for feedback on the proposal before submitting code

Step 2: Wait for maintainer feedback

- Do not submit the PR until at least one maintainer responds positively to the Discussion
- Address any concerns or questions raised
- Incorporate feedback into the implementation

Step 3: Submit PR with complete context

PR description template: - **What:** Add Gonka as a built-in provider - **Why:** Gonka offers agent-native extensions (sessions, memory, tiering) that no other built-in provider has; [X] developers already use Gonka via community plugin; built-in status reduces setup from npm install + JSON config to a single env var - **How:** Provider module matching existing patterns (link to code), tests (link), docs (link) - **Adoption data:** npm downloads, API-active developer count, community plugin installs, Discord mentions - **Maintenance commitment:** Gonka team commits to maintaining the provider module, updating model catalog, and responding to issues

Step 4: Iterate on review feedback

- Respond to code review within 24 hours
- Make requested changes promptly
- Do not argue with stylistic preferences – match the project’s conventions

Handling Rejection

Rejection Reason	Response	Timeline
Insufficient adoption	Set concrete metric targets (e.g., 500+ npm installs, 100+ API-active developers); revisit in 3 months with updated data	3 months
Technical concerns	Address every piece of feedback; resubmit with improvements; offer to pair with a maintainer on the implementation	2-4 weeks
Too many providers	Propose “community-maintained” provider with lighter integration – provider config in a contrib/ directory with community ownership	1-2 weeks
No response	Follow up once after 2 weeks; engage in other Discussions to stay visible; try again with updated metrics in 2 months	2 months
Philosophical disagreement	Accept and continue with community plugin approach; community plugin gives 90% of built-in benefits with no approval needed	Ongoing

Realistic Timeline

Phase	Duration	Cumulative
Community presence and initial contributions	1-2 months	1-2 months
Non-Gonka PR contributions (3-5 merged)	1-2 months	2-4 months
RFC Discussion and feedback cycle	2-4 weeks	3-5 months
PR preparation	1-2 weeks	3-5 months
PR review and iteration	2-4 weeks	4-6 months
Total	3-6 months from starting community engagement	

Important caveat: This is NOT a guaranteed outcome. It depends on Gonka’s community traction, OpenClaw team’s priorities, and the quality of the relationship built during the pre-PR phase. The community plugin (Tier 2) provides 90% of the developer experience benefit and is fully within Gonka’s control. Built-in status (Tier 3) is a goal worth pursuing, but the strategy should not depend on it.

Execution Priority Matrix

All partnership and ecosystem activities ordered by priority, with dependencies and target dates.

Priority	Activity	Tier	Effort	Dependencies	Target Date
P0	Deploy public endpoint (<code>api.gonka.ai/v1</code>)	1	1-2 weeks	v1.3 completion	Month 1
P0	Launch API documentation site (<code>docs.gonka.ai</code>)	1	2-3 weeks	None	Month 1
P0	Implement self-service API key signup	1	1-2 weeks	Docs site	Month 1
P0	Publish pricing page with cost calculator	1	1 week	Pricing decision (Leadership)	Month 1
P0	Publish <code>openclaw.json</code> config template	1	1 day	Public endpoint	Month 1
P0	Join OpenClaw Discord; begin community presence	1	Ongoing	None	Immediately
P1	Write and publish OpenClaw integration guide	1	2-3 days	Docs site, config template	Month 1-2
P1	Submit Gonka Provider Skill to ClawHub	2	1-2 weeks	Public endpoint, API key signup	Month 2-3
P1	Build npm plugin (<code>openclaw-plugin-gonka</code>)	2	2-3 weeks	Tier 1 validation (10+ users)	Month 2-3
P1	Build MCP server for agent extensions	2	2-3 weeks	npm plugin	Month 2-3
P1	Create quickstart GitHub template repo	2	1 week	Config template, integration guide	Month 2-3

Priority	Activity	Tier	Effort	Dependencies	Target Date
P1	Publish integration guide on dev.to / Medium	2	3-5 days	Working integration	Month 2-3
P1	Migrate sessions from in-memory to Redis	3	1-2 weeks	None (v1.2 tech debt)	Month 2-3
P2	Record video tutorial (“OpenClaw + Gonka in 5 min”)	2	1 week	Working integration	Month 3-4
P2	Contribute 3-5 non-Gonka PRs to openclaw/openclaw	3	2-4 weeks	Community presence	Month 2-4
P2	Launch public uptime/status page	3	1 week	Public endpoint	Month 3-4
P2	Publish benchmark results (latency, throughput)	3	1 week	Production traffic data	Month 3-4
P2	Build cost comparison calculator tool	2	3-5 days	Published pricing	Month 3-4
P3	Open RFC Discussion for built-in provider	3	2 days	3-5 merged PRs, adoption metrics	Month 4-5
P3	Prepare and submit built-in provider PR	3	1-2 weeks	Positive RFC feedback	Month 5-6
P3	Publish SLA terms document	4	1 week	Uptime track record	Month 6+
P3	Pursue co-development opportunities	4	Ongoing	Built-in provider status	Month 9-12+

Next Steps

The three most important immediate actions to start executing this playbook:

- 1. Close P0 infrastructure gaps (Month 1).** Deploy the public API endpoint, launch docs.gonka.ai with the OpenClaw integration guide, implement self-service API key signup, and publish the pricing page. These are table-stakes prerequisites – nothing else in this playbook can proceed without them. See the provider landscape gap analysis (gonka_provider_landscape_map.md: Must Close Before GTM Push) for the “closed” definition of each gap.
- 2. Establish OpenClaw Discord presence (Immediately).** Join the OpenClaw Discord and begin participating in #help, #models, and #users-helping-users channels. This is zero-cost, zero-dependency, and can start today. The goal is to become a recognized, helpful community member before any Gonka promotion begins. Every month of community presence before the built-in provider PR increases the probability of acceptance.
- 3. Publish the openclaw.json config template (Week 1 of Tier 1).** The configuration template is the single most reusable asset in this playbook. It appears in the integration guide, the ClawHub skill, the community plugin, the quickstart repo, and every piece of content about Gonka + OpenClaw. Create it once, publish it on docs.gonka.ai, and reference it everywhere.

Document: gonka_partnership_playbook.md / Version 1.0 / 2026-04-01 Companion documents: gonka_message_house.md (positioning), gonka_channel_strategy.md (channels), gonka_competitive_feature_matrix.md (competitive analysis), gonka_provider_landscape_map.md (gap analysis)