Name:S.S.Mithelesh

Reg no:73772227127

Degree:B.Tech

Branch:CSBS

CA-2

Tiny nursery & gardening

About.html

{% extends 'navigation.html' %}

{% load static %}

{% block body %}

<div class="container" style = "margin-top : 150px">

    <h2 class = text-center style = "font-family : 'Monotype Corsiva' ; color : #E6120E">About Us</h2>

    <div class="row">

      <div class="col-sm-4">

        <img src="{% static 'images/about.jpg' %}" width=300 height = 200 class="img-responsive">

      </div>

      <div class="col-sm-8" style = "font-weight : bold ; margin-top : 30px">

        Hola folks!

It looks like you are here to know us better. Nursery & gardening is a user friendly, easy to use website where one can order gardening products by just search products and fill up a simple products order form available on the website.

Admin can see the product order request and deliver product.

 To use all these features you need to login first .

So register fast and order products.

      </div>

```
    </div>

  </div>

{% endblock %}
```

Admin_home.html

```
{% extends 'navigation.html' %}

{% load static %}

{% block body %}

<style>

.glow {

 font-size: 80px;

 color: #fff;

 text-align: center;

 -webkit-animation: glow 1s ease-in-out infinite alternate;

 -moz-animation: glow 1s ease-in-out infinite alternate;

 animation: glow 1s ease-in-out infinite alternate;

}

@-webkit-keyframes glow {

 from {

   text-shadow: 0 0 10px #fff, 0 0 20px #fff, 0 0 30px #e60073, 0 0 40px #e60073, 0 0 50px #e60073,
0 0 60px #e60073, 0 0 70px #e60073;

 }

 to {

   text-shadow: 0 0 20px #fff, 0 0 30px #ff4da6, 0 0 40px #ff4da6, 0 0 50px #ff4da6, 0 0 60px #ff4da6,
0 0 70px #ff4da6, 0 0 80px #ff4da6;

 }

}
```

```css
/* Rounded border */
hr.rounded {
  border-top: 8px solid lightblue;
  border-radius: 5px;
}
</style>
</style>
```

```html
<link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.7.0/css/all.css" integrity="sha384-lZN37f5QGtY3VHgisS14W3ExzMWZxybE1SJSEsQp9S+oqd12jhcu+A56Ebc1zFSJ" crossorigin="anonymous">

<br>
<center>
<div class="container" style="margin-top:10%;height:150px;width:80%">
   <div class="row" style="height:90%">
     <div class="col-md-4">
       <a href="{% url 'view_user' %}"><h1>Total Customer</h1>
       <h2 style="color:blue">{{total_customer}}</h2>
                      <hr class="rounded"></a>
     </div>


     <div class="col-md-4">
       <a href="{% url 'admin_viewBooking' %}"><h1>Total Booking</h1>
       <h2 style="color:blue">{{total_book}}</h2>
                      <hr class="rounded"></a>
     </div>
     <div class="col-md-4">
               <a href="{% url 'admin_view_product' %}">
       <h1>Total Product</h1>
       <h2 style="color:blue">{{total_pro}}</h2>
                      <hr class="rounded"></a>
     </div>
   </div>
```

```
    </div>

  </center>

        <footer class="site-footer">

  <div class="container">

    <div class="row pt-5 mt-5 text-center">

      <div class="col-md-12">

        <p style = "font-size : 30pt ; color : #FF0000 ; font-weight : bold">

        Copyright &copy;<script>document.write(new Date().getFullYear());</script> All Rights
Reserved <span style = "color : brown">|</span> <span style = "color : #006400">This website is
made with <i class="fas fa-heart icon-heart text-warning" aria-hidden="true"></i> by </span>

        </p>

      </div>

      </div>

    </div>

  </footer>
{% endblock %}
```

Add_category.html

```
{% extends 'navigation.html' %}

{% block body %}

{% load static %}

{% if error %}

<script>

    alert('One New Category Added Successfully');

</script>

{% endif %}

<div class="container">

  <h2 style="margin-top:20px" align="center">Add Category</h2><hr>

<div class="container-fluid" style="width:70%;margin-top:10%">

<form method="post" action="">

    {% csrf_token %}
```

```html
    <div class="form-group">

      <label for="exampleInputEmail1">Category Name</label>

      <input type="text" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"
name="cat" placeholder="Enter Category">

    </div>

      <button type="submit" class="btn btn-primary">Submit</button>

</form>

</div>

</div>

{% endblock %}
```

View_category.html

```html
{% extends 'navigation.html' %}
{% block body %}
<center><h2 style="color:red;margin-top:2%">View Category</h2></center><hr>
<div class="container" style="margin-top:5%">
<table class="table table-bordered" id="myTable">
  <thead>
  <tr>
    <th>Product Name</th>
    <th>Delete</th>
  </tr>
  </thead>
   <tbody>
    {% for i in pro %}
  <tr>
    <td>{{i.name}}</td>
    <td><a href="{% url 'delete_category' i.id %}" onclick="return confirm('Are you sure?')"><button
class="button button1">delete</button></a></td>
  </tr>
    {% endfor %}
```

```
        </tbody>
{{count}}
</table>
 </div>
<script>
        var el_up = document.getElementById("GFG_UP");
        el_up.innerHTML =
            "Click on the LINK for further confirmation.";
    </script>
{% if error %}
<script>
    alert('1 Product Deleted Successfully');
    window.location("{% url 'view_feedback' %}");
</script>
{% endif %}
{% endblock %}
```

Add-product.html

```
{% extends 'navigation.html' %}
{% block body %}
{% load static %}
<div class="container">
   <h2 style="margin-top:20px" align="center">Add Product</h2><hr>

<div class="container-fluid" style="width:70%;margin-top:10%">
<form method="post" action="" enctype="multipart/form-data">
   {% csrf_token %}
   <div class="form-row">
   <div class="form-group col-md-6">
    <label for="inputEmail4">Product Name</label>
```

```html
        <input type="text" class="form-control" placeholder="Enter First Name" name="pname"
id="inputEmail4">

    </div>

    <div class="form-group col-md-6">

    <label for="exampleInputPassword1">Product Image</label>

    <input type="file" class="form-control" id="exampleInputPassword1" name="img" value="choose
file">

</div></div>

    <div class="form-row">

        <div class="form-group col-md-6">

        <label for="inputState">Category</label>

        <select id="inputState" class="form-control" name="cat">

            {% for i in cat %}

            <option value="{{i.name}}">{{i.name}}</option>

            {% endfor %}

        </select>

    </div>


    <div class="form-group col-md-6">

        <label for="inputEmail4">Product Price</label>

        <input type="number" class="form-control" name="price" placeholder="Enter User Name"
id="inputEmail4">

    </div></div>

    <div class="form-group">

    <label for="exampleFormControlTextarea1">Description</label>

    <textarea class="form-control" id="exampleFormControlTextarea1" name="desc"
rows="3"></textarea>

  </div>

  <button type="submit" class="btn btn-primary">Submit</button>

</form>

</div>

</div>
```

```
{% if error %}
<script>
    alert('1 Product Added Successfully');
</script>
{% endif %}
{% endblock %}
```

View_product.html

```
{% extends 'navigation.html' %}
{% block body %}
{% load static %}
    <link rel="stylesheet" href="{% static 'css/style.css' %}">



  <!-- Custom styles for this template -->
  <link href="{% static 'css/simple-sidebar.css' %}" rel="stylesheet">

</head>

<body>

  <div class="d-flex" id="wrapper">

    <!-- Sidebar -->
    <div class="bg-light border-right" id="sidebar-wrapper">
      <div class="sidebar-heading">Start Filtering</div>
      <div class="list-group list-group-flush">
        <a href="{% url 'view_product' 0 %}" class="list-group-item list-group-item-action bg-light">All Product</a>
```

```
        {% for i in cat %}

        <a href="{% url 'view_product' i.id %}" class="list-group-item list-group-item-action bg-
light">{{i.name}}</a>

        {% endfor %}

    </div>

  </div>

  <!-- /#sidebar-wrapper -->


  <!-- Page Content -->

  <div id="page-content-wrapper">


    <nav class="navbar navbar-expand-lg navbar-light bg-light border-bottom">

      <button class="btn btn-primary" id="menu-toggle">Toggle Menu</button>


      <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-expanded="false"
aria-label="Toggle navigation">

        <span class="navbar-toggler-icon"></span>

      </button>

    </nav>


    <div class="container-fluid">

    <center><h2 style="color:red">View Product</h2></center>

<hr>

 <div class="container-fluid">

        <h1 class="text-center mt-5 mb-5">

        </h1>

         <h2>{{cat1.name}}</h2><hr>

        <div id="{{i.id}}" class="carousel slide" data-ride="carousel">

                <div class="carousel-inner row w-100 mx-auto">

                        {% for j in pro1 %}

                                <div class="carousel-item col-md-3 active"><div class="card">
```

```html
                                    <center><img class="card-img-top img-fluid" align="center"
src="{{j.image.url}}" style="width:160px;height:170px;float:center" alt="card-img"></center>

                                    <div class="card-body">

                                    <h4 class="card-title">{{j.name}} Rs.{{j.price}}</h4>

                                    <p class="card-text">{{j.desc}}</p>

                                    <form align="center" action="{% url 'add_cart' j.id
%}" method="post">

                        {% csrf_token %}

                <button type="submit" class="btn btn-primary">Add to Cart</button>

</form>

                                    </div>

                            </div>

                        </div>

                        {% endfor %}

                    </div>

            </div>

</div>


    </div></div>

  <!-- /#page-content-wrapper -->


 </div>

 <!-- /#wrapper -->


 <!-- Bootstrap core JavaScript -->

 <script src="{% static 'vendor/jquery/jquery.min.js' %}"></script>

 <script src="{% static 'vendor/bootstrap/js/bootstrap.bundle.min.js' %}"></script>


 <!-- Menu Toggle Script -->

 <script>

  $("#menu-toggle").click(function(e) {

    e.preventDefault();
```

```
    $("#wrapper").toggleClass("toggled");

  });
 </script>
 <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>
  <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"></script>
  <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"></script>


{% endblock %}
```

Carousel.html

```
{% extends 'navigation.html' %}
{% load static %}
{% block body %}
<div id="demo" class="carousel slide" data-ride="carousel">


 <!-- Indicators -->
 <ul class="carousel-indicators">
  <li data-target="#demo" data-slide-to="0" class="active"></li>
  <li data-target="#demo" data-slide-to="1"></li>
  <li data-target="#demo" data-slide-to="2"></li>
  <li data-target="#demo" data-slide-to="3"></li>
  <li data-target="#demo" data-slide-to="4"></li>
  <li data-target="#demo" data-slide-to="5"></li>
  <li data-target="#demo" data-slide-to="6"></li>
  <li data-target="#demo" data-slide-to="7"></li>
  <li data-target="#demo" data-slide-to="8"></li>
 </ul>


 <!-- The slideshow -->
 <div class="carousel-inner" style="width:1550px;height:500px">
```

```html
<div class="carousel-item active">
  <img src="{% static 'images/grocery1.jpg' %}" alt="Los Angeles" style="height:500px">
</div>
<div class="carousel-item">
  <img src="{% static 'images/online5.jpg' %}" alt="Chicago" style="height:500px">
</div>
<div class="carousel-item">
  <img src="{% static 'images/grocery2.jpg' %}" alt="New York" style="height:500px">
</div>


<div class="carousel-item">
  <img src="{% static 'images/online4.jpg' %}" alt="New York" style="height:500px">
</div>


<div class="carousel-item">
  <img src="{% static 'images/online1.jpg' %}" alt="New York" style="height:500px">
</div>


<div class="carousel-item">
  <img src="{% static 'images/online2.jpg' %}" alt="New York" style="height:500px">
</div>


<div class="carousel-item">
  <img src="{% static 'images/online3.jpg' %}" alt="New York" style="height:500px">
</div>


<div class="carousel-item">
  <img src="{% static 'images/online6.jpg' %}" alt="New York" style="height:500px">
</div>
</div>
```

```
  <!-- Left and right controls -->
  <a class="carousel-control-prev" href="#demo" data-slide="prev">
    <span class="carousel-control-prev-icon"></span>
  </a>
  <a class="carousel-control-next" href="#demo" data-slide="next">
    <span class="carousel-control-next-icon"></span>
  </a>
</div>
{% block b %}
{% endblock %}
{% endblock %}
```

Cart.html

```
{% extends 'navigation.html' %}
{% block body %}


<center><h2 style="color:red;margin-top:2%">View Cart</h2></center><hr>


{% if not cart %}
<h1 align="center" style="color:blue">{{message}}</h1>
{% else %}
<center><div class="container" style="border:1px solid white">
<div class="row">
  <div class="col-md-4" style="height:100px;">
        <center><a href="{% url 'view_product' 0 %}" style="margin-top:1%;width:100%"
class="btn btn-lg btn-info text-light text-capitalize"><ion-icon style="margin-right:8px"
name="pricetags"></ion-icon>Continue Shopping</a></center>

      </div>
  <div class="col-md-4" style="height:100px;">
```

```
        <center><a href="{% url 'booking' book %}" style="margin-top:1%;width:50%" class="btn
btn-lg btn-info text-light text-capitalize"><ion-icon style="margin-right:8px" name="cash"></ion-
icon>Buy Now</a></center>

        </div>

   <div class="col-md-4" style="height:100px;">

        <center><a style="margin-top:1%;width:100%;border:1px solid black" class="btn btn-
default btn-lg text-dark text-capitalize">Total : {{total}}</a></center>

        </div>

</div>

   </div>

</center>

{% for i in cart %}

<center>

   <style>

     .container{

        border:1px solid black;

        border-radius:6px;

        margin-bottom:5%;

     }.container1 ,.contain{

        border:1px solid black;

        border-radius:6px;

        width:70%;

        border:1px solid black;


     }
   </style>
<div class="container" style="margin-top:2%;height:150px;width:80%">

   <div class="row" style="height:90%">

     <div class="col-md-4" style="height:120px">

        <img src="{{i.product.image.url}}" style="width:30%;height:100px;border:1px solid
darkgray;margin-top:5%">

     </div>
```

```html
    <div class="col-md-4" style="height:100px">
      <h5 style="margin-top:5%">{{i.product.name}}</h5><hr>
    <h6>Price : Rs.{{i.product.price}}</h6>
    <p>{{i.product.desc}}</p>
    </div>
      <div class="col-md-4" style="height:100px;">
        <center><a href="{% url 'remove_cart' i.id %}" style="margin-top:15%" class="btn btn-sm btn-danger text-light text-capitalize"><ion-icon name="trash"></ion-icon>Remove</a></center>
    </div>
  </div>
</div>
  </center>
{% endfor %}
|<div class="container" style="border:1px solid white">
<div class="row">
  <div class="col-md-4" style="height:100px;">
      <center><a href="{% url 'view_product' 0 %}" style="margin-top:1%;width:100%" class="btn btn-lg btn-info text-light text-capitalize"><ion-icon style="margin-right:8px" name="pricetags"></ion-icon>Continue Shopping</a></center>
    </div>
  <div class="col-md-4" style="height:100px;">
      <center><a href="{% url 'booking' book %}" style="margin-top:1%;width:50%" class="btn btn-lg btn-info text-light text-capitalize"><ion-icon style="margin-right:8px" name="cash"></ion-icon>Buy Now</a></center>
    </div>
  <div class="col-md-4" style="height:100px;">
      <center><a style="margin-top:1%;width:100%;border:1px solid black" class="btn btn-default btn-lg text-dark text-capitalize">Total : {{total}}</a></center>
    </div>
</div>
  {% endif %}
  </div>
```

{% endblock %}

Footer.html

{% extends 'all_product.html' %}

{% block b %}

{% load static %}

```html
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css" integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">

    <link rel="stylesheet" href="{% static 'css/style.css' %}">


<hr>
{% for i in cat %}
 <div class="container-fluid">
                    <h1 class="text-center mt-5 mb-5">
                    </h1>
                     <h2>{{i.name}}</h2><hr>
                    <div id="{{i.id}}" class="carousel slide" data-ride="carousel">
                      <div class="carousel-inner row w-100 mx-auto">
                            {% for j in pro %}
                            {% if i.name == j.category.name %}
                            {% if forloop.counter in num %}
                                    <div class="carousel-item col-md-3 active"><div
class="card">
                                            <center><img class="card-img-top img-fluid"
align="center" src="{{j.image.url}}" style="width:160px;height:170px;float:center" alt="card-
img"></center>
                                            <div class="card-body">
                                            <h4 class="card-title">{{j.name}}
Rs.{{j.price}}</h4>
```

```html
                                                    <p class="card-text">{{j.desc}}</p>
                                          <form align="center" action="{% url
'add_cart' j.id %}" method="post">

                                                    {% csrf_token %}
                                          <button type="submit" class="btn
btn-primary">Add to Cart</button>
</form>

                                        </div>
                              </div>
                    </div>


                    {% else %}
                    <div class="carousel-item col-md-3">
                    <div class="card">
                                        <center><img class="card-img-top img-fluid"
align="center" src="{{j.image.url}}" style="width:160px;height:170px;float:center" alt="card-
img"></center>

                                                    <div class="card-body">
                                                    <h4 class="card-title">{{j.name}}
Rs.{{j.price}}</h4>

                                                    <p class="card-text">{{j.desc}}</p>
<form align="center" action="{% url 'add_cart' j.id %}" method="post">
                    {% csrf_token %}

                                          <button type="submit" class="btn
btn-primary">Add to Cart</button>
</form>                                        </div>
                              </div>
                    </div>


                    {% endif %}
                    {% endif %}
                    {% endfor %}
```

```html
                                <a class="carousel-control-prev" href="#{{i.id}}" role="button" data-slide="prev">
                                    <span class="carousel-control-prev-icon" aria-hidden="true"></span>
                                    <span class="sr-only">Previous</span>
                                </a>
                                <a class="carousel-control-next" href="#{{i.id}}" role="button" data-slide="next">
                                    <span class="carousel-control-next-icon" aria-hidden="true"></span>
                                    <span class="sr-only">Next</span></a>
                    </div>
                </div>
    </div>
{% endfor %}



                    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin="anonymous"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js" integrity="sha384-ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q" crossorigin="anonymous"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js" integrity="sha384-JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl" crossorigin="anonymous"></script>
    <script src="{% static 'js/jquery.js' %}"></script>


<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN" crossorigin="anonymous"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js" integrity="sha384-ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q" crossorigin="anonymous"></script>
```

```html
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
integrity="sha384-JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>

 <script src="{% static 'js/jquery.js' %}"></script>


<!-- Footer -->

<footer class="page-footer font-small blue-grey lighten-5">


 <div style="background-color: #21d192;">

  <div class="container">


    <!-- Grid row-->

    <div class="row py-4 d-flex align-items-center">


      <!-- Grid column -->

      <div class="col-md-6 col-lg-5 text-center text-md-left mb-4 mb-md-0">

        <h6 class="mb-0">Get connected with us on social networks!</h6>

      </div>

      <!-- Grid column -->


      <!-- Grid column -->

      <div class="col-md-6 col-lg-7 text-center text-md-right">


        <!-- Facebook -->

        <a class="fb-ic">

          <i class="fab fa-facebook-f white-text mr-4"> </i>

        </a>

        <!-- Twitter -->

        <a class="tw-ic">

          <i class="fab fa-twitter white-text mr-4"> </i>

        </a>

        <!-- Google +-->
```

```html
      <a class="gplus-ic">

        <i class="fab fa-google-plus-g white-text mr-4"> </i>

      </a>

      <!--Linkedin -->

      <a class="li-ic">

        <i class="fab fa-linkedin-in white-text mr-4"> </i>

      </a>

      <!--Instagram-->

      <a class="ins-ic">

        <i class="fab fa-instagram white-text"> </i>

      </a>


    </div>

    <!-- Grid column -->


  </div>

  <!-- Grid row-->


 </div>

</div>


<!-- Footer Links -->

<div class="container text-center text-md-left mt-5">


 <!-- Grid row -->

 <div class="row mt-3 dark-grey-text">


  <!-- Grid column -->

  <div class="col-md-3 col-lg-4 col-xl-3 mb-4">


    <!-- Content -->
```

```html
    <h6 class="text-uppercase font-weight-bold">Tiny gardening</h6>
    <hr class="teal accent-3 mb-4 mt-0 d-inline-block mx-auto" style="width: 60px;">
    <p>Tiny gardening is an e-commerce plateform that deliver the natural nursery items and

    organic fruits and Vegetables in affordable price.</p>


</div>
<!-- Grid column -->


<!-- Grid column -->
<div class="col-md-2 col-lg-2 col-xl-2 mx-auto mb-4">


 <!-- Links -->
 <h6 class="text-uppercase font-weight-bold">Products</h6>
 <hr class="teal accent-3 mb-4 mt-0 d-inline-block mx-auto" style="width: 60px;">
 <p>
   <a class="dark-grey-text" href="#!">Gardening</a>
 </p>
 <p>
   <a class="dark-grey-text" href="#!">Organic Fruits</a>
 </p>
 <p>
   <a class="dark-grey-text" href="#!">Organic Vegetables</a>
 </p>


</div>
<!-- Grid column -->


<!-- Grid column -->
<div class="col-md-3 col-lg-2 col-xl-2 mx-auto mb-4">


 <!-- Links -->
```

```html
<h6 class="text-uppercase font-weight-bold">Useful links</h6>
<hr class="teal accent-3 mb-4 mt-0 d-inline-block mx-auto" style="width: 60px;">
<p>
  <a class="dark-grey-text" href="{% url 'about' %}">About Us</a>
</p>
<p>
  <a class="dark-grey-text" href="{% url 'contact' %}">Contact</a>
</p>
<p>
  <a class="dark-grey-text" href="#!">Career</a>
</p>
<p>
  <a class="dark-grey-text" href="#!">Help</a>
</p>

</div>
<!-- Grid column -->

<!-- Grid column -->
<div class="col-md-4 col-lg-3 col-xl-3 mx-auto mb-md-0 mb-4">

  <!-- Links -->
  <h6 class="text-uppercase font-weight-bold">Contact</h6>
  <hr class="teal accent-3 mb-4 mt-0 d-inline-block mx-auto" style="width: 60px;">
  <p>
    <i class="fas fa-home mr-3"></i> 12/7 Raja Street  Vadapalani Chennai.</p>
  <p>
    <i class="fas fa-envelope mr-3"></i> tiny@gmail.com</p>
  <p>
    <i class="fas fa-phone mr-3"></i> +91 8432644183</p>
</div>
```

```
    <!-- Grid column -->


  </div>
  <!-- Grid row -->


 </div>
 <!-- Footer Links -->


 <!-- Copyright -->
 <div class="footer-copyright text-center text-black-50 py-3">© 2020 Copyright:
  <a class="dark-grey-text" href="https://mdbootstrap.com/"> Tiny nursery & gardening</a>
 </div>
 <!-- Copyright -->


</footer>
<!-- Footer -->


{% endblock %}
```

Login.html

```
{% extends 'navigation.html' %}
{% block body %}
{% load static %}


{% ifequal error "yes" %}
<script>
   alert('logged in successfully');
   window.location=('{% url 'home' %}');
</script>
{% endifequal %}
```

```
{% ifequal error "not" %}

<script>

    alert('Username & Password are not Matching');

</script>

{% endifequal %}




<div class="container">

    <h2 style="margin-top:20px" align="center">User Login Form</h2><hr>




<div class="container-fluid" style="width:70%;margin-top:10%">

<form method="post" action="">

    {% csrf_token %}

  <div class="form-group">

    <label for="exampleInputEmail1">Username</label>

    <input type="text" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"
name="uname" placeholder="Enter Username">

  </div>

  <div class="form-group">

    <label for="exampleInputPassword1">Password</label>

    <input type="password" class="form-control" id="exampleInputPassword1"
placeholder="Password" name="pwd">

  </div>

  <button type="submit" class="btn btn-primary">Submit</button>

  <button class="btn btn-primary"><a href="{% url 'signup' %}"
style="color:white">Signup</a></button>

</form>

</div>

</div>




{% endblock %}
```

Loginadmin.html

```
{% extends 'navigation.html' %}

{% block body %}

{% load static %}


{% ifequal error "yes" %}

<script>

    alert('logged in successfully');

    window.location=('{% url 'admin_home' %}');

</script>

{% endifequal %}

{% ifequal error "not" %}

<script>

    alert('Username & Password are not Matching');

</script>

{% endifequal %}




<div class="container">

    <h2 style="margin-top:20px" align="center">Admin Login Form</h2><hr>


<div class="container-fluid" style="width:70%;margin-top:10%">

<form method="post" action="">

    {% csrf_token %}

  <div class="form-group">

    <label for="exampleInputEmail1">Username</label>

    <input type="text" class="form-control" id="exampleInputEmail1" aria-
describedby="emailHelp" name="uname" placeholder="Enter Username">

  </div>
```

```html
    <div class="form-group">
      <label for="exampleInputPassword1">Password</label>
      <input type="password" class="form-control" id="exampleInputPassword1" placeholder="Password" name="pwd">
    </div>
    <button type="submit" class="btn btn-primary">Submit</button>
  </form>
  </div>
  </div>
{% endblock %}
```

Navigation.html

```html
<!DOCTYPE html>
<html lang="en">
<head>
    {% load static %}
  <title>Online Grocery Shop</title>
  <link rel="icon" href="images/favicon.ico">
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.8.2/css/all.css">
  <!-- Bootstrap core CSS -->
  <link href="css/bootstrap.min.css" rel="stylesheet">
  <!-- Material Design Bootstrap -->
  <link href="css/mdb.min.css" rel="stylesheet">
  <!-- Your custom styles (optional) -->
  <link href="css/style.css" rel="stylesheet">
```

```html
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">

 <script src="https://unpkg.com/ionicons@5.0.0/dist/ionicons.js"></script>

 <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></script>

 <script
src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.7/umd/popper.min.js"></script>

 <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/4.3.1/js/bootstrap.min.js"></script>


 <link rel = stylesheet href = "//cdn.datatables.net/1.10.19/css/jquery.dataTables.min.css">

 <script src="//cdn.datatables.net/1.10.19/js/jquery.dataTables.min.js"></script>
<script>

  $(document).ready( function () {

  $('#myTable').DataTable();

} );

 </script>

 <style>

 * {

 box-sizing: border-box;

}


#myInput {

 background-image: url('/css/searchicon.png');

 background-position: 10px 10px;

 background-repeat: no-repeat;

 width: 20%;

 font-size: 16px;

 padding: 12px 20px 12px 40px;
```

```css
  border: 1px solid #ddd;

  margin-bottom: 12px;

}


#myTable {

  border-collapse: collapse;

  width: 100%;

  border: 1px solid #ddd;

  font-size: 18px;

}


#myTable th {

  text-align: left;

  padding: 12px;

  background-color: green;

  color: white;

}



#myTable td {

  text-align: left;

  padding: 12px;

  background-color: white;

}


#myTable tr {

  border-bottom: 1px solid #ddd;

}
```

```css
#myTable tr.header, #myTable tr:hover {
  background-color: #f1f1f1;
}


.button {
  background-color: orange; /* Green */
  border: none;
  color: white;
  padding: 10px;
  text-align: center;
  text-decoration: none;
  display: inline-block;
  font-size: 14px;
  margin: 1px 1px;
  cursor: pointer;
}



.button1 {border-radius: 15px;}

 /* Make the image fully responsive */
 .carousel-inner img {
    width: 100%;
    height: 100%;
 }
 </style>



 <style>
```

```css
/* width */

::-webkit-scrollbar {

  width: 20px;

}


/* Track */

::-webkit-scrollbar-track {

  box-shadow: inset 0 0 5px grey;

  border-radius: 10px;

}


/* Handle */

::-webkit-scrollbar-thumb {

  background: red;

  border-radius: 10px;

}


/* Handle on hover */

::-webkit-scrollbar-thumb:hover {

  background: #b30000;

}
</style>
```

```html
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">

</head>

<body style="background-color:white">

<nav class="navbar navbar-expand-sm" style="background-color:#21d192">

  <!-- Brand -->

  <b><a class="navbar-brand" href="#" style="color:DarkBlue">EcoZuu</a></b>
```

```html
  <!-- Links -->
  <ul class="navbar-nav">
    {% if request.user.is_staff %}
    <li class="nav-item">
      <a class="nav-link" href="{% url 'admin_home' %}" style="color:Black"><ion-icon
style="margin-right:2px" name="home-sharp"></ion-icon>Home</a>
    </li>
    <li>
    </li>
    <li>
    </li>


    <li class="nav-item">
      <a class="nav-link" href="{% url 'view_user' %}" style="color:Black"><ion-icon
style="margin-right:2px" name="people"></ion-icon>View User</a>
    </li>
      <li class="nav-item">
      <a class="nav-link" href="{% url 'admin_viewBooking' %}" style="color:Black"><ion-icon
style="margin-right:2px" name="logo-bitcoin"></ion-icon>View Booking</a>
    </li>
<li class="nav-item">
      <a class="nav-link" href="{% url 'view_feedback' %}" style="color:Black"><ion-icon
style="margin-right:2px" name="chatbubbles"></ion-icon>View Feedback</a>
    </li>


  </li>


    <li class="nav-item dropdown">
```

```html
    <a class="nav-link dropdown-toggle" data-toggle="dropdown" href="#" role="button"
aria-haspopup="true" aria-expanded="false" style="color:Black"><ion-icon style="margin-
right:4px" name="albums"></ion-icon>Product</a>

    <div class="dropdown-menu">

      <a class="dropdown-item" href="{% url 'add_product' %}">Add Product</a>

      <a class="dropdown-item" href="{% url 'admin_view_product' %}">View Product</a>

    </div>

  </li>


    <li class="nav-item dropdown">

    <a class="nav-link dropdown-toggle" data-toggle="dropdown" href="#" role="button"
aria-haspopup="true" aria-expanded="false" style="color:Black"><ion-icon style="margin-
right:4px" name="newspaper-sharp"></ion-icon>Category</a>

    <div class="dropdown-menu">

      <a class="dropdown-item" href="{% url 'add_categary' %}">Add Category</a>

      <a class="dropdown-item" href="{% url 'view_categary' %}">View Category</a>

    </div>

  </li>

  {% endif %}


  {% if request.user.username %}

  {% if not request.user.is_staff %}

  <li class="nav-item">

    <a class="nav-link" href="{% url 'home' %}" style="color:Black"><ion-icon style="margin-
right:2px" name="home-sharp"></ion-icon>Home</a>

  </li>


  <li class="nav-item">

    <a class="nav-link" href="{% url 'view_booking' %}" style="color:Black"><ion-icon
style="margin-right:2px" name="aperture"></ion-icon>View Booking</a>
```

```html
        </li>


        <li class="nav-item">
          <a class="nav-link" href="{% url 'send_feedback' request.user.id %}"
style="color:Black"><ion-icon style="margin-right:2px" name="send"></ion-icon>Send
Feedback</a>

        </li>
        <li class="nav-item">
          <a class="nav-link" href="{% url 'view_product' 0 %}" style="color:Black"><ion-icon
style="margin-right:2px" name="eye"></ion-icon>View Product</a>

        </li>


        <li class="nav-item">
          <a class="nav-link" href="{% url 'change_password' %}" style="color:Black"><ion-icon
style="margin-right:2px" name="document-text-sharp"></ion-icon>Change Password</a>

        </li>


        {% endif %}
        {% else %}


        <li class="nav-item">
          <a class="nav-link" href="{% url 'home'  %}" style="color:Black"><ion-icon style="margin-
right:2px" name="home-sharp"></ion-icon>Home</a>

        </li>


        <li class="nav-item">
          <a class="nav-link" href="{% url 'about' %}" style="color:Black"><ion-icon style="margin-
right:2px" name="briefcase-sharp"></ion-icon>About</a>

        </li>


        <li class="nav-item">
```

```html
          <a class="nav-link" href="{% url 'contact' %}" style="color:Black"><ion-icon style="margin-right:2px" name="phone-portrait-sharp"></ion-icon>Contact</a>

   </li>

   {% endif %}

   {% if request.user.is_authenticated %}

   <a class="nav-link" href="{% url 'logout' %}" style="color:Black"><ion-icon style="margin-right:2px" name="power-sharp"></ion-icon>Logout</a>

   </li>

   {% if not request.user.is_staff %}

   <li class="nav-item">

     <a href="{% url 'profile' %}"><h5 class="nav-link" style="color:red"><ion-icon style="margin-right:4px;color:White" name="person-circle-sharp"></ion-icon>Welcome {{request.user.username}}</h5>

     </a></li>

   {% else %}

   <li class="nav-item">

     <h5  class="nav-link" style="color:red"><ion-icon style="margin-right:4px;color:Black" name="person-circle-sharp"></ion-icon>Welcome {{request.user.username}}</h5>

   </li>

   {% endif %}

     {% else %}

   <li class="nav-item">

     <a class="nav-link" href="{% url 'login' %}" style="color:Black;text-align:right"><ion-icon style="margin-right:2px" name="log-in-sharp"></ion-icon>User Login</a>

   </li>

     <li class="nav-item">

        <a class="nav-link" href="{% url 'login_admin' %}" style="color:Black;text-align:right"><ion-icon style="margin-right:2px" name="log-in-sharp"></ion-icon>Admin Login</a>

     </li>

   {% endif %}

   {% if not request.user.is_staff %}
```

```
{% if request.user.username %}

  <a href="{% url 'cart' %}" style="border:1px solid gray" class="btn btn-outline-info btn-lg
text-dark text-capitalize">

    <ion-icon style="color:Black;margin-top:2%" name="cart"></ion-icon><span
style="color:White">{{num1}}</span><span style="margin-left:6px;margin-
top:2%;color:White">Cart</span></a></center>

{% endif %}

  {% endif %}

  </ul>

</nav>

{% block body %}

{% endblock %}

</body></html>
```

Profile.html

```
{% extends 'navigation.html' %}

{% load static %}

{% block body %}

<div class="container">

  <h2 style="margin-top:20px" align="center">View Profile</h2><hr>


<div  class="container-fluid" style="width:80%;margin-bottom:5%">

  <hr><div class="row">

    <div class="col-md-6">

      <strong>Full Name:</strong>

    </div>

    <div class="col-md-6">

      {{pro.user.first_name}} {{pro.user.last_name}}

    </div>
```

```html
        </div><hr>
    <div class="row">

        <div class="col-md-6">

            <strong>Customer Pic:</strong>

        </div>

        <div class="col-md-6">

            <img src="{{pro.image.url}}" style="width:150px;height:150px">

        </div>


    </div><hr>

    <div class="row">

        <div class="col-md-6">

            <strong>Email Id :</strong>

        </div>

        <div class="col-md-6">

            {{pro.user.email}}

        </div>

    </div><hr>
    <div class="row">

        <div class="col-md-6">

            <strong>Contact :</strong>

        </div>

        <div class="col-md-6">

            {{pro.contact}}

        </div>

    </div><hr>

    <div class="row">

        <div class="col-md-6">

            <strong>Date of Birth :</strong>
```

```
          </div>

          <div class="col-md-6">

             {{pro.dob}}

          </div>

      </div><hr>

       <div class="row">

          <div class="col-md-6">

             <strong>City :</strong>

          </div>

          <div class="col-md-6">

             {{pro.city}}

          </div>

      </div><hr><div class="row">

          <div class="col-md-6">

             <strong>Address :</strong>

          </div>

          <div class="col-md-6">

             {{pro.address}}

          </div>

      </div><hr>

      <a href="{% url 'edit_profile' %}"><button class="btn btn-primary"
style="width:100%;margin-bottom:5%">Edit Profile</button></a>


</div>

</div>

{% endblock %}
```

Admin_viewbooking.html

```
{% extends 'navigation.html' %}
```

```
{% block body %}


<center><h2 style="color:red;margin-top:2%">View Booking</h2></center><hr>

<div class="container" style="margin-top:5%">

</div>

 <div class="container">

<table class="table table-bordered" id="myTable">

 <thead>

 <tr>

  <th>Sr. No</th>

  <th>Booking ID</th>

  <th>Booking Date</th>

  <th>Customer name</th>

  <th>Email Id</th>

   <th>Quantity</th>

   <th>Total</th>

   <th>Status</th>

  <th>View Product</th>

  <th>Cancel Booking</th>

 </tr>

 </thead>

  <tbody>


{% for i in book %}


 <tr>

   <td>{{forloop.counter}}</td>

  <td>{{i.booking_id}}</td>

  <td>{{i.book_date}}</td>

  <td>{{i.profile.user.username}}</td>

  <td>{{i.profile.user.email}}</td>
```

```
    <td>{{i.quantity}}</td>
    <td>{{i.total}}</td>
  <td><a href="{% url 'Edit_status' i.booking_id i.id %}"><button class="button
button1">{{i.status.name}}</button></a></td>
    <td><a href="{% url 'admin_booking_detail' i.booking_id i.id i.profile.user.id  %}"><button
class="button button1">detail</button></a></td>
    <td><a href="{% url 'delete_admin_booking' i.booking_id i.id %}" onclick="return confirm('Are
you sure?')"><button class="button button1" id="#delete">cancel</button></a></td>
 </tr>
  {% endfor %}
   </tbody>
</table>
 </div>
<script>
      var el_up = document.getElementById("GFG_UP");


      el_up.innerHTML =

        "Click on the LINK for further confirmation.";
     </script>
{% endblock %}
```

All_product.html

```
{% extends 'carousel.html' %}
{% block b %}
{% load static %}
<link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/css/bootstrap.min.css" integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
  <link rel="stylesheet" href="{% static 'css/style.css' %}">
```

```
<hr>
{% for i in cat %}
 <div class="container-fluid">
                        <h1 class="text-center mt-5 mb-5">
                        </h1>
                         <h2>{{i.name}}</h2><hr>
                        <div id="{{i.id}}" class="carousel slide" data-ride="carousel">
                          <div class="carousel-inner row w-100 mx-auto">
                                {% for j in pro %}
                                {% if i.name == j.category.name %}
                                {% if forloop.counter in num %}
                                        <div class="carousel-item col-md-3 active"><div
class="card">
                                                <center><img class="card-img-top img-fluid"
align="center" src="{{j.image.url}}" style="width:160px;height:170px;float:center" alt="card-
img"></center>
                                                <div class="card-body">
                                                <h4 class="card-title">{{j.name}}
Rs.{{j.price}}</h4>
                                                <p class="card-text">{{j.desc}}</p>
                                                <form align="center" action="{% url
'add_cart' j.id %}" method="post">
                                                        {% csrf_token %}
                                                        <button type="submit" class="btn
btn-primary">Add to Cart</button>
</form>
                                        </div>
                                </div>
                        </div>


                        {% else %}
```

```html
<div class="carousel-item col-md-3">
    <div class="card">
        <center><img class="card-img-top img-fluid" align="center" src="{{j.image.url}}" style="width:160px;height:170px;float:center" alt="card-img"></center>
        <div class="card-body">
            <h4 class="card-title">{{j.name}} Rs.{{j.price}}</h4>
            <p class="card-text">{{j.desc}}</p>
            <form align="center" action="{% url 'add_cart' j.id %}" method="post">
                {% csrf_token %}
                <button type="submit" class="btn btn-primary">Add to Cart</button>
            </form>
        </div>
    </div>
</div>

{% endif %}
{% endif %}
{% endfor %}
<a class="carousel-control-prev" href="#{{i.id}}" role="button" data-slide="prev">
    <span class="carousel-control-prev-icon" aria-hidden="true"></span>
    <span class="sr-only">Previous</span>
</a>
<a class="carousel-control-next" href="#{{i.id}}" role="button" data-slide="next">
    <span class="carousel-control-next-icon" aria-hidden="true"></span>
    <span class="sr-only">Next</span></a>
            </div>
        </div>
    </div>
```

{% endfor %}

```
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>

    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"
integrity="sha384-ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>

    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
integrity="sha384-JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>

    <script src="{% static 'js/jquery.js' %}"></script>
```

```
<script src="https://code.jquery.com/jquery-3.2.1.slim.min.js" integrity="sha384-
KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>

    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.12.9/umd/popper.min.js"
integrity="sha384-ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>

    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0/js/bootstrap.min.js"
integrity="sha384-JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>

 <script src="{% static 'js/jquery.js' %}"></script>
```

{% endblock %}

Signup.html

```
{% extends 'navigation.html' %}
{% block body %}
{% load static %}
<div class="container">
    <h2 style="margin-top:20px" align="center">Registration Form</h2><hr>
```

```html
<div class="container-fluid" style="width:70%;margin-top:10%">

<form method="post" action="" enctype="multipart/form-data">

  {% csrf_token %}

  <div class="form-row">

  <div class="form-group col-md-6">

   <label for="inputEmail4">First Name</label>

   <input type="text" class="form-control" placeholder="Enter First Name" name="fname"
id="inputEmail4">

  </div>

  <div class="form-group col-md-6">

   <label for="inputPassword4">Last Name</label>

   <input type="text" class="form-control" name="lname" placeholder="Enter Last Name"
id="inputPassword4">

  </div>

 </div>

  <div class="form-row">

  <div class="form-group col-md-6">

   <label for="inputEmail4">User Name</label>

   <input type="text" class="form-control" name="uname" placeholder="Enter User Name"
id="inputEmail4">

  </div>

  <div class="form-group col-md-6">

   <label for="inputPassword4">Password</label>

   <input type="password" class="form-control" name="pwd" id="inputPassword4">

  </div>

 </div>

     <div class="form-row">

<div class="form-group col-md-6">

  <label for="exampleInputEmail1">Email</label>

  <input type="email" class="form-control" id="exampleInputEmail1" aria-describedby="emailHelp"
name="email" placeholder="Enter Email">
```

```html
        </div>


    <div class="form-group col-md-6">
        <label for="exampleInputPassword1">Contact</label>
        <input type="text" class="form-control" id="exampleInputPassword1" placeholder="Enter Contact
Detail" name="contact">
    </div>
            </div>
            <div class="form-row">
        <div class="form-group col-md-6">
        <label for="exampleInputPassword1">City</label>
        <input type="text" class="form-control" id="exampleInputPassword1" placeholder="Enter City"
name="city">
    </div>


        <div class="form-group col-md-6">
            <label for="exampleInputPassword1">Date of Birth</label>
        <input type="date" class="form-control" id="exampleInputPassword1" name="date">
    </div>
            </div>
        <div class="form-row">


        <div class="form-group col-md-6">
        <label for="exampleInputPassword1">Full Address</label>
        <input type="text" class="form-control" id="exampleInputPassword1" placeholder="Enter
Address Detail" name="add">
    </div>


<div class="form-group col-md-6">
    <label for="exampleInputPassword1">Image</label>
    <input type="file" class="form-control" id="exampleInputPassword1" name="img" value="choose
file">
```

```html
</div></div>

  <button type="submit" class="btn btn-primary">Submit</button>
</form>
</div>
</div>

{% if error %}
<script>
   alert('Regitered Successfully');
   window.location = "{% url 'login' %}";
</script>
{% endif %}


{% endblock %}
```

Models.py

```python
from django.db import models
from django.contrib.auth.models import User
# Create your models here.
class Category(models.Model):
   name = models.CharField(max_length=30, null=True)


   def __str__(self):
      return self.name


class Product(models.Model):
   category = models.ForeignKey(Category, on_delete=models.CASCADE, null=True)
   image = models.FileField(null=True)
   name = models.CharField(max_length=30, null=True)
```

```python
    price = models.IntegerField(null=True)

    desc = models.TextField(null=True)


    def __str__(self):

        return self.category.name+"--"+self.name


class Status(models.Model):

    name = models.CharField(max_length=20, null=True)


    def __str__(self):

        return self.name


class Profile(models.Model):

    user = models.ForeignKey(User, on_delete=models.CASCADE, null=True)

    dob = models.DateField(null=True)

    city = models.CharField(max_length=30, null=True)

    address = models.CharField(max_length=50, null=True)

    contact = models.CharField(max_length=10, null=True)

    image = models.FileField(null=True)


    def __str__(self):

        return self.user.username


class Cart(models.Model):

    profile = models.ForeignKey(Profile,on_delete=models.CASCADE,null=True)

    product = models.ForeignKey(Product, on_delete=models.CASCADE, null=True)

    def __str__(self):

        return self.profile.user.username + " . " + self.product.name
```

```python
class Booking(models.Model):
    status = models.ForeignKey(Status, on_delete=models.CASCADE, null=True)
    profile = models.ForeignKey(Profile, on_delete=models.CASCADE, null=True)
    booking_id = models.CharField(max_length=200,null=True)
    quantity = models.CharField(max_length=100,null=True)
    book_date = models.CharField(max_length=30, null=True)
    total = models.IntegerField(null=True)


    def __str__(self):
        return self.book_date+" "+self.profile.user.username




class Send_Feedback(models.Model):
    profile = models.ForeignKey(Profile, on_delete=models.CASCADE, null=True)
    message1 = models.TextField(null=True)
    date = models.CharField(max_length=30, null=True)


    def __str__(self):
        return self.profile.user.username
```

Views.py

```python
from django.shortcuts import render,redirect
from django.contrib.auth.models import User
from django.contrib.auth import authenticate,logout,login
from .models import *
from datetime import date


# Create your views here.
```

```python
def Home(request):
    cat = ""
    pro = ""
    cat = ""
    num = 0
    num1 = 0
    cat = Category.objects.all()
    pro = Product.objects.all()
    num = []
    num1 = 0
    try:
        user = User.objects.get(id=request.user.id)
        profile = Profile.objects.get(user=user)
        cart = Cart.objects.filter(profile=profile)
        for i in cart:
            num1 += 1

    except:
        pass
    a = 1
    li = []

    for j in pro:
        b = 1
        for i in cat:
            if i.name == j.category.name:
                if not j.category.name in li:
                    li.append(j.category.name)
                    if b == 1:
                        num.append(a)
                        b = 2
```

```python
        a += 1


    d = {'pro': pro, 'cat': cat,'num':num,'num1':num1}

    return render(request, 'footer.html', d)



def About(request):

    return render(request, 'about.html')


def Contact(request):

    return render(request, 'contact.html')



def Signup(request):

    error = False

    if request.method == 'POST':

        f = request.POST['fname']

        l = request.POST['lname']

        u = request.POST['uname']

        p = request.POST['pwd']

        d = request.POST['date']

        c = request.POST['city']

        ad = request.POST['add']

        e = request.POST['email']

        i = request.FILES['img']

        con = request.POST['contact']

        user = User.objects.create_user(username=u, email=e, password=p, first_name=f,last_name=l)

        Profile.objects.create(user=user, dob=d, city=c, address=ad, contact=con,image=i)

        error = True

    d = {'error':error}
```

```python
        return render(request, 'signup.html',d)


def Login(request):
    error = ""
    if request.method == "POST":
        u = request.POST['uname']
        p = request.POST['pwd']
        user = authenticate(username=u, password=p)
        try:
            if user:
                login(request, user)
                error = "yes"
            else:
                error = "not"
        except:
            error="not"
    d = {'error': error}
    return render(request,'login.html',d)


def Admin_Login(request):
    error = ""
    if request.method == "POST":
        u = request.POST['uname']
        p = request.POST['pwd']
        user = authenticate(username=u, password=p)
        try:
            if user.is_staff:
                login(request, user)
                error = "yes"
            else:
                error = "not"
```

```python
        except:
            error="not"
    d = {'error': error}
    return render(request,'loginadmin.html',d)




def Logout(request):
    logout(request)
    return redirect('home')




def View_user(request):
    if not request.user.is_authenticated:
        return redirect('login_admin')
    pro = Profile.objects.all()
    d = {'user':pro}
    return render(request,'view_user.html',d)




def Add_Product(request):
    if not request.user.is_authenticated:
        return redirect('login_admin')
    cat = Category.objects.all()
    error=False
    if request.method=="POST":
        c = request.POST['cat']
        p = request.POST['pname']
        pr = request.POST['price']
        i = request.FILES['img']
        d = request.POST['desc']
        ct = Category.objects.get(name=c)
```

```python
        Product.objects.create(category=ct, name=p, price=pr, image=i, desc=d)
        error=True
    d = {'cat': cat,'error':error}
    return render(request, 'add_product.html', d)


def All_product(request):
    if not request.user.is_authenticated:
        return redirect('login')
    user = User.objects.get(id=request.user.id)
    profile = Profile.objects.get(user=user)
    cart = Cart.objects.filter(profile=profile)
    num1=0
    for i in cart:
        num1 += 1
    cat = Category.objects.all()
    pro = Product.objects.all()
    d ={'pro':pro,'cat':cat,'num1':num1}
    return render(request,'all_product.html',d)


def Admin_View_Booking(request):
    if not request.user.is_authenticated:
        return redirect('login_admin')
    book = Booking.objects.all()
    d = {'book': book}
    return render(request, 'admin_viewBokking.html', d)


def View_feedback(request):
    if not request.user.is_authenticated:
```

```python
        return redirect('login_admin')
    feed = Send_Feedback.objects.all()
    d = {'feed': feed}
    return render(request, 'view_feedback.html', d)



def View_prodcut(request,pid):
    if not request.user.is_authenticated:
        return redirect('login_admin')
    cat = ""
    cat1 = ""
    pro1 = ""
    num1 = 0
    user=""
    profile=""
    cart=""
    pro=""
    num=""
    if not request.user.is_staff:
        user = User.objects.get(id=request.user.id)
        profile = Profile.objects.get(user=user)
        cart = Cart.objects.filter(profile=profile)
        for i in cart:
            num1 += 1

    if pid == 0:
        cat = "All Product"
        pro1 = Product.objects.all()
    else:
        cat1 = Category.objects.get(id=pid)
        pro1 = Product.objects.filter(category=cat1).all()
```

```python
        cat = Category.objects.all()
        pro = Product.objects.all()
        num = []
        b = 1
        for j in cat:
            a = 1
            for i in pro:
                if j.name == i.category.name:
                    if a == 1:
                        num.append(i.id)
                        a = 2
        d = {'pro': pro, 'cat': cat,'cat1': cat1,'num':num,'pro1':pro1,'num1':num1}
        return render(request, 'view_product.html',d)




def Add_Categary(request):
    if not request.user.is_authenticated:
        return redirect('login_admin')
    error=False
    if request.method=="POST":
        n = request.POST['cat']
        Category.objects.create(name=n)
        error=True
    d = {'error':error}
    return render(request, 'add_category.html', d)




def View_Categary(request):
    if not request.user.is_authenticated:
        return redirect('login_admin')
    pro = Category.objects.all()
```

```python
    d = {'pro': pro}
    return render(request,'view_category.html', d)




def View_Booking(request):
    if not request.user.is_authenticated:
        return redirect('login')
    user = User.objects.get(id=request.user.id)
    profile = Profile.objects.get(user=user)
    cart = Cart.objects.filter(profile=profile)
    book = Booking.objects.filter(profile=profile)
    num1=0
    for i in cart:
        num1 += 1
    d = {'book': book,'num1':num1}
    return render(request, 'view_booking.html', d)




def Feedback(request, pid):
    if not request.user.is_authenticated:
        return redirect('login')
    error = False
    user1 = User.objects.get(id=request.user.id)
    profile = Profile.objects.get(user=user1)
    cart = Cart.objects.filter(profile=profile)
    num1 =0
    for i in cart:
        num1 += 1
    date1 = date.today()
    user = User.objects.get(id=pid)
```

```python
        pro = Profile.objects.filter(user=user).first()
    if request.method == "POST":
        d = request.POST['date']
        u = request.POST['uname']
        e = request.POST['email']
        con = request.POST['contact']
        m = request.POST['desc']
        user = User.objects.filter(username=u, email=e).first()
        pro = Profile.objects.filter(user=user, contact=con).first()
        Send_Feedback.objects.create(profile=pro, date=d, message1=m)
        error = True
    d = {'pro': pro, 'date1': date1,'num1':num1,'error':error}
    return render(request, 'feedback.html', d)


def Change_Password(request):
    if not request.user.is_authenticated:
        return redirect('login')
    error = ""
    num1=0
    user = User.objects.get(id=request.user.id)
    profile = Profile.objects.get(user=user)
    cart = Cart.objects.filter(profile=profile)
    for i in cart:
        num1 += 1
    if request.method=="POST":
        n = request.POST['pwd1']
        c = request.POST['pwd2']
        o = request.POST['pwd3']
        if c == n:
            u = User.objects.get(username__exact=request.user.username)
            u.set_password(n)
```

```python
            u.save()

            error = "yes"

        else:

            error = "not"

    d = {'error':error,'num1':num1}

    return render(request,'change_password.html',d)


def Add_Cart(request,pid):

    if not request.user.is_authenticated:

        return redirect('login')

    if request.method=="POST":

        user = User.objects.get(id=request.user.id)

        profile = Profile.objects.get(user=user)

        product = Product.objects.get(id=pid)

        Cart.objects.create(profile=profile, product=product)

        return redirect('cart')


def view_cart(request):

    if not request.user.is_authenticated:

        return redirect('login')

    user = User.objects.get(id=request.user.id)

    profile = Profile.objects.get(user=user)

    cart =  Cart.objects.filter(profile=profile).all()

    total=0

    num1=0

    book_id=request.user.username

    message1="Here ! No Any Product"

    for i in cart:

        total+=i.product.price

        num1+=1

        book_id = book_id+"."+str(i.product.id)
```

```python
        d = {'profile':profile,'cart':cart,'total':total,'num1':num1,'book':book_id,'message':message1}
        return render(request,'cart.html',d)


def remove_cart(request,pid):
    if not request.user.is_authenticated:
        return redirect('login')
    cart = Cart.objects.get(id=pid)
    cart.delete()
    return redirect('cart')


def Booking_order(request, pid):
    if not request.user.is_authenticated:
        return redirect('login')
    data1 = User.objects.get(id=request.user.id)
    data = Profile.objects.filter(user=data1).first()
    cart = Cart.objects.filter(profile=data).all()
    total = 0
    num1=0
    for i in cart:
        total+=i.product.price
    user1 = data1.username
    li = pid.split('.')
    li2 = []
    for j in li:
        if user1 != j:
            li2.append(int(j))
            num1+=1
    date1 = date.today()
    if request.method == "POST":
        d = request.POST['date1']
```

```python
        c = request.POST['name']

        c1 = request.POST['city']

        ad = request.POST['add']

        e = request.POST['email']

        con = request.POST['contact']

        b = request.POST['book_id']

        t = request.POST['total']

        user = User.objects.get(username=c)

        profile = Profile.objects.get(user=user)

        status = Status.objects.get(name="pending")

        book1 = Booking.objects.create(profile=profile,
book_date=d,booking_id=b,total=t,quantity=num1,status=status)

        cart2 = Cart.objects.filter(profile=profile).all()

        cart2.delete()

        return redirect('payment',book1.total)
    d = {'data': data, 'data1': data1, 'book_id': pid, 'date1': date1,'total':total,'num1':num1}

    return render(request, 'booking.html', d)




def payment(request,total):
    if not request.user.is_authenticated:

        return redirect('login')

    error = False

    user = User.objects.get(id=request.user.id)

    profile= Profile.objects.get(user=user)

    cart = Cart.objects.filter(profile = profile).all()

    if request.method=="POST":

        error=True

    d ={'total':total,'error':error}

    return render(request,'payment2.html',d)
```

```python
def delete_admin_booking(request, pid,bid):
    if not request.user.is_authenticated:
        return redirect('login_admin')
    book = Booking.objects.get(booking_id=pid,id=bid)
    book.delete()
    return redirect('admin_viewBooking')




def booking_detail(request,pid,bid):
    if not request.user.is_authenticated:
        return redirect('login')
    user = User.objects.get(id=request.user.id)
    profile = Profile.objects.get(user=user)
    cart =  Cart.objects.filter(profile=profile).all()
    product = Product.objects.all()
    book = Booking.objects.get(booking_id=pid, id=bid)
    total=0
    num1=0
    user1 = user.username
    li = book.booking_id.split('.')
    li2=[]
    for j in li:
        if user1!= j :
            li2.append(int(j))
    for i in cart:
        total+=i.product.price
        num1+=1
    d = {'profile':profile,'cart':cart,'total':total,'num1':num1,'book':li2,'product':product,'total':book}
    return render(request,'booking_detail.html',d)
```

```python
def admin_booking_detail(request,pid,bid,uid):
    if not request.user.is_authenticated:
        return redirect('login_admin')
    user = User.objects.get(id=uid)
    profile = Profile.objects.get(user=user)
    cart =  Cart.objects.filter(profile=profile).all()
    product = Product.objects.all()
    book = Booking.objects.get(booking_id=pid, id=bid)
    total=0
    num1=0
    user1 = user.username
    li = book.booking_id.split('.')
    li2=[]
    for j in li:
        if user1!= j :
            li2.append(int(j))
    for i in cart:
        total+=i.product.price
        num1+=1
    d = {'profile':profile,'cart':cart,'total':total,'num1':num1,'book':li2,'product':product,'total':book}
    return render(request,'admin_view_booking_detail.html',d)


def Admin_View_product(request):
    if not request.user.is_authenticated:
        return redirect('login_admin')
    pro = Product.objects.all()
    d = {'pro':pro}
    return render(request,'admin_view_product.html',d)
```

```python
def delete_product(request,pid):
    if not request.user.is_authenticated:
        return redirect('login_admin')
    pro = Product.objects.get(id=pid)
    pro.delete()
    return redirect('admin_view_product')


def profile(request):
    if not request.user.is_authenticated:
        return redirect('login')
    user = User.objects.get(id=request.user.id)
    pro = Profile.objects.get(user=user)
    cart=""
    try:
        cart = Cart.objects.get(profile=pro)
    except:
        pass
    num1 = 0
    total = 0
    for i in cart:
        total += i.product.price
        num1 += 1
    user = User.objects.get(id=request.user.id)
    pro = Profile.objects.get(user=user)
    d={'pro':pro,'user':user,'num1':num1,'total':total}
    return render(request,'profile.html',d)


def Edit_profile(request):
    if not request.user.is_authenticated:
```

```python
        return redirect('login')
error = False
user=User.objects.get(id=request.user.id)
pro = Profile.objects.get(user=user)
cart = ""
try:
    cart = Cart.objects.get(profile=pro)
except:
    pass
num1=0
total=0
for i in cart:
    total+=i.product.price
    num1+=1
if request.method == 'POST':
    f = request.POST['fname']
    l = request.POST['lname']
    u = request.POST['uname']
    c = request.POST['city']
    ad = request.POST['add']
    e = request.POST['email']
    con = request.POST['contact']
    d = request.POST['date']

    try:
        i = request.FILES['img']
        pro.image = i
        pro.save()

    except:
        pass
```

```python
        if d:
            try:
                pro.dob = d
                pro.save()
            except:
                pass
        else:
            pass


        pro.user.username=u
        pro.user.first_name=f
        pro.user.last_name=l
        pro.user.email=e
        pro.contact=con
        pro.city=c
        pro.address=ad
        pro.save()
        error = True
    d = {'error':error,'pro':pro,'num1':num1,'total':total}
    return render(request, 'edit_profile.html',d)


def Admin_Home(request):
    if not request.user.is_authenticated:
        return redirect('login_admin')
    book = Booking.objects.all()
    customer = Profile.objects.all()
    pro = Product.objects.all()
    total_book = 0
    total_customer = 0
```

```python
        total_pro = 0
        for i in book:
            total_book+=1
        for i in customer:
            total_customer+=1
        for i in pro:
            total_pro+=1
        d = {'total_pro':total_pro,'total_customer':total_customer,'total_book':total_book}
        return render(request,'admin_home.html',d)


def delete_category(request,pid):
    if not request.user.is_authenticated:
        return redirect('login_admin')
    cat = Category.objects.get(id=pid)
    cat.delete()
    return redirect('view_categary')
```