

Complete Source Code

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width,initial-scale=1.0">
<title>Community Road Pothole Reporting System</title>
<link rel="stylesheet" href="https://unpkg.com/leaflet/dist/leaflet.css">
<script src="https://unpkg.com/leaflet/dist/leaflet.js"></script>
<script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
<style>
*{
margin:0;
padding:0;
box-sizing:border-box;
font-family:Arial,sans-serif
}
body{
background:#f4f4f4;
color:#222
}
header{
background:#1f2937;
color:#fff;
padding:15px;
text-align:center
}
.container{
display:grid;
grid-template-columns:1fr 1fr;
gap:20px;
padding:20px
}
.card{
background:#fff;
padding:20px;
border-radius:10px;
box-shadow:0 2px 10px rgba(0,0,0,.1)
}
h2{
margin-bottom:15px
}
input,select,textarea,button{
width:100%;
padding:10px;
margin-bottom:10px;
border:1px solid #ccc;
```

```
border-radius:5px
}
button{
background:#2563eb;
color:#fff;
cursor:pointer;
border:none
}
button:hover{
background:#1d4ed8
}
#map{
height:400px;
border-radius:10px
}
.report{
padding:10px;
border-bottom:1px solid #ddd
}
.report img{
width:100%;
max-height:150px;
object-fit:cover;
margin-top:10px;
border-radius:5px
}
.vote{
background:#16a34a;
margin-top:10px
}
.status{
padding:5px 10px;
border-radius:20px;
font-size:12px;
color:#fff;
display:inline-block
}
.open{
background:#dc2626
}
.progress{
background:#f59e0b
}
.resolved{
background:#16a34a
}
canvas{
margin-top:20px
}
@media(max-width:768px){
.container{
grid-template-columns:1fr
}
```



```

let reports=JSON.parse(localStorage.getItem("potholes"))||[]

const map=L.map("map").setView([9.5916,76.5222],13)

L.tileLayer("https://{s}.tile.openstreetmap.org/{z}/{x}/{y}.png",{
  attribution:"© OpenStreetMap"
}).addTo(map)

function saveReports(){
  localStorage.setItem("potholes",JSON.stringify(reports))
}

function renderReports(){
  reportsDiv.innerHTML=""
  map.eachLayer(layer=>{
    if(layer instanceof L.Marker)map.removeLayer(layer)
  })

  let open=0,progress=0,resolved=0

  reports.forEach((r,index)=>{
    const div=document.createElement("div")
    div.className="report"

    let statusClass="open"
    if(r.status==="In Progress")statusClass="progress"
    if(r.status==="Resolved")statusClass="resolved"

    div.innerHTML=`
    <h3>${r.location}</h3>
    <p><b>Severity:</b> ${r.severity}</p>
    <p>${r.description}</p>
    <p class="status ${statusClass}">${r.status}</p>
    <p><b>Votes:</b> ${r.votes}</p>
    ${r.photo?``:""}
    <button class="vote" onclick="upvote(${index})">Upvote</button>
    `

    reportsDiv.appendChild(div)

    const lat=9.5916+(Math.random()-0.5)/50
    const lng=76.5222+(Math.random()-0.5)/50

    L.marker([lat,lng]).addTo(map)
    .bindPopup(`<b>${r.location}</b><br>${r.severity}`)

    if(r.status==="Open")open++
    else if(r.status==="In Progress")progress++
    else resolved++
  })

  renderChart(open,progress,resolved)
}

```

```

function upvote(index){
  reports[index].votes++
  saveReports()
  renderReports()
}

let chart

function renderChart(open,progress,resolved){
  const ctx=document.getElementById("chart")

  if(chart)chart.destroy()

  chart=new Chart(ctx,{
    type:"doughnut",
    data:{
      labels:["Open","In Progress","Resolved"],
      datasets:[{
        data:[open,progress,resolved],
        backgroundColor:["#dc2626","#f59e0b","#16a34a"]
      }]
    }
  })
}

form.addEventListener("submit",e=>{
  e.preventDefault()

  const file=document.getElementById("photo").files[0]

  const reader=new FileReader()

  reader.onload=function(){
    const report={
      location:document.getElementById("location").value,
      severity:document.getElementById("severity").value,
      status:document.getElementById("status").value,
      description:document.getElementById("description").value,
      photo:file?reader.result:"",
      votes:0
    }

    reports.push(report)
    saveReports()
    renderReports()
    form.reset()
  }

  if(file)reader.readAsDataURL(file)
  else reader.onload()
})

```

```
renderReports()  
</script>  
  
</body>  
</html>
```