

# Rajalakshmi Engineering College

Name: Mithran VT

Email: 240701312@rajalakshmi.edu.in

Roll no:

Phone: 9952919350

Branch: REC

Department: CSE - Section 8

Batch: 2028

Degree: B.E - CSE

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### **REC\_2028\_OOPS using Java\_Week 8\_MCQ**

Attempt : 1

Total Mark : 15

Marks Obtained : 2

#### **Section 1 : MCQ**

1. What will be the output for the following code?

```
import java.io.*;  
  
class OutOfStockException extends Exception {  
    public OutOfStockException(String message) {  
        super(message);  
    }  
}  
  
class Test {  
    public static void main(String[] args) {  
        try {  
            int stock = 0;  
            if (stock == 0) {  
                throw new OutOfStockException("Item is out of stock");  
            }  
        } catch (OutOfStockException e) {  
            System.out.println(e.getMessage());  
        }  
    }  
}
```

```
        }
    } catch (OutOfStockException e) {
        System.out.println(e.getMessage());
    }
}
```

**Answer**

Compilation Error

**Status : Wrong**

**Marks : 0/1**

2. Which of the following is true about custom exceptions?

**Answer**

**Status : Skipped**

**Marks : 0/1**

3. What will be the output for the following code?

```
import java.io.*;
```

```
class UnderageException extends Exception {
    public UnderageException(String message) {
        super(message);
    }
}

class Test {
    public static void main(String[] args) {
        try {
            int age = 17;
            if (age < 18) {
                throw new UnderageException("Underage, cannot proceed");
            }
        } catch (UnderageException e) {
            System.out.println(e.getMessage());
        }
    }
}
```

```
    }  
}
```

**Answer**

17

**Status : Wrong**

**Marks : 0/1**

4. What will be the output for the following code?

```
class InvalidUsernameException extends Exception {  
    public InvalidUsernameException(String message) {  
        super(message);  
    }  
}  
  
class Test {  
    public static void main(String[] args) {  
        try {  
            String username = "abc";  
            if (username.length() < 5) {  
                throw new InvalidUsernameException("Username must be at  
least 5 characters long");  
            }  
        } catch (InvalidUsernameException e) {  
            System.out.println(e.getMessage());  
        }  
    }  
}
```

**Answer**

Username must be at least 5 characters long

**Status : Correct**

**Marks : 1/1**

5. What will be the output for the following code?

```
class InvalidVotingAgeException extends Exception {  
    public InvalidVotingAgeException(String message) {
```

```
        super(message);
    }
}

class Test {
    public static void main(String[] args) {
        try {
            int age = 15;
            if (age < 18) {
                throw new InvalidVotingAgeException("You are not eligible to
vote");
            }
            System.out.println("Eligible to vote");
        } catch (InvalidVotingAgeException e) {
            System.out.println(e.getMessage());
        }
    }
}
```

**Answer**

You are not eligible to vote

**Status :** Correct

**Marks :** 1/1

6. How do you create an unchecked custom exception?

**Answer**

**Status :** Skipped

**Marks :** 0/1

7. what is the output of the following code?

```
class MyException extends Exception {
    public MyException(String message) {
        super(message);
    }
}
```

```
class Test {  
    static void check() throws MyException {  
        throw new MyException("Custom Exception Occurred");  
    }  
  
    public static void main(String[] args) {  
        try {  
            check();  
        } catch (Exception e) {  
            System.out.println(e.getMessage());  
        }  
    }  
}
```

**Answer**

**Status :** Skipped

**Marks :** 0/1

8. What is the purpose of a custom exception in Java?

**Answer**

**Status :** Skipped

**Marks :** 0/1

9. What will be the output for the following code?

```
import java.io.*;
```

```
class TemperatureTooHighException extends Exception {  
    public TemperatureTooHighException(String message) {  
        super(message);  
    }  
}
```

```
class Test {  
    public static void main(String[] args) {  
        try {  
            int temperature = 110;  
        }  
    }  
}
```

```
        if (temperature > 100) {
            throw new TemperatureTooHighException("Temperature too
high");
        }
    } catch (TemperatureTooHighException e) {
        System.out.println(e.getMessage());
    }
}
}
```

**Answer**

**Status :** Skipped

**Marks :** 0/1

10. What will be the output for the following code?

```
class NegativeBalanceException extends Exception {
    public NegativeBalanceException(String message) {
        super(message);
    }
}

class Test {
    public static void main(String[] args) {
        try {
            double balance = -500;
            if (balance < 0) {
                throw new NegativeBalanceException("Balance cannot be
negative");
            }
        } catch (NegativeBalanceException e) {
            System.out.println("Error: " + e.getMessage());
        }
    }
}
```

**Answer**

-  
**Status :** -

**Marks :** 0/1

11. What will be the output of the following code?

```
class MyException extends Exception {  
    public MyException() {  
        super("Default Exception Message");  
    }  
}  
  
class Test {  
    public static void main(String[] args) {  
        try {  
            throw new MyException();  
        } catch (MyException e) {  
            System.out.println(e.getMessage());  
        }  
    }  
}
```

**Answer**

-  
**Status :** -

**Marks : 0/1**

12. What will happen if a checked custom exception is thrown inside a method without being caught or declared?

**Answer**

-  
**Status :** -

**Marks : 0/1**

13. What will be the output for the following code?

```
import java.io.*;
```

```
class NegativeAgeException extends Exception {  
    public NegativeAgeException(String message) {  
        super(message);  
    }  
}
```

```
        }
    }

class Test {
    public static void main(String[] args) {
        try {
            int age = -5;
            if (age < 0) {
                throw new NegativeAgeException("Age cannot be negative");
            }
        } catch (NegativeAgeException e) {
            System.out.println(e.getMessage());
        }
    }
}
```

**Answer**

-

**Status :** -

**Marks :** 0/1

14. Which keyword is used to explicitly throw a custom exception?

**Answer**

-

**Status :** -

**Marks :** 0/1

15. what is the output of the following code?

```
class MyException extends Exception {
    public MyException(String message) {
        super(message);
    }
}
```

```
class Test {
    public static void main(String[] args) {
```

```
try {  
    throw new MyException("Error occurred");  
} catch (MyException e) {  
    System.out.println(e);  
}  
}  
}
```

**Answer**

-

**Status :** -

**Marks :** 0/1