

# Rajalakshmi Engineering College

Name: Mithran VT  
Email: 240701312@rajalakshmi.edu.in  
Roll no:  
Phone: 9952919350  
Branch: REC  
Department: I CSE FC  
Batch: 2028  
Degree: B.E - CSE

Scan to verify results



## NeoColab\_REC\_CS23221\_Python Programming

### REC\_Python\_Week 6\_MCQ

Attempt : 1  
Total Mark : 20  
Marks Obtained : 9

#### Section 1 : MCQ

1. What happens if no arguments are passed to the seek function?

**Answer**

file position is set to the start of file

**Status : Wrong**

**Marks : 0/1**

2. What is the output of the following code?

```
class MyError(Exception):  
    pass
```

```
try:  
    raise MyError("Something went wrong")
```

```
except MyError as e:  
    print(e)
```

**Answer**

Something went wrong

**Status :** Correct

**Marks :** 1/1

3. Which of the following is true about the finally block in Python?

**Answer**

The finally block is always executed, regardless of whether an exception occurs or not

**Status :** Correct

**Marks :** 1/1

4. Which of the following is true about

fp.seek(10,1)

**Answer**

Move file pointer ten characters behind from the end of a file

**Status :** Wrong

**Marks :** 0/1

5. Fill in the blanks in the following code of writing data in binary files.

```
import _____ (1)  
rec=[]  
while True:  
    rn=int(input("Enter"))  
    nm=input("Enter")  
    temp=[rn, nm]  
    rec.append(temp)  
    ch=input("Enter choice (y/N)")  
    if ch.upper()=="N":  
        break  
f.open("stud.dat", "_____")(2)
```

```
_____.dump(rec,f)(3)
_____.close()(4)
```

**Answer**

(f,r,wb,pickle)

**Status : Wrong**

**Marks : 0/1**

6. Fill the code to in order to read file from the current position.

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Meri,25

John,21

Raj,20

Ouputput:

['John,21\n','Raj,20\n']

```
f = open("exp.txt", "w+")
_____(1)
print _____(2)
```

**Answer**

1) f.seek(0, 1)2) f.rline()

**Status : Wrong**

**Marks : 0/1**

7. What is the output of the following code?

```
try:
    x = 1 / 0
except ZeroDivisionError:
    print("Caught division by zero error")
finally:
    print("Executed")
```

**Answer**

Executed

**Status : Wrong**

**Marks : 0/1**

8. What will be the output of the following Python code?

```
f = None
for i in range (5):
    with open("data.txt", "w") as f:
        if i > 2:
            break
print(f.closed)
```

**Answer**

True

**Status : Correct**

**Marks : 1/1**

9. What is the correct way to raise an exception in Python?

**Answer**

raise Exception()

**Status : Correct**

**Marks : 1/1**

10. What is the difference between r+ and w+ modes?

**Answer**

in w+ the pointer is initially placed at the beginning of the file and the pointer is at the end for r+

**Status : Wrong**

**Marks : 0/1**

11. How do you create a user-defined exception in Python?

**Answer**

By creating a new class that inherits from the Exception class

**Status :** Correct

**Marks :** 1/1

12. What is the purpose of the except clause in Python?

**Answer**

To handle exceptions during code execution

**Status :** Correct

**Marks :** 1/1

13. What is the output of the following code?

```
try:
    x = "hello" + 5
except TypeError:
    print("Type Error occurred")
finally:
    print("This will always execute")
```

**Answer**

Type Error occurredThis will always execute

**Status :** Correct

**Marks :** 1/1

14. How do you rename a file?

**Answer**

os.rename(fp, new\_name)

**Status :** Wrong

**Marks :** 0/1

15. Which clause is used to clean up resources, such as closing files in Python?

**Answer**

finally

**Status :** Correct

**Marks :** 1/1

16. Fill in the code in order to get the following output:

Output:

Name of the file: ex.txt

```
fo = open(_____(1), "wb")  
print("Name of the file: ",_____(2))
```

**Answer**

1) ex.txt2) fo.name()

**Status :** Wrong

**Marks :** 0/1

17. What will be the output of the following Python code?

```
# Predefined lines to simulate the file content
```

```
lines = [  
    "This is 1st line",  
    "This is 2nd line",  
    "This is 3rd line",  
    "This is 4th line",  
    "This is 5th line"  
]
```

```
print("Name of the file: foo.txt")
```

```
# Print the first 5 lines from the predefined list
```

```
for index in range(5):  
    line = lines[index]  
    print("Line No %d - %s" % (index + 1, line.strip()))
```

**Answer**

Syntax Error

**Status :** Wrong

**Marks :** 0/1

18. Match the following:

- a) `f.seek(5,1)` i) Move file pointer five characters behind from the current position
- b) `f.seek(-5,1)` ii) Move file pointer to the end of a file
- c) `f.seek(0,2)` iii) Move file pointer five characters ahead from the current position
- d) `f.seek(0)` iv) Move file pointer to the beginning of a file

**Answer**

a-i, b-iii, c-ii, d-iv

**Status : Wrong**

**Marks : 0/1**

19. What happens if an exception is not caught in the except clause?

**Answer**

The program will display a traceback error and stop execution

**Status : Correct**

**Marks : 1/1**

20. What is the default value of `reference_point` in the following code?

```
file_object.seek(offset [,reference_point])
```

**Answer**

null

**Status : Wrong**

**Marks : 0/1**