NAME: MITHULESH J **ROLL NO: 240701313**

9.Design input forms that validate data (e.g., email, phone number) and display error messages using HTML/CSS, JavaScript

AIM:

The aim is to design input forms that validate data, such as email and phone number, and display error messages using HTML/CSS and JavaScript with Validator.js.

Step 1: Setting Up the HTML Form

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Form Validation</title>
</head>
<body>
  <h2>Registration Form</h2>
  <form id="myForm">
    <label for="email">Email:</label>
    <input type="text" id="email" name="email">
    <span id="emailError" style="color:red"></span>
    <br><br>
    <label for="phone">Phone Number:</label>
    <input type="text" id="phone" name="phone">
    <span id="phoneError" style="color:red"></span>
    <br><br>
    <button type="submit">Submit</button>
  </form>
</body>
</html>
```

Output Screen (Step 1)

- A simple form with two input fields: **Email** and **Phone Number**.
- Each field has a placeholder for error messages (empty at this stage).
- A **Submit** button is present.



Step 2: Styling the Form with CSS

Code:

```
<style>
 body {
  font-family: Arial, sans-serif;
  background-color: #f4f4f9;
  text-align: center;
  margin-top: 50px;
 }
 form {
  background: #fff;
  padding: 20px;
  border-radius: 8px;
  display: inline-block;
  box-shadow: 0 0 10px rgba(0,0,0,0.1);
```

```
  }
  input {
    padding: 8px;
    margin: 10px;
    border: 1px solid #ccc;
    border-radius: 4px;
  }
  button {
    background: #007BFF;
    color: white;
    padding: 10px 15px;
    border: none;
    border-radius: 4px;
    cursor: pointer;
  }
  button:hover {
    background: #0056b3;
  }
  span {
    font-size: 12px;
  }
</style>
```

Output Screen (Step 2)

- The form now looks **professional and clean**.
- White background card with shadow.
- Styled input boxes and a blue submit button.
- Error messages will appear in **red text** below each field



Step 3: Adding JavaScript for Validation (Using Validator.js)

Code:

```
<script src="https://cdnjs.cloudflare.com/ajax/libs/validator/13.9.0/validator.min.js"></script>
<script>
 document.getElementById("myForm").addEventListener("submit", function(event) {
   event.preventDefault(); // Prevent form submission
   let email = document.getElementById("email").value;
   let phone = document.getElementById("phone").value;
   let emailError = document.getElementById("emailError");
   let phoneError = document.getElementById("phoneError");
   emailError.textContent = "";
   phoneError.textContent = "";
   if (!validator.isEmail(email)) {
     emailError.textContent = "Invalid email address!";
   }
   if (!validator.isMobilePhone(phone, 'en-IN')) {
     phoneError.textContent = "Invalid phone number!";
   }
```

```
  if (emailError.textContent === "" && phoneError.textContent === "") {
    alert("Form submitted successfully!");
  }
});
</script>
```

Output Screen (Step 3)

- If you enter an **invalid email** (e.g., abc@), a red error message appears: *"Invalid email address!"*.
- If you enter an **invalid phone number** (e.g., 12345), a red error message appears: *"Invalid phone number!"*.
- If both inputs are valid, a popup alert says: *"Form submitted successfully!"*.