

ProjectDesignPhase-II


DataFlowDiagram&UserStories

Date	7 march 2026
TeamID	SWTID-2026-7607
ProjectName	MicroGoal
MaximumMarks	4Marks

Data FlowDiagrams:

Express.js HTTP Request Flow with MongoDB

Middleware branches handle auth and errors in parallel



UserStories–MicroGoalsBackendAPI:-

UserType	UserSto ry Number	UserStory/Task	Acceptance Criteria	Priority	Release
Customer (WebUse r)	USN-1	As a user, I wanttoregister an account so that I can access thesystem.	Theuserdatais stored in the database and asuccessrespon se isreturned.	High	Sprint-1
Customer (WebUse r)	USN-2	As a user, I want to log in securely so that Icanaccessmy personal goals.	A valid email and password generate a JWT tokenandreturn status 200.	High	Sprint-1
Customer (WebUse r)	USN-3	As a user, Iwant to create a newgoalsothat I can manage my tasks.	The goal is saved in the database and a 201statuscode is returned.	High	Sprint-1

Customer (WebUser)	USN-4	As a user, I want to view my goals so that I can track my progress.	Only authenticated users can access their own goals.	High	Sprint-1
Customer (WebUser)	USN-5	As a user, I want to update my existing goal so that I can modify my tasks.	The updated goal reflects correctly in the database.	High	Sprint-1
Customer (WebUser)	USN-6	As a user, I want to delete a goal so that I can remove completed or unnecessary tasks.	The goal is permanently deleted and a successful response is returned.	High	Sprint-1
Customer (WebUser)	USN-7	As a user, I want my data to be protected so that other users cannot access my goals.	Unauthorized access returns a 401 Unauthorized error.	High	Sprint-1

Developer /Admin	USN-8	Asadeveloper, I want to test API endpoints to ensure they work correctly.	All endpoints return correct responses and status codes in ThunderClient.	Medium	Sprint-2
Developer	USN-9	Asadeveloper, I wantcentralized error handling so that errors are managedefficie ntly.	Errors are handledthrough middleware andpropermess ages arereturned.	Medium	Sprint-2