

QuickVoice Complete Usage & Administration Guide

Comprehensive Operating Manual for Autonomous Voice AI, White-Label Reselling, Visual Flows, Warm Transfers & Live Coaching

Product Edition:	QuickVoice Enterprise v2.5
Default Access URL:	http://localhost:3005
Default Admin User:	admin@quickvoice.com
Primary Roles:	Admin, Agency Owner, Call Center Lead
Published:	September 2026

Chapter 1: Getting Started & Initial Login

1.1 Accessing the Application

QuickVoice runs as a distributed multi-service application with the following local/default network endpoints:

Service	Default URL	Description
Console Web UI	<code>http://localhost:3005</code>	Primary administrative and agency dashboard.
API Server	<code>http://localhost:5000</code>	Backend REST API and Socket.IO real-time gateway.
Interactive API Docs	<code>http://localhost:5000/api/v1/docs</code>	Full Swagger / OpenAPI specification for external integrations.
PostgreSQL Database	<code>localhost:5432</code>	Relational database (User: <code>quickvoice</code> , DB: <code>quickvoice</code>).
Redis Cache & Queues	<code>localhost:6379</code>	Pub/Sub audio channels & BullMQ worker queues.

1.2 Administrator Login Credentials

Your local installation has been seeded with standard administrative credentials:

Default Admin Login

URL: <http://localhost:3005/login>

Email: `admin@quickvoice.com`

Password: `adminpassword123`

1.3 Pre-Loaded Demonstration Assets

When you log in for the first time, your workspace already includes realistic production assets:

- **3 Voice AI Agents:**
 - *Sales Qualifier:* Inbound B2B lead qualification agent.
 - *Support Intake:* Collects customer issue summaries, emails, and account IDs.
 - *Appointment Setter:* Outbound agent for scheduling and confirming calendar appointments.
- **2 Provisioned Phone Numbers:** `+14155550101` (Main line) and `+14155550102` (Support line).
- **3 Knowledge Base Documents:** Pricing FAQ, Product Handbook, and Refund Policy.
- **160 Call Logs:** Historical call records, durations, statuses, and searchable transcripts.

Chapter 2: Agency White-Labeling & Tenant Branding

2.1 Overview

QuickVoice features a built-in White-Labeling Engine designed for marketing agencies, MSPs, and enterprise resellers who wish to offer Voice AI services under their own custom brand name and identity.

2.2 Step-by-Step Branding Configuration

STEP 1 Navigate to Branding Settings

In the main sidebar, click **Settings** → **Branding** (or navigate directly to `http://localhost:3005/settings/branding`).

STEP 2 Set Your Brand Identity

- **Platform / Brand Name:** Enter your agency name (e.g. *ApexVoice AI*). This dynamically updates the page title and top-left header.
- **Custom Logo URL:** Provide an HTTPS link to your company PNG/SVG logo (recommended height: 32px).
- **Favicon URL:** Provide a custom `.ico` or `.png` favicon link.

STEP 3 Select Theme Accent Color

Choose from preset enterprise color swatches (Indigo, Ocean Blue, Emerald Green, Violet, Rose, Amber) or enter a custom Hex Code (e.g., `#10b981`). The platform automatically calculates the matching HSL color space values and updates all buttons, focus rings, and badges in real-time.

STEP 4 Remove Vendor Watermarks

Toggle the **Hide "Powered by QuickVoice" Badges** switch. This strips all vendor attribution from the dashboard, embedded web widgets, and email notifications.

STEP 5 Click "Save Branding"

Changes take effect immediately across all sessions without requiring a server reboot.

Multi-Tenant Isolation

Branding settings are saved under each organization's metadata. If you operate multiple client workspaces, each organization can have completely separate logos, colors, and support contact emails.

Chapter 3: Creating & Configuring Voice AI Agents

3.1 Agent Configuration Parameters

Setting	Recommended Value	Description
LLM Model	Claude 3.5 Haiku or GPT-4o-mini	Fastest first-token generation for natural dialogue turns.
STT Model	Deepgram Nova-3	Ultra-low latency streaming speech-to-text with interim word tokens.
TTS Model & Voice	Deepgram Aura-2 (Asteria / Hera)	Realistic human intonation, natural pauses, and conversational cadence.
First Message	Custom greeting	Spoken immediately upon call pickup before the caller speaks.
Zero PII Retention	true (for healthcare/finance)	Ensures no call audio or caller identity records are persisted.

3.2 Best Practices for System Prompts

Voice prompts differ significantly from text chatbot prompts:

- Keep Speech Turns Under 25 Words:** In phone conversations, long monologue turns cause callers to disengage or interrupt. Instruct the agent: *"Keep each response concise, under 2 sentences, and end with a clarifying question."*
- Spell Out Numbers & Acronyms:** For phone numbers or dates, instruct: *"Read phone numbers digit by digit: 5-5-5, 0-1-0-1."*
- Acknowledge Interruptions:** The built-in Silero VAD detects user interruptions instantly; ensure the prompt allows natural mid-sentence pauses.

Chapter 4: Visual Flow & State Machine Builder

4.1 Why Visual State Machines Matter

While generative LLMs are creative, enterprise voice workflows require deterministic execution (e.g. collecting an email, validating date availability, booking a slot, or transferring to human). The **Flow Builder** provides a graphical canvas to enforce exact conversation logic.

4.2 Step-by-Step Flow Builder Usage

STEP 1

Access the Flow Builder Canvas

Go to **Agents** → Select an agent → Click the **Flow Builder** tab.

STEP 2

Understanding Node Types

Node Type	Badge Color	Purpose & Behavior
Start	Emerald	Initial trigger when call connects; speaks the opening greeting.
Question	Blue	Collects a specific variable slot (e.g. <code>user_name</code> , <code>booking_time</code>) and validates input.
Condition	Amber	Branching logic (e.g., if caller wants sales → Node A; if support → Node B).
Action	Indigo	Triggers an attached API tool (e.g., check calendar, create CRM lead).
Transfer	Rose	Initiates warm call transfer to a live human specialist.
End	Slate	Delivers parting message and politely hangs up the call.

STEP 3

Click "Sync to Prompt"

When your state machine is configured, click **Sync to Prompt** in the canvas toolbar. QuickVoice compiles the entire visual graph into formatted instructions and injects them directly into the agent's system prompt.

STEP 4

Exporting & Backing Up Flows

Click **Export JSON** to download the complete workflow structure as a portable JSON file that can be duplicated across other agents.

Chapter 5: Warm Call Transfer & Human Escalation

5.1 Overview & Transfer Protocols

When a caller asks for a human supervisor, or when an inquiry exceeds the agent's knowledge boundary, the **Call Transfer Tab** allows seamless warm handoffs.

5.2 Configuration Steps

1. In agent details, click the **Call Transfer** tab.
2. Toggle **Enable Live Call Transfer** to active.
3. Select **Destination Protocol**:
 - **Phone Number (PSTN / E.164)**: Used to dial standard cell phones or landlines (e.g., `+18005550199`).
 - **SIP URI / PBX Trunk**: Used to bridge into enterprise call center software like Genesys, Asterisk, or FreePBX (e.g., `sip:support@carrier.pbx.com`).
4. Configure **Pre-Transfer Announcement**: Message spoken to the caller while connecting (e.g., *"Please hold one moment while I transfer you to our lead specialist."*).
5. Configure **Fallback Speech**: Spoken if the human destination fails to answer (e.g., *"I apologize, our specialists are currently busy. May I take a message or have them call you back?"*).
6. Set **Trigger Phrases**: Comma-separated list (e.g., *"representative, manager, human agent, supervisor, transfer me"*).
7. Toggle **Forward Conversation Context**: Attaches the conversation transcript summary to the SIP headers or webhook for the human agent.

Chapter 6: Live Call Monitoring & Whisper Coaching

6.1 The Live Calls Dock

Whenever active phone calls or web preview sessions are underway, the **Live Calls Dock** appears at the bottom of the console with active status indicators, caller numbers, and live elapsed timers.

6.2 Silent Audio Listen-In

- Click the **Listen In** button on any active call.
- QuickVoice creates a silent WebRTC audio connection subscribing directly to the room's media stream with your supervisor microphone muted.
- You can hear both the caller and the voice agent in real time with sub-200ms latency.

6.3 Supervisor Whisper Coaching

- In the call card, type instructions into the **Whisper to Agent** text box (e.g., *"Offer a 15% discount if they commit today"* or *"Ask if they prefer morning or afternoon"*).
- Press **Send / Enter**.
- The instruction is transmitted over an encrypted data channel directly into the agent's LLM context window.
- The agent immediately incorporates your guidance into its next spoken sentence, completely unbeknownst to the caller.

Chapter 7: 1-Click Ecosystem Integrations

7.1 Installing Pre-Built Integration Templates

QuickVoice eliminates custom coding for third-party tools via 1-Click Templates:

STEP 1 Open Integration Templates

In the main navigation, go to **Tools** → Click **1-Click Templates**.

STEP 2 Select Your Tool

Template	Required Input	Agent Tool Capability
Cal.com	Event Type ID & API Key	Checks open calendar slots and books appointments live during the call.
GoHighLevel	Location API Key / Bearer Token	Creates contact, updates lead stage, logs call outcome, and applies campaign tags.
HubSpot CRM	Private App Access Token	Creates contact object with verified name, phone, and lead status.
Zendesk	Subdomain & API Token	Generates support tickets with transcript summaries and caller urgency level.
Twilio SMS	Twilio Account SID & Auth Token	Dispatches instant confirmation text message to caller's mobile device.

STEP 3 Click "Install Tool"

The tool is registered in your organization catalog and can be attached to any voice agent with a single click.

Chapter 8: Automated Agent Evaluator & Simulator

8.1 Pre-Deployment Testing

Before connecting an AI agent to a live public telephone number, you should test its responses against simulated callers.

8.2 Running Persona Simulations

1. Open your agent \$ ightarrow\$ Click the **Evaluator & Simulator** tab.
2. Select an automated caller persona:
 - **Alex (Appointment Client):** Tests straightforward slot collection and confirmation.
 - **Jordan (Angry Customer):** Tests patience, de-escalation, and call transfer triggers.
 - **Taylor (Vague Inquirer):** Tests clarification questions and conversational steering.
 - **Eve (Adversarial Tester):** Tests safety guardrails, prompt injection defense, and policy enforcement.
3. Click **Simulate Persona**. QuickVoice executes a multi-turn automated dialogue and generates an immediate scorecard:
 - **Goal Completion Score:** Percentage of required data slots captured.
 - **Conversational Latency:** Average response time in milliseconds.
 - **Caller Sentiment:** Ending caller satisfaction rating.
 - **Guardrail Integrity:** Confirms the agent refused inappropriate requests.

Chapter 9: Telephony & Production VPS Deployment

9.1 Phone Number Binding

- Navigate to **Phone Numbers** in the console.
- Connect your Twilio Account SID or Telnix API Key.
- Assign any purchased phone number directly to a Voice AI Agent. Inbound calls to that number will instantly trigger the voice agent with zero configuration.

9.2 Full-Stack VPS Deployment Cheat Sheet

To deploy the entire production stack on a clean Ubuntu VPS:

```
# 1. Install Docker & Docker Compose
curl -fsSL https://get.docker.com | sh

# 2. Clone your repository
git clone https://github.com/mithunccdev/Advanced-quick-voice.git
cd Advanced-quick-voice

# 3. Configure environment variables
cp apps/server/.env.dev.example apps/server/.env
cp apps/console/.env.example apps/console/.env

# 4. Launch all 5 containers (Postgres, Redis, Server, Console, AI Worker)
docker compose -f docker-compose.full.yml up -d --build

# 5. Seed default administrator account
docker compose -f docker-compose.full.yml exec server tsx prisma/seed-admin.ts
```

9.3 Operational Maintenance & Health Checks

- **Check Container Status:** `docker compose -f docker-compose.full.yml ps`
- **View Server Logs:** `docker compose -f docker-compose.full.yml logs -f server`
- **Database Backup:** `docker exec quickvoice-postgres pg_dump -U quickvoice quickvoice > backup.sql`
- **System Health Check:** `curl http://localhost:5000/api/v1/system/readiness`

Support & Community

For assistance, updates, and custom feature implementations, visit your official GitHub repository:
<https://github.com/mithunccdev/Advanced-quick-voice.git>