POSTGRESQL & DJANGO ORM SPECIFICATION

Surplus Market — Database Schema

Complete reference of all 36 application tables, column types, primary/foreign keys, composite indexes, and constraints extracted directly from active Django models.

36	523	36	34
App Tables	Total Columns	Foreign Keys	Composite Indexes

Table Directory

Overview of all custom database tables in **AdminApp** and **api** (Django built-in auth/session/migration tables omitted).

Domain	Database Table	Django Model	Cols	FKs
Users, Vendors & Authentication	`admin_details`	AdminApp.AdminDetails	11	0
Users, Vendors & Authentication	`vendor_details`	AdminApp.VendorDetails	19	0
Users, Vendors & Authentication	`vendor_otps`	AdminApp.VendorOTP	7	1
Users, Vendors & Authentication	`admin_password_reset_otp`	AdminApp.AdminPasswordResetOTP	6	1
Categories & Brands	`main_categories`	AdminApp.MainCategory	8	0
Categories & Brands	`sub_categories`	AdminApp.SubCategory	9	1
Categories & Brands	`landing_brands`	AdminApp.Brand	11	0
Single Products & Pricing Controls	`products`	AdminApp.Product	44	4
Single Products & Pricing Controls	`AdminApp_productimage`	AdminApp.ProductImage	6	1
Single Products & Pricing Controls	`seller_product_enquiries`	AdminApp.SellerProductEnquiry	26	1
Single Products & Pricing Controls	`price_adjustment_logs`	AdminApp.PriceAdjustmentLog	10	0
Bulk Lots & Manifests	`lots`	AdminApp.Lot	41	2
Bulk Lots & Manifests	`lot_products`	AdminApp.LotProduct	10	2
Bulk Lots & Manifests	`lot_batch_enquiries`	AdminApp.LotBatchEnquiry	38	1
Auctions & Bidding	`auctions`	AdminApp.Auction	27	3
Auctions & Bidding	`auction_bids`	AdminApp.AuctionBid	9	2
Auctions & Bidding	`auction_images`	AdminApp.AuctionImage	7	1
Auctions & Bidding	`auction_watchlists`	AdminApp.AuctionWatchlist	4	2
RFQs & Customer Enquiries	`rfq_enquiries`	AdminApp.RfqEnquiry	22	1
RFQs & Customer Enquiries	`rfq_enquiry_items`	AdminApp.RfqEnquiryItem	13	3
RFQs & Customer Enquiries	`partnership_enquiries`	AdminApp.PartnershipEnquiry	10	0
RFQs & Customer Enquiries	`contact_us_enquiries`	AdminApp.ContactUsEnquiry	10	0
Notifications & WhatsApp Integration	`vendor_notifications`	AdminApp.VendorNotification	8	1
Notifications & WhatsApp Integration	`admin_notifications`	AdminApp.AdminNotification	9	1
Notifications & WhatsApp Integration	`whatsapp_alert_subscribers`	AdminApp.WhatsAppAlertSubscriber	13	0
Notifications & WhatsApp Integration	`whatsapp_broadcasts`	AdminApp.WhatsAppBroadcast	15	3
Notifications & WhatsApp Integration	`whatsapp_inbound_messages`	AdminApp.WhatsAppInboundMessage	11	2
Notifications & WhatsApp Integration	`whatsapp_api_config`	AdminApp.WhatsAppApiConfig	8	0
Search & AI Embeddings	`product_embeddings`	AdminApp.ProductEmbedding	8	1

Domain	Database Table	Django Model	Cols	FKs
Search & AI Embeddings	**lot_embeddings**	AdminApp.LotEmbedding	8	1
Search & AI Embeddings	**typesense_sync_queue**	AdminApp.TypesenseSyncQueue	9	0
CMS, Site Settings & Starter API	**content_pages**	AdminApp.ContentPage	30	1
CMS, Site Settings & Starter API	**blog_posts**	AdminApp.BlogPost	33	0
CMS, Site Settings & Starter API	**popup_settings**	AdminApp.PopupSetting	11	0
CMS, Site Settings & Starter API	**system_settings**	AdminApp.SystemSettings	5	0
CMS, Site Settings & Starter API	**api_item**	api.Item	7	0

Entity Relationships (Foreign Keys)

Complete map of relational references between tables and their referential integrity rules.

Source Table	FK Column	Target Table	Delete Rule
vendor_otps	vendor_id	vendor_details.id	CASCADE
admin_password_reset_otp	admin_id	admin_details.id	CASCADE
content_pages	created_by_id	admin_details.id	SET NULL
seller_product_enquiries	vendor_id	vendor_details.id	SET NULL
lot_batch_enquiries	uploaded_by_id	vendor_details.id	SET NULL
sub_categories	main_category_id	main_categories.id	CASCADE
lots	vendor_id	vendor_details.id	SET NULL
lots	admin_id	admin_details.id	SET NULL
lot_products	lot_id	lots.id	CASCADE
lot_products	enquiry_id	lot_batch_enquiries.id	CASCADE
products	admin_id	admin_details.id	SET NULL
products	vendor_id	vendor_details.id	SET NULL
products	category_id	main_categories.id	SET NULL
products	subcategory_id	sub_categories.id	SET NULL
AdminApp_productimage	product_id	products.id	CASCADE
auctions	category_id	main_categories.id	SET NULL
auctions	vendor_id	vendor_details.id	SET NULL
auctions	winner_id	vendor_details.id	SET NULL
auction_bids	auction_id	auctions.id	CASCADE
auction_bids	bidder_id	vendor_details.id	CASCADE
auction_images	auction_id	auctions.id	CASCADE
auction_watchlists	auction_id	auctions.id	CASCADE
auction_watchlists	user_id	vendor_details.id	CASCADE
vendor_notifications	vendor_id	vendor_details.id	CASCADE
admin_notifications	admin_id	admin_details.id	CASCADE
product_embeddings	product_id	products.id	CASCADE
lot_embeddings	lot_id	lots.id	CASCADE
rfq_enquiries	buyer_id	vendor_details.id	SET NULL
rfq_enquiry_items	rfq_id	rfq_enquiries.id	CASCADE
rfq_enquiry_items	product_id	products.id	SET NULL
rfq_enquiry_items	lot_id	lots.id	SET NULL
whatsapp_broadcasts	lot_id	lots.id	SET NULL
whatsapp_broadcasts	product_id	products.id	SET NULL
whatsapp_broadcasts	sent_by_id	admin_details.id	SET NULL
whatsapp_inbound_messages	converted_lot_id	lots.id	SET NULL
whatsapp_inbound_messages	converted_enquiry_id	contact_us_enquiries.id	SET NULL

1. Users, Vendors & Authentication

Platform administrator accounts, seller/buyer vendor profiles, and OTP authentication tokens.

Table: admin_details

Model: AdminApp.AdminDetails

AdminDetails(id, username, full_name, email, pass_word, account_type, status, session_version, web_is_active, created_at, updated_at)

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	bigint BigAutoField	PK NOT NULL	—
username	varchar(150) CharField	UNIQUE NOT NULL	—
full_name	varchar(255) CharField	NOT NULL DEF: ''	—
email	varchar(254) CharField	UNIQUE NOT NULL	—
pass_word	varchar(255) CharField	NOT NULL	Salted SHA-256 hash string (<hash>:<salt>)
account_type	varchar(50) CharField	INDEX NOT NULL DEF: 'Admin'	Choices: SuperAdmin, Admin, XLSXAdmin
status	boolean BooleanField	INDEX NOT NULL DEF: True	Active/inactive toggle
session_version	integer PositiveIntegerField	NOT NULL DEF: 1	Incrementing integer used to invalidate active sessions during password reset
web_is_active	varchar(50) CharField	NOT NULL DEF: 'live'	Controls global site maintenance state
created_at	timestamp with time zone DateTimeField	INDEX NOT NULL	auto_now_add=True
updated_at	timestamp with time zone DateTimeField	NOT NULL	auto_now=True

Indexes: idx_admin_email_status [email, status], idx_admin_role_status [account_type, status]

Table: vendor_details

Model: AdminApp.VendorDetails

VendorDetails(id, username, full_name, email, mobile_number, account_entity_type, company_name, country, business_location, business_address, tax_registration_number, business_type, categ...

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	bigint BigAutoField	PK NOT NULL	—
username	varchar(150) CharField	UNIQUE NOT NULL	—
full_name	varchar(255) CharField	NOT NULL DEF: ''	—
email	varchar(254) CharField	UNIQUE NOT NULL	—
mobile_number	varchar(20) CharField	NOT NULL DEF: ''	—
account_entity_type	varchar(20) CharField	NOT NULL DEF: 'COMPANY'	Choices: INDIVIDUAL, COMPANY
company_name	varchar(255) CharField	NOT NULL DEF: ''	—

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
country	varchar(100) CharField	NOT NULL DEF: 'United Arab Emirates'	—
business_location	varchar(255) CharField	NOT NULL DEF: ''	—
business_address	text TextField	NOT NULL DEF: ''	—
tax_registration_number	varchar(100) CharField	NOT NULL DEF: ''	—
business_type	varchar(100) CharField	NOT NULL DEF: ''	—
category_interested	jsonb JSONField	NOT NULL DEF: list()	Interested categories (supports 1 or more categories)
user_type	varchar(20) CharField	NOT NULL DEF: 'BUYER'	Choices: BUYER, SELLER, BOTH
pass_word	varchar(255) CharField	NULL	Salted SHA-256 hash string (<hash>:<salt>)
status	boolean BooleanField	INDEX NOT NULL DEF: True	Active/inactive toggle
session_version	integer PositiveIntegerField	NOT NULL DEF: 1	Incrementing integer used to invalidate active sessions during password reset
created_at	timestamp with time zone DateTimeField	INDEX NOT NULL	auto_now_add=True
updated_at	timestamp with time zone DateTimeField	NOT NULL	auto_now=True

Indexes: idx_vendor_email_status [email, status]

Table: vendor_otps

Model: AdminApp.VendorOTP

VendorOTP(id, email, otp, created_at, is_used, vendor, registration_data)

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	bigint BigAutoField	PK NOT NULL	—
email	varchar(254) CharField	INDEX NOT NULL	—
otp	varchar(6) CharField	NOT NULL	—
created_at	timestamp with time zone DateTimeField	INDEX NOT NULL	auto_now_add=True
is_used	boolean BooleanField	INDEX NOT NULL DEF: False	—
vendor_id	bigint ForeignKey	FK → vendor_details ON DELETE CASCADE INDEX NULL	field: vendor
registration_data	jsonb JSONField	NULL	—

Default Ordering: -created_at

Table: `admin_password_reset_otp`

Model: AdminApp.AdminPasswordResetOTP

AdminPasswordResetOTP(id, admin, email, otp, created_at, is_used)

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
admin_id	**bigint** ForeignKey	**FK** → admin_details ON DELETE CASCADE INDEX NOT NULL	field: admin
email	**varchar(254)** CharField	INDEX NOT NULL	—
otp	**varchar(6)** CharField	NOT NULL	—
created_at	**timestamp with time zone** DateTimeField	INDEX NOT NULL	auto_now_add=True
is_used	**boolean** BooleanField	INDEX NOT NULL DEF: False	—

Indexes: idx_otp_validation [admin, is_used, created_at], idx_otp_email_used [email, is_used]

2. Categories & Brands

Product taxonomy hierarchy (Main Categories and Sub-Categories) and landing page partner brands.

Table: `main_categories`

Model: AdminApp.MainCategory

Top-level categories for products.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
name	**varchar(150)** CharField	**UNIQUE** NOT NULL	—
slug	**varchar(150)** SlugField	**UNIQUE** NOT NULL	—
description	**text** TextField	NOT NULL DEF: ''	—
image	**varchar(100)** FileField	NULL	—
is_active	**boolean** BooleanField	INDEX NOT NULL DEF: True	—
created_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now_add=True
updated_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now=True

Default Ordering: name

Table: sub_categories

Model: AdminApp.SubCategory

Second-level categories that belong to a MainCategory.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
main_category_id	**bigint** ForeignKey	**FK** → main_categories ON DELETE CASCADE INDEX NOT NULL	field: main_category
name	**varchar(150)** CharField	INDEX NOT NULL	—
slug	**varchar(150)** SlugField	**UNIQUE** NOT NULL	—
description	**text** TextField	NOT NULL DEF: ''	—
image	**varchar(100)** FileField	NULL	—
is_active	**boolean** BooleanField	INDEX NOT NULL DEF: True	—
created_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now_add=True
updated_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now=True

Unique Together: (main_category, name) | **Default Ordering:** main_category__name, name

Table: landing_brands

Model: AdminApp.Brand

Brand(id, name, image, image_url, alt_text, redirect_link, description, order, is_active, created_at, updated_at)

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
name	**varchar(255)** CharField	INDEX NOT NULL	—
image	**varchar(100)** FileField	NULL	—
image_url	**varchar(500)** CharField	NOT NULL DEF: ''	—
alt_text	**varchar(255)** CharField	NOT NULL DEF: ''	—
redirect_link	**varchar(500)** CharField	NOT NULL DEF: ''	—
description	**text** TextField	NOT NULL DEF: ''	—
order	**integer** PositiveIntegerField	NOT NULL DEF: 0	—
is_active	**boolean** BooleanField	INDEX NOT NULL DEF: True	—

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
created_at	**timestamp with time zone** DateTimeField	INDEX NOT NULL	auto_now_add=True
updated_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now=True

Default Ordering: order, -created_at

3. Single Products & Pricing Controls

Core single-item product listings, product gallery images, legacy seller enquiries, and bulk price adjustment logs.

Table: products

Model: AdminApp.Product

Core Product model for single item listings and seller enquiries.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
product_id	**varchar(30)** CharField	**UNIQUE** NOT NULL DEF: ''	—
product_code	**varchar(100)** CharField	**UNIQUE** NOT NULL	Mandatory unique e-commerce product code / SKU (auto-generated if omitted)
admin_id	**bigint** ForeignKey	**FK** → admin_details ON DELETE SET NULL INDEX NULL	field: admin Admin who created or submitted this product
vendor_id	**bigint** ForeignKey	**FK** → vendor_details ON DELETE SET NULL INDEX NULL	field: vendor
product_name	**varchar(255)** CharField	INDEX NOT NULL	—
category_id	**bigint** ForeignKey	**FK** → main_categories ON DELETE SET NULL INDEX NULL	field: category
subcategory_id	**bigint** ForeignKey	**FK** → sub_categories ON DELETE SET NULL INDEX NULL	field: subcategory
brand_name	**varchar(255)** CharField	INDEX NOT NULL DEF: ''	—
model_no	**varchar(255)** CharField	INDEX NOT NULL DEF: ''	Model No. / Part Number
manufacturing_country	**varchar(100)** CharField	NOT NULL DEF: ''	—
inventory_country	**varchar(100)** CharField	INDEX NOT NULL DEF: ''	Warehouse / stock inventory country
inventory_city	**varchar(100)** CharField	INDEX NOT NULL DEF: ''	Warehouse / stock inventory city

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
inventory_location	**varchar(255)** CharField	NOT NULL DEF: ''	Warehouse / stock location
intake_channel	**varchar(50)** CharField	NOT NULL DEF: ''	Intake channel for assisted product submission (WhatsApp, Email, etc.)
manufacturing_year	**integer** PositiveIntegerField	NULL	—
dimensions	**varchar(100)** CharField	NOT NULL DEF: ''	—
expiry_date	**date** DateField	NULL	—
excluded_countries	**jsonb** JSONField	NOT NULL DEF: list()	List of excluded country codes
quantity	**integer** PositiveIntegerField	INDEX NOT NULL DEF: 0	—
currency	**varchar(10)** CharField	NOT NULL DEF: 'USD'	—
liquidating_price	**numeric(12, 2)** DecimalField	INDEX NOT NULL DEF: 0.0	Liquidating Price per unit
msrp	**numeric(12, 2)** DecimalField	NULL	MSRP / Original Retail Price
current_price	**numeric(12, 2)** DecimalField	INDEX NOT NULL DEF: 0.0	Auto-calculated buyer price
offer	**numeric(5, 2)** DecimalField	NOT NULL DEF: 0.0	Offer / discount percentage
description	**text** TextField	NOT NULL DEF: ''	—
reason_to_sell	**text** TextField	NOT NULL DEF: ''	—
warranty	**varchar(255)** CharField	NOT NULL DEF: ''	—
warranty_attachment	**varchar(1000)** CharField	NOT NULL DEF: ''	Cloudflare S3 PDF link
third_party_certificate	**boolean** BooleanField	INDEX NOT NULL DEF: False	3rd Party Certificate as boolean value
third_party_documents	**varchar(1000)** CharField	NOT NULL DEF: ''	Cloudflare S3 documents link
enquiry_status	**varchar(20)** CharField	INDEX NOT NULL DEF: 'PENDING'	Choices: PENDING, APPROVED, DECLINED, CORRECTION_NEEDED
is_active	**boolean** BooleanField	INDEX NOT NULL DEF: False	—
date_approved	**timestamp with time zone** DateTimeField	INDEX NULL	Timestamp when product enquiry status was set to APPROVED
views_count	**integer** PositiveIntegerField	INDEX NOT NULL DEF: 0	—

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
is_featured	**boolean** BooleanField	INDEX NOT NULL DEF: False	Featured Deal showcase
is_best_selling	**boolean** BooleanField	INDEX NOT NULL DEF: False	Best Selling showcase
is_new_arrival	**boolean** BooleanField	INDEX NOT NULL DEF: False	New Arrival showcase
display_order	**integer** PositiveIntegerField	INDEX NOT NULL DEF: 0	General display order
featured_order	**integer** PositiveIntegerField	INDEX NOT NULL DEF: 0	Order in Featured Deals
best_selling_order	**integer** PositiveIntegerField	INDEX NOT NULL DEF: 0	Order in Best Selling
new_arrival_order	**integer** PositiveIntegerField	INDEX NOT NULL DEF: 0	Order in New Arrivals
created_at	**timestamp with time zone** DateTimeField	INDEX NOT NULL	auto_now_add=True
updated_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now=True

Indexes: idx_prod_active_status [is_active, enquiry_status], idx_prod_cat_active [category, is_active], idx_prod_subcat_active [subcategory, is_active], idx_prod_vendor_created [vendor, created_at] | **Constraints:** check_product_liquidating_price_gte_0, check_product_current_price_gte_0, check_product_quantity_gte_0 | **Default Ordering:** -created_at

Table: AdminApp_productimage

Model: AdminApp.ProductImage

ProductImage(id, product, image, image_url, is_real_photo, uploaded_at)

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
product_id	**bigint** ForeignKey	**FK** → products ON DELETE CASCADE INDEX NOT NULL	field: product
image	**varchar(100)** FileField	NULL	—
image_url	**varchar(1000)** CharField	NOT NULL DEF: ''	Direct Cloudflare S3/R2 image link
is_real_photo	**boolean** BooleanField	INDEX NOT NULL DEF: False	True = actual product photo taken by seller. False = stock/catalog/placeholder.
uploaded_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now_add=True

Default Ordering: -is_real_photo, -uploaded_at

Table: seller_product_enquiries

Model: AdminApp.SellerProductEnquiry

Seller individual product enquiries submitted from frontend.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
product_id	**varchar(30)** CharField	**UNIQUE** NOT NULL	—
vendor_id	**bigint** ForeignKey	**FK** → vendor_details ON DELETE SET NULL INDEX NULL	field: vendor
title	**varchar(255)** CharField	INDEX NOT NULL	—
sku	**varchar(100)** CharField	NOT NULL DEF: ''	—
description	**text** TextField	NOT NULL DEF: ''	—
reason_to_sell	**text** TextField	NOT NULL DEF: ''	—
price	**numeric(12, 2)** DecimalField	NOT NULL DEF: 0.0	—
discount_price	**numeric(12, 2)** DecimalField	NULL	—
stock_quantity	**integer** PositiveIntegerField	NOT NULL DEF: 0	—
brand	**varchar(255)** CharField	NOT NULL DEF: ''	—
inventory_location	**varchar(255)** CharField	NOT NULL DEF: ''	—
manufacturing_country	**varchar(100)** CharField	NOT NULL DEF: ''	—
manufacturing_year	**integer** PositiveIntegerField	NULL	—
dimensions	**varchar(100)** CharField	NOT NULL DEF: ''	—
expiry_date	**date** DateField	NULL	—
currency	**varchar(10)** CharField	NOT NULL DEF: 'USD'	—
excluded_countries	**jsonb** JSONField	NOT NULL DEF: list()	—
warranty	**varchar(255)** CharField	NOT NULL DEF: ''	—
third_party_certificate	**varchar(100)** FileField	NULL	—
image	**varchar(100)** FileField	NULL	—
enquiry_status	**varchar(20)** CharField	INDEX NOT NULL DEF: 'pending'	Choices: pending, approved, declined, correction_needed
active_status	**varchar(20)** CharField	INDEX NOT NULL DEF: 'inactive'	Choices: active, inactive
raw_data	**jsonb** JSONField	NOT NULL DEF: dict()	Flexible storage for extra fields

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
created_at	**timestamp with time zone** DateTimeField	INDEX NOT NULL	auto_now_add=True
updated_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now=True

Indexes: idx_seller_enq_status [enquiry_status, created_at], idx_seller_vendor_created [vendor, created_at] | **Default Ordering:** -created_at

Table: price_adjustment_logs

Model: AdminApp.PriceAdjustmentLog

PriceAdjustmentLog(id, admin_name, action_type, adjustment_method, value, note, affected_products_count, status, backup_snapshot, created_at)

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
admin_name	**varchar(150)** CharField	NOT NULL DEF: 'Admin'	—
action_type	**varchar(50)** CharField	NOT NULL	—
adjustment_method	**varchar(50)** CharField	NOT NULL DEF: ''	—
value	**numeric(10, 2)** DecimalField	NOT NULL DEF: 0.0	—
note	**varchar(255)** CharField	NOT NULL DEF: ''	—
affected_products_count	**integer** PositiveIntegerField	NOT NULL DEF: 0	—
status	**varchar(20)** CharField	NOT NULL DEF: 'Applied'	—
backup_snapshot	**jsonb** JSONField	NOT NULL DEF: dict()	—
created_at	**timestamp with time zone** DateTimeField	INDEX NOT NULL	auto_now_add=True

Default Ordering: -created_at

4. Bulk Lots & Manifests

Bulk liquidation lot packages, individual SKU items extracted from manifests, and legacy batch enquiries.

Table: lots

Model: AdminApp.Lot

Unified Lot model representing both surplus lot enquiries and live marketplace listings.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
vendor_id	**bigint** ForeignKey	**FK** → vendor_details ON DELETE SET NULL INDEX NULL	field: vendor
admin_id	**bigint** ForeignKey	**FK** → admin_details ON DELETE SET NULL INDEX NULL	field: admin Admin who created or submitted this lot

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
intake_channel	varchar(50) CharField	NOT NULL DEF: ''	Intake channel for assisted lot submission (WhatsApp, Email, etc.)
lot_number	varchar(30) CharField	UNIQUE NOT NULL	—
title	varchar(255) CharField	INDEX NOT NULL DEF: ''	—
description	text TextField	NOT NULL DEF: ''	—
inventory_location	varchar(255) CharField	NOT NULL DEF: ''	—
inventory_country	varchar(100) CharField	INDEX NOT NULL DEF: ''	—
inventory_city	varchar(100) CharField	INDEX NOT NULL DEF: ''	—
currency	varchar(50) CharField	NOT NULL DEF: 'USD'	—
key_brands_included	text TextField	NOT NULL DEF: ''	—
category_allocations	jsonb JSONField	NOT NULL DEF: list()	—
condition	varchar(255) CharField	NOT NULL DEF: ''	—
source_type	varchar(255) CharField	NOT NULL DEF: ''	—
inventory_stock_age	varchar(255) CharField	NOT NULL DEF: ''	—
warehouse_images	jsonb JSONField	NOT NULL DEF: list()	List of Warehouse image URLs
third_party_certificate_available	boolean BooleanField	NOT NULL DEF: False	—
third_party_documents	jsonb JSONField	NOT NULL DEF: list()	—
number_of_distinct_skus	integer PositiveIntegerField	NULL DEF: 0	—
total_units_quantity	integer PositiveIntegerField	NULL DEF: 0	—
primary_unit_type	varchar(100) CharField	NOT NULL DEF: ''	—
total_weight	varchar(100) CharField	NOT NULL DEF: ''	—
load_type	varchar(100) CharField	NOT NULL DEF: ''	—
shipping_size	varchar(100) CharField	NOT NULL DEF: ''	—
lot_size	varchar(100) CharField	NOT NULL DEF: ''	—
pallet_count	integer PositiveIntegerField	NULL DEF: 0	—

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
shipping_terms	varchar(255) CharField	NOT NULL DEF: ''	—
total_est_retail_value_msrp	numeric(12, 2) DecimalField	NULL DEF: 0.0	—
ask_price_surplus_payout	numeric(12, 2) DecimalField	NULL DEF: 0.0	—
offer	varchar(100) CharField	NOT NULL DEF: ''	—
excluded_export_countries	jsonb JSONField	NOT NULL DEF: list()	—
sale_method	varchar(50) CharField	NOT NULL DEF: 'offer'	—
file	varchar(100) FileField	NULL	—
enquiry_status	varchar(20) CharField	INDEX NOT NULL DEF: 'pending'	Choices: pending, approved, declined
active_status	varchar(20) CharField	INDEX NOT NULL DEF: 'inactive'	Choices: active, inactive
is_active	boolean BooleanField	INDEX NOT NULL DEF: False	—
raw_data	jsonb JSONField	NOT NULL DEF: dict()	Flexible storage for extra lot specifications and product manifest
views_count	integer PositiveIntegerField	INDEX NOT NULL DEF: 0	—
created_at	timestamp with time zone DateTimeField	INDEX NOT NULL	auto_now_add=True
updated_at	timestamp with time zone DateTimeField	NOT NULL	auto_now=True

Indexes: idx_lot_active_status [is_active, enquiry_status], idx_lot_vendor_created [vendor, created_at] | **Default Ordering:** -created_at

Table: lot_products

Model: AdminApp.LotProduct

Individual lot products inside a Lot.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	bigint BigAutoField	PK NOT NULL	—
lot_id	bigint ForeignKey	FK → lots ON DELETE CASCADE INDEX NULL	field: lot
enquiry_id	bigint ForeignKey	FK → lot_batch_enquiries ON DELETE CASCADE INDEX NULL	field: enquiry
product_id	varchar(30) CharField	UNIQUE NOT NULL	—
product_name	varchar(255) CharField	NOT NULL DEF: ''	—

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
quantity	integer PositiveIntegerField	NOT NULL DEF: 0	—
condition	varchar(255) CharField	NOT NULL DEF: ''	—
raw_data	jsonb JSONField	NOT NULL DEF: dict()	Flexible storage for individual lot fields
created_at	timestamp with time zone DateTimeField	INDEX NOT NULL	auto_now_add=True
updated_at	timestamp with time zone DateTimeField	NOT NULL	auto_now=True

Indexes: idx_lotprod_lot_created [lot, created_at], idx_lotprod_enq_created [enquiry, created_at] | **Default Ordering:** -created_at

Table: lot_batch_enquiries

Model: AdminApp.LotBatchEnquiry

Lot batch enquiries submitted with .xlsx / .csv file upload.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	bigint BigAutoField	PK NOT NULL	—
batch_id	varchar(30) CharField	UNIQUE NOT NULL	—
uploaded_by_id	bigint ForeignKey	FK → vendor_details ON DELETE SET NULL INDEX NULL	field: uploaded_by
file	varchar(100) FileField	NULL	—
title	varchar(255) CharField	NOT NULL DEF: ''	—
description	text TextField	NOT NULL DEF: ''	—
inventory_location	varchar(255) CharField	NOT NULL DEF: ''	—
total_price	numeric(12, 2) DecimalField	NOT NULL DEF: 0.0	—
currency	varchar(50) CharField	NOT NULL DEF: 'USD'	—
key_brands_included	text TextField	NOT NULL DEF: ''	—
category_allocations	jsonb JSONField	NOT NULL DEF: list()	—
condition	varchar(255) CharField	NOT NULL DEF: ''	—
source_type	varchar(255) CharField	NOT NULL DEF: ''	—
inventory_stock_age	varchar(255) CharField	NOT NULL DEF: ''	—
warehouse_images	jsonb JSONField	NOT NULL DEF: list()	List of Warehouse image URLs
videos	jsonb JSONField	NOT NULL DEF: list()	List of Video URLs

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
third_party_certificate_available	**boolean** BooleanField	NOT NULL DEF: False	—
third_party_documents	**jsonb** JSONField	NOT NULL DEF: list()	—
number_of_distinct_skus	**integer** PositiveIntegerField	NULL DEF: 0	—
total_units_quantity	**integer** PositiveIntegerField	NULL DEF: 0	—
primary_unit_type	**varchar(100)** CharField	NOT NULL DEF: ''	—
total_weight	**varchar(100)** CharField	NOT NULL DEF: ''	—
load_type	**varchar(100)** CharField	NOT NULL DEF: ''	—
shipping_size	**varchar(100)** CharField	NOT NULL DEF: ''	—
lot_size	**varchar(100)** CharField	NOT NULL DEF: ''	—
pallet_count	**integer** PositiveIntegerField	NULL DEF: 0	—
shipping_terms	**varchar(255)** CharField	NOT NULL DEF: ''	—
total_est_retail_value_msrp	**numeric(12, 2)** DecimalField	NULL DEF: 0.0	—
ask_price_surplus_payout	**numeric(12, 2)** DecimalField	NULL DEF: 0.0	—
offer	**varchar(100)** CharField	NOT NULL DEF: ''	—
allow_counter_offers	**boolean** BooleanField	NOT NULL DEF: True	—
excluded_export_countries	**jsonb** JSONField	NOT NULL DEF: list()	—
sale_method	**varchar(50)** CharField	NOT NULL DEF: 'offer'	—
enquiry_status	**varchar(20)** CharField	INDEX NOT NULL DEF: 'pending'	Choices: pending, approved, declined
active_status	**varchar(20)** CharField	INDEX NOT NULL DEF: 'inactive'	Choices: active, inactive
raw_data	**jsonb** JSONField	NOT NULL DEF: dict()	Flexible storage for extra lot fields
created_at	**timestamp with time zone** DateTimeField	INDEX NOT NULL	auto_now_add=True
updated_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now=True

Indexes: idx_batch_enq_status [enquiry_status, created_at], idx_batch_user_created [uploaded_by, created_at] | **Default Ordering:** -created_at

5. Auctions & Bidding

Live auction engine, bid history, auction media gallery, and user watchlists.

Table: auctions

Model: AdminApp.Auction

Independent, model-agnostic Auction model for competitive bidding. Can auction any inventory (custom liquidation batches, products, or lot manifests) via snapshot item_metadata and generi...

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
auction_id	**varchar(30)** CharField	**UNIQUE** NOT NULL	—
title	**varchar(255)** CharField	INDEX NOT NULL	—
description	**text** TextField	NOT NULL DEF: ''	—
item_type	**varchar(30)** CharField	INDEX NOT NULL DEF: 'custom'	Choices: custom, lot, product
item_reference_id	**varchar(100)** CharField	INDEX NOT NULL DEF: ''	Optional reference ID like lot_number or product_id
item_metadata	**jsonb** JSONField	NOT NULL DEF: dict()	Point-in-time snapshot of item specifications, manifests, condition, and origin
category_id	**bigint** ForeignKey	**FK** → main_categories ON DELETE SET NULL INDEX NULL	field: category
vendor_id	**bigint** ForeignKey	**FK** → vendor_details ON DELETE SET NULL INDEX NULL	field: vendor Seller / Consignor
currency	**varchar(10)** CharField	NOT NULL DEF: 'USD'	—
starting_bid	**numeric(12, 2)** DecimalField	NOT NULL DEF: 0.0	—
current_bid	**numeric(12, 2)** DecimalField	INDEX NOT NULL DEF: 0.0	—
reserve_price	**numeric(12, 2)** DecimalField	NOT NULL DEF: 0.0	Confidential minimum price. If not met, auction ends as reserve_not_met
bid_increment	**numeric(10, 2)** DecimalField	NOT NULL DEF: 25.0	—
buy_now_price	**numeric(12, 2)** DecimalField	NULL	Instant buyout price if enabled
start_time	**timestamp with time zone** DateTimeField	INDEX NOT NULL	—
end_time	**timestamp with time zone** DateTimeField	INDEX NOT NULL	—
original_end_time	**timestamp with time zone** DateTimeField	NULL	—
auto_extend_minutes	**integer** PositiveIntegerField	NOT NULL DEF: 3	Minutes to extend if a bid is placed in the final window

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
auto_extend_threshold_seconds	**integer** PositiveIntegerField	NOT NULL DEF: 120	Window before end_time (in seconds) that triggers auto-extension
status	**varchar(20)** CharField	INDEX NOT NULL DEF: 'draft'	Choices: draft, scheduled, live, ended, sold, reserve_not_met...
total_bids	**integer** PositiveIntegerField	INDEX NOT NULL DEF: 0	—
views_count	**integer** PositiveIntegerField	NOT NULL DEF: 0	—
winner_id	**bigint** ForeignKey	**FK** → vendor_details ON DELETE SET NULL INDEX NULL	field: winner
winning_bid_amount	**numeric(12, 2)** DecimalField	NULL	—
created_at	**timestamp with time zone** DateTimeField	INDEX NOT NULL	auto_now_add=True
updated_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now=True

Indexes: idx_auction_status_times [status, start_time, end_time], idx_auction_item_ref [item_type, item_reference_id] | **Default Ordering:** -created_at

Table: auction_bids

Model: AdminApp.AuctionBid

Immutable ledger of placed bids.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
auction_id	**bigint** ForeignKey	**FK** → auctions ON DELETE CASCADE INDEX NOT NULL	field: auction
bidder_id	**bigint** ForeignKey	**FK** → vendor_details ON DELETE CASCADE INDEX NOT NULL	field: bidder
amount	**numeric(12, 2)** DecimalField	INDEX NOT NULL	—
max_proxy_amount	**numeric(12, 2)** DecimalField	NULL	—
bid_type	**varchar(20)** CharField	NOT NULL DEF: 'manual'	Choices: manual, proxy, buy_now
is_winning	**boolean** BooleanField	INDEX NOT NULL DEF: False	—
ip_address	**inet** GenericIPAddressField	NULL	—
created_at	**timestamp with time zone** DateTimeField	INDEX NOT NULL	auto_now_add=True

Indexes: idx_bid_auction_amount [auction, amount], idx_bid_bidder_date [bidder, created_at] | **Default Ordering:** -amount, -created_at

Table: `auction_images`

Model: AdminApp.AuctionImage

Image gallery for an auction listing.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
auction_id	**bigint** ForeignKey	**FK** → auctions ON DELETE CASCADE INDEX NOT NULL	field: auction
image	**varchar(100)** FileField	NULL	—
image_url	**varchar(500)** CharField	NOT NULL DEF: ''	—
is_primary	**boolean** BooleanField	NOT NULL DEF: False	—
display_order	**integer** PositiveIntegerField	NOT NULL DEF: 0	—
created_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now_add=True

Default Ordering: display_order, -is_primary, id

Table: `auction_watchlists`

Model: AdminApp.AuctionWatchlist

Buyer watchlist tracking for notifications and quick access.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
auction_id	**bigint** ForeignKey	**FK** → auctions ON DELETE CASCADE INDEX NOT NULL	field: auction
user_id	**bigint** ForeignKey	**FK** → vendor_details ON DELETE CASCADE INDEX NOT NULL	field: user
created_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now_add=True

Unique Together: (auction, user)

6. RFQs & Customer Enquiries

Consolidated buyer quotation requests (RFQ), line items, partnership applications, and contact-us submissions.

Table: `rfq_enquiries`

Model: AdminApp.RfqEnquiry

Consolidated Buyer RFQ / Quotation Request submitted from the Cart / RFQ basket.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
reference	**varchar(50)** CharField	**UNIQUE** NOT NULL	Unique RFQ reference code (e.g. RFQ-2026-123456)

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
buyer_id	**bigint** ForeignKey	**FK** → vendor_details ON DELETE SET NULL INDEX NULL	field: buyer Linked buyer account if authenticated or resolved from email
contact_person	**varchar(255)** CharField	NOT NULL	—
company_name	**varchar(255)** CharField	NOT NULL DEF: ''	—
email	**varchar(254)** CharField	INDEX NOT NULL	—
phone	**varchar(50)** CharField	NOT NULL DEF: ''	—
country	**varchar(100)** CharField	NOT NULL DEF: ''	—
business_location	**varchar(255)** CharField	NOT NULL DEF: ''	—
destination_port	**varchar(255)** CharField	NOT NULL DEF: ''	—
incoterm	**varchar(20)** CharField	NOT NULL DEF: 'EXW'	—
payment_method	**varchar(50)** CharField	NOT NULL DEF: 'Escrow'	—
additional_notes	**text** TextField	NOT NULL DEF: ''	—
total_units	**integer** PositiveIntegerField	NOT NULL DEF: 0	—
estimated_value	**numeric(14, 2)** DecimalField	NOT NULL DEF: 0.0	—
currency	**varchar(10)** CharField	NOT NULL DEF: 'USD'	—
status	**varchar(20)** CharField	INDEX NOT NULL DEF: 'PENDING'	Choices: PENDING, QUOTED, ACCEPTED, DECLINED, CLOSED
admin_notes	**text** TextField	NOT NULL DEF: ''	—
proforma_amount	**numeric(14, 2)** DecimalField	NULL	—
proforma_issued_at	**timestamp with time zone** DateTimeField	NULL	—
created_at	**timestamp with time zone** DateTimeField	INDEX NOT NULL	auto_now_add=True
updated_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now=True

Indexes: idx_rfq_status_created [status, -created_at], idx_rfq_email_created [email, -created_at] | **Default Ordering:** -created_at

Table: `rfq_enquiry_items`

Model: AdminApp.RfqEnquiryItem

Individual item line in an RFQ Enquiry submission (linked to Product or Lot).

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
rfq_id	**bigint** ForeignKey	**FK** → rfq_enquiries ON DELETE CASCADE INDEX NOT NULL	field: rfq
product_id	**bigint** ForeignKey	**FK** → products ON DELETE SET NULL INDEX NULL	field: product
lot_id	**bigint** ForeignKey	**FK** → lots ON DELETE SET NULL INDEX NULL	field: lot
item_type	**varchar(20)** CharField	NOT NULL DEF: 'product'	—
title	**varchar(255)** CharField	NOT NULL	—
sku	**varchar(100)** CharField	NOT NULL DEF: ''	—
category	**varchar(150)** CharField	NOT NULL DEF: ''	—
quantity	**integer** PositiveIntegerField	NOT NULL DEF: 1	—
unit_price	**numeric(12, 2)** DecimalField	NOT NULL DEF: 0.0	—
target_price	**numeric(12, 2)** DecimalField	NULL	—
notes	**text** TextField	NOT NULL DEF: ''	—
created_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now_add=True

Table: `partnership_enquiries`

Model: AdminApp.PartnershipEnquiry

PartnershipEnquiry(id, name, email, business_location, partnership_interest, subject, collaboration_details, status, created_at, updated_at)

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
name	**varchar(255)** CharField	NOT NULL	—
email	**varchar(254)** CharField	NOT NULL	—
business_location	**varchar(255)** CharField	NOT NULL DEF: ''	—
partnership_interest	**varchar(255)** CharField	NOT NULL DEF: ''	—
subject	**varchar(255)** CharField	NOT NULL DEF: ''	—
collaboration_details	**text** TextField	NOT NULL DEF: ''	—

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
status	**varchar(20)** CharField	NOT NULL DEF: 'PENDING'	Choices: PENDING, REVIEWED, CONTACTED
created_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now_add=True
updated_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now=True

Default Ordering: -created_at

Table: contact_us_enquiries

Model: AdminApp.ContactUsEnquiry

ContactUsEnquiry(id, full_name, email, phone, enquiry_type, message, status, is_blocked, created_at, updated_at)

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
full_name	**varchar(255)** CharField	NOT NULL	—
email	**varchar(254)** CharField	NOT NULL	—
phone	**varchar(50)** CharField	NOT NULL DEF: ''	—
enquiry_type	**varchar(255)** CharField	NOT NULL DEF: ''	—
message	**text** TextField	NOT NULL DEF: ''	—
status	**varchar(20)** CharField	NOT NULL DEF: 'PENDING'	Choices: PENDING, REVIEWED, CONTACTED, BLOCKED
is_blocked	**boolean** BooleanField	INDEX NOT NULL DEF: False	—
created_at	**timestamp with time zone** DateTimeField	INDEX NOT NULL	auto_now_add=True
updated_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now=True

Default Ordering: -created_at

7. Notifications & WhatsApp Integration

In-app admin and vendor notifications, WhatsApp subscriber lists, broadcasts, inbound logs, and API configuration.

Table: vendor_notifications

Model: AdminApp.VendorNotification

In-app notification system for vendors / registered users. Tracks status updates, listings, RFQs, auctions, orders, and system alerts.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
vendor_id	**bigint** ForeignKey	**FK** → vendor_details ON DELETE CASCADE INDEX NOT NULL	field: vendor
title	**varchar(255)** CharField	NOT NULL	—
message	**text** TextField	NOT NULL	—
notification_type	**varchar(20)** CharField	INDEX NOT NULL DEF: 'SYSTEM'	Choices: LISTING, RFQ, AUCTION, SYSTEM, ORDER
action_url	**varchar(500)** CharField	NOT NULL DEF: ''	Frontend redirection route, e.g. /profile or /browse
is_read	**boolean** BooleanField	INDEX NOT NULL DEF: False	—
created_at	**timestamp with time zone** DateTimeField	INDEX NOT NULL	auto_now_add=True

Indexes: idx_vnotif_v_read [vendor, is_read], idx_vnotif_v_created [vendor, -created_at] | **Default Ordering:** -created_at

Table: admin_notifications

Model: AdminApp.AdminNotification

In-app notification system for administrative staff and SuperAdmins. Tracks admin registrations, approvals, enquiries, listings, alerts, and system notices.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	bigint BigAutoField	PK NOT NULL	—
admin_id	bigint ForeignKey	FK → admin_details ON DELETE CASCADE INDEX NULL	field: admin Target admin. If null, broadcasts to all SuperAdmins/relevant staff.
for_superadmins_only	boolean BooleanField	INDEX NOT NULL DEF: False	If true, only visible to SuperAdmins.
title	varchar(255) CharField	NOT NULL	—
message	text TextField	NOT NULL	—
notification_type	varchar(30) CharField	INDEX NOT NULL DEF: 'SYSTEM'	Choices: ADMIN_REGISTRATION, USER_REGISTRATION, APPROVAL, ENQUIRY, LISTING, RFQ...
action_url	varchar(500) CharField	NOT NULL DEF: ''	Admin portal destination route, e.g. /admin/admins/ or /admin/enquiries/lots/pending/
is_read	boolean BooleanField	INDEX NOT NULL DEF: False	—
created_at	timestamp with time zone DateTimeField	INDEX NOT NULL	auto_now_add=True

Indexes: idx_anotif_a_read [admin, is_read], idx_anotif_super_read [for_superadmins_only, is_read], idx_anotif_created [-created_at] | **Default Ordering:** -created_at

Table: whatsapp_alert_subscribers

Model: AdminApp.WhatsAppAlertSubscriber

Subscribers (Buyers, Traders, Liquidators) receiving WhatsApp alerts for new surplus deals.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	bigint BigAutoField	PK NOT NULL	—
phone	varchar(50) CharField	UNIQUE NOT NULL	E.164 phone number, e.g. +971501234567
name	varchar(150) CharField	NOT NULL	—
company_name	varchar(200) CharField	NOT NULL DEF: ''	—
email	varchar(254) CharField	NOT NULL DEF: ''	—
categories	jsonb JSONField	NOT NULL DEF: list()	Target category names list
preferred_location	varchar(150) CharField	NOT NULL DEF: 'Worldwide'	—
min_discount_pct	integer PositiveIntegerField	NOT NULL DEF: 50	Minimum discount % off MSRP to trigger alert

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
is_active	boolean BooleanField	INDEX NOT NULL DEF: True	—
notes	text TextField	NOT NULL DEF: ''	—
last_alert_sent_at	timestamp with time zone DateTimeField	NULL	—
created_at	timestamp with time zone DateTimeField	INDEX NOT NULL	auto_now_add=True
updated_at	timestamp with time zone DateTimeField	NOT NULL	auto_now=True

Default Ordering: -created_at

Table: whatsapp_broadcasts

Model: AdminApp.WhatsAppBroadcast

Record of outbound liquidation alerts broadcast to buyers.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	bigint BigAutoField	PK NOT NULL	—
broadcast_id	varchar(50) CharField	UNIQUE NOT NULL	—
lot_id	bigint ForeignKey	FK → lots ON DELETE SET NULL INDEX NULL	field: lot
product_id	bigint ForeignKey	FK → products ON DELETE SET NULL INDEX NULL	field: product
title	varchar(255) CharField	NOT NULL	—
message_body	text TextField	NOT NULL	—
target_category	varchar(100) CharField	NOT NULL DEF: 'All'	—
target_location	varchar(100) CharField	NOT NULL DEF: 'All'	—
min_discount_filter	integer PositiveIntegerField	NOT NULL DEF: 0	—
recipients_count	integer PositiveIntegerField	NOT NULL DEF: 0	—
status	varchar(20) CharField	NOT NULL DEF: 'SENT'	Choices: DRAFT, SENT, FAILED
send_mode	varchar(30) CharField	NOT NULL DEF: 'WHATSAPP_WEB'	Choices: WHATSAPP_WEB, CLOUD_API
sent_by_id	bigint ForeignKey	FK → admin_details ON DELETE SET NULL INDEX NULL	field: sent_by

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
created_at	**timestamp with time zone** DateTimeField	INDEX NOT NULL	auto_now_add=True
sent_at	**timestamp with time zone** DateTimeField	NULL	—

Default Ordering: -created_at

Table: whatsapp_inbound_messages

Model: AdminApp.WhatsAppInboundMessage

Inbound messages received from sellers/buyers via WhatsApp Webhook or Intake desk.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
sender_phone	**varchar(50)** CharField	INDEX NOT NULL	—
sender_name	**varchar(150)** CharField	NOT NULL DEF: ''	—
message_text	**text** TextField	NOT NULL	—
media_url	**varchar(500)** CharField	NOT NULL DEF: ''	—
media_type	**varchar(50)** CharField	NOT NULL DEF: ''	—
intake_type	**varchar(50)** CharField	NOT NULL DEF: 'SELLER_OFFER'	Choices: SELLER_OFFER, BUYER_RFQ, GENERAL
status	**varchar(30)** CharField	NOT NULL DEF: 'NEW'	Choices: NEW, REVIEWED, CONVERTED_TO_LOT, CONVERTED_TO_ENQUIRY, ARCHIVED
converted_lot_id	**bigint** ForeignKey	**FK** → lots ON DELETE SET NULL INDEX NULL	field: converted_lot
converted_enquiry_id	**bigint** ForeignKey	**FK** → contact_us_enquiries ON DELETE SET NULL INDEX NULL	field: converted_enquiry
created_at	**timestamp with time zone** DateTimeField	INDEX NOT NULL	auto_now_add=True

Default Ordering: -created_at

Table: `whatsapp_api_config`

Model: AdminApp.WhatsAppApiConfig

Optional API credentials for Meta WhatsApp Cloud API or Twilio integration.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
is_cloud_api_enabled	**boolean** BooleanField	NOT NULL DEF: False	—
phone_number_id	**varchar(100)** CharField	NOT NULL DEF: ''	—
waba_id	**varchar(100)** CharField	NOT NULL DEF: ''	WhatsApp Business Account ID
access_token	**text** TextField	NOT NULL DEF: ''	—
webhook_verify_token	**varchar(100)** CharField	NOT NULL DEF: 'surplus_whatsapp_verify_token'	—
default_business_phone	**varchar(50)** CharField	NOT NULL DEF: '+971500000000'	Official Surplus WhatsApp number for click-to-chat links
updated_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now=True

8. Search & AI Embeddings

pgvector HNSW semantic search embeddings for products/lots and Typesense synchronization queue.

Table: `product_embeddings`

Model: AdminApp.ProductEmbedding

Vector embeddings for Semantic Natural Language Search using pgvector in Neon DB. Enables conversational queries (e.g. 'Show me 2U rackmount servers under $500 in Maharashtra').

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
product_id	**bigint** OneToOneField	**FK** → products ON DELETE CASCADE **UNIQUE** NOT NULL	field: product
embedding	**vector(768)** VectorField	NULL	—
content_hash	**varchar(64)** CharField	INDEX NOT NULL DEF: ''	—
embedded_text	**text** TextField	NOT NULL DEF: ''	—
model_name	**varchar(100)** CharField	NOT NULL DEF: 'surplus-semantic-v1'	—
created_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now_add=True
updated_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now=True

Indexes: idx_prod_embed_hnsw [embedding]

Table: `lot_embeddings`

Model: AdminApp.LotEmbedding

Vector embeddings for Semantic Natural Language Search for Lots using pgvector in Neon DB. Enables conversational & hybrid searching across wholesale surplus lots and manifests.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
lot_id	**bigint** OneToOneField	**FK** → lots ON DELETE CASCADE **UNIQUE** NOT NULL	field: lot
embedding	**vector(768)** VectorField	NULL	—
content_hash	**varchar(64)** CharField	INDEX NOT NULL DEF: ''	—
embedded_text	**text** TextField	NOT NULL DEF: ''	—
model_name	**varchar(100)** CharField	NOT NULL DEF: 'surplus-semantic-v1'	—
created_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now_add=True
updated_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now=True

Indexes: idx_lot_embed_hnsw [embedding]

Table: typesense_sync_queue

Model: AdminApp.TypesenseSyncQueue

Outbox pattern queue for resilient, non-blocking Typesense synchronization. If Typesense is temporarily unreachable, updates are saved here and retried by the sync_typesense_outbox comman...

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	bigint BigAutoField	PK NOT NULL	—
entity_type	varchar(20) CharField	INDEX NOT NULL	Choices: product, lot
entity_id	integer PositiveIntegerField	INDEX NOT NULL	—
action	varchar(20) CharField	NOT NULL DEF: 'upsert'	Choices: upsert, delete
attempts	integer PositiveIntegerField	NOT NULL DEF: 0	—
last_error	text TextField	NOT NULL DEF: ''	—
processed	boolean BooleanField	INDEX NOT NULL DEF: False	—
created_at	timestamp with time zone DateTimeField	INDEX NOT NULL	auto_now_add=True
updated_at	timestamp with time zone DateTimeField	NOT NULL	auto_now=True

Indexes: idx_ts_queue_proc_date [processed, created_at], idx_ts_queue_entity [entity_type, entity_id]

9. CMS, Site Settings & Starter API

Headless CMS pages, blog articles, promotional popups, global platform settings, and starter API model.

Table: content_pages

Model: AdminApp.ContentPage

ContentPage(id, title, slug, category, content, components, focus_keyphrase, meta_title, meta_description, meta_keywords, canonical_url, robots_index, robots_follow, robots_advanced, og_t...

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	bigint BigAutoField	PK NOT NULL	—
title	varchar(255) CharField	INDEX NOT NULL	—
slug	varchar(255) SlugField	UNIQUE NOT NULL	—
category	varchar(100) CharField	INDEX NOT NULL DEF: 'General'	Choices: General, Policy, Information, Help, Custom
content	text TextField	NOT NULL DEF: ''	Fallback HTML / Markdown page content
components	jsonb JSONField	NOT NULL DEF: list()	Structured dynamic component blocks (Strapi-style Dynamic Zone / Meta Boxes)
focus_keyphrase	varchar(255) CharField	NOT NULL DEF: ''	Main target search keyword
meta_title	varchar(255) CharField	NOT NULL DEF: ''	—

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
meta_description	**text** TextField	NOT NULL DEF: ''	—
meta_keywords	**varchar(255)** CharField	NOT NULL DEF: ''	—
canonical_url	**varchar(500)** CharField	NOT NULL DEF: ''	Canonical URL tag
robots_index	**varchar(20)** CharField	NOT NULL DEF: 'index'	Choices: index, noindex
robots_follow	**varchar(20)** CharField	NOT NULL DEF: 'follow'	Choices: follow, nofollow
robots_advanced	**varchar(100)** CharField	NOT NULL DEF: ''	e.g. noarchive, nosnippet, noimageindex
og_title	**varchar(255)** CharField	NOT NULL DEF: ''	—
og_description	**text** TextField	NOT NULL DEF: ''	—
og_image	**varchar(500)** CharField	NOT NULL DEF: ''	—
twitter_title	**varchar(255)** CharField	NOT NULL DEF: ''	—
twitter_description	**text** TextField	NOT NULL DEF: ''	—
twitter_image	**varchar(500)** CharField	NOT NULL DEF: ''	—
schema_type	**varchar(100)** CharField	NOT NULL DEF: 'WebPage'	—
structured_data	**text** TextField	NOT NULL DEF: ''	Custom JSON-LD schema or custom meta tags
status	**varchar(20)** CharField	INDEX NOT NULL DEF: 'published'	Choices: published, draft
is_active	**boolean** BooleanField	INDEX NOT NULL DEF: True	—
show_in_header	**boolean** BooleanField	NOT NULL DEF: False	—
show_in_footer	**boolean** BooleanField	NOT NULL DEF: False	—
sort_order	**integer** PositiveIntegerField	NOT NULL DEF: 0	—
created_by_id	**bigint** ForeignKey	**FK** → admin_details ON DELETE SET NULL INDEX NULL	field: created_by
created_at	**timestamp with time zone** DateTimeField	INDEX NOT NULL	auto_now_add=True
updated_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now=True

Indexes: idx_page_slug_status [slug, status], idx_page_cat_status [category, status] | **Default Ordering:** sort_order, -updated_at

Table: `blog_posts`

Model: AdminApp.BlogPost

BlogPost(id, title, slug, blog_code, author, category_name, excerpt, content, image, featured_image_url, focus_keyphrase, meta_title, meta_description, meta_keywords, canonical_url, robot...

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
title	**varchar(255)** CharField	INDEX NOT NULL	—
slug	**varchar(255)** SlugField	**UNIQUE** NOT NULL	—
blog_code	**varchar(50)** CharField	INDEX NOT NULL DEF: ''	—
author	**varchar(150)** CharField	NOT NULL DEF: 'Admin'	—
category_name	**varchar(100)** CharField	INDEX NOT NULL DEF: 'General'	—
excerpt	**text** TextField	NOT NULL DEF: ''	—
content	**text** TextField	NOT NULL DEF: ''	—
image	**varchar(100)** FileField	NULL	—
featured_image_url	**varchar(500)** CharField	NOT NULL DEF: ''	—
focus_keyphrase	**varchar(255)** CharField	NOT NULL DEF: ''	Main target search keyword
meta_title	**varchar(255)** CharField	NOT NULL DEF: ''	—
meta_description	**text** TextField	NOT NULL DEF: ''	—
meta_keywords	**varchar(255)** CharField	NOT NULL DEF: ''	—
canonical_url	**varchar(500)** CharField	NOT NULL DEF: ''	Canonical URL tag
robots_index	**varchar(20)** CharField	NOT NULL DEF: 'index'	Choices: index, noindex
robots_follow	**varchar(20)** CharField	NOT NULL DEF: 'follow'	Choices: follow, nofollow
robots_advanced	**varchar(100)** CharField	NOT NULL DEF: ''	e.g. noarchive, nosnippet, noimageindex
og_title	**varchar(255)** CharField	NOT NULL DEF: ''	—
og_description	**text** TextField	NOT NULL DEF: ''	—
og_image	**varchar(500)** CharField	NOT NULL DEF: ''	—
twitter_title	**varchar(255)** CharField	NOT NULL DEF: ''	—
twitter_description	**text** TextField	NOT NULL DEF: ''	—

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
twitter_image	varchar(500) CharField	NOT NULL DEF: ''	—
schema_type	varchar(100) CharField	NOT NULL DEF: 'BlogPosting'	—
structured_data	text TextField	NOT NULL DEF: ''	Custom JSON-LD schema or custom meta tags
read_time	integer PositiveIntegerField	NOT NULL DEF: 3	—
total_reads	integer PositiveIntegerField	NOT NULL DEF: 0	—
views_count	integer PositiveIntegerField	INDEX NOT NULL DEF: 0	—
status	varchar(20) CharField	INDEX NOT NULL DEF: 'published'	Choices: published, draft
is_active	boolean BooleanField	INDEX NOT NULL DEF: True	—
created_at	timestamp with time zone DateTimeField	INDEX NOT NULL	auto_now_add=True
updated_at	timestamp with time zone DateTimeField	NOT NULL	auto_now=True

Default Ordering: -created_at

Table: popup_settings

Model: AdminApp.PopupSetting

PopupSetting(id, title, message, popup_type, is_active, delay_minutes, banner_image, banner_url, button_label, button_link, updated_at)

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	bigint BigAutoField	PK NOT NULL	—
title	varchar(255) CharField	NOT NULL DEF: 'Important Admin Notification'	—
message	text TextField	NOT NULL DEF: 'Welcome to Surplus Admin Portal. Ple...	—
popup_type	varchar(50) CharField	NOT NULL DEF: 'info'	—
is_active	boolean BooleanField	INDEX NOT NULL DEF: True	—
delay_minutes	integer PositiveIntegerField	NOT NULL DEF: 1	Minutes before re-showing popup after closing
banner_image	varchar(100) FileField	NULL	—
banner_url	varchar(500) CharField	NOT NULL DEF: ''	—
button_label	varchar(100) CharField	NOT NULL DEF: 'Got It'	—
button_link	varchar(500) CharField	NOT NULL DEF: ''	—

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
updated_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now=True

Table: system_settings

Model: AdminApp.SystemSettings

Global system settings, such as Operational Charges and Maintenance Mode.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
operational_charge_percentage	**numeric(5, 2)** DecimalField	NOT NULL DEF: 0.0	—
is_maintenance_mode	**boolean** BooleanField	INDEX NOT NULL DEF: False	—
maintenance_message	**text** TextField	NOT NULL DEF: 'Website is under maintenance. Please...	—
updated_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now=True

Table: api_item

Model: api.Item

Starter model for Surplus backend items. Extend or modify this based on your project requirements.

Column	Type (PG / Django)	Keys & Constraints	Details / Choices / Help
id	**bigint** BigAutoField	**PK** NOT NULL	—
created_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now_add=True
updated_at	**timestamp with time zone** DateTimeField	NOT NULL	auto_now=True
title	**varchar(200)** CharField	NOT NULL	—
description	**text** TextField	NOT NULL DEF: ''	—
quantity	**integer** PositiveIntegerField	NOT NULL DEF: 1	—
is_active	**boolean** BooleanField	NOT NULL DEF: True	—