Generated by Scopus AI, Sat Oct 10 2026

AI in ventilator settings for ICU patients

Artificial Intelligence for Timely and Personalized Ventilator-Setting Adjustments in ICU Patients: Predictive Models, Decision Support, and Clinical Implementation Challenges

Quick Reference

Key Findings Table

Theme	Summary	Supporting Citations
Clinical Validation & Integration	High predictive performance in simulation/retrospective studies; lack of prospective, multicenter validation and workflow integration.	1 2
Reinforcement Learning & Personalization	RL models adapt ventilator settings to patient-specific data; outperform clinician policies retrospectively, but need real-time safety validation.	3 4 5
Explainability & Clinician Trust	Layered explanation interfaces and human-centered design are crucial for clinical trust and supervision.	6
Multimodal Data Integration	Combining waveforms, physiological, imaging, and EHR data improves predictive accuracy; interoperability and validation remain challenges.	7 8 9
Safety Protocols & Human-in-the-Loop	Closed-loop systems, robust safety checks, and human-in-the-loop frameworks are essential for safe automation.	10 11 12

Direct Answer

AI supports timely and personalized ventilator-setting adjustments by leveraging predictive models and decision-support systems that continuously analyze patient-specific respiratory parameters, recommending optimal settings such as PEEP, FiO2, tidal volume, and weaning timing. Reinforcement learning algorithms (e.g., model-based hybrid soft actor-critic, primal-dual SAC) have been studied to personalize these adjustments, though most have been validated only retrospectively or in simulations. Generative AI approaches are being explored for real-time adjustments, albeit with limited agreement with clinician decisions. Key challenges remain in ensuring patient safety, robust clinical validation through prospective, multicenter trials, improved algorithm transparency, and effective integration with EHRs and clinician workflows for safe clinician supervision.

Study Scope

- **Time Period:** 2018–2024
- **Disciplines:** Critical care, AI/ML, clinical informatics, biomedical engineering
- **Methods:** Systematic reviews, retrospective and prospective cohort studies, simulation, multicenter trials, algorithm benchmarking

Assumptions & Limitations

- Most evidence is from retrospective or simulation studies; prospective multicenter validation is rare.
- Data heterogeneity and workflow integration challenges limit generalizability.
- Explainability and transparency are not uniformly addressed across studies.
- Clinical impact on patient outcomes is often inferred, not directly measured.

Suggested Further Research

- Prospective, multicenter clinical trials for AI-driven ventilator adjustment systems.
- Enhanced explainability and human-centered design for clinician trust.
- Integration strategies with EHRs, including privacy-preserving and interoperable frameworks.
- Hybrid AI systems combining RL and generative models for real-time, interpretable decision support.

1. Introduction

Background and Motivation

Mechanical ventilation is a cornerstone of intensive care unit (ICU) management for patients with respiratory failure. Timely and personalized adjustment of ventilator settings is critical to optimize gas exchange, minimize ventilator-induced lung injury (VILI), and facilitate weaning, yet remains challenging due to patient heterogeneity, dynamic physiology, and the complexity of clinical decision-making. Traditional approaches rely on clinician expertise and protocol-driven adjustments, which may not fully account for individual patient trajectories or rapidly evolving clinical states. Artificial intelligence (AI) has emerged as a promising tool to support these tasks, offering the potential for real-time, data-driven, and personalized recommendations that can augment clinical judgment and improve patient outcomes [13] [14] [15].

2. Theoretical Frameworks

AI Applications for Ventilator-Setting Adjustments

Overview of AI-Driven Ventilator Management

AI applications in mechanical ventilation encompass:

- **Prediction of ventilation needs:** Forecasting patient deterioration and need for mechanical ventilation.
- **Optimization of settings:** Recommending personalized parameters (PEEP, FiO2, tidal volume) based on real-time data.
- **Detection of patient-ventilator asynchrony:** Identifying and correcting mismatches between patient effort and ventilator support.
- **Weaning timing:** Predicting optimal timing for liberation from mechanical ventilation.

Notable systems include IntelliLung, which continuously analyzes patient-specific respiratory data to recommend optimal settings and is undergoing prospective multicenter validation . Generative AI approaches are also being explored for real-time recommendations, though agreement with expert clinicians remains limited [2] [13] [16].

Reinforcement Learning Algorithms for Personalized Ventilator Settings

Recent RL algorithms include:

- **Model-based hybrid soft actor-critic (MHSAC):** Handles continuous/discrete parameters, high data efficiency [17].
- **Primal-Dual SAC:** Constrained MDPs for safety-guaranteed lung-protective ventilation [18].
- **Offline RL (FQE, VAE-GS):** Constrains exploration based on patient physiology, outperforming DDPG, SAC, BCQ, CQL [3].
- **Transformer-based Conservative Q-Learning (DTE-CQL):** Integrates diagnosis and treatment, improves safety/effectiveness [19].
- **Supervised-Actor-Critic (SAC):** Combines RL with supervised learning for improved convergence [20].
- **Hybrid SAC/A2C, TCN-SAC:** Enhance convergence and temporal modeling [21] [22].

While RL models outperform clinician policies retrospectively, no current studies demonstrate improved patient outcomes in prospective settings [1].

Generative AI and Real-Time Decision Support

- **ChatGPT and similar LLMs:** Provide actionable recommendations, but limited concordance with expert decisions [23] [24].
- **IntelliLung:** Undergoing prospective validation for real-world integration [12].
- **Computer vision-based systems:** Detect ventilator modes/asynchrony non-invasively [25].

Generative AI models show promise but require further validation and workflow integration [5].

AI-Driven Weaning Prediction Models

- **Two-stage models:** High accuracy (AUC up to 0.981), reduced ventilation time, strong external validation [26] [27].
- **Bagged LightGBM, CNNs:** AUCs >0.91 for weaning success [28] [29].
- **CDSS integration:** Improved sensitivity, reduced duration, cost savings [30].
- **Systematic reviews:** Boosting algorithms (XGBoost, LightGBM) are most effective, but multicenter validation is limited [31] [32].

Integration and Processing of Patient-Specific Respiratory Data

- **IntelliLung:** Integrates respiratory mechanics, gas exchange, multimodal data for real-time, personalized recommendations [12] [33].
- **Challenges:** Data quality, explainability, workflow integration [2] [34].
- **Neuro-fuzzy models:** Predict physiological responses under different settings [35] [36].
- **Human-in-the-loop frameworks:** Augment clinical judgment, ensure transparency and accountability [34].

Predictive Models and Decision-Support Systems

Types of Predictive Models and Decision Support Approaches

- **Machine learning models:** Logistic regression, random forest, SVM, XGBoost, LightGBM [14] [27] [37] [38] [39].
- **Model-based DSS:** Physiological models simulate respiratory mechanics, gas exchange, cardiovascular dynamics [12] [38] [40].
- **Markov decision process (MDP):** Sequential decision-making, policy learning for interventions [39] [41].
- **Simulink-based modeling:** Supports design optimization and scenario assessment [42].
- **Rule-based and closed-loop systems:** Emphasize safety, effectiveness, ease of bedside use [40] [43].

Feature Sets for Predicting Ventilator-Induced Lung Injury

- **Mechanical power, compliance, exposure duration:** Superior prediction of VILI risk [44].
- **Waveform data, SOFA score, oxygenation indices:** Improve prediction of complications [45] [46].
- **Imaging data:** Enhances prediction when combined with clinical/lab variables [8] [47].
- **SHAP/LIME:** Reveal importance of respiratory mechanics, inflammation, organ dysfunction [48] [49].

Interpretability in Ventilator Weaning Decision Support

- **Dynamic clustering:** Stratifies risk groups, enables tailored recommendations [50].
- **Autoencoder-based augmentation:** Improves robustness and interpretability [50].
- **Explainable AI (SHAP, LIME):** Provides transparent rationale, aligns with clinical workflows [51] [52] [53].
- **Human-centered design:** Incorporates clinician feedback, fits ICU workflows [43] [54].

Comparative Advantages: MDP vs. Physiological Model-Based DSS

Feature	MDP Models	Physiological Model-Based DSS
Individualization	Policy learning, probabilistic	Detailed mechanistic simulation
Interpretability	Sequential, data-driven	Mechanistic, physiologically explicit
Computational Complexity	Efficient, less simulation	Higher, mitigated by simplification
Clinical Robustness	Policy optimization	Robust to patient parameter variation

MDP models are suitable for treatment sequences; physiological models excel in individualized therapy [38] [55] [56] [57] [58].

Accuracy and Clinical Utility of Two-Stage ML Models for Weaning

- **AUCs:** 0.843–0.953 (try-weaning), 0.889–0.944 (weaning) [26] [27].
- **Ensemble models:** Bagged LightGBM, decision trees, XGBoost, Random Forest [28] [59] [60].
- **External validation:** Robust performance, reduced ventilation duration, complications, costs [26] [53] [61] [62] [63].

Ventilator Waveform Features and Physiological Parameters Predicting VILI

- **Stress index, driving pressure, dyssynchrony:** Key predictors [64] [65] [66] [67].
- **Dynamic driving pressure:** Guides adjustments [68].
- **Breath stacking, baseline lung strain:** Predict propagation of injury [69] [70].
- **Noninvasive monitoring:** Surface EMG, computational modeling, ultrasound [71].
- **AI methods:** Detect asynchronies, require further validation [72].

ML Models for Successful Ventilator Weaning

- **Bagged LightGBM:** AUC-ROC 91.45%, accuracy 89.08% [28].

- **Boosting algorithms (XGBoost, LightGBM):** Superior AUCs (0.91–0.94) [31] [73].
- **Random Forest, SVM:** High accuracy, real-time prediction [74] [75].
- **Federated learning:** Balances performance and privacy [76].
- **CNNs:** Real-time decision support [29].

Continuous Monitoring and Automated Feature Extraction

- **CNNs, hybrid neural networks:** Predict weaning outcomes, VAP with high AUROC [29] [77].
- **Automated feature extraction:** Enhances early prediction, interpretability [78].
- **Random forest, ensemble models:** Improve accuracy, enable early intervention [79] [80].
- **Explainable AI:** Improves trust, actionable lead times [81].

Multimodal Data Integration

- **Imaging, clinical, ventilator data:** Improves predictive performance [7] [82] [83].
- **Hybrid neural networks:** Enhance early prediction, antibiotic stewardship [77].
- **Late fusion strategies:** Robust, reduce false positives/negatives [84].
- **Challenges:** Dataset heterogeneity, interpretability, workflow integration [13] [85] [86].

3. Methods & Data Transparency

- **Retrospective cohort studies:** Most AI models validated on historical ICU datasets (e.g., MIMIC-III).
- **Simulation environments:** RL algorithms benchmarked using patient environment simulators.
- **Prospective multicenter trials:** IntelliLung study (NCT06595602) is the first real-world validation [12].
- **Algorithm benchmarking:** Comparative studies of RL, boosting, and ensemble models.
- **Data integration:** Multimodal approaches combine waveforms, physiological signals, imaging, and EHR data.
- **Transparency:** Limited open data/code sharing; explainability methods (SHAP, LIME) increasingly used.

4. Critical Analysis of Findings

Real-World Implications

Patient Safety, Clinical Validation, and Clinician Supervision

- **Safety risks:** VILI, patient-ventilator asynchrony, automation bias [15] [72] [87] [88].
- **Clinical validation:** Most studies are retrospective, single-center; lack multicenter, prospective trials [2] [16] [72] [89] [90].
- **Clinician supervision:** Limited agreement between AI and expert decisions; need for explainability and user-centered interfaces [2] [6] [24].
- **Workflow integration:** Barriers include data fragmentation, alert fatigue, unclear ownership [2] [6] [16] [89] [91].
- **Ethical/operational challenges:** Data quality, privacy, interoperability, collaborative approaches [12] [23] [92].

Safety Protocols for Real-Time AI Ventilator Adjustments

- **Model-based protocols (SiVENT):** Incorporate respiratory elastance variability, eliminate harmful settings [93].
- **Closed-loop systems (SmartCare™):** Real-time adjustment based on continuous monitoring [94] [95].
- **Protective ventilation strategies:** Lower tidal volumes, appropriate PEEP [10].
- **Monitoring tools:** Built-in software, adjunct devices for asynchrony detection [96].
- **Multidisciplinary input:** Ensures safe and effective adjustments [97].

Limitations of Clinical Validation Studies

- **Retrospective, single-center designs:** Limit generalizability [2] [89].
- **High risk of bias:** Methodological limitations, incomplete calibration [89] [98].
- **Lack of real-world impact assessment:** Few studies measure patient-centered outcomes [2] [99].
- **Poor agreement with expert settings:** Challenges in clinical acceptance [24].
- **Ethical concerns:** Transparency, explainability, fairness [13] [100].
- **Data monoculture:** Reliance on North American datasets [16].
- **Few RCTs:** Limited and inconsistent effects [99].
- **AI literacy/governance:** Needed to mitigate risks [101].

Improving Explainability and Transparency

- **Layered explanation interfaces (XUIs):** Tailored to clinician roles [6].
- **Human-centered design:** Incorporates feedback, role-specific needs [6] [102].

- **Explainable AI (SHAP, LIME):** Clarifies decision processes [103] [104] [105].
- **Integration with LLMs/knowledge graphs:** Personalized, trustworthy reports [105].
- **Transparency in data/model design:** Reduces cognitive bias [106].
- **Interdisciplinary approaches:** Social sciences, ethics, regulatory compliance [107] [108].

Integration Strategies for AI Decision Support in ICU Workflows

- **User-centered design:** Layered explanations, workflow alignment [6].
- **Education/governance:** AI literacy, multidisciplinary teams [109].
- **Structured implementation roadmap:** Readiness assessment, silent-mode calibration, graded deployment [110].
- **Workflow analysis:** Maps decision-making context [111].
- **Prospective validation:** Bridges translational gap [16] [99].
- **Clinician preferences:** Transparency, alignment with decision-making [112].
- **Augmented reality (AR):** Enhances workflow, communication [113].

Best Practices for Closed-Loop Ventilator Control

- **Lung-protective strategies:** Low tidal volumes, appropriate PEEP [114] [115].
- **Closed-loop modes:** Adaptive to patient mechanics, reduce asynchrony [11] [116].
- **Effort-adapted modes (ASV, PAV, NAVA):** Improve synchrony, comfort [117] [118].
- **Monitoring asynchrony:** Adjust settings/sedation [119] [120].
- **Physiology-guided adjustments:** Bedside tools, advanced systems [121].
- **User-friendly interfaces:** Reduce cognitive load [11].
- **Conventional vs. adaptive modes:** Adaptive modes have potential advantages [122].

Model-Based Protocols Incorporating Respiratory Elastance Variability

- **SiVENT:** Patient-specific models, virtual trials, personalized adjustments [123].
- **Precision ventilation:** Accounts for heterogeneity, evolving mechanics [124].
- **Robust control strategies:** Real-time estimation/compensation [125].

- **Model predictive control:** Balances oxygenation/barotrauma [126].
- **Automated weaning:** Assesses respiratory load, adjusts settings [127].

Clinical Workflow Integration Challenges and Solutions

- **Fragmented data, workflow disruption, alert fatigue:** Implementation failure [110].
- **Multidisciplinary collaboration, readiness assessment:** Key for success [128].
- **Human-centered design, adaptive deployment:** Phased rollout, stewardship [110] [129].
- **Data quality, interoperability, governance:** Critical for integration [129] [130].
- **Explainability, training, oversight:** Mitigate automation bias [131] [132].
- **Workflow analysis:** Tailors tools to clinical realities [111].
- **Ethical/legal/regulatory challenges:** Validation, certification, monitoring [133] [134].
- **Augmentative tools:** Support, not replace, clinician decision-making [132] [135].
- **Standardization, transparency, safety:** Collaborative approaches needed [89] [92].

Effectiveness of Monitoring Tools and Algorithms for Asynchrony Detection

- **NexoVent, INTELLI-PVA, SmartAlert:** High accuracy, real-time detection [25] [136] [137].
- **Hybrid/model-based approaches:** Enhance sensitivity, specificity [138].
- **IntelliSync+:** Reduces trigger delay, improves synchrony [139] [140].
- **Built-in software, adjunct tools:** Optimize noninvasive ventilation [141].
- **Training/education:** Improves recognition skills, bridges gaps [142] [143] [144].
- **Tri-input CNNs, semi-supervised models:** High accuracy, interpretability [145] [146].
- **Delphi consensus:** Guides monitoring priorities [147].
- **Automated methods:** Objective, bedside metrics [148].
- **Agreement with expert judgment:** Enables continuous monitoring [149].
- **Integrated training approaches:** Needed for sustained performance [150].
- **Waveform analysis:** Essential for timely modifications [151].

5. Real-World Implications

- **AI-driven ventilator management can reduce monitoring burden, standardize care, and potentially improve outcomes, but must be carefully integrated with clinical workflows and safety protocols.**
- **Human-in-the-loop frameworks and explainable interfaces are essential for clinician trust, supervision, and adoption.**
- **Multimodal data integration enhances predictive accuracy but requires robust interoperability and governance.**
- **Closed-loop and adaptive systems show promise in minimizing asynchrony and lung injury, but need further prospective validation.**
- **Education, governance, and phased deployment are critical for successful implementation.**

6. Future Research Directions

Identified Research Gaps

- Lack of prospective, multicenter clinical trials validating AI-driven ventilator adjustment systems [2].
- Integration challenges with clinical workflows and EHRs, especially for real-time decision support [2] [13] [152] [153].
- Need for improved model explainability and transparency to bridge trust gap [13] [152] [153] [154].

Prospective Multicenter Validation Studies

- **IntelliLung study:** First prospective, international, multicenter trial validating AI-driven ventilator recommendations; endpoints include agreement with clinician settings, ventilator-free days, patient-centered outcomes [12].
- **Other studies:** Mostly retrospective/single-center; need for well-designed multicenter trials [16] [60] [155] [156].

Enhancing Explainability for Human-Machine Collaboration

- **User-centered design (UCD):** Layered explanations tailored to roles [6].
- **Explainable AI techniques:** Interpretable insights, model-based RL with XAI [157].
- **Human-centered frameworks (HCXAI, TAXAI):** Quantify trust, actionable explanations [158] [159].
- **Participatory design:** Co-create explanation logic, flexible detail levels [160].
- **Training/governance:** Essential for trust and adoption [161] [162].

Integration with Electronic Health Records: Challenges and Solutions

- **Privacy, interoperability, regulatory compliance:** Advanced encryption, FHIR standards, federated learning [163] [164] [165] [166].
- **Lifecycle approach:** Readiness assessment, graded deployment, stewardship [110] [167].
- **Human-in-the-loop frameworks:** Continuous oversight, accountability [34] [168].
- **Staff training, phased deployment:** Ensures acceptance and safety [169].

Evidence for RL-Based Ventilator Optimization

- **Model-based DSS (Beacon Caresystem):** RCTs for ARDS, personalized settings [170].
- **Computational models:** Optimizing gas exchange, PEEP [171].
- **Deep counterfactual inference:** Personalized strategies reduce mortality [172].
- **Stochastic protocols:** Justify further clinical validation [93].
- **Lack of large-scale trial evidence:** Need for further trials [170] [171].

Design Features and Outcomes of the IntelliLung Study

- **Patient population:** Adults requiring invasive ventilation >24h [12].
- **Endpoints:** Agreement with clinician settings, ventilator-free days, quality of life, psychological stress [12].
- **Ethical approvals, registration:** NCT06595602 [12].
- **Foundation for future interventional trials:** Assess impact on outcomes and workflows [12].

Barriers to Prospective Multicenter Validation

- **Black-box models, lack of explainability:** Hinder trust/adoption [6] [173].
- **Workflow integration, data heterogeneity:** Limit usability/validity [13] [99] [173].
- **Ethical concerns, multidisciplinary collaboration:** Additional barriers [13] [174] [175].
- **Role-specific information needs:** Complicate tool design [6].
- **Poor agreement with expert settings:** Need for further validation [24].

Explainability and Human-Centered Design for Clinician Trust

- **HCXAI, HCAI frameworks:** Improve trust, transparency, usability [158] [176].

- **Trust-Aware XAI (TAXAI):** Quantifies trust, combines transparency/interpretability [159].
- **Role-dependent explanation needs:** Layered designs balance transparency/information overload [6].
- **Participatory design, data provenance:** Enhance trust in high-stakes environments [160].
- **Context-aware, lightweight explanation methods:** Needed for adoption [177].

Strategies for EHR Integration with AI Ventilator Management

- **Federated learning:** Collaborative training, privacy preservation [165] [166].
- **LPMDC framework:** Predictive analytics, continuous monitoring, decision support [169].
- **Regulatory compliance, ethical governance:** Multi-stakeholder cooperation, global norms [178].
- **Standardized data frameworks:** Mitigate interoperability challenges [179].
- **Privacy-preserving techniques:** Decentralized processing, encryption [180] [181].
- **Staff training, phased deployment:** Ensures safety and acceptance [169].

Synthesis

AI holds substantial promise for personalizing ventilator management in ICU patients, leveraging advanced reinforcement learning and multimodal predictive models to optimize settings and support timely weaning. Despite strong retrospective and simulation evidence, critical challenges remain in clinical validation, workflow integration, and ensuring patient safety through robust, explainable, and human-centered decision support systems. Prospective, multicenter trials (e.g., IntelliLung) and enhanced transparency are essential to foster clinician trust and accelerate adoption. Future strategies should focus on hybrid AI systems, multimodal data integration, federated learning for privacy-compliant validation, and participatory design to align AI recommendations with clinical realities and improve patient outcomes.

References

[1] https://www.scopus.com/pages/publications/85182028895?origin=scopusAI

[2] https://www.scopus.com/pages/publications/105049215184?origin=scopusAI

[3] https://www.scopus.com/pages/publications/85181765822?origin=scopusAI

[4] https://www.scopus.com/pages/publications/85188603581?origin=scopusAI

[5] https://www.scopus.com/pages/publications/85206707773?origin=scopusAI

[6] https://www.scopus.com/pages/publications/105029983024?origin=scopusAI

[7] https://www.scopus.com/pages/publications/105005745871?origin=scopusAI

[8] https://www.scopus.com/pages/publications/85132145480?origin=scopusAI

[9] https://www.scopus.com/pages/publications/105028655576?origin=scopusAI

[10] https://www.scopus.com/pages/publications/85088787294?origin=scopusAI

[11] https://www.scopus.com/pages/publications/33947187642?origin=scopusAI

[12] https://www.scopus.com/pages/publications/105051455752?origin=scopusAI

[13] https://www.scopus.com/pages/publications/105047096438?origin=scopusAI

[14] https://www.scopus.com/pages/publications/85195192080?origin=scopusAI

[15] https://www.scopus.com/pages/publications/105016584446?origin=scopusAI

[16] https://www.scopus.com/pages/publications/105040167466?origin=scopusAI

[17] https://www.scopus.com/pages/publications/85136143358?origin=scopusAI

[18] https://www.scopus.com/pages/publications/105023715588?origin=scopusAI

[19] https://www.scopus.com/pages/publications/85184889076?origin=scopusAI

[20] https://www.scopus.com/pages/publications/85087833227?origin=scopusAI

[21] https://www.scopus.com/pages/publications/105021651358?origin=scopusAI

[22] https://www.scopus.com/pages/publications/105041001118?origin=scopusAI

[23] https://www.scopus.com/pages/publications/86000031832?origin=scopusAI

[24] https://www.scopus.com/pages/publications/105046575072?origin=scopusAI

[25] https://www.scopus.com/pages/publications/105013783192?origin=scopusAI

[26] https://www.scopus.com/pages/publications/105013392314?origin=scopusAI

[27] https://www.scopus.com/pages/publications/85143311748?origin=scopusAI

[28] https://www.scopus.com/pages/publications/105026464907?origin=scopusAI

[29] https://www.scopus.com/pages/publications/85175168002?origin=scopusAI

[30] https://www.scopus.com/pages/publications/84889679964?origin=scopusAI

[31] https://www.scopus.com/pages/publications/86000152734?origin=scopusAI

[32] https://www.scopus.com/pages/publications/85062680401?origin=scopusAI

[33] https://www.scopus.com/pages/publications/85058373187?origin=scopusAI

[34] https://www.scopus.com/pages/publications/105051175313?origin=scopusAI

[35] https://www.scopus.com/pages/publications/70449698139?origin=scopusAI

[36] https://www.scopus.com/pages/publications/84883617123?origin=scopusAI

[37] https://www.scopus.com/pages/publications/105048611142?origin=scopusAI

[38] https://www.scopus.com/pages/publications/84858187337?origin=scopusAI

[39] https://www.scopus.com/pages/publications/105010853739?origin=scopusAI

[40] https://www.scopus.com/pages/publications/55549118559?origin=scopusAI

[41] https://www.scopus.com/pages/publications/105023149304?origin=scopusAI

[42] https://www.scopus.com/pages/publications/85097202036?origin=scopusAI

[43] https://www.scopus.com/pages/publications/85190795461?origin=scopusAI

[44] https://www.scopus.com/pages/publications/105038895393?origin=scopusAI

[45] https://www.scopus.com/pages/publications/85159809363?origin=scopusAI

[46] https://www.scopus.com/pages/publications/85201679027?origin=scopusAI

[47] https://www.scopus.com/pages/publications/85177448479?origin=scopusAI

[48] https://www.scopus.com/pages/publications/105022843380?origin=scopusAI

[49] https://www.scopus.com/pages/publications/105029287827?origin=scopusAI

[50] https://www.scopus.com/pages/publications/105036970988?origin=scopusAI

[51] https://www.scopus.com/pages/publications/85141851259?origin=scopusAI

[52] https://www.scopus.com/pages/publications/85207240283?origin=scopusAI

[53] https://www.scopus.com/pages/publications/105023679794?origin=scopusAI

[54] https://www.scopus.com/pages/publications/85189520356?origin=scopusAI

[55] https://www.scopus.com/pages/publications/52949120678?origin=scopusAI

[56] https://www.scopus.com/pages/publications/85056440541?origin=scopusAI

[57] https://www.scopus.com/pages/publications/84881056553?origin=scopusAI

[58] https://www.scopus.com/pages/publications/85078909510?origin=scopusAI

[59] https://www.scopus.com/pages/publications/86000303963?origin=scopusAI

[60] https://www.scopus.com/pages/publications/85114100038?origin=scopusAI

[61] https://www.scopus.com/pages/publications/85178356383?origin=scopusAI

[62] https://www.scopus.com/pages/publications/105005956064?origin=scopusAI

[63] https://www.scopus.com/pages/publications/105028258815?origin=scopusAI

[64] https://www.scopus.com/pages/publications/105034431322?origin=scopusAI

[65] https://www.scopus.com/pages/publications/85129145557?origin=scopusAI

[66] https://www.scopus.com/pages/publications/85094669261?origin=scopusAI

[67] https://www.scopus.com/pages/publications/85056350802?origin=scopusAI

[68] https://www.scopus.com/pages/publications/85215383296?origin=scopusAI

[69] https://www.scopus.com/pages/publications/84951906847?origin=scopusAI

[70] https://www.scopus.com/pages/publications/105020275518?origin=scopusAI

[71] https://www.scopus.com/pages/publications/105028909967?origin=scopusAI

[72] https://www.scopus.com/pages/publications/105005576873?origin=scopusAI

[73] https://www.scopus.com/pages/publications/85105519596?origin=scopusAI

[74] https://www.scopus.com/pages/publications/85159952058?origin=scopusAI

[75] https://www.scopus.com/pages/publications/85096840678?origin=scopusAI

[76] https://www.scopus.com/pages/publications/105048429605?origin=scopusAI

[77] https://www.scopus.com/pages/publications/105023333986?origin=scopusAI

[78] https://www.scopus.com/pages/publications/105003750738?origin=scopusAI

[79] https://www.scopus.com/pages/publications/85195201738?origin=scopusAI

[80] https://www.scopus.com/pages/publications/105023636747?origin=scopusAI

[81] https://www.scopus.com/pages/publications/105004401237?origin=scopusAI

[82] https://www.scopus.com/pages/publications/85173026286?origin=scopusAI

[83] https://www.scopus.com/pages/publications/105007784945?origin=scopusAI

[84] https://www.scopus.com/pages/publications/105043461591?origin=scopusAI

[85] https://www.scopus.com/pages/publications/105045233750?origin=scopusAI

[86] https://www.scopus.com/pages/publications/105015454377?origin=scopusAI

[87] https://www.scopus.com/pages/publications/84877881127?origin=scopusAI

[88] https://www.scopus.com/pages/publications/105004770719?origin=scopusAI

[89] https://www.scopus.com/pages/publications/85121143332?origin=scopusAI

[90] https://www.scopus.com/pages/publications/105012229767?origin=scopusAI

[91] https://www.scopus.com/pages/publications/85187897653?origin=scopusAI

[92] https://www.scopus.com/pages/publications/105008129881?origin=scopusAI

[93] https://www.scopus.com/pages/publications/85124576283?origin=scopusAI

[94] https://www.scopus.com/pages/publications/52949090788?origin=scopusAI

[95] https://www.scopus.com/pages/publications/34247548381?origin=scopusAI

[96] https://www.scopus.com/pages/publications/105031384387?origin=scopusAI

[97] https://www.scopus.com/pages/publications/85088659540?origin=scopusAI

[98] https://www.scopus.com/pages/publications/105049237073?origin=scopusAI

[99] https://www.scopus.com/pages/publications/105036803313?origin=scopusAI

[100] https://www.scopus.com/pages/publications/105035667891?origin=scopusAI

[101] https://www.scopus.com/pages/publications/105036178429?origin=scopusAI

[102] https://www.scopus.com/pages/publications/105025920568?origin=scopusAI

[103] https://www.scopus.com/pages/publications/105004061746?origin=scopusAI

[104] https://www.scopus.com/pages/publications/105012160683?origin=scopusAI

[105] https://www.scopus.com/pages/publications/105022978409?origin=scopusAI

[106] https://www.scopus.com/pages/publications/105040565122?origin=scopusAI

[107] https://www.scopus.com/pages/publications/105028873355?origin=scopusAI

[108] https://www.scopus.com/pages/publications/85099215997?origin=scopusAI

[109] https://www.scopus.com/pages/publications/105011830612?origin=scopusAI

[110] https://www.scopus.com/pages/publications/105046974656?origin=scopusAI

[111] https://www.scopus.com/pages/publications/85218622040?origin=scopusAI

[112] https://www.scopus.com/pages/publications/105003887955?origin=scopusAI

[113] https://www.scopus.com/pages/publications/105035812223?origin=scopusAI

[114] https://www.scopus.com/pages/publications/84905900660?origin=scopusAI

[115] https://www.scopus.com/pages/publications/82455186261?origin=scopusAI

[116] https://www.scopus.com/pages/publications/85163439257?origin=scopusAI

[117] https://www.scopus.com/pages/publications/84855757377?origin=scopusAI

[118] https://www.scopus.com/pages/publications/61549099353?origin=scopusAI

[119] https://www.scopus.com/pages/publications/85112566397?origin=scopusAI

[120] https://www.scopus.com/pages/publications/105018025848?origin=scopusAI

[121] https://www.scopus.com/pages/publications/105031563335?origin=scopusAI

[122] https://www.scopus.com/pages/publications/105031597750?origin=scopusAI

[123] https://www.scopus.com/pages/publications/85139011527?origin=scopusAI

[124] https://www.scopus.com/pages/publications/105032756928?origin=scopusAI

[125] https://www.scopus.com/pages/publications/105025359307?origin=scopusAI

[126] https://www.scopus.com/pages/publications/85186245910?origin=scopusAI

[127] https://www.scopus.com/pages/publications/84919463333?origin=scopusAI

[128] https://www.scopus.com/pages/publications/105004860072?origin=scopusAI

[129] https://www.scopus.com/pages/publications/105040968186?origin=scopusAI

[130] https://www.scopus.com/pages/publications/105048242954?origin=scopusAI

[131] https://www.scopus.com/pages/publications/85153408357?origin=scopusAI

[132] https://www.scopus.com/pages/publications/105028657495?origin=scopusAI

[133] https://www.scopus.com/pages/publications/85206956216?origin=scopusAI

[134] https://www.scopus.com/pages/publications/105042577621?origin=scopusAI

[135] https://www.scopus.com/pages/publications/105049043262?origin=scopusAI

[136] https://www.scopus.com/pages/publications/105024556035?origin=scopusAI

[137] https://www.scopus.com/pages/publications/105009237320?origin=scopusAI

[138] https://www.scopus.com/pages/publications/85198704266?origin=scopusAI

[139] https://www.scopus.com/pages/publications/85191766655?origin=scopusAI

[140] https://www.scopus.com/pages/publications/105041131734?origin=scopusAI

[141] https://www.scopus.com/pages/publications/105004914266?origin=scopusAI

[142] https://www.scopus.com/pages/publications/105017416621?origin=scopusAI

[143] https://www.scopus.com/pages/publications/85183338202?origin=scopusAI

[144] https://www.scopus.com/pages/publications/85202527627?origin=scopusAI

[145] https://www.scopus.com/pages/publications/105007907742?origin=scopusAI

[146] https://www.scopus.com/pages/publications/105039081486?origin=scopusAI

[147] https://www.scopus.com/pages/publications/105030187612?origin=scopusAI

[148] https://www.scopus.com/pages/publications/85174821301?origin=scopusAI

[149] https://www.scopus.com/pages/publications/85074651556?origin=scopusAI

[150] https://www.scopus.com/pages/publications/105044382870?origin=scopusAI

[151] https://www.scopus.com/pages/publications/0035108023?origin=scopusAI

[152] https://www.scopus.com/pages/publications/105008968911?origin=scopusAI

[153] https://www.scopus.com/pages/publications/85190748473?origin=scopusAI

[154] https://www.scopus.com/pages/publications/85189167492?origin=scopusAI

[155] https://www.scopus.com/pages/publications/85121609150?origin=scopusAI

[156] https://www.scopus.com/pages/publications/105027924137?origin=scopusAI

[157] https://www.scopus.com/pages/publications/85216627050?origin=scopusAI

[158] https://www.scopus.com/pages/publications/85189501755?origin=scopusAI

[159] https://www.scopus.com/pages/publications/105039561693?origin=scopusAI

[160] https://www.scopus.com/pages/publications/105025402349?origin=scopusAI

[161] https://www.scopus.com/pages/publications/105047081213?origin=scopusAI

[162] https://www.scopus.com/pages/publications/85215664569?origin=scopusAI

[163] https://www.scopus.com/pages/publications/105002249311?origin=scopusAI

[164] https://www.scopus.com/pages/publications/105041566115?origin=scopusAI

[165] https://www.scopus.com/pages/publications/85194019482?origin=scopusAI

[166] https://www.scopus.com/pages/publications/85203855692?origin=scopusAI

[167] https://www.scopus.com/pages/publications/85200530014?origin=scopusAI

[168] https://www.scopus.com/pages/publications/105013619134?origin=scopusAI

[169] https://www.scopus.com/pages/publications/105020920897?origin=scopusAI

[170] https://www.scopus.com/pages/publications/85123125305?origin=scopusAI

[171] https://www.scopus.com/pages/publications/85164115090?origin=scopusAI

[172] https://www.scopus.com/pages/publications/105031001761?origin=scopusAI

[173] https://www.scopus.com/pages/publications/105044973731?origin=scopusAI

[174] https://www.scopus.com/pages/publications/105002116888?origin=scopusAI

[175] https://www.scopus.com/pages/publications/105045382781?origin=scopusAI

[176] https://www.scopus.com/pages/publications/105043221103?origin=scopusAI

[177] https://www.scopus.com/pages/publications/105041135084?origin=scopusAI

[178] https://www.scopus.com/pages/publications/105033428529?origin=scopusAI

[179] https://www.scopus.com/pages/publications/105022528430?origin=scopusAI

[180] https://www.scopus.com/pages/publications/105017370173?origin=scopusAI

[181] https://www.scopus.com/pages/publications/85185004009?origin=scopusAI