

DR. KIRAN

Complete Template System

For Antigravity · Script Generation · ElevenLabs Audio

7 Templates · 5 Combinations · Full Enforcement Rules

June 2026

OVERVIEW — 7 TEMPLATES AT A GLANCE

Template	Core Purpose	Hook Type	Close Rule
1. Warning / Red Flag	Urgent danger + signs + act now	Type B only	ALWAYS Share CTA
2. Myth vs Fact	Bust wrong belief with science	Type A or B	Share CTA if life-threatening
3. The 3 Mistakes	3 wrong parent actions	Type B only	Share CTA if serious
4. Patient Transformation	Real anonymized case story	Type B only	ALWAYS Share CTA
5. Quick Hack / DIY	Fast actionable home tip	Type A only	NEVER Share CTA
6. Q&A; Session	Answer one parent question	Type A only	NEVER Share CTA
7. Behind the Scenes	Doctor's real life/insight	Type C only	NEVER Share CTA

TEMPLATE 01 — WARNING / RED FLAG

Urgent safety alert — danger + warning signs + act now. Used when a parent behavior can cause immediate harm to baby.

HOOK RULE

Type B ONLY — Shock statement or guilt trip. NEVER a question.

- 'Yeh ek cheez aapke baby ki jaan le sakti hai'
- 'Kya aap bhi yeh karte hain? Toh rukiye.'

STRUCTURE

Section	What to do
HOOK (0:00–0:03)	Shocking statement OR guilt trip about a danger. Never casual.
PROBLEM SETUP (0:03–0:08)	State why this is dangerous. 2-3 lines. Build urgency.
EXPLANATION (0:08–0:35)	Medical fact/stat + numbered warning signs. Each sign = 1 sentence.
SOLUTION (0:35–0:48)	What to do immediately. Practical. Specific. 'Bas yeh karo' format.
CLOSE (0:48–end)	ALWAYS Share CTA: 'Like & Share so that no more babies suffer'

■ MUST DO	■ NEVER DO
• ALWAYS ends with Share CTA — no exceptions • NEVER ends with 'So parents don't worry' — this is serious content • Must include at least 1 medical stat or fact • Warning signs should be numbered (Pehla, Doosra, Teesra)	• Don't use Type A hook • Don't end reassuringly • Don't skip the medical fact

Example topics: Script 1 (Dehydration — crying is last sign)

TEMPLATE 02 — MYTH VS FACT

Bust a common wrong belief Indian parents hold, using science and medical evidence.

HOOK RULE

Type A or B — Either question the myth or shock-reveal it.

- Type A: 'Kya aap bhi maante hain ki [myth]?'
- Type B: 'Yeh [myth] — ek dangerous jhooth hai'

STRUCTURE

Section	What to do
HOOK (0:00–0:03)	State the myth as question (A) or shocking reveal (B).
PROBLEM SETUP (0:03–0:08)	MUST formally state: 'Bahut parents maante hain ki [X]'
EXPLANATION (0:08–0:35)	Part 1: Bust myth. Part 2: Science/stat. Part 3: 'Sahi baat yeh hai ki...'
SOLUTION (0:35–0:48)	What parents should do INSTEAD of the myth.
CLOSE (0:48–end)	Share CTA only if life-threatening. Otherwise: 'So parents, don't worry'

■ MUST DO	■ NEVER DO
• MUST formally state the myth — 'Bahut log maante hain ki...' • MUST bust with science (study, stat, or medical fact) • MUST end with 'Sahi baat yeh hai ki...' before solution • Share CTA only if myth is life-threatening	• Don't skip myth statement — just warning is NOT Myth vs Fact • Don't use Type C hook • Don't give Share CTA for everyday myths

Example topics: Baby rashes (mata myth), Teething fever myth, Gripe water reveal

TEMPLATE 03 — THE 3 MISTAKES

Call out 3 specific wrong actions parents are actively doing. Focus is on parent BEHAVIOR, not symptoms.

HOOK RULE

Type B ONLY — Directly call out the mistakes.

- 'Yeh 3 galat cheezein aap apne baby ke saath karte hain'
- '90% parents yeh 3 mistakes karte hain — kya aap bhi?'

STRUCTURE

Section	What to do
HOOK (0:00–0:03)	Call out mistakes directly. Type B only.
PROBLEM SETUP (0:03–0:08)	Why these mistakes are harmful. 2 lines max.
EXPLANATION (0:08–0:35)	Pehli galati: [wrong action] → [consequence]. Repeat for all 3.
SOLUTION (0:35–0:48)	Correct action for each mistake. Quick, one line each.
CLOSE (0:48–end)	Share CTA only if life-threatening. Otherwise: 'So parents, don't worry'

■ MUST DO	■ NEVER DO
• Each mistake = parent's WRONG ACTION (not a sign or symptom) • Each mistake must have: wrong action + consequence • MAXIMUM 3 mistakes — never 4 or 5 • 3 SIGNS is NOT The 3 Mistakes — signs are body warnings, not parent actions	• Don't confuse 'signs' with 'mistakes' • Don't list more than 3 • Don't use Type A hook

Example topics: 3 wrong things parents do at bedtime, 3 formula preparation mistakes

TEMPLATE 04 — PATIENT TRANSFORMATION

Real anonymized patient case — emotional story arc from critical condition to recovery/lesson.

HOOK RULE

Type B ONLY — Open with most dramatic moment of the case.

- 'Ek 3 mahine ka baccha hamare paas unconscious aaya'
- 'Ma ki ek galat choice se is bacche ki jaan jaate jaate bach gayi'

STRUCTURE

Section	What to do
HOOK (0:00–0:03)	Most dramatic moment. Type B. Specific details — age, weight, condition.
PROBLEM SETUP (0:03–0:15)	Real case details. MUST feel authentic: '2.2 kilo ka baby, 3 din se feed nahi kar raha'
EXPLANATION (0:15–0:40)	Beat 1: What was wrong. Beat 2: What caused it. Beat 3: How treated.
SOLUTION (0:40–0:50)	What parents can do to prevent this / signs to watch for.
CLOSE (0:50–end)	ALWAYS Share CTA — patient stories are always serious

■ MUST DO	■ NEVER DO
• ALWAYS ends with Share CTA — no exceptions • MUST include specific details (age, weight, condition) to feel real • Patient must be fully anonymized — no real names • Longer format allowed (up to 77 sec) for complex cases	• Don't use generic story — specific numbers make it real • Don't end reassuringly • Don't skip the lesson/prevention section

Example topics: Cow's milk dilution twins story, Formula milk 2-scoop tragedy

TEMPLATE 05 — QUICK HACK / DIY

Fast, immediately actionable tip parents can use at home right now. Lightest and most saveable format.

HOOK RULE

Type A ONLY — Promise an immediate result or voice a common problem.

- 'Ek kaam karo — [specific result] ho jaayega'
- 'Baby ko hiccups? 30 second mein band karo — yeh karo'

STRUCTURE

Section	What to do
HOOK (0:00–0:03)	Promise result immediately. Type A only.
PROBLEM SETUP (0:03–0:08)	The problem parents face. 1-2 lines only.
EXPLANATION (0:08–0:30)	The hack WITH the science briefly. Not just 'do this' — explain why it works.
SOLUTION (0:30–0:45)	Step by step if needed. 'Bas [action]. [result].'
CLOSE (0:45–end)	NEVER Share CTA. ALWAYS: 'So parents, try karo — kaam aayega'

■ MUST DO	■ NEVER DO
• NEVER Share CTA — this is light helpful content • Shortest format (30-50 sec) — don't pad • Must include WHY it works — brief science • Must be doable at home with no equipment	• Don't add Share CTA • Don't make it longer than 50 sec • Don't use Type B hook

Example topics: How to burp baby correctly, Hiccups fix, Tummy time technique

TEMPLATE 06 — Q&A; SESSION

Answer one specific direct question a parent would actually ask. Conversational, reassuring.

HOOK RULE

Type A ONLY — Must open with parent's exact question voiced as if parent is speaking.

- 'Doctor, mere baby ke daant kab aayenge?'
- 'Doctor, baby ka poop green kyu ho raha hai — kya problem hai?'

STRUCTURE

Section	What to do
HOOK (0:00–0:03)	Parent's EXACT question in their own words. Type A only.
PROBLEM SETUP (0:03–0:08)	'Yeh sawal bahut parents poochte hain' OR 'Main roz yeh sunta hoon'
EXPLANATION (0:08–0:35)	Answer directly first (1 line). Then: 'Kyunki [science/reason]'
SOLUTION (0:35–0:48)	Simple actionable takeaway. 'Bas [one thing].'
CLOSE (0:48–end)	NEVER Share CTA. ALWAYS: 'So parents, don't worry' or 'Toh ghabraiye mat'

■ MUST DO	■ NEVER DO
• NEVER Share CTA — Q&A; is always reassuring • ALWAYS ends with 'don't worry' or 'ghabraiye mat' • Answer the question in the FIRST line of explanation — don't build up • Conversational tone — like doctor talking face to face	• Don't add Share CTA • Don't delay the answer • Don't use Type B hook — Q&A; must feel safe and approachable

Example topics: Baby teething timeline, Newborn hiccups, Poop color guide

TEMPLATE 07 — BEHIND THE SCENES

Show the real life and insights of Dr. Kiran as a neonatologist. Builds authority and human connection.

HOOK RULE

Type C ONLY — Start mid-action or mid-thought.

- 'Aaj subah mere NICU mein kuch aisa hua...'
- '20 saal se main yeh kaam kar raha hoon. Aaj pehli baar yeh share kar raha hoon.'

STRUCTURE

Section	What to do
HOOK (0:00–0:03)	Start mid-action or mid-thought. Type C only. No shock. No question.
PROBLEM SETUP (0:03–0:10)	Set the scene — where, when, what was happening.
EXPLANATION (0:10–0:40)	The insight or learning. Personal, reflective, human — not clinical.
SOLUTION (0:40–0:50)	What parents can take away from this story or insight.
CLOSE (0:50–end)	NEVER Share CTA. Personal reflection: 'Yahi wajah hai ki main roz yeh kaam karta hoon'

■ MUST DO	■ NEVER DO
• NEVER Share CTA • NEVER clinical/urgent — this is personal and human • Use sparingly — 1 in every 8-10 reels maximum • Best for authority building and follower loyalty	• Don't use Type A or B hook • Don't add Share CTA • Don't make it clinical — it must be personal

Example topics: NICU moment that changed Kiran, Lesson from 5 countries, Harvard insight

MIXED TEMPLATES — 5 APPROVED COMBINATIONS

A reel can combine maximum 2 templates. Primary template controls hook type, tone, and close. Secondary template influences only the explanation section.

COMBINATION 1	Warning + Myth vs Fact
Why it works	Fear + 'I didn't know this' = maximum share
Hook	Type B (Warning rules)
Close	ALWAYS Share CTA
Structure	Hook (B) → State myth → Bust myth with science → Warning signs → Solution → Share CTA
Example	<i>Dehydration Script 1: Crying is last sign (busts myth + gives danger signs)</i>

COMBINATION 2	Q&A; + Warning
Why it works	Relatability + urgency = save + share
Hook	Type A (Q&A; rules)
Close	Share CTA if serious, otherwise 'don't worry'
Structure	Hook (A, parent question) → Answer directly → Warning signs → Solution → CTA based on severity
Example	<i>Dehydration Script 2: Doctor, baby nahi ro raha + warning signs</i>

COMBINATION 3	Patient Transformation + Warning
Why it works	Emotion + danger = DM shares
Hook	Type B (Patient story rules)
Close	ALWAYS Share CTA (both require it)
Structure	Hook (B, dramatic moment) → Real case story → Warning signs from case → Prevention → Share CTA
Example	<i>Cow's milk twins story + warning signs for dilution</i>

COMBINATION 4	Myth vs Fact + Quick Hack
Why it works	Bust the myth + give the fix = save
Hook	Type A or B (Myth rules)
Close	NEVER Share CTA (Quick Hack rules win for everyday topics)

Structure	Hook (A/B) → State myth → Bust with science → Quick practical hack as solution → 'Don't worry'
Example	<i>Gripe water myth + what to do instead for gas</i>

COMBINATION 5	The 3 Mistakes + Quick Hack
Why it works	Problem + solution = high save
Hook	Type B (Mistakes rules)
Close	Share CTA if life-threatening, otherwise 'don't worry'
Structure	Hook (B) → Mistake 1 + quick fix → Mistake 2 + quick fix → Mistake 3 + quick fix → Summary
Example	<i>3 bedtime mistakes + quick correct techniques</i>

QUICK IDENTIFICATION GUIDE

If script has this...	Template it belongs to
'Bahut log maante hain ki... lekin yeh galat hai'	Myth vs Fact
'Yeh 3 galat cheezein aap karte hain'	The 3 Mistakes
Numbered warning signs list	Warning / Red Flag
'Ek [age] ka baccha hamare paas [condition] mein aaya'	Patient Transformation
'Bas yeh ek kaam karo — [result]'	Quick Hack / DIY
'Doctor, [parent question]?'	Q&A; Session
'Aaj mere NICU mein...' OR '20 saal se...'	Behind the Scenes
Share CTA at end	Warning / Patient Transformation
'So parents, don't worry' at end	Q&A; / Quick Hack / Myth vs Fact
Numbered 3 signs (body symptoms)	Warning / Red Flag (NOT The 3 Mistakes)

CTA RULES — WHEN TO USE SHARE CTA

Template	CTA Rule	
Warning / Red Flag	ALWAYS Share CTA	■
Patient Transformation	ALWAYS Share CTA	■
Myth vs Fact	Share CTA only if life-threatening myth	■■
The 3 Mistakes	Share CTA only if life-threatening mistakes	■■
Q&A; Session	NEVER Share CTA — always 'don't worry'	■
Quick Hack / DIY	NEVER Share CTA — always 'try karo'	■
Behind the Scenes	NEVER Share CTA — personal close only	■