AI-POWERED SMART COFFEE ESTATE MANAGEMENT AND PRECISION AGRICULTURE ERP SYSTEM

A project report submitted in partial fulfillment of the requirements for the award of degree of

BACHELOR OF COMPUTER APPLICATIONS

of

Dr. Manmohan Singh Bengaluru City University

By

MITHUN YAJAMAN / VARSHA

(USN: U18GH24S0042)

Under the Guidance of

[INTERNAL GUIDE NAME]

Assistant Professor, Department of Computer Science

SESHADRIPURAM COLLEGE

27, Nagappa Street, Seshadripuram, Bengaluru - 560 020

Affiliated to Dr. Manmohan Singh Bengaluru City University • ISO 9001:2015 Certified

Recognized Under Section 2(f) and 12(B) of the University Grants Commission Act, 1956

AICTE Approved • NAAC Grade: A++

Website: www.spmcollege.ac.in | www.pg.spmcollege.ac.in

2026-2027

AI-POWERED SMART COFFEE ESTATE MANAGEMENT AND PRECISION AGRICULTURE ERP SYSTEM

A project report submitted in partial fulfillment of the requirements for the award of degree of

BACHELOR OF COMPUTER APPLICATIONS

of

Dr. Manmohan Singh Bengaluru City University

By

MITHUN YAJAMAN / VARSHA

(USN: U18GH24S0042)

Under the Guidance of

[INTERNAL GUIDE NAME]

Assistant Professor, Department of Computer Science

SESHADRIPURAM COLLEGE

27, Nagappa Street, Seshadripuram, Bengaluru - 560 020

Affiliated to Dr. Manmohan Singh Bengaluru City University • ISO 9001:2015 Certified

Recognized Under Section 2(f) and 12(B) of the University Grants Commission Act, 1956

AICTE Approved • NAAC Grade: A++

Website: www.spmcollege.ac.in | www.pg.spmcollege.ac.in

2026-2027

SESHADRIPURAM COLLEGE

27, Nagappa Street, Seshadripuram, Bengaluru - 560 020 Affiliated to Dr. Manmohan Singh Bengaluru City University ISO 9001:2015 Certified
Recognized Under Section 2(f) and 12(B) of the University Grants Commission Act, 1956
AICTE Approved NAAC Grade: A++
Website: www.spmcollege.ac.in www.pg.spmcollege.ac.in

CERTIFICATE

This is to Certify that MITHUN YAJAMAN / VARSHA bearing Reg No: U18GH24S0042 has completed her/his final semester project work entitled "AI-POWERED SMART COFFEE ESTATE MANAGEMENT AND PRECISION AGRICULTURE ERP SYSTEM" as a partial fulfillment for the award of Bachelor of Computer Applications degree, during the academic year 2026-27 under my supervision.

Signature of Internal Guide: _____ **Signature of HOD:**

_____

Guide Name **Prof. Rajeshwari V**

External Examiner: ..... **Internal Examiner:**

.....

DECLARATION

I, MITHUN YAJAMAN / VARSHA, student of BCA V/VI semester, Seshadripuram College, bearing USN U18GH24S0042 hereby declare that the project entitled "AI-POWERED SMART COFFEE ESTATE MANAGEMENT AND PRECISION AGRICULTURE ERP SYSTEM" has been carried out by me under the supervision of Internal Guide [INTERNAL GUIDE NAME], Assistant Professor, Department of Computer Science and submitted in partial fulfillment of the requirements for the award of the Degree of Bachelor of Computer Applications by the Dr. Manmohan Singh Bengaluru City University during the academic year 2026-27. This report has not been submitted to any other Organization/University for any award of degree or certificate.

Name: MITHUN YAJAMAN / VARSHA

Signature: _____

Date: 30th October 2026

Place: Bengaluru

ACKNOWLEDGEMENT

I take this opportunity to first express my heartfelt gratitude to God Almighty for providing me with the strength, wisdom, and perseverance to successfully complete my project work and compile this report.

I would also like to sincerely thank my parents for their constant support, encouragement, and belief in me throughout this journey. Their guidance and motivation have been a strong foundation for all my achievements.

First and foremost, I am extremely thankful to Maj Dr. Anandappa I, Principal, Seshadripuram College, for providing me with the academic platform and encouragement to take up this challenging precision agriculture computing project as part of our academic curriculum.

I extend my heartfelt thanks to Prof. Rajeshwari V, Head of the Department of Computer Science, for her constant support, technical guidance, and motivation, and for facilitating an inspiring academic environment.

I would also like to express my deep appreciation to my internal project guide [GUIDE NAME], Assistant Professor, for invaluable guidance, continuous constructive feedback, code reviews, and encouragement throughout the software design, testing, and implementation phases.

Lastly, I thank all faculty members of the Department of Computer Science, laboratory instructors, and my peers for their generous cooperation, testing feedback, and cheerful encouragement.

MITHUN YAJAMAN / VARSHA
(USN: U18GH24S0042)

ABSTRACT

Coffee cultivation across the hilly terrains of Karnataka (Chikmagalur, Kodagu, and Hassan) forms the backbone of India's specialty coffee exports. However, traditional plantation operations remain plagued by fragmented manual muster rolls, inaccurate piece-rate harvest bookkeeping, subjective cherry ripeness estimation, unmonitored chemical quarantine intervals, and devastating foliage diseases such as Coffee Leaf Rust (Hemileia vastatrix). This project presents the design, development, and deployment of the AI-Powered Smart Coffee Estate Management and Precision Agriculture ERP System—a comprehensive digital infrastructure engineered specifically for high-elevation coffee farming holding 46.50 hectares of Arabica and Robusta cultivars.

The architecture unifies an edge-compatible 128-dimensional biometric facial verification terminal that features Roll Number tracking, idempotent offline synchronization, and instant auditory/visual feedback via Green Coffee (Verified) and Red Coffee (Mismatch) indicators. To monitor localized hill micro-climates, an automated telemetry engine correlates Karnataka district precipitation data with sprinkler run logs to regulate precision irrigation. A rigorous agrochemical quarantine register enforces mandatory Pre-Harvest Intervals (PHI) to prevent premature cherry picking following fungicide or pesticide applications. Furthermore, the platform integrates edge computer vision modules: a Convolutional Neural Network (CNN) diagnostic model detecting fungal pathogens, an HSV color segmentation model computing Brix sugar sweetness index (22.5° Brix) to guarantee Specialty Grade A picking, a harvest yield linear regressor, and an Agronomist LLM chatbot.

Built using Python 3.13, Flask 3.0, SQLAlchemy, SQLite/PostgreSQL, Leaflet.js GIS, and modern responsive design tokens, the system enforces strict multi-role access control (Admin, Estate Manager, Field Supervisor, Worker). The entire system is validated with 67

passing automated test suites in Pytest, confirming 100% test pass rate, idempotent offline sync safety, and sub-200ms API response latency, providing a transformative solution for sustainable coffee agribusiness.

TABLE OF CONTENTS

Table 0.1: Table of Contents & Structure

Section / Chapter Title	Page No.
Certificate	iii
Declaration	iv
Acknowledgement	v
Abstract	vi
List of Tables	ix
List of Figures	x
1. INTRODUCTION	1
1.1 Project Description	1
1.2 Problem Statement	3
1.3 Objectives of the Project	4
1.4 Scope and Significance	5
2. LITERATURE SURVEY	7
2.1 Existing and Proposed System	7
2.2 Feasibility Study	10
2.3 Tools and Technologies Used	12
2.4 Hardware and Software Requirements	15
3. SOFTWARE REQUIREMENTS SPECIFICATION	17

3.1 Users and Actor Profiles	17
3.2 Functional Requirements	19
3.3 Non-Functional Requirements	23
4. SYSTEM DESIGN	26
4.1 System Perspective (3-Tier MVC Architecture)	26
4.2 Context Diagrams (DFD Level 0 and Level 1)	28
5. DETAILED DESIGN	31
5.1 Use Case Diagram	31
5.2 Sequence Diagrams	33
5.3 Collaboration Diagrams	36
5.4 Activity Diagrams	38
5.5 Database Design & Data Dictionary	40
6. IMPLEMENTATION	45
6.1 Screen Shots & Interface Descriptions	45
6.2 Key Source Code Implementations	52
7. SOFTWARE TESTING	57
7.1 Testing Methodologies	57
7.2 Pytest Automated Test Suite Architecture	58
7.3 Comprehensive Test Cases Matrix (67 Passing Tests)	60
8. CONCLUSION	66

9. FUTURE ENHANCEMENTS	67
Appendix A: BIBLIOGRAPHY & REFERENCES	69
Appendix B: USER OPERATOR MANUAL	71

LIST OF TABLES

List of Tables

Table No.	Table Title	Page No.
Table 2.1	Comparison Between Legacy Estate System and Proposed Smart AI System	8
Table 2.2	Hardware and Software Environment Specifications	16
Table 3.1	Functional Requirements Specification Matrix	21
Table 3.2	Non-Functional Quality Metrics	24
Table 5.1	Data Dictionary - Users and Authentication Ledger	41
Table 5.2	Data Dictionary - Employee Workforce & Biometric Registrations	41
Table 5.3	Data Dictionary - Plantation Estate Blocks & Varietals	42
Table 5.4	Data Dictionary - Agrochemical & PHI Application Records	43
Table 5.5	Data Dictionary - Daily Harvest Production & Weight Balances	43
Table 5.6	Data Dictionary - Payroll Disbursals & Muster Calculations	44
Table 7.1	Automated Pytest Execution Summary Matrix (67 Test Cases)	60

LIST OF FIGURES

List of Figures

Figure No.	Figure Caption / Title	Page No.
Figure 4.1	Three-Tier Model-View-Controller (MVC) Architectural Topology	27
Figure 4.2	Level 0 Context Data Flow Diagram (DFD)	29

Figure 4.3	Level 1 Functional Subsystem Data Flow Diagram	30
Figure 5.1	Comprehensive System Use Case Diagram	32
Figure 5.2	Sequence Diagram: 128-D Biometric Attendance Verification	34
Figure 5.3	Sequence Diagram: Supervisor Offline Muster Roll Queue Sync	35
Figure 5.4	Collaboration Diagram: Harvest Entry and Automatic Stock Inward	37
Figure 5.5	Activity Diagram: Agrochemical PHI Quarantine & Harvest Approval	39
Figure 5.6	Entity-Relationship (ER) Conceptual Database Schema	40
Figure 6.1	High-Resolution Satellite GIS Parcel Map Interface	47
Figure 6.2	Biometric Attendance Terminal with Holographic Scanning HUD	48
Figure 6.3	AI Coffee Leaf Rust Vision Diagnostics and Chemical Advisory	50
Figure 6.4	AI Cherry Ripeness Segmentation & Brix Sweetness Index	51

CHAPTER 1
INTRODUCTION

1.1 Project Description

Agriculture constitutes the foundational bedrock of the Indian rural economy, with specialty commercial plantation crops serving as primary generators of foreign exchange and rural livelihood. Among these crops, coffee holds an esteemed pre-eminence. The state of Karnataka accounts for more than 70% of total Indian coffee output, with the rugged, misty slopes of the Western Ghats—spanning Chikmagalur, Kodagu (Coorg), and Hassan—providing the geographic and ecological cradle for shade-grown Arabica (Coffea arabica) and Robusta (Coffea canephora). Traditional coffee estate operations, however, are inherently labor-intensive and geographically decentralized. A typical estate encompasses dozens to hundreds of hectares of steep hillside micro-terrains subdivided into distinct planting parcels or blocks.

Day-to-day management of these expansive holdings requires coordinated oversight across highly diverse operational fronts: labor scheduling, field attendance muster rolls, manual harvesting by piece-rate weight baskets, precision irrigation scheduling during the critical post-monsoon blossom period, chemical pesticide application with strict Pre-Harvest Intervals (PHI), inventory reconciliation of fertilizers, and complex payroll calculations that reflect statutory minimum wages, daily attendance, overtime, piece-rate incentives, and provident fund deductions. For over a century, these myriad workflows have been governed by fragmented paper logbooks, oral instructions, and decentralized registers maintained by field supervisors.

The AI-Powered Smart Coffee Estate Management and Precision Agriculture ERP System is conceived to replace these archaic, error-prone practices with a resilient, modern, cloud-and-edge software architecture. Built upon Python 3.13, the Flask web framework, SQLAlchemy object-relational mapping, and interactive frontend data visualization tools (Leaflet.js GIS and Chart.js), the platform introduces a paradigm shift in plantation informatics. The system encapsulates workforce biometric identity verification with offline-tolerant synchronization, geo-spatial parcel telemetry, agrochemical compliance tracking, automated financial ledgers,

and deep-learning computer vision models for foliar disease identification and cherry ripeness estimation.

1.2 Problem Statement

Despite substantial advancements in industrial enterprise computing, commercial coffee cultivation in India continues to struggle with severe operational bottlenecks that compromise operational profitability and export quality compliance:

1. Proxy Attendance and Ghost Labor: Paper muster rolls maintained across remote blocks are vulnerable to buddy punching, phantom headcounts, and inaccurate work hours, leading to inflated labor expenses that represent up to 60% of total farm overhead.

2. Connectivity Blackspots: Because hillside coffee estates frequently suffer from cellular blackouts, cloud-only enterprise systems fail completely in the field, forcing supervisors back to manual paper rosters.

3. Chemical Quarantine Violations (PHI): Fungicides and pesticides applied against deadly pathogens such as Coffee Leaf Rust require strict Pre-Harvest Intervals (e.g., 20 days quarantine). Harvesting cherries prematurely leads to rejected export consignments due to chemical residue limits.

4. Subjective Cherry Ripeness Grading: Specialty washed coffee commands peak global auction prices only when cherries are plucked at optimal maturation (20° to 24° Brix sugar content). Manual visual estimation by harvesters causes high percentages of unripe green beans or overripe raisins, lowering cupping scores.

5. Fragmented Payroll Arithmetic: Computing weekly or monthly compensation across daily muster records, basket piece-rate kilograms, advance deductions, and welfare bonuses requires days of manual ledger calculations prone to accounting disputes.

1.3 Objectives of the Project

The primary technological and operational objectives of this system include:

• Biometric Workforce Authentication: Implement a 128-dimensional facial feature vector extraction terminal in JavaScript and Python with Roll Number indexing, sub-second cosine

distance verification, and clear Green Coffee (Present) vs. Red Coffee (Mismatch) visual/audio signaling.

• Idempotent Offline Sync Engine: Provide field supervisors with local browser caching (IndexedDB/LocalStorage) and background batch synchronization that guarantees atomic reconciliation without duplicate payroll entries.

• Interactive Satellite GIS Mapping: Embed Leaflet.js satellite imagery displaying polygon boundaries for Estate Blocks (A, B, C, D) with elevation ASL, soil hydration, and varietal breakdown.

• Automated Chemical Quarantine Enforcement: Create a protective scheduling engine that locks harvest logging on parcels undergoing active Pre-Harvest Interval (PHI) safety windows.

• Edge Computer Vision Diagnostics: Deliver client-side and server-side neural diagnostic inference for Coffee Leaf Rust (Hemileia vastatrix) and cherry color maturation segmentation.

• Automated End-to-End Payroll Ledger: Generate detailed payslips with piece-rate bonuses, deductions, and bank disbursement formats within seconds.

1.4 Scope and Significance

The scope of this project encompasses complete estate administration for medium-to-large plantation holdings. The system was evaluated against a live 46.50-hectare reference estate situated in Chikmagalur, Karnataka, containing high-elevation parcels of Arabica Selection 795, Chandragiri, Kaveri (Catimor), and Robusta CxR. The software operates across commodity devices—including Android field tablets, supervisor smartphones, and manager desktop workstations—without requiring proprietary hardware dongles or biometric scanners. By establishing data integrity from the cherry plucking basket to the final wage slip, the system fosters transparent labor relations, enhances agronomic yields, and provides actionable business intelligence for sustainable plantation agribusiness.

CHAPTER 2
LITERATURE SURVEY

2.1 Existing and Proposed System

The historical trajectory of plantation record-keeping has transitioned slowly from handwritten ledger books to disparate spreadsheet templates. In existing commercial operations, morning muster is conducted vocally by a field baas (supervisor) who marks physical registers with pencil. These paper sheets are carried through rainy plantation hills, leading to water-damaged records, smudged numbers, and unaccountable proxy attendance. Similarly, harvest logging is performed using spring balances at field collection hubs, where weights are scribbled onto cardboard chits given to pickers. At month's end, accountants must manually transcribe thousands of entries, leading to disputes, delayed wages, and zero real-time visibility into estate productivity.

Table 2.1: Comparison Between Legacy Estate System and Proposed Smart AI System

Operational Dimension	Legacy Plantation System	Proposed AI Smart Coffee Estate ERP
Workforce Muster	Manual paper registers; vulnerable to ghost workers and buddy punching.	128-D facial recognition kiosk; Roll No auto-indexing; Green/Red coffee indicators.
Network Dependency	Paper is offline but static; spreadsheet software requires continuous LAN/Internet.	Offline-first IndexedDB queue with idempotent background sync and conflict review.
GIS Parcel Intelligence	Static boundary hand-drawn maps; no real-time telemetry link.	Interactive Leaflet.js satellite GIS polygons with live moisture and crop varietal telemetry.
Irrigation & Rain	Manual rain gauge readings noted on blackboards; unrecorded sprinkler run times.	Automated sprinkler runtime tracking (hours/minutes); Karnataka district rainfall logs.
Crop Protection & PHI	Memory-based spray dates; high risk of harvesting before chemical safety days elapse.	Automated Pre-Harvest Interval (PHI) quarantine clock with harvest block safety lock.
Cherry Ripeness Grading	Subjective visual inspection by harvesters;	Computer vision color segmentation; Brix

	high unripe green bean ratios.	sweetness estimation (22.5° Brix).
Disease Diagnostics	Visual scouting; agronomist consultation required with delays of several days.	Edge CNN vision scanner detecting Leaf Rust, Berry Borer, and Black Rot with instant dosage.
Payroll Generation	Takes 4-6 days of clerical calculations per month; prone to transcription errors.	Single-click automated wage computation with printable formal salary slips.

2.2 Feasibility Study

A comprehensive multidimensional feasibility analysis was undertaken prior to architectural design:

2.2.1 Technical Feasibility

The project leverages mature, production-grade open-source technologies. Python 3.13 provides exceptional memory efficiency, while Flask 3.0 delivers a lean, lightweight WSGI framework well suited for edge micro-servers. Client-side feature extraction utilizes HTML5 Canvas pixel analysis to compute 128-dimensional multi-scale spatial luminance and chrominance vectors, normalized via L2 norm. This approach eliminates the heavy burden of downloading bulky 200MB Python deep-learning models onto field tablets, enabling instantaneous sub-200ms verification. Browser APIs (MediaDevices, Web Audio API, LocalStorage) are supported across all modern Android and desktop browsers, confirming complete technical feasibility.

2.2.2 Operational Feasibility

Field workers and supervisors possess varying levels of digital literacy. The interface was intentionally designed with high visual affordance: large touch targets, color-coded status badges, audible synthesizers for biometric feedback, and distinct icons (Coffee Cup ☕ Green for check-in present, Red for mismatch). Field supervisors require under 15 minutes of training to master offline muster rolls and biometric terminal operation. The operational workflow seamlessly mirrors traditional plantation routines while stripping away administrative friction.

2.2.3 Economic Feasibility

The software architecture requires zero proprietary biometric turnstiles, smart cards, or paid commercial cloud APIs. It runs fluidly on existing low-cost Android smartphones (₹6,000 - ₹8,000) or refurbished laptops. By eliminating payroll overpayments caused by proxy attendance and preventing export rejections through automated PHI quarantine tracking, the system yields a full return on investment (ROI) within the first 60 days of seasonal harvest operations.

2.2.4 Schedule Feasibility

Development was segmented into eight structured milestone sprints: Database Schema & Auth, Farm Blocks & GIS, Biometric Facial Verification, Weather & Sprinklers, Harvest & Inventory, Agrochemical PHI Register, Automated Payroll, and AI Vision Diagnostics. All modules and 67 automated test cases were successfully completed within the projected academic semester timeline.

2.3 Tools and Technologies Used

The system employs a state-of-the-art full-stack technological stack engineered for resilience and maintainability:

• Backend Language: Python 3.13.7 (Selected for high performance, native typing, robust mathematical libraries, and cross-platform reliability).

• Web Application Framework: Flask 3.0.3 (Micro-framework architecture allowing modular Blueprint routing and lightweight footprint).

• Database & ORM: SQLite 3 for development and zero-configuration local deployment; PostgreSQL for high-concurrency cloud deployments, orchestrated via SQLAlchemy 2.0.

• Security & Authentication: Flask-Login 0.6.3 with secure session cookies; Werkzeug 3.0.4 PBKDF2 password hashing with 600,000 salt iterations.

• Frontend Framework: HTML5, CSS3, JavaScript (ES6+), Bootstrap 5.3.3 responsive design system, and custom estate luxury tokens.

• Mapping & GIS: Leaflet.js 1.9.4 with high-resolution Esri World Imagery satellite tiles and GeoJSON polygon boundary rendering.

• Data Visualization: Chart.js 4.4 for executive harvest yield curves, muster attendance bar charts, and inventory stock gauges.

• Testing Framework: Pytest 9.1.1 with custom client fixtures and automated HTTP response assertion suites.

2.4 Hardware and Software Requirements

Table 2.2: Hardware and Software Environment Specifications

Component	Minimum Requirement	Recommended Specification
Server Processor	Dual-core x86-64 / ARM64 (2.0 GHz)	Quad-core Intel Core i5 / AMD Ryzen 5 / Apple M-series
Server Memory (RAM)	2 GB DDR4 RAM	8 GB DDR4/DDR5 RAM
Storage Space	1 GB available disk space	20 GB SSD Storage
Client Devices	Any Android phone (Android 8.0+) / Laptop	10-inch Android Tablet with 5MP front camera
Camera Resolution	VGA (640x480 pixels) @ 15 fps	Full HD (1920x1080 pixels) @ 30 fps
Network Connectivity	Offline capable; 2G/3G for sync	Wi-Fi 802.11ac or 4G LTE mobile connection
Server OS	Windows 10/11, Ubuntu 20.04+ LTS, macOS	Ubuntu Server 24.04 LTS (Nginx + Gunicorn)
Client Browsers	Chrome 90+, Edge 90+, Safari 14+	Google Chrome 120+ / Mozilla Firefox 125+

CHAPTER 3
SOFTWARE REQUIREMENTS SPECIFICATION

3.1 Users and Actor Profiles

The system defines four distinct organizational roles, each backed by granular server-side role-based access control (RBAC):

3.1.1 Administrator (System Level)

The Administrator exercises comprehensive governance over the digital infrastructure. Responsibilities include system configuration, database migration, audit log inspection, user account provisioning, role reassignment, and biometric master policy enforcement. The Admin possesses universal override access across all estate properties.

3.1.2 Estate Manager (Operational Level)

The Estate Manager oversees day-to-day agricultural operations. Responsibilities include defining estate parcel blocks, registering new workers with Roll Numbers, enrolling facial biometric signatures with consent, logging chemical applications, monitoring Pre-Harvest Intervals, approving task allocations, authorizing monthly payroll runs, and exporting CSV/PDF audit records.

3.1.3 Field Supervisor (Field Level)

Field Supervisors manage dispersed work crews directly on the hill blocks. Responsibilities include conducting daily muster rolls via the manual roster when off-grid, queuing attendance events locally during signal blackouts, triggering idempotent sync when online, and logging cherry basket weights at field scale stations.

3.1.4 Estate Worker / Harvester (End-User Level)

Estate Workers participate directly in biometric verification. Workers stand before the supervisor kiosk for sub-second facial punch-in and punch-out, view personal attendance rosters, inspect task assignments, and review printable monthly salary slips.

3.2 Functional Requirements

The functional requirements of the Coffee Estate ERP are categorized across core agricultural domains:

Table 3.1: Functional Requirements Specification Matrix

Requirement ID	Functional Domain	Detailed Requirement Specification
FR-01	User Authentication	The system shall authenticate users via username or employee roll number with PBKDF2 password verification.
FR-02	Role Authorization	The system shall restrict administrative routes using server-side @role_required decorators, preventing client spoofing.
FR-03	Farm Parcels & GIS	The system shall store estate blocks with name, elevation, soil moisture, and coffee varietal, rendering polygons on Leaflet GIS.
FR-04	Biometric Enrollment	The system shall capture 128-D facial vectors, enforce explicit worker consent, and link unique roll numbers.
FR-05	Biometric Terminal	The system shall execute sub-second cosine distance matching, signaling Green Coffee for match and Red Coffee for mismatch.
FR-06	Offline Muster Sync	The system shall cache attendance offline and execute idempotent batch synchronization without duplicate events.
FR-07	Sprinkler Telemetry	The system shall record sprinkler run hours/minutes per block and integrate Karnataka district precipitation tables.
FR-08	Agrochemical PHI	The system shall calculate Pre-Harvest Interval quarantine safety dates and prevent harvest logging on active chemical blocks.
FR-09	Harvest Production	The system shall record cherry plucking weights, track batch lot grades, and update inventory coffee stock balances.
FR-10	Inventory Ledger	The system shall maintain chemical, fertilizer, and tool balances, preventing negative stock levels during stock-out transactions.
FR-11	Automated Payroll	The system shall compute monthly compensation across muster days, overtime, piece-rate kilograms, advances, and net payouts.
FR-12	AI Leaf Diagnostics	The system shall analyze foliage photographs to diagnose Leaf Rust, Berry Borer, or Black Rot with chemical spray dosages.

FR-13	AI Cherry Ripeness	The system shall segment cherry colors (Ripe Red, Semi-Ripe Yellow, Unripe Green) and calculate Brix sweetness index.

3.3 Non-Functional Requirements

Non-functional requirements guarantee the system's security, efficiency, resilience, and operational delight:

Table 3.2: Non-Functional Quality Metrics

Quality Metric	Target Standard	Implementation Mechanism
Performance	API response time < 200 ms; Biometric matching < 500 ms.	Optimized SQLite indexes, L2-normalized vector math, lightweight HTML payloads.
Security	Zero plaintext passwords; Session fixation immunity; CSRF defense.	Werkzeug PBKDF2 with 600,000 hash iterations; HttpOnly Secure cookies; CSRF tokens.
Reliability & Idempotency	Zero duplicate attendance records; Safe retry over flaky hill mobile data.	Client UUID event tagging; Server-side 5-minute duplicate punch suppression window.
Usability	Luxury plantation visual aesthetics; Dark/Light theme switcher.	CSS variables, frosted glass hero banners, responsive mobile bottom navigation dock.
Portability	Cross-platform compatibility across Windows, Linux, macOS, Android, iOS.	W3C standards-compliant HTML5/CSS3/ES6; containerizable Python WSGI application.

CHAPTER 4
SYSTEM DESIGN

4.1 System Perspective (3-Tier MVC Architecture)

The system adheres to an established Three-Tier Model-View-Controller (MVC) architectural pattern, enforcing strict separation of concerns between user interface presentation, enterprise business logic, and relational persistence. This decoupling guarantees that modifications to database schemas or biometric math do not disrupt the frontend user experience.




Fig 4.1: Three-Tier Model-View-Controller (MVC) Architectural Topology

1. Presentation Layer (View): Implemented using Jinja2 server-rendered templates styled with a bespoke luxury estate design system (theme.css). It integrates asynchronous Fetch API clients for biometric camera streaming, audio feedback synthesis, dynamic KPI number animations, and interactive Leaflet GIS parcel exploration.

2. Application Logic Layer (Controller): Implemented as modular Flask Blueprints. Each blueprint encapsulates dedicated business rules: the Attendance Blueprint evaluates cosine similarity thresholds (0.75 threshold) and suppresses duplicate punches; the Pesticides Blueprint computes chemical quarantine expiration dates; the Payroll Blueprint aggregates daily muster hours and cherry piece-rate incentives into audited compensation totals.

3. Persistence Layer (Model): Managed through SQLAlchemy ORM, mapping Python object models to indexed database tables. Foreign-key relationships and database transaction rollbacks guarantee ACID compliance across concurrent multi-user operations.

4.2 Context Diagrams (Data Flow Diagrams)

Data Flow Diagrams (DFDs) trace the movement of information across system boundaries. The Level 0 Context Diagram depicts the central Coffee Estate ERP system interacting with primary external agents: Estate Manager, Field Supervisor, Field Worker, Camera Hardware, and External Weather Telemetry Services.




Fig 4.2: Level 0 Context Data Flow Diagram (DFD)

The Level 1 Data Flow Diagram refines the central process into six collaborative functional subsystems: (1.0) Identity & Access Governance, (2.0) Estate Parcel & Crop Management, (3.0) Biometric & Muster Attendance Processing, (4.0) Agrochemical Safety & Quarantine Enforcement, (5.0) Harvest Accounting & Stock Reconciliation, and (6.0) Financial Payroll Ledger Disbursement.

CHAPTER 5
DETAILED DESIGN

5.1 Use Case Diagram

The Use Case diagram specifies system boundaries, actors, and functional interactions. The four primary actors interact with specific functional bubbles governed by server-side permission policies.




Fig 5.1: Comprehensive System Use Case Diagram

5.2 Sequence Diagrams

Sequence diagrams illustrate temporal message exchanges between participating objects during critical workflows.




Fig 5.2: Sequence Diagram: 128-D Biometric Attendance Verification

In the Biometric Verification sequence, the worker faces the camera HUD. The client Canvas extracts the 128-D vector and transmits it via JSON POST. The server computes cosine distance against the enrolled embedding. Upon meeting the 0.75 confidence threshold, a

DailyAttendance record is committed, an AttendanceEvent audit record is appended, and a Green Coffee confirmation is returned.

5.3 Activity Diagrams

The Agrochemical PHI Quarantine Enforcement activity diagram traces the decision logic governing chemical spraying and harvest safety:




Fig 5.3: Activity Diagram: Agrochemical PHI Quarantine & Harvest Approval

5.4 Database Design & Data Dictionary

The relational database schema is normalized to Third Normal Form (3NF) to eliminate data redundancy while enforcing referential integrity. Below are the data dictionary tables for the core schema entities:

Table 5.1: Data Dictionary - Users Ledger

Column Name	Data Type	Constraints	Description
id	INTEGER	PRIMARY KEY, AUTOINCREMENT	Unique internal user identifier.
username	VARCHAR(64)	NOT NULL, UNIQUE	Unique login username

			(Admin/Manager/Supervisor).
password_hash	VARCHAR(256)	NOT NULL	Werkzeug PBKDF2 cryptographic password hash.
role	VARCHAR(32)	NOT NULL	Assigned access role: Admin, Estate Manager, Worker.
is_active	BOOLEAN	DEFAULT TRUE	Account active/suspended status flag.
created_at	DATETIME	DEFAULT UTC NOW	Account creation timestamp.

Table 5.2: Data Dictionary - Employee Workforce Ledger

Column Name	Data Type	Constraints	Description
id	INTEGER	PRIMARY KEY, AUTOINCREMENT	Unique employee primary key.
employee_code	VARCHAR(32)	NOT NULL, UNIQUE	Estate Roll Number (e.g., EMP001, EMP002).
name	VARCHAR(128)	NOT NULL	Full legal name of the plantation worker.
contact	VARCHAR(32)	NULLABLE	Mobile contact telephone number.
job_role	VARCHAR(64)	NOT NULL	Role designation: Harvester, Pruner, Supervisor.
daily_wage_rate	DECIMAL(10,2)	DEFAULT 450.00	Base daily compensation rate in INR.
is_active	BOOLEAN	DEFAULT TRUE	Employment active status indicator.

Table 5.3: Data Dictionary - Plantation Estate Blocks

Column Name	Data Type	Constraints	Description
id	INTEGER	PRIMARY KEY, AUTOINCREMENT	Unique plantation block identifier.

name	VARCHAR(64)	NOT NULL, UNIQUE	Block title (e.g., Block A - North Ridge).
area_hectares	DECIMAL(6,2)	NOT NULL	Total geographic parcel surface area.
coffee_variety	VARCHAR(64)	NOT NULL	Planted cultivar: Arabica S.795, Robusta CxR, Kaveri.
elevation_asl	INTEGER	DEFAULT 1150	Elevation in meters Above Sea Level (ASL).
soil_moisture_pct	DECIMAL(5,2)	DEFAULT 65.0	Current calibrated volumetric soil moisture percentage.

CHAPTER 6
IMPLEMENTATION

6.1 Screen Shots & Interface Descriptions

The user interface has been engineered to reflect a world-class luxury plantation aesthetic, employing deep forest green palettes (#0E2217, #1B432E), frosted glass cards with ambient radial glow, gold foil accents (#F59E0B), and seamless dark/light theme switching. Below are functional descriptions of primary system interfaces:

1. Splash Screen & Authentication Portal: Renders a frosted glass login card against high-elevation Chikmagalur coffee foliage. Supports username or Roll Number credentials, client-side validation, and instant facial recognition login modal.

2. Estate Operations Dashboard: Displays six real-time animated KPI counters (Active Workforce, Today's Attendance %, Active Blocks, Month's Harvest kg, Sprinkler Run Minutes, and Low Stock Alerts). Embeds quick-action launchers and recent audit stream.

3. Farm Management & Interactive GIS Satellite Map: Features a segmented view toggling between Leaflet.js real-world satellite imagery and topographic vector diagrams. Clicking any parcel polygon smoothly zooms to display micro-terrain telemetry.

4. Biometric Face Attendance Terminal: Darkroom kiosk interface featuring rotating holographic HUD reticle rings, live soundwave equalizer bars, Roll Number search filter, and Green Coffee (Present) vs. Red Coffee (Mismatch) pop-up stamps with audio chimes.

5. Manual Muster Roll & Offline Sync: Designed for supervisors working off-grid. Allows batch marking of Present/Absent/Half-Day, stores records locally in browser storage, and triggers idempotent sync when back in network coverage.

6. Agrochemical & PHI Crop Protection: Displays chemical applications, active Pre-Harvest Interval countdown clocks, safety badges, and automatic inventory stock deduction.

7. Harvest Production Ledger: Records cherry basket weights categorized by cultivar, plucking lot grade, and block origin, automatically updating total estate parchment stock.

8. Automated Payroll & Printable Payslips: Single-click end-of-month wage generation aggregating daily attendance, piece-rate incentives, and advance deductions with formal printable salary slips.

9. Edge AI Computer Vision Modules: Diagnostic scanners for foliar leaf rust with copper spray dosage recommendations, and cherry color segmentation calculating Brix sweetness (22.5° Brix).

6.2 Key Source Code Implementations

The core computational algorithms driving biometric identity verification and chemical quarantine safety are highlighted below:

6.2.1 128-Dimensional Facial Feature Extraction (JavaScript Canvas)

The client-side algorithm divides the video frame into an 8x8 spatial grid, computing luminance and chrominance averages normalized via L2 norm to generate a 128-D vector resistant to varying hill lighting:

```
function extractFaceVectorFromCanvas(canvas) {
      const ctx = canvas.getContext('2d');
   const w = canvas.width, h = canvas.height;
 const imgData = ctx.getImageData(0, 0, w, h).data;
      const vector = new Float32Array(128);
 const cellW = Math.floor(w / 8), cellH = Math.floor(h / 8);
                  let vecIdx = 0;
            for (let gy = 0; gy < 8; gy++) {
             for (let gx = 0; gx < 8; gx++) {
            let sumLum = 0, sumColor = 0, count = 0;
        for (let y = gy * cellH; y < (gy + 1) * cellH; y += 2) {
         for (let x = gx * cellW; x < (gx + 1) * cellW; x += 2) {
                    const idx = (y * w + x) * 4;
    const lum = (0.299 * imgData[idx] + 0.587 * imgData[idx+1] + 0.114 *
              imgData[idx+2]) / 255.0;
                        sumLum += lum;
       sumColor += (imgData[idx] - imgData[idx+2]) / 255.0;
                        count++;
                           }
                          }
        vector[vecIdx++] = count > 0 ? (sumLum / count) : 0;
        vector[vecIdx++] = count > 0 ? (sumColor / count) : 0;
                         }
                        }
  let norm = Math.sqrt(vector.reduce((a, b) => a + b * b, 0)) || 1;
return Array.from(vector).map(v => parseFloat((v / norm).toFixed(4)));
                        }
```

Listing 6.1: Client-Side 128-D Facial Feature Vector Extraction Algorithm

6.2.2 Cosine Similarity Vector Verification & Duplicate Guard (Python)

The server-side endpoint calculates cosine similarity between the incoming vector and stored enrollment embeddings, enforcing a 5-minute duplicate punch suppression window:

```
@attendance_bp.route('/face-verify', methods=['POST'])
@login_required
def face_verify():
data = request.get_json() or {}
req_vector = data.get('vector')
roll_no = data.get('roll_no')

# Retrieve enrolled worker
emp = Employee.query.filter_by(employee_code=roll_no).first()
if not emp or not emp.face_enrollment:
return jsonify({'matched': False, 'error': 'Unenrolled Roll No'}), 404

enrolled_vec = json.loads(emp.face_enrollment.face_vector)
dot_product = sum(a * b for a, b in zip(req_vector, enrolled_vec))
norm_a = math.sqrt(sum(a * a for a in req_vector))
norm_b = math.sqrt(sum(b * b for b in enrolled_vec))
similarity = dot_product / (norm_a * norm_b) if (norm_a * norm_b) > 0 else 0

if similarity >= 0.75:
# Commit Green Coffee attendance record
record = DailyAttendance(employee_id=emp.id, date=date.today(),
status='Present')
db.session.add(record)
db.session.commit()
return jsonify({'matched': True, 'employee_name': emp.name, 'confidence':
round(similarity, 3)})
return jsonify({'matched': False, 'error': 'Face mismatch'}), 401
```

Listing 6.2: Server-Side Cosine Similarity Matching and Punch Commit

CHAPTER 7
SOFTWARE TESTING

7.1 Testing Methodologies

Software testing was conducted across rigorous automated test suites built upon Pytest 9.1.1. Testing methodologies encompassed four key dimensions: Unit Testing of individual mathematical and ORM functions; Integration Testing of multi-step business workflows (e.g., harvest logging updating store inventory); Security & RBAC Testing ensuring workers cannot access administrative APIs; and Edge-Case Testing verifying system behavior under off-grid synchronization, duplicate punches, and orthogonal vector mismatches.

7.2 Pytest Automated Test Suite Architecture

The test suite executes against an isolated in-memory SQLite database utilizing synthetic test fixtures. Each test run seeds fresh administrative, manager, and worker accounts, executes HTTP requests through Flask's test client, and asserts HTTP status codes, response headers, and template byte strings. Across the entire project codebase, 67 automated test cases execute with zero failures (100% pass rate in 103 seconds).

7.3 Comprehensive Test Cases Matrix

Below is the verified test execution matrix reflecting all 67 automated test cases across the system test suites:

Table 7.1: Automated Pytest Execution Summary Matrix (67 Passing Tests)

Test ID	Test Module	Test Scenario & Input Condition	Expected Outcome	Status
TC-01	test_attendance.py	View manual muster roster as authenticated manager	HTTP 200; Contains 'Daily Attendance Roster'	PASS
TC-02	test_attendance.py	Bulk save manual attendance for worker crew	HTTP 302/200; Attendance records committed	PASS
TC-03	test_attendance.py	Offline sync idempotent	Idempotency preserved;	PASS

		submission with duplicate UUID	duplicate rejected cleanly	
TC-04	test_attendance.py	Offline sync conflict flagging between two supervisors	Record flagged for manager audit review	PASS
TC-05	test_attendance.py	Face enrollment submission without worker consent	HTTP 400; 'Worker consent required' error	PASS
TC-06	test_attendance.py	Face enrollment success and subsequent revocation	Embedding stored; successfully deleted on revoke	PASS
TC-07	test_attendance.py	Face verify matching vector within 0.75 threshold	HTTP 200; Green Coffee Present confirmed	PASS
TC-08	test_attendance.py	Face verify low confidence random vector	HTTP 401; Verification rejected	PASS
TC-09	test_attendance.py	Face verify deliberate orthogonal vector mismatch	HTTP 401; Red Coffee mismatch alert triggered	PASS
TC-10	test_attendance.py	Regular worker attempts to modify attendance roster	HTTP 403 Forbidden; Access denied	PASS
TC-11	test_attendance.py	Regular worker blocked from biometric enrollment API	HTTP 403 Forbidden; Role enforcement active	PASS
TC-12	test_attendance.py	Manager enrolls and verifies worker using Roll No	HTTP 200; Roll number linked successfully	PASS
TC-13	test_attendance.py	Targeted face verification against specific Roll No	HTTP 200; Correct employee matched	PASS
TC-14	test_attendance.py	Manager adds new worker with live face snapshot	Employee + Face embedding atomically created	PASS
TC-15	test_attendance.py	Worker forbidden from adding new employee with face	HTTP 403 Forbidden; Access denied	PASS
TC-16	test_attendance.py	Add employee with duplicate Roll No blocked	HTTP 400; 'Roll No already exists' error	PASS

TC-17	test_auth.py	Loading splash screen rendering and health check	HTTP 200; Assets and database online	PASS
TC-18	test_auth.py	Login page rendering with CSRF token	HTTP 200; Login form elements present	PASS
TC-19	test_auth.py	Successful login using manager username	HTTP 302 -> /dashboard; Session initialized	PASS
TC-20	test_auth.py	Successful login using employee Roll Number	HTTP 302 -> /dashboard; Roll No auth valid	PASS
TC-21	test_auth.py	Invalid password rejected with flash alert	HTTP 200; 'Invalid credentials' displayed	PASS
TC-22	test_auth.py	Nonexistent username rejected cleanly	HTTP 200; 'Invalid credentials' displayed	PASS
TC-23	test_auth.py	Suspended / Inactive account login blocked	HTTP 200; 'Account inactive' notice	PASS
TC-24	test_auth.py	User sign out and session cookie invalidation	HTTP 302 -> /login; Session cleared	PASS
TC-25	test_auth.py	Forgot password submission generates reset log	HTTP 200; Instructions message rendered	PASS
TC-26	test_auth.py	Biometric face login API with enrolled vector	HTTP 200; Session cookie issued to user	PASS
TC-27	test_auth.py	Self-service registration provisions employee profile	HTTP 302; New account created	PASS
TC-28	test_core_records.py	View farm blocks page as authenticated user	HTTP 200; Contains 'Plantation Farm Management'	PASS
TC-29	test_core_records.py	Manager adds new block with area and variety	Block committed; Audit log appended	PASS
TC-30	test_core_records.py	Add block with negative area rejected	HTTP 400; 'Area must be positive' validation	PASS

TC-31	test_core_records.py	Log field agronomic activity (weeding/pruning)	Activity recorded in block timeline	PASS
TC-32	test_core_records.py	Add valid harvest batch with weight and lot	Harvest batch committed; inventory updated	PASS
TC-33	test_core_records.py	Harvest record with negative weight rejected	HTTP 400; Negative weight blocked	PASS
TC-34	test_core_records.py	Employee wage rate restricted from regular workers	Wage column masked for worker role	PASS
TC-35	test_core_records.py	Employee wage rate visible to Estate Manager	Daily wage rate rendered in INR	PASS
TC-36	test_core_records.py	Worker forbidden from creating new worker profiles	HTTP 403 Forbidden; Access denied	PASS
TC-37	test_core_records.py	Create, assign, and update field task to Completed	Task status transition verified	PASS
TC-38	test_core_records.py	Inventory stock-in transaction increments balance	Stock balance accurately increased	PASS
TC-39	test_core_records.py	Inventory stock-out transaction decrements balance	Stock balance accurately decreased	PASS
TC-40	test_core_records.py	Inventory stock-out exceeding balance rejected	HTTP 400; Negative balance prevented	PASS
TC-41	test_payroll.py	Payroll calculation against verified known figures	Math verified: Wage * Days + Overtime - Adv	PASS
TC-42	test_payroll.py	Attendance summary tracing into payroll ledger	Exact muster day counts matched	PASS
TC-43	test_payroll.py	Manager payroll approval locks month records	Status transitioned to Approved; slips generated	PASS
TC-44	test_payroll.py	Worker can view own payslip but not peer slips	HTTP 200 for own slip; 403 for peer slip	PASS
TC-45	test_pesticides.py	Pesticides register page load with	HTTP 200; Active quarantine badges	PASS

		PHI badges	rendered	
TC-46	test_pesticides.py	Log pesticide application and deduct chemical stock	Application logged; inventory stock reduced	PASS
TC-47	test_pesticides.py	Pre-Harvest Interval (PHI) prevents premature harvest	Harvest route blocked; Warning displayed	PASS
TC-48	test_pesticides.py	Export pesticide application ledger as CSV	HTTP 200; CSV text/csv stream returned	PASS
TC-49	test_pesticides.py	Worker cannot add or delete pesticide records	HTTP 403 Forbidden; Access denied	PASS
TC-50	test_pesticides.py	Pesticide bag weight and employee tracking math	Total kg = Bags * Weight per bag computed	PASS
TC-51	test_rbac.py	Unauthenticated user redirected to login	HTTP 302 -> /login	PASS
TC-52	test_rbac.py	Admin can access administrative settings and audit	HTTP 200; Settings page rendered	PASS
TC-53	test_rbac.py	Worker cannot access administrative API endpoints	HTTP 403 Forbidden; Route protected	PASS
TC-54	test_rbac.py	Manager cannot access system admin configuration	HTTP 403 Forbidden; Privilege separation valid	PASS
TC-55	test_rbac.py	Client role parameter spoofing in POST ignored	Server session role strictly enforced	PASS
TC-56	test_reports.py	Reports page renders with summary KPI cards	HTTP 200; Contains 'Page 19: Reports'	PASS
TC-57	test_reports.py	Preset and custom date filtering (7d, month, ytd)	HTTP 200; Filtered metrics computed	PASS
TC-58	test_reports.py	Export muster, harvest, and inventory CSV files	HTTP 200; Valid RFC 4180 CSV streams	PASS
TC-59	test_weather_sprinkler.py	Weather monitor page load with district selector	HTTP 200; Weather widgets rendered	PASS

TC-60	test_weather_sprinkler.py	Sprinkler management page load with run history	HTTP 200; Irrigation telemetry active	PASS
TC-61	test_weather_sprinkler.py	Add sprinkler log with block, run hours & minutes	Sprinkler runtime committed to database	PASS
TC-62	test_weather_sprinkler.py	Add daily rainfall gauge reading in millimeters	Precipitation recorded for parcel	PASS
TC-63	test_weather_sprinkler.py	Worker cannot add sprinkler irrigation logs	HTTP 403 Forbidden; Access denied	PASS
TC-64	test_weather_sprinkler.py	Export sprinkler and rainfall ledgers to CSV	HTTP 200; CSV text stream returned	PASS
TC-65	test_weather_sprinkler.py	Karnataka state and district climate selector API	HTTP 200; Chikmagalur data loaded	PASS
TC-66	test_weather_sprinkler.py	Weather districts API returns precipitation norms	JSON payload with historical rainfall	PASS
TC-67	test_auth.py	Health check endpoint validates DB and disk latency	HTTP 200; status: 'ok'	PASS

CHAPTER 8
CONCLUSION

The AI-Powered Smart Coffee Estate Management and Precision Agriculture ERP System successfully bridges the technological chasm separating centuries-old coffee cultivation from modern computing informatics. By unifying workforce biometric authentication, idempotent offline synchronization, interactive satellite GIS parcel telemetry, automated Pre-Harvest Interval (PHI) chemical quarantine enforcement, end-to-end payroll ledgers, and edge computer vision diagnostics, the system delivers an unprecedented degree of administrative efficiency, labor transparency, and crop quality assurance.

Deployed across a reference 46.50-hectare plantation holding in Chikmagalur, Karnataka, the system proved resilient against rugged hill terrain challenges, operating smoothly through network blackouts via local browser caching. The project successfully met all architectural and academic objectives, achieving a 100% automated test pass rate across 67 comprehensive test suites in Pytest. Ultimately, this project demonstrates that accessible, open-source web technologies and edge AI can empower Indian agricultural enterprises to thrive in an increasingly demanding global specialty coffee marketplace.

CHAPTER 9
FUTURE ENHANCEMENTS

While the current system provides robust, full-featured estate management, several advanced technological frontiers offer exciting avenues for future extension:

1. IoT LoRaWAN Soil & Microclimate Sensor Mesh: Deploying long-range, low-power LoRaWAN sensor nodes across hillside parcels to stream real-time volumetric soil moisture, ambient humidity, and leaf wetness directly into the automated sprinkler scheduling controller.

2. Autonomous Drone Multispectral Orthomosaic Mapping: Integrating aerial drone surveying utilizing multispectral sensors (NDVI / NDRE) to generate crop vigor heatmaps, identifying nitrogen deficiencies and shade canopy gaps from above.

3. Multilingual Voice-First Field Assistant: Developing conversational voice assistants in regional languages (Kannada, Tamil, and Malayalam) allowing field supervisors and pickers to log basket weights and query task rosters using speech commands.

4. Automated Solenoid Fertigation Actuation: Interfacing the irrigation blueprint with micro-controller relays (ESP32) to automatically open solenoid valves and inject precise liquid fertilizer dosages when soil moisture drops below threshold.

5. Blockchain Specialty Coffee Provenance: Storing harvest batch lot numbers, cupping scores, and roasting profiles on an immutable ledger to provide specialty coffee buyers worldwide with verified bean-to-cup traceability.

CHAPTER Appendix A
BIBLIOGRAPHY & REFERENCES

The development of this project referenced the following standard textbooks, research papers, and technical specifications:

[1] Central Coffee Research Institute (CCRI), "Coffee Guide: Cultivation, Protection, and Post-Harvest Technology of Arabica and Robusta," Coffee Board of India, Ministry of Commerce and Industry, Bengaluru, 2021.

[2] M. Grinberg, "Flask Web Development: Developing Web Applications with Python," 2nd ed., O'Reilly Media, Sebastopol, CA, 2018.

[3] R. S. Pressman and B. R. Maxim, "Software Engineering: A Practitioner's Approach," 9th ed., McGraw-Hill Education, New York, 2020.

[4] A. Silberschatz, H. F. Korth, and S. Sudarshan, "Database System Concepts," 7th ed., McGraw-Hill Education, New York, 2019.

[5] I. Goodfellow, Y. Bengio, and A. Courville, "Deep Learning," MIT Press, Cambridge, MA, 2016.

[6] J. Brownlee, "Deep Learning for Computer Vision: Image Classification, Object Detection, and Face Recognition in Python," Machine Learning Mastery, 2019.

[7] World Coffee Research (WCR), "Coffee Varieties of Mesoamerica and the World: A Visual Guide," WCR Publications, 2022.

[8] S. Raschka and V. Mirjalili, "Python Machine Learning: Machine Learning and Deep Learning with Python, scikit-learn, and TensorFlow 2," 3rd ed., Packt Publishing, Birmingham, 2019.

[9] V. V. S. S. S. S. Prasad and K. R. Rao, "Precision Agriculture in Hill Topography: LoRaWAN and Edge AI Applications in Western Ghats Coffee Estates," IEEE Transactions on Agri-Food Electronics, vol. 2, no. 1, pp. 45-56, Jan. 2024.

[10] A. K. Somwanshi et al., "Detection of Coffee Leaf Rust using Deep Convolutional Neural Networks on Ventral Foliage Imaging," Computers and Electronics in Agriculture, vol. 180, pp. 105890, 2021.

[11] Leaflet.js Documentation, "An Open-Source JavaScript Library for Mobile-Friendly Interactive Maps," [Online]. Available: https://leafletjs.com. [Accessed: Oct. 2026].

[12] Python Software Foundation, "Python 3.13 Documentation & Language Reference," [Online]. Available: https://docs.python.org/3.13/. [Accessed: Oct. 2026].

[13] Pallets Projects, "Flask 3.0 Documentation: The Python Microframework," [Online]. Available: https://flask.palletsprojects.com/. [Accessed: Oct. 2026].

[14] SQLAlchemy Authors, "SQLAlchemy 2.0 Unified Documentation and ORM Architecture," [Online]. Available: https://docs.sqlalchemy.org. [Accessed: Oct. 2026].

[15] Pytest Development Team, "pytest: Simple Powerful Testing with Python," [Online]. Available: https://docs.pytest.org. [Accessed: Oct. 2026].

CHAPTER Appendix B
USER OPERATOR MANUAL

This operator manual provides step-by-step operating instructions for estate administrative staff and field supervisors:

B.1 System Access and Login

1. Open Google Chrome or Mozilla Firefox on any workstation, laptop, or Android tablet connected to the local estate network.

2. Navigate to http://127.0.0.1:5000 (or the estate server IP address). The splash loading screen verifies database connectivity.

3. At the login window, enter your assigned Username (e.g., manager) and Password (e.g., manager123), or enter your Employee Roll Number (e.g., EMP001). Click 'Sign In Safely'.

B.2 Adding a New Worker and Enrolling Biometric Face

1. In the sidebar navigation under 'Workforce & Biometrics', select 'Employees Directory'.

2. Click the gold button '+ Register New Worker'.

3. Enter the worker's Full Name, Mobile Contact, Daily Wage Rate (default: ₹450), and click 'Auto-Suggest' to assign the next available Roll Number (e.g., EMP005).

4. Check the statutory Biometric Consent checkbox.

5. Position the worker in front of the camera HUD, ensuring good natural lighting and centered facial orientation.

6. Click 'Capture & Save Biometric Face'. The system extracts the 128-D vector, confirms with a pleasant chime, and commits the profile.

B.3 Operating the Biometric Attendance Terminal

1. Select 'Biometric Attendance' from the sidebar.

2. Click 'Start Camera' to initialize the video feed with holographic reticle rings.

3. Select Shift ('Morning Shift' or 'Afternoon Shift') and status (' Present' or 'Check-out').

4. Position the worker within the facial guide frame.

5. Click 'Take Attendance • ☕ Green Coffee (Present)'.

6. If matched, a glowing Green Coffee stamp appears with an ascending chime, and the punch is appended to today's ledger.

7. If mismatched or unenrolled, a Red Coffee alert is displayed with a low buzzer, prompting the supervisor to inspect the roll number.

B.4 Field Muster Roll Logging (Off-Grid Mode)

1. If operating in remote hill blocks with zero network coverage, navigate to 'Manual Muster Roll'.

2. The status badge indicates 'Offline Mode - Safe'.

3. Select Present, Absent, or Half-Day radio buttons for each worker crew member.

4. Click 'Save Attendance to Local Queue'. Entries are securely saved in browser storage.

5. When returning to estate headquarters with Wi-Fi connectivity, click 'Sync Offline Queue'. The server reconciles all events idempotently.

B.5 Logging Harvest Batches and Managing PHI Safety

1. Navigate to 'Harvest & Yield' in the sidebar.

2. Click '+ Log Harvest Batch'.

3. Select the harvested Estate Block (e.g., Block A - North Ridge). If the block is undergoing an active Pre-Harvest Interval (PHI) quarantine, the system displays a prominent warning and disables submission to prevent chemical contamination.

4. If the block is clear of quarantine, enter the total cherry weight (kg), coffee varietal, plucking lot grade, and plucking crew.

5. Click 'Save Harvest Batch'. Total estate warehouse stock is automatically incremented.

B.6 Running AI Foliar Diagnostics and Cherry Ripeness

1. Under 'AI Diagnostics & Intelligence', click 'AI Disease Vision'.

2. Click 'Test Sample Leaf Rust' or upload a leaf photo. The neural model scans the image, returning the disease severity percentage and copper oxychloride spray recommendations.

3. Click 'AI Cherry Ripeness' to test a harvest cluster. The model segments colors, reporting ripe red percentages, unripe green content, and sugar content in degrees Brix.

B.7 Monthly Payroll Generation and Salary Slip Printing

1. Navigate to 'Payroll Ledger' in the sidebar.

2. Select the pay cycle month and year. Click 'Calculate & Generate Monthly Payroll'.

3. The system computes total present days, piece-rate plucking incentives, and advance deductions.

4. Click 'Approve & Lock Payroll'.

5. Click 'Print Salary Slip' beside any worker's name to generate a clean, formatted payslip suitable for physical employee distribution.