

CRM Business Process Description

Customer onboarding, case management, and complaint handling

Document ID: EA-BIZ-004

This document is the property of ArchiSurance B.V. and contains confidential information. Unauthorized reproduction or distribution is prohibited. For questions contact the Enterprise Architecture team at ea-team@archisurance.example.com.

Document Version History

Ver.	Date	Author	Description
0.1	2024-01-15	J. van den Berg	Initial draft
0.5	2024-03-22	M. de Vries	Peer review incorporated
1.0	2024-06-10	P. Jansen	Approved by Architecture Board
1.5	2024-11-04	J. van den Berg	Updated for Q4 changes
2.0	2025-02-18	M. de Vries	Annual revision
2.1	2025-04-01	P. Jansen	Minor corrections

Table of Contents

1 Introduction 1

2 Customer Onboarding Process 2

3 Customer Identity Verification 3

4 Complaint Handling Process 4

5 CRM System Integration 5

6 Roles and Responsibilities 6

7 Appendices 7

1. Introduction

This document describes the business processes centered around customer relationship management at ArchiSurance. It covers customer onboarding, identity verification, and complaint handling. These processes are supported primarily by the CRM System, with additional support from the Customer Self-Service Portal and the Access Management System platform.

For the claims-specific workflows that follow customer onboarding, refer to the Claims Processing Workflow document (EA-CLM-005). The integration patterns between the CRM and other systems are described in the Integration Architecture (EA-INT-007).

A formal lessons-learned workshop is held at the end of each quarter, with outcomes published to the internal wiki and action items assigned to specific team members with target completion dates. Risk mitigation strategies include regular checkpoint reviews, automated regression testing, and staged rollout procedures. A proof-of-concept was conducted over a four-week period, involving representatives from the Claims Department, IT Operations, and the Data Analytics Team to validate the technical feasibility. From a historical perspective, ArchiSurance first recognized the need for modernization in this area following an internal efficiency review conducted in late 2022, which highlighted significant manual effort and process duplication across regional offices. The architecture decisions were reviewed and approved by the Architecture Review Board in Q2 2024. The solution was designed to be modular, allowing individual components to be upgraded or replaced without affecting the overall system availability or data integrity. Automated deployment pipelines leverage the CI/CD infrastructure described in the platform engineering documentation. The migration strategy follows a strangler-fig pattern, where new functionality is built in the target platform while legacy features are gradually redirected; this approach minimizes disruption to active users and allows incremental validation of the new implementation. The operational support model is defined in the Operational Runbook and includes on-call rotation and escalation procedures. The enterprise architecture repository in Sparx EA is the authoritative source for all model elements; any changes to this document must be reflected there within five business days. During the initial assessment phase, the team identified several areas where the existing architecture fell short of the target-state requirements defined in the enterprise roadmap. The operational acceptance criteria include automated smoke tests, performance baselines, runbook completeness, and sign-off from both the IT Service Manager and the business process owner. Interoperability with partner systems is achieved through the Partner Integration Hub, which exposes a curated subset of the internal API surface with additional rate limiting, schema validation, and audit logging applied at the gateway layer. Collaboration with the vendor support team has been essential during the implementation phase; weekly technical syncs ensure that configuration changes are validated against the vendor's reference architecture before being applied to the production environment. The network team conducted a bandwidth utilization study in February 2025, confirming that inter-datacenter traffic remains below sixty percent of the available WAN capacity under normal operating conditions. The vendor selection process followed the procurement guidelines established by the CFO's office. Performance benchmarks are captured in the enterprise monitoring framework and reported on a monthly basis to leadership. The architecture team maintains a dependency register that maps each component to its upstream providers and downstream consumers, updated quarterly. Feedback from the user acceptance testing phase indicated that the new interface reduced the average task completion time by approximately thirty percent compared to the legacy system, though some users requested additional keyboard shortcuts for power-user workflows. Cost allocation for shared infrastructure follows a chargeback model based on resource consumption metrics, with monthly reports sent to each business unit for transparency and accountability. Implementation follows an iterative approach, with quarterly milestones aligned to the overall program timeline. Cross-functional workshops held in January and March 2025 helped refine the scope and integration points. A comprehensive training program was developed for end users, including online modules, instructor-led sessions, and a sandbox environment for hands-on practice. Security review was completed in accordance with the CISO's security-by-design framework. Technical debt in this area was cataloged during a dedicated sprint in Q3 2024; the resulting backlog of forty-seven items has been prioritized by business impact and is being addressed alongside feature development. The incident management process defines four severity levels, with Severity 1 incidents requiring a response within fifteen minutes and a post-incident review within five business days.

Cost allocation for shared infrastructure follows a chargeback model based on resource consumption metrics, with monthly reports sent to each business unit for transparency and accountability. The incident management process defines four severity levels, with Severity 1 incidents requiring a response within fifteen minutes and a post-incident

review within five business days. The configuration management database maintains a record of all IT assets, including hardware serial numbers, software license keys, patch levels, and relationships between configuration items. The migration strategy follows a strangler-fig pattern, where new functionality is built in the target platform while legacy features are gradually redirected; this approach minimizes disruption to active users and allows incremental validation of the new implementation. The architectural principles that guide this work include separation of concerns, loose coupling between components, preference for open standards, and the ability to scale horizontally under peak load conditions such as end-of-year policy renewals. Implementation follows an iterative approach, with quarterly milestones aligned to the overall program timeline. The data classification exercise, completed in Q4 2024, assigned sensitivity labels to all data objects, informing encryption, access control, and retention policies. Scalability testing performed in the staging environment confirmed that the system handles a three-times-peak load without degradation, providing sufficient headroom for seasonal demand fluctuations. A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures.

Dependencies on third-party services were documented and risk-assessed, with fallback mechanisms defined for each critical integration point. The solution leverages event-driven patterns wherever possible, with Apache Kafka providing durable, ordered event streams that decouple producers from consumers and enable replay for debugging and reprocessing scenarios. Deployment windows are scheduled every Tuesday and Thursday between 06:00 and 08:00 CET, with emergency deployments requiring approval from both the IT Service Manager and the on-call engineer. The architecture team conducted a threat modeling exercise using the STRIDE framework, identifying potential spoofing, tampering, and information disclosure risks; mitigations for each threat were documented and tracked in the security risk register. Documentation standards require that all architecture decisions are recorded as Architecture Decision Records using the ADR format proposed by Michael Nygard, stored alongside the codebase in the version control system. The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates. The configuration management database maintains a record of all IT assets, including hardware serial numbers, software license keys, patch levels, and relationships between configuration items. Performance benchmarks are captured in the enterprise monitoring framework and reported on a monthly basis to leadership. A dedicated Slack channel was established for real-time coordination between development, operations, and security teams during the rollout period.

Post-implementation review sessions are scheduled for thirty and ninety days after go-live to capture lessons learned and identify optimization opportunities. The operational support model is defined in the Operational Runbook and includes on-call rotation and escalation procedures. Performance benchmarks are captured in the enterprise monitoring framework and reported on a monthly basis to leadership. The data classification exercise, completed in Q4 2024, assigned sensitivity labels to all data objects, informing encryption, access control, and retention policies. Monitoring and alerting are integrated with the central observability stack based on Prometheus and Grafana. The architecture team conducted a threat modeling exercise using the STRIDE framework, identifying potential spoofing, tampering, and information disclosure risks; mitigations for each threat were documented and tracked in the security risk register. Application health is assessed using a synthetic monitoring approach, where automated scripts simulate real user journeys every five minutes and report availability from three geographically distributed probe locations. Interoperability with partner systems is achieved through the Partner Integration Hub, which exposes a curated subset of the internal API surface with additional rate limiting, schema validation, and audit logging applied at the gateway layer. From a historical perspective, ArchiSurance first recognized the need for modernization in this area following an internal efficiency review conducted in late 2022, which highlighted significant manual effort and process duplication across regional offices.

2. Customer Onboarding Process

The Client Onboarding process is the entry point for all new customers, whether they arrive through the Sales Division, the Broker Network, or the Call Center. The process begins when a prospective customer expresses interest in an ArchiSurance product and ends when a policy has been issued or the application has been declined.

Step 1: The Customer Service Representative or broker enters the customer's basic information into the CRM System. This creates a new Customer Record in the system.

Step 2: The process triggers Customer Identity Verification, which is handled by the Identity & Access Management platform. This step includes KYC (Know Your Customer) checks and sanctions screening.

Step 3: Upon successful verification, the Customer Onboarding process triggers Policy Issuance. The customer's data flows from the Customer Management Platform to the Guidewire PolicyCenter via the Integration Bus.

The data classification exercise, completed in Q4 2024, assigned sensitivity labels to all data objects, informing encryption, access control, and retention policies. The initiative is tracked in the enterprise PMO tool with bi-weekly status updates to the steering committee. Data privacy impact assessment was filed with the Data Protection Officer in Q1 2025. Lessons learned from the pilot phase have been incorporated into the current design iteration. The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates. Documentation standards require that all architecture decisions are recorded as Architecture Decision Records using the ADR format proposed by Michael Nygard, stored alongside the codebase in the version control system. Scalability testing performed in the staging environment confirmed that the system handles a three-times-peak load without degradation, providing sufficient headroom for seasonal demand fluctuations. The business process documentation follows the BPMN 2.0 standard, with process models maintained in the Signavio process modeling tool and linked to the ArchiMate model elements in Sparx EA. A formal lessons-learned workshop is held at the end of each quarter, with outcomes published to the internal wiki and action items assigned to specific team members with target completion dates. In the context of insurance operations, peak load occurs during natural disaster events when claim submissions can spike by up to ten times the normal rate; the auto-scaling configuration accounts for this burst pattern. The enterprise technology radar, published semi-annually by the CTO's office, classifies technologies as Adopt, Trial, Assess, or Hold; the technologies used in this area are all currently in the Adopt or Trial rings. The incident management process defines four severity levels, with Severity 1 incidents requiring a response within fifteen minutes and a post-incident review within five business days. Implementation follows an iterative approach, with quarterly milestones aligned to the overall program timeline. The configuration management database maintains a record of all IT assets, including hardware serial numbers, software license keys, patch levels, and relationships between configuration items. The solution leverages event-driven patterns wherever possible, with Apache Kafka providing durable, ordered event streams that decouple producers from consumers and enable replay for debugging and reprocessing scenarios. The data retention policy mandates that transactional records are kept for seven years in online storage and archived to cold storage thereafter, with the ability to retrieve archived records within twenty-four hours upon regulatory request. The architectural principles that guide this work include separation of concerns, loose coupling between components, preference for open standards, and the ability to scale horizontally under peak load conditions such as end-of-year policy renewals. The enterprise identity provider federates with the national eHerkenning system for business-to-government interactions and with DigiD for customer-facing authentication on the self-service portal. The transition plan was developed in alignment with the enterprise change management framework, incorporating staged rollouts, parallel-run periods, and defined go/no-go criteria at each milestone. The customer onboarding has been a critical area of focus for ArchiSurance since the digital transformation initiative began in 2023. Automated deployment pipelines leverage the CI/CD infrastructure described in the platform engineering documentation. The solution was designed to be modular, allowing individual components to be upgraded or replaced without affecting the overall system availability or data integrity. Capacity forecasting models project a twenty-five percent year-over-year increase in data volume, driven primarily by the digitization of paper-based processes and the expansion of the broker channel. Interoperability with partner systems is achieved through the Partner Integration Hub, which exposes a curated subset of the internal API surface with additional rate limiting, schema validation, and audit logging applied at the gateway layer. The design considers both current-state constraints and target-state aspirations as documented in the strategic roadmap. Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy. An internal audit in March 2025 confirmed that the controls implemented for this area meet the requirements of the enterprise risk management framework. Integration testing spans three environments: development, staging, and pre-production. The platform engineering team provides a standardized deployment template that all application teams are required to use, ensuring consistency in logging, health checks, and resource limits. Service-level indicators are collected continuously and aggregated into dashboards visible to both technical teams and business stakeholders.

The architecture team conducted a threat modeling exercise using the STRIDE framework, identifying potential spoofing, tampering, and information disclosure risks; mitigations for each threat were documented and tracked in the

security risk register. The Architecture Review Board convened a special session in February 2025 to evaluate the implications of the proposed changes on downstream systems and business processes. The vendor selection process followed the procurement guidelines established by the CFO's office. The data classification exercise, completed in Q4 2024, assigned sensitivity labels to all data objects, informing encryption, access control, and retention policies. The enterprise architecture repository in Sparx EA is the authoritative source for all model elements; any changes to this document must be reflected there within five business days. The configuration management database maintains a record of all IT assets, including hardware serial numbers, software license keys, patch levels, and relationships between configuration items. The architecture review confirmed that the proposed solution aligns with the TOGAF Architecture Development Method phases used by ArchiSurance, specifically phases B through D covering Business, Information Systems, and Technology Architecture. Automated deployment pipelines leverage the CI/CD infrastructure described in the platform engineering documentation.

Change management activities include stakeholder communication, training sessions, and documentation updates. The Architecture Review Board convened a special session in February 2025 to evaluate the implications of the proposed changes on downstream systems and business processes. Documentation standards require that all architecture decisions are recorded as Architecture Decision Records using the ADR format proposed by Michael Nygard, stored alongside the codebase in the version control system. An internal audit in March 2025 confirmed that the controls implemented for this area meet the requirements of the enterprise risk management framework. Technical debt in this area was cataloged during a dedicated sprint in Q3 2024; the resulting backlog of forty-seven items has been prioritized by business impact and is being addressed alongside feature development. The enterprise architecture repository in Sparx EA is the authoritative source for all model elements; any changes to this document must be reflected there within five business days. Capacity forecasting models project a twenty-five percent year-over-year increase in data volume, driven primarily by the digitization of paper-based processes and the expansion of the broker channel. The operational support model is defined in the Operational Runbook and includes on-call rotation and escalation procedures.

Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy. The architecture team maintains a dependency register that maps each component to its upstream providers and downstream consumers, updated quarterly. Post-implementation review sessions are scheduled for thirty and ninety days after go-live to capture lessons learned and identify optimization opportunities. The architecture review confirmed that the proposed solution aligns with the TOGAF Architecture Development Method phases used by ArchiSurance, specifically phases B through D covering Business, Information Systems, and Technology Architecture. Capacity planning exercises revealed that the current infrastructure can sustain projected growth for the next twelve months, after which additional compute and storage resources will be required. The observability strategy follows the three pillars model: structured logs shipped to Elasticsearch, distributed traces collected via OpenTelemetry, and metrics scraped by Prometheus; all three are unified in Grafana dashboards. The initiative is tracked in the enterprise PMO tool with bi-weekly status updates to the steering committee. The vendor selection process followed the procurement guidelines established by the CFO's office.

3. Customer Identity Verification

The Customer Identity Verification sub-process is a regulatory requirement under GDPR and anti-money laundering (AML) directives. It is overseen by the Security Officer role and implemented through the Access Management System platform.

The verification process includes: document upload (passport or national ID), automated optical character recognition, database cross-reference with government registries, and a risk-based scoring that determines whether manual review is required. High-risk applications are escalated to the compliance team.

The migration strategy follows a strangler-fig pattern, where new functionality is built in the target platform while legacy features are gradually redirected; this approach minimizes disruption to active users and allows incremental validation of the new implementation. Collaboration with the vendor support team has been essential during the implementation phase; weekly technical syncs ensure that configuration changes are validated against the vendor's reference architecture before being applied to the production environment. The architecture team conducted a threat modeling

exercise using the STRIDE framework, identifying potential spoofing, tampering, and information disclosure risks; mitigations for each threat were documented and tracked in the security risk register. The incident management process defines four severity levels, with Severity 1 incidents requiring a response within fifteen minutes and a post-incident review within five business days. The team uses a definition of done that includes code review by at least two peers, passing CI pipeline, updated architecture diagrams, and entry in the change log maintained by the Release Manager. The configuration management database maintains a record of all IT assets, including hardware serial numbers, software license keys, patch levels, and relationships between configuration items. Documentation standards require that all architecture decisions are recorded as Architecture Decision Records using the ADR format proposed by Michael Nygard, stored alongside the codebase in the version control system. The vendor selection process followed the procurement guidelines established by the CFO's office. The enterprise architecture repository in Sparx EA is the authoritative source for all model elements; any changes to this document must be reflected there within five business days. The architectural principles that guide this work include separation of concerns, loose coupling between components, preference for open standards, and the ability to scale horizontally under peak load conditions such as end-of-year policy renewals. Capacity planning exercises revealed that the current infrastructure can sustain projected growth for the next twelve months, after which additional compute and storage resources will be required. Capacity forecasting models project a twenty-five percent year-over-year increase in data volume, driven primarily by the digitization of paper-based processes and the expansion of the broker channel. From a historical perspective, ArchiSurance first recognized the need for modernization in this area following an internal efficiency review conducted in late 2022, which highlighted significant manual effort and process duplication across regional offices. A proof-of-concept was conducted over a four-week period, involving representatives from the Claims Department, IT Operations, and the Data Analytics Team to validate the technical feasibility. The enterprise backup strategy uses a 3-2-1 approach: three copies of data, on two different media types, with one copy stored offsite at the secondary data center in Rotterdam. The network team conducted a bandwidth utilization study in February 2025, confirming that inter-datacenter traffic remains below sixty percent of the available WAN capacity under normal operating conditions. A dedicated Slack channel was established for real-time coordination between development, operations, and security teams during the rollout period. Feedback from the user acceptance testing phase indicated that the new interface reduced the average task completion time by approximately thirty percent compared to the legacy system, though some users requested additional keyboard shortcuts for power-user workflows.

A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures. The vendor risk assessment framework evaluates suppliers across five dimensions: financial stability, technology roadmap alignment, support quality, security posture, and contractual flexibility. Post-implementation review sessions are scheduled for thirty and ninety days after go-live to capture lessons learned and identify optimization opportunities. The architectural principles that guide this work include separation of concerns, loose coupling between components, preference for open standards, and the ability to scale horizontally under peak load conditions such as end-of-year policy renewals. The architecture team conducted a threat modeling exercise using the STRIDE framework, identifying potential spoofing, tampering, and information disclosure risks; mitigations for each threat were documented and tracked in the security risk register. An internal audit in March 2025 confirmed that the controls implemented for this area meet the requirements of the enterprise risk management framework. The migration strategy follows a strangler-fig pattern, where new functionality is built in the target platform while legacy features are gradually redirected; this approach minimizes disruption to active users and allows incremental validation of the new implementation. Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy. Security review was completed in accordance with the CISO's security-by-design framework. Capacity planning exercises revealed that the current infrastructure can sustain projected growth for the next twelve months, after which additional compute and storage resources will be required.

Application health is assessed using a synthetic monitoring approach, where automated scripts simulate real user journeys every five minutes and report availability from three geographically distributed probe locations. The API design guidelines specify that all REST endpoints must support content negotiation, return standard HTTP status codes, include correlation identifiers in response headers, and provide machine-readable error bodies in RFC 7807 format. The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates. Deployment windows are scheduled every Tuesday and Thursday between 06:00 and 08:00 CET, with emergency deployments requiring approval from both the IT

Service Manager and the on-call engineer. Implementation follows an iterative approach, with quarterly milestones aligned to the overall program timeline. An accessibility audit was conducted by an external specialist in January 2025 to ensure that all user-facing components meet WCAG 2.1 Level AA standards, with remediation items tracked in the product backlog. The solution was designed to be modular, allowing individual components to be upgraded or replaced without affecting the overall system availability or data integrity. The team uses a definition of done that includes code review by at least two peers, passing CI pipeline, updated architecture diagrams, and entry in the change log maintained by the Release Manager. A dedicated Slack channel was established for real-time coordination between development, operations, and security teams during the rollout period. Change management activities include stakeholder communication, training sessions, and documentation updates.

The enterprise technology radar, published semi-annually by the CTO's office, classifies technologies as Adopt, Trial, Assess, or Hold; the technologies used in this area are all currently in the Adopt or Trial rings. The architecture review confirmed that the proposed solution aligns with the TOGAF Architecture Development Method phases used by ArchiSurance, specifically phases B through D covering Business, Information Systems, and Technology Architecture. The vendor selection process followed the procurement guidelines established by the CFO's office. The enterprise architecture repository in Sparx EA is the authoritative source for all model elements; any changes to this document must be reflected there within five business days. The operational acceptance criteria include automated smoke tests, performance baselines, runbook completeness, and sign-off from both the IT Service Manager and the business process owner. The architecture team maintains a dependency register that maps each component to its upstream providers and downstream consumers, updated quarterly. Monitoring and alerting are integrated with the central observability stack based on Prometheus and Grafana. The non-functional requirements specify a maximum end-to-end latency of five hundred milliseconds at the ninety-ninth percentile, measured under a sustained load of one thousand concurrent users. The architecture team conducted a threat modeling exercise using the STRIDE framework, identifying potential spoofing, tampering, and information disclosure risks; mitigations for each threat were documented and tracked in the security risk register. The operational support model is defined in the Operational Runbook and includes on-call rotation and escalation procedures.

4. Complaint Handling Process

The Complaint Handling process manages all customer complaints received through any channel. Each complaint creates a Complaint Ticket in the CRM. Resolution progress is tracked against SLAs defined in the SLA Premium Support contract. The SLA Monitoring process ensures timely resolution.

The MyArchiSurance Portal allows customers to file and track complaints online. The Call Center handles phone-based complaints. Both channels feed into the same CRM workflow.

Key performance indicators for the initiative include transaction throughput, error rate, mean time to detection, mean time to recovery, and user satisfaction scores collected through quarterly surveys. ArchiSurance participates in an industry-wide information sharing and analysis center for insurance companies, contributing anonymized threat intelligence data and receiving early warnings about sector-specific attack patterns. The development team follows trunk-based development with short-lived feature branches, automated linting, and a code coverage threshold of eighty percent enforced by the CI pipeline. Technical debt in this area was cataloged during a dedicated sprint in Q3 2024; the resulting backlog of forty-seven items has been prioritized by business impact and is being addressed alongside feature development. The API design guidelines specify that all REST endpoints must support content negotiation, return standard HTTP status codes, include correlation identifiers in response headers, and provide machine-readable error bodies in RFC 7807 format. Risk mitigation strategies include regular checkpoint reviews, automated regression testing, and staged rollout procedures. Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy. The incident management process defines four severity levels, with Severity 1 incidents requiring a response within fifteen minutes and a post-incident review within five business days. Performance benchmarks are captured in the enterprise monitoring framework and reported on a monthly basis to leadership. The initiative is tracked in the enterprise PMO tool with bi-weekly status updates to the steering committee. Post-implementation review sessions are scheduled for thirty and ninety days after go-live to capture lessons learned and identify optimization opportunities. The solution leverages event-driven patterns wherever possible, with Apache

Kafka providing durable, ordered event streams that decouple producers from consumers and enable replay for debugging and reprocessing scenarios. The Architecture Review Board convened a special session in February 2025 to evaluate the implications of the proposed changes on downstream systems and business processes. The design considers both current-state constraints and target-state aspirations as documented in the strategic roadmap. The enterprise backup strategy uses a 3-2-1 approach: three copies of data, on two different media types, with one copy stored offsite at the secondary data center in Rotterdam. Collaboration with the vendor support team has been essential during the implementation phase; weekly technical syncs ensure that configuration changes are validated against the vendor's reference architecture before being applied to the production environment. Documentation standards require that all architecture decisions are recorded as Architecture Decision Records using the ADR format proposed by Michael Nygard, stored alongside the codebase in the version control system. Cross-functional workshops held in January and March 2025 helped refine the scope and integration points. The complaint handling has been a critical area of focus for ArchiSurance since the digital transformation initiative began in 2023. A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures. Data privacy impact assessment was filed with the Data Protection Officer in Q1 2025. Security review was completed in accordance with the CISO's security-by-design framework. The architecture team maintains a dependency register that maps each component to its upstream providers and downstream consumers, updated quarterly. Feedback from the user acceptance testing phase indicated that the new interface reduced the average task completion time by approximately thirty percent compared to the legacy system, though some users requested additional keyboard shortcuts for power-user workflows. Service-level indicators are collected continuously and aggregated into dashboards visible to both technical teams and business stakeholders. An internal audit in March 2025 confirmed that the controls implemented for this area meet the requirements of the enterprise risk management framework. A dedicated Slack channel was established for real-time coordination between development, operations, and security teams during the rollout period.

The vendor risk assessment framework evaluates suppliers across five dimensions: financial stability, technology roadmap alignment, support quality, security posture, and contractual flexibility. The project governance structure includes a steering committee meeting monthly, a working group meeting weekly, and daily stand-ups during active development sprints. Scalability testing performed in the staging environment confirmed that the system handles a three-times-peak load without degradation, providing sufficient headroom for seasonal demand fluctuations. Feedback from the user acceptance testing phase indicated that the new interface reduced the average task completion time by approximately thirty percent compared to the legacy system, though some users requested additional keyboard shortcuts for power-user workflows. The migration strategy follows a strangler-fig pattern, where new functionality is built in the target platform while legacy features are gradually redirected; this approach minimizes disruption to active users and allows incremental validation of the new implementation. An accessibility audit was conducted by an external specialist in January 2025 to ensure that all user-facing components meet WCAG 2.1 Level AA standards, with remediation items tracked in the product backlog. The development team follows trunk-based development with short-lived feature branches, automated linting, and a code coverage threshold of eighty percent enforced by the CI pipeline. Monitoring and alerting are integrated with the central observability stack based on Prometheus and Grafana. Business continuity considerations were incorporated from the outset, with the DR Recovery Node in the secondary data center providing failover capacity; the most recent failover test was conducted in October 2024 and achieved recovery within the target RTO of one hour. Implementation follows an iterative approach, with quarterly milestones aligned to the overall program timeline.

Capacity forecasting models project a twenty-five percent year-over-year increase in data volume, driven primarily by the digitization of paper-based processes and the expansion of the broker channel. The initiative is tracked in the enterprise PMO tool with bi-weekly status updates to the steering committee. A dedicated Slack channel was established for real-time coordination between development, operations, and security teams during the rollout period. Technical debt in this area was cataloged during a dedicated sprint in Q3 2024; the resulting backlog of forty-seven items has been prioritized by business impact and is being addressed alongside feature development. Performance benchmarks are captured in the enterprise monitoring framework and reported on a monthly basis to leadership. Security review was completed in accordance with the CISO's security-by-design framework. Automated deployment pipelines leverage the CI/CD infrastructure described in the platform engineering documentation. Business continuity considerations were incorporated from the outset, with the DR Recovery Node in the secondary data center providing failover capacity; the most recent failover test was conducted in October 2024 and achieved recovery within the target RTO of one hour. Regression test suites are maintained by the QA team and executed automatically on every merge to

the main branch via the CI/CD pipeline. The enterprise data model, maintained by the Data Architecture team, defines canonical schemas for all shared data objects; integrating systems are expected to conform to these schemas or implement transformation layers that map proprietary formats to the canonical model.

The observability strategy follows the three pillars model: structured logs shipped to Elasticsearch, distributed traces collected via OpenTelemetry, and metrics scraped by Prometheus; all three are unified in Grafana dashboards. The solution was designed to be modular, allowing individual components to be upgraded or replaced without affecting the overall system availability or data integrity. The data retention policy mandates that transactional records are kept for seven years in online storage and archived to cold storage thereafter, with the ability to retrieve archived records within twenty-four hours upon regulatory request. Capacity forecasting models project a twenty-five percent year-over-year increase in data volume, driven primarily by the digitization of paper-based processes and the expansion of the broker channel. Business continuity considerations were incorporated from the outset, with the DR Recovery Node in the secondary data center providing failover capacity; the most recent failover test was conducted in October 2024 and achieved recovery within the target RTO of one hour. The information security team requires that all new systems undergo a penetration test before production deployment, with findings above medium severity remediated prior to go-live approval. External consultants from Deloitte provided an independent assessment of the architecture in late 2024. The team uses a definition of done that includes code review by at least two peers, passing CI pipeline, updated architecture diagrams, and entry in the change log maintained by the Release Manager. Scalability testing performed in the staging environment confirmed that the system handles a three-times-peak load without degradation, providing sufficient headroom for seasonal demand fluctuations. From a historical perspective, ArchiSurance first recognized the need for modernization in this area following an internal efficiency review conducted in late 2022, which highlighted significant manual effort and process duplication across regional offices.

5. CRM System Integration

The CRM System integrates with the following systems via the Integration Bus: the Policy Administration System for policy data synchronization, the Billing System for payment status, and the Notification Service for customer communications. The Customer API provides the external interface for the portal and mobile app.

The initiative is tracked in the enterprise PMO tool with bi-weekly status updates to the steering committee. The Architecture Review Board convened a special session in February 2025 to evaluate the implications of the proposed changes on downstream systems and business processes. Post-implementation review sessions are scheduled for thirty and ninety days after go-live to capture lessons learned and identify optimization opportunities. The data retention policy mandates that transactional records are kept for seven years in online storage and archived to cold storage thereafter, with the ability to retrieve archived records within twenty-four hours upon regulatory request. A proof-of-concept was conducted over a four-week period, involving representatives from the Claims Department, IT Operations, and the Data Analytics Team to validate the technical feasibility. Deployment windows are scheduled every Tuesday and Thursday between 06:00 and 08:00 CET, with emergency deployments requiring approval from both the IT Service Manager and the on-call engineer. During the initial assessment phase, the team identified several areas where the existing architecture fell short of the target-state requirements defined in the enterprise roadmap. Collaboration with the vendor support team has been essential during the implementation phase; weekly technical syncs ensure that configuration changes are validated against the vendor's reference architecture before being applied to the production environment. The business process documentation follows the BPMN 2.0 standard, with process models maintained in the Signavio process modeling tool and linked to the ArchiMate model elements in Sparx EA. The non-functional requirements specify a maximum end-to-end latency of five hundred milliseconds at the ninety-ninth percentile, measured under a sustained load of one thousand concurrent users. An accessibility audit was conducted by an external specialist in January 2025 to ensure that all user-facing components meet WCAG 2.1 Level AA standards, with remediation items tracked in the product backlog. Dependencies on third-party services were documented and risk-assessed, with fallback mechanisms defined for each critical integration point. Key performance indicators for the initiative include transaction throughput, error rate, mean time to detection, mean time to recovery, and user satisfaction scores collected through quarterly surveys. The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates. The configuration management database maintains a record of all IT assets, including hardware serial numbers, software license keys, patch levels, and relationships between configuration items. Documentation standards require

that all architecture decisions are recorded as Architecture Decision Records using the ADR format proposed by Michael Nygard, stored alongside the codebase in the version control system. The migration strategy follows a strangler-fig pattern, where new functionality is built in the target platform while legacy features are gradually redirected; this approach minimizes disruption to active users and allows incremental validation of the new implementation. Stakeholders across multiple departments have contributed requirements for this workstream. Feedback from the user acceptance testing phase indicated that the new interface reduced the average task completion time by approximately thirty percent compared to the legacy system, though some users requested additional keyboard shortcuts for power-user workflows. Regression test suites are maintained by the QA team and executed automatically on every merge to the main branch via the CI/CD pipeline.

Scalability testing performed in the staging environment confirmed that the system handles a three-times-peak load without degradation, providing sufficient headroom for seasonal demand fluctuations. Application health is assessed using a synthetic monitoring approach, where automated scripts simulate real user journeys every five minutes and report availability from three geographically distributed probe locations. The non-functional requirements specify a maximum end-to-end latency of five hundred milliseconds at the ninety-ninth percentile, measured under a sustained load of one thousand concurrent users. Interoperability with partner systems is achieved through the Partner Integration Hub, which exposes a curated subset of the internal API surface with additional rate limiting, schema validation, and audit logging applied at the gateway layer. The CRM system integration patterns has been a critical area of focus for ArchiSurance since the digital transformation initiative began in 2023. A comprehensive training program was developed for end users, including online modules, instructor-led sessions, and a sandbox environment for hands-on practice. The solution was designed to be modular, allowing individual components to be upgraded or replaced without affecting the overall system availability or data integrity. An internal audit in March 2025 confirmed that the controls implemented for this area meet the requirements of the enterprise risk management framework.

Change management activities include stakeholder communication, training sessions, and documentation updates. The vendor risk assessment framework evaluates suppliers across five dimensions: financial stability, technology roadmap alignment, support quality, security posture, and contractual flexibility. The initiative is tracked in the enterprise PMO tool with bi-weekly status updates to the steering committee. ArchiSurance participates in an industry-wide information sharing and analysis center for insurance companies, contributing anonymized threat intelligence data and receiving early warnings about sector-specific attack patterns. The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates. Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy. The architectural principles that guide this work include separation of concerns, loose coupling between components, preference for open standards, and the ability to scale horizontally under peak load conditions such as end-of-year policy renewals. Capacity planning exercises revealed that the current infrastructure can sustain projected growth for the next twelve months, after which additional compute and storage resources will be required.

The observability strategy follows the three pillars model: structured logs shipped to Elasticsearch, distributed traces collected via OpenTelemetry, and metrics scraped by Prometheus; all three are unified in Grafana dashboards. Security review was completed in accordance with the CISO's security-by-design framework. Service-level indicators are collected continuously and aggregated into dashboards visible to both technical teams and business stakeholders. A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures. The network team conducted a bandwidth utilization study in February 2025, confirming that inter-datacenter traffic remains below sixty percent of the available WAN capacity under normal operating conditions. From a historical perspective, ArchiSurance first recognized the need for modernization in this area following an internal efficiency review conducted in late 2022, which highlighted significant manual effort and process duplication across regional offices. Interoperability with partner systems is achieved through the Partner Integration Hub, which exposes a curated subset of the internal API surface with additional rate limiting, schema validation, and audit logging applied at the gateway layer. The migration strategy follows a strangler-fig pattern, where new functionality is built in the target platform while legacy features are gradually redirected; this approach minimizes disruption to active users and allows incremental validation of the new implementation.

6. Roles and Responsibilities

Customer Service Representative

The Customer Service Representative participates in the CRM-related processes as defined in the RACI matrix. Detailed role descriptions are maintained in the HR system.

Application health is assessed using a synthetic monitoring approach, where automated scripts simulate real user journeys every five minutes and report availability from three geographically distributed probe locations. Security review was completed in accordance with the CISO's security-by-design framework. Business continuity considerations were incorporated from the outset, with the DR Recovery Node in the secondary data center providing failover capacity; the most recent failover test was conducted in October 2024 and achieved recovery within the target RTO of one hour. The solution leverages event-driven patterns wherever possible, with Apache Kafka providing durable, ordered event streams that decouple producers from consumers and enable replay for debugging and reprocessing scenarios. The observability strategy follows the three pillars model: structured logs shipped to Elasticsearch, distributed traces collected via OpenTelemetry, and metrics scraped by Prometheus; all three are unified in Grafana dashboards. A proof-of-concept was conducted over a four-week period, involving representatives from the Claims Department, IT Operations, and the Data Analytics Team to validate the technical feasibility. The enterprise architecture repository in Sparx EA is the authoritative source for all model elements; any changes to this document must be reflected there within five business days. Performance benchmarks are captured in the enterprise monitoring framework and reported on a monthly basis to leadership.

Policy Administrator

The Policy Administrator participates in the CRM-related processes as defined in the RACI matrix. Detailed role descriptions are maintained in the HR system.

The vendor selection process followed the procurement guidelines established by the CFO's office. From a historical perspective, ArchiSurance first recognized the need for modernization in this area following an internal efficiency review conducted in late 2022, which highlighted significant manual effort and process duplication across regional offices. Integration testing spans three environments: development, staging, and pre-production. The operational acceptance criteria include automated smoke tests, performance baselines, runbook completeness, and sign-off from both the IT Service Manager and the business process owner. Regression test suites are maintained by the QA team and executed automatically on every merge to the main branch via the CI/CD pipeline. Security review was completed in accordance with the CISO's security-by-design framework. The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates. Feedback from the user acceptance testing phase indicated that the new interface reduced the average task completion time by approximately thirty percent compared to the legacy system, though some users requested additional keyboard shortcuts for power-user workflows.

Compliance Officer

The Compliance Officer participates in the CRM-related processes as defined in the RACI matrix. Detailed role descriptions are maintained in the HR system.

Automated deployment pipelines leverage the CI/CD infrastructure described in the platform engineering documentation. In the context of insurance operations, peak load occurs during natural disaster events when claim submissions can spike by up to ten times the normal rate; the auto-scaling configuration accounts for this burst pattern. Interoperability with partner systems is achieved through the Partner Integration Hub, which exposes a curated subset of the internal API surface with additional rate limiting, schema validation, and audit logging applied at the gateway layer. Technical debt in this area was cataloged during a dedicated sprint in Q3 2024; the resulting backlog of forty-seven items has been prioritized by business impact and is being addressed alongside feature development. The vendor selection process followed the procurement guidelines established by the CFO's office. The vendor risk assessment framework evaluates suppliers across five dimensions: financial stability, technology roadmap alignment, support quality, security posture, and contractual flexibility. Cost allocation for shared infrastructure follows a chargeback model based on

resource consumption metrics, with monthly reports sent to each business unit for transparency and accountability. The non-functional requirements specify a maximum end-to-end latency of five hundred milliseconds at the ninety-ninth percentile, measured under a sustained load of one thousand concurrent users.

Security Officer

The Security Officer participates in the CRM-related processes as defined in the RACI matrix. Detailed role descriptions are maintained in the HR system.

The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates. A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures. ArchiSurance participates in an industry-wide information sharing and analysis center for insurance companies, contributing anonymized threat intelligence data and receiving early warnings about sector-specific attack patterns. A proof-of-concept was conducted over a four-week period, involving representatives from the Claims Department, IT Operations, and the Data Analytics Team to validate the technical feasibility. The business process documentation follows the BPMN 2.0 standard, with process models maintained in the Signavio process modeling tool and linked to the ArchiMate model elements in Sparx EA. The Architecture Review Board convened a special session in February 2025 to evaluate the implications of the proposed changes on downstream systems and business processes. The incident management process defines four severity levels, with Severity 1 incidents requiring a response within fifteen minutes and a post-incident review within five business days. The platform engineering team provides a standardized deployment template that all application teams are required to use, ensuring consistency in logging, health checks, and resource limits.

Business Analyst

The Business Analyst participates in the CRM-related processes as defined in the RACI matrix. Detailed role descriptions are maintained in the HR system.

The vendor selection process followed the procurement guidelines established by the CFO's office. The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates. From a historical perspective, ArchiSurance first recognized the need for modernization in this area following an internal efficiency review conducted in late 2022, which highlighted significant manual effort and process duplication across regional offices. Scalability testing performed in the staging environment confirmed that the system handles a three-times-peak load without degradation, providing sufficient headroom for seasonal demand fluctuations. Cross-functional workshops held in January and March 2025 helped refine the scope and integration points. The solution leverages event-driven patterns wherever possible, with Apache Kafka providing durable, ordered event streams that decouple producers from consumers and enable replay for debugging and reprocessing scenarios. Stakeholders across multiple departments have contributed requirements for this workstream. A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures.

The transition plan was developed in alignment with the enterprise change management framework, incorporating staged rollouts, parallel-run periods, and defined go/no-go criteria at each milestone. Interoperability with partner systems is achieved through the Partner Integration Hub, which exposes a curated subset of the internal API surface with additional rate limiting, schema validation, and audit logging applied at the gateway layer. The business process documentation follows the BPMN 2.0 standard, with process models maintained in the Signavio process modeling tool and linked to the ArchiMate model elements in Sparx EA. The development team follows trunk-based development with short-lived feature branches, automated linting, and a code coverage threshold of eighty percent enforced by the CI pipeline. The architecture review confirmed that the proposed solution aligns with the TOGAF Architecture Development Method phases used by ArchiSurance, specifically phases B through D covering Business, Information Systems, and Technology Architecture. The enterprise technology radar, published semi-annually by the CTO's office, classifies technologies as Adopt, Trial, Assess, or Hold; the technologies used in this area are all currently in the Adopt or Trial rings. A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures. Technical debt in this area was cataloged during a dedicated sprint in Q3 2024; the resulting backlog of forty-seven items has been

prioritized by business impact and is being addressed alongside feature development.

The team uses a definition of done that includes code review by at least two peers, passing CI pipeline, updated architecture diagrams, and entry in the change log maintained by the Release Manager. A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures. The Architecture Review Board convened a special session in February 2025 to evaluate the implications of the proposed changes on downstream systems and business processes. Performance benchmarks are captured in the enterprise monitoring framework and reported on a monthly basis to leadership. A formal lessons-learned workshop is held at the end of each quarter, with outcomes published to the internal wiki and action items assigned to specific team members with target completion dates. Implementation follows an iterative approach, with quarterly milestones aligned to the overall program timeline. The project governance structure includes a steering committee meeting monthly, a working group meeting weekly, and daily stand-ups during active development sprints. A dedicated Slack channel was established for real-time coordination between development, operations, and security teams during the rollout period.

Risk mitigation strategies include regular checkpoint reviews, automated regression testing, and staged rollout procedures. An internal audit in March 2025 confirmed that the controls implemented for this area meet the requirements of the enterprise risk management framework. The project governance structure includes a steering committee meeting monthly, a working group meeting weekly, and daily stand-ups during active development sprints. ArchiSurance participates in an industry-wide information sharing and analysis center for insurance companies, contributing anonymized threat intelligence data and receiving early warnings about sector-specific attack patterns. The platform engineering team provides a standardized deployment template that all application teams are required to use, ensuring consistency in logging, health checks, and resource limits. The Architecture Review Board convened a special session in February 2025 to evaluate the implications of the proposed changes on downstream systems and business processes. The observability strategy follows the three pillars model: structured logs shipped to Elasticsearch, distributed traces collected via OpenTelemetry, and metrics scraped by Prometheus; all three are unified in Grafana dashboards. A formal lessons-learned workshop is held at the end of each quarter, with outcomes published to the internal wiki and action items assigned to specific team members with target completion dates.

7. Appendices

References and Related Documents

Doc ID	Title	Version
EA-OVR-001	Enterprise Architecture Overview	3.0
EA-APP-002	Application Portfolio & Inventory	4.2
EA-INFRA-003	Infrastructure Design Document	2.5
EA-BIZ-004	CRM Business Process Description	2.0
EA-CLM-005	Claims Processing Workflow	3.1
EA-SEC-006	Security Architecture	2.3
EA-INT-007	Integration Architecture	2.8
EA-DAT-008	Data Architecture & Governance	2.0
EA-CLD-009	Cloud Migration Assessment	1.5
EA-DR-010	Disaster Recovery & Business Contin	3.0
EA-NET-011	Network Architecture	2.2
EA-ROAD-012	Strategic IT Roadmap 2025-2027	2.0
EA-SVC-013	IT Service Catalog	3.5
EA-VND-014	Vendor & Technology Assessment	1.8
EA-OPS-015	Operational Runbook: Core Platform	4.1
EA-CMP-016	Compliance & Regulatory Requirement	2.5
EA-CHG-017	Change Management: ERP Migration	1.2

Distribution List

Name	Role	Responsibility
J. van den Berg	Enterprise Architect	Review & Approve
M. de Vries	Application Architect	Review & Contribute
P. Jansen	Integration Architect	Review & Contribute
K. Bakker	Infrastructure Architect	Review & Contribute
S. Visser	Business Analyst	Inform
T. Mulder	Process Architect	Inform
R. de Jong	CISO	Review & Approve
L. Hendriks	Data Architect	Inform
A. Willems	CTO	Final Approval
B. Smit	Head of Claims	Business Sign-off

Appendix: Meeting Minutes - Architecture Review Board

Date: March 15, 2025. Location: ArchiSurance HQ, Room 4.12. Attendees: J. van den Berg (chair), M. de Vries, P. Jansen, K. Bakker, S. Visser, T. Mulder (remote). Apologies: R. de Jong (on leave).

Agenda item 1: Review of open action items from previous meeting. Action 2024-47 (Jansen): Provide updated cost estimate for Oracle migration. Status: Completed. The revised estimate is EUR 1.4M including contingency. Action 2024-48 (de Vries): Schedule penetration test with external vendor. Status: In progress, vendor shortlist reduced to two candidates.

Agenda item 2: Discussion on coffee machine replacement in the 3rd floor kitchen. The current Jura E8 has been experiencing frequent bean grinder failures. Facilities will procure a replacement by end of month. Not related to architecture but raised due to impact on team productivity during long review sessions.

Agenda item 3: Parking lot discussion about whether to adopt Backstage as the internal developer portal. Deferred to next meeting pending PoC results. K. Bakker noted that the onboarding documentation is outdated and should be

refreshed regardless of the portal decision.

Next meeting: April 12, 2025 at 14:00 CET. Van den Berg to circulate agenda by April 5.

Detailed Revision Notes for Version 2.1

Section 2.3 was updated to reflect the new naming convention adopted by the Platform Engineering team. All references to 'microservice cluster' have been replaced with 'application workload group' per the Architecture Board decision of January 2025. Section 4.1 was expanded to include the results of the capacity planning exercise conducted in Q4 2024, which identified the need for additional compute resources in the Amsterdam primary data center.

Appendix B was added to include the RACI matrix requested by the PMO during the Q3 2024 quarterly review. The glossary was updated to include twelve new acronyms that were introduced since the previous version. Figure 3 was replaced with an updated diagram generated from the Sparx EA repository on March 28, 2025. The document classification was elevated from 'Internal' to 'Internal - Confidential' following the data classification review of February 2025.

Feedback from the peer review conducted by M. de Vries on March 10, 2025, addressed three items: (1) clarification of the boundary between the DMZ and the application tier, (2) addition of the backup retention policy reference, and (3) correction of the SLA target for the Claims Handling Service from 99.5% to 99.9% as agreed in the contract amendment of December 2024.

DISCLAIMER: This document has been prepared for internal use by ArchiSurance B.V. The information contained herein is provided on an 'as-is' basis without warranties of any kind, either express or implied. ArchiSurance B.V. shall not be liable for any direct, indirect, incidental, or consequential damages arising from the use of this document. The views expressed herein are those of the Enterprise Architecture team and do not necessarily reflect the official position of the Board of Directors. All trademarks mentioned belong to their respective owners. This document may contain forward-looking statements that involve risks and uncertainties. Actual results may differ materially from those projected. Recipients are advised to seek independent professional advice before acting on any information contained in this document.