

Strategic IT Roadmap 2025-2027

Goals, capabilities, and transformation timeline

Document ID: EA-ROAD-012

This document is the property of ArchiSurance B.V. and contains confidential information. Unauthorized reproduction or distribution is prohibited. For questions contact the Enterprise Architecture team at ea-team@archisurance.example.com.

Document Version History

Ver.	Date	Author	Description
0.1	2024-01-15	J. van den Berg	Initial draft
0.5	2024-03-22	M. de Vries	Peer review incorporated
1.0	2024-06-10	P. Jansen	Approved by Architecture Board
1.5	2024-11-04	J. van den Berg	Updated for Q4 changes
2.0	2025-02-18	M. de Vries	Annual revision
2.1	2025-04-01	P. Jansen	Minor corrections

Table of Contents

1 Introduction 1

2 Strategic Goals 2

3 Capability Development Plan 3

4 Stakeholder Alignment 4

5 Requirements and Constraints 5

6 Timeline and Milestones 6

7 Investment Portfolio 7

8 Appendices 8

1. Introduction

This document presents ArchiSurance's Strategic IT Roadmap for the 2025-2027 planning horizon. It translates strategic goals into actionable capability development plans with clear timelines and investment requirements. The Enterprise Architecture Overview (EA-OVR-001) provides the architectural context, while the Cloud Migration Assessment (EA-CLD-009) details one of the major workstreams.

The API design guidelines specify that all REST endpoints must support content negotiation, return standard HTTP status codes, include correlation identifiers in response headers, and provide machine-readable error bodies in RFC 7807 format. The design considers both current-state constraints and target-state aspirations as documented in the strategic roadmap. Capacity forecasting models project a twenty-five percent year-over-year increase in data volume, driven primarily by the digitization of paper-based processes and the expansion of the broker channel. Feedback from the user acceptance testing phase indicated that the new interface reduced the average task completion time by approximately thirty percent compared to the legacy system, though some users requested additional keyboard shortcuts for power-user workflows. From a historical perspective, ArchiSurance first recognized the need for modernization in this area following an internal efficiency review conducted in late 2022, which highlighted significant manual effort and process duplication across regional offices. The architecture review confirmed that the proposed solution aligns with the TOGAF Architecture Development Method phases used by ArchiSurance, specifically phases B through D covering Business, Information Systems, and Technology Architecture. The vendor risk assessment framework evaluates suppliers across five dimensions: financial stability, technology roadmap alignment, support quality, security posture, and contractual flexibility. An internal audit in March 2025 confirmed that the controls implemented for this area meet the requirements of the enterprise risk management framework. A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures. The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates. In the context of insurance operations, peak load occurs during natural disaster events when claim submissions can spike by up to ten times the normal rate; the auto-scaling configuration accounts for this burst pattern. A formal lessons-learned workshop is held at the end of each quarter, with outcomes published to the internal wiki and action items assigned to specific team members with target completion dates. The migration strategy follows a strangler-fig pattern, where new functionality is built in the target platform while legacy features are gradually redirected; this approach minimizes disruption to active users and allows incremental validation of the new implementation. The project governance structure includes a steering committee meeting monthly, a working group meeting weekly, and daily stand-ups during active development sprints. Data privacy impact assessment was filed with the Data Protection Officer in Q1 2025. Cross-functional workshops held in January and March 2025 helped refine the scope and integration points. The non-functional requirements specify a maximum end-to-end latency of five hundred milliseconds at the ninety-ninth percentile, measured under a sustained load of one thousand concurrent users. The operational acceptance criteria include automated smoke tests, performance baselines, runbook completeness, and sign-off from both the IT Service Manager and the business process owner. The information security team requires that all new systems undergo a penetration test before production deployment, with findings above medium severity remediated prior to go-live approval. The data classification exercise, completed in Q4 2024, assigned sensitivity labels to all data objects, informing encryption, access control, and retention policies. The architecture decisions were reviewed and approved by the Architecture Review Board in Q2 2024. The architecture team maintains a dependency register that maps each component to its upstream providers and downstream consumers, updated quarterly. A proof-of-concept was conducted over a four-week period, involving representatives from the Claims Department, IT Operations, and the Data Analytics Team to validate the technical feasibility. Capacity planning exercises revealed that the current infrastructure can sustain projected growth for the next twelve months, after which additional compute and storage resources will be required. Documentation standards require that all architecture decisions are recorded as Architecture Decision Records using the ADR format proposed by Michael Nygard, stored alongside the codebase in the version control system. The enterprise data model, maintained by the Data Architecture team, defines canonical schemas for all shared data objects; integrating systems are expected to conform to these schemas or implement transformation layers that map proprietary formats to the canonical model. Interoperability with partner systems is achieved through the Partner Integration Hub, which exposes a curated subset of the internal API surface with additional rate limiting, schema validation, and audit logging applied at the gateway layer. Lessons learned from the pilot phase have been incorporated

into the current design iteration. Dependencies on third-party services were documented and risk-assessed, with fallback mechanisms defined for each critical integration point. Budget allocation was approved as part of the annual IT investment portfolio review conducted in November 2024.

The data retention policy mandates that transactional records are kept for seven years in online storage and archived to cold storage thereafter, with the ability to retrieve archived records within twenty-four hours upon regulatory request. The observability strategy follows the three pillars model: structured logs shipped to Elasticsearch, distributed traces collected via OpenTelemetry, and metrics scraped by Prometheus; all three are unified in Grafana dashboards. From a historical perspective, ArchiSurance first recognized the need for modernization in this area following an internal efficiency review conducted in late 2022, which highlighted significant manual effort and process duplication across regional offices. Stakeholders across multiple departments have contributed requirements for this workstream. The configuration management database maintains a record of all IT assets, including hardware serial numbers, software license keys, patch levels, and relationships between configuration items. The solution was designed to be modular, allowing individual components to be upgraded or replaced without affecting the overall system availability or data integrity. The architecture team conducted a threat modeling exercise using the STRIDE framework, identifying potential spoofing, tampering, and information disclosure risks; mitigations for each threat were documented and tracked in the security risk register. External consultants from Deloitte provided an independent assessment of the architecture in late 2024. The architectural principles that guide this work include separation of concerns, loose coupling between components, preference for open standards, and the ability to scale horizontally under peak load conditions such as end-of-year policy renewals. Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy.

The incident management process defines four severity levels, with Severity 1 incidents requiring a response within fifteen minutes and a post-incident review within five business days. Service-level indicators are collected continuously and aggregated into dashboards visible to both technical teams and business stakeholders. The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates. Deployment windows are scheduled every Tuesday and Thursday between 06:00 and 08:00 CET, with emergency deployments requiring approval from both the IT Service Manager and the on-call engineer. The enterprise backup strategy uses a 3-2-1 approach: three copies of data, on two different media types, with one copy stored offsite at the secondary data center in Rotterdam. The operational acceptance criteria include automated smoke tests, performance baselines, runbook completeness, and sign-off from both the IT Service Manager and the business process owner. The data classification exercise, completed in Q4 2024, assigned sensitivity labels to all data objects, informing encryption, access control, and retention policies. The information security team requires that all new systems undergo a penetration test before production deployment, with findings above medium severity remediated prior to go-live approval. The enterprise data model, maintained by the Data Architecture team, defines canonical schemas for all shared data objects; integrating systems are expected to conform to these schemas or implement transformation layers that map proprietary formats to the canonical model. Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy.

The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates. The architecture review confirmed that the proposed solution aligns with the TOGAF Architecture Development Method phases used by ArchiSurance, specifically phases B through D covering Business, Information Systems, and Technology Architecture. The non-functional requirements specify a maximum end-to-end latency of five hundred milliseconds at the ninety-ninth percentile, measured under a sustained load of one thousand concurrent users. The solution was designed to be modular, allowing individual components to be upgraded or replaced without affecting the overall system availability or data integrity. Technical debt in this area was cataloged during a dedicated sprint in Q3 2024; the resulting backlog of forty-seven items has been prioritized by business impact and is being addressed alongside feature development. Feedback from the user acceptance testing phase indicated that the new interface reduced the average task completion time by approximately thirty percent compared to the legacy system, though some users requested additional keyboard shortcuts for power-user workflows. Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy. Key performance indicators for the initiative include transaction throughput,

error rate, mean time to detection, mean time to recovery, and user satisfaction scores collected through quarterly surveys. An internal audit in March 2025 confirmed that the controls implemented for this area meet the requirements of the enterprise risk management framework. Scalability testing performed in the staging environment confirmed that the system handles a three-times-peak load without degradation, providing sufficient headroom for seasonal demand fluctuations.

2. Strategic Goals

Reduce Claims Processing Time by 40%

Championed by: Head of Claims.

Drives requirements: Real-time Risk Scoring.

Data privacy impact assessment was filed with the Data Protection Officer in Q1 2025. The vendor risk assessment framework evaluates suppliers across five dimensions: financial stability, technology roadmap alignment, support quality, security posture, and contractual flexibility. Dependencies on third-party services were documented and risk-assessed, with fallback mechanisms defined for each critical integration point. External consultants from Deloitte provided an independent assessment of the architecture in late 2024. The data classification exercise, completed in Q4 2024, assigned sensitivity labels to all data objects, informing encryption, access control, and retention policies. The operational acceptance criteria include automated smoke tests, performance baselines, runbook completeness, and sign-off from both the IT Service Manager and the business process owner. The business process documentation follows the BPMN 2.0 standard, with process models maintained in the Signavio process modeling tool and linked to the ArchiMate model elements in Sparx EA. Documentation standards require that all architecture decisions are recorded as Architecture Decision Records using the ADR format proposed by Michael Nygard, stored alongside the codebase in the version control system. The architecture team conducted a threat modeling exercise using the STRIDE framework, identifying potential spoofing, tampering, and information disclosure risks; mitigations for each threat were documented and tracked in the security risk register. Capacity planning exercises revealed that the current infrastructure can sustain projected growth for the next twelve months, after which additional compute and storage resources will be required. Automated deployment pipelines leverage the CI/CD infrastructure described in the platform engineering documentation. Monitoring and alerting are integrated with the central observability stack based on Prometheus and Grafana. The information security team requires that all new systems undergo a penetration test before production deployment, with findings above medium severity remediated prior to go-live approval. Stakeholders across multiple departments have contributed requirements for this workstream. A proof-of-concept was conducted over a four-week period, involving representatives from the Claims Department, IT Operations, and the Data Analytics Team to validate the technical feasibility. Technical debt in this area was cataloged during a dedicated sprint in Q3 2024; the resulting backlog of forty-seven items has been prioritized by business impact and is being addressed alongside feature development. The architecture review confirmed that the proposed solution aligns with the TOGAF Architecture Development Method phases used by ArchiSurance, specifically phases B through D covering Business, Information Systems, and Technology Architecture. Change management activities include stakeholder communication, training sessions, and documentation updates. Scalability testing performed in the staging environment confirmed that the system handles a three-times-peak load without degradation, providing sufficient headroom for seasonal demand fluctuations. The non-functional requirements specify a maximum end-to-end latency of five hundred milliseconds at the ninety-ninth percentile, measured under a sustained load of one thousand concurrent users. From a historical perspective, ArchiSurance first recognized the need for modernization in this area following an internal efficiency review conducted in late 2022, which highlighted significant manual effort and process duplication across regional offices. Service-level indicators are collected continuously and aggregated into dashboards visible to both technical teams and business stakeholders. Application health is assessed using a synthetic monitoring approach, where automated scripts simulate real user journeys every five minutes and report availability from three geographically distributed probe locations. Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy.

Four-Nines Uptime Goal

Championed by: CTO, Enterprise Architect.

Drives requirements: RPO of 15 minutes, RTO of 1 hour.

The enterprise architecture repository in Sparx EA is the authoritative source for all model elements; any changes to this document must be reflected there within five business days. The architecture team maintains a dependency register that maps each component to its upstream providers and downstream consumers, updated quarterly. The business process documentation follows the BPMN 2.0 standard, with process models maintained in the Signavio process modeling tool and linked to the ArchiMate model elements in Sparx EA. A formal lessons-learned workshop is held at the end of each quarter, with outcomes published to the internal wiki and action items assigned to specific team members with target completion dates. Cross-functional workshops held in January and March 2025 helped refine the scope and integration points. The migration strategy follows a strangler-fig pattern, where new functionality is built in the target platform while legacy features are gradually redirected; this approach minimizes disruption to active users and allows incremental validation of the new implementation. External consultants from Deloitte provided an independent assessment of the architecture in late 2024. During the initial assessment phase, the team identified several areas where the existing architecture fell short of the target-state requirements defined in the enterprise roadmap. Budget allocation was approved as part of the annual IT investment portfolio review conducted in November 2024. A comprehensive training program was developed for end users, including online modules, instructor-led sessions, and a sandbox environment for hands-on practice. The incident management process defines four severity levels, with Severity 1 incidents requiring a response within fifteen minutes and a post-incident review within five business days. The information security team requires that all new systems undergo a penetration test before production deployment, with findings above medium severity remediated prior to go-live approval. The vendor risk assessment framework evaluates suppliers across five dimensions: financial stability, technology roadmap alignment, support quality, security posture, and contractual flexibility. Scalability testing performed in the staging environment confirmed that the system handles a three-times-peak load without degradation, providing sufficient headroom for seasonal demand fluctuations. Collaboration with the vendor support team has been essential during the implementation phase; weekly technical syncs ensure that configuration changes are validated against the vendor's reference architecture before being applied to the production environment. Service-level indicators are collected continuously and aggregated into dashboards visible to both technical teams and business stakeholders. Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy. The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates. An internal audit in March 2025 confirmed that the controls implemented for this area meet the requirements of the enterprise risk management framework. Capacity forecasting models project a twenty-five percent year-over-year increase in data volume, driven primarily by the digitization of paper-based processes and the expansion of the broker channel. An accessibility audit was conducted by an external specialist in January 2025 to ensure that all user-facing components meet WCAG 2.1 Level AA standards, with remediation items tracked in the product backlog. Key performance indicators for the initiative include transaction throughput, error rate, mean time to detection, mean time to recovery, and user satisfaction scores collected through quarterly surveys.

Increase Customer Satisfaction to NPS 60+

Championed by: Chief Risk Officer.

Business continuity considerations were incorporated from the outset, with the DR Recovery Node in the secondary data center providing failover capacity; the most recent failover test was conducted in October 2024 and achieved recovery within the target RTO of one hour. The architecture decisions were reviewed and approved by the Architecture Review Board in Q2 2024. The enterprise technology radar, published semi-annually by the CTO's office, classifies technologies as Adopt, Trial, Assess, or Hold; the technologies used in this area are all currently in the Adopt or Trial rings. Integration testing spans three environments: development, staging, and pre-production. The enterprise backup strategy uses a 3-2-1 approach: three copies of data, on two different media types, with one copy stored offsite at the secondary data center in Rotterdam. Capacity planning exercises revealed that the current infrastructure can sustain projected growth for the next twelve months, after which additional compute and storage resources will be required. The vendor

risk assessment framework evaluates suppliers across five dimensions: financial stability, technology roadmap alignment, support quality, security posture, and contractual flexibility. ArchiSurance participates in an industry-wide information sharing and analysis center for insurance companies, contributing anonymized threat intelligence data and receiving early warnings about sector-specific attack patterns. A proof-of-concept was conducted over a four-week period, involving representatives from the Claims Department, IT Operations, and the Data Analytics Team to validate the technical feasibility. The platform engineering team provides a standardized deployment template that all application teams are required to use, ensuring consistency in logging, health checks, and resource limits. The solution leverages event-driven patterns wherever possible, with Apache Kafka providing durable, ordered event streams that decouple producers from consumers and enable replay for debugging and reprocessing scenarios. The architectural principles that guide this work include separation of concerns, loose coupling between components, preference for open standards, and the ability to scale horizontally under peak load conditions such as end-of-year policy renewals. In the context of insurance operations, peak load occurs during natural disaster events when claim submissions can spike by up to ten times the normal rate; the auto-scaling configuration accounts for this burst pattern. A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures. Scalability testing performed in the staging environment confirmed that the system handles a three-times-peak load without degradation, providing sufficient headroom for seasonal demand fluctuations. Performance benchmarks are captured in the enterprise monitoring framework and reported on a monthly basis to leadership. The architecture team conducted a threat modeling exercise using the STRIDE framework, identifying potential spoofing, tampering, and information disclosure risks; mitigations for each threat were documented and tracked in the security risk register. Regression test suites are maintained by the QA team and executed automatically on every merge to the main branch via the CI/CD pipeline. Automated deployment pipelines leverage the CI/CD infrastructure described in the platform engineering documentation.

Automate 80% of Underwriting Decisions

Championed by: leadership team.

Drives requirements: Real-time Risk Scoring.

Automated deployment pipelines leverage the CI/CD infrastructure described in the platform engineering documentation. The Architecture Review Board convened a special session in February 2025 to evaluate the implications of the proposed changes on downstream systems and business processes. The enterprise data model, maintained by the Data Architecture team, defines canonical schemas for all shared data objects; integrating systems are expected to conform to these schemas or implement transformation layers that map proprietary formats to the canonical model. Technical debt in this area was cataloged during a dedicated sprint in Q3 2024; the resulting backlog of forty-seven items has been prioritized by business impact and is being addressed alongside feature development. The vendor risk assessment framework evaluates suppliers across five dimensions: financial stability, technology roadmap alignment, support quality, security posture, and contractual flexibility. Key performance indicators for the initiative include transaction throughput, error rate, mean time to detection, mean time to recovery, and user satisfaction scores collected through quarterly surveys. The operational support model is defined in the Operational Runbook and includes on-call rotation and escalation procedures. Performance benchmarks are captured in the enterprise monitoring framework and reported on a monthly basis to leadership. During the initial assessment phase, the team identified several areas where the existing architecture fell short of the target-state requirements defined in the enterprise roadmap. Cost allocation for shared infrastructure follows a chargeback model based on resource consumption metrics, with monthly reports sent to each business unit for transparency and accountability. Dependencies on third-party services were documented and risk-assessed, with fallback mechanisms defined for each critical integration point. From a historical perspective, ArchiSurance first recognized the need for modernization in this area following an internal efficiency review conducted in late 2022, which highlighted significant manual effort and process duplication across regional offices. ArchiSurance participates in an industry-wide information sharing and analysis center for insurance companies, contributing anonymized threat intelligence data and receiving early warnings about sector-specific attack patterns. A dedicated Slack channel was established for real-time coordination between development, operations, and security teams during the rollout period. The data classification exercise, completed in Q4 2024, assigned sensitivity labels to all data objects, informing encryption, access control, and retention policies. The migration strategy follows a strangler-fig pattern, where new functionality is built in the target platform while legacy features are gradually redirected; this approach minimizes disruption to active users and allows incremental validation of the new implementation. In the context of insurance

operations, peak load occurs during natural disaster events when claim submissions can spike by up to ten times the normal rate; the auto-scaling configuration accounts for this burst pattern. The team uses a definition of done that includes code review by at least two peers, passing CI pipeline, updated architecture diagrams, and entry in the change log maintained by the Release Manager. The project governance structure includes a steering committee meeting monthly, a working group meeting weekly, and daily stand-ups during active development sprints. Interoperability with partner systems is achieved through the Partner Integration Hub, which exposes a curated subset of the internal API surface with additional rate limiting, schema validation, and audit logging applied at the gateway layer. Documentation standards require that all architecture decisions are recorded as Architecture Decision Records using the ADR format proposed by Michael Nygard, stored alongside the codebase in the version control system. The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates.

Zero Data Breaches by 2026

Championed by: Chief Risk Officer, CISO.

Drives requirements: Data Encryption at Rest and in Transit, Role-based Access Control.

The data retention policy mandates that transactional records are kept for seven years in online storage and archived to cold storage thereafter, with the ability to retrieve archived records within twenty-four hours upon regulatory request. Scalability testing performed in the staging environment confirmed that the system handles a three-times-peak load without degradation, providing sufficient headroom for seasonal demand fluctuations. The enterprise technology radar, published semi-annually by the CTO's office, classifies technologies as Adopt, Trial, Assess, or Hold; the technologies used in this area are all currently in the Adopt or Trial rings. The Architecture Review Board convened a special session in February 2025 to evaluate the implications of the proposed changes on downstream systems and business processes. The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates. The architecture decisions were reviewed and approved by the Architecture Review Board in Q2 2024. Data privacy impact assessment was filed with the Data Protection Officer in Q1 2025. The operational acceptance criteria include automated smoke tests, performance baselines, runbook completeness, and sign-off from both the IT Service Manager and the business process owner. The architecture team maintains a dependency register that maps each component to its upstream providers and downstream consumers, updated quarterly. Performance benchmarks are captured in the enterprise monitoring framework and reported on a monthly basis to leadership. The solution was designed to be modular, allowing individual components to be upgraded or replaced without affecting the overall system availability or data integrity. The configuration management database maintains a record of all IT assets, including hardware serial numbers, software license keys, patch levels, and relationships between configuration items. The migration strategy follows a strangler-fig pattern, where new functionality is built in the target platform while legacy features are gradually redirected; this approach minimizes disruption to active users and allows incremental validation of the new implementation. The initiative is tracked in the enterprise PMO tool with bi-weekly status updates to the steering committee. External consultants from Deloitte provided an independent assessment of the architecture in late 2024. Change management activities include stakeholder communication, training sessions, and documentation updates. The information security team requires that all new systems undergo a penetration test before production deployment, with findings above medium severity remediated prior to go-live approval. An internal audit in March 2025 confirmed that the controls implemented for this area meet the requirements of the enterprise risk management framework. Implementation follows an iterative approach, with quarterly milestones aligned to the overall program timeline. Stakeholders across multiple departments have contributed requirements for this workstream. Interoperability with partner systems is achieved through the Partner Integration Hub, which exposes a curated subset of the internal API surface with additional rate limiting, schema validation, and audit logging applied at the gateway layer. Capacity planning exercises revealed that the current infrastructure can sustain projected growth for the next twelve months, after which additional compute and storage resources will be required. Service-level indicators are collected continuously and aggregated into dashboards visible to both technical teams and business stakeholders. The architecture team conducted a threat modeling exercise using the STRIDE framework, identifying potential spoofing, tampering, and information disclosure risks; mitigations for each threat were documented and tracked in the security risk register.

Reduce IT Operational Costs by 25%

Championed by: CTO, CFO.

Drives requirements: Sub-second API Response Time.

The initiative is tracked in the enterprise PMO tool with bi-weekly status updates to the steering committee. Service-level indicators are collected continuously and aggregated into dashboards visible to both technical teams and business stakeholders. Monitoring and alerting are integrated with the central observability stack based on Prometheus and Grafana. Performance benchmarks are captured in the enterprise monitoring framework and reported on a monthly basis to leadership. Interoperability with partner systems is achieved through the Partner Integration Hub, which exposes a curated subset of the internal API surface with additional rate limiting, schema validation, and audit logging applied at the gateway layer. Regression test suites are maintained by the QA team and executed automatically on every merge to the main branch via the CI/CD pipeline. Dependencies on third-party services were documented and risk-assessed, with fallback mechanisms defined for each critical integration point. Post-implementation review sessions are scheduled for thirty and ninety days after go-live to capture lessons learned and identify optimization opportunities. The platform engineering team provides a standardized deployment template that all application teams are required to use, ensuring consistency in logging, health checks, and resource limits. The team uses a definition of done that includes code review by at least two peers, passing CI pipeline, updated architecture diagrams, and entry in the change log maintained by the Release Manager. Data privacy impact assessment was filed with the Data Protection Officer in Q1 2025. The API design guidelines specify that all REST endpoints must support content negotiation, return standard HTTP status codes, include correlation identifiers in response headers, and provide machine-readable error bodies in RFC 7807 format. The network team conducted a bandwidth utilization study in February 2025, confirming that inter-datacenter traffic remains below sixty percent of the available WAN capacity under normal operating conditions. The Architecture Review Board convened a special session in February 2025 to evaluate the implications of the proposed changes on downstream systems and business processes. Implementation follows an iterative approach, with quarterly milestones aligned to the overall program timeline. Risk mitigation strategies include regular checkpoint reviews, automated regression testing, and staged rollout procedures.

Achieve Full Regulatory Compliance

Championed by: CISO.

Drives requirements: GDPR Compliance, PCI-DSS Level 1 Certification, SOX Audit Trail.

The architectural principles that guide this work include separation of concerns, loose coupling between components, preference for open standards, and the ability to scale horizontally under peak load conditions such as end-of-year policy renewals. The information security team requires that all new systems undergo a penetration test before production deployment, with findings above medium severity remediated prior to go-live approval. An accessibility audit was conducted by an external specialist in January 2025 to ensure that all user-facing components meet WCAG 2.1 Level AA standards, with remediation items tracked in the product backlog. The API design guidelines specify that all REST endpoints must support content negotiation, return standard HTTP status codes, include correlation identifiers in response headers, and provide machine-readable error bodies in RFC 7807 format. The data classification exercise, completed in Q4 2024, assigned sensitivity labels to all data objects, informing encryption, access control, and retention policies. Deployment windows are scheduled every Tuesday and Thursday between 06:00 and 08:00 CET, with emergency deployments requiring approval from both the IT Service Manager and the on-call engineer. The team uses a definition of done that includes code review by at least two peers, passing CI pipeline, updated architecture diagrams, and entry in the change log maintained by the Release Manager. The vendor selection process followed the procurement guidelines established by the CFO's office. The configuration management database maintains a record of all IT assets, including hardware serial numbers, software license keys, patch levels, and relationships between configuration items. A proof-of-concept was conducted over a four-week period, involving representatives from the Claims Department, IT Operations, and the Data Analytics Team to validate the technical feasibility. The observability strategy follows the three pillars model: structured logs shipped to Elasticsearch, distributed traces collected via OpenTelemetry, and metrics scraped by Prometheus; all three are unified in Grafana dashboards. Documentation standards require that all architecture decisions are recorded as Architecture Decision Records using the ADR format proposed by Michael Nygard, stored alongside the codebase in the version control system. The network team

conducted a bandwidth utilization study in February 2025, confirming that inter-datacenter traffic remains below sixty percent of the available WAN capacity under normal operating conditions. Regression test suites are maintained by the QA team and executed automatically on every merge to the main branch via the CI/CD pipeline. Business continuity considerations were incorporated from the outset, with the DR Recovery Node in the secondary data center providing failover capacity; the most recent failover test was conducted in October 2024 and achieved recovery within the target RTO of one hour. Capacity forecasting models project a twenty-five percent year-over-year increase in data volume, driven primarily by the digitization of paper-based processes and the expansion of the broker channel. Dependencies on third-party services were documented and risk-assessed, with fallback mechanisms defined for each critical integration point. Key performance indicators for the initiative include transaction throughput, error rate, mean time to detection, mean time to recovery, and user satisfaction scores collected through quarterly surveys. The design considers both current-state constraints and target-state aspirations as documented in the strategic roadmap. The project governance structure includes a steering committee meeting monthly, a working group meeting weekly, and daily stand-ups during active development sprints.

Migrate 100% Workloads to Cloud by 2027

Championed by: CTO, Enterprise Architect.

Drives requirements: Minimum 3 Availability Zones.

Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy. The enterprise technology radar, published semi-annually by the CTO's office, classifies technologies as Adopt, Trial, Assess, or Hold; the technologies used in this area are all currently in the Adopt or Trial rings. Service-level indicators are collected continuously and aggregated into dashboards visible to both technical teams and business stakeholders. Monitoring and alerting are integrated with the central observability stack based on Prometheus and Grafana. The enterprise architecture repository in Sparx EA is the authoritative source for all model elements; any changes to this document must be reflected there within five business days. Stakeholders across multiple departments have contributed requirements for this workstream. The Migrate 100% Workloads to Cloud by 2027 has been a critical area of focus for ArchiSurance since the digital transformation initiative began in 2023. The data retention policy mandates that transactional records are kept for seven years in online storage and archived to cold storage thereafter, with the ability to retrieve archived records within twenty-four hours upon regulatory request. The vendor selection process followed the procurement guidelines established by the CFO's office. Business continuity considerations were incorporated from the outset, with the DR Recovery Node in the secondary data center providing failover capacity; the most recent failover test was conducted in October 2024 and achieved recovery within the target RTO of one hour. The platform engineering team provides a standardized deployment template that all application teams are required to use, ensuring consistency in logging, health checks, and resource limits. The information security team requires that all new systems undergo a penetration test before production deployment, with findings above medium severity remediated prior to go-live approval. The enterprise identity provider federates with the national eHerkenning system for business-to-government interactions and with DigiD for customer-facing authentication on the self-service portal. A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures. Capacity forecasting models project a twenty-five percent year-over-year increase in data volume, driven primarily by the digitization of paper-based processes and the expansion of the broker channel. Application health is assessed using a synthetic monitoring approach, where automated scripts simulate real user journeys every five minutes and report availability from three geographically distributed probe locations. The network team conducted a bandwidth utilization study in February 2025, confirming that inter-datacenter traffic remains below sixty percent of the available WAN capacity under normal operating conditions. Interoperability with partner systems is achieved through the Partner Integration Hub, which exposes a curated subset of the internal API surface with additional rate limiting, schema validation, and audit logging applied at the gateway layer. A comprehensive training program was developed for end users, including online modules, instructor-led sessions, and a sandbox environment for hands-on practice.

3. Capability Development Plan

Digital Customer Experience

Realizes: Customer Portal Service, Broker Portal Service.

A dedicated Slack channel was established for real-time coordination between development, operations, and security teams during the rollout period. The configuration management database maintains a record of all IT assets, including hardware serial numbers, software license keys, patch levels, and relationships between configuration items. Dependencies on third-party services were documented and risk-assessed, with fallback mechanisms defined for each critical integration point. The Digital Customer Experience has been a critical area of focus for ArchiSurance since the digital transformation initiative began in 2023.

Claims Processing Automation

Realizes: Claim Adjudication, Claim Intake.

The enterprise technology radar, published semi-annually by the CTO's office, classifies technologies as Adopt, Trial, Assess, or Hold; the technologies used in this area are all currently in the Adopt or Trial rings. The business process documentation follows the BPMN 2.0 standard, with process models maintained in the Signavio process modeling tool and linked to the ArchiMate model elements in Sparx EA. Documentation standards require that all architecture decisions are recorded as Architecture Decision Records using the ADR format proposed by Michael Nygard, stored alongside the codebase in the version control system. The migration strategy follows a strangler-fig pattern, where new functionality is built in the target platform while legacy features are gradually redirected; this approach minimizes disruption to active users and allows incremental validation of the new implementation.

Risk Assessment Intelligence

Realizes: Risk Evaluation, Fraud Screening.

During the initial assessment phase, the team identified several areas where the existing architecture fell short of the target-state requirements defined in the enterprise roadmap. Interoperability with partner systems is achieved through the Partner Integration Hub, which exposes a curated subset of the internal API surface with additional rate limiting, schema validation, and audit logging applied at the gateway layer. The architecture team conducted a threat modeling exercise using the STRIDE framework, identifying potential spoofing, tampering, and information disclosure risks; mitigations for each threat were documented and tracked in the security risk register. The project governance structure includes a steering committee meeting monthly, a working group meeting weekly, and daily stand-ups during active development sprints.

Omnichannel Distribution

Realizes: Client Onboarding.

Performance benchmarks are captured in the enterprise monitoring framework and reported on a monthly basis to leadership. The non-functional requirements specify a maximum end-to-end latency of five hundred milliseconds at the ninety-ninth percentile, measured under a sustained load of one thousand concurrent users. The operational acceptance criteria include automated smoke tests, performance baselines, runbook completeness, and sign-off from both the IT Service Manager and the business process owner. The data retention policy mandates that transactional records are kept for seven years in online storage and archived to cold storage thereafter, with the ability to retrieve archived records within twenty-four hours upon regulatory request.

Data-Driven Underwriting

Realizes: Premium Calculation.

The incident management process defines four severity levels, with Severity 1 incidents requiring a response within fifteen minutes and a post-incident review within five business days. The data classification exercise, completed in Q4 2024, assigned sensitivity labels to all data objects, informing encryption, access control, and retention policies. The platform engineering team provides a standardized deployment template that all application teams are required to use,

ensuring consistency in logging, health checks, and resource limits. ArchiSurance participates in an industry-wide information sharing and analysis center for insurance companies, contributing anonymized threat intelligence data and receiving early warnings about sector-specific attack patterns.

Regulatory Compliance Management

Realizes: Regulatory Reporting.

The data classification exercise, completed in Q4 2024, assigned sensitivity labels to all data objects, informing encryption, access control, and retention policies. The enterprise technology radar, published semi-annually by the CTO's office, classifies technologies as Adopt, Trial, Assess, or Hold; the technologies used in this area are all currently in the Adopt or Trial rings. The transition plan was developed in alignment with the enterprise change management framework, incorporating staged rollouts, parallel-run periods, and defined go/no-go criteria at each milestone. Change management activities include stakeholder communication, training sessions, and documentation updates.

Operational Resilience

Realizes: SLA Monitoring.

The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates. The vendor selection process followed the procurement guidelines established by the CFO's office. A dedicated Slack channel was established for real-time coordination between development, operations, and security teams during the rollout period. Security review was completed in accordance with the CISO's security-by-design framework.

Cyber Risk Mitigation

Realizes: Customer Identity Verification.

The observability strategy follows the three pillars model: structured logs shipped to Elasticsearch, distributed traces collected via OpenTelemetry, and metrics scraped by Prometheus; all three are unified in Grafana dashboards. The enterprise backup strategy uses a 3-2-1 approach: three copies of data, on two different media types, with one copy stored offsite at the secondary data center in Rotterdam. Scalability testing performed in the staging environment confirmed that the system handles a three-times-peak load without degradation, providing sufficient headroom for seasonal demand fluctuations. The data classification exercise, completed in Q4 2024, assigned sensitivity labels to all data objects, informing encryption, access control, and retention policies.

Product Innovation

Realizes: Underwriting Service.

The enterprise backup strategy uses a 3-2-1 approach: three copies of data, on two different media types, with one copy stored offsite at the secondary data center in Rotterdam. A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures. The transition plan was developed in alignment with the enterprise change management framework, incorporating staged rollouts, parallel-run periods, and defined go/no-go criteria at each milestone. The architectural principles that guide this work include separation of concerns, loose coupling between components, preference for open standards, and the ability to scale horizontally under peak load conditions such as end-of-year policy renewals.

Partner Ecosystem Integration

Realizes: Broker Portal Service, Broker Commission Settlement.

The architecture decisions were reviewed and approved by the Architecture Review Board in Q2 2024. Monitoring and alerting are integrated with the central observability stack based on Prometheus and Grafana. Cross-functional workshops held in January and March 2025 helped refine the scope and integration points. ArchiSurance participates in

an industry-wide information sharing and analysis center for insurance companies, contributing anonymized threat intelligence data and receiving early warnings about sector-specific attack patterns.

4. Stakeholder Alignment

CTO

Associated goals: Achieve 99.9% System Availability, Migrate 100% Workloads to Cloud by 2027, Reduce IT Operational Costs by 25%.

The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates. The initiative is tracked in the enterprise PMO tool with bi-weekly status updates to the steering committee. The platform engineering team provides a standardized deployment template that all application teams are required to use, ensuring consistency in logging, health checks, and resource limits.

Head of Claims

Associated goals: 40% Claims STP Target.

Data privacy impact assessment was filed with the Data Protection Officer in Q1 2025. The team uses a definition of done that includes code review by at least two peers, passing CI pipeline, updated architecture diagrams, and entry in the change log maintained by the Release Manager. Stakeholders across multiple departments have contributed requirements for this workstream.

Chief Risk Officer

Associated goals: Increase Customer Satisfaction to NPS 60+, Zero Data Breaches by 2026.

Dependencies on third-party services were documented and risk-assessed, with fallback mechanisms defined for each critical integration point. Lessons learned from the pilot phase have been incorporated into the current design iteration. Monitoring and alerting are integrated with the central observability stack based on Prometheus and Grafana.

Enterprise Architect

Associated goals: Migrate 100% Workloads to Cloud by 2027, Achieve 99.9% System Availability.

The architecture review confirmed that the proposed solution aligns with the TOGAF Architecture Development Method phases used by ArchiSurance, specifically phases B through D covering Business, Information Systems, and Technology Architecture. A comprehensive training program was developed for end users, including online modules, instructor-led sessions, and a sandbox environment for hands-on practice. The enterprise data model, maintained by the Data Architecture team, defines canonical schemas for all shared data objects; integrating systems are expected to conform to these schemas or implement transformation layers that map proprietary formats to the canonical model.

CISO

Associated goals: Zero Data Breaches by 2026, Achieve Full Regulatory Compliance.

Technical debt in this area was cataloged during a dedicated sprint in Q3 2024; the resulting backlog of forty-seven items has been prioritized by business impact and is being addressed alongside feature development. Regression test suites are maintained by the QA team and executed automatically on every merge to the main branch via the CI/CD pipeline. The architecture review confirmed that the proposed solution aligns with the TOGAF Architecture Development Method phases used by ArchiSurance, specifically phases B through D covering Business, Information Systems, and Technology Architecture.

CFO

Associated goals: Reduce IT Operational Costs by 25%.

Feedback from the user acceptance testing phase indicated that the new interface reduced the average task completion time by approximately thirty percent compared to the legacy system, though some users requested additional keyboard shortcuts for power-user workflows. An accessibility audit was conducted by an external specialist in January 2025 to ensure that all user-facing components meet WCAG 2.1 Level AA standards, with remediation items tracked in the product backlog. Risk mitigation strategies include regular checkpoint reviews, automated regression testing, and staged rollout procedures.

5. Requirements and Constraints

- Real-time Risk Scoring
 - GDPR Compliance
 - Multi-channel Access
 - PCI-DSS Level 1 Certification
 - SOX Audit Trail
 - Sub-second API Response Time
 - RPO of 15 minutes
 - RTO of 1 hour
 - Data Encryption at Rest and in Transit
 - Role-based Access Control
-
- Legacy Oracle DB Migration Deadline Q4 2026 (constraint)
 - Budget Cap EUR 2M Annual (constraint)
 - No Public Cloud for PII Data (until 2026 review) (constraint)
 - Minimum 3 Availability Zones (constraint)
 - Vendor Lock-in Avoidance (constraint)

Performance benchmarks are captured in the enterprise monitoring framework and reported on a monthly basis to leadership. Automated deployment pipelines leverage the CI/CD infrastructure described in the platform engineering documentation. Budget allocation was approved as part of the annual IT investment portfolio review conducted in November 2024. The data classification exercise, completed in Q4 2024, assigned sensitivity labels to all data objects, informing encryption, access control, and retention policies. The migration strategy follows a strangler-fig pattern, where new functionality is built in the target platform while legacy features are gradually redirected; this approach minimizes disruption to active users and allows incremental validation of the new implementation. The operational support model is defined in the Operational Runbook and includes on-call rotation and escalation procedures. The API design guidelines specify that all REST endpoints must support content negotiation, return standard HTTP status codes, include correlation identifiers in response headers, and provide machine-readable error bodies in RFC 7807 format. The information security team requires that all new systems undergo a penetration test before production deployment, with findings above medium severity remediated prior to go-live approval. The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates. The transition plan was developed in alignment with the enterprise change management framework, incorporating staged rollouts, parallel-run periods, and defined go/no-go criteria at each milestone. The architecture team maintains a dependency register that maps each component to its upstream providers and downstream consumers, updated quarterly. The architecture team conducted a threat modeling exercise using the STRIDE framework, identifying potential spoofing, tampering, and information disclosure risks; mitigations for each threat were documented and tracked in the security risk register. Stakeholders across multiple departments have contributed requirements for this workstream. Integration testing spans three environments: development, staging, and pre-production. Post-implementation review sessions are scheduled for thirty and ninety days after go-live to capture lessons learned and identify optimization opportunities. Interoperability with partner systems is achieved through the

Partner Integration Hub, which exposes a curated subset of the internal API surface with additional rate limiting, schema validation, and audit logging applied at the gateway layer. The team uses a definition of done that includes code review by at least two peers, passing CI pipeline, updated architecture diagrams, and entry in the change log maintained by the Release Manager. The data retention policy mandates that transactional records are kept for seven years in online storage and archived to cold storage thereafter, with the ability to retrieve archived records within twenty-four hours upon regulatory request. Feedback from the user acceptance testing phase indicated that the new interface reduced the average task completion time by approximately thirty percent compared to the legacy system, though some users requested additional keyboard shortcuts for power-user workflows. The architecture decisions were reviewed and approved by the Architecture Review Board in Q2 2024.

The observability strategy follows the three pillars model: structured logs shipped to Elasticsearch, distributed traces collected via OpenTelemetry, and metrics scraped by Prometheus; all three are unified in Grafana dashboards. External consultants from Deloitte provided an independent assessment of the architecture in late 2024. The data retention policy mandates that transactional records are kept for seven years in online storage and archived to cold storage thereafter, with the ability to retrieve archived records within twenty-four hours upon regulatory request. The solution was designed to be modular, allowing individual components to be upgraded or replaced without affecting the overall system availability or data integrity. The information security team requires that all new systems undergo a penetration test before production deployment, with findings above medium severity remediated prior to go-live approval. Interoperability with partner systems is achieved through the Partner Integration Hub, which exposes a curated subset of the internal API surface with additional rate limiting, schema validation, and audit logging applied at the gateway layer. Regression test suites are maintained by the QA team and executed automatically on every merge to the main branch via the CI/CD pipeline. The architectural principles that guide this work include separation of concerns, loose coupling between components, preference for open standards, and the ability to scale horizontally under peak load conditions such as end-of-year policy renewals.

During the initial assessment phase, the team identified several areas where the existing architecture fell short of the target-state requirements defined in the enterprise roadmap. The design considers both current-state constraints and target-state aspirations as documented in the strategic roadmap. Deployment windows are scheduled every Tuesday and Thursday between 06:00 and 08:00 CET, with emergency deployments requiring approval from both the IT Service Manager and the on-call engineer. The data retention policy mandates that transactional records are kept for seven years in online storage and archived to cold storage thereafter, with the ability to retrieve archived records within twenty-four hours upon regulatory request. Integration testing spans three environments: development, staging, and pre-production. The architecture team maintains a dependency register that maps each component to its upstream providers and downstream consumers, updated quarterly. Capacity forecasting models project a twenty-five percent year-over-year increase in data volume, driven primarily by the digitization of paper-based processes and the expansion of the broker channel. The enterprise architecture repository in Sparx EA is the authoritative source for all model elements; any changes to this document must be reflected there within five business days.

Capacity planning exercises revealed that the current infrastructure can sustain projected growth for the next twelve months, after which additional compute and storage resources will be required. Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy. Cross-functional workshops held in January and March 2025 helped refine the scope and integration points. A comprehensive training program was developed for end users, including online modules, instructor-led sessions, and a sandbox environment for hands-on practice. Security review was completed in accordance with the CISO's security-by-design framework. The operational acceptance criteria include automated smoke tests, performance baselines, runbook completeness, and sign-off from both the IT Service Manager and the business process owner. Documentation standards require that all architecture decisions are recorded as Architecture Decision Records using the ADR format proposed by Michael Nygard, stored alongside the codebase in the version control system. The architectural principles that guide this work include separation of concerns, loose coupling between components, preference for open standards, and the ability to scale horizontally under peak load conditions such as end-of-year policy renewals.

6. Timeline and Milestones

Milestone	Target Date	Owner	Status
Cloud landing zone	Q1 2025	Infra Team	Complete
5 apps cloud-migrate	Q4 2025	Platform Eng	In Progress
Oracle decommission	Q4 2026	Data Team	Planned
Zero-trust network	Q2 2026	Security	Planned
100% cloud	Q2 2027	EA Team	Planned
Fraud ML v3 rollout	Q3 2025	Data Analytics	In Progress
Claims STP > 60%	Q4 2025	Claims IT	In Progress

7. Investment Portfolio

Initiative	2025 (kEUR)	2026 (kEUR)	2027 (kEUR)
Cloud Migration	800	600	300
Security Hardening	300	250	200
Claims Automation	400	300	150
Data Platform	250	200	150
Integration Modernizat	150	150	100
Total	1,900	1,500	900

The Architecture Review Board convened a special session in February 2025 to evaluate the implications of the proposed changes on downstream systems and business processes. An internal audit in March 2025 confirmed that the controls implemented for this area meet the requirements of the enterprise risk management framework. The enterprise identity provider federates with the national eHerkenning system for business-to-government interactions and with DigiD for customer-facing authentication on the self-service portal. Integration testing spans three environments: development, staging, and pre-production. The migration strategy follows a strangler-fig pattern, where new functionality is built in the target platform while legacy features are gradually redirected; this approach minimizes disruption to active users and allows incremental validation of the new implementation. Post-implementation review sessions are scheduled for thirty and ninety days after go-live to capture lessons learned and identify optimization opportunities. Stakeholders across multiple departments have contributed requirements for this workstream. The design considers both current-state constraints and target-state aspirations as documented in the strategic roadmap.

The enterprise identity provider federates with the national eHerkenning system for business-to-government interactions and with DigiD for customer-facing authentication on the self-service portal. The information security team requires that all new systems undergo a penetration test before production deployment, with findings above medium severity remediated prior to go-live approval. The configuration management database maintains a record of all IT assets, including hardware serial numbers, software license keys, patch levels, and relationships between configuration items. Monitoring and alerting are integrated with the central observability stack based on Prometheus and Grafana. Feedback from the user acceptance testing phase indicated that the new interface reduced the average task completion time by approximately thirty percent compared to the legacy system, though some users requested additional keyboard shortcuts for power-user workflows. Lessons learned from the pilot phase have been incorporated into the current design iteration. Post-implementation review sessions are scheduled for thirty and ninety days after go-live to capture lessons learned and identify optimization opportunities. During the initial assessment phase, the team identified several areas where the existing architecture fell short of the target-state requirements defined in the enterprise roadmap.

The architecture review confirmed that the proposed solution aligns with the TOGAF Architecture Development Method phases used by ArchiSurance, specifically phases B through D covering Business, Information Systems, and Technology Architecture. Lessons learned from the pilot phase have been incorporated into the current design iteration. The enterprise data model, maintained by the Data Architecture team, defines canonical schemas for all shared data objects; integrating systems are expected to conform to these schemas or implement transformation layers that map proprietary formats to the canonical model. Budget allocation was approved as part of the annual IT investment portfolio

review conducted in November 2024. The configuration management database maintains a record of all IT assets, including hardware serial numbers, software license keys, patch levels, and relationships between configuration items. The solution leverages event-driven patterns wherever possible, with Apache Kafka providing durable, ordered event streams that decouple producers from consumers and enable replay for debugging and reprocessing scenarios. Monitoring and alerting are integrated with the central observability stack based on Prometheus and Grafana. ArchiSurance participates in an industry-wide information sharing and analysis center for insurance companies, contributing anonymized threat intelligence data and receiving early warnings about sector-specific attack patterns.

8. Appendices

References and Related Documents

Doc ID	Title	Version
EA-OVR-001	Enterprise Architecture Overview	3.0
EA-APP-002	Application Portfolio & Inventory	4.2
EA-INFRA-003	Infrastructure Design Document	2.5
EA-BIZ-004	CRM Business Process Description	2.0
EA-CLM-005	Claims Processing Workflow	3.1
EA-SEC-006	Security Architecture	2.3
EA-INT-007	Integration Architecture	2.8
EA-DAT-008	Data Architecture & Governance	2.0
EA-CLD-009	Cloud Migration Assessment	1.5
EA-DR-010	Disaster Recovery & Business Contin	3.0
EA-NET-011	Network Architecture	2.2
EA-ROAD-012	Strategic IT Roadmap 2025-2027	2.0
EA-SVC-013	IT Service Catalog	3.5
EA-VND-014	Vendor & Technology Assessment	1.8
EA-OPS-015	Operational Runbook: Core Platform	4.1
EA-CMP-016	Compliance & Regulatory Requirement	2.5
EA-CHG-017	Change Management: ERP Migration	1.2

Distribution List

Name	Role	Responsibility
J. van den Berg	Enterprise Architect	Review & Approve
M. de Vries	Application Architect	Review & Contribute
P. Jansen	Integration Architect	Review & Contribute
K. Bakker	Infrastructure Architect	Review & Contribute
S. Visser	Business Analyst	Inform
T. Mulder	Process Architect	Inform
R. de Jong	CISO	Review & Approve
L. Hendriks	Data Architect	Inform
A. Willems	CTO	Final Approval
B. Smit	Head of Claims	Business Sign-off

Appendix: Meeting Minutes - Architecture Review Board

Date: March 15, 2025. Location: ArchiSurance HQ, Room 4.12. Attendees: J. van den Berg (chair), M. de Vries, P. Jansen, K. Bakker, S. Visser, T. Mulder (remote). Apologies: R. de Jong (on leave).

Agenda item 1: Review of open action items from previous meeting. Action 2024-47 (Jansen): Provide updated cost estimate for Oracle migration. Status: Completed. The revised estimate is EUR 1.4M including contingency. Action 2024-48 (de Vries): Schedule penetration test with external vendor. Status: In progress, vendor shortlist reduced to two candidates.

Agenda item 2: Discussion on coffee machine replacement in the 3rd floor kitchen. The current Jura E8 has been experiencing frequent bean grinder failures. Facilities will procure a replacement by end of month. Not related to architecture but raised due to impact on team productivity during long review sessions.

Agenda item 3: Parking lot discussion about whether to adopt Backstage as the internal developer portal. Deferred to next meeting pending PoC results. K. Bakker noted that the onboarding documentation is outdated and should be

refreshed regardless of the portal decision.

Next meeting: April 12, 2025 at 14:00 CET. Van den Berg to circulate agenda by April 5.

Detailed Revision Notes for Version 2.1

Section 2.3 was updated to reflect the new naming convention adopted by the Platform Engineering team. All references to 'microservice cluster' have been replaced with 'application workload group' per the Architecture Board decision of January 2025. Section 4.1 was expanded to include the results of the capacity planning exercise conducted in Q4 2024, which identified the need for additional compute resources in the Amsterdam primary data center.

Appendix B was added to include the RACI matrix requested by the PMO during the Q3 2024 quarterly review. The glossary was updated to include twelve new acronyms that were introduced since the previous version. Figure 3 was replaced with an updated diagram generated from the Sparx EA repository on March 28, 2025. The document classification was elevated from 'Internal' to 'Internal - Confidential' following the data classification review of February 2025.

Feedback from the peer review conducted by M. de Vries on March 10, 2025, addressed three items: (1) clarification of the boundary between the DMZ and the application tier, (2) addition of the backup retention policy reference, and (3) correction of the SLA target for the Claims Handling Service from 99.5% to 99.9% as agreed in the contract amendment of December 2024.

DISCLAIMER: This document has been prepared for internal use by ArchiSurance B.V. The information contained herein is provided on an 'as-is' basis without warranties of any kind, either express or implied. ArchiSurance B.V. shall not be liable for any direct, indirect, incidental, or consequential damages arising from the use of this document. The views expressed herein are those of the Enterprise Architecture team and do not necessarily reflect the official position of the Board of Directors. All trademarks mentioned belong to their respective owners. This document may contain forward-looking statements that involve risks and uncertainties. Actual results may differ materially from those projected. Recipients are advised to seek independent professional advice before acting on any information contained in this document.