

IT Service Catalog

IT services with SLAs and support levels

Document ID: EA-SVC-013

This document is the property of ArchiSurance B.V. and contains confidential information. Unauthorized reproduction or distribution is prohibited. For questions contact the Enterprise Architecture team at ea-team@archisurance.example.com.

Document Version History

Ver.	Date	Author	Description
0.1	2024-01-15	J. van den Berg	Initial draft
0.5	2024-03-22	M. de Vries	Peer review incorporated
1.0	2024-06-10	P. Jansen	Approved by Architecture Board
1.5	2024-11-04	J. van den Berg	Updated for Q4 changes
2.0	2025-02-18	M. de Vries	Annual revision
2.1	2025-04-01	P. Jansen	Minor corrections

Table of Contents

1 Introduction 1

2 Business Services 2

3 Technology Services 3

4 SLA Matrix 4

5 Support Model 5

6 Appendices 6

1. Introduction

This Service Catalog provides a comprehensive listing of all IT services offered to ArchiSurance business units. Each service is described with its SLA commitments, support model, and dependencies. The Strategic IT Roadmap (EA-ROAD-012) outlines future service enhancements.

The initiative is tracked in the enterprise PMO tool with bi-weekly status updates to the steering committee. Data privacy impact assessment was filed with the Data Protection Officer in Q1 2025. A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures. Dependencies on third-party services were documented and risk-assessed, with fallback mechanisms defined for each critical integration point. From a historical perspective, ArchiSurance first recognized the need for modernization in this area following an internal efficiency review conducted in late 2022, which highlighted significant manual effort and process duplication across regional offices. The business process documentation follows the BPMN 2.0 standard, with process models maintained in the Signavio process modeling tool and linked to the ArchiMate model elements in Sparx EA. Business continuity considerations were incorporated from the outset, with the DR Recovery Node in the secondary data center providing failover capacity; the most recent failover test was conducted in October 2024 and achieved recovery within the target RTO of one hour. The team uses a definition of done that includes code review by at least two peers, passing CI pipeline, updated architecture diagrams, and entry in the change log maintained by the Release Manager. The transition plan was developed in alignment with the enterprise change management framework, incorporating staged rollouts, parallel-run periods, and defined go/no-go criteria at each milestone. The architecture decisions were reviewed and approved by the Architecture Review Board in Q2 2024. The architecture team conducted a threat modeling exercise using the STRIDE framework, identifying potential spoofing, tampering, and information disclosure risks; mitigations for each threat were documented and tracked in the security risk register. The solution leverages event-driven patterns wherever possible, with Apache Kafka providing durable, ordered event streams that decouple producers from consumers and enable replay for debugging and reprocessing scenarios. The vendor selection process followed the procurement guidelines established by the CFO's office. The architecture team maintains a dependency register that maps each component to its upstream providers and downstream consumers, updated quarterly. The design considers both current-state constraints and target-state aspirations as documented in the strategic roadmap. Cost allocation for shared infrastructure follows a chargeback model based on resource consumption metrics, with monthly reports sent to each business unit for transparency and accountability. A formal lessons-learned workshop is held at the end of each quarter, with outcomes published to the internal wiki and action items assigned to specific team members with target completion dates. An internal audit in March 2025 confirmed that the controls implemented for this area meet the requirements of the enterprise risk management framework. Automated deployment pipelines leverage the CI/CD infrastructure described in the platform engineering documentation. The data classification exercise, completed in Q4 2024, assigned sensitivity labels to all data objects, informing encryption, access control, and retention policies. The vendor risk assessment framework evaluates suppliers across five dimensions: financial stability, technology roadmap alignment, support quality, security posture, and contractual flexibility. Post-implementation review sessions are scheduled for thirty and ninety days after go-live to capture lessons learned and identify optimization opportunities. External consultants from Deloitte provided an independent assessment of the architecture in late 2024. The platform engineering team provides a standardized deployment template that all application teams are required to use, ensuring consistency in logging, health checks, and resource limits. Lessons learned from the pilot phase have been incorporated into the current design iteration. The information security team requires that all new systems undergo a penetration test before production deployment, with findings above medium severity remediated prior to go-live approval. A proof-of-concept was conducted over a four-week period, involving representatives from the Claims Department, IT Operations, and the Data Analytics Team to validate the technical feasibility. During the initial assessment phase, the team identified several areas where the existing architecture fell short of the target-state requirements defined in the enterprise roadmap. Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy. The configuration management database maintains a record of all IT assets, including hardware serial numbers, software license keys, patch levels, and relationships between configuration items.

The configuration management database maintains a record of all IT assets, including hardware serial numbers,

software license keys, patch levels, and relationships between configuration items. Deployment windows are scheduled every Tuesday and Thursday between 06:00 and 08:00 CET, with emergency deployments requiring approval from both the IT Service Manager and the on-call engineer. During the initial assessment phase, the team identified several areas where the existing architecture fell short of the target-state requirements defined in the enterprise roadmap. Change management activities include stakeholder communication, training sessions, and documentation updates. The network team conducted a bandwidth utilization study in February 2025, confirming that inter-datacenter traffic remains below sixty percent of the available WAN capacity under normal operating conditions. Monitoring and alerting are integrated with the central observability stack based on Prometheus and Grafana. Scalability testing performed in the staging environment confirmed that the system handles a three-times-peak load without degradation, providing sufficient headroom for seasonal demand fluctuations. A dedicated Slack channel was established for real-time coordination between development, operations, and security teams during the rollout period. Service-level indicators are collected continuously and aggregated into dashboards visible to both technical teams and business stakeholders.

The API design guidelines specify that all REST endpoints must support content negotiation, return standard HTTP status codes, include correlation identifiers in response headers, and provide machine-readable error bodies in RFC 7807 format. Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy. The observability strategy follows the three pillars model: structured logs shipped to Elasticsearch, distributed traces collected via OpenTelemetry, and metrics scraped by Prometheus; all three are unified in Grafana dashboards. The IT service catalog management has been a critical area of focus for ArchiSurance since the digital transformation initiative began in 2023. The development team follows trunk-based development with short-lived feature branches, automated linting, and a code coverage threshold of eighty percent enforced by the CI pipeline. The architecture team conducted a threat modeling exercise using the STRIDE framework, identifying potential spoofing, tampering, and information disclosure risks; mitigations for each threat were documented and tracked in the security risk register. The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates. The architecture decisions were reviewed and approved by the Architecture Review Board in Q2 2024. The incident management process defines four severity levels, with Severity 1 incidents requiring a response within fifteen minutes and a post-incident review within five business days.

The enterprise backup strategy uses a 3-2-1 approach: three copies of data, on two different media types, with one copy stored offsite at the secondary data center in Rotterdam. The operational acceptance criteria include automated smoke tests, performance baselines, runbook completeness, and sign-off from both the IT Service Manager and the business process owner. The architectural principles that guide this work include separation of concerns, loose coupling between components, preference for open standards, and the ability to scale horizontally under peak load conditions such as end-of-year policy renewals. Change management activities include stakeholder communication, training sessions, and documentation updates. ArchiSurance participates in an industry-wide information sharing and analysis center for insurance companies, contributing anonymized threat intelligence data and receiving early warnings about sector-specific attack patterns. Interoperability with partner systems is achieved through the Partner Integration Hub, which exposes a curated subset of the internal API surface with additional rate limiting, schema validation, and audit logging applied at the gateway layer. The transition plan was developed in alignment with the enterprise change management framework, incorporating staged rollouts, parallel-run periods, and defined go/no-go criteria at each milestone. The network team conducted a bandwidth utilization study in February 2025, confirming that inter-datacenter traffic remains below sixty percent of the available WAN capacity under normal operating conditions. The architecture review confirmed that the proposed solution aligns with the TOGAF Architecture Development Method phases used by ArchiSurance, specifically phases B through D covering Business, Information Systems, and Technology Architecture.

2. Business Services

Insurance Policy Service

The Insurance Policy Service is a business-facing IT service. Supported processes: Policy Issuance, Policy Renewal.

Deployment windows are scheduled every Tuesday and Thursday between 06:00 and 08:00 CET, with emergency deployments requiring approval from both the IT Service Manager and the on-call engineer. Monitoring and alerting are integrated with the central observability stack based on Prometheus and Grafana. The incident management process defines four severity levels, with Severity 1 incidents requiring a response within fifteen minutes and a post-incident review within five business days. The platform engineering team provides a standardized deployment template that all application teams are required to use, ensuring consistency in logging, health checks, and resource limits.

Claims Handling Service

The Claims Handling Service is a business-facing IT service. Supported processes: First Notice of Loss, Loss Assessment.

The architectural principles that guide this work include separation of concerns, loose coupling between components, preference for open standards, and the ability to scale horizontally under peak load conditions such as end-of-year policy renewals. Security review was completed in accordance with the CISO's security-by-design framework. External consultants from Deloitte provided an independent assessment of the architecture in late 2024. The data retention policy mandates that transactional records are kept for seven years in online storage and archived to cold storage thereafter, with the ability to retrieve archived records within twenty-four hours upon regulatory request.

Customer Portal Service

The Customer Portal Service is a business-facing IT service. Supported processes: Complaint Handling.

Change management activities include stakeholder communication, training sessions, and documentation updates. The design considers both current-state constraints and target-state aspirations as documented in the strategic roadmap. Data privacy impact assessment was filed with the Data Protection Officer in Q1 2025. A proof-of-concept was conducted over a four-week period, involving representatives from the Claims Department, IT Operations, and the Data Analytics Team to validate the technical feasibility.

Underwriting Service

The Underwriting Service is a business-facing IT service. Supported processes: Risk Evaluation, Premium Calculation.

Risk mitigation strategies include regular checkpoint reviews, automated regression testing, and staged rollout procedures. Capacity planning exercises revealed that the current infrastructure can sustain projected growth for the next twelve months, after which additional compute and storage resources will be required. The initiative is tracked in the enterprise PMO tool with bi-weekly status updates to the steering committee. A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures.

Premium Collection Service

The Premium Collection Service is a business-facing IT service. Supported processes: Broker Commission Settlement.

The transition plan was developed in alignment with the enterprise change management framework, incorporating staged rollouts, parallel-run periods, and defined go/no-go criteria at each milestone. External consultants from Deloitte provided an independent assessment of the architecture in late 2024. Risk mitigation strategies include regular checkpoint reviews, automated regression testing, and staged rollout procedures. The vendor risk assessment framework evaluates suppliers across five dimensions: financial stability, technology roadmap alignment, support quality, security posture, and contractual flexibility.

Fraud Investigation Service

The Fraud Investigation Service is a business-facing IT service. Supported processes: Fraud Check.

A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures. The network team conducted a bandwidth utilization study in February 2025, confirming that inter-datacenter traffic remains below sixty percent of the available WAN capacity under normal operating conditions. The enterprise backup strategy uses a 3-2-1 approach: three copies of data, on two different media types, with one copy stored offsite at the secondary data center in Rotterdam. Application health is assessed using a synthetic monitoring approach, where automated scripts simulate real user journeys every five minutes and report availability from three geographically distributed probe locations.

Regulatory Filing Service

The Regulatory Filing Service is a business-facing IT service. Supported processes: Regulatory Reporting.

The architecture team maintains a dependency register that maps each component to its upstream providers and downstream consumers, updated quarterly. Cross-functional workshops held in January and March 2025 helped refine the scope and integration points. Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy. The project governance structure includes a steering committee meeting monthly, a working group meeting weekly, and daily stand-ups during active development sprints.

Broker Portal Service

The Broker Portal Service is a business-facing IT service. Supported processes: Broker Commission Settlement.

Cost allocation for shared infrastructure follows a chargeback model based on resource consumption metrics, with monthly reports sent to each business unit for transparency and accountability. The operational support model is defined in the Operational Runbook and includes on-call rotation and escalation procedures. Stakeholders across multiple departments have contributed requirements for this workstream. The solution was designed to be modular, allowing individual components to be upgraded or replaced without affecting the overall system availability or data integrity.

3. Technology Services

Database Service

Realized by: Database Server Primary, Database Server Replica.

A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures. Performance benchmarks are captured in the enterprise monitoring framework and reported on a monthly basis to leadership. An accessibility audit was conducted by an external specialist in January 2025 to ensure that all user-facing components meet WCAG 2.1 Level AA standards, with remediation items tracked in the product backlog.

Container Orchestration

Realized by: Kubernetes.

Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy. The business process documentation follows the BPMN 2.0 standard, with process models maintained in the Signavio process modeling tool and linked to the ArchiMate model elements in Sparx EA. Technical debt in this area was cataloged during a dedicated sprint in Q3 2024; the resulting backlog of forty-seven items has been prioritized by business impact and is being addressed alongside feature development.

Message Queue Service

Realized by: the event streaming platform.

Budget allocation was approved as part of the annual IT investment portfolio review conducted in November 2024. The incident management process defines four severity levels, with Severity 1 incidents requiring a response within fifteen minutes and a post-incident review within five business days. The data classification exercise, completed in Q4 2024, assigned sensitivity labels to all data objects, informing encryption, access control, and retention policies.

Object Storage Service

Realized by: Batch Processing Node.

The network team conducted a bandwidth utilization study in February 2025, confirming that inter-datacenter traffic remains below sixty percent of the available WAN capacity under normal operating conditions. The design considers both current-state constraints and target-state aspirations as documented in the strategic roadmap. The operational support model is defined in the Operational Runbook and includes on-call rotation and escalation procedures.

DNS Service

Realized by: Edge Cache Node.

The enterprise architecture repository in Sparx EA is the authoritative source for all model elements; any changes to this document must be reflected there within five business days. The operational support model is defined in the Operational Runbook and includes on-call rotation and escalation procedures. A comprehensive training program was developed for end users, including online modules, instructor-led sessions, and a sandbox environment for hands-on practice.

Certificate Management Service

Realized by: HSM Appliance.

The data retention policy mandates that transactional records are kept for seven years in online storage and archived to cold storage thereafter, with the ability to retrieve archived records within twenty-four hours upon regulatory request. External consultants from Deloitte provided an independent assessment of the architecture in late 2024. Dependencies on third-party services were documented and risk-assessed, with fallback mechanisms defined for each critical integration point.

Log Aggregation Service

Realized by: Log Aggregation Node.

ArchiSurance participates in an industry-wide information sharing and analysis center for insurance companies, contributing anonymized threat intelligence data and receiving early warnings about sector-specific attack patterns. Interoperability with partner systems is achieved through the Partner Integration Hub, which exposes a curated subset of the internal API surface with additional rate limiting, schema validation, and audit logging applied at the gateway layer. The transition plan was developed in alignment with the enterprise change management framework, incorporating staged rollouts, parallel-run periods, and defined go/no-go criteria at each milestone.

Secrets Management Service

Realized by: HSM Appliance.

The transition plan was developed in alignment with the enterprise change management framework, incorporating staged rollouts, parallel-run periods, and defined go/no-go criteria at each milestone. The network team conducted a bandwidth utilization study in February 2025, confirming that inter-datacenter traffic remains below sixty percent of the available WAN capacity under normal operating conditions. Post-implementation review sessions are scheduled for thirty and ninety days after go-live to capture lessons learned and identify optimization opportunities.

4. SLA Matrix

Service	Availability	Response Time	Support Hours
Claims Handling Svc	99.9%	< 200ms	24x7
Insurance Policy Svc	99.9%	< 300ms	24x7
Customer Portal Svc	99.5%	< 500ms	24x7
Underwriting Svc	99.5%	< 1s	Business hours
Fraud Investigation	99.0%	< 2s	Business hours
Database Service	99.99%	N/A	24x7
Container Orch.	99.9%	N/A	24x7
Message Queue Svc	99.9%	N/A	24x7

SLA governance is defined in the SLA Premium Support contract. The IT Service Manager role monitors compliance through the SLA Monitoring process.

A proof-of-concept was conducted over a four-week period, involving representatives from the Claims Department, IT Operations, and the Data Analytics Team to validate the technical feasibility. The business process documentation follows the BPMN 2.0 standard, with process models maintained in the Signavio process modeling tool and linked to the ArchiMate model elements in Sparx EA. The incident management process defines four severity levels, with Severity 1 incidents requiring a response within fifteen minutes and a post-incident review within five business days. Technical debt in this area was cataloged during a dedicated sprint in Q3 2024; the resulting backlog of forty-seven items has been prioritized by business impact and is being addressed alongside feature development. The initiative is tracked in the enterprise PMO tool with bi-weekly status updates to the steering committee. The vendor risk assessment framework evaluates suppliers across five dimensions: financial stability, technology roadmap alignment, support quality, security posture, and contractual flexibility. The solution leverages event-driven patterns wherever possible, with Apache Kafka providing durable, ordered event streams that decouple producers from consumers and enable replay for debugging and reprocessing scenarios. The observability strategy follows the three pillars model: structured logs shipped to Elasticsearch, distributed traces collected via OpenTelemetry, and metrics scraped by Prometheus; all three are unified in Grafana dashboards. The non-functional requirements specify a maximum end-to-end latency of five hundred milliseconds at the ninety-ninth percentile, measured under a sustained load of one thousand concurrent users. Application health is assessed using a synthetic monitoring approach, where automated scripts simulate real user journeys every five minutes and report availability from three geographically distributed probe locations. The Architecture Review Board convened a special session in February 2025 to evaluate the implications of the proposed changes on downstream systems and business processes. The total cost of ownership analysis, prepared by the Finance Department in collaboration with IT, indicated a payback period of approximately eighteen months assuming current utilization rates. Key performance indicators for the initiative include transaction throughput, error rate, mean time to detection, mean time to recovery, and user satisfaction scores collected through quarterly surveys. The development team follows trunk-based development with short-lived feature branches, automated linting, and a code coverage threshold of eighty percent enforced by the CI pipeline. The enterprise data model, maintained by the Data Architecture team, defines canonical schemas for all shared data objects; integrating systems are expected to conform to these schemas or implement transformation layers that map proprietary formats to the canonical model. During the initial assessment phase, the team identified several areas where the existing architecture fell short of the target-state requirements defined in the enterprise roadmap. The team uses a definition of done that includes code review by at least two peers, passing CI pipeline, updated architecture diagrams, and entry in the change log maintained by the Release Manager. An accessibility audit was conducted by an external specialist in January 2025 to ensure that all user-facing components meet WCAG 2.1 Level AA standards, with remediation items tracked in the product backlog. The enterprise backup strategy uses a 3-2-1 approach: three copies of data, on two different media types, with one copy stored offsite at the secondary data center in Rotterdam. Scalability testing performed in the staging environment confirmed that the system handles a three-times-peak load without degradation, providing sufficient headroom for seasonal demand fluctuations. The data retention policy mandates that transactional records are kept for seven years in online storage and archived to cold storage thereafter, with the ability to retrieve archived records within twenty-four hours upon regulatory request. An internal audit in March 2025 confirmed that the controls implemented for this area

meet the requirements of the enterprise risk management framework. A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures. Cost allocation for shared infrastructure follows a chargeback model based on resource consumption metrics, with monthly reports sent to each business unit for transparency and accountability.

The enterprise technology radar, published semi-annually by the CTO's office, classifies technologies as Adopt, Trial, Assess, or Hold; the technologies used in this area are all currently in the Adopt or Trial rings. Documentation standards require that all architecture decisions are recorded as Architecture Decision Records using the ADR format proposed by Michael Nygard, stored alongside the codebase in the version control system. The architectural principles that guide this work include separation of concerns, loose coupling between components, preference for open standards, and the ability to scale horizontally under peak load conditions such as end-of-year policy renewals. The operational acceptance criteria include automated smoke tests, performance baselines, runbook completeness, and sign-off from both the IT Service Manager and the business process owner. A formal lessons-learned workshop is held at the end of each quarter, with outcomes published to the internal wiki and action items assigned to specific team members with target completion dates. The API design guidelines specify that all REST endpoints must support content negotiation, return standard HTTP status codes, include correlation identifiers in response headers, and provide machine-readable error bodies in RFC 7807 format. A comprehensive training program was developed for end users, including online modules, instructor-led sessions, and a sandbox environment for hands-on practice. The architecture team conducted a threat modeling exercise using the STRIDE framework, identifying potential spoofing, tampering, and information disclosure risks; mitigations for each threat were documented and tracked in the security risk register. Deployment windows are scheduled every Tuesday and Thursday between 06:00 and 08:00 CET, with emergency deployments requiring approval from both the IT Service Manager and the on-call engineer.

The architecture team maintains a dependency register that maps each component to its upstream providers and downstream consumers, updated quarterly. Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy. Scalability testing performed in the staging environment confirmed that the system handles a three-times-peak load without degradation, providing sufficient headroom for seasonal demand fluctuations. Cost allocation for shared infrastructure follows a chargeback model based on resource consumption metrics, with monthly reports sent to each business unit for transparency and accountability. The migration strategy follows a strangler-fig pattern, where new functionality is built in the target platform while legacy features are gradually redirected; this approach minimizes disruption to active users and allows incremental validation of the new implementation. The SLA management governance has been a critical area of focus for ArchiSurance since the digital transformation initiative began in 2023. Risk mitigation strategies include regular checkpoint reviews, automated regression testing, and staged rollout procedures. The platform engineering team provides a standardized deployment template that all application teams are required to use, ensuring consistency in logging, health checks, and resource limits. The architecture decisions were reviewed and approved by the Architecture Review Board in Q2 2024.

The data retention policy mandates that transactional records are kept for seven years in online storage and archived to cold storage thereafter, with the ability to retrieve archived records within twenty-four hours upon regulatory request. The vendor selection process followed the procurement guidelines established by the CFO's office. The enterprise architecture repository in Sparx EA is the authoritative source for all model elements; any changes to this document must be reflected there within five business days. The SLA management governance has been a critical area of focus for ArchiSurance since the digital transformation initiative began in 2023. Cost allocation for shared infrastructure follows a chargeback model based on resource consumption metrics, with monthly reports sent to each business unit for transparency and accountability. The project governance structure includes a steering committee meeting monthly, a working group meeting weekly, and daily stand-ups during active development sprints. A comprehensive training program was developed for end users, including online modules, instructor-led sessions, and a sandbox environment for hands-on practice. From a historical perspective, ArchiSurance first recognized the need for modernization in this area following an internal efficiency review conducted in late 2022, which highlighted significant manual effort and process duplication across regional offices. The architecture decisions were reviewed and approved by the Architecture Review Board in Q2 2024.

5. Support Model

Level 1 support is provided by the IT Operations team during business hours. Level 2 support is provided by application-specific teams. Level 3 escalation involves vendor support. Incident metrics are tracked in the Analytics Dashboard.

In the context of insurance operations, peak load occurs during natural disaster events when claim submissions can spike by up to ten times the normal rate; the auto-scaling configuration accounts for this burst pattern. The business process documentation follows the BPMN 2.0 standard, with process models maintained in the Signavio process modeling tool and linked to the ArchiMate model elements in Sparx EA. The vendor risk assessment framework evaluates suppliers across five dimensions: financial stability, technology roadmap alignment, support quality, security posture, and contractual flexibility. Cost allocation for shared infrastructure follows a chargeback model based on resource consumption metrics, with monthly reports sent to each business unit for transparency and accountability. Monitoring and alerting are integrated with the central observability stack based on Prometheus and Grafana. External consultants from Deloitte provided an independent assessment of the architecture in late 2024. Risk mitigation strategies include regular checkpoint reviews, automated regression testing, and staged rollout procedures. The observability strategy follows the three pillars model: structured logs shipped to Elasticsearch, distributed traces collected via OpenTelemetry, and metrics scraped by Prometheus; all three are unified in Grafana dashboards. The solution leverages event-driven patterns wherever possible, with Apache Kafka providing durable, ordered event streams that decouple producers from consumers and enable replay for debugging and reprocessing scenarios. Application health is assessed using a synthetic monitoring approach, where automated scripts simulate real user journeys every five minutes and report availability from three geographically distributed probe locations. The vendor selection process followed the procurement guidelines established by the CFO's office. Service-level indicators are collected continuously and aggregated into dashboards visible to both technical teams and business stakeholders. Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy. Post-implementation review sessions are scheduled for thirty and ninety days after go-live to capture lessons learned and identify optimization opportunities. Dependencies on third-party services were documented and risk-assessed, with fallback mechanisms defined for each critical integration point. The architecture team maintains a dependency register that maps each component to its upstream providers and downstream consumers, updated quarterly. The enterprise architecture repository in Sparx EA is the authoritative source for all model elements; any changes to this document must be reflected there within five business days. The design considers both current-state constraints and target-state aspirations as documented in the strategic roadmap. The platform engineering team provides a standardized deployment template that all application teams are required to use, ensuring consistency in logging, health checks, and resource limits. Capacity planning exercises revealed that the current infrastructure can sustain projected growth for the next twelve months, after which additional compute and storage resources will be required. Capacity forecasting models project a twenty-five percent year-over-year increase in data volume, driven primarily by the digitization of paper-based processes and the expansion of the broker channel. A formal lessons-learned workshop is held at the end of each quarter, with outcomes published to the internal wiki and action items assigned to specific team members with target completion dates. The initiative is tracked in the enterprise PMO tool with bi-weekly status updates to the steering committee. The network team conducted a bandwidth utilization study in February 2025, confirming that inter-datacenter traffic remains below sixty percent of the available WAN capacity under normal operating conditions. The configuration management database maintains a record of all IT assets, including hardware serial numbers, software license keys, patch levels, and relationships between configuration items. The team uses a definition of done that includes code review by at least two peers, passing CI pipeline, updated architecture diagrams, and entry in the change log maintained by the Release Manager.

Capacity forecasting models project a twenty-five percent year-over-year increase in data volume, driven primarily by the digitization of paper-based processes and the expansion of the broker channel. A proof-of-concept was conducted over a four-week period, involving representatives from the Claims Department, IT Operations, and the Data Analytics Team to validate the technical feasibility. A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures. The vendor risk assessment framework evaluates suppliers across five dimensions: financial stability, technology roadmap alignment, support quality, security posture, and contractual flexibility. External consultants

from Deloitte provided an independent assessment of the architecture in late 2024. The enterprise architecture repository in Sparx EA is the authoritative source for all model elements; any changes to this document must be reflected there within five business days. Risk mitigation strategies include regular checkpoint reviews, automated regression testing, and staged rollout procedures. The architecture team conducted a threat modeling exercise using the STRIDE framework, identifying potential spoofing, tampering, and information disclosure risks; mitigations for each threat were documented and tracked in the security risk register. Performance benchmarks are captured in the enterprise monitoring framework and reported on a monthly basis to leadership.

Budget allocation was approved as part of the annual IT investment portfolio review conducted in November 2024. Collaboration with the vendor support team has been essential during the implementation phase; weekly technical syncs ensure that configuration changes are validated against the vendor's reference architecture before being applied to the production environment. Business continuity considerations were incorporated from the outset, with the DR Recovery Node in the secondary data center providing failover capacity; the most recent failover test was conducted in October 2024 and achieved recovery within the target RTO of one hour. Documentation standards require that all architecture decisions are recorded as Architecture Decision Records using the ADR format proposed by Michael Nygard, stored alongside the codebase in the version control system. Technical debt in this area was cataloged during a dedicated sprint in Q3 2024; the resulting backlog of forty-seven items has been prioritized by business impact and is being addressed alongside feature development. Integration testing spans three environments: development, staging, and pre-production. Dependencies on third-party services were documented and risk-assessed, with fallback mechanisms defined for each critical integration point. Stakeholders across multiple departments have contributed requirements for this workstream. The architecture team conducted a threat modeling exercise using the STRIDE framework, identifying potential spoofing, tampering, and information disclosure risks; mitigations for each threat were documented and tracked in the security risk register.

Cross-functional workshops held in January and March 2025 helped refine the scope and integration points. Regression test suites are maintained by the QA team and executed automatically on every merge to the main branch via the CI/CD pipeline. The network team conducted a bandwidth utilization study in February 2025, confirming that inter-datacenter traffic remains below sixty percent of the available WAN capacity under normal operating conditions. The design considers both current-state constraints and target-state aspirations as documented in the strategic roadmap. From a historical perspective, ArchiSurance first recognized the need for modernization in this area following an internal efficiency review conducted in late 2022, which highlighted significant manual effort and process duplication across regional offices. The API design guidelines specify that all REST endpoints must support content negotiation, return standard HTTP status codes, include correlation identifiers in response headers, and provide machine-readable error bodies in RFC 7807 format. A formal lessons-learned workshop is held at the end of each quarter, with outcomes published to the internal wiki and action items assigned to specific team members with target completion dates. Monitoring and alerting are integrated with the central observability stack based on Prometheus and Grafana. The architectural principles that guide this work include separation of concerns, loose coupling between components, preference for open standards, and the ability to scale horizontally under peak load conditions such as end-of-year policy renewals.

5.1 Service Contracts

SLA Premium Support

The SLA Premium Support governs the operational commitments for the associated services. Contract review is conducted annually by the procurement team.

The development team follows trunk-based development with short-lived feature branches, automated linting, and a code coverage threshold of eighty percent enforced by the CI pipeline. The project governance structure includes a steering committee meeting monthly, a working group meeting weekly, and daily stand-ups during active development sprints. Monitoring and alerting are integrated with the central observability stack based on Prometheus and Grafana. Cross-functional workshops held in January and March 2025 helped refine the scope and integration points. The migration strategy follows a strangler-fig pattern, where new functionality is built in the target platform while legacy features are gradually redirected; this approach minimizes disruption to active users and allows incremental validation of

the new implementation. Scalability testing performed in the staging environment confirmed that the system handles a three-times-peak load without degradation, providing sufficient headroom for seasonal demand fluctuations.

Reinsurance Agreement

The Reinsurance Agreement governs the operational commitments for the associated services. Contract review is conducted annually by the procurement team.

The configuration management database maintains a record of all IT assets, including hardware serial numbers, software license keys, patch levels, and relationships between configuration items. The vendor risk assessment framework evaluates suppliers across five dimensions: financial stability, technology roadmap alignment, support quality, security posture, and contractual flexibility. The development team follows trunk-based development with short-lived feature branches, automated linting, and a code coverage threshold of eighty percent enforced by the CI pipeline. Lessons learned from the pilot phase have been incorporated into the current design iteration. The project governance structure includes a steering committee meeting monthly, a working group meeting weekly, and daily stand-ups during active development sprints. Documentation standards require that all architecture decisions are recorded as Architecture Decision Records using the ADR format proposed by Michael Nygard, stored alongside the codebase in the version control system.

Broker Distribution Agreement

The Broker Distribution Agreement governs the operational commitments for the associated services. Contract review is conducted annually by the procurement team.

A dedicated Slack channel was established for real-time coordination between development, operations, and security teams during the rollout period. The migration strategy follows a strangler-fig pattern, where new functionality is built in the target platform while legacy features are gradually redirected; this approach minimizes disruption to active users and allows incremental validation of the new implementation. Automated deployment pipelines leverage the CI/CD infrastructure described in the platform engineering documentation. Data privacy impact assessment was filed with the Data Protection Officer in Q1 2025. The enterprise data model, maintained by the Data Architecture team, defines canonical schemas for all shared data objects; integrating systems are expected to conform to these schemas or implement transformation layers that map proprietary formats to the canonical model. Performance benchmarks are captured in the enterprise monitoring framework and reported on a monthly basis to leadership.

Cloud Hosting SLA

The Cloud Hosting SLA governs the operational commitments for the associated services. Contract review is conducted annually by the procurement team.

The information security team requires that all new systems undergo a penetration test before production deployment, with findings above medium severity remediated prior to go-live approval. The vendor risk assessment framework evaluates suppliers across five dimensions: financial stability, technology roadmap alignment, support quality, security posture, and contractual flexibility. Cross-functional workshops held in January and March 2025 helped refine the scope and integration points. Deployment windows are scheduled every Tuesday and Thursday between 06:00 and 08:00 CET, with emergency deployments requiring approval from both the IT Service Manager and the on-call engineer. Key performance indicators for the initiative include transaction throughput, error rate, mean time to detection, mean time to recovery, and user satisfaction scores collected through quarterly surveys. Service-level indicators are collected continuously and aggregated into dashboards visible to both technical teams and business stakeholders.

Third-Party Data Provider Contract

The Third-Party Data Provider Contract governs the operational commitments for the associated services. Contract review is conducted annually by the procurement team.

Performance benchmarks are captured in the enterprise monitoring framework and reported on a monthly basis to leadership. Key performance indicators for the initiative include transaction throughput, error rate, mean time to

detection, mean time to recovery, and user satisfaction scores collected through quarterly surveys. The development team follows trunk-based development with short-lived feature branches, automated linting, and a code coverage threshold of eighty percent enforced by the CI pipeline. Documentation standards require that all architecture decisions are recorded as Architecture Decision Records using the ADR format proposed by Michael Nygard, stored alongside the codebase in the version control system. Data privacy impact assessment was filed with the Data Protection Officer in Q1 2025. The vendor selection process followed the procurement guidelines established by the CFO's office.

The business process documentation follows the BPMN 2.0 standard, with process models maintained in the Signavio process modeling tool and linked to the ArchiMate model elements in Sparx EA. Capacity planning exercises revealed that the current infrastructure can sustain projected growth for the next twelve months, after which additional compute and storage resources will be required. A chaos engineering program was introduced in Q1 2025, starting with controlled fault injection in the staging environment to validate the resilience of the system against network partitions and dependency failures. The migration strategy follows a strangler-fig pattern, where new functionality is built in the target platform while legacy features are gradually redirected; this approach minimizes disruption to active users and allows incremental validation of the new implementation. The vendor risk assessment framework evaluates suppliers across five dimensions: financial stability, technology roadmap alignment, support quality, security posture, and contractual flexibility. The incident management process defines four severity levels, with Severity 1 incidents requiring a response within fifteen minutes and a post-incident review within five business days. The enterprise backup strategy uses a 3-2-1 approach: three copies of data, on two different media types, with one copy stored offsite at the secondary data center in Rotterdam. The network team conducted a bandwidth utilization study in February 2025, confirming that inter-datacenter traffic remains below sixty percent of the available WAN capacity under normal operating conditions. Post-implementation review sessions are scheduled for thirty and ninety days after go-live to capture lessons learned and identify optimization opportunities.

Post-implementation review sessions are scheduled for thirty and ninety days after go-live to capture lessons learned and identify optimization opportunities. The operational support model is defined in the Operational Runbook and includes on-call rotation and escalation procedures. The data classification exercise, completed in Q4 2024, assigned sensitivity labels to all data objects, informing encryption, access control, and retention policies. Documentation standards require that all architecture decisions are recorded as Architecture Decision Records using the ADR format proposed by Michael Nygard, stored alongside the codebase in the version control system. The architectural principles that guide this work include separation of concerns, loose coupling between components, preference for open standards, and the ability to scale horizontally under peak load conditions such as end-of-year policy renewals. The vendor risk assessment framework evaluates suppliers across five dimensions: financial stability, technology roadmap alignment, support quality, security posture, and contractual flexibility. Lessons learned from the pilot phase have been incorporated into the current design iteration. Security review was completed in accordance with the CISO's security-by-design framework. The enterprise technology radar, published semi-annually by the CTO's office, classifies technologies as Adopt, Trial, Assess, or Hold; the technologies used in this area are all currently in the Adopt or Trial rings.

The non-functional requirements specify a maximum end-to-end latency of five hundred milliseconds at the ninety-ninth percentile, measured under a sustained load of one thousand concurrent users. Compliance with the General Data Protection Regulation requires that personally identifiable information is encrypted at rest and in transit, with access restricted to authorized roles as defined in the Identity and Access Management policy. Business continuity considerations were incorporated from the outset, with the DR Recovery Node in the secondary data center providing failover capacity; the most recent failover test was conducted in October 2024 and achieved recovery within the target RTO of one hour. The transition plan was developed in alignment with the enterprise change management framework, incorporating staged rollouts, parallel-run periods, and defined go/no-go criteria at each milestone. The architectural principles that guide this work include separation of concerns, loose coupling between components, preference for open standards, and the ability to scale horizontally under peak load conditions such as end-of-year policy renewals. Cost allocation for shared infrastructure follows a chargeback model based on resource consumption metrics, with monthly reports sent to each business unit for transparency and accountability. Implementation follows an iterative approach, with quarterly milestones aligned to the overall program timeline. Regression test suites are maintained by the QA team and executed automatically on every merge to the main branch via the CI/CD pipeline. The Architecture Review Board convened a special session in February 2025 to evaluate the implications of the proposed changes on downstream systems and business processes.

6. Appendices

References and Related Documents

Doc ID	Title	Version
EA-OVR-001	Enterprise Architecture Overview	3.0
EA-APP-002	Application Portfolio & Inventory	4.2
EA-INFRA-003	Infrastructure Design Document	2.5
EA-BIZ-004	CRM Business Process Description	2.0
EA-CLM-005	Claims Processing Workflow	3.1
EA-SEC-006	Security Architecture	2.3
EA-INT-007	Integration Architecture	2.8
EA-DAT-008	Data Architecture & Governance	2.0
EA-CLD-009	Cloud Migration Assessment	1.5
EA-DR-010	Disaster Recovery & Business Contin	3.0
EA-NET-011	Network Architecture	2.2
EA-ROAD-012	Strategic IT Roadmap 2025-2027	2.0
EA-SVC-013	IT Service Catalog	3.5
EA-VND-014	Vendor & Technology Assessment	1.8
EA-OPS-015	Operational Runbook: Core Platform	4.1
EA-CMP-016	Compliance & Regulatory Requirement	2.5
EA-CHG-017	Change Management: ERP Migration	1.2

Distribution List

Name	Role	Responsibility
J. van den Berg	Enterprise Architect	Review & Approve
M. de Vries	Application Architect	Review & Contribute
P. Jansen	Integration Architect	Review & Contribute
K. Bakker	Infrastructure Architect	Review & Contribute
S. Visser	Business Analyst	Inform
T. Mulder	Process Architect	Inform
R. de Jong	CISO	Review & Approve
L. Hendriks	Data Architect	Inform
A. Willems	CTO	Final Approval
B. Smit	Head of Claims	Business Sign-off

Detailed Revision Notes for Version 2.1

Section 2.3 was updated to reflect the new naming convention adopted by the Platform Engineering team. All references to 'microservice cluster' have been replaced with 'application workload group' per the Architecture Board decision of January 2025. Section 4.1 was expanded to include the results of the capacity planning exercise conducted in Q4 2024, which identified the need for additional compute resources in the Amsterdam primary data center.

Appendix B was added to include the RACI matrix requested by the PMO during the Q3 2024 quarterly review. The glossary was updated to include twelve new acronyms that were introduced since the previous version. Figure 3 was replaced with an updated diagram generated from the Sparx EA repository on March 28, 2025. The document classification was elevated from 'Internal' to 'Internal - Confidential' following the data classification review of February 2025.

Feedback from the peer review conducted by M. de Vries on March 10, 2025, addressed three items: (1) clarification of the boundary between the DMZ and the application tier, (2) addition of the backup retention policy reference, and (3)

correction of the SLA target for the Claims Handling Service from 99.5% to 99.9% as agreed in the contract amendment of December 2024.

DISCLAIMER: This document has been prepared for internal use by ArchiSurance B.V. The information contained herein is provided on an 'as-is' basis without warranties of any kind, either express or implied. ArchiSurance B.V. shall not be liable for any direct, indirect, incidental, or consequential damages arising from the use of this document. The views expressed herein are those of the Enterprise Architecture team and do not necessarily reflect the official position of the Board of Directors. All trademarks mentioned belong to their respective owners. This document may contain forward-looking statements that involve risks and uncertainties. Actual results may differ materially from those projected. Recipients are advised to seek independent professional advice before acting on any information contained in this document.