

Figure 1: MOT luminescence intensity with background as a function of the polarization angle before the first MOT pass-through of one beam.




Figure 2: MOT luminescence intensity with background as a function of the polarization angle before the second MOT pass-through of one beam.

## 1 new things

## 1.1 Polarization direction dependence

As it is visible on Figure 1, the MOT luminosity changes periodically, following a  $\pi$  periodic dependence; the fitted function

$$f(x) = A\cos\left(\frac{\pi x}{180^{\circ}} - \varphi\right) + B$$

serves the purpose of confirming the periodicity, as the fitting is otherwise distorted by the abundance of near-maximum points compared to those near the minimum. Figure 2 shows the unadjusted luminosity as a function of the polarization angle of the beam changed before the second passing through the sample. Here, the strong fluctuations make it impossible to notice fine angle-dependent changes. The underlying function is likely a constant function, shown as the red dashed fitted line.




Figure 3: MOT luminescence intensity with background as a function of the polarization angle before the second MOT pass-through of one beam.

## 1.2 Detuning of the cooling laser

To quantify the ideal detuning of the cooling laser, we used a slow periodic signal to scan through the spectrum slow enough that the changes in the MOT can be recorded on an oscilloscope. The detected peaks (F  $\rightarrow$  F1 and MOT fluorescence peak):

$$\begin{split} 3 &\to 2, \ 4: & (4.708 \pm 0.024) \, \mathrm{s} \\ 3 &\to 3, \ 4: & (4.956 \pm 0.024) \, \mathrm{s} \\ 3 &\to 4 & : & (5.556 \pm 0.016) \, \mathrm{s} \\ MOT & : & (5.456 \pm 0.008) \, \mathrm{s} \end{split}$$

By matching the difference of peaks 1, 2 and peaks 2, 3 with the frequencies of the transitions, averaging the results yields a frequency scale of

$$C = (114.161 \pm 11.163) \frac{\text{MHz}}{\text{s}}$$

The optimal detuning is the difference between the MOT and the  $3 \rightarrow 4$  peaks:

$$\Delta = C \cdot (0.100 \pm 0.008) \,\mathrm{s} = (11.4161 \pm 1.4423) \,\mathrm{MHz}$$

## References

<sup>1</sup> Unspecified Author, FP Experiment: Rubidium MOT (University of Bonn, 2014).