



User Guide

# AWS Support



**API Version 2026-02-02**

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

## AWS Support: User Guide

Copyright © 2026 Amazon Web Services, Inc. and/or its affiliates. All rights reserved.

Amazon's trademarks and trade dress may not be used in connection with any product or service that is not Amazon's, in any manner that is likely to cause confusion among customers, or in any manner that disparages or discredits Amazon. All other trademarks not owned by Amazon are the property of their respective owners, who may or may not be affiliated with, connected to, or sponsored by Amazon.

---

# Table of Contents

<b>Get started with AWS Support .....</b>	<b>1</b>
AI-enhanced troubleshooting in Support Center Console .....	2
Set up permissions to use AI-enhanced troubleshooting .....	4
Create a support interaction .....	8
Create a support case from a support interaction .....	10
View support interactions .....	15
Troubleshooting .....	15
Virtual meetings with AWS Support .....	16
Join a virtual meeting .....	16
Security and privacy during your virtual meeting .....	17
Required IAM permissions for virtual meetings .....	17
Troubleshooting virtual meetings .....	18
Case management .....	18
Describing your problem .....	19
Choosing an initial severity level .....	20
Understanding AWS Support response times .....	23
Changing a support case severity level .....	24
Request a service quota increase .....	26
Legacy method: Create support cases and case management .....	28
Creating a support case .....	29
Describing your problem .....	31
Choosing an initial severity level .....	31
Understanding AWS Support response times .....	33
Changing a support case severity level .....	34
Example: Create a support case for account and billing .....	37
Legacy experience: Update, resolve, and reopen your cases .....	43
Working with AWS SDKs .....	49
<b>About the Support Center Console API .....</b>	<b>51</b>
Adding IAM policies for the Support Center Console API operations .....	51
Testing Support Center Console API calls .....	54
<b>About the AWS Support API .....</b>	<b>55</b>
Support case management .....	56
AWS Trusted Advisor .....	56
Endpoints .....	57

Support in AWS SDKs .....	58
<b>AWS Support Plans .....</b>	<b>59</b>
Features of AWS Support Plans .....	60
What is AWS Unified Operations .....	62
AWS Unified Operations pricing .....	62
Benefits of Unified Operations .....	63
Unified Operations Team .....	64
Unified Operations life cycle .....	66
Getting started with Unified Operations .....	69
Change AWS Support Plans .....	75
Related information .....	77
Configure promotional plan expiration notifications .....	77
View promotional plan notifications .....	78
Developer, Business, and Enterprise On-Ramp end of support .....	78
Developer Support plan end of support .....	78
Business Support plan end of support .....	79
Enterprise On-Ramp end of support .....	79
<b>AWS Trusted Advisor .....</b>	<b>80</b>
Get started with Trusted Advisor Recommendations .....	82
Sign in to the Trusted Advisor console .....	83
View check categories .....	84
View specific checks .....	86
Filter your checks .....	87
Refresh check results .....	89
Download check results .....	90
Organizational view .....	90
Preferences .....	90
Get started with the Trusted Advisor API .....	92
Using Trusted Advisor as a web service .....	94
Get the list of available Trusted Advisor checks .....	94
Refresh the list of available Trusted Advisor checks .....	95
Poll a Trusted Advisor check for status changes .....	95
Request a Trusted Advisor check result .....	97
Show details of a Trusted Advisor check .....	98
Organizational view for AWS Trusted Advisor .....	99
Prerequisites .....	100

Enable organizational view .....	100
Refresh Trusted Advisor checks .....	101
Create organizational view reports .....	102
View the report summary .....	106
Download an organizational view report .....	107
Disable organizational view .....	112
Using IAM policies to allow access to organizational view .....	114
Using other AWS services to view Trusted Advisor reports .....	117
View Trusted Advisor checks powered by AWS Config .....	126
Troubleshooting .....	127
View your Security Hub CSPM controls in Trusted Advisor .....	128
Prerequisites .....	129
View your Security Hub CSPM findings .....	130
Refresh your Security Hub CSPM findings .....	131
Disable Security Hub CSPM from Trusted Advisor .....	132
Troubleshooting .....	132
Opt in AWS Compute Optimizer for Trusted Advisor checks .....	136
Related information .....	137
Get started with AWS Trusted Advisor Priority .....	137
Prerequisites .....	138
Enable Trusted Advisor Priority .....	139
View prioritized recommendations .....	139
Acknowledge a recommendation .....	142
Dismiss a recommendation .....	145
Resolve a recommendation .....	147
Reopen a recommendation .....	148
Download recommendation details .....	150
Register delegated administrators .....	151
Deregister delegated administrators .....	151
Manage Trusted Advisor Priority notifications .....	152
Disable Trusted Advisor Priority .....	153
Trusted Advisor check reference .....	153
Cost optimization .....	155
Performance .....	214
Security .....	265
Fault tolerance .....	312

Service limits .....	429
Operational Excellence .....	449
Change log for AWS Trusted Advisor .....	492
Older updates .....	498
New check: Amazon RDS Continuous Backup Not Enabled .....	499
New check: AWS CloudTrail Management Events Logging .....	499
Updated the Auto Scaling Group Resources check .....	500
Updated the IAM Access Analyzer External Access check .....	500
Added 1 new check .....	500
Updated 3 checks .....	500
Added 4 checks .....	501
Updated 3 checks .....	501
Added 9 new checks .....	501
Updated 1 Security check and added 1 Security check .....	502
Updated 6 Security checks .....	502
Updated 1 fault tolerance checks .....	502
Updated 9 checks .....	503
Removed 5 checks and added 1 check .....	503
Removed fault tolerance checks .....	504
New fault tolerance check .....	504
Updated fault tolerance and security checks .....	504
New fault tolerance check .....	504
Updated fault tolerance check .....	505
Updated security check .....	505
New security and performance checks .....	505
New security check .....	505
New fault tolerance and cost optimization checks .....	506
New fault tolerance checks .....	506
New checks for Amazon RDS .....	506
New AWS Trusted Advisor API .....	506
Trusted Advisor check removal .....	507
Integration of AWS Config checks into Trusted Advisor .....	507
New fault tolerance checks .....	507
New service limits check .....	508
New fault tolerance check .....	508
New fault tolerance and performance checks .....	508

New fault tolerance checks .....	508
New fault tolerance checks .....	509
Region Expansion of Amazon ECS Fault Tolerance Checks .....	509
New fault tolerance checks .....	509
New fault tolerance checks .....	505
Updates to the Trusted Advisor integration with AWS Security Hub CSPM .....	510
New fault tolerance checks for AWS Resilience Hub .....	506
Update to the Trusted Advisor console .....	511
New checks for Amazon EC2 .....	511
Added Security Hub CSPM checks to Trusted Advisor .....	512
Added checks from AWS Compute Optimizer .....	512
Updates to the Exposed Access Keys check .....	512
Updated checks for AWS Direct Connect .....	513
AWS Security Hub CSPM controls added to the AWS Trusted Advisor console .....	514
New checks for Amazon EC2 and AWS Well-Architected .....	515
Updated check name for Amazon OpenSearch Service .....	515
Added checks for Amazon Elastic Block Store volume storage .....	516
Added checks for AWS Lambda .....	516
Trusted Advisor check removal .....	516
Updated checks for Amazon Elastic Block Store .....	517
Trusted Advisor check removal .....	518
Trusted Advisor check removal .....	519
<b>AWS Support App in Slack .....</b>	<b>520</b>
Prerequisites .....	521
Manage access to the AWS Support App widget .....	521
Manage access to the AWS Support App .....	523
Authorize a Slack workspace .....	529
Authorize multiple accounts .....	531
Configure a Slack channel .....	532
Update your Slack channel configuration .....	536
Create support cases in Slack .....	537
Reply to support cases in Slack .....	543
Join a live chat session with AWS Support .....	545
Search for support cases in Slack .....	551
Use your search results .....	553
Resolve support cases in Slack .....	554

Reopen support cases in Slack .....	555
Delete a Slack channel configuration from the AWS Support App .....	556
Delete a Slack workspace configuration from the AWS Support App .....	557
AWS Support App in Slack commands .....	558
Slack channel commands .....	558
Live chat channel commands .....	559
View AWS Support App correspondences in the AWS Support Center Console .....	559
Create AWS CloudFormation resources for the AWS Support App in Slack .....	560
AWS Support App and CloudFormation templates .....	560
Create Slack configuration resources for your organization .....	561
Learn more about CloudFormation .....	566
Create AWS Support App resources by using Terraform .....	566
<b>Security .....</b>	<b>568</b>
Data protection .....	569
Security for support cases .....	570
Identity and access management .....	571
Audience .....	571
Authenticating with identities .....	572
Managing access using policies .....	573
How AWS Support works with IAM .....	574
Identity-based policy examples .....	576
Using service-linked roles .....	579
AWS managed policies .....	586
Manage access to AWS Support Center .....	663
Manage access to AWS Support Plans .....	670
Manage access to AWS Trusted Advisor .....	675
Example Service Control Policies for AWS Trusted Advisor .....	684
Troubleshooting .....	686
Incident response .....	688
Logging and monitoring in AWS Support and AWS Trusted Advisor .....	689
Compliance validation .....	690
Resilience .....	690
Infrastructure security .....	690
Configuration and vulnerability analysis .....	691
<b>Code examples .....</b>	<b>692</b>
Basics .....	693

Hello Support .....	693
Learn the basics .....	701
Actions .....	758
<b>Monitoring and logging for Support .....</b>	<b>833</b>
Integrating AWS Support into EDAs .....	833
How EventBridge routes AWS Support events .....	834
AWS Support events .....	834
Creating event patterns .....	835
Support Case Update event .....	836
Logging AWS Support API calls with AWS CloudTrail .....	840
AWS Support information in CloudTrail .....	840
AWS Trusted Advisor information in CloudTrail logging .....	841
Understanding AWS Support log file entries .....	842
Logging AWS Support App API calls with CloudTrail .....	844
AWS Support App information in CloudTrail .....	844
Understanding AWS Support App log file entries .....	845
<b>Monitoring and logging for Support Plans .....</b>	<b>850</b>
Logging AWS Support Plans API calls with AWS CloudTrail .....	850
AWS Support Plans information in CloudTrail .....	851
Understanding AWS Support Plans log file entries .....	852
Logging console actions for changes to your Support plan .....	858
<b>Monitoring and logging for Trusted Advisor .....</b>	<b>862</b>
Monitoring Trusted Advisor check results with EventBridge .....	863
Creating CloudWatch alarms to monitor Trusted Advisor metrics .....	866
Prerequisites .....	866
CloudWatch metrics for Trusted Advisor .....	871
Trusted Advisor metrics and dimensions .....	877
Logging AWS Trusted Advisor console actions with AWS CloudTrail .....	878
Trusted Advisor information in CloudTrail .....	879
Example: Trusted Advisor Log File Entries .....	881
<b>Troubleshooting resources .....</b>	<b>886</b>
Service-specific troubleshooting .....	886
<b>Document history .....</b>	<b>891</b>
Earlier updates .....	927

# Getting started with AWS Support

AWS Support offers a range of plans that provide access to tools and expertise that support the success and operational health of your AWS solutions. All support plans provide round-the-clock access to customer service, AWS documentation, technical papers, and support forums. For technical support and more resources to plan, deploy, and improve your AWS environment, you can choose a support plan for your AWS use case.

## Important

End of Support Notice: Developer Support will be discontinued January 1, 2027. Customers with Developer Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information, see [Business Support+ plan details](#)

End of Support Notice: Business Support will be discontinued January 1, 2027. Customers with Business Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information see, [Business Support+ plan details](#)

End of Support Notice: On January 1, 2027, AWS will discontinue Enterprise On-Ramp. Throughout 2026, Enterprise On-Ramp customers will be automatically upgraded to AWS Enterprise Support during contract renewal or in periodic batches. Customers will receive an email notification a month before their upgrade. No further action is required. Enterprise Support provides designated TAM assignment, 15-minute response times, and AWS Security Incident Response available at no additional cost, all at a lower \$5,000 minimum (reduced from \$15,000). For more information, see [AWS Enterprise Support plan details](#).

For more information, see [Developer, Business, and Enterprise On-Ramp end of support](#). Developer Support, Business Support, and Enterprise On-Ramp will remain available in the AWS GovCloud (US) Region.

## Notes

- To create a Support interaction to use AI-generated troubleshooting to resolve your issue, and optionally create a support case, see [AI-enhanced troubleshooting in the Support Center Console](#).
- For more information about the different AWS Support plans, see [Compare AWS Support plans](#) and [Change AWS Support Plans](#).
- Support plans offer different response times for your support cases. See [Choosing an initial support case severity level](#) and [Understanding AWS Support response times](#).

## Topics

- [AI-enhanced troubleshooting in the Support Center Console](#)
- [Virtual meetings with AWS Support](#)
- [Case management](#)
- [Request a service quota increase](#)
- [Legacy experience: Creating support cases and case management](#)
- [Using AWS Support with an AWS SDK](#)

## AI-enhanced troubleshooting in the Support Center Console

AI-enhanced troubleshooting capabilities that help you resolve issues faster and more efficiently are available in supported AWS Regions. If you have an AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, then you can use the capabilities in the Support Center Console to troubleshoot technical issues as well as account and billing issues. If you have a Basic Support plan, you can use the capabilities in the Support Center Console for troubleshooting general questions and for assistance with account and billing issues. Using AI-enhanced troubleshooting streamlines the support experience by using contextual awareness and automated diagnostics to provide targeted solutions for your AWS environment.

AI-enhanced troubleshooting in the Support Center Console is supported in the following AWS Regions:

- US East (N. Virginia) Region

- US East (Ohio) Region
- Europe (Ireland) Region

### Note

If you operate in an AWS Region that doesn't support AI-enhanced capabilities in the Support Center Console then you will use the legacy method of case management. For more information, see [Legacy experience: Creating support cases and case management](#).

When you access the Support Center Console, you can enter your issue description in natural language, import relevant Amazon Q conversations, receive generative AI troubleshooting guidance, and choose to create a support case with pre-populated fields, if needed.

You can provide contextual information about your environment and issue to receive personalized solutions throughout the troubleshooting process.

AI-enhanced troubleshooting in the AWS Support console provides the following key benefits:

- **Faster issue resolution:** Get immediate responses and relevant solutions as soon as you describe your problem.
- **Context preservation:** Import your previous Amazon Q conversations to maintain troubleshooting context.
- **Streamlined case creation:** Use natural language to describe issues instead of navigating multiple form fields.
- **Intelligent follow-up:** Receive relevant follow-up questions based on your specific AWS environment.

For a complete list of the capabilities available in your Support plan, see [Compare AWS Support Plans](#).

### Notes

- To change your support plan, see [Change AWS Support Plans](#).
- To close your account, see [Closing an account](#) in the *AWS Billing User Guide*.
- To find common troubleshooting topics for AWS services, see [Troubleshooting resources](#).

- If you're a customer of an AWS Partner that is part of the AWS Partner Network, and you use Resold Support, contact your AWS Partner directly for any billing related issues. AWS Support can't assist with non-technical issues for Resold Support, such as billing and account management. For more information, see the following topics:
  - [How AWS Partners can determine AWS Support plans in an organization](#)
  - [AWS Partner-Led Support](#)

### **Important**

Before you open a support interaction or create a support case, check for events affecting your account resources by visiting your Health Dashboard at <https://phd.aws.amazon.com/phd/home#/>. You can verify any AWS service issues in the dashboard, though there might be a slight delay in posting incidents. If you're uncertain if there is an active incident, open a support case.

## Topics

- [Set up permissions to use AI-enhanced troubleshooting](#)
- [Create a support interaction](#)
- [Create a support case from a support interaction](#)
- [View support interactions](#)
- [Troubleshooting](#)

## Set up permissions to use AI-enhanced troubleshooting

To access AI-enhanced troubleshooting capabilities in Support Center, you need specific AWS Identity and Access Management permissions. This section describes the necessary IAM permissions and explains how to configure them so that you can fully use these capabilities.

AI-enhanced troubleshooting requires permissions beyond traditional support case management. The required permissions fall into three categories:

- **Support interaction permissions:** Enable the new interaction-based workflow in Support Center.
- **AI-powered classification permissions:** Allow access to AI-powered issue classification features.

- **Amazon Q integration permissions:** Enable conversation import from Amazon Q Developer.

These permissions supplement your existing AWS Support permissions and don't replace them.

You can set up permissions for AI-enhanced troubleshooting in two ways:

[Option 1: Use the AWS managed policy \(recommended\)](#). Attach the AWSSupportAccess managed policy to your users or roles. This policy includes all required permissions and is automatically updated when new Support features are released.

[Option 2: Create a custom policy with minimum required permissions.](#) This approach gives you more control but requires manual updates when new features are added.

## **Option 1: Use the AWS managed policy (recommended)**

If you currently have the AWS Support Access managed policy attached, no additional permissions are required. However, to continue to use the functions included in the [Support Center Console API](#), you must add the Support Center Console operations to your IAM policies before June 1, 2026, if you don't already have them. To do this, update the AWS Support managed policy to include the support-console:\* actions. For more information, see [Adding IAM policies for the Support Center Console API operations](#).

## **Option 2: Create a custom policy with minimum required permissions**

You can explicitly allow-list specific actions instead of using wildcards. The following are the required permissions for support interactions, case creation, and case management:

```
{  
  "Version": "2012-10-17",  
  "Statement": [  
    {  
      "Effect": "Allow",  
      "Action": [  
        "support:AddAttachmentsToSet",  
        "support:AddCommunicationToCase",  
        "support>CreateCase",  
        "support:DescribeAttachment",  
        "support:DescribeCaseAttributes",  
        "support:ListAttachments",  
        "support:ListCases",  
        "support:ListCommunications",  
        "support:UpdateCase",  
        "support:UpdateCommunication",  
        "support:UpdateAttachment"  
      ]  
    }  
  ]  
}
```

```
"support:DescribeCases",
"support:DescribeCommunication",
"support:DescribeCommunications",
"support:DescribeCreateCaseOptions",
"support:DescribeIssueTypes",
"support:DescribeServices",
"support:DescribeSeverityLevels",
"support:DescribeSupportedLanguages",
"support:DescribeSupportLevel",
"support:GetInteraction",
"support:InitiateCallForCase",
"support>ListInteractionEntries",
"support>ListInteractions",
"support:InitiateChatForCase",
"support:PutCaseAttributes",
"support:ResolveCase",
"support:ResolveInteraction",
"support:SearchForCases",
"support:StartInteraction",
"support:UpdateInteraction",
"support-console:GetAccountState",
"support-console:GetAccountGovCloudEnabled",
"support-console:GetCaseDraft",
"support-console>CreateCaseDraft",
"support-console>DeleteCaseDraft",
"support-console:GetBanner",
"support-console:DescribeDynamicHelp",
"support-console>CreateContact",
],
"Resource": "*"
}
]
}
```

### Note

Using a custom policy requires ongoing maintenance as AWS Support releases new features. For more information about the Support Center Console API operations, see [Adding IAM policies for the Support Center Console API operations](#). For more information about each of the Support API operations, see [Manage access to AWS Support Center](#).

## Required permissions for Amazon Q integration

To use the Amazon Q conversation import feature in Support Center, IAM identities need permissions for the following Amazon Q Developer actions:

- q:StartConversation: Start a new conversation with Amazon Q.
- q:SendMessage: Send messages within a conversation.
- q:GetConversation: Retrieve conversation details. This action is required for console access.
- q>ListConversations: List available conversations. This action is required for console access and Support Center integration.

Amazon Q integration with Support Center Console specifically requires the q>ListConversations permission to display your recent conversations for import. For detailed guidance on configuring Amazon Q Developer permissions, see [Amazon Q Developer permissions reference](#) and [Manage access to Amazon Q Developer with policies](#).

## Applying required permissions for support interactions

To apply permissions to your IAM users, complete the following steps:

1. Sign in to the AWS Management Console and open the IAM console at <https://console.aws.amazon.com/iam/>.
2. In the navigation pane, choose **Policies**, then choose **Create policy**.
3. Choose the **JSON** tab and paste one of the policy documents mentioned in the previous sections.
4. Choose **Next: Tags**, then **Next: Review**.
5. Enter a policy name such as `SupportConsoleInteractionsAccess` and provide a description that explains the policy's purpose.
6. Choose **Create policy**.
7. Attach the policy to your IAM users, groups, or roles that need access to the Support Center.

If you have existing `AWSupportAccess` managed policy attachments, then attach the supplementary custom policy alongside the managed policy.

## Create a support interaction

A support interaction is how you begin your engagement with AWS Support. You first describe your issue using natural language and receive assistance tailored to you using AI-enhanced troubleshooting. Your initial interaction might include clarifying questions, contextual solutions, and automated problem resolution, without creating a support case. These interactions might resolve issues independently or serve as the foundation for a support case looping in a human engineer, if needed.

Support interactions differ from support cases in that support cases include engagement with a Cloud Support Engineer. You can choose to automatically generate a support case based on a prior support interaction. The support case maintains all context from the initial support interaction and includes additional AI-generated insights to assist the Cloud Support Engineer with resolving your issue. This powerful combination of AI-enhanced troubleshooting and assistance from AWS Cloud Support Engineers potentially lead to faster issue resolution and reduced down time.

### Notes

- You can revert to the legacy method of case management by choosing **Use the old experience** in the banner at the top of the Support Center Console. For more information, see [Legacy experience: Creating support cases and case management](#).
- You can sign in to the Support Center Console as an AWS Identity and Access Management (IAM) user. For more information, see [Manage access to AWS Support Center](#).
- If you can't sign in to the Support Center Console and create a support case, you can use the [Contact Us](#) page instead. You can use this page to get help with billing and account issues.

**To start a support interaction, complete the following steps:**

1. Sign in to the [AWS Support Center Console](#).

**Tip**

In the AWS Management Console, you can also choose the question mark icon



)

and then choose **Support Center**.

2. You have several options for starting your support interaction:

- Enter details about the issues that you need assistance with. This is how you begin a new support interaction. Enter detailed information about your issue and any troubleshooting steps that you have already taken.
- **Continue an existing support interaction:** Choose from a recent support interaction shown in the **Describe your issue or continue with** section. This section shows the two most recent support interactions. Access the **Viewing past support interactions** section to see additional past support interactions.
- **Use a Amazon Q transcript:** Select the Amazon Q icon in the text field to see a list of recent Amazon Q conversations. The five most recent conversations from the AWS GovCloud (US-East) AWS Region are shown. Or, choose from a recent Amazon Q interaction shown in the **Describe your issue or continue with**. When you select a conversation, a summary of that conversation is generated and added to the text box. If you select an Amazon Q conversation, then you see a disclaimer regarding AWS Region and user accessibility.

3. Choose the **Send** icon in the bottom right of the text field.

4. AWS Support generative AI-powered troubleshooting analyzes your query along with your specific AWS environment. You might be prompted to provide additional information to assist with the analysis. If you see a prompt for additional information, enter the requested data, then choose **Submit**. If you don't know or don't have access to the requested information, then you can skip this step and receive a general guidance response instead. Keep in mind that a general guidance response isn't specific to your AWS environment.

When the analysis is complete, you see a summary of the findings, along with remediation steps. To view the sources used in the analysis and remediation steps, choose **Sources**.

5. If you need further assistance, you can complete one of the following options:

- **Continue with AI-assisted support:** To further refine the AI-assisted analysis and generate a new response, choose **Add more details for a better response**. Enter information in the **Additional details** field, and then choose **Submit**. Keep in mind that this option is for

additional context for the original issue. If you need to enter context for a new issue, select **Start new interaction** at the top or bottom of the screen.

- **Create a support case:** To create a support case with AWS Support, choose **Create a case**. This option starts the case creation workflow. Many of the case details are auto-populated for you based on your support interaction. You can change this information as needed. Your support interaction, including details of any resolution steps provided, are added to the support case. For details on how to create a support case, see [Create a support case from a support interaction](#).

At any time throughout the support interaction, you can use the **Thumbs up** and **Thumbs down** icons to provide feedback on your experience.

## Create a support case from a support interaction

When you select **Create case** during your support interaction, a support case is created for you with many of the case details, such as the **Subject**, **Description**, **Case type**, **Service**, **Category**, and **Severity level** populated for you. You can change this information as needed. Make sure that you review this information for accuracy. For information on how to choose a severity level for your case, see [Choosing an initial support case severity level](#).

### Important

Before you create a support case, check for events affecting your account resources by visiting your [Health Dashboard](#). You can verify any AWS service issues in the dashboard. There might be a slight delay in posting incidents. If you're uncertain if there is an active incident, open a support case.

After you choose **Create case**, enter or verify the following information:

1. Verify the **Subject** for this support case. The **Subject** is a brief synopsis of what your support interaction is about.
2. Verify the **Description**. Your initial inquiry appears in the **Description** field. Modify this information as needed. Make your description as detailed as possible. Include relevant resource information, along with anything else that might help us understand your issue.
3. (Optional) Choose **Attach files** to add any relevant files to your case, such as error logs or screenshots. You can attach up to three files. Each file can be up to 5 MB.

4. For **Case type**, choose one of the following options:

- **Account and billing**
- **Technical**
- **Service quotas.** You can only request certain types of service quota increases from the Support Center Console. For more information, see [Request a service quota increase](#).

 **Note**

If you have a Basic Support plan, then you can't create a **Technical** support case.

5. Verify the **Service, Category, and Severity**.

6. In the **Communication preference** section, indicate how you want AWS to communicate with you. You can choose one of the following options:

- a. **Email:** Receive a response to your email.
- b. **Phone:** Receive a phone call from a support agent. If you choose this option, enter the following information:
  - **Country or region**
  - **Phone number**
  - **(Optional) Extension**
- c. **Chat:** Start a live chat with a support agent. If you can't connect to a chat, see [Troubleshooting](#).

(Optional) If you have an AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, you can enter up to 10 additional email addresses in the **Additional contacts**. You can enter the email addresses of people to notify when the status of the case changes. If you're signed in as an IAM user, include your email address. If you're signed in with your root account email address and password, you don't need to include your email address.

 **Note**

If you have the Basic Support plan, the **Additional contacts** option isn't available. However, the **Operations contact** specified in the **Alternate Contacts** section of the

**My Account** page receives copies of the case correspondence, but only for the specific case types of account and billing.

- When you're ready to submit the support case, select **Submit**. You are directed to the **Case details** page where you can see your case details, the support interaction, and the case correspondences.

Select **Case details** to view the information about your case, such as attachments, or severity level. Select **Support interactions** to see the support interactions associated with this case.

## Best practices and target response times for Enterprise Support cases

Before you create a support case, check for events affecting your account resources by visiting your [Health Dashboard](#). You can verify any AWS service issues in the dashboard. There might be a slight delay in posting incidents. If you're uncertain if there is an active incident, open a support case.

When creating your support case, make sure that you choose the correct severity level and provide as much information as possible. For more information on what kind of information to provide, see the following **Enterprise Support case best practices** section.

Use the following matrix to help you identify the correct severity.

AWS ITIL Case Severity Matrix			
Urgency			
	Low	Medium	
Impact	Low	Low	Normal
	Normal	High	Urgent
	High	Urgent	Critical

For Critical or Urgent cases, make sure that you leave contact details so that we can reach out to you, if needed.

### Note

The quickest way to get help is to use the **Chat** or **Phone** contact method.

## Topics

- Enterprise Support case target response times

- Enterprise Support best practices
- Enterprise Support escalation path

## Enterprise Support case target response times

The following graphic displays the target AWS Support response times for different case severity levels.

ITIL Priority	Severity Level	How to Raise	15 minutes	Examples for reference
Critical	Business Critical System Down	 	 15 minutes	Major outage; loss of entire enterprise or customer base. Has potential for large revenue loss or business risk.
Urgent	Production System Down	 	 1 hour	Business significantly impacted, where important functions or applications aren't available.
High	Production System Impaired	 	 4 hours	Critical functions of your applications are impaired or degraded.
Normal	System Impaired	 	 12 hours	Non-critical applications are behaving abnormally; time-sensitive development question.
Low	General Guidance	 	 24 hours	General development/ service questions or want to submit feature request.

## Enterprise Support case best practices

Submit your support case at the appropriate severity level.

- The appropriate severity level helps make sure that your case is visible across AWS and allows the TAM to manage your issue.
- Only submit one case for each event or issue.
- Make sure that you raise cases in the correct AWS account.

Provide as much detailed information as possible, answering the relevant questions provided in the following list:

- **Who:** Who did what? Who is affected? Who should be looped in? Who have you already talked to?
- **What:** What happened, exactly. What's the impact or blast radius? What have you already tried to resolve the issue?
- **When:** When did or does it happen (date, time, time zone)? When do you need an answer by?

- **Where:** AWS Region, Availability Zone, specific instance or resource IDs, and other identifiers.
- **Why:** Why are you opening this case (information, limit raise, event-analysis or RCA, outage)?
- **How:** Include information on how to reproduce the problem, how to escalate, and how to contact you.

 **Note**

You can change the severity of your support case after you create it. For information, see [Changing the severity level of your support case](#).

## Enterprise Support business critical or production system down

- For Business-critical system down or Production system down cases use **Chat or Phone** and ensure there are people available at your organization to work the case.
- Clearly describe the issue including what you've tried, what you expect and context. Summarize the business impact.
- Provide (or start to capture) as many metrics, timings and symptoms as you can. More data means faster diagnosis.
- Provide a conference bridge. When opening a Business-critical system down issue, provide a conference bridge for the support teams to join to help troubleshoot the problem. As Business-critical system down issues are production down, it's best to get everyone on the phone and come to a common plan of action towards a resolution.
- Ensure that all activity related to the event is captured in the support case (update from Console, not email). The phone option is good for real-time communications; however, make sure that you record updates and outcomes in the support case.

## Enterprise Support escalation path

You can follow the following step-by-step process when facing an issue.

1. **Check the Health Dashboard** if you think that the issue might be related to abnormal AWS service operations.
2. **Assess case information** as outlined in the Support Case Best Practices section above.
3. **Select the appropriate severity** and use **Phone** or **Chat** if quick response is needed.

4. **Contact your TAM** if you need additional assistance or if you are not getting response as expected.

## View support interactions

Past interactions with AWS Support are saved for 10 years. You can view past interactions from your Support Dashboard by selecting the **List** icon. Then, choose the interaction that you want to view. The AWS Support interaction details appear. If you choose to create a support case from an interaction, then the interaction no longer appears in your past interactions list. The interaction now displays in the **Case details** page of the associated support case.

You can add additional details to the interaction to generate a new response. Or, you can choose to create a Support case from the interaction by choosing **Create a case** on the AWS Support interaction details screen.

## Troubleshooting

If you have difficulty when you create or manage your support case, see the following troubleshooting information.

### I want to reopen a live chat for my case

You can reply to your existing support case to open another chat window. For more information, see [Updating an existing support case](#).

### I can't connect to a live chat

If you chose the **Chat** option but you can't connect to the chat window, first perform the following checks:

- Ensure that you've configured your browser to allow pop-up windows in Support Center.

 **Note**

Review the settings for your browser. For more information, see the [Chrome Help](#) and [Firefox Support](#) websites.

- Ensure that you've configured your network so that you can use AWS Support:
  - Your network can access the \*.connect.us-east-1.amazonaws.com endpoint.

**Note**

For AWS GovCloud (US), the endpoint is \*.connect-fips.us-east-1.amazonaws.com.

- Your firewall supports web socket connections.

If you still can't connect to the chat window, contact AWS Support using email or phone contact options.

## Virtual meetings with AWS Support

Virtual meetings enable you to connect with AWS Support engineers through video calls with screen sharing capabilities. This feature helps you resolve complex technical issues that require visual demonstration or real-time collaboration.

When a support engineer determines that your case requires visual assistance, they can initiate a virtual meeting. You receive a meeting invitation on your case details page in the AWS Support Center. After you accept the invitation, you join a secure video call where you can share your screen and collaborate with the support engineer.

Virtual meetings integrate with Amazon Connect and use WebRTC technology to provide secure, browser-based video conferencing without requiring additional software installation.

Virtual meetings are available in the [commercial AWS Regions](#) only.

### Topics

- [Join a virtual meeting](#)
- [Security and privacy during your virtual meeting](#)
- [Required IAM permissions for virtual meetings](#)
- [Troubleshooting virtual meetings](#)

## Join a virtual meeting

Virtual meetings are initiated by the AWS Support engineer assisting you with your support case. To join a virtual meeting, complete the following steps.

- When a support engineer initiates a virtual meeting, you see a meeting invitation on the **Case details** page in your support case. To join the meeting, choose **Join virtual meeting** to accept the invitation.

Meeting invitations expire after 10 minutes. If you don't join within this time, request a new meeting from your support engineer.

- Grant browser permissions for camera and microphone access when prompted.

The virtual meeting opens in a new window and you're connected to the support engineer. You can mute and unmute your microphone, or disconnect from the meeting, using the buttons at the bottom of the screen.

## Security and privacy during your virtual meeting

Virtual meetings use the same authentication and authorization mechanisms as other AWS Support operations. The following security measures protect your meetings:

- Case ownership validation:** You can only join meetings for cases that belong to your AWS account.
- AWS Identity and Access Management (IAM) based access control:** You must have the appropriate IAM permissions to join virtual meetings.
- Encrypted connections:** All meeting data is transmitted over encrypted WebRTC connections.
- Audit logging:** All meeting activities are logged in AWS CloudTrail for compliance and auditing purposes.

### Important

Virtual meetings are recorded for quality assurance and training purposes. Don't share sensitive information such as passwords or access keys during the meeting.

## Required IAM permissions for virtual meetings

To join virtual meetings, your IAM user or role must have the following permission:

{

```
"Version": "2012-10-17",
"Statement": [
    {
        "Effect": "Allow",
        "Action": [
            "support:InitiateLiveContactForCase"
        ],
        "Resource": "*"
    }
]
```

For more information about AWS Support permissions, see [Manage access to AWS Support Center](#).

## Troubleshooting virtual meetings

### I can't see the meeting invitation.

Verify that your support engineer has initiated the meeting. Refresh the case details page. If the invitation still doesn't appear, contact your support engineer through the case correspondence.

### The meeting invitation expired.

Meeting invitations expire after 10 minutes for security reasons. Request a new meeting invitation from your support engineer.

### I'm experiencing connection issues.

Check your internet connection. Ensure that your firewall or network security settings allow WebRTC traffic. Try using a different browser or network connection.

### I receive an authorization error.

Verify that your IAM user or role has permissions for the support:InitiateLiveContactForCase action.

## Case management

### Note

You can revert to the legacy method of case management by choosing **Use the old experience** in the banner at the top of the Support Center console. For more information, see [Legacy experience: Creating support cases and case management](#).

In the AWS Management Console, you can create three types of customer cases in Support:

- **Account and billing** support cases are available to all AWS customers. You can get help with billing and account questions.
- **Service limit increase** requests are available to all AWS customers. For more information about the default service quotas, formerly referred to as limits, see [AWS service quotas](#) in the *AWS General Reference*.
- **Technical** support cases connect you to technical support for help with service-related technical issues and, in some cases, third-party applications. If you have Basic Support, you can't create a technical support case.

#### Notes

- To change your support plan, see [Change AWS Support Plans](#).
- To close your account, see [Closing an Account](#) in the *AWS Billing User Guide*.
- To find common troubleshooting topics for AWS services, see [Troubleshooting resources](#).
- If you're a customer of an AWS Partner that is part of the AWS Partner Network, and you use Resold Support, contact your AWS Partner directly for any billing related issues. AWS Support can't assist with non-technical issues for Resold Support, such as billing and account management. For more information, see the following topics:
  - [How AWS Partners can determine AWS Support plans in an organization](#)
  - [AWS Partner-Led Support](#)

## Describing your problem

Make your description as detailed as possible. Include relevant resource information, along with anything else that might help us understand your issue. For example, to troubleshoot performance, include timestamps and logs. For feature requests or general guidance questions, include a description of your environment and purpose.

When you provide as much detail as possible, you increase the chances that your case can be resolved quickly.

## Choosing an initial support case severity level

When creating a support case make sure that the right severity is defined and that you provide as much information as possible.

You might want to create a support case at the highest severity that your support plan allows. However, it's a best practice to choose the highest severity only for cases that can't be worked around or that directly affect production applications. For information about building your services so that losing a single resource doesn't affect your applications, see the [Building Fault-Tolerant Applications on AWS](#) technical paper.

The following table lists the severity levels, response times, and example problems.

### Notes

- If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, you can reassign your support case severity level to reflect changes to urgency and business impact. For example, you can change your support case from **System impaired** to **Production system impaired**. When you change the case severity, AWS Support receives notification and routes the case according to the new severity level. For more information, see [Changing the severity level of your support case](#).
- If you have a Basic Support plan, then you can't change the severity level for a support case after you create it. If your situation changes, work with the Support agent.
- For more information about the severity level, see the [AWS Support API Reference](#).

Severity	Severity level code	First-response time	Description and support plan
<b>General guidance</b>	low	24 hours	You have a general development question, or you want to request a feature. (AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan)
<b>System impaired</b>	normal	12 hours	Non-critical functions of your application are behaving abnormally, or you have a time-sens

Severity	Severity level code	First-response time	Description and support plan
			itive development question. (AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan)
<b>Production system impaired</b>	high	4 hours	Important functions of your application are impaired or degraded. (AWS Business Support +, AWS Enterprise Support, or AWS Unified Operations plan)
<b>Production system down</b>	urgent	1 hour	Your business is significantly impacted. Important functions of your application aren't available. (AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan)

Severity	Severity level code	First-response time	Description and support plan
<b>Business-critical system down</b>	critical	<ul style="list-style-type: none"><li>• AWS Business Support +: Less than 30 minutes</li><li>• AWS Enterprise Support: Less than 15 minutes</li><li>• AWS Unified Operations: 5 minutes from an Incident Manager t Engineer</li></ul>	Your business is at risk. Critical functions of your application aren't available.

## Understanding AWS Support response times

AWS Support makes every reasonable effort to respond to your initial request within the indicated timeframe. For information about the scope of support for each Support plan, see [AWS Support features](#).

If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, you have round-the-clock access for technical support.

### Note

If you choose Japanese as your preferred contact language for support cases, support in Japanese may be available as follows:

- If you need customer service for non-technical support cases, support in Japanese is available during business hours in Japan defined as 09:00 AM to 06:00 PM Japan Standard Time (GMT+9), excluding holidays and weekends.
- If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, technical support is available all day, every day in Japanese.

If you choose Chinese as your preferred contact language for support cases, support in Chinese might be available as follows:

- If you need customer service for non-technical support cases, support in Chinese is available 09:00 AM to 06:00 PM (GMT+8), excluding holidays and weekends.
- If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, technical support is available all day, every day in Chinese.

If you choose Korean as your preferred contact language for support cases, support in Korean may be available as follows:

- If you need customer service for non-technical support cases, support in Korean is available during business hours in Korea defined as 09:00 AM to 06:00 PM Korean Standard Time (GMT+9), excluding holidays and weekends.
- If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, technical support is available all day, every day in Korean.

## Changing the severity level of your support case

If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, you can reassign your support case severity level to reflect changes to urgency and business impact. For example, you can change your support case from **System impaired** to **Production system impaired**. When you change the case severity, AWS Support receives notification and attends to the case according to the new severity level.

### Note

Japanese (JP) account or billing, Service Quota Increase Request (SQIR), and Turkish (TR) account or billing cases created in these languages have a default severity and can't be changed.

To change the severity of a support case, complete the following steps:

1. Sign in to the [AWS Support Center Console](#).

### Tip

In the AWS Management Console, you can also choose the question mark icon



)

and then choose **Support Center**.

2. Select the case that you want to change the severity level for.
3. In **Case details**, choose the pencil icon next to the **Severity** field, as shown in the following example.

### Case details

#### Subject

#### Status

Unassigned

#### Case ID

#### Severity

General guidance 

#### Created

2025-04-24T08:49:10.815Z

#### Category

-

#### Case type

Technical

#### Language

Portuguese

4. For **Severity**, choose the new severity level from the following options:

- General guidance
- System impaired
- Production system impaired
- Production system down
- Business-critical system down

5. For **Reason for case severity change**, choose from the available options for why you're changing the case severity.

6. (Optional) For **Tell us more**, enter additional information about this change.

7. Do one of the following:

- If you're lowering the support case severity, or if you're raising it from **General guidance** to **System impaired** or **Production system impaired**, choose **Update**.
- If you're raising the severity to **Production system down** or **Business-critical system down**, use one of the options in the **Contact methods** section to engage with AWS Support, and then choose **Update**. The following example shows the options available in the **Contact methods** section.

**Change case severity** X

**Severity**

Production system down

**Reason for case severity change**

-

**Tell us more - optional**

*Tell us more about the reason for the escalation*

**Contact methods** Info

For high severity issues we recommend using our live contact mechanisms

**Web**  We'll respond by email and Support Center.

**Chat(Recommended)**  Chat online with a representative.

**Phone(Recommended)**  We'll call you back at your number.

**Cancel** **Update**

**Note**

- If you upgrade your support case severity to **Production system down** or **Business-critical system down**, you must wait 60 minutes before you can change the severity again.
- If your support case is currently set to **Business-critical system down**, you're prompted to initiate live contact with AWS Support instead of assigning a higher severity.
- If you're raising your support case severity level after already raising it at least once, you might encounter a waiting period. For example, if you change the severity from **System impaired** to **Production system impaired** at 6:00 AM, then your support case falls under the 4-hour first-response time for the **Production system impaired** severity level. In this scenario, you can upgrade the severity level again at 10:00 AM, after the 4-hour window. For a list of first-response times for each severity level, see the table in [Understanding AWS Support response times](#).

## Request a service quota increase

You can request increases to your service quotas (formerly referred to as limits) to support your workload requirements.

Use the Service Quotas service to request increases directly for your services. For more information, see the following documentation:

- [What is Service Quotas?](#) in the *Service Quotas User Guide*
- [Requesting a quota increase](#) in the *Service Quotas User Guide*

At this time, Service Quotas doesn't support service quotas for all AWS services in all AWS Regions. If your AWS service or AWS Region isn't available in the [Service Quotas console](#), complete the following steps to create a support case to request the quota increase:

1. Sign in to the [AWS Support Center Console](#).

**Tip**

In the AWS Management Console, you can also choose the question mark icon



)

and then choose **Support Center**.

2. On the **Support interactions** page, enter details about this service limit increase. When prompted, choose **Create a case**. Many of the Support case fields will be pre-populated with the text that you entered during your interaction. You can edit these fields as needed. For additional details on creating a support interaction, see [Create a support interaction](#).
3. For **Case type**, select **Service quotas**.
4. For **Service**, select **Service Limit increase**.
5. For **Category**, select the type of increase that you're requesting from the list. Only service limit increase requests available in Support Center are listed here. For other types of service limit requests, see [Requesting a quota increase](#) in the *Service Quotas User Guide*.
6. (Optional) From the **Preferred contact language** drop down, select the language that you want AWS Support to use when corresponding with you.
7. For **Region**, select the AWS Region where you're requesting the increase.

**Note**

AWS Region selection isn't available if you selected **General** as the **Category**.

8. (Optional) To request multiple limit increases, choose **Add another limit** and then choose another AWS Region.
9. Enter a **Description** for this service quota increase or multiple increases. You can attach files, if necessary.
10. Choose **Next step: Solve now or contact us**.
11. For **Contact options**, choose one of the following options:
  - **Web** – Receive a reply in Support Center.
  - **Chat** – Start a live chat with a support agent. If you can't connect to a chat, see [Troubleshooting](#).

- **Phone** – Receive a phone call from a support agent. If you choose this option, enter the following information:
    - **Country/Region**
    - **Phone number**
    - **(Optional) Extension**
12. When you're ready to submit the support case, select **Submit**. You are directed to the **Case details** page where you can see your case details, the support interaction, and the case correspondences.

Select **Case details** to view the information about your case, such as attachments, or severity level. Select **Support interactions** to see the support interactions associated with this case.

## Legacy experience: Creating support cases and case management

### Important

You can revert to the legacy method of case management by choosing **Use the old experience** in the banner at the top of the Support Center console.

In the AWS Management Console, you can create three types of customer cases in Support:

- **Account and billing** support cases are available to all AWS customers. You can get help with billing and account questions.
- **Service limit increase** requests are available to all AWS customers. For more information about the default service quotas, formerly referred to as limits, see [AWS service quotas](#) in the *AWS General Reference*.
- **Technical** support cases connect you to technical support for help with service-related technical issues and, in some cases, third-party applications. If you have Basic Support, you can't create a technical support case.

### Notes

- To change your support plan, see [Change AWS Support Plans](#).

- To close your account, see [Closing an Account in the AWS Billing User Guide](#).
- To find common troubleshooting topics for AWS services, see [Troubleshooting resources](#).
- If you're a customer of an AWS Partner that is part of the AWS Partner Network, and you use Resold Support, contact your AWS Partner directly for any billing related issues. AWS Support can't assist with non-technical issues for Resold Support, such as billing and account management. For more information, see the following topics:
  - [How AWS Partners can determine AWS Support plans in an organization](#)
  - [AWS Partner-Led Support](#)

## Creating a support case

You can create a support case in the Support Center of the AWS Management Console.

### Notes

- You can sign in to Support Center as an AWS Identity and Access Management (IAM) user. For more information, see [Manage access to AWS Support Center](#).
- If you can't sign in to Support Center and create a support case, you can use the [Contact Us](#) page instead. You can use this page to get help with billing and account issues.

### To create a support case

1. Sign in to the [AWS Support Center Console](#).

### Tip

In the AWS Management Console, you can also choose the question mark icon



)

and then choose **Support Center**.

2. Choose **Create case**.
3. Choose one of the following options:

- **Account and billing**
  - **Technical**
  - For service quota increases, choose **Looking for service quota increases?** and then follow the instructions for [Request a service quota increase](#).
4. Choose the **Service**, **Category**, and **Severity**.

 **Tip**

You can use the recommended solutions that appear for commonly asked questions.

5. Choose **Next step: Additional information**
6. On the **Additional information** page, for **Subject**, enter a title about your issue.
7. For **Description**, follow the prompts to describe your case, such as the following:
- Error messages that you received
  - Troubleshooting steps that you followed
  - How you're accessing the service:
    - AWS Management Console
    - AWS Command Line Interface (AWS CLI)
    - API operations
8. (Optional) Choose **Attach files** to add any relevant files to your case, such as error logs or screenshots. You can attach up to three files. Each file can be up to 5 MB.
9. Choose **Next step: Solve now or contact us**.
10. On the **Contact us** page, choose your preferred language.
11. Choose your preferred contact method. You can choose one of the following options:
- a. **Web** – Receive a reply in Support Center.
  - b. **Chat** – Start a live chat with a support agent. If you can't connect to a chat, see [Troubleshooting](#).
  - c. **Phone** – Receive a phone call from a support agent. If you choose this option, enter the following information:
    - **Country or region**
    - **Phone number**

- **(Optional) Extension**

 **Notes**

- The contact options that appear depend on the type of case and your support plan.
- You can choose **Discard draft** to clear your support case draft.

12. (Optional) If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, the **Additional contacts** option appears. You can enter the email addresses of people to notify when the status of the case changes. If you're signed in as an IAM user, include your email address. If you're signed in with your root account email address and password, you don't need to include your email address

 **Note**

If you have the Basic Support plan, the **Additional contacts** option isn't available. However, the **Operations** contact specified in the **Alternate Contacts** section of the [My Account](#) page receives copies of the case correspondence, but only for the specific case types of account and billing, and technical.

13. Review your case details and then choose **Submit**. Your case ID number and summary appear.

## Describing your problem

Make your description as detailed as possible. Include relevant resource information, along with anything else that might help us understand your issue. For example, to troubleshoot performance, include timestamps and logs. For feature requests or general guidance questions, include a description of your environment and purpose. In all cases, follow the **Description Guidance** that appears on your case submission form.

When you provide as much detail as possible, you increase the chances that your case can be resolved quickly.

## Choosing an initial support case severity level

You might want to create a support case at the highest severity that your support plan allows. However, it's a best practice to choose the highest severity only for cases that can't be worked

around or that directly affect production applications. For information about building your services so that losing a single resource doesn't affect your applications, see the [Building Fault-Tolerant Applications on AWS](#) technical paper.

The following table lists the severity levels, response times, and example problems.

### Notes

- If you have Enterprise Support or an Enterprise On-Ramp plan, you can reassign your support case severity level to reflect changes to urgency and business impact. For example, you can change your support case from **System impaired** to **Production system impaired**. When you change the case severity, AWS Support receives notification and routes the case according to the new severity level. For more information, see [Changing the severity level of your support case](#).
- If you don't have Enterprise support or an Enterprise On-Ramp plan, then you can't change the severity level for a support case after you create it. If your situation changes, work with the Support agent for your support case.
- For more information about the severity level, see the [AWS Support API Reference](#).

Severity	Severity level code	First-response time	Description and support plan
<b>General guidance</b>	low	24 hours	You have a general development question, or you want to request a feature. (*Developer, AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan)
<b>System impaired</b>	normal	12 hours	Non-critical functions of your application are behaving abnormally, or you have a time-sensitive development question. (*Developer, AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan)
<b>Production system impaired</b>	high	4 hours	Important functions of your application are impaired or degraded. (AWS Business Support

Severity	Severity level code	First-response time	Description and support plan
			+), AWS Enterprise Support, or AWS Unified Operations plan)
<b>Production system down</b>	urgent	1 hour	Your business is significantly impacted. Important functions of your application aren't available. (AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan)
<b>Business-critical system down</b>	critical	15 minutes	Your business is at risk. Critical functions of your application aren't available (Enterprise Support plan). Note that this is 30 minutes for the Enterprise On-Ramp Support plan.

## Understanding AWS Support response times

AWS Support makes every reasonable effort to respond to your initial request within the indicated timeframe. For information about the scope of support for each Support plan, see [AWS Support features](#).

If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, you have round-the-clock access for technical support. \*For Developer Support, response targets for support cases are calculated in business hours. Business hours are generally defined as 08:00 to 18:00 in the customer country, excluding holidays and weekends. These times can vary in countries with multiple time zones. The customer country information appears in the **Contact Information** section of the [My Account](#) page in the AWS Management Console.

### Note

If you choose Japanese as your preferred contact language for support cases, support in Japanese may be available as follows:

- If you need customer service for non-technical support cases, or if you have a Developer Support plan and need technical support, support in Japanese is available during

business hours in Japan defined as 09:00 AM to 06:00 PM Japan Standard Time (GMT+9), excluding holidays and weekends.

- If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, technical support is available all day, every day in Japanese.

If you choose Chinese as your preferred contact language for support cases, support in Chinese may be available as follows:

- If you need customer service for non-technical support cases, support in Chinese is available 09:00 AM to 06:00 PM (GMT+8), excluding holidays and weekends.
- If you have a Developer Support plan, technical support in Chinese is available during business hours generally defined as 8:00 AM to 6:00 PM in your country as set in [My Account](#), excluding holidays and weekends. These times may vary in countries with multiple time zones.
- If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, technical support is available all day, every day in Chinese.

If you choose Korean as your preferred contact language for support cases, support in Korean may be available as follows:

- If you need customer service for non-technical support cases, support in Korean is available during business hours in Korea defined as 09:00 AM to 06:00 PM Korean Standard Time (GMT+9), excluding holidays and weekends.
- If you have a Developer Support plan, technical support in Korean is available during business hours generally defined as 8:00 AM to 6:00 PM in your country as set in [My Account](#), excluding holidays and weekends. These times may vary in countries with multiple time zones.
- If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, technical support is available all day, every day in Korean.

## Changing the severity level of your support case

If you have Enterprise Support or an Enterprise On-Ramp plan, you can reassign your support case severity level to reflect changes to urgency and business impact. For example, you can change your support case from **System impaired** to **Production system impaired**. When you change the case

severity, AWS Support receives notification and attends to the case according to the new severity level.

 **Note**

Japanese (JP) account or billing, Service Quota Increase Request (SQIR), and Turkish (TR) account or billing cases created in these languages have a default severity and can't be changed.

To change the severity of a support case, complete the following steps:

1. Sign in to the [AWS Support Center Console](#).

 **Tip**

In the AWS Management Console, you can also choose the question mark icon



)

and then choose **Support Center**.

2. Select the case that you want to change the severity level for.
3. In **Case details**, choose the pencil icon next to the **Severity** field, as shown in the following example.

**Case details**

**Subject**

**Status**

Unassigned

**Case ID**

**Severity**

General guidance 

**Created**

2025-04-24T08:49:10.815Z

**Category**

-

**Case type**

Technical

**Language**

Portuguese

4. For **Severity**, choose the new severity level from the following options:

- General guidance
- System impaired

- Production system impaired
  - Production system down
  - Business-critical system down
5. For **Reason for case severity change**, choose from the available options for why you're changing the case severity.
6. (Optional) For **Tell us more**, enter additional information about this change.
7. Do one of the following:
- If you're lowering the support case severity, or if you're raising it from **General guidance** to **System impaired** or **Production system impaired**, choose **Update**.
  - If you're raising the severity to **Production system down** or **Business-critical system down**, use one of the options in the **Contact methods** section to engage with AWS Support, and then choose **Update**. The following example shows the options available in the **Contact methods** section.

**Change case severity** X

**Severity**  
Production system down

**Reason for case severity change**  
-

**Tell us more - optional**  
*Tell us more about the reason for the escalation*

**Contact methods** Info  
For high severity issues we recommend using our live contact mechanisms

**Web**   
We'll respond by email and Support Center.

**Chat(Recommended)**   
Chat online with a representative.

**Phone(Recommended)**   
We'll call you back at your number.

[Cancel](#) [Update](#)

**Note**

- If you upgrade your support case severity to **Production system down** or **Business-critical system down**, you must wait 60 minutes before you can change the severity again.
- If your support case is currently set to **Business-critical system down**, you're prompted to initiate live contact with AWS Support instead of assigning a higher severity.
- If you're raising your support case severity level after already raising it at least once, you might encounter a waiting period. For example, if you change the severity from **System impaired** to **Production system impaired** at 6:00 AM, then your support case falls under the 4-hour first-response time for the **Production system impaired** severity level. In this scenario, you can upgrade the severity level again at 10:00 AM, after the 4-hour window. For a list of first-response times for each severity level, see the table in [Understanding AWS Support response times](#).

## Example: Create a support case for account and billing

The following example is a support case for a billing and account issue.



# Hello!

## We're here to help.

Account: 123456789012 • Support plan: Basic • [Change](#)

### How can we help?

Choose the related issue for your case.

1

Account and billing

[Looking for Service limit increase?](#)

Technical

2

Service

Billing

3

Category

Other Billing Questions

4

Severity [Info](#)

General question

1. **Create case** – Choose the type of case to create. In this example, the case type is **Account and billing**.

**Note**

If you have the Basic Support plan, you can't create a technical support case.

2. **Service** – If your question affects multiple services, choose the service that's most applicable.
3. **Category** – Choose the category that best fits your use case. When you choose a category, links to information that might resolve your problem appear below.
4. **Severity** – Customers with a paid support plan can choose the **General guidance** (1-day response time) or **System impaired** (12-hour response time) severity level. Customers with a Business Support plan can also choose **Production system impaired** (4-hour response) or **Production system down** (1-hour response). Customers with an Enterprise On-Ramp or Enterprise Support plan can choose **Business-critical system down** (15-minute response for Enterprise Support and 30-minute response for Enterprise On-Ramp).

Response times are for first response from AWS Support. These response times don't apply to subsequent responses. For third-party issues, response times can be longer, depending on the availability of skilled personnel. For more information, see [Choosing an initial support case severity level](#).

**Note**

Based on your category choice, you might be prompted for more information.

After you specify the case type and classification, you can specify the description and how you want to be contacted.

# Additional information

Describe your issue

Case draft saved

1

Subject

I have an issue with my bill

Maximum 250 characters (222 remaining)

2

[Learn more](#)

I found a charge on my bill for unused resources.

Maximum 5000 characters (4951 remaining)

3

[Attach files](#)

Up to 3 attachments, each less than 5MB



## Description Guidance

Provide a detailed description of your issue. If you have a question about a charge, provide the date, amount, or any other details about the charge.

Cancel

Previous

Next step: [Solve now or contact us](#)

1. **Subject** – Enter a title that briefly describes your issue.

2. **Description** – Describe your support case. This is the most important information that you provide to Support. For some service and category combinations, a prompt appears with related information. Use these links to help resolve your issue. For more information, see [Describing your problem](#).
3. **Attachments** – Attach screenshots and other files that can help support agents resolve your case faster. You can attach up to three files. Each file can be up to 5 MB.

After you add your case details, you can choose how you want to be contacted.

The screenshot shows the 'Solve now or contact us' section of the AWS Support interface. At the top, there's a banner with a cartoon character and the text 'Hello! We're here to help.' Below it, account information is displayed: 'Account: 123456789012 • Support plan: Basic • Change' with a pencil icon. On the left, there's a sidebar with 'How can we help?' and links for 'Account and billing', 'Billing', 'Dispute a Charge', and 'General ...'. Under 'Additional information', there's a link 'I have an issue in my account'. The main area has a heading 'Solve now or contact us' with tabs for 'Solve now' (disabled) and 'Contact us' (selected). A green checkmark indicates 'Case draft saved'. Below this, there's a 'Preferred contact language' dropdown set to 'English', with other options like Chinese, Japanese, and Korean listed. To the right, there are two contact method options: 'Phone' (radio button selected) with the subtext 'We'll call you back at your number.' and 'Chat' with the subtext 'Chat online with a representative.' At the bottom are 'Cancel', 'Previous', and 'Submit' buttons, with 'Submit' being orange.

1. **Preferred contact language** – Choose your preferred language. Currently you can choose Chinese, English, Japanese, or Korean. The customized contact options in your preferred language will be shown by your support plan.
2. Choose a contact method. The contact options that appear depend on the type of case and your support plan.
  - If you choose **Web**, you can read and respond to the case progress in Support Center.
  - Choose **Chat** or **Phone**. If you choose **Phone**, you're prompted for a callback number.
3. Choose **Submit** when your information is complete and you're ready to create the case.

**Note**

If you choose Japanese as your preferred contact language for support cases, support in Japanese may be available as follows:

- If you need customer service for non-technical support cases, or if you have a Developer Support plan and need technical support, support in Japanese is available during business hours in Japan defined as 09:00 AM to 06:00 PM Japan Standard Time (GMT+9), excluding holidays and weekends.
- If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, technical support is available 24/7 in Japanese.

If you choose Chinese as your preferred contact language for support cases, support in Chinese may be available as follows:

- If you need customer service for non-technical support cases, support in Chinese is available 09:00 AM to 06:00 PM (GMT+8), excluding holidays and weekends.
- If you have a Developer Support plan, technical support in Chinese is available during business hours generally defined as 8:00 AM to 6:00 PM in your country as set in [My Account](#), excluding holidays and weekends. These times may vary in countries with multiple time zones.
- If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, technical support is available 24/7 in Chinese.

If you choose Korean as your preferred contact language for support cases, support in Korean may be available as follows:

- If you need customer service for non-technical support cases, support in Korean is available during business hours in Korea defined as 09:00 AM to 06:00 PM Korean Standard Time (GMT+9), excluding holidays and weekends.
- If you have a Developer Support plan, technical support in Korean is available during business hours generally defined as 8:00 AM to 6:00 PM in your country as set in [My Account](#), excluding holidays and weekends. These times may vary in countries with multiple time zones.

- If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, technical support is available 24/7 in Korean.

## Legacy experience: Updating, resolving, and reopening your case

After you create your support case, you can monitor the status of your case in Support Center. A new case begins in the **Unassigned** state. When a support agent begins work on a case, the status changes to **Work in Progress**. The support agent might respond to your case to ask for more information (**Pending Customer Action**) or to let you know that the case is being investigated (**Pending Amazon Action**).

When your case is updated, you receive an email with the correspondence and a link to the case in Support Center. Use the link in the email message to navigate to the support case. You can't respond to case correspondences by email.

### Notes

- You must sign in to the AWS account that submitted the support case. If you sign in as an AWS Identity and Access Management (IAM) user, you must have the required permissions to view support cases. For more information, see [Manage access to AWS Support Center](#).
- If you don't respond to the case within a few days, AWS Support resolves the case automatically.
- Support cases that have been in the resolved state for more than 14 days can't be reopened. If you have a similar issue that is related to the resolved case, you can create a related case. For more information, see [Creating a related case](#).

## Topics

- [Updating an existing support case](#)
- [Resolving a support case](#)
- [Reopening a resolved case](#)
- [Creating a related case](#)
- [Case history](#)

## Updating an existing support case

You can update your case to provide more information for the support agent. For example, you can reply to correspondences, start another live chat, add additional email recipients, and so on.

### Note

If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, you can reassign your support case severity level to reflect changes to urgency and business impact. If you don't have one of these support plans, then you can't update the severity of your case. For more information, see [Choosing an initial support case severity level](#) and [Changing the severity level of your support case](#).

### To update an existing support case

1. Sign in to the [AWS Support Center Console](#).

### Tip

In the AWS Management Console, you can also choose the question mark icon



)

and then choose **Support Center**.

2. Under **Open support cases**, choose the **Subject** of the support case.
3. Choose **Reply**. In the **Correspondence** section, you can also make any of the following changes:
  - Provide information that the support agent requested
  - Upload file attachments
  - Change your preferred contact method
  - Add email addresses to receive case updates
4. Choose **Submit**.

**Tip**

If you closed a chat window and you want to start another live chat, add a **Reply** to your support case, choose **Chat**, and then choose **Submit**. A new pop-up chat window opens.

## Resolving a support case

When you're satisfied with the response or your problem is solved, you can resolve the case in Support Center.

### To resolve a support case

1. Sign in to the [AWS Support Center Console](#).

**Tip**

In the AWS Management Console, you can also choose the question mark icon



)

and then choose **Support Center**.

2. Under **Open support cases**, choose the **Subject** of the support case that you want to resolve.
3. (Optional) Choose **Reply** and in the **Correspondence** section, enter why you're resolving the case, and then choose **Submit**. For example, you can enter information about how you fixed the issue yourself in case you need this information for future reference.
4. Choose **Resolve case**.
5. In the dialog box, choose **Ok** to resolve the case.

**Note**

If AWS Support resolved your case for you, you can use the feedback link to provide more information about your experience with AWS Support.

## Example : Feedback links

The following screenshot shows the feedback links in the correspondence of a case in Support Center.

Please let us know if we helped resolve your issue:

If YES, click here:

<https://console.aws.amazon.com/support/feedback?eventId=1234567890&language=en&questionnaireId=Support-HMD-Yes> 

If NO, click here:

<https://console.aws.amazon.com/support/feedback?eventId=1234567890&language=en&questionnaireId=Support-HMD-No> 

## Reopening a resolved case

If you're experiencing the same issue again, you can reopen the original case. Provide details about when the issue occurred again and what troubleshooting steps that you tried. Include any related case numbers so that the support agent can refer to previous correspondences.

### Notes

- You can reopen your support case up to 14 days from when your issue was resolved. However, you can't reopen a case that has been inactive for more than 14 days. You can create a new case or a related case. For more information, see [Creating a related case](#).
- If you reopen an existing case that has different information than your current issue, the support agent might ask you to create a new case.

## To reopen a resolved case

1. Sign in to the [AWS Support Center Console](#).

### Tip

In the AWS Management Console, you can also choose the question mark icon



)

and then choose **Support Center**.

2. Choose **View all cases** and then choose the **Subject** or the **Case ID** of the support case that you want to reopen.
3. Choose **Reopen case**.
4. Under **Correspondence**, for **Reply**, enter the case details.
5. (Optional) Choose **Choose files** to attach files to your case. You can attach up to 3 files.
6. For **Contact methods**, choose one of the following options:
  - **Web** – Get notified by email and the Support Center.
  - **Chat** – Chat online with a support agent.
  - **Phone** – Receive a phone call from a support agent.
7. (Optional) For **Additional contacts**, enter email addresses for other people that you want to receive case correspondences.
8. Review your case details and choose **Submit**.

## Creating a related case

After 14 days of inactivity, you can't reopen a resolved case. If you have a similar issue that is related to the resolved case, you can create a related case. This related case will include a link to the previously resolved case, so that the support agent can review the previous case details and correspondences. If you're experiencing a different issue, we recommend that you create a new case.

### To create a related case

1. Sign in to the [AWS Support Center Console](#).



In the AWS Management Console, you can also choose the question mark icon




)

and then choose **Support Center**.

2. Choose **View all cases** and then choose the **Subject** or the **Case ID** of the support case that you want to reopen.
3. Choose **Reopen case**.

4. In the dialog box, choose **Create related case**. The previous case information will be automatically added to your related case. If you have a different issue, choose **Create new case**.



5. Follow the same steps to create your case. See [Creating a support case](#).

 **Note**

By default, your related case has the same **Type**, **Category**, and **Severity** of the previous case. You can update the case details as needed.

6. Review your case details and choose **Submit**.

After you create your case, the previous case appears in the **Related cases** section, such as in the following example.

Case ID 234567891 [Info](#) [Resolve case](#)

Case details	
Subject	Status
Same issue is happening for my Amazon EC2 instances	Unassigned
Case ID	Severity
234567891	General question
Created	Category
2021-04-21T20:30:23.945Z	General Info and Getting Started
Case type	Additional contacts
Account	johndoe@example.com
Opened by	
janedoe@example.com	

Related cases	
Subject	Case ID
<a href="#">Problem with EC2 instances</a>	1234567890

Correspondence	
<a href="#">Jane Doe</a> Wed Apr 21 2021 13:30:23 GMT-0700 (Pacific Daylight Time)	<a href="#">Reply</a> I keep getting an error for my EC2 instances. What do you recommend that I do to fix it?

## Case history

You can view case history information up to 24 months after you create a case.

## Using AWS Support with an AWS SDK

AWS software development kits (SDKs) are available for many popular programming languages. Each SDK provides an API, code examples, and documentation that make it easier for developers to build applications in their preferred language.

SDK documentation	Code examples
<a href="#">AWS SDK for C++</a>	<a href="#">AWS SDK for C++ code examples</a>
<a href="#">AWS CLI</a>	<a href="#">AWS CLI code examples</a>
<a href="#">AWS SDK for Go</a>	<a href="#">AWS SDK for Go code examples</a>
<a href="#">AWS SDK for Java</a>	<a href="#">AWS SDK for Java code examples</a>
<a href="#">AWS SDK for JavaScript</a>	<a href="#">AWS SDK for JavaScript code examples</a>
<a href="#">AWS SDK for Kotlin</a>	<a href="#">AWS SDK for Kotlin code examples</a>
<a href="#">AWS SDK for .NET</a>	<a href="#">AWS SDK for .NET code examples</a>
<a href="#">AWS SDK for PHP</a>	<a href="#">AWS SDK for PHP code examples</a>
<a href="#">AWS Tools for PowerShell</a>	<a href="#">AWS Tools for PowerShell code examples</a>
<a href="#">AWS SDK for Python (Boto3)</a>	<a href="#">AWS SDK for Python (Boto3) code examples</a>
<a href="#">AWS SDK for Ruby</a>	<a href="#">AWS SDK for Ruby code examples</a>
<a href="#">AWS SDK for Rust</a>	<a href="#">AWS SDK for Rust code examples</a>
<a href="#">AWS SDK for SAP ABAP</a>	<a href="#">AWS SDK for SAP ABAP code examples</a>
<a href="#">AWS SDK for Swift</a>	<a href="#">AWS SDK for Swift code examples</a>

### Example availability

Can't find what you need? Request a code example by using the **Provide feedback** link at the bottom of this page.

# About the Support Center Console API

The Support Center Console API enhances your experience with the Support Center Console. Examples of the functionality provided by the Support Center Console API include the following:

- The ability for you to create and update a draft of your support case
- The ability for the Support Center Console to display the current status of your account
- The ability for the Support Center Console to display dynamic help for the selected service and category

For a complete list of actions provided by the Support Center Console API, see the table in [Adding IAM policies for the Support Center Console API operations](#).

## Important

To continue to use the functions included in the Support Center Console API, you must add the Support Center Console operations to your AWS Identity and Access Management policies before June 1, 2026. After you create the IAM policies, update the AWS Support managed policy to include the `support-console:*` actions. For more information, see [Adding IAM policies for the Support Center Console API operations](#).

## Topics

- [Adding IAM policies for the Support Center Console API operations](#)
- [Testing Support Center Console API calls](#)

# Adding IAM policies for the Support Center Console API operations

Before June 1, 2026, you must create AWS Identity and Access Management policies for the Support Center Console API operations. If you don't create these policies by June 1, 2026, you will receive `AccessDenied` errors.

To add these operations to your IAM policies, see [Create IAM policies \(console\)](#) in the *AWS Identity and Access Management User Guide*.

The following table summarizes the console operations.

 **Note**

These operations are for the console only. They're not available for use in the AWS SDK or the AWS CLI.

Operation	Access level	Description
GetAccountState	READ	Grants permission for the console to show the current account state.
GetAccountGovCloudEnabled	READ	Grants permission to determine if your account is GovCloud enabled.
GetCaseDraft	READ	Grants permission for the console to show the case draft that you previously created.
CreateCaseDraft	WRITE	Grants permission to create or update a case draft for the given case type.
DeleteCaseDraft	WRITE	Grants permission to delete a case draft for the given case type.
GetBanner	READ	Grants permission for the console to show the Support banner displayed during customer impacting events.
DescribeDynamicHelp	READ	Grants permission for the console to show dynamic help

Operation	Access level	Description
		resources for the selected service and category.
CreateContact	WRITE	Grants permission for the console to create an authenticated contact for the selected contact type.
CheckSubscription	READ	Grants permission for the console to verify if your account has access to the selected product.
GetQuestionnaire	READ	Grants permission for the console to show the customer feedback questionnaire.
SaveFeedback	WRITE	Grants permission to save questionnaire feedback.

 **Note**

If you have a custom VPN configuration, then your IAM policies must allow the Support Center Console API endpoint in the [aws.sourceIP conditions](#). If the Support Center Console API endpoint isn't allowed, then your ClientIp address won't forward to the API correctly. The following table provides the Support Center Console API endpoints by AWS Region.

AWS Region	Support Center Console API endpoint
<code>https://api.us-east-1.prod.support-console.support.aws.dev</code>	US East (N. Virginia)

AWS Region	Support Center Console API endpoint
<code>https://api.us-west-2.prod.support-console.support.aws.dev</code>	US West (Oregon)
<code>https://api.eu-west-1.prod.support-console.support.aws.dev</code>	Europe (Ireland)

## Testing Support Center Console API calls

To validate that API calls to the console work, open the [AWS Support Center Console](#). If the calls aren't successful, then you see a banner outlining the errors.

You can use AWS CloudTrail to debug the API calls made to the Support Center Console. The CloudTrail event for the API call shows if you have missing IAM policies. You can also investigate IP address forwarding issues by comparing your browser's IP addresses to the client IP address in the CloudTrail event.

To view CloudTrail events for calls to the Support Center Console, complete the following steps:

1. Sign in to the AWS Management Console and open the CloudTrail console at <https://console.aws.amazon.com/cloudtrail/>.
2. In the navigation pane, choose **Event history**. You see a filtered list of events with the most recent events showing first. The default filter for events is **Read only**, set to **false**. To clear the filter, choose **X** at the right of the filter.
3. Choose the event source **support-console.amazonaws.com**. On the event details page, you can view details about the event, see any referenced resources, and view the event record.

# About the AWS Support API

## Important

End of Support Notice: Developer Support will be discontinued January 1, 2027. Customers with Developer Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information, see [Business Support+ plan details](#)

End of Support Notice: Business Support will be discontinued January 1, 2027. Customers with Business Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information see, [Business Support+ plan details](#)

End of Support Notice: On January 1, 2027, AWS will discontinue Enterprise On-Ramp. Throughout 2026, Enterprise On-Ramp customers will be automatically upgraded to AWS Enterprise Support during contract renewal or in periodic batches. Customers will receive an email notification a month before their upgrade. No further action is required. Enterprise Support provides designated TAM assignment, 15-minute response times, and AWS Security Incident Response available at no additional cost, all at a lower \$5,000 minimum (reduced from \$15,000). For more information, see [AWS Enterprise Support plan details](#).

For more information, see [Developer, Business, and Enterprise On-Ramp end of support](#). Developer Support, Business Support, and Enterprise On-Ramp will remain available in the AWS GovCloud (US) Region.

The AWS Support API provides access to some of the features in the [AWS Support Center](#).

The API provides two different groups of operations:

- [Support case management](#) operations to manage the entire life cycle of your AWS support cases, from creating a case to resolving it
- [AWS Trusted Advisor](#) operations to access [AWS Trusted Advisor](#) checks

**Note**

You must have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan to use the AWS Support API. For more information, see [Support](#).

For more information about the operations and data types provided by Support, see the [AWS Support API Reference](#).

**Topics**

- [Support case management](#)
- [AWS Trusted Advisor](#)
- [Endpoints](#)
- [Support in AWS SDKs](#)

## Support case management

You can use the API to perform the following tasks:

- Open a support case
- Get a list and detailed information about recent support cases
- Filter your search for support cases by dates and case identifiers, including resolved cases
- Add communications and file attachments to your cases, and add the email recipients for case correspondences. You can attach up to three files. Each file can be up to 5 MB
- Resolve your cases

The AWS Support API supports CloudTrail logging for support case management operations. For more information, see [Logging AWS Support API calls with AWS CloudTrail](#).

For code examples that demonstrate how to manage the entire life cycle of a support case, see [Code examples for Support using AWS SDKs..](#)

## AWS Trusted Advisor

You can use the Trusted Advisor operations to perform the following tasks:

- Get the names and identifiers for the Trusted Advisor checks
- Request that a Trusted Advisor check be run against your AWS account and resources
- Get summaries and detailed information for your Trusted Advisor check results
- Refresh your Trusted Advisor checks
- Get the status of each Trusted Advisor check

The AWS Support API supports CloudTrail logging for Trusted Advisor operations. For more information, see [AWS Trusted Advisor information in CloudTrail logging](#).

You can use Amazon CloudWatch Events to monitor for changes to your check results for Trusted Advisor. For more information, see [Monitoring AWS Trusted Advisor check results with Amazon EventBridge](#).

For example Java code that demonstrates how to use the Trusted Advisor operations, see [Using Trusted Advisor as a web service](#).

## Endpoints

Support is a global service. This means that any endpoint that you use will update your support cases in the Support Center Console.

For example, if you use the US East (N. Virginia) endpoint to create a case, you can use the US West (Oregon) or Europe (Ireland) endpoint to add a correspondence to the same case.

You can use the following endpoints for the Support API:

- US East (N. Virginia) – <https://support.us-east-1.amazonaws.com>
- US West (Oregon) – <https://support.us-west-2.amazonaws.com>
- Europe (Ireland) – <https://support.eu-west-1.amazonaws.com>

### Important

- If you call the [CreateCase](#) operation to create test support cases, then we recommend that you include a subject line, such as **TEST CASE-Please ignore**. After you're done with your test support case, call the [ResolveCase](#) operation to resolve it.

- To call the AWS Trusted Advisor operations in the AWS Support API, you must use the US East (N. Virginia) endpoint. Currently, the US West (Oregon) and Europe (Ireland) endpoints don't support the Trusted Advisor operations.

For more information about AWS endpoints, see [AWS Support endpoints and quotas](#) in the *Amazon Web Services General Reference*.

## Support in AWS SDKs

The AWS Command Line Interface (AWS CLI), and the AWS Software Development Kits (SDKs) include support for the Support API.

For a list of languages that support the AWS Support API, choose an operation name, such as [CreateCase](#), and in the [See Also](#) section, choose your preferred language.

# AWS Support Plans

AWS offers the following AWS Support Plans for you to choose from based on your business needs.

- Basic
- AWS Business Support+
- AWS Enterprise Support
- AWS Unified Operations

## Important

End of Support Notice: Developer Support will be discontinued January 1, 2027. Customers with Developer Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information, see [Business Support+ plan details](#)

End of Support Notice: Business Support will be discontinued January 1, 2027. Customers with Business Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information see, [Business Support+ plan details](#)

End of Support Notice: On January 1, 2027, AWS will discontinue Enterprise On-Ramp. Throughout 2026, Enterprise On-Ramp customers will be automatically upgraded to AWS Enterprise Support during contract renewal or in periodic batches. Customers will receive an email notification a month before their upgrade. No further action is required. Enterprise Support provides designated TAM assignment, 15-minute response times, and AWS Security Incident Response available at no additional cost, all at a lower \$5,000 minimum (reduced from \$15,000). For more information, see [AWS Enterprise Support plan details](#).

For more information, see [Developer, Business, and Enterprise On-Ramp end of support](#).

Developer Support, Business Support, and Enterprise On-Ramp will remain available in the AWS GovCloud (US) Region.

## Topics

- [Features of AWS Support Plans](#)
- [What is AWS Unified Operations](#)
- [Change AWS Support Plans](#)
- [Configure promotional plan expiration notifications](#)
- [Developer, Business, and Enterprise On-Ramp end of support](#)

## Features of AWS Support Plans

Basic Support offers assistance for account and billing questions and service quota increases. The other plans offer a number of technical support cases with pay-by-the-month pricing and no long-term contracts.

All AWS customers automatically have 24x7 access to these features of Basic Support:

- One-on-one responses to account and billing questions
- Support forums
- Service health checks
- Documentation, technical papers, and best practice guides

Customers with a Business Support+ plan have access to these additional features:

- Real time and contextual responses through generative AI.
- 24x7 phone, web, and chat access to Cloud Support Engineers.
- Less than 30 minutes human engagement for business critical system down cases.
- More than 500 checks with [AWS Trusted Advisor](#).
- The AWS Support API to interact with Support Center and Trusted Advisor. You can use the AWS Support API to automate support case management and Trusted Advisor operations.
- Third-party software support – Help with Amazon Elastic Compute Cloud (Amazon EC2) instance operating systems and configuration. Also, help with the performance of the most popular third-party software components on AWS.
- Supports an unlimited number of support cases that can be opened by any user with [permissions](#).

Customers with an Enterprise Support plan have all of the benefits available with the AWS Business Support+, plan plus the following additional benefits:

- A designated Technical Account Manager (TAM).
- Up to 15 minute production-critical case response.
- Access to [AWS Security Incident Response](#), a service that helps you quickly prepare for, respond to, and receive guidance to help recover from security incidents. This includes incidents like account takeovers, data breaches, and ransomware attacks.
- Strategic business reviews with AWS experts.
- Access to AWS Countdown event management. AWS Countdown provides specialized TAM-led support to help you succeed during critical business events.

Customers with an AWS Unified Operations plan have access to the following benefits. For details about the AWS Unified Operations plan, including onboarding details and getting started information, see [What is AWS Unified Operations](#).

- Application architecture guidance – Consultative guidance on how services fit together to meet your specific use case, workload, or application.
- Infrastructure event management – Short-term engagement with AWS Support to get a deep understanding of your use case. After analysis, provide architectural and scaling guidance for an event.
- Designated AWS Technical Account Manager (TAM) and Domain Specialist Engineer (DSE) for your specific use cases and applications.
- One recurring subscription to [AWS Countdown Premium](#).
- Critical workload reviews and personalized runbooks and operational procedures.

For more information about features and pricing for each support plan, see [AWS Support](#) and [Compare AWS Support plans](#). Some features, such as 24x7 phone and chat support, aren't available in all languages.

 **Note**

If you work with an AWS partner and want to learn more about Partner-led Support, see [AWS Partner-Led Support](#)

# What is AWS Unified Operations

AWS Unified Operations combines proven expertise with AI-powered insights to help reduce operational and security risks, resolve issues faster, and help you architect more resilient cloud solutions from the start—accelerating your most critical cloud initiatives. Designated AWS specialists act as an extension of your team through your preferred collaboration channels—conducting workload reviews, providing strategic guidance, and optimizing performance through deep contextual knowledge. With 24/7 security and performance monitoring, we detect and mitigate incidents early while reducing alert volume. A five-minute, context-aware response for critical incidents further shortens resolution time and helps maintain peak operational performance.

## AWS Unified Operations pricing

AWS Unified Operations pricing is based on your specific requirements and workload complexity. For detailed pricing information, see [AWS Support Plan Pricing](#).

### Contents

- [Benefits of Unified Operations](#)
- [Unified Operations Team](#)
  - [Technical Account Manager](#)
  - [Domain Specialist Engineer](#)
  - [Senior Billing and Account Specialist](#)
  - [Incident Management Engineer](#)
  - [Migration Specialist](#)
  - [AWS Customer Incident Response Team](#)
  - [Specialist Support Engineer](#)
- [Unified Operations life cycle](#)
  - [Unified Operations pre-onboarding](#)
  - [Unified Operations onboarding](#)
  - [Unified Operations Pre-event or migration planning](#)
  - [Unified Operations Event migration or cutover](#)
  - [Unified Operations Post Go-live or event](#)
  - [Unified Operations Workload incident management](#)

- [Unified Operations Post incident](#)
- [Unified Operations Continuous improvement](#)
- [Getting started with Unified Operations](#)
  - [Unified Operations Getting started: Prerequisites](#)
  - [Unified Operations Getting started: Onboard critical alarms to rapid incident management](#)
  - [Unified Operations Getting started: How to request 5-minute incident response](#)
  - [Unified Operations Getting started: Plan for domain coverage](#)
  - [Unified Operations Getting started: Onboard your account to proactive security incident management](#)
  - [Unified Operations Getting started: AWS expectations from you](#)
  - [Unified Operations Getting started: What you can expect from AWS](#)

## Benefits of Unified Operations

Unified Operations offers several key benefits.

- **Designated AWS experts:** Your AWS team includes designated Technical Account Managers (TAMs), AWS Domain Specialist Engineer, and Senior Billing and Account Specialist. Your AWS team integrates with your collaboration tools like Slack or Microsoft Teams.
- **Deep technical guidance:** Your AWS team helps you strengthen your resiliency through application-specific deep dives, readiness assessments, guided testing support, and custom runbooks tailored to your environment. Your AWS team provides workload focused financial management and aligns costs strategically with your business objectives.
- **Migrations, events, and launch support:** Accelerate your critical cloud migrations and business events with designated AWS engineers who help mitigate risks proactively, guiding you from planning through execution. Real-time assistance for scheduled events, increasing migration velocity and successful launches.
- **24x7 Proactive workload monitoring:** Onboard application and infrastructure level alarms from your existing AWS and third-party tools to detect early warning signs and drive proactive mitigation with your team.
- **Engage AWS incident managers within 5 mins for business-critical system down issues:** Receive proactive support from Incident Management Engineers within 5 minutes of alarms, workload alerts, or business-critical system down issues.

- **Context-specific case response:** Access to context-aware support engineers to drive incident resolution. Runbooks and incident response playbooks customized for your workflows, streamlining problem diagnosis and resolution for your specific business needs.
- **Security guidance and support:** Proactive monitoring of security events with automated triage and investigation, along with 24/7 access to the AWS Customer Incident Response Team to prepare for, respond to, and recover from security events in your AWS environment.

## Unified Operations Team

AWS Unified Operations brings together a designated team of specialized experts who work together to support your cloud journey. Each role is carefully designed to provide comprehensive coverage across technical, financial, operational, and security dimensions of your cloud environment. From strategic guidance to technical support, from financial optimization to rapid incident response, these experts act as an extension of your team, available 24/7 to ensure your cloud operations run efficiently and securely.

### Contents

- [Technical Account Manager](#)
- [Domain Specialist Engineer](#)
- [Senior Billing and Account Specialist](#)
- [Incident Management Engineer](#)
- [Migration Specialist](#)
- [AWS Customer Incident Response Team](#)
- [Specialist Support Engineer](#)

## Technical Account Manager

Your designated cloud strategist, the Technical Account Manager (TAM) orchestrates the overall engagement and drives business outcomes. TAMs lead strategic planning, conduct quarterly business reviews, provide resiliency guidance, and coordinate across specialized teams to ensure your cloud initiatives succeed. They serve as your primary point of contact for escalations and strategic decisions.

## Domain Specialist Engineer

A Domain Specialist Engineer (DSE) is a technical expert who deeply understands your specific workload architecture and AWS services. DSEs conduct critical workload reviews, create technical documentation, develop troubleshooting guides, and provide ongoing technical consultation. They analyze incidents to prevent recurrence and maintain global knowledge sharing to make sure that there is consistent support quality.

## Senior Billing and Account Specialist

Your Senior Billing and Account Specialist (SBAS) is a designated financial optimization expert who helps balance performance with cost. They manage cost optimization strategies, oversee reserved instance and savings plan portfolios, conduct financial business reviews, and provide detailed spend analytics to maximize your cloud investment efficiency.

## Incident Management Engineer

Incident Management Engineers (IME) are rapid response specialists who coordinate critical incident resolution. IMEs provide 5-minute response times, orchestrate technical teams during incidents, manage stakeholder communications. During active incidents, IMEs conduct real-time assessments of incident handling and response effectiveness, upon request they document the sequence of events, decisions made, and immediate outcomes. They observe and evaluate the execution of response protocols, team coordination, and the application of existing playbooks while the incident is still unfolding.

## Migration Specialist

On-demand experts who guide critical transitions like launches and migrations. They validate architectures, create detailed execution plans, provide real-time monitoring during events, and conduct post-event analysis to capture learnings and optimize future operations.

## AWS Customer Incident Response Team

The AWS Customer Incident Response Team (CIRT) are security experts providing 24/7 specialized assistance for security events. They monitor security findings, provide guided response within minutes of detection, and enhance your security operations capabilities through expert investigation support and best practices guidance.

## Specialist Support Engineer

Specialist Support Engineers (SSE) are highly experienced technical experts using advanced contextual tools to deliver precise support solutions. They leverage AI-powered systems and deep technical knowledge to quickly understand your environment and resolve complex technical challenges.

## Unified Operations life cycle

The Unified Operations Support plan contains different phases, from pre-onboarding, through continuous improvement, that help you get the most our of your cloud environment. This topic covers key points of each phase.

### Contents

- [Unified Operations pre-onboarding](#)
- [Unified Operations onboarding](#)
- [Unified Operations Pre-event or migration planning](#)
- [Unified Operations Event migration or cutover](#)
- [Unified Operations Post Go-live or event](#)
- [Unified Operations Workload incident management](#)
- [Unified Operations Post incident](#)
- [Unified Operations Continuous improvement](#)

## Unified Operations pre-onboarding

During the pre-onboarding phases, AWS gathers information from you needed to start the onboarding process, including the following information:

### Environment discovery and technical validation

- Understanding of your workload architecture and your key AWS services.
- Your future planning needs, such as migration or events.
- Pre-requisites, such as a list of your AWS accounts and AWS Regions.
- Your specific business needs.

## Unified Operations onboarding

### Onboarding kickoff

- Meet the team (customer and AWS allocated resources).

### Onboarding workshop

- Identify critical workloads.
- Conduct deep architecture review of the workloads.
- Review roles and responsibilities (RACI review – AWS and your roles and responsibilities).
- Review Incident and Change management workflows (ITSM).
- Communication protocol - tooling and processes, escalation path, on-call schedules
- Identify and define the critical alarms (in Amazon CloudWatch, your 3rd party APM or custom monitoring tool).
- Build runbooks for critical alarms.

### Service onboarding

- Your AWS account onboarding to AWS Security Incident Response.
- Critical alarm onboarding to rapid Incident Management.

## Unified Operations Pre-event or migration planning

Pre-event or migration planning in AWS Unified Operations includes the following key elements.

- **Context gathering :** Workload discovery and architecture.
- **Operational Readiness Review (ORR):** Systematic assessment against AWS best practices and runbooks to identify potential issues before they impact the event.
- **Risk assessments:** Identify, list potential risks, and mitigation plans.
- **Review Events:** Secure the cut-over or migration event support.

## Unified Operations Event migration or cutover

Event migration or cutover in Unified Operations includes the following key elements.

- **Real-time bridge to resolution:** AWS experts join your communication channels to monitor events and resolve issues during critical business periods.
- **24/7 comprehensive support:** Round-the-clock expert assistance with immediate guidance for resource scaling needs. .
- **AWS engineering:** Work directly with engineers who understand your business, delivering tailored solutions.

## Unified Operations Post Go-live or event

The post go-live or post event process in Unified Operations includes the following key elements:

- Spin-down engagement and event-specific resources.
- Conduct event reviews.
- Update runbooks and documentation based on learnings.
- Perform retrospectives to identify areas for improvement.

## Unified Operations Workload incident management

Workload incident management includes the following key elements:

- AWS Support case creation.
- Engagement with you and an AWS Incident Management Engineer (IME) for context-aware incident management.
- Joining or creation of incident bridge call.
- Monitoring of AWS service health and large-scale event (LSE).
- Rapid recovery of critical applications or workloads.

## Unified Operations Post incident

Post-incident analysis for critical incidents is conducted by the assigned Domain Specialist Engineer (DSE). DSE takes a broader analytical approach after resolution, conducting comprehensive root cause analysis to identify any gaps in processes or tooling. The DSE transforms insights into actionable improvements by updating response playbooks, recommending preventive measures, and suggesting architectural enhancements to help prevent similar incidents in the future.

## Unified Operations Continuous improvement

Continuous improvement includes the following key elements:

- Update Critical Workload Reviews, proposing AWS service-specific recommendations and resilience guidance .
- Review old and new cases on a continuous basis, and provide troubleshooting guides for identified technical issues.
- Apply lessons and oversee implementations and testing.
- Discuss technical issues, configurations, past, and upcoming projects and milestones.
- Review new feature implementation plans with risk assessments and performance optimizations.
- Conduct Monthly or Quarterly Business Review (MBR / QBR).

## Getting started with Unified Operations

This topic discusses the steps to onboard to AWS Unified Operations.

### Contents

- [Unified Operations Getting started: Prerequisites](#)
- [Unified Operations Getting started: Onboard critical alarms to rapid incident management](#)
- [Unified Operations Getting started: How to request 5-minute incident response](#)
- [Unified Operations Getting started: Plan for domain coverage](#)
- [Unified Operations Getting started: Onboard your account to proactive security incident management](#)
- [Unified Operations Getting started: AWS expectations from you](#)
- [Unified Operations Getting started: What you can expect from AWS](#)

## Unified Operations Getting started: Prerequisites

The following items are required to onboard to AWS Unified Operations

**A signed AWS Unified Operations contract. For more information, contact your AWS sales representative.**

- Identified business needs, such as migration, modernization, events, target uptime, and so on.

- A list of your workloads.
- A list of your AWS accounts and associated AWS Regions.
- Identified stakeholders across Application, Architecture, Operations, and Security teams.

## Unified Operations Getting started: Onboard critical alarms to rapid incident management

To help quickly notify you of critical incidents, complete the following steps to onboard your alarms to AWS Incident Detection and Response

1. Define and configure your critical alarms for rapid incident management. For detailed information, see [Define and configure alarms in Incident Detection and Response](#) in the *Incident Detection and Response User Guide*.
  - a. For steps to set up alarms using Amazon CloudWatch, see [Define and configure alarms in Incident Detection and Response](#) in the *Incident Detection and Response User Guide*. For AWS recommendations on critical alarm types for various AWS services, see [Incident Detection and Response \(IDR\)](#). Contact your AWS Unified Operations team if you want AWS to automate the creation of critical AWS alarms for your tagged AWS resources.
  - b. To redirect or ingest critical alarms from 3rd party APM tools with [direct Amazon EventBridge integration](#), such as DataDog, NewRelic, and so on, see [Ingest alarms from APMs that have direct integration with Amazon EventBridge](#) in the *AWS Incident Detection and Response User Guide*. You must deploy a set of AWS resources (AWS Lambda and Amazon EventBridge event bus rules) to transform and redirect your alarm (event) to AWS Incident Detection and Response. Your AWS Unified Operations team can help provide the CloudFormation template to install these resources.
  - c. Redirect or ingest critical alarms from your custom monitoring tool through a 3rd party APM tool that doesn't have direct integration with Amazon EventBridge. For more information, see [Use webhooks to ingest alarms from APMs without direct integration with Amazon EventBridge](#) in the *AWS Incident Detection and Response User Guide*. You must deploy a set of AWS resources (API Gateway AWS Lambda functions, and Amazon EventBridge event bus rules) to transform and redirect your alarm (event) to AWS Incident Detection and Response. Your AWS Unified Operations team can help provide the CloudFormation template to install these resources.
2. Provide workload architecture details, point of contact information and runbook information on mitigation actions for critical alarms. To do this, complete the following steps:

- Download and complete the [AWS Incident Detection and Response Workload onboarding questionnaire](#) for each critical workload or application and the [Alarm ingestion questionnaire](#) related to each unique workload.

The information in these questionnaires helps the AWS team develop an incident remediation runbook. This runbook enables appropriate actions to be taken to quickly troubleshoot and remediate critical alarms before they cause business downtime. For examples and sample information, see [Workload onboarding and alarm ingestion questionnaires in AWS Incident Detection and Response](#).

3. Provide access to onboard your critical alarms to AWS Incident Detection and Response
  - a. Deploy the `AWSServiceRoleForHealth_EventProcessor` service-linked role (SLR) in your AWS account running the critical workload to be monitored by the AWS incident management team. For more information, see [Provision access for alert ingestion to AWS Incident Detection and Response](#).

 **Note**

To assist you with onboarding of large AWS accounts, AWS can provide you with a AWS Command Line Interface script to fast track the provisioning of this SLR.

4. Create a AWS Support case to subscribe a workload for rapid incident management. Note that your AWS account is automatically enabled for inbound rapid incident management, which means you can raise a case to the Unified Operations Incident Detection and Response queue through the Support Center Console, the AWS Command Line Interface, or the AWS SDK for quick action. For AWS to proactively monitor and create incidents with an outbound AWS Support case, create an AWS Support case for your critical workload. To do this, complete the following steps:
  - a. Sign in to the [AWS Support Center Console](#), select **Create case**, and then select **Technical support**.
  - b. For **Service** select **Incident Detection and Response**.

- c. For **Category** select **Onboard new workload**.
- d. For **Severity** select **General guidance**.
- e. Attached the Workload and Alarm questionnaires that you completed in the previous step.

## Unified Operations Getting started: How to request 5-minute incident response

AWS Unified Operations offers 5-minute incident response for your critical incidents. To request a 5-minute inbound response you can [create a support case from a support interaction](#) or use the [legacy support case creation method](#). When you create your case, make sure that you enter the following information to ensure that your case receives a response within 5 minutes:

1. For **Case type**, choose **Technical**.
2. For **Service**, choose **AWS Incident Detection and Response**.
3. For **Category**, choose **Active Incident**.
4. For **Severity**, choose **Business-critical system down**.
5. In the **Description**, include the following information
  - a. Technical information
    - Workload name
    - Affected AWS Resource ARN(s)
  - b. Business information
    - Description of impact to the business
    - (Optional) Customer bridge details

## Unified Operations Getting started: Plan for domain coverage

AWS Unified Operations provides specialized expertise through a domain-based coverage approach. Each domain is supported by a team of AWS Domain Specialists who provide the following services:

- **Specialized expertise** aligned to your specific technology areas.
- **Continuous coverage** with availability through your preferred collaboration tools (Slack or Microsoft Teams) during business days.
- **Proactive guidance** on architecture, best practices, and optimization opportunities.

- **Enhanced incident response** through deep domain knowledge and workload familiarity.
- **Consistent experience** maintained by a coordinated team rather than individuals.

This approach to domain coverage enables AWS specialists to maintain deep familiarity with your critical workloads while providing comprehensive support across your technology stack.

To select the domains, organizations maintain decision authority from a choice of 23 AWS Domains and consider the following factors in their decision:

- Primary AWS services running critical workloads
- Critical AWS service dependencies (such as Amazon EC2, Amazon EKS, or Amazon RDS)
- Major upcoming events requiring 24x7 support coverage (migrations, launches) planned within 3-6 months

This information, combined with guidance from your Technical Account Manager, enables precise alignment of domain expertise with your specific organizational needs, helping you maintain optimal support for mission-critical workloads.

## **Unified Operations Getting started: Onboard your account to proactive security incident management**

Unified Operations entitles you to AWS Security Incident Response to help you quickly prepare for, respond to, and recover from security incidents, such as account takeovers, data breaches, and ransomware attacks. AWS Security Incident Response triages findings, escalates events, and manages critical cases, while also providing access to the AWS Customer Incident Response Team (CIRT) to investigate impacted resources. This access helps you to effectively mitigate and resolve security incidents, minimizing the impact on your operations. To onboard to this service feature, complete the following steps:

1. Create a centralized AWS account for AWS Security Incident Response. This AWS account will be used to configure all other AWS accounts that you want monitored, to manage your incident response team, and to create and view security events. We recommend that you align this account with the account that you use for other security services such as Amazon GuardDuty and AWS Security Hub CSPM. You can use an [AWS Organizations](#) management account, or an AWS Organizations delegated administrator account as the Security Incident Response membership account. For more information, see [Select a membership account](#) in the *AWS Security Incident Response User Guide*.

- a. Choose basic membership details. For more information, see [Setup membership details](#) in the *AWS Security Incident Response User Guide*.
  - b. Choose how you want to associate accounts with AWS Organizations. For more information, see [Associate accounts with AWS Organizations](#) in the *AWS Security Incident Response User Guide*.
  - c. (Optional) You can optionally enable proactive response and alert triaging workflow to enable within your organization to monitor and investigate alerts generated from Amazon GuardDuty and AWS Security Hub CSPM integrations. For more information, see [Setup proactive response and alert triaging workflows](#) in the *AWS Security Incident Response User Guide*.
2. (Optional) Enable the proactive containment of a potential security incident. AWS can perform containment actions to quickly mitigate impact, such as isolating compromised hosts or rotating credentials. To turn on this feature, you must first grant the necessary permissions to the service. To do this, deploy an [Step Functions StackSet](#).

## Unified Operations Getting started: AWS expectations from you

For Unified Operations to deliver maximum value, we recommend the following collaborative approach:

### Team engagement

- Identify subject matter experts from your team to collaborate with AWS engineers during onboarding and ongoing engagement.
- Participate in initial discovery calls and subsequent meetings to share architecture details and operational requirements.
- Establish regular touchpoints to review architecture updates or workload changes.

### Operational integration

- Configure critical alarms in your account to enable effective incident management.
- Implement recommended action items provided by AWS specialists,
- Participate in gameday exercises to validate incident response processes.

This collaborative framework helps you maximize the value of Unified Operations, achieve your uptime goals, mitigate operational risks, and receive comprehensive support for your mission-critical workloads.

## Unified Operations Getting started: What you can expect from AWS

When you onboard to Unified Operations, you can expect the following from AWS.

- Provide a team of designated AWS experts with deep technical expertise in the your workload domain and services.
- Offer proactive guidance, ongoing optimization, and continuous improvement recommendations to enhance workload performance and resiliency and accelerate path to migrations and modernization.
- Help provide rapid incident response, with context-aware engineers engaged within 5 minutes of a critical incident.
- Offer comprehensive support throughout the application lifecycle, from design and migration to production launch and long-term operations.
- Proactively monitor security threats with auto-triaging, reducing false positives, and raising incidents for potential security incidents.
- Assist in trouble and joint mitigation of AWS or your identified security incident.

## Change AWS Support Plans

You can use the AWS Support Plans console to change your support plan for your AWS account. To change your support plan, you must have AWS Identity and Access Management(IAM) permissions.

For more information, see [Manage access to AWS Support Plans](#) and [AWS managed policies for AWS Support Plans](#).

### To change your support plan

1. Sign in to the AWS Support Plans console at <https://console.aws.amazon.com/support/plans/home>.
2. (Optional) To compare support plans, on the **AWS Support Plans** page, choose **Compare all Support plans and features**.

3. (Optional) To view estimated costs for a support plan, choose **Pricing calculator**. In the **Pricing calculator**, select a support tier, enter an estimate of how much you expect to spend with AWS each month, and then choose **Calculate**.
4. To downgrade your Enterprise Support plan, reach out to your Technical Account Manager (TAM).

To downgrade your Business Support+ plan, on the [Manage Support Plans](#) page, choose **Review downgrade** in the Basic Support plan section.

To upgrade to an AWS Enterprise Support or AWS Unified Operations plan, choose **Contact sales**.

To upgrade to an AWS Business Support+ plan from Basic Support, complete the following steps:

- a. Choose **Get started** in the AWS Business Support+ section.
- b. If you are onboarded to AWS Organizations and have the all-feature mode enabled, you can subscribe your entire organization to Business Support+. For information about all-feature mode, see [Enabling all features for an organization with AWS Organizations](#) in the *AWS Organizations User Guide*. To enroll at the organization level, select the **My organization** radio button. Review the [plan details and pricing](#), and then check the box to agree to the subscription terms. Only your organization's management account can subscribe your entire organization.

Or, to enroll at the account level, select the **My account** radio button, then check the box to agree to the subscription terms.

- c. Choose **Confirm upgrade** to complete your AWS Business Support+ plan subscription.

 **Note**

After you subscribe your entire organization to AWS Business Support+, any new accounts created within that organization are automatically subscribed to AWS Business Support+. If an account that was previously subscribed to AWS Business Support+ at the organization-level leaves the organization, that account is downgraded to the Basic support plan.

**Note**

If you sign up for a paid support plan, you're responsible for a minimum one month subscription of AWS Support. For more information, see the [AWS Support FAQs](#).

## Related information

For more information about AWS Support Plans, see the [AWS Support FAQs](#). You can also choose **Contact us** from the Support Plans console.

To close your account, see [Closing an Account](#) in the *AWS Billing User Guide*.

## Configure promotional plan expiration notifications

You can use [AWS User Notifications](#) to configure notifications to inform you when your support plan's promotional period is ending. You can subscribe to receive notifications by email, in the AWS Console Mobile Application, or in other chat channels of your choice.

### Configure promotional support plan expiration notifications

1. Open User Notifications in the [AWS Management Console](#):
  - a. Choose the bell icon in the top navigation bar.
  - b. Choose **Notification center**.
  - c. In the navigation pane, choose **Notification configuration**.
  - d. Choose **Create notification configuration**.
  - e. Select at least one **Configuration hub**. For more information, see [Storing, processing, and replicating notifications using notification hubs in AWS User Notifications](#).
2. For **Event Rule**, enter the following information:
  - For **AWS service name**, enter **Support Plans**.
  - For **Event type**, enter **Support Plan Promotion Expiration**.
  - For **Regions**, select the source AWS Regions where you want to receive notifications. For this option, choose US East (N. Virginia), US East (Ohio), US West (N. California), and US West (Oregon).

3. Configure aggregation settings to reduce notification frequency. We recommend that you set aggregation to **Receive within 5 minutes**.
4. Configure the delivery channels where you want to receive notifications. If you don't select a delivery channel, you can view notifications by selecting the bell icon in the AWS Management Console navigation bar.

For detailed instructions on creating user-configured notifications, see [Step 1: creating a notification configuration in the AWS User Notifications User Guide](#).

## View promotional plan notifications

Your notifications are delivered to the delivery channel that you chose during configuration. You can also view notifications by choosing the bell icon in the console navigation bar. The bell icon shows a red badge when new notifications are available.

For more information on viewing notifications, see [Step 2: Viewing notifications](#) in the *AWS User Notifications User Guide*.

## Developer, Business, and Enterprise On-Ramp end of support

For information on transitioning to a new plan, see the following information specific to your plan and the [AWS Support Frequently Asked Questions](#).

 **Note**

Developer Support, Business Support, and Enterprise On-Ramp will remain available in the AWS GovCloud (US) Region.

## Developer Support plan end of support

End of Support Notice: Developer Support will be discontinued January 1, 2027. Customers with Developer Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information see, [Business Support+ plan details](#).

## Business Support plan end of support

End of Support Notice: Business Support will be discontinued January 1, 2027. Customers with Business Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information see, [Business Support+ plan details](#)

## Enterprise On-Ramp end of support

End of Support Notice: On January 1, 2027, AWS will discontinue Enterprise On-Ramp. Throughout 2026, Enterprise On-Ramp customers will be automatically upgraded to AWS Enterprise Support during contract renewal or in periodic batches. Customers will receive an email notification a month before their upgrade. No further action is required. Enterprise Support provides designated TAM assignment, 15-minute response times, and AWS Security Incident Response available at no additional cost, all at a lower \$5,000 minimum (reduced from \$15,000). For more information, see [AWS Enterprise Support plan details](#).

# AWS Trusted Advisor

## Important

End of Support Notice: Developer Support will be discontinued January 1, 2027. Customers with Developer Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information, see [Business Support+ plan details](#)

End of Support Notice: Business Support will be discontinued January 1, 2027. Customers with Business Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information see, [Business Support+ plan details](#)

End of Support Notice: On January 1, 2027, AWS will discontinue Enterprise On-Ramp. Throughout 2026, Enterprise On-Ramp customers will be automatically upgraded to AWS Enterprise Support during contract renewal or in periodic batches. Customers will receive an email notification a month before their upgrade. No further action is required. Enterprise Support provides designated TAM assignment, 15-minute response times, and AWS Security Incident Response available at no additional cost, all at a lower \$5,000 minimum (reduced from \$15,000). For more information, see [AWS Enterprise Support plan details](#).

For more information, see [Developer, Business, and Enterprise On-Ramp end of support](#). Developer Support, Business Support, and Enterprise On-Ramp will remain available in the AWS GovCloud (US) Region.

Trusted Advisor draws upon best practices learned from serving hundreds of thousands of AWS customers. Trusted Advisor inspects your AWS environment, and then makes recommendations when opportunities exist to save money, improve system availability and performance, or help close security gaps.

AWS Trusted Advisor checks are available to customers with an AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan.

If you have a Basic or Developer Support plan, you can use the Trusted Advisor console to access all checks in the Service Limits category and [selected checks](#) in the Security and Fault tolerance categories. Automatic check updates aren't available in the Basic and Developer Support plans. You must manually refresh Trusted Advisor checks in the Security category. To manually refresh a check, do the following:

If you have a Basic Support plan, you can use the Trusted Advisor console to access all checks in the Service Limits category and [selected checks](#) in the Security and Fault tolerance categories. Automatic check updates aren't available in the Basic and Developer Support plans. You must manually refresh Trusted Advisor checks in the Security category. To manually refresh a check, do the following:

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home>.
2. Select the **Refresh** button on the check that you want to refresh.

If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, you can use the Trusted Advisor console and the [AWS Trusted Advisor API](#) to access all Trusted Advisor checks. You also can use Amazon CloudWatch Events to monitor the status of Trusted Advisor checks. For more information, see [Monitoring AWS Trusted Advisor check results with Amazon EventBridge](#).

You can access Trusted Advisor in the AWS Management Console. For more information about controlling access to the Trusted Advisor console, see [Manage access to AWS Trusted Advisor](#).

For more information, see [Trusted Advisor](#).

## Topics

- [Get started with Trusted Advisor Recommendations](#)
- [Get started with the Trusted Advisor API](#)
- [Using Trusted Advisor as a web service](#)
- [Organizational view for AWS Trusted Advisor](#)
- [View AWS Trusted Advisor checks powered by AWS Config](#)
- [Viewing AWS Security Hub CSPM controls in AWS Trusted Advisor](#)
- [Opt in AWS Compute Optimizer for Trusted Advisor checks](#)
- [Get started with AWS Trusted Advisor Priority](#)

- [AWS Trusted Advisor check reference](#)
- [Change log for AWS Trusted Advisor](#)

## Get started with Trusted Advisor Recommendations

### Important

End of Support Notice: Developer Support will be discontinued January 1, 2027. Customers with Developer Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information, see [Business Support+ plan details](#)

End of Support Notice: Business Support will be discontinued January 1, 2027. Customers with Business Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information see, [Business Support+ plan details](#)

End of Support Notice: On January 1, 2027, AWS will discontinue Enterprise On-Ramp. Throughout 2026, Enterprise On-Ramp customers will be automatically upgraded to AWS Enterprise Support during contract renewal or in periodic batches. Customers will receive an email notification a month before their upgrade. No further action is required. Enterprise Support provides designated TAM assignment, 15-minute response times, and AWS Security Incident Response available at no additional cost, all at a lower \$5,000 minimum (reduced from \$15,000). For more information, see [AWS Enterprise Support plan details](#).

For more information, see [Developer, Business, and Enterprise On-Ramp end of support](#).

Developer Support, Business Support, and Enterprise On-Ramp will remain available in the AWS GovCloud (US) Region.

You can use the Trusted Advisor Recommendations page of the Trusted Advisor console to review check results for your AWS account and then follow the recommended steps to fix any issues. For example, Trusted Advisor might recommend that you delete unused resources to reduce your monthly bill, such as an Amazon Elastic Compute Cloud (Amazon EC2) instance.

You can also use the AWS Trusted Advisor API to perform operations on your Trusted Advisor checks. For more information, see the [AWS Trusted Advisor API Reference](#)

## Topics

- [Sign in to the Trusted Advisor console](#)
- [View check categories](#)
- [View specific checks](#)
- [Filter your checks](#)
- [Refresh check results](#)
- [Download check results](#)
- [Organizational view](#)
- [Preferences](#)

## Sign in to the Trusted Advisor console

You can view the checks and the status of each check in the Trusted Advisor console.

### Note

You must have AWS Identity and Access Management (IAM) permissions to access the Trusted Advisor console. For more information, see [Manage access to AWS Trusted Advisor](#).

### To sign in to the Trusted Advisor console

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home>.
2. On the **Trusted Advisor Recommendations** page, view the summary for each check category:
  - **Action recommended (red)** – Trusted Advisor recommends an action for the check. For example, a check that detects a security issue for your IAM resources might recommend urgent steps.
  - **Investigation recommended (yellow)** – Trusted Advisor detects a possible issue for the check. For example, a check that reaches a quota for a resource might recommend ways to delete unused resources.

- **Checks with excluded items (gray)** – The number of checks that have excluded items, such as resources that you want a check to ignore. For example, this might be Amazon EC2 instances that you don't want the check to evaluate.

### 3. You can do the following on the **Trusted Advisor Recommendations** page:

- To refresh all checks in your account, choose **Refresh all checks**.
- To create an .xls file that includes all check results, choose **Download all checks**.
- Under **Checks summary**, choose a check category, such as **Security**, to view the results.
- Under **Potential monthly savings**, you can view how much you can save for your account and the cost optimization checks for recommendations.
- Under **Recent changes**, you can view changes to check statuses within the last 30 days. Choose a check name to view the latest results for that check or choose the arrow icon to view the next page.

## Example : Trusted Advisor Recommendations

The following example shows a summary of the check results for an AWS account.

The screenshot shows the Trusted Advisor Recommendations page. At the top, there are links for 'Trusted Advisor' and 'Recommendations'. Below that, the title 'Trusted Advisor Recommendations' is displayed, along with two buttons: 'Refresh all checks' and 'Download all checks'. A message below the title says: 'Use this page to get an overview of the check results in your AWS account. Choose a check name or category to view the recommended actions or potential issues that Trusted Advisor has identified. Each check provides more information about how to address any issues. You can also download a summary of all check results.' A link 'Learn more' is also present. The main area is divided into two sections: 'Checks summary' and 'Potential monthly savings'. The 'Checks summary' section contains three categories with counts: 'Action recommended' (42), 'Investigation recommended' (127), and 'Checks with excluded items' (28). Each category has a table with specific check details. The 'Potential monthly savings' section shows a total of \$7,082.26 and a note about cost optimization checks.

Checks summary		Potential monthly savings	
<b>&gt;Action recommended</b>	<b>Investigation recommended</b>	<b>\$7,082.26</b>	
<b>Info</b>	<b>Info</b>	Trusted Advisor has identified 18 cost optimization checks that can save you money. For example, you might have unused resources in your AWS account that can be deleted. Choose a cost optimization check to view the recommendations.	
<b>42</b>	<b>127</b>	<a href="#">View all cost optimization checks</a>	
<b>Security</b>	<b>Fault tolerance</b>	<b>11</b>	
<b>Performance</b>	<b>Performance</b>	<b>11</b>	
<b>Fault tolerance</b>	<b>Operational Excellence</b>	<b>1</b>	
<b>Cost optimization</b>	<b>Cost optimization</b>	<b>2</b>	
<b>Service limits</b>	<b>Security</b>	<b>3</b>	

## View check categories

You can view the check descriptions and results for the following check categories:

- **Cost optimization** – Recommendations that can potentially save you money. These checks highlight unused resources and opportunities to reduce your bill.
- **Performance** – Recommendations that can improve the speed and responsiveness of your applications.

- **Security** – Recommendations for security settings that can make your AWS solution more secure.
- **Fault tolerance** – Recommendations that help increase the resiliency of your AWS solution. These checks highlight redundancy shortfalls and overused resources.
- **Service limits** – Checks the usage for your account and whether your account approaches or exceeds the limit (also known as quotas) for AWS services and resources.
- **Operational Excellence** – Recommendations to help you operate your AWS environment effectively, and at scale.

## To view check categories

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home>.
2. In the navigation pane, choose the check category.
3. On the category page, view the summary for each check category:
  - **Action recommended (red)** – Trusted Advisor recommends an action for the check.
  - **Investigation recommended (yellow)** – Trusted Advisor detects a possible issue for the check.
  - **No problems detected (green)** – Trusted Advisor doesn't detect an issue for the check.
  - **Excluded items (gray)** – The number of checks that have excluded items, such as resources that you want a check to ignore.
4. For each check, choose the refresh icon  
 )  
to refresh this check.
5. Choose the download icon  
 )  
to create an .xls file that includes the results for this check.

## Example : Cost optimization category

The following example shows 10 (green) checks that don't have any issues.

The screenshot shows the AWS Trusted Advisor Cost optimization checks page. At the top, there's an overview section with metrics: Potential monthly savings (\$7,082.26), Action recommended (1), Investigation recommended (14), No problems detected (10), and Checks with excluded items (11). Below this is a section for 'Cost optimization checks' with filters for Tag Key, Tag Value, and Apply filter. It also includes filters for Source (All sources) and View (All checks). A specific check named 'Amazon Comprehend Underutilized Endpoints' is expanded, showing its description: 'Checks the throughput configuration of your endpoints.' The status is 'Last updated: 2 hours ago'. There are navigation arrows at the bottom right.

## View specific checks

Expand a check to view the full check description, your affected resources, any recommended steps, and links to more information.

### To view a specific check

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home>.
2. In the navigation pane, choose a check category.
3. Choose the check name to view the description and the following details:
  - **Alert Criteria** – Describes the threshold when a check will change status.
  - **Recommended Action** – Describes the recommended actions for this check.
  - **Additional Resources** – Lists related AWS documentation.
  - A table that lists the affected items in your account. You can include or exclude these items from check results.
4. (Optional) To exclude items so that they don't appear in check results:
  - a. Select an item and choose **Exclude & Refresh**.
  - b. To view all excluded items, choose **Excluded items**.
5. (Optional) To include items so that the check evaluates them again:

- a. Choose **Excluded items**, select an item, and then choose **Include & Refresh**.
  - b. To view all included items, choose **Included items**.
6. Choose the settings icon ).

In the **Preferences** dialog box, you can specify the number of items or the properties to display, and then choose **Confirm**.

## Example : Cost optimization check

The following **Low Utilization Amazon EC2 Instances** check lists the affected instances in the account. This check identifies 38 Amazon EC2 instances that have low usage and recommends that you stop or terminate the resources.

▼  Low Utilization Amazon EC2 Instances Last updated: 14 hours ago  

Checks the Amazon Elastic Compute Cloud (Amazon EC2) instances that were running at any time during the last 14 days and alerts you if the daily CPU utilization was 10% or less and network I/O was 5 MB or less on 4 or more days. Running instances generate hourly usage charges. Although some scenarios can result in low utilization by design, you can often lower your costs by managing the number and size of your instances.

Estimated monthly savings are calculated by using the current usage rate for On-Demand Instances and the estimated number of days the instance might be underutilized. Actual savings will vary if you are using Reserved Instances or Spot Instances, or if the instance is not running for a full day. To get daily utilization data, download the report for this check.

**Alert Criteria**

Yellow: An instance had 10% or less daily average CPU utilization and 5 MB or less network I/O on at least 4 of the previous 14 days.

**Recommended Action**

Consider stopping or terminating instances that have low utilization, or scale the number of instances by using Auto Scaling. For more information, see [Stop and Start Your Instance](#), [Terminate Your Instance](#), and [What is Auto Scaling?](#)

**Additional Resources**

[Monitoring Amazon EC2](#)  
[Instance Metadata and User Data](#)  
[Amazon CloudWatch Developer Guide](#)  
[Auto Scaling Developer Guide](#)

Low Utilization Amazon EC2 Instances (38)				<a href="#">Exclude &amp; Refresh</a>	<a href="#">Included items ▾</a>	
38 of 39 Amazon EC2 instances have low average daily utilization. Monthly savings of up to \$713.23 might be available by minimizing underutilized instances. 1 items have been excluded.						
				<	1 2 > 	
Region/AZ	Instance ID	Instance Name		Instance Type	Estimated Monthly Savings	CPU Utilization 14-Day Average
ca-central-1b	i-0f818268643c7ae32			t2.micro	\$9.22	0.1%
ca-central-1a	i-06c233a11aa626588			t2.micro	\$9.22	0.1%

## Filter your checks

On the check category pages, you can specify which check results that you want to view. For example, you might filter by checks that have detected errors in your account so that you can investigate urgent issues first.

If you have checks that evaluate items in your account, such as AWS resources, you can use tag filters to only show items that have the specified tag.

## To filter your checks

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home>.
2. In the navigation pane or the **Trusted Advisor Recommendations** page, choose the check category.
3. For **Search by keyword**, enter a keyword from the check name or description to filter your results.
4. For the **View** list, specify which checks to view:
  - **All checks** – List all checks for this category.
  - **Action recommended** – List checks that recommend that you take action. These checks are highlighted in red.
  - **Investigation recommended** – List checks that recommend that you take possible action. These checks are highlighted in yellow.
  - **No problems detected** – List checks that don't have any issues. These checks are highlighted in green.
  - **Checks with excluded items** – List checks that you specified to exclude items from the check results.
5. If you added tags to your AWS resources, such as Amazon EC2 instances or AWS CloudTrail trails, you can filter your results so that the checks only show items that have the specified tag.

For **Filter by tag**, enter a tag key and value, and then choose **Apply filter**.
6. In the table for the check, the check results only show items that have the specified key and value.
7. To clear the filter by tags, choose **Reset**.

## Related information

For more information about tagging for Trusted Advisor, see the following topics:

- [AWS Support enables tagging capabilities for Trusted Advisor](#)
- [Tagging AWS resources](#) in the *AWS General Reference*

## Refresh check results

You can refresh checks to get the latest results for your account. If you have a Developer or Basic Support plan, you can sign in to the Trusted Advisor console to refresh the checks. If you have an AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, Trusted Advisor automatically refreshes the checks in your account on a weekly basis.

### To refresh Trusted Advisor checks

1. Navigate to the AWS Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor>.
2. On the **Trusted Advisor Recommendations** or a check category page, choose **Refresh all checks**.

You can also refresh specific checks in the following ways:

- Choose the refresh icon  for an individual check.
- Use the [RefreshTrustedAdvisorCheck](#) API operation.

### Notes

- Trusted Advisor automatically refreshes some checks several times a day, such as the **AWS Well-Architected high risk issues for reliability** check. It might take a few hours for changes to appear in your account. For these automatically refreshed checks, you can't choose the refresh icon  to manually refresh your results.
- If you enabled AWS Security Hub CSPM for your account, you can't use the Trusted Advisor console to refresh Security Hub CSPM controls. For more information, see [Refresh your Security Hub CSPM findings](#).

## Download check results

You can download check results to get an overview of Trusted Advisor in your account. You can download results for all checks or a specific check.

### To download check results from Trusted Advisor Recommendations

1. Navigate to the AWS Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor>.
  - To download all check results, in the **Trusted Advisor Recommendations** or a check category page, choose **Download all checks**.
  - To download a check result for a specific check, choose the check name, and then choose the download icon  ( ).
2. Save or open the .xls file. The file contains the same summary information from the Trusted Advisor console, such as the check name, description, status, affected resources, and so on.

## Organizational view

You can set up the organizational view feature to create a report for all member accounts in your AWS organization. For more information, see [Organizational view for AWS Trusted Advisor](#).

## Preferences

On the **Manage Trusted Advisor** page, you can [disable Trusted Advisor](#).

On the **Notifications** page, you can configure your weekly email messages for the check summary. See [Set up notification preferences](#).

On the **Your organization** page, you can enable or disable trusted access with AWS Organizations. This is required for the [Organizational view for AWS Trusted Advisor](#) feature and [Trusted Advisor Priority](#).

## Set up notification preferences

Specify who can receive the weekly Trusted Advisor email messages for check results and the language. You receive an email notification about your check summary for Trusted Advisor Recommendations once a week.

The email notifications for Trusted Advisor Recommendations don't include results for Trusted Advisor Priority. For more information, see [Manage Trusted Advisor Priority notifications](#).

## To set up notification preferences

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home>.
2. In the navigation pane, under **Preferences**, choose **Notifications**.
3. For **Recommendations**, select whom to notify for your check results. You can add and remove contacts from the [Account Settings](#) page in the AWS Billing and Cost Management console.
4. For **Language**, choose the language for the email message.
5. Choose **Save your preferences**.

## Set up organizational view

If you set up your account with AWS Organizations, you can create reports for all member accounts in your organization. For more information, see [Organizational view for AWS Trusted Advisor](#).

## Disable Trusted Advisor

When you disable this service, Trusted Advisor won't perform any checks on your account. Anyone who tries to access the Trusted Advisor console or use the API operations will receive an access denied error message.

## To disable Trusted Advisor

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home>.
2. In the navigation pane, under **Preferences**, choose **Manage Trusted Advisor**.
3. Under **Trusted Advisor**, turn off **Enabled**. This action disables Trusted Advisor for all checks in your account.
4. You can then manually delete the [AWSServiceRoleForTrustedAdvisor](#) from your account. For more information, see [Deleting a service-linked role for Trusted Advisor](#).

## Related information

For more information about Trusted Advisor, see the following topics:

- [How do I start using Trusted Advisor?](#)
- [AWS Trusted Advisor check reference](#)

## Get started with the Trusted Advisor API

### Important

End of Support Notice: Developer Support will be discontinued January 1, 2027. Customers with Developer Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information, see [Business Support+ plan details](#)

End of Support Notice: Business Support will be discontinued January 1, 2027. Customers with Business Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information see, [Business Support+ plan details](#)

End of Support Notice: On January 1, 2027, AWS will discontinue Enterprise On-Ramp. Throughout 2026, Enterprise On-Ramp customers will be automatically upgraded to AWS Enterprise Support during contract renewal or in periodic batches. Customers will receive an email notification a month before their upgrade. No further action is required. Enterprise Support provides designated TAM assignment, 15-minute response times, and AWS Security Incident Response available at no additional cost, all at a lower \$5,000 minimum (reduced from \$15,000). For more information, see [AWS Enterprise Support plan details](#).

For more information, see [Developer, Business, and Enterprise On-Ramp end of support](#).

Developer Support, Business Support, and Enterprise On-Ramp will remain available in the AWS GovCloud (US) Region.

The AWS Trusted Advisor API Reference is intended for programmers that need detailed information about the Trusted Advisor API operations and data types. This API provides access to Trusted Advisor recommendations for your account or all the accounts within your AWS Organization. The Trusted Advisor API uses HTTP methods that returns results in JSON format.

**Note**

- You must have an AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan to use the Trusted Advisor API.
- If you call the AWS Trusted Advisor API from an account that doesn't have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, then you receive an Access Denied exception. For more information about changing your support plan, [see AWS Support](#).

You can use the AWS Trusted Advisor API to get a list of checks and their descriptions, recommendations, and resources for recommendations. You can also update the lifecycle of recommendations. To manage recommendations, use the following API operations:

- Use the [ListChecks](#), [ListRecommendations](#), [GetRecommendation](#), and [ListRecommendationResources](#) API operations to view recommendations and corresponding accounts and resources.
- Use The [UpdateRecommendationLifecycle](#) API operation to update the lifecycle of a recommendation that's managed by Trusted Advisor Priority.
- Use The [BatchUpdateRecommendationResourceExclusion](#) API operation to include or exclude one or more resources from your Trusted Advisor results.
- The [ListOrganizationRecommendations](#), [GetOrganizationRecommendation](#), [ListOrganizationRecommendationResources](#), [ListOrganizationRecommendationAccounts](#), and [UpdateOrganizationRecommendationLifecycle](#) API calls support only recommendations that are managed by Trusted Advisor Priority. These recommendations are also referred to as prioritized recommendations. You can view and manage your prioritized recommendations from a management or delegated admin account if you have activated Trusted Advisor Priority. If Priority isn't activated, then you receive an Access Denied exception when you make requests.

For more information, [see AWS Trusted Advisor in the AWS Support User Guide](#).

For authentication of requests, [see the Signature Version 4 Signing Process](#).

# Using Trusted Advisor as a web service

The AWS Support service enables you to write applications that interact with [AWS Trusted Advisor](#). This topic shows you how to get a list of Trusted Advisor checks, refresh one of them, and then get the detailed results from the check. These tasks are demonstrated in Java. For information about support for other languages, see [Tools for Amazon Web Services](#).

## Topics

- [Get the list of available Trusted Advisor checks](#)
- [Refresh the list of available Trusted Advisor checks](#)
- [Poll a Trusted Advisor check for status changes](#)
- [Request a Trusted Advisor check result](#)
- [Show details of a Trusted Advisor check](#)

## Get the list of available Trusted Advisor checks

The following Java code snippet creates an instance of an Support client that you can use to call all Trusted Advisor API operations. Next, the code gets the list of Trusted Advisor checks and their corresponding CheckId values by calling the [DescribeTrustedAdvisorChecks](#) API operation. You can use this information to build user interfaces that enable users to select the check they want to run or refresh.

```
private static AWSSupport createClient()
{
    return AWSSupportClientBuilder.defaultClient();
}
// Get the List of Available Trusted Advisor Checks
public static void getTAChecks() {
    // Possible language parameters: "en" (English), "ja" (Japanese), "fr" (French),
    // "zh" (Chinese)
    DescribeTrustedAdvisorChecksRequest request = new
    DescribeTrustedAdvisorChecksRequest().withLanguage("en");
    DescribeTrustedAdvisorChecksResult result =
    createClient().describeTrustedAdvisorChecks(request);
    for (TrustedAdvisorCheckDescription description : result.getChecks()) {
        // Do something with check description.
        System.out.println(description.getId());
        System.out.println(description.getName());
```

```
    }  
}
```

## Refresh the list of available Trusted Advisor checks

The following Java code snippet creates an instance of an `Support` client that you can use to refresh Trusted Advisor data.

```
// Refresh a Trusted Advisor Check  
// Note: Some checks are refreshed automatically, and they cannot be refreshed by using  
// this operation.  
// Specifying the check ID of a check that is automatically refreshed causes an  
// InvalidParameterValue error.  
public static void refreshTACheck(final String checkId) {  
    RefreshTrustedAdvisorCheckRequest request = new  
    RefreshTrustedAdvisorCheckRequest().withCheckId(checkId);  
    RefreshTrustedAdvisorCheckResult result =  
    createClient().refreshTrustedAdvisorCheck(request);  
    System.out.println("CheckId: " + result.getStatus().getCheckId());  
    System.out.println("Milliseconds until refreshable: " +  
    result.getStatus().getMillisUntilNextRefreshable());  
    System.out.println("Refresh Status: " + result.getStatus().getStatus());  
}
```

## Poll a Trusted Advisor check for status changes

After you submit the request to run a Trusted Advisor check to generate the latest status data, you use the [DescribeTrustedAdvisorCheckRefreshStatuses](#) API operation to request the progress of the check's run, and when new data is ready for the check.

The following Java code snippet gets the status of the check requested in the following section, using the value corresponding in the `CheckId` variable. In addition, the code demonstrates several other uses of the Trusted Advisor service:

1. You can call `getMillisUntilNextRefreshable` by traversing the objects contained in the `DescribeTrustedAdvisorCheckRefreshStatusesResult` instance. You can use the value returned to test whether you want your code to proceed with refreshing the check.
2. If `timeUntilRefreshable` equals zero, you can request a refresh of the check.
3. Using the status returned, you can continue to poll for status changes; the code snippet sets the polling interval to a recommended ten seconds. If the status is either enqueued or

`in_progress`, the loop returns and requests another status. If the call returns successful, the loop terminates.

- Finally, the code returns an instance of a `DescribeTrustedAdvisorCheckResultResult` data type that you can use to traverse the information produced by the check.

**Note:** Use a single refresh request before polling for the status of the request.

```
// Retrieves TA refresh statuses. Multiple checkId's can be submitted.
public static List<TrustedAdvisorCheckRefreshStatus> getTARefreshStatus(final String...
checkIds) {
    DescribeTrustedAdvisorCheckRefreshStatusesRequest request =
        new
DescribeTrustedAdvisorCheckRefreshStatusesRequest().withCheckIds(checkIds);
    DescribeTrustedAdvisorCheckRefreshStatusesResult result =
        createClient().describeTrustedAdvisorCheckRefreshStatuses(request);
    return result.getStatuses();
}
// Retrieves a TA check status, and checks to see if it has finished processing.
public static boolean isTACheckStatusInTerminalState(final String checkId) {
    // Since we only submitted one checkId to getTARefreshStatus, just retrieve the
    // only element in the list.
    TrustedAdvisorCheckRefreshStatus status = getTARefreshStatus(checkId).get(0);
    // Valid statuses are:
    // 1. "none", the check has never been refreshed before.
    // 2. "queued", the check is waiting to be processed.
    // 3. "processing", the check is in the midst of being processed.
    // 4. "success", the check has succeeded and finished processing - refresh data is
    // available.
    // 5. "abandoned", the check has failed to process.
    return status.getStatus().equals("abandoned") ||
status.getStatus().equals("success");
}
// Enqueues a Trusted Advisor check refresh. Periodically polls the check refresh
// status for completion.
public static TrustedAdvisorCheckResult getFreshTACheckResult(final String checkId)
throws InterruptedException {
    refreshTACheck(checkId);
    while(!isTACheckStatusInTerminalState(checkId)) {
        Thread.sleep(10000);
    }
    return getTACheckResult(checkId);
}
```

```
// Retrieves fresh TA check data whenever possible.  
// Note: Some checks are refreshed automatically, and they cannot be refreshed by using  
// this operation. This method  
// is only functional for checks that can be refreshed using the  
RefreshTrustedAdvisorCheck operation.  
public static void pollForTACheckResultChanges(final String checkId) throws  
InterruptedException {  
    String checkResultStatus = null;  
    do {  
        TrustedAdvisorCheckResult result = getFreshTACheckResult(checkId);  
        if (checkResultStatus != null && !checkResultStatus.equals(result.getStatus()))  
    {  
        break;  
    }  
    checkResultStatus = result.getStatus();  
    // The rule refresh has completed, but due to throttling rules the checks may  
not be refreshed again  
    // for a short period of time.  
    // Since we only submitted one checkId to getTAResfreshStatus, just retrieve the  
only element in the list.  
    TrustedAdvisorCheckRefreshStatus refreshStatus =  
getTAResfreshStatus(checkId).get(0);  
    Thread.sleep(refreshStatus.getMillisUntilNextRefreshable());  
} while(true);  
// Signal that a TA check has changed check result status here.  
}
```

## Request a Trusted Advisor check result

After you select the check for the detailed results that you want, you submit a request by using the [DescribeTrustedAdvisorCheckResult](#) API operation.

### Tip

The names and descriptions for Trusted Advisor checks are subject to change. We recommend that you specify the check ID in your code to uniquely identify a check. You can use the [DescribeTrustedAdvisorChecks](#) API operation to get the check ID.

The following Java code snippet uses the `DescribeTrustedAdvisorChecksResult` instance referenced by the variable `result`, which was obtained in the preceding code snippet. Rather

than defining a check interactively through a user interface. After you submit the request to run the snippet submits a request for the first check in the list to be run by specifying an index value of 0 in each `result.getChecks().get(0)` call. Next, the code defines an instance of `DescribeTrustedAdvisorCheckResultRequest`, which it passes to an instance of `DescribeTrustedAdvisorCheckResultResult` called `checkResult`. You can use the member structures of this data type to view the results of the check.

```
// Request a Trusted Advisor Check Result
public static TrustedAdvisorCheckResult getTACheckResult(final String checkId) {
    DescribeTrustedAdvisorCheckResultRequest request = new
    DescribeTrustedAdvisorCheckResultRequest()
        // Possible language parameters: "en" (English), "ja" (Japanese),
        "fr" (French), "zh" (Chinese)
        .withLanguage("en")
        .withCheckId(checkId);
    DescribeTrustedAdvisorCheckResultResult requestResult =
    createClient().describeTrustedAdvisorCheckResult(request);
    return requestResult.getResult();
}
```

**Note:** Requesting a Trusted Advisor Check Result doesn't generate updated results data.

## Show details of a Trusted Advisor check

The following Java code snippet iterates over the `DescribeTrustedAdvisorCheckResultResult` instance returned in the previous section to get a list of resources flagged by the Trusted Advisor check.

```
// Show ResourceIds for flagged resources.
for (TrustedAdvisorResourceDetail flaggedResource :
    result1.getResult().getFlaggedResources())
{
    System.out.println(
        "The resource for this ResourceID has been flagged: " +
        flaggedResource.getResourceId());
}
```

# Organizational view for AWS Trusted Advisor

## Important

End of Support Notice: Developer Support will be discontinued January 1, 2027. Customers with Developer Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information, see [Business Support+ plan details](#)

End of Support Notice: Business Support will be discontinued January 1, 2027. Customers with Business Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information see, [Business Support+ plan details](#)

End of Support Notice: On January 1, 2027, AWS will discontinue Enterprise On-Ramp. Throughout 2026, Enterprise On-Ramp customers will be automatically upgraded to AWS Enterprise Support during contract renewal or in periodic batches. Customers will receive an email notification a month before their upgrade. No further action is required. Enterprise Support provides designated TAM assignment, 15-minute response times, and AWS Security Incident Response available at no additional cost, all at a lower \$5,000 minimum (reduced from \$15,000). For more information, see [AWS Enterprise Support plan details](#).

For more information, see [Developer, Business, and Enterprise On-Ramp end of support](#). Developer Support, Business Support, and Enterprise On-Ramp will remain available in the AWS GovCloud (US) Region.

Organizational view lets you view Trusted Advisor checks for all accounts in your [AWS Organizations](#). After you enable this feature, you can create reports to aggregate the check results for all member accounts in your organization. The report includes a summary of check results and information about affected resources for each account. For example, you can use the reports to identify which accounts in your organization are using AWS Identity and Access Management (IAM) with the IAM Use check or whether you have recommended actions for Amazon Simple Storage Service (Amazon S3) buckets with the Amazon S3 Bucket Permissions check.

## Topics

- [Prerequisites](#)
- [Enable organizational view](#)
- [Refresh Trusted Advisor checks](#)
- [Create organizational view reports](#)
- [View the report summary](#)
- [Download an organizational view report](#)
- [Disable organizational view](#)
- [Using IAM policies to allow access to organizational view](#)
- [Using other AWS services to view Trusted Advisor reports](#)

## Prerequisites

You must meet the following requirements to enable organizational view:

- Your accounts must be members of an [AWS Organizations](#).
- Your organization must have all features enabled for Organizations. For more information, see [Enabling all features in your organization](#) in the *AWS Organizations User Guide*.
- The management account in your organization must have an AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan. You can find your support plan from the AWS Support Center or from the [Support plans](#) page. See [Compare AWS Support plans](#).
- You must sign in as a user in the [management account](#) (or [assumed equivalent role](#)). Whether you sign in as an IAM user or an IAM role, you must have a policy with the required permissions. See [Using IAM policies to allow access to organizational view](#).

## Enable organizational view

After you meet the prerequisites, follow these steps to enable organizational view. After you enable this feature, the following happens:

- Trusted Advisor is enabled as a *trusted service* in your organization. For more information, see [Enabling trusted access with other AWS services](#) in the *AWS Organizations User Guide*.
- The `AWSServiceRoleForTrustedAdvisorReporting` service-linked-role is created for you in the management account in your organization. This role includes the permissions that Trusted

Advisor needs to call Organizations on your behalf. This service-linked role is locked, and you can't delete it manually. For more information, see [Using service-linked roles for Trusted Advisor](#).

You enable organizational view from the Trusted Advisor console.

### To enable organizational view

1. Sign in as an administrator in the organization's management account and open the AWS Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor>.
2. In the navigation pane, under **Preferences**, choose **Your organization**.
3. Under **Enable trusted access with AWS Organizations**, turn on **Enabled**.

#### Note

Enabling organizational view for the management account doesn't provide the same checks for all member accounts. For example, if your member accounts all have Basic Support, those accounts won't have the same checks available as your management account. The AWS Support plan determines which Trusted Advisor checks are available for an account.

## Refresh Trusted Advisor checks

Before you create a report for your organization, we recommend that you refresh the statuses of your Trusted Advisor checks. You can download a report without refreshing your Trusted Advisor checks, but your report might not have the latest information.

If you have an AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, Trusted Advisor automatically refreshes the checks in your account on a weekly basis.

#### Note

If you have accounts in your organization that have a Developer or Basic support plan, a user for those accounts must sign in to the Trusted Advisor console to refresh the checks. You can't refresh checks for all accounts from the organization's management account.

## To refresh Trusted Advisor checks

1. Navigate to the AWS Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor>.
2. On the **Trusted Advisor Recommendations** page, choose the **Refresh all checks**. This refreshes all checks in your account.

You can also refresh specific checks in the following ways:

- Use the [RefreshTrustedAdvisorCheck](#) API operation.
- Choose the refresh icon  
 ( ) for an individual check.

## Create organizational view reports

After you enable organizational view, you can create reports so that you can view Trusted Advisor check results for your organization.

You can create up to 50 reports. If you create reports beyond this quota, Trusted Advisor deletes the earliest report. You can't recover deleted reports.

### To create organizational view reports

1. Sign in to the organization's management account and open the AWS Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor>.
2. In the navigation pane, choose **Organizational View**.
3. Choose **Create report**.
4. By default, the report includes all AWS Regions, check categories, checks, and resource statuses. On the **Create report** page, you can use the filter options to customize your report. For example, you can clear the **All** option for **Region**, and then specify the individual Regions to include in the report.
  - a. Enter a **Name** for the report.
  - b. For **Format**, choose **JSON** or **CSV**.
  - c. For **Region**, specify the AWS Regions or choose **All**.

- d. For **Check category**, choose the check category or choose **All**.
- e. For **Checks**, choose the specific checks for that category or choose **All**.

 **Note**

The **Check category** filter overrides the **Checks** filter. For example, if you choose the **Security** category and then choose a specific check name, your report includes all check results for that category. To create a report for only specific checks, keep the default **All** value for **Check category** and then choose your check names.

- f. For **Resource status**, choose the status to filter, such as **Warning**, or choose **All**.
5. For **AWS Organizations**, select the organizational units (OUs) to include in your report. For more information about OUs, see [Managing organizational units](#) in the *AWS Organizations User Guide*.
6. Choose **Create report**.

### Example : Create report filter options

The following example creates a JSON report for the following:

- Three AWS Regions
- All **Security** and **Performance** checks

## Report filters

Choose the filter options for your report.

### Report name

The report name can be up to 100 characters and can't start with a hyphen. Valid characters: A-Z, a-z, 0-9, and - (hyphen)

### Format



### Region

us-east-1 Xus-east-2 Xus-west-1 X

### Check category

Security XPerformance X

### Checks



### Resource status


All X

In the following example, the report includes the **support-team** organizational unit and one AWS account that are part of the organization.

## AWS organization

You can select the organizational units (OUs) and individual AWS accounts to include in your report.

### Organizational structure



### Notes

- The amount of time it takes to create the report depends on the number of accounts in the organization and the number of resources in each account.
- You can't create more than one report at a time unless the current report has been running for more than 6 hours.
- Refresh the page if you don't see the report appear on the page.

## View the report summary

After the report is ready, you can view the report summary from the Trusted Advisor console. This lets you quickly view the summary of your check results across your organization.

### To view the report summary

1. Sign in to the organization's management account and open the AWS Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor>.
2. In the navigation pane, choose **Organizational View**.
3. Choose the report name.
4. On the **Summary** page, view the check statuses for each category. You can also choose **Download report**.

## Example : Report summary for an organization

organizational-view-report summary					<a href="#">Download report</a>	
Number of Accounts		Date created		Format		
5		success (June 25, 2021 22:43:05)			JSON	
<span style="color: red;">✖</span> 22	<span style="color: blue;">Info</span>	<span style="color: red;">⚠</span> 56	<span style="color: blue;">Info</span>	<span style="color: green;">✓</span> 377	<span style="color: blue;">Info</span>	<span style="color: gray;">⊖</span> 0
Action recommended	Investigation recommended	No problems detected	Excluded items			
Cost Optimization	0	Cost Optimization	18	Cost Optimization	20	Cost Optimization
Performance	0	Performance	5	Performance	35	Performance
Security	15	Security	9	Security	40	Security
Fault Tolerance	7	Fault Tolerance	24	Fault Tolerance	37	Fault Tolerance
Service Limits	0	Service Limits	0	Service Limits	245	Service Limits
<span style="color: gray;">⊖</span> 2	<span style="color: blue;">Info</span>					
check-summary-info-undefined						
Cost Optimization	2					
Potential monthly savings						
\$8,009.82						

## Download an organizational view report

After your report is ready, download it from the Trusted Advisor console. The report is a .zip file that contains three files:

- `summary.json` – Contains a summary of the check results for each check category.
- `schema.json` – Contains the schema for the specified checks in the report.
- A resources file (`.json` or `.csv`) – Contains detailed information about the check statuses for resources in your organization.

## To download an organizational view report

1. Sign in to the organization's management account and open the AWS Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor>.
2. In the navigation pane, choose **Organizational View**.

The **Organizational View** page displays the available reports to download.

3. Select a report, choose **Download report**, and then save the file. You can only download one report at a time.

The screenshot shows the 'Organizational View' page. At the top, a heading says 'With AWS organizations, you can create reports for check results across all AWS accounts within an organization. This provides you a centralized view for all AWS Trusted Advisor checks. You can also view and download reports on this page. Use this report to identify issues and take action for accounts in your organization.' Below this is a 'Reports (50)' section with a table. The table has columns: Report name, Date generated, Status, and Format. It lists three reports: 'all-regions-check-report' (generated June 15, 2021, Success, JSON), 'json-us-east-1-region-only' (generated June 14, 2021, Success, JSON), and 'security-checks-only-all-accounts' (generated June 10, 2021, Success, JSON). There are 'Create report' and 'Download report' buttons above the table.

Report name	Date generated	Status	Format
all-regions-check-report	June 15, 2021 18:43:42	Success	JSON
json-us-east-1-region-only	June 14, 2021 20:54:29	Success	JSON
security-checks-only-all-accounts	June 10, 2021 03:33:59	Success	JSON

4. Unzip the file.
5. Use a text editor to open the .json file or a spreadsheet application to open the .csv file.

### **Note**

You might receive multiple files if your report is 5 MB or larger.

## Example : summary.json file

The `summary.json` file shows the number of accounts in the organization and the statuses of the checks in each category.

Trusted Advisor uses the following color code for check results:

- Green – Trusted Advisor doesn't detect an issue for the check.
- Yellow – Trusted Advisor detects a possible issue for the check.
- Red – Trusted Advisor detects an error and recommends an action for the check.
- Blue – Trusted Advisor can't determine the status of the check.

In the following example, two checks are Red, one is Green, and one is Yellow.

```
{  
    "numAccounts": 3,  
    "filtersApplied": {  
        "accountIds": ["123456789012", "111122223333", "111111111111"],  
        "checkIds": "All",  
        "categories": [  
            "security",  
            "performance"  
        ],  
        "statuses": "All",  
        "regions": [  
            "us-west-1",  
            "us-west-2",  
            "us-east-1"  
        ],  
        "organizationalUnitIds": [  
            "ou-xa9c-EXAMPLE1",  
            "ou-xa9c-EXAMPLE2"  
        ]  
    "categoryStatusMap": {  
        "security": {  
            "statusMap": {  
                "ERROR": {  
                    "name": "Red",  
                    "count": 2  
                },  
                "OK": {  
                    "name": "Green",  
                    "count": 1  
                },  
                "WARN": {  
                    "name": "Yellow",  
                    "count": 1  
                }  
            }  
        }  
    }  
}
```

```
        }
    },
    "name": "Security"
}
},
"accountStatusMap": {
    "123456789012": {
        "security": {
            "statusMap": {
                "ERROR": {
                    "name": "Red",
                    "count": 2
                },
                "OK": {
                    "name": "Green",
                    "count": 1
                },
                "WARN": {
                    "name": "Yellow",
                    "count": 1
                }
            },
            "name": "Security"
        }
    }
}
}
```

## Example : schema.json file

The schema.json file includes the schema for the checks in the report. The following example includes the IDs and properties for the IAM Password Policy (Yw2K9puPzl) and IAM Key Rotation (DqdJqYeRm5) checks.

```
{
    "Yw2K9puPzl": [
        "Password Policy",
        "Uppercase",
        "Lowercase",
        "Number",
        "Non-alphanumeric",
        "Status",
        "Reason"
    ]
}
```

```

    ],
    "DqdJqYeRm5": [
        "Status",
        "IAM User",
        "Access Key",
        "Key Last Rotated",
        "Reason"
    ],
    ...
}

```

## Example : resources.csv file

The `resources.csv` file includes information about resources in the organization. This example shows some of the data columns that appear in the report, such as the following:

- Account ID of the affected account
- The Trusted Advisor check ID
- The resource ID
- Timestamp of the report
- The full name of the Trusted Advisor check
- The Trusted Advisor check category
- The account ID of the parent organizational unit (OU) or root

AccountId	CheckId	ResourceId	TimeStamp	CheckName	Category
1.11122E+11	Qch7DwouX1	LnW14f1M40NMjmMLvY50	1.58983E+12	Low Utilization Amazon EC2 Instances	Cost Optimizing
1.11122E+11	HCP4007jGY	dJrQZXw36ZdswBeo9WUI	1.58983E+12	Security Groups - Specific Ports Unrestricted	Security
1.11122E+11	HCP4007jGY	1hzakmTbWd5UmAM_a0L	1.58983E+12	Security Groups - Specific Ports Unrestricted	Security
4.44456E+11	1iG5NDGVre	dJrQZXw36ZdswBeo9WUI	1.58983E+12	Security Groups - Unrestricted Access	Security
4.44456E+11	1iG5NDGVre	1hzakmTbWd5UmAM_a0L	1.58983E+12	Security Groups - Unrestricted Access	Security
4.44456E+11	Pfx0RwqBli	vioZmlba45kf2JWle_W0j5	1.58983E+12	Amazon S3 Bucket Permissions	Security
4.44456E+11	Pfx0RwqBli	wAvASS3YOWy6WWxIBHf	1.58983E+12	Amazon S3 Bucket Permissions	Security
1.23457E+11	Pfx0RwqBli	Llc4zRaUSIIGRSlmqMa5V	1.58983E+12	Amazon S3 Bucket Permissions	Security
1.23457E+11	Pfx0RwqBli	gWB27TMXof2evYzMSYBg	1.58983E+12	Amazon S3 Bucket Permissions	Security
7.77789E+11	Pfx0RwqBli	M3LBsF0e15CI9Mxppapcx	1.58983E+12	Amazon S3 Bucket Permissions	Security
7.77789E+11	Yw2K9puPzl	47DEQpj8HBSa-_TImW-5J0	1.58983E+12	IAM Password Policy	Security
7.77789E+11	H7lgTzjTYb	1xHQ5ovV8bS0H1Z-t7Kbit	1.58983E+12	Amazon EBS Snapshots	Fault Tolerance
7.77789E+11	wuy7G1zxql	10F6p6VAFOF-MuL6Dc-dl1	1.58983E+12	Amazon EC2 Availability Zone Balance	Fault Tolerance

The resources file only contains entries if a check result exists at the resource level. You might not see checks in the report for the following reasons:

- Some checks, such as **MFA on Root Account**, don't have resources and won't appear in the report. Checks without resources appear in the summary.json file instead.
- Some checks only show resources if they are Red or Yellow. If all resources are Green, they might not appear in your report.
- If an account isn't enabled for a service that requires the check, the check might not appear in the report. For example, if you're not using Amazon Elastic Compute Cloud Reserved Instances in your organization, the Amazon EC2 Reserved Instance Lease Expiration check won't appear in your report.
- The account hasn't refreshed check results. This might happen when users with a Basic or Developer support plan sign in to the Trusted Advisor console for the first time. If you have an AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, it can take up to one week from account sign up for users to see check results. For more information, see [Refresh Trusted Advisor checks](#).
- If only the organization's management account enabled recommendations for checks, the report won't include resources for other accounts in the organization.

For the resources file, you can use common software such as Microsoft Excel to open the .csv file format. You can use the .csv file for one-time analysis of all checks across all accounts in your organization. If you want to use your report with an application, you can download the report as a .json file instead.

The .json file format provides more flexibility than the .csv file format for advanced use cases such as aggregation and advanced analytics with multiple datasets. For example, you can use a SQL interface with an AWS service such as Amazon Athena to run queries on your reports. You can also use Amazon Quick Suite to create dashboards and visualize your data. For more information, see [Using other AWS services to view Trusted Advisor reports](#).

## Disable organizational view

Follow this procedure to disable organizational view. You must sign in to the organization's management account or assume a role with the required permissions to disable this feature. You can't disable this feature from another account in the organization.


After you disable this feature, the following happens:

- Trusted Advisor is removed as a trusted service in Organizations.

- The AWSServiceRoleForTrustedAdvisorReporting service-linked role is unlocked in the organization's management account. This means you can delete it manually, if needed.
- You can't create, view, or download reports for your organization. To access previously created reports, you must reenable organizational view from the Trusted Advisor console. See [Enable organizational view](#).

## To disable organizational view for Trusted Advisor

1. Sign in to the organization's management account and open the AWS Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor>.
2. In the navigation pane, choose **Preferences**.
3. Under **Organizational View**, choose **Disable organizational view**.



After you disable organizational view, Trusted Advisor no longer aggregates checks from other AWS accounts in your organization. However, the AWSServiceRoleForTrustedAdvisorReporting service-linked role remains on the organization's management account until you delete it through the IAM console, IAM API, or AWS Command Line Interface (AWS CLI). For more information, see [Deleting a service-linked role](#) in the [IAM User Guide](#).

### Note

You can use other AWS services to query and visualize your data for organizational view reports. For more information, see the following resources:

- [View AWS Trusted Advisor recommendations at scale with AWS Organizations](#) in the [AWS Management & Governance Blog](#)

- Using other AWS services to view Trusted Advisor reports

## Using IAM policies to allow access to organizational view

You can use the following AWS Identity and Access Management (IAM) policies to allow users or roles in your account access to organizational view in AWS Trusted Advisor.

## **Example : Full access to organizational view**

The following policy allows full access to the organizational view feature. A user with these permissions can do the following:

- Enable and disable organizational view
  - Create, view, and download reports

## JSON

```
{
    "Version": "2012-10-17",
    "Statement": [
        {
            "Sid": "ReadStatement",
            "Effect": "Allow",
            "Action": [
                "organizations>ListAccountsForParent",
                "organizations>ListAccounts",
                "organizations>ListRoots",
                "organizations>DescribeOrganization",
                "organizations>ListOrganizationalUnitsForParent",
                "organizations>ListAWSServiceAccessForOrganization",
                "trustedadvisor>DescribeAccount",
                "trustedadvisor>DescribeChecks",
                "trustedadvisor>DescribeCheckSummaries",
                "trustedadvisor>DescribeAccountAccess",
                "trustedadvisor>DescribeOrganization",
                "trustedadvisor>DescribeReports",
                "trustedadvisor>DescribeServiceMetadata",
                "trustedadvisor>DescribeOrganizationAccounts",
                "trustedadvisor>ListAccountsForParent"
            ]
        }
    ]
}
```

```
        "trustedadvisor>ListRoots",
        "trustedadvisor>ListOrganizationalUnitsForParent"
    ],
    "Resource": "*"
},
{
    "Sid": "CreateReportStatement",
    "Effect": "Allow",
    "Action": [
        "trustedadvisorGenerateReport"
    ],
    "Resource": "*"
},
{
    "Sid": "ManageOrganizationalViewStatement",
    "Effect": "Allow",
    "Action": [
        "organizationsEnableAWSServiceAccess",
        "organizationsDisableAWSServiceAccess",
        "trustedadvisorSetOrganizationAccess"
    ],
    "Resource": "*"
},
{
    "Sid": "CreateServiceLinkedRoleStatement",
    "Effect": "Allow",
    "Action": "iamCreateServiceLinkedRole",
    "Resource": "arn:aws:iam::*:role/aws-service-role/
reporting.trustedadvisor.amazonaws.com/AWSServiceRoleForTrustedAdvisorReporting"
}
]
```

## Example : Read access to organizational view

The following policy allows read-only access to organizational view for Trusted Advisor. A user with these permissions can only view and download existing reports.

JSON

```
{
    "Version": "2012-10-17",
```

```
"Statement": [
    {
        "Sid": "ReadStatement",
        "Effect": "Allow",
        "Action": [
            "organizations>ListAccountsForParent",
            "organizations>ListAccounts",
            "organizations>ListRoots",
            "organizations>DescribeOrganization",
            "organizations>ListOrganizationalUnitsForParent",
            "organizations>ListAWSAccessForOrganization",
            "trustedadvisor>DescribeAccount",
            "trustedadvisor>DescribeChecks",
            "trustedadvisor>DescribeCheckSummaries",
            "trustedadvisor>DescribeAccountAccess",
            "trustedadvisor>DescribeOrganization",
            "trustedadvisor>DescribeReports",
            "trustedadvisor>ListAccountsForParent",
            "trustedadvisor>ListRoots",
            "trustedadvisor>ListOrganizationalUnitsForParent"
        ],
        "Resource": "*"
    }
]
```

You can also create your own IAM policy. For more information, see [Creating IAM Policies](#) in the *IAM User Guide*.

 **Note**

If you enabled AWS CloudTrail in your account, the following roles can appear in your log entries:

- **AWSServiceRoleForTrustedAdvisorReporting** – The service-linked role that Trusted Advisor uses to access accounts in your organization.
- **AWSServiceRoleForTrustedAdvisor** – The service-linked role that Trusted Advisor uses to access services in your organization.

For more information about service-linked roles, see [Using service-linked roles for Trusted Advisor](#).

## Using other AWS services to view Trusted Advisor reports

Follow this tutorial to upload and view your data by using other AWS services. In this topic, you create an Amazon Simple Storage Service (Amazon S3) bucket to store your report and an CloudFormation template to create resources in your account. Then, you can use Amazon Athena to analyze or run queries for your report or Quick Suite to visualize that data in a dashboard.

For information and examples for visualizing your report data, see the [View AWS Trusted Advisor recommendations at scale with AWS Organizations](#) in the *AWS Management & Governance Blog*.

### Prerequisites

Before you start this tutorial, you must meet the following requirements:

- Sign in as an AWS Identity and Access Management (IAM) user with administrator permissions.
- Use the US East (N. Virginia) AWS Region to quickly set up your AWS services and resources.
- Create an Quick Suite account. For more information, see [Getting Started with Data Analysis in Quick Suite](#) in the *Amazon Quick Suite User Guide*.

### Upload the report to Amazon S3

After you download your `resources.json` report, upload the file to Amazon S3. You must use a bucket in the US East (N. Virginia) Region.

#### To upload the report to an Amazon S3 bucket

1. Sign in to the AWS Management Console at <https://console.aws.amazon.com/>.
2. Use the **Region selector** and choose the US East (N. Virginia) Region.
3. Open the Amazon S3 console at <https://console.aws.amazon.com/s3/>.
4. From the list of buckets, choose an S3 bucket, and then copy the name. You use the name in the next procedure.

5. On the *bucket-name* page, choose **Create folder**, enter the name **folder1**, and then choose **Save**.
6. Choose the **folder1**.
7. In **folder1**, choose **Upload** and choose the **resources.json** file.
8. Choose **Next**, keep the default options, and then choose **Upload**.

 **Note**

If you upload a new report to this bucket, rename the .json files each time you upload them so that you don't override the existing reports. For example, you can add the timestamp to each file, such as **resources-timestamp.json**, **resources-timestamp2.json**, and so on.

## Create your resources using AWS CloudFormation

After you upload your report to Amazon S3, upload the following YAML template to CloudFormation. This template tells CloudFormation what resources to create for your account so that other services can use the report data in the S3 bucket. The template creates resources for IAM, AWS Lambda, and AWS Glue.

### To create your resources with CloudFormation

1. Download the [trusted-advisor-reports-template.zip](#) file.
2. Unzip the file.
3. Open the template file in a text editor.
4. For the **BucketName** and **FolderName** parameters, replace the values for *your-bucket-name-here* and **folder1** with the bucket name and folder name in your account.
5. Save the file.
6. Open the CloudFormation console at <https://console.aws.amazon.com/cloudformation>.
7. If you haven't already, in the **Region selector**, choose the US East (N. Virginia) Region.
8. In the navigation pane, choose **Stacks**.
9. Choose **Create stack** and choose **With new resources (standard)**.
10. On the **Create stack** page, under **Specify template**, choose **Upload a template file**, and then choose **Choose file**.

11. Choose the YAML file and choose **Next**.
12. On the **Specify stack details** page, enter a stack name such as **Organizational-view-Trusted-Advisor-reports**, and choose **Next**.
13. On the **Configure stack options** page, keep the default options, and then choose **Next**.
14. On the **Review Organizational-view-Trusted-Advisor-reports** page, review your options. At the bottom of the page, select the check box for **I acknowledge that CloudFormation might create IAM resources**.
15. Choose **Create stack**.

The stack takes about 5 minutes to create.

16. After the stack creates successfully, the **Resources** tab appears like the following example.

Resources (12)			
<input type="text"/> Search resources			
Logical ID	Physical ID	Type	Status
AWSPutS3TANotification	2020/05/27/[\$LATEST]5bfd3cb8b29a4b85bc0f8d861EXAMPLE1	Custom::AWSPutS3TANotification	CREATE_COMPLETE
AWSS3TAEventLambdaPermission	Trusted-Advisor-reports-AWSS3TAEventLambdaPermission-10KT2EXAMPLE1	AWS::Lambda::Permission	CREATE_COMPLETE
AWSS3TALambdaExecutor	Trusted-Advisor-reports-AWSS3TALambdaExecutor-1BJCOEXAMPLE1	AWS::IAM::Role	CREATE_COMPLETE
AWSS3TANotification	Trusted-Advisor-reports-AWSS3TANotification-15J3KEXAMPLE1	AWS::Lambda::Function	CREATE_COMPLETE
AWSStartTACrawler	2020/05/27/[\$LATEST]66726149d3d64a1f9242cdccEXAMPLE1	Custom::AWSStartTACrawler	CREATE_COMPLETE
AWSTACrawler	AWSTACrawler	AWS::Glue::Crawler	CREATE_COMPLETE

## Query the data in Amazon Athena

After you have your resources, you can view the data in Athena. Use Athena to create queries and analyze the results of the report, such as looking up specific check results for accounts in the organization.

### Notes

- Use the US East (N. Virginia) Region.

- If you're new to Athena, you must specify a query result location before you can run a query for your report. We recommend that you specify a different S3 bucket for this location. For more information, see [Specifying a query result location](#) in the *Amazon Athena User Guide*.

## To query the data in Athena

1. Open the Athena console at <https://console.aws.amazon.com/athena/>.
2. If you haven't already, in the **Region selector**, choose the US East (N. Virginia) Region.
3. Choose **Saved Queries** and in search field, enter **Show sample**.
4. Choose the query that appears, such as **Show sample entries of TA report**.

Athena   Query Editor   **Saved Queries**   History   Data sources   Workgroup : primary   Settings   Tutorial   Help   What's new 10+

Saved Queries

Search for query     

Name	Description	Query
Show sample entries of TA report	A query that selects all aggregated data TA report	<code>SELECT * FROM "athenatacfn"."folder1" limit 10</code>

[← Beginning of List](#)   [Previous Page](#)   [Next Page](#)

The query should look like the following.

```
SELECT * FROM "athenatacfn"."folder1" limit 10
```

5. Choose **Run query**. Your query results appear.

## Example : Athena query

The following example shows 10 sample entries from the report.

The screenshot shows the Amazon Athena Query Editor interface. At the top, there is a toolbar with buttons for "New query 1", "Show sample ent...", and a plus sign. Below the toolbar is a code editor containing the following SQL query:

```
1 SELECT * FROM "athenatacfn"."folder1" limit 10
2
```

Below the code editor, there are several buttons: "Run query" (highlighted in blue), "Save as", "Create", and status information "(Run time: 0.83 seconds, Data scanned: 94.75 KB)". There is also a note: "Use Ctrl + Enter to run query, Ctrl + Space to autocomplete". To the right of the status information are "Format query" and "Clear" buttons. A tooltip "..." is visible above the results table.

The results section has a header row with columns: volume type, checkname, accountid, category, issuppressed, and snapshot. The data rows show 10 entries of "General purpose(SSD) Underutilized Amazon EBS Volumes" with accountid 123456789012, category "Cost Optimizing", issuppressed "false", and snapshot names starting with "snap-". Each row has a small "..." icon to its right.

volume type	checkname	accountid	category	issuppressed	snapshot
1 General purpose(SSD)	Underutilized Amazon EBS Volumes	123456789012	Cost Optimizing	false	snap-0d4
2 General purpose(SSD)	Underutilized Amazon EBS Volumes	123456789012	Cost Optimizing	false	snap-06b
3 General purpose(SSD)	Underutilized Amazon EBS Volumes	123456789012	Cost Optimizing	false	
4 General purpose(SSD)	Underutilized Amazon EBS Volumes	123456789012	Cost Optimizing	false	
5 General purpose(SSD)	Underutilized Amazon EBS Volumes	123456789012	Cost Optimizing	false	snap-0ef4
6 General purpose(SSD)	Underutilized Amazon EBS Volumes	123456789012	Cost Optimizing	false	snap-0a5
7 General purpose(SSD)	Underutilized Amazon EBS Volumes	123456789012	Cost Optimizing	false	snap-078
8 General purpose(SSD)	Underutilized Amazon EBS Volumes	123456789012	Cost Optimizing	false	
9 General purpose(SSD)	Underutilized Amazon EBS Volumes	123456789012	Cost Optimizing	false	snap-0ff6!
10 General purpose(SSD)	Underutilized Amazon EBS Volumes	123456789012	Cost Optimizing	false	

For more information, see [Running SQL Queries Using Amazon Athena](#) in the *Amazon Athena User Guide*.

## Create a dashboard in Quick Suite


You can also set up Quick Suite so that you can view your data in a dashboard and visualize your report information.

**Note**


You must use the US East (N. Virginia) Region.

## To create a dashboard in Quick Suite


1. Navigate to the Quick Suite console and sign in to your [account](#).
2. Choose **New analysis**, **New dataset**, and then choose **Athena**.
3. In the **New Athena data source** dialog box, enter a data source name such as **AthenaTA**, and then choose **Create data source**.



4. In the **Choose your table** dialog box, choose the **athenatacfn** table, choose **folder1**, and then choose **Select**.



5. In the **Finish data set creation** dialog box, choose **Directly query your data**, and then choose **Visualize**.




You can now create a dashboard in Quick Suite. For more information, see [Working with Dashboards](#) in the *Amazon Quick Suite User Guide*.

## Example : Quick Suite dashboard

The following example dashboard shows information about the Trusted Advisor checks, such as the following:

- Affected account IDs
- Summary by AWS Regions
- Check categories
- Check statuses
- Number of entries in the report for each account



**Note**

If you have permission errors while creating your dashboard, make sure that Quick Suite can use Athena. For more information, see [I Can't Connect to Amazon Athena](#) in the *Amazon Quick Suite User Guide*.

For more information and examples for visualizing your report data, see the [View AWS Trusted Advisor recommendations at scale with AWS Organizations](#) in the *AWS Management & Governance Blog*.

## Troubleshooting

If you have issues with this tutorial, see the following troubleshooting tips.

### I'm not seeing the latest data in my report

When you create a report, the organizational view feature doesn't automatically refresh the Trusted Advisor checks in your organization. To get the latest check results, refresh the checks for the management account and each member account in the organization. For more information, see [Refresh Trusted Advisor checks](#).

### I have duplicate columns in the report

The Athena console might show the following error in your table if your report has duplicate columns.

HIVE\_INVALID\_METADATA: Hive metadata for table *folder1* is invalid: Table descriptor contains duplicate columns

For example, if you added a column in your report that already exists, this can cause issues when you try to view the report data in the Athena console. You can follow these steps to fix this issue.

#### Find duplicate columns

You can use the AWS Glue console to view the schema and quickly identify if you have duplicate columns in your report.

#### To find duplicate columns

1. Open the AWS Glue console at <https://console.aws.amazon.com/glue/>.

2. If you haven't already, in the **Region selector**, choose the US East (N. Virginia) Region.
3. In the navigation pane, choose **Tables**.
4. Choose your folder name, such as **Folder1**, and then under **Schema**, view the values for **Column name**.

If you have a duplicate column, you must upload a new report to your Amazon S3 bucket. See the following [Upload a new report](#) section.

## Upload a new report

After you identify the duplicate column, we recommend that you replace the existing report with a new one. This ensures that the resources created from this tutorial use the latest report data from your organization.

### To upload a new report

1. If you haven't already, refresh your Trusted Advisor checks for the accounts in your organization. See [Refresh Trusted Advisor checks](#).
2. Create and download another JSON report in the Trusted Advisor console. See [Create organizational view reports](#). You must use a JSON file for this tutorial.
3. Sign in to the AWS Management Console and open the Amazon S3 console at <https://console.aws.amazon.com/s3/>.
4. Choose your Amazon S3 bucket and choose the **Folder1** folder.
5. Select the previous **resources**.json reports and choose **Delete**.
6. In the **Delete objects** page, under **Permanently delete objects?**, enter **permanently delete**, and then choose **Delete objects**.
7. In your S3 bucket, choose **Upload** and then specify the new report. This action automatically updates your Athena table and AWS Glue crawler resources with the latest report data. It can take a few minutes to refresh your resources.
8. Enter a new query in the Athena console. See [Query the data in Amazon Athena](#).

#### Note

If you still have issues with this tutorial, you can create a technical support case in the [AWS Support Center](#).

# View AWS Trusted Advisor checks powered by AWS Config

## Important

End of Support Notice: Developer Support will be discontinued January 1, 2027. Customers with Developer Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information, see [Business Support+ plan details](#)

End of Support Notice: Business Support will be discontinued January 1, 2027. Customers with Business Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information see, [Business Support+ plan details](#)

End of Support Notice: On January 1, 2027, AWS will discontinue Enterprise On-Ramp. Throughout 2026, Enterprise On-Ramp customers will be automatically upgraded to AWS Enterprise Support during contract renewal or in periodic batches. Customers will receive an email notification a month before their upgrade. No further action is required. Enterprise Support provides designated TAM assignment, 15-minute response times, and AWS Security Incident Response available at no additional cost, all at a lower \$5,000 minimum (reduced from \$15,000). For more information, see [AWS Enterprise Support plan details](#).

For more information, see [Developer, Business, and Enterprise On-Ramp end of support](#). Developer Support, Business Support, and Enterprise On-Ramp will remain available in the AWS GovCloud (US) Region.

AWS Config is a service that continually assesses, audits, and evaluates your resource configurations for your desired settings. AWS Config provides managed rules, which are predefined, customizable compliance checks that AWS Config uses to evaluate if your AWS resources comply with common best practices.

The AWS Config console guides you through the configuration and activation of managed rules. You can also use the AWS Command Line Interface (AWS CLI) or AWS Config API to pass the JSON code that defines your configuration of a managed rule. You can customize the behavior of a

managed rule to suit your needs. You can customize the rule's parameters to define attributes that your resources must have to comply with the rule. To learn more about enabling AWS Config, see the [AWS Config Developer Guide](#).

AWS Config managed rules power a set of Trusted Advisor checks across all categories. When you enable certain managed rules, the corresponding Trusted Advisor checks are automatically enabled. To see which Trusted Advisor checks are powered by specific AWS Config managed rules, see [AWS Trusted Advisor check reference](#).

The AWS Config powered checks are available to customers with an AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan. If you enable AWS Config and you have one of these AWS Support plans, then you automatically see recommendations powered by corresponding deployed AWS Config managed rules.

 **Note**

Results for these checks are automatically refreshed based on change-triggered updates to AWS Config managed rules. Refresh requests are not allowed. Currently, you can't exclude resources from these checks.

## Troubleshooting

If you have issues with this integration, see the following troubleshooting information.

### Contents

- [I just enabled recording and managed rules for AWS Config, but I don't see corresponding Trusted Advisor checks.](#)
- [I deployed the same AWS Config managed rule twice, what will I see in Trusted Advisor?](#)
- [I turned off recording for AWS Config in an AWS Region. What will I see in Trusted Advisor?](#)

### I just enabled recording and managed rules for AWS Config, but I don't see corresponding Trusted Advisor checks.

After the AWS Config rule generates evaluation results, you see the results in Trusted Advisor in near real-time. If you have issues with this feature, create a technical support case in the [AWS Support Center](#).

## I deployed the same AWS Config managed rule twice, what will I see in Trusted Advisor?

You see separate entries in the Trusted Advisor check results for each managed rule that you install.

## I turned off recording for AWS Config in an AWS Region. What will I see in Trusted Advisor?

If you turned off resource recording for AWS Config in an AWS Region, then Trusted Advisor no longer receives data for corresponding managed rules and checks in that Region. Existing managed rule results remain in AWS Config and in Trusted Advisor until AWS Config expires, based on the recorder retention policy. If you delete a managed rule, then the Trusted Advisor check data usually deletes in near real-time.

## Viewing AWS Security Hub CSPM controls in AWS Trusted Advisor

After you enable AWS Security Hub CSPM for your AWS account, you can view your security controls and their findings in the Trusted Advisor console. You can use Security Hub CSPM controls to identify security vulnerabilities in your account in the same way that you can use Trusted Advisor checks. You can view the check's status, the list of affected resources, and then follow Security Hub CSPM recommendations to address your security issues. You can use this feature to find security recommendations from Trusted Advisor and Security Hub CSPM in one convenient location.

### Notes

- From Trusted Advisor, you can view controls in the AWS Foundational Security Best Practices security standard *except* for controls that have the Category: Recover > Resilience. For a list of supported controls, see [AWS Foundational Security Best Practices controls](#) in the [AWS Security Hub CSPM User Guide](#).  
For more information about the Security Hub CSPM categories, see [Control categories](#).
- Trusted Advisor onboarded Security Hub CSPM controls up to September 26, 2024. Controls released after September 26, 2024 are not yet onboarded to Trusted Advisor. You can find controls released after that date in the [Security Hub CSPM log](#).

## Topics

- [Prerequisites](#)
- [View your Security Hub CSPM findings](#)
- [Refresh your Security Hub CSPM findings](#)
- [Disable Security Hub CSPM from Trusted Advisor](#)
- [Troubleshooting](#)

## Prerequisites

You must meet the following requirements to enable the Security Hub CSPM integration with Trusted Advisor:

- You must have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan for this feature. You can find your support plan from the [AWS Support Center](#) or from the [Support plans](#) page. For more information, see [Compare AWS Support plans](#).
- You must enable resource recording in AWS Config for the AWS Regions that you want for your Security Hub CSPM controls. For more information, see [Enabling and configuring AWS Config](#).
- You must enable Security Hub CSPM and select the **AWS Foundational Security Best Practices v1.0.0** security standard. If you haven't done so already, see [Setting up AWS Security Hub CSPM](#) in the [AWS Security Hub CSPM User Guide](#).

 **Note**

If you already completed these prerequisites, you can skip to [View your Security Hub CSPM findings](#).

## About AWS Organizations accounts

If you already completed the prerequisites for a management account, this integration is enabled automatically for all member accounts in your organization. Individual member accounts don't need to contact Support to enable this feature. However, member accounts in your organization must enable Security Hub CSPM if they want to see their findings in Trusted Advisor.

If you want to disable this integration for a specific member account, see [Disable this feature for AWS Organizations accounts](#).

# View your Security Hub CSPM findings

After you enable Security Hub CSPM for your account, it can take up to 24 hours for your Security Hub CSPM findings to appear in the **Security** page of the Trusted Advisor console.

## To view your Security Hub CSPM findings in Trusted Advisor

1. Navigate to the [Trusted Advisor console](#), and then choose the **Security** category.
2. In the **Search by keyword** field, enter the control name or description in the field.

### Tip

For **Source**, you can choose **AWS Security Hub CSPM** to filter for Security Hub CSPM controls.

3. Choose the Security Hub CSPM control name to view the following information:
  - **Description** – Describes how this control checks your account for security vulnerabilities.
  - **Source** – Whether the check comes from AWS Trusted Advisor or AWS Security Hub CSPM. For Security Hub CSPM controls, you can find the control ID.
  - **Alert Criteria** – The status of the control. For example, if Security Hub CSPM detects an important issue, the status might be **Red: Critical or High**.
  - **Recommended Action** – Use the Security Hub CSPM documentation link to find the recommended steps to fix the issue.
  - **Security Hub CSPM resources** – You can find the resources in your account where Security Hub CSPM has detected an issue.

### Notes

- You must use Security Hub CSPM to exclude resources from your findings. Currently, you can't use the Trusted Advisor console to exclude items from Security Hub CSPM controls. For more information, see [Setting the workflow status for findings](#).
- The organizational view feature supports this integration with Security Hub CSPM. You can view your findings for your Security Hub CSPM controls across your organization, and

then create and download reports. For more information, see [Organizational view for AWS Trusted Advisor](#).

## Example Example : Security Hub CSPM control for IAM user access key should not exist

The following is an example finding for a Security Hub CSPM control in the Trusted Advisor console.

▼ ⓘ IAM root user access key should not exist Last updated: an hour ago ⌂ ⌄

Checks if the root user access key is available.

**Source**  
AWS Security Hub  
Security Hub control ID: IAM.4

**Alert Criteria**  
Red: Critical or High. Security Hub control failed.

**Recommended Action**  
Follow the [Security Hub documentation](#) to fix the issue.

IAM root user access key should not exist (1)				Exclude & Refresh	Included items ▾
1 of 1 resources failed this Security Hub control.				< 1 > ⌂	
Status	Region	Resource	Last Updated Time		
✗	us-east-1	AWS:::Account:123456789012	2021-12-12T19:56:26.305Z		

## Refresh your Security Hub CSPM findings

After you enable a security standard, it can take up to two hours for Security Hub CSPM to have findings for your resources. It can then take up to 24 hours for that data to appear in the Trusted Advisor console. If you recently enabled the **AWS Foundational Security Best Practices v1.0.0** security standard, check the Trusted Advisor console again later.

### Note

- The refresh schedule for each Security Hub CSPM control is *periodic* or *change triggered*. Currently, you can't use the Trusted Advisor console or the AWS Support API to refresh

your Security Hub CSPM controls. For more information, see [Schedule for running security checks](#).

- You must use Security Hub CSPM if you want to exclude resources from your findings. Currently, you can't use the Trusted Advisor console to exclude items from Security Hub CSPM controls. For more information, see [Setting the workflow status for findings](#).

## Disable Security Hub CSPM from Trusted Advisor

Follow this procedure if you don't want your Security Hub CSPM information to appear in the Trusted Advisor console. This procedure only disables the Security Hub CSPM integration with Trusted Advisor. It won't affect your configurations with Security Hub CSPM. You can continue to use the Security Hub CSPM console to view your security controls, resources, and recommendations.

### To disable the Security Hub CSPM integration

1. Contact [AWS Support](#) and request to disable the Security Hub CSPM integration with Trusted Advisor.

After AWS Support disables this feature, Security Hub CSPM no longer sends data to Trusted Advisor. Your Security Hub CSPM data will be removed from Trusted Advisor.

2. If you want to enable this integration again, contact [AWS Support](#).

### Disable this feature for AWS Organizations accounts

If you already completed the previous procedure for a management account, Security Hub CSPM integration is automatically removed from all member accounts in your organization. Individual member accounts in your organization don't need to contact AWS Support separately.

If you're a member account in an organization, you can contact Support to remove this feature from only your account.

## Troubleshooting

If you're having issues with this integration, see the following troubleshooting information.

### Contents

- [I don't see Security Hub CSPM findings in the Trusted Advisor console](#)
- [I configured Security Hub CSPM and AWS Config correctly, but my findings are still missing](#)
- [I want to disable specific Security Hub CSPM controls](#)
- [I want to find my excluded Security Hub CSPM resources](#)
- [I want to enable or disable this feature for a member account that belongs to an AWS organization](#)
- [I see multiple AWS Regions for the same affected resource for a Security Hub CSPM check](#)
- [I turned off Security Hub CSPM or AWS Config in a Region](#)
- [My control is archived in Security Hub CSPM, but I still see the findings in Trusted Advisor](#)
- [I still can't view my Security Hub CSPM findings](#)

## I don't see Security Hub CSPM findings in the Trusted Advisor console

Verify that you completed the following steps:

- You have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan.
- You enabled resource recording in AWS Config within the same Region as Security Hub CSPM.
- You enabled Security Hub CSPM and selected the **AWS Foundational Security Best Practices v1.0.0** security standard.
- New controls from Security Hub CSPM are added as checks in Trusted Advisor within two to four weeks. See the [note](#).

For more information, see the [Prerequisites](#).

## I configured Security Hub CSPM and AWS Config correctly, but my findings are still missing

It can take up to two hours for Security Hub CSPM to have findings for your resources. It can then take up to 24 hours for that data to appear in the Trusted Advisor console. Check the Trusted Advisor console again later.

## Notes

- Only your findings for controls in the AWS Foundational Security Best Practices security standard will appear in Trusted Advisor *except* for controls that have the **Category: Recover > Resilience**.
- If there's a service issue with Security Hub CSPM or Security Hub CSPM isn't available, it can take up to 24 hours for your findings to appear in Trusted Advisor. Check the Trusted Advisor console again later.

## I want to disable specific Security Hub CSPM controls

Security Hub CSPM sends your data to Trusted Advisor automatically. If you disable a Security Hub CSPM control or no longer have resources for that control, your findings won't appear in Trusted Advisor.

You can sign in to the [Security Hub CSPM console](#) and verify if your control is enabled or disabled.

If you disable a Security Hub CSPM control or disable all controls for the AWS Foundational Security Best Practices security standard, your findings are archived within the next five days. This five-day period to archive is approximate and best effort only, and isn't guaranteed. When your findings are archived, they are removed from Trusted Advisor.

For more information, see the following topics:

- [Disabling and enabling individual controls](#)
- [Disabling or enabling a security standard](#)

## I want to find my excluded Security Hub CSPM resources

From the Trusted Advisor console, you can choose your Security Hub CSPM control name, and then choose the **Excluded items** option. This option displays all resources that are suppressed in Security Hub CSPM.

If the workflow status for a resource is set to SUPPRESSED, then that resource is an excluded item in Trusted Advisor. You can't suppress Security Hub CSPM resources from the Trusted Advisor console. To do so, use the [Security Hub CSPM console](#). For more information, see [Setting the workflow status for findings](#).

## I want to enable or disable this feature for a member account that belongs to an AWS organization

By default, member accounts inherit the feature from the management account for AWS Organizations. If the management account has enabled the feature, then all accounts in the organization will also have the feature. If you have a member account and want to make specific changes for your account, you must contact [AWS Support](#).

## I see multiple AWS Regions for the same affected resource for a Security Hub CSPM check

Some AWS services are global and aren't specific to a Region, such as IAM and Amazon CloudFront. By default, global resources such as Amazon S3 buckets appear in the US East (N. Virginia) Region.

For Security Hub CSPM checks that evaluate resources for global services, you might see more than one item for affected resources. For example, if the `Hardware MFA should be enabled` for the `root user` check identifies that your account hasn't activated this feature, then you will see multiple Regions in the table for the same resource.

You can configure Security Hub CSPM and AWS Config so that multiple Regions won't appear for the same resource. For more information, see [AWS Foundational Best Practices controls that you might want to disable](#).

## I turned off Security Hub CSPM or AWS Config in a Region

If you stop resource recording with AWS Config or disable Security Hub CSPM in an AWS Region, Trusted Advisor no longer receives data for any controls in that Region. Trusted Advisor removes your Security Hub CSPM findings within 7-9 days. This time frame is best effort and isn't guaranteed. For more information, see [Disabling Security Hub CSPM](#).

To disable this feature for your account, see [Disable Security Hub CSPM from Trusted Advisor](#).

## My control is archived in Security Hub CSPM, but I still see the findings in Trusted Advisor

When the `RecordState` status changes to `ARCHIVED` for a finding, Trusted Advisor deletes the finding for that Security Hub CSPM control from your account. You might still see the finding in Trusted Advisor for up to 7-9 days before it's deleted. This time frame is best effort and isn't guaranteed.

## I still can't view my Security Hub CSPM findings

If you still have issues with this feature, you can create a technical support case in the [AWS Support Center](#).

## Opt in AWS Compute Optimizer for Trusted Advisor checks

Compute Optimizer is a service that analyzes the configuration and utilization metrics of your AWS resources. This service reports whether your resources are correctly configured for efficiency and reliability. It also suggests improvements you can implement to improve workload performance. With Compute Optimizer, you view the same recommendations in your Trusted Advisor checks.

You can opt in either your AWS account only, or all member accounts that are part of an organization in AWS Organizations. For more information, see [Getting started](#) in the *AWS Compute Optimizer User Guide*.

Once you opt in for Compute Optimizer, the following checks receive data from your Lambda functions and Amazon EBS volumes. It can take up to 12 hours to generate the findings and optimization recommendations. It can then take up to 48 hours to view your results in Trusted Advisor for the following checks:

### Cost optimization

- Amazon EBS over-provisioned volumes
- AWS Lambda over-provisioned functions for memory size

### Performance

- Amazon EBS under-provisioned volumes
- AWS Lambda under-provisioned functions for memory size

### Notes

- Results for these check are automatically refreshed at least once daily, and refresh requests are not allowed. It might take a few hours for changes to appear. You can use the Trusted Advisor console to exclude resources from checks that automatically refresh. You can use the [BatchUpdateRecommendationResourceExclusion](#) API to exclude resources from any check except Trusted Advisor Priority recommendation resources.

- Trusted Advisor already has the Underutilized Amazon EBS Volumes and the Overutilized Amazon EBS Magnetic Volumes checks.

After you opt in with Compute Optimizer, we recommend that you use the new Amazon EBS over-provisioned volumes and Amazon EBS under-provisioned volumes checks instead.

## Related information

For more information, see the following topics:

- [Viewing Amazon EBS volume recommendations](#) in the *AWS Compute Optimizer User Guide*
- [Viewing Lambda function recommendations](#) in the *AWS Compute Optimizer User Guide*
- [Configuring Lambda function memory](#) in the *AWS Lambda Developer Guide*
- [Request modifications to your Amazon EBS volumes](#) in the *Amazon EC2 User Guide*

## Get started with AWS Trusted Advisor Priority

Trusted Advisor Priority helps you secure and optimize your AWS account to follow AWS best practices. With Trusted Advisor Priority, your AWS account team can proactively monitor your account and create prioritized recommendations when they identify opportunities for you.

For example, your account team can identify if your AWS account root user lacks multi-factor authentication (MFA). Your account team can create a recommendation so that you can take immediate action on a check, such as MFA on Root Account. The recommendation appears as an active **prioritized recommendation** on the Trusted Advisor Priority page of the Trusted Advisor console. You then follow the recommendations to resolve it.

Trusted Advisor Priority recommendations come from these two sources:

- AWS services – Services such as Trusted Advisor, AWS Security Hub CSPM, and AWS Well-Architected automatically create recommendations. Your account team shares these recommendations with you so that those recommendations appear in Trusted Advisor Priority.
- Your account team – Your account team can create manual recommendations.

Trusted Advisor Priority helps you focus on the most important recommendations. You and your account team can monitor the recommendation lifecycle, from the point when your account team shared the recommendation, up to the point when you acknowledge, resolve, or dismiss it. You can use Trusted Advisor Priority to find recommendations for all member accounts in your organization.

## Topics

- [Prerequisites](#)
- [Enable Trusted Advisor Priority](#)
- [View prioritized recommendations](#)
- [Acknowledge a recommendation](#)
- [Dismiss a recommendation](#)
- [Resolve a recommendation](#)
- [Reopen a recommendation](#)
- [Download recommendation details](#)
- [Register delegated administrators](#)
- [Deregister delegated administrators](#)
- [Manage Trusted Advisor Priority notifications](#)
- [Disable Trusted Advisor Priority](#)

## Prerequisites

You must meet the following requirements to use Trusted Advisor Priority:

- You must have an AWS Enterprise Support or AWS Unified Operations plan.
- Your account must be part of an organization that has enabled all features in AWS Organizations. For more information, see [Enabling all features in your organization](#) in the *AWS Organizations User Guide*.
- Your organization must have enabled trusted access to Trusted Advisor. To enable trusted access, log in as the management account. Open the [Your organization](#) page in the Trusted Advisor console.
- You must be signed in to your AWS account to view Trusted Advisor Priority recommendations for your account.

- You must be signed in to the organization's management account or a delegated administrator account to view aggregated recommendations across your organization. For instructions on how to register delegated administrator accounts, see [Register delegated administrators](#).
- You must have AWS Identity and Access Management (IAM) permissions to access Trusted Advisor Priority. For information on how to control access to Trusted Advisor Priority, see [Manage access to AWS Trusted Advisor](#) and [AWS managed policies for AWS Trusted Advisor](#).

## Enable Trusted Advisor Priority

Ask your account team to enable this feature for you. You must have an AWS Unified Operations plan and be the management account owner for your organization. If the Trusted Advisor Priority page in the console says that you need trusted access with AWS Organizations, then choose **Enable trusted access with AWS Organizations**. For more information, see the [Prerequisites](#) section.

## View prioritized recommendations

After your account team enables Trusted Advisor Priority for you, you can view the latest recommendations for your AWS account.

### To view your prioritized recommendations

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home>.
2. On the **Trusted Advisor Priority** page, you can view the following items:

If you're using an AWS Organizations Management or Delegated Administrator account, then switch to the **My Account** tab.

- **Actions needed** – The number of recommendations that are pending a response or are in progress.
- **Overview** – The following information:
  - Dismissed recommendations in the last 90 days
  - Resolved recommendations in the last 90 days
  - Recommendations without an update in over 30 days
  - Average time to resolve recommendations

3. On the **Active** tab, the **Active prioritized recommendations** show recommendations that your account team prioritized for you. The **Closed** tab shows resolved or dismissed recommendations.
  - To filter your results, use the following options:
    - **Recommendation** – Enter keywords to search by name. This can be a check name, or a custom name that your account team created.
    - **Status** – Whether the recommendation is pending a response, in progress, dismissed, or resolved.
    - **Source** – The origin of a prioritized recommendation. The recommendation can come from AWS services, your AWS account team, or a planned service event.
    - **Category** – The recommendation category, such as security or cost optimization.
    - **Age** – When your account team shared the recommendation with you.
4. Choose a recommendation to learn more about its details, the affected resources, and the recommended actions. You can then [acknowledge](#) or [dismiss](#) the recommendation.

## To view prioritized recommendations across all accounts in your AWS organization

Both the management account and the Trusted Advisor Priority delegated administrators can view recommendations aggregated across your organization.

### Note

Member accounts don't have access to aggregated recommendations.

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home>.
2. On the **Trusted Advisor Priority** page, make sure that you're on the **My Organization** tab.
3. To view recommendations for one account, select an account from the **Select an account from your organization** dropdown list. Or, you can view recommendations across all your accounts.

On the **My Organization** tab, you can view the following items:

- **Actions needed:** The number of recommendations across your organization that are pending a response or are in progress.

- **Overview:** Shows the following items:
    - Dismissed recommendations in the last 90 days.
    - Resolved recommendations in the last 90 days.
    - Recommendations without an update in over 30 days.
    - The average time taken to resolve recommendations.
4. Under the **Active** tab, the **Active prioritized recommendations** section shows recommendations that your account team prioritized for you. The **Closed** tab shows resolved or dismissed recommendations.
- To filter your results, use the following options:
- **Recommendation** – Enter keywords to search by name. This can be either a check name, or a custom name that your account team created.
  - **Status** – Whether the recommendation is pending a response, in progress, dismissed, or resolved.
  - **Source** – The origin of a prioritized recommendation. The recommendation can come from AWS services, your AWS account team, or a planned service event.
  - **Category** – The recommendation category, such as security or cost optimization.
  - **Age** – When your account team shared the recommendation with you.
5. Choose a recommendation to see additional details, affected accounts and resources, and the recommended actions. You can then [acknowledge](#) or [dismiss](#) the recommendation.

### Example : Trusted Advisor Priority recommendations

The following example shows 15 recommendations that are pending a response and 27 recommendations that are in progress under the **Action needed** section. The following image shows two of the recommendations that are pending response in the **Active prioritized recommendation** tab.

The screenshot shows the Trusted Advisor Priority page. At the top, there's a navigation bar with 'Trusted Advisor > Priority'. Below it, a section titled 'Trusted Advisor Priority' with a 'Info' link. A note says 'You can use this page to find critical recommendations, trends, and activities for your organization.' There are two tabs: 'My organization' (selected) and 'My account'. A dropdown menu 'Select an account from your organization' is open, showing 'All accounts'. The main area has two sections: 'Action needed' and 'Overview'. In 'Action needed', there are counts for 'Pending response' (15) and 'In progress' (27). In 'Overview', there are metrics for dismissed, resolved, and no update counts, along with average time to resolve. Below these, a table lists 'Active prioritized recommendations' (42), including items like 'Low Utilization Amazon EC2 Instances test test' and 'RDS DB instances should have deletion protection enabled', each with its status, source, category, and age.

## Acknowledge a recommendation

Under the **Active** tab, you can learn more about the recommendation and then decide if you want to acknowledge it.

### To acknowledge a recommendation

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home>.
2. If you're using an AWS Organizations Management or Delegated Administrator account, then switch to the **My Account** tab.
3. On the **Trusted Advisor Priority** page, under the **Active** tab, choose a recommendation name.
4. In the **Details** section, you can review the recommended actions to resolve the recommendation.
5. In the **Affected resources** section, you can review the affected resources and filter by *Status*.
6. Choose **Acknowledge**.
7. In the **Acknowledge recommendation** dialog box, choose **Acknowledge**.

The recommendation status changes to **In progress**. Recommendations in progress or pending a response appear in the **Active** tab on the Trusted Advisor Priority page.

8. Follow the recommended actions to resolve the recommendation. For more information, see [Resolve a recommendation](#).

## Example : Manual recommendation from Trusted Advisor Priority

The following image shows the **Low Utilization EC2 Instances** recommendation that is pending a response.

The screenshot shows the Trusted Advisor Priority page. The navigation bar at the top includes 'Trusted Advisor' > 'Priority' > 'Low Utilization Amazon EC2 Instances - Production accounts'. Below the navigation, there are two tabs: 'My organization' (selected) and 'My account'. On the right side of the page are buttons for 'Copy recommendation link', 'Download', 'Acknowledge' (which is highlighted in orange), and 'Dismiss'. The main content area is titled 'Low Utilization Amazon EC2 Instances - Production accounts'. It has a 'Details' tab selected, showing an 'Affected resources' table. The table has four columns: 'Source' (AWS Trusted Advisor), 'Category' (Cost optimization), 'Age' (33 day(s)), and 'Status' (Pending response). Below the table, the 'Overview' section provides a detailed description of the check, mentioning it checks for low utilization over 14 days. It also includes sections for 'Alert Criteria' (Yellow: An instance had 10% or less daily average CPU utilization and 5 MB or less network I/O on at least 4 of the previous 14 days) and 'Recommended Action' (Consider stopping or terminating instances that have low utilization, or scale the number of instances by using Auto Scaling). At the bottom, there are links to 'Monitoring Amazon EC2 Instance Metadata and User Data', 'Amazon CloudWatch Developer Guide', and 'Auto Scaling Developer Guide'.

## To acknowledge a recommendation for all accounts in your AWS organization

The management account or the Trusted Advisor delegated administrators can acknowledge a recommendation for all of the affected accounts.

### Note

Member accounts don't have access to aggregated recommendations.

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home>.
2. On the **Trusted Advisor Priority** page, make sure that you're on the **My organization** tab.
3. In the **Active** tab, select a recommendation name.
4. Choose **Acknowledge**.
5. In the **Acknowledge recommendation** dialog box, choose **Acknowledge**.

The recommendation status changes to **In progress**.

6. Follow the recommended actions to resolve the recommendation. For more information, see [Resolve a recommendation](#).
7. To view the recommendation details, choose the recommendation name.

In the **Details** section, you can review the following information about the recommendation:

- An **Overview** of the recommendation and a **Details** section covering the recommendation actions to complete.

A **Status summary** that shows recommendations across all affected accounts.

- In the **Affected accounts** section, you can review the affected resources across all your accounts. You can filter by **Account number** and **Status**.
- In the **Affected resources** section, you can review the affected resources across all your accounts. You can filter by **Account number** and **Status**.

## Example : Manual recommendation from Trusted Advisor Priority

The following image shows the **Low Utilization Amazon EC2 Instances** recommendation that's pending a response. One affected account has acknowledged the recommendation. Another account is pending a response, making the recommendation status **Pending response**.

The screenshot shows the Trusted Advisor interface with the following details:

- Path:** Trusted Advisor > Priority > Low Utilization Amazon EC2 Instances - Production accounts
- Tabs:** My organization (selected), My account
- Title:** Low Utilization Amazon EC2 Instances - Production accounts
- Buttons:** Copy recommendation link, Download, Acknowledge (highlighted in orange), Dismiss
- Overview Section:**
  - Source:** AWS Trusted Advisor
  - Category:** Cost optimization
  - Age:** 0 day(s)
  - Status:** Pending response
  - Shared by:** person@amazon.com
- Status Summary:** This is a summary of the status of this recommendation across all your accounts.
  - 1 account Pending response (highlighted in red)
  - 1 account In progress
- Details Section:**
  - Description:** Checks the Amazon Elastic Compute Cloud (Amazon EC2) instances that were running at any time during the last 14 days and alerts you if the daily CPU utilization was 10% or less and network I/O was 5 MB or less on 4 or more days. Running instances generate hourly usage charges. Although some scenarios can result in low utilization by design, you can often lower your costs by managing the number and size of your instances.
  - Alert Criteria:** Yellow: An instance had 10% or less daily average CPU utilization and 5 MB or less network I/O on at least 4 of the previous 14 days.
  - Recommended Action:** Consider stopping or terminating instances that have low utilization, or scale the number of instances by using Auto Scaling. For more information, see [Stop and Start Your Instance](#), [Terminate Your Instance](#), and [What is Auto Scaling?](#)

## Dismiss a recommendation

You can also dismiss a recommendation. This means that you acknowledge the recommendation, but you won't address it. You can dismiss a recommendation if it's not relevant to your account. For example, if you have a test AWS account that you plan to delete, you don't need to follow the recommended actions.

### To dismiss a recommendation

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home>.
2. If you're using an AWS Organizations Management or Delegated Administrator account, then switch to the **My Account** tab.
3. On the **Trusted Advisor Priority** page, under the **Active** tab, choose a recommendation name.
4. On the recommendation detail page, review the information about the affected resources.
5. If this recommendation doesn't apply for your account, choose **Dismiss**.
6. In the **Dismiss recommendation** dialog box, select a reason why you won't address the recommendation.
7. (Optional) Enter a note detailing why you're dismissing the recommendation. If you choose **Other**, you must enter a description in the **Note** section.
8. Choose **Dismiss**. The recommendation status changes to **Dismissed** and appears in the **Closed** tab on the Trusted Advisor Priority page.

### To dismiss a recommendation for all the accounts in your AWS organization

The management account or the delegated administrator of Trusted Advisor Priority can dismiss a recommendation for all of their accounts.

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home>.
2. On the Trusted Advisor Priority page, make sure that you're on the **My Organization** tab.
3. In the **Active** tab, select a recommendation name.
4. If this recommendation doesn't apply for your account, then choose **Dismiss**.
5. In the **Dismiss recommendation** dialog box, select a reason why you won't address the recommendation.

6. (Optional) Enter a note detailing why you're dismissing the recommendation. If you choose **Other**, then you must enter a description in the **Note** section.
7. Choose **Dismiss**. The recommendation status changes to **Dismissed**. The recommendation appears in the **Closed** tab on the Trusted Advisor Priority page.


 **Note**

You can choose the recommendation name and choose **View note** to find the reason for dismissal. If your account team dismissed the recommendation for you, their email address appears next to the note.

Trusted Advisor Priority also notifies your account team that you dismissed the recommendation.

**Example : Dismiss a recommendation from Trusted Advisor Priority**

The following example shows how you can dismiss a recommendation.



## Resolve a recommendation

After you acknowledge the recommendation and complete the recommended actions, you can resolve the recommendation.

### Tip

After you resolve a recommendation, you can't reopen it. If you want to revisit the recommendation again later, see [Dismiss a recommendation](#).

### To resolve a recommendation

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home>.
2. On the Trusted Advisor Priority page, make sure that you're on the **My Organization** tab.
3. On the **Trusted Advisor Priority** page, select the recommendation, and then choose **Resolve**.
4. In the **Resolve recommendation** dialog box, choose **Resolve**. Resolved recommendations appear under the **Closed** tab on the Trusted Advisor Priority page. Trusted Advisor Priority notifies your account team that you resolved the recommendation.

### To resolve a recommendation for all accounts in your AWS organization

The management account or the Trusted Advisor Priority delegated administrators can resolve a recommendation for all their accounts.

### Note

Member accounts don't have access to aggregated recommendations.

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home>.
2. If you're using an AWS Organizations Management or Delegated Administrator account, switch to the **My Account** tab.
3. In the **Active** tab, select a recommendation name.

4. If the recommendation doesn't apply for your account, choose **Resolve**.
5. In the **Resolve recommendation** dialog box, choose **Resolve**. Resolved recommendations appear under the **Closed** tab on the Trusted Advisor Priority page. Trusted Advisor Priority notifies your account team that you resolved the recommendation.

## Example : Manual recommendation from Trusted Advisor Priority

The following example shows a resolved **Low Utilization Amazon EC2 Instances** recommendation.

The screenshot shows the Trusted Advisor Priority page with the following details:

**Trusted Advisor > Priority > Low Utilization Amazon EC2 Instances - Production accounts**

**My organization** (selected) | **My account**

**Low Utilization Amazon EC2 Instances - Production accounts**

**Details** | **Affected accounts** | **Affected resources**

**Overview**

Source	Category	Age	Status
AWS Trusted Advisor	Cost optimization	0 day(s) Shared on: Jul 10, 2023	Resolved
Shared by person@amazon.com	Resolved on Jul 10, 2023		

**Status Summary**  
This is a summary of the status of this recommendation across all your accounts  
2 accounts Resolved

**Copy recommendation link** | **Download**

## Reopen a recommendation

After you dismiss a recommendation, you or your account team can reopen the recommendation.

### To reopen a recommendation

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home>.
2. If you're using an AWS Organizations Management or Delegated Administrator account, then switch to the **My Account** tab.
3. On the **Trusted Advisor Priority** page, choose the **Closed** tab.
4. Under **Closed recommendations**, select a recommendation that was **Dismissed**, and then choose **Reopen**.
5. In the **Reopen recommendation** dialog box, describe why you're reopening the recommendation.
6. Choose **Reopen**. The recommendation status changes to **In progress** and appears under the **Active** tab.

**Tip**

You can choose the recommendation name and then choose **View note** to find the reason for reopening. If your account team reopened the recommendation for you, their name appears next to the note.

7. Follow the steps in the recommendation details.

### To reopen a recommendation for all accounts in your AWS organization

The management account or the Trusted Advisor Priority delegated administrators can reopen a recommendation for all of their accounts.

**Note**

Member accounts don't have access to aggregated recommendations.

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home>.
2. On the Trusted Advisor Priority page, make sure that you're on the **My Organization** tab.
3. Under **Closed** recommendations, select a recommendation that was **Dismissed**, and then choose **Reopen**.
4. In the **Reopen recommendation** dialog box, describe why you're reopening the recommendation.
5. Choose **Reopen**. The recommendation status changes to **In progress** and appears under the **Active** tab.


**Tip**

You can choose the recommendation name and choose **View note** to find the reason for reopening. If your account team reopened the recommendation for you, their name appears next to the note.

6. Follow the steps in the recommendation details.

## Example : Reopen a recommendation from Trusted Advisor Priority

The following example shows a recommendation that you want to reopen.



## Download recommendation details

You can also download the results of a prioritized recommendation from Trusted Advisor Priority.

### Note

Currently, you can download only one recommendation at a time.

### To download a recommendation

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home>.
2. On the **Trusted Advisor Priority** page, select the recommendation, and then choose **Download**.
3. Open the file to view the recommendation details.

## Register delegated administrators

You can add member accounts that are part of your organization as delegated administrators. Delegated administrator accounts can review, acknowledge, resolve, dismiss, and reopen recommendations in Trusted Advisor Priority.

After you register an account, you must grant the delegated administrator the required AWS Identity and Access Management permissions to access Trusted Advisor Priority. For more information, see [Manage access to AWS Trusted Advisor](#) and [AWS managed policies for AWS Trusted Advisor](#).

You can register up to five member accounts. Only the management account can add delegated administrators for the organization. You must be signed in to the organization's management account to register or deregister a delegated administrator.

### To register a delegated administrator

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home> as the management account.
2. In the navigation pane, under **Preferences**, choose **Your organization**.
3. Under **Delegated administrator**, choose **Register new account**.
4. In the dialog box, enter the member account ID, and then choose **Register**.
5. (Optional) To deregister an account, select an account and choose **Deregister**. In the dialog box, choose **Deregister** again.

## Deregister delegated administrators

When you deregister a member account, that account no longer has the same access to Trusted Advisor Priority as the management account. Accounts that are no longer delegated administrators won't receive email notifications from Trusted Advisor Priority.

### To deregister a delegated administrator

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home> as the management account.
2. In the navigation pane, under **Preferences**, choose **Your organization**.
3. Under **Delegated administrator**, select an account and then choose **Deregister**.

4. In the dialog box, choose **Deregister**.

## Manage Trusted Advisor Priority notifications

Trusted Advisor Priority delivers notifications through email. This email notification includes a summary of the recommendations that your account team prioritized for you. You can specify the frequency that you receive updates from Trusted Advisor Priority.

If you registered member accounts as delegated administrators, they can also set up their accounts to receive Trusted Advisor Priority email notifications.

Trusted Advisor Priority email notifications don't include check results for individual accounts and are separate from the weekly notification for Trusted Advisor Recommendations. For more information, see [Set up notification preferences](#).

 **Note**

Only the management account or delegated administrator can set up Trusted Advisor Priority email notifications.

### To manage your Trusted Advisor Priority notifications

1. Sign in to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor/home> as a management or delegated administrator account.
2. In the navigation pane, under **Preferences**, choose **Notifications**.
3. Under **Priority**, you can select the following options.
  - a. **Daily** – Receive an email notification daily.
  - b. **Weekly** – Receive an email notification once a week.
  - c. Choose the notifications to receive:
    - Summary of prioritized recommendations
    - Resolution dates
4. For **Recipients**, select other contacts that you want to receive the email notifications. You can add and remove contacts from the [Account Settings](#) page in the AWS Billing and Cost Management console.

5. For **Language**, choose the language for the email notification.
6. Choose **Save your preferences**.

 **Note**

Trusted Advisor Priority sends email notifications from the noreply@notifications.trustedadvisor.us-west-2.amazonaws.com address. You might need to verify that your email client doesn't identify these emails as spam.

## Disable Trusted Advisor Priority

Contact your account team and ask that they disable this feature for you. After this feature is disabled, prioritized recommendations no longer appear in your Trusted Advisor console.

If you disable Trusted Advisor Priority and then enable it again later, you can still view the recommendations that your account team sent before you disabled Trusted Advisor Priority.

## AWS Trusted Advisor check reference

 **Important**

End of Support Notice: Developer Support will be discontinued January 1, 2027. Customers with Developer Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information, see [Business Support+ plan details](#)

End of Support Notice: Business Support will be discontinued January 1, 2027. Customers with Business Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information see, [Business Support+ plan details](#)

End of Support Notice: On January 1, 2027, AWS will discontinue Enterprise On-Ramp. Throughout 2026, Enterprise On-Ramp customers will be automatically upgraded to AWS Enterprise Support during contract renewal or in periodic batches. Customers will

receive an email notification a month before their upgrade. No further action is required. Enterprise Support provides designated TAM assignment, 15-minute response times, and AWS Security Incident Response available at no additional cost, all at a lower \$5,000 minimum (reduced from \$15,000). For more information, see [AWS Enterprise Support plan details](#).

For more information, see [Developer, Business, and Enterprise On-Ramp end of support](#).

Developer Support, Business Support, and Enterprise On-Ramp will remain available in the AWS GovCloud (US) Region.

You can view all Trusted Advisor check names, descriptions, and IDs in the following reference.

You can also sign in to the [Trusted Advisor](#) console to view more information about the checks, recommended actions, and their statuses.

If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, you can also use the [AWS Trusted Advisor API](#) and the AWS Command Line Interface (AWS CLI) to access your checks. For more information, see the following topics:

- [Get started with the Trusted Advisor API](#)
- [AWS Trusted Advisor API Reference](#)

### Note

If you have a Basic Support or Developer Support plan, you can use the Trusted Advisor console to access all checks in the [Service limits](#) category and the following checks in the Security and Fault Tolerance categories:

- [Amazon EBS Public Snapshots](#)
- [Amazon RDS Public Snapshots](#)
- [Amazon S3 Bucket Permissions](#)
- [MFA on root account](#)
- [Security Groups – Specific Ports Unrestricted](#)
- [AWS STS global endpoint usage across AWS Regions](#)

## Check categories

- [Cost optimization](#)
- [Performance](#)
- [Security](#)
- [Fault tolerance](#)
- [Service limits](#)
- [Operational Excellence](#)

## Cost optimization

You can use the following checks for the cost optimization category.

### Check names

- [AWS account not part of AWS Organizations](#)
- [Amazon Aurora cost optimization recommendations for DB cluster storage](#)
- [Amazon Comprehend underutilized endpoints](#)
- [Amazon DynamoDB reserved capacity purchase recommendations](#)
- [Amazon EBS cost optimization recommendations for volumes](#)
- [Amazon EBS over-provisioned volumes](#)
- [Amazon EC2 cost optimization recommendations for Amazon EC2 Auto Scaling groups](#)
- [Amazon EC2 cost optimization recommendations for instances](#)
- [Amazon EC2 instances consolidation for Microsoft SQL Server](#)
- [Amazon EC2 instances over-provisioned for Microsoft SQL Server](#)
- [Amazon EC2 instances stopped](#)
- [Amazon EC2 Reserved Instance lease expiration](#)
- [Amazon EC2 Reserved Instance optimization](#)
- [Amazon ECR Repository without lifecycle policy configured](#)
- [Amazon ElastiCache reserved node purchase recommendations](#)
- [AWS Fargate cost optimization recommendations for Amazon ECS](#)
- [Amazon MemoryDB reserved node purchase recommendations](#)
- [Amazon OpenSearch Service Reserved Instance purchase recommendations](#)
- [Amazon RDS cost optimization recommendations for DB instances](#)
- [Amazon RDS cost optimization recommendations for DB instance storage](#)

- [Amazon RDS idle DB instances](#)
- [Amazon RDS Reserved Instance purchase recommendations](#)
- [Amazon Redshift reserved node purchase recommendations](#)
- [Amazon Route 53 Latency Resource Record Sets](#)
- [Amazon S3 Bucket Lifecycle Policy Configured](#)
- [Amazon S3 Incomplete Multipart Upload Abort Configuration](#)
- [Amazon S3 version-enabled buckets without lifecycle policies configured](#)
- [AWS Lambda cost optimization recommendations for functions](#)
- [AWS Lambda functions with excessive timeouts](#)
- [AWS Lambda functions with high error rates](#)
- [AWS Lambda over-provisioned functions for memory size](#)
- [AWS Savings Plans purchase recommendations for compute](#)
- [AWS Savings Plans purchase recommendations for Amazon SageMaker AI](#)
- [AWS Well-Architected high risk issues for cost optimization](#)
- [Idle Load Balancers](#)
- [Inactive AWS Network Firewall](#)
- [Inactive VPC interface endpoints](#)
- [Inactive Gateway Load Balancer endpoints](#)
- [Inactive NAT Gateways](#)
- [Low utilization Amazon EC2 instances](#)
- [Unassociated Elastic IP Addresses](#)
- [Underutilized Amazon EBS volumes](#)
- [Underutilized Amazon Redshift Clusters](#)

## AWS account not part of AWS Organizations

### Description

Checks if an AWS account is part of AWS Organizations under the appropriate management account.

AWS Organizations is an account management service for consolidating multiple AWS accounts into a centrally-managed organization. This enables you to centrally structure accounts for

billing consolidation and implement ownership and security policies as your workloads scale on AWS.

You can specify the management account id using the **MasterAccountId** parameter of the AWS Config rules.

For more information, see [What is AWS Organizations?](#)

 **Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz127

## Source

AWS Config Managed Rule: account-part-of-organizations

## Alert criteria

Yellow: This AWS account is not part of AWS Organizations.

## Recommended action

Add this AWS account as part of AWS Organizations.

For more information, see [Tutorial: Creating and configuring an organization](#).

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters

- Last Updated Time

## Amazon Aurora cost optimization recommendations for DB cluster storage

### Description

Checks your Amazon Aurora DB cluster storage configurations and usage patterns to provide recommendations for potential cost savings.

For each resource, Trusted Advisor shows only the top recommended action from AWS Cost Optimization Hub.

To use this check, you must opt in to [Cost Optimization Hub](#) and [AWS Compute Optimizer](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c1z7kmr17n

### Source

AWS Cost Optimization Hub

### Alert criteria

Yellow: An Aurora DB cluster storage has a cost savings action identified by Cost Optimization Hub.

### Recommended action

Consider implementing the recommendation. The recommendation is one of the recommendation types listed in [Understanding cost optimization strategies](#) in the *AWS Cost Management User Guide*. For more information on implementing these recommendations, see the AWS Cloud Financial Management (CFM) [Service Cost Optimization Playbook](#).

Use the detailed recommendations in AWS Compute Optimizer to understand the potential impact of these changes on cost and performance.

## Additional resources

- [Viewing Aurora and RDS database recommendations](#)
- [Recommendations from Amazon Aurora](#)
- [Settings for Amazon Aurora](#)

## Report columns

- Status
- Region
- Resource ID
- Recommended Action
- Current Resource Summary
- Recommended Resource Summary
- Estimated Monthly Cost
- Estimated Monthly Savings
- Last Refresh Time stamp

## Amazon Comprehend underutilized endpoints

### Description

Checks the throughput configuration of your endpoints. This check alerts you when endpoints are not actively used for real-time inference requests. An endpoint that isn't used for more than 15 consecutive days is considered underutilized. All endpoints accrue charges based on both the throughput set, and the length of time that the endpoint is active.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

Cm24dfsM12

## Alert criteria

Yellow: The endpoint is active, but hasn't been used for real-time inference requests in the past 15 days.

## Recommended action

If the endpoint hasn't been used in the past 15 days, we recommend that you define a scaling policy for the resource by using [Application Autoscaling](#).

If the endpoint has a scaling policy defined and hasn't been used in the past 30 days, consider deleting the endpoint and using asynchronous inference. For more information, see [Deleting an endpoint with Amazon Comprehend](#).

## Report columns

- Status
- Region
- Endpoint ARN
- Provisioned Inference Unit
- AutoScaling Status
- Reason
- Last Updated Time

## Amazon DynamoDB reserved capacity purchase recommendations

### Description

Checks your Amazon DynamoDB usage patterns and provides recommendations for potential cost savings through reserved capacity purchases.

This check generates recommendations at [payer scope for the payer account and at linked scope for a linked account](#).

Trusted Advisor shows only the top recommended action from AWS Cost Optimization Hub.

**Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Check ID**

c1z7kmr15n

**Source**

AWS Cost Optimization Hub

**Alert criteria**

Yellow: Account has a cost savings action identified by Cost Optimization Hub for DynamoDB.

**Recommended action**

Consider [implementing the recommendation](#). For more information on implementing these recommendations, see the AWS Cloud Financial Management (CFM) [Service Cost Optimization Playbook](#).

**Additional resources**

- [DynamoDB reserved capacity](#)
- [Accessing reservation recommendations](#)
- [Amazon DynamoDB Reserved Capacity](#)

**Report columns**

- Status
- Region
- Recommended Resource Summary
- Estimated Monthly Cost
- Estimated Monthly Savings
- Last Refresh Time stamp

## Amazon EBS cost optimization recommendations for volumes

### Description

Checks your Amazon EBS volume configurations and usage patterns to provide recommendations for potential cost savings.

For each resource, Trusted Advisor shows only the top recommended action from AWS Cost Optimization Hub.

To use this check, you must opt in to [Cost Optimization Hub](#) and [AWS Compute Optimizer](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c1z7kmr02n

### Source

AWS Cost Optimization Hub

### Alert criteria

Yellow: EBS volume has a cost savings action identified by Cost Optimization Hub.

### Recommended action

Consider implementing the recommendation. The recommendation is one of the recommendation types listed in [Understanding cost optimization strategies](#) in the *AWS Cost Management User Guide*. For more information on implementing these recommendations, see the AWS Cloud Financial Management (CFM) [Service Cost Optimization Playbook](#).

Use the detailed recommendations in AWS Compute Optimizer to understand the potential impact of these changes on cost and performance.

## Additional resources

- [Viewing Amazon EBS volume recommendations](#)
- [EBS volume metrics](#)
- [Amazon EBS volume types](#)
- [Request Amazon EBS volume modifications](#)

## Report columns

- Status
- Region
- Resource ID
- Recommended Action
- Current Resource Summary
- Recommended Resource Summary
- Estimated Monthly Cost
- Estimated Monthly Savings
- Last Refresh Time stamp

## Amazon EBS over-provisioned volumes

### Description

 **Note**

This is a legacy check. We recommend using the new check (Check ID: [c1z7kmr02n](#)) that offers additional customized recommendations.

Checks the Amazon Elastic Block Store (Amazon EBS) volumes that were running at any time during the lookback period. This check alerts you if any EBS volumes were over-provisioned for your workloads. When you have over-provisioned volumes, you're paying for unused resources. Although some scenarios can result in low optimization by design, you can often lower your costs by changing the configuration of your EBS volumes. Estimated monthly savings are calculated by using the current usage rate for EBS volumes. Actual savings vary if the volume isn't present for a full month.

**Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Check ID**

C0r6dfpM03

**Alert Criteria**

**Yellow:** An EBS volume that was over-provisioned during the lookback period. To determine if a volume is over-provisioned, we consider all default CloudWatch metrics (including IOPS and throughput). The algorithm used to identify over-provisioned EBS volumes follows AWS best practices. The algorithm is updated when a new pattern has been identified.

**Recommended action**

Consider downsizing volumes that have low utilization.

For more information, see [Opt in AWS Compute Optimizer for Trusted Advisor checks](#).

**Report columns**

- Status
- Region
- Volume ID
- Volume Type
- Volume Size (GB)
- Volume Baseline IOPS
- Volume Burst IOPS
- Volume Burst Throughput
- Recommended Volume Type
- Recommended Volume Size (GB)
- Recommended Volume Baseline IOPS

- Recommended Volume Burst IOPS
- Recommended Volume Baseline Throughput
- Recommended Volume Burst Throughput
- Lookback Period (days)
- Savings Opportunity (%)
- Estimated Monthly Savings
- Estimated Monthly Savings Currency
- Last Updated Time

## Amazon EC2 cost optimization recommendations for Amazon EC2 Auto Scaling groups

### Description

Checks your Amazon EC2 Auto Scaling group configurations and usage patterns to provide recommendations for potential cost savings.

For each resource, Trusted Advisor shows only the top recommended action from AWS Cost Optimization Hub.

To use this check, you must opt in to [Cost Optimization Hub](#) and [AWS Compute Optimizer](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c1z7kmr01n

### Source

AWS Cost Optimization Hub

## Alert criteria

Yellow: Amazon EC2 Auto Scaling group has a cost savings action identified by Cost Optimization Hub.

## Recommended action

Consider implementing the recommendation. The recommendation is one of the recommendation types listed in [Understanding cost optimization strategies](#) in the *AWS Cost Management User Guide*. For more information on implementing these recommendations, see the AWS Cloud Financial Management (CFM) [Service Cost Optimization Playbook](#).

Use the detailed recommendations in AWS Compute Optimizer to understand the potential impact of these changes on cost and performance.

## Additional resources

- [Viewing Amazon EC2 Auto Scaling volume recommendations](#)
- [Amazon EC2 Auto Scaling groups](#)
- [What is Amazon EC2 Auto Scaling](#)

## Report columns

- Status
- Region
- Resource ID
- Recommended Action
- Current Resource Summary
- Recommended Resource Summary
- Estimated Monthly Cost
- Estimated Monthly Savings
- Last Refresh Time stamp

## Amazon EC2 cost optimization recommendations for instances

### Description

Checks your Amazon EC2 instance configurations and usage patterns to provide recommendations for potential cost savings.

For each resource, Trusted Advisor shows only the top recommended action from AWS Cost Optimization Hub.

To use this check, you must opt in to [Cost Optimization Hub](#) and [AWS Compute Optimizer](#).

 **Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c1z7kmr00n

## Source

AWS Cost Optimization Hub

## Alert criteria

Yellow: EC2 instance has a cost savings action identified by Cost Optimization Hub.

## Recommended action

Consider implementing the recommendation. The recommendation is one of the recommendation types listed in [Understanding cost optimization strategies](#) in the *AWS Cost Management User Guide*. For more information on implementing these recommendations, see the AWS Cloud Financial Management (CFM) [Service Cost Optimization Playbook](#).

Use the detailed recommendations in AWS Compute Optimizer to understand the potential impact of these changes on cost and performance.

## Additional resources

- [Viewing EC2 instance recommendations](#)
- [EC2 instance metrics](#)
- [Amazon EC2 instance type changes](#)

## Report columns

- Status
- Region
- Resource ID
- Recommended Action
- Current Resource Summary
- Recommended Resource Summary
- Estimated Monthly Cost
- Estimated Monthly Savings
- Last Refresh Time stamp

## Amazon EC2 instances consolidation for Microsoft SQL Server

### Description

Checks your Amazon Elastic Compute Cloud (Amazon EC2) instances that are running SQL Server in the past 24 hours. This check alerts you if your instance has less than the minimum number of SQL Server licenses. From the Microsoft SQL Server Licensing Guide, you are paying 4 vCPU licenses even if an instance has only 1 or 2 vCPUs. You can consolidate smaller SQL Server instances to help lower costs.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

Qsdfp3A4L2

### Alert criteria

Yellow: An instance with SQL Server has less than 4 vCPUs.

## Recommended Action

Consider consolidating smaller SQL Server workloads into instances with at least four vCPUs.

## Additional resources

- [Microsoft SQL Server on AWS](#)
- [Microsoft Licensing on AWS](#)
- [Microsoft SQL Server Licensing Guide](#)

## Report columns

- Status
- Region
- Instance ID
- Instance Type
- vCPU
- Minimum vCPU
- SQL Server Edition
- Last Updated Time

## Amazon EC2 instances over-provisioned for Microsoft SQL Server

### Description

Checks your Amazon Elastic Compute Cloud (Amazon EC2) instances that are running SQL Server in the past 24 hours. An SQL Server database has a compute capacity limit for each instance. An instance with SQL Server Standard edition can use up to 48 vCPUs. An instance with SQL Server Web can use up to 32 vCPUs. This check alerts you if an instance exceeds this vCPU limit.

If your instance is over-provisioned, you pay full price without realizing an improvement in performance. You can manage the number and size of your instances to help lower costs.

Estimated monthly savings are calculated by using the same instance family with the maximum number of vCPUs that an SQL Server instance can use and the On-Demand pricing. Actual savings will vary if you're using Reserved Instances (RI) or if the instance isn't running for a full day.

**Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Check ID**

Qsdfp3A4L1

**Alert criteria**

- Red: An instance with SQL Server Standard edition has more than 48 vCPUs.
- Red: An instance with SQL Server Web edition has more than 32 vCPUs.

**Recommended action**

For SQL Server Standard edition, consider changing to an instance in the same instance family with 48 vCPUs. For SQL Server Web edition, consider changing to an instance in the same instance family with 32 vCPUs. If it is memory intensive, consider changing to memory optimized R5 instances. For more information, see [Best Practices for Deploying Microsoft SQL Server on Amazon EC2](#).

**Additional resources**

- [Microsoft SQL Server on AWS](#)
- You can use [Launch Wizard](#) to simplify your SQL Server deployment on EC2.

**Report columns**

- Status
- Region
- Instance ID
- Instance Type
- vCPU
- SQL Server Edition
- Maximum vCPU
- Recommended Instance Type

- Estimated Monthly Savings
- Last Updated Time

## Amazon EC2 instances stopped

### Description

Checks if there are Amazon EC2 instances that have been stopped for more than 30 days.

You can specify the allowed number of days value in the **AllowedDays** of AWS Config parameters.

For more information, see [Why am I being charged for Amazon EC2 when all my instances were terminated?](#)

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz150

### Source

AWS Config Managed Rule: ec2-stopped-instance

### Alert criteria

- Yellow: There are Amazon EC2 instances stopped for more than the allowed number of days.

### Recommended action

Review the Amazon EC2 instances that have been stopped for 30 days or more. To avoid incurring unnecessary costs, terminate any instances that are no longer needed.

For more information, see [Terminate your instance](#).

## Additional resources

- [Amazon EC2 On-Demand Pricing](#)

### Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon EC2 Reserved Instance lease expiration

### Description

Checks for Amazon EC2 Reserved Instances that are scheduled to expire within the next 30 days, or have expired in the preceding 30 days.

Reserved Instances don't renew automatically. You can continue using an Amazon EC2 instance covered by the reservation without interruption, but you will be charged On-Demand rates.

New Reserved Instances can have the same parameters as the expired ones, or you can purchase Reserved Instances with different parameters.

The estimated monthly savings is the difference between the On-Demand and Reserved Instance rates for the same instance type.

### Check ID

1e93e4c0b5

### Alert criteria

- Yellow: The Reserved Instance lease expires in less than 30 days.
- Yellow: The Reserved Instance lease expired in the preceding 30 days.

### Recommended action

Consider purchasing a new Reserved Instance to replace the one that is nearing the end of its term. For more information, see [How to Purchase Reserved Instances](#) and [Buying Reserved Instances](#).

## Additional resources

- [Reserved Instances](#)
- [Instance Types](#)

## Report columns

- Status
- Zone
- Instance Type
- Platform
- Instance Count
- Current Monthly Cost
- Estimated Monthly Savings
- Expiration Date
- Reserved Instance ID
- Reason

## Amazon EC2 Reserved Instance optimization

### Description

An important part of using AWS involves balancing your Reserved Instance (RI) purchase against your On-Demand Instance usage. This check provides recommendations on which RIs will help reduce the costs incurred from using On-Demand Instances.

We create these recommendations by analyzing your On-Demand usage for the past 30 days. We then categorizing the usage into eligible categories for reservations. We simulate every combination of reservations in the generated category of usage to identify the recommended number of each type of RI to purchase. This process of simulation and optimization allows us to maximize your cost savings. This check covers recommendations based on Standard Reserved Instances with the partial upfront payment option.

This check is not available to accounts linked in consolidated billing. The recommendations for this check are only available for the paying account.

### Check ID

cX3c2R1chu

## Alert criteria

Yellow: Optimizing the use of partial upfront RIs can help reduce costs.

## Recommended action

See the [Cost Explorer](#) page for more detailed and customized recommendations. Additionally, refer to the [buying guide](#) to understand how to purchase RIs and the options available.

## Additional resources

- Information on RIs and how they can save you money can be found [here](#).
- For more information on this recommendation, see [Reserved Instance Optimization Check Questions](#) in the Trusted Advisor FAQs.

## Report columns

- Region
- Instance Type
- Platform
- Recommended Number of RIs to Purchase
- Expected Average RI Utilization
- Estimated Savings with Recommendations (Monthly)
- Upfront Cost of RIs
- Estimated costs of RIs (Monthly)
- Estimated On-Demand Cost Post Recommended RI Purchase (Monthly)
- Estimated Break Even (Months)
- Lookback Period (Days)
- Term (Years)

## Amazon ECR Repository without lifecycle policy configured

### Description

Checks if a private Amazon ECR repository has at least one lifecycle policy configured. Lifecycle policies allow you to define a set of rules to automatically clean up old or unused container images. This gives you control over the lifecycle management of the images, allows Amazon ECR repositories to be better organized, and helps to lower overall storage costs.

For more information, see [Lifecycle policies](#).

## Check ID

c18d2gz128

## Source

AWS Config Managed Rule: ecr-private-lifecycle-policy-configured

## Alert criteria

Yellow: An Amazon ECR private repository doesn't have any lifecycle policies configured.

## Recommended action

Consider creating at least one lifecycle policy for your private Amazon ECR repository.

For more information, see [Creating a lifecycle policy](#).

## Additional resources

- [Lifecycle policies](#).
- [Creating a lifecycle policy](#).
- [Examples of lifecycle policies](#).

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon ElastiCache reserved node purchase recommendations

### Description

Checks your Amazon ElastiCache usage patterns to provide recommendations for potential cost savings through reserved node purchases.

This check generates recommendations at [payer scope for the payer account and at linked scope for a linked account](#).

Trusted Advisor shows only the top recommended action from AWS Cost Optimization Hub.

To use this check, you must opt in to [Cost Optimization Hub](#).

### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c1z7kmr13n

## Source

AWS Cost Optimization Hub

## Alert criteria

Yellow: Account has a cost savings action identified by Cost Optimization Hub for Amazon ElastiCache.

## Recommended action

Consider [implementing the recommendation](#). For more information on implementing these recommendations, see the AWS Cloud Financial Management (CFM) [Service Cost Optimization Playbook](#).

## Additional resources

- [Reserved nodes](#)
- [Accessing reservation recommendations](#)
- [Amazon ElastiCache Reserved Nodes](#)

## Report columns

- Status
- Region
- Recommended Resource Summary

- Estimated Monthly Cost
- Estimated Monthly Savings
- Last Refresh Time stamp

## AWS Fargate cost optimization recommendations for Amazon ECS

### Description

Checks your AWS Fargate for Amazon ECS configurations and usage patterns to provide recommendations for potential cost savings.

For each resource, Trusted Advisor shows only the top recommended action from AWS Cost Optimization Hub.

To use this check, you must opt in to [Cost Optimization Hub](#) and [AWS Compute Optimizer](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c1z7kmr06n

### Source

AWS Cost Optimization Hub

### Alert criteria

Yellow:Amazon ECS services on AWS Fargate have a cost savings action identified by Cost Optimization Hub.

### Recommended action

Consider implementing the recommendation. The recommendation is one of the recommendation types listed in [Understanding cost optimization strategies](#) in the AWS Cost

*Management User Guide.* For more information on implementing these recommendations, see the AWS Cloud Financial Management (CFM) [Service Cost Optimization Playbook](#).

Use the detailed recommendations in AWS Compute Optimizer to understand the potential impact of these changes on cost and performance.

## Additional resources

- [Viewing Amazon ECS services on Fargate recommendations](#)
- [Metrics for Amazon ECS services on Fargate](#)
- [AWS Fargate for Amazon ECS](#)
- [Updating an Amazon ECS service using the console](#)

## Report columns

- Status
- Region
- Resource ID
- Recommended Action
- Current Resource Summary
- Recommended Resource Summary
- Estimated Monthly Cost
- Estimated Monthly Savings
- Last Refresh Time stamp

## Amazon MemoryDB reserved node purchase recommendations

### Description

Checks your Amazon MemoryDB usage patterns to provide recommendations for potential cost savings through reserved node purchases.

This check generates recommendations at [payer scope for the payer account and at linked scope for a linked account](#).

For each resource, Trusted Advisor shows only the top recommended action from AWS Cost Optimization Hub.

To use this check, you must opt in to [Cost Optimization Hub](#).

**Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Check ID**

c1z7kmr16n

**Source**

AWS Cost Optimization Hub

**Alert criteria**

Yellow: Account has a cost savings action identified by Cost Optimization Hub for MemoryDB.

**Recommended action**

Consider [implementing the recommendation](#). For more information on implementing these recommendations, see the AWS Cloud Financial Management (CFM) [Service Cost Optimization Playbook](#).

**Additional resources**

- [MemoryDB reserved nodes](#)
- [Accessing reservation recommendations](#)
- [Working with reserved nodes](#)

**Report columns**

- Status
- Region
- Recommended Resource Summary
- Estimated Monthly Cost
- Estimated Monthly Savings
- Last Refresh Time stamp

## Amazon OpenSearch Service Reserved Instance purchase recommendations

### Description

Checks your Amazon OpenSearch Service usage patterns to provide recommendations for potential cost savings through Reserved Instance (RI) purchases.

This check generates recommendations at [payer scope for the payer account and at linked scope for a linked account](#).

Trusted Advisor shows only the top recommended action from AWS Cost Optimization Hub.

To use this check, you must opt in to [Cost Optimization Hub](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c1z7kmr14n

### Source

AWS Cost Optimization Hub

### Alert criteria

Yellow: Account has a cost savings action identified by Cost Optimization Hub for Amazon OpenSearch Service.

### Recommended action

Consider [implementing the recommendation](#). For more information on implementing these recommendations, see the AWS Cloud Financial Management (CFM) [Service Cost Optimization Playbook](#).

### Additional resources

- [Reserved Instances in Amazon OpenSearch Service](#)

- [Accessing reservation recommendations](#)
- [Purchasing Reserved Instances \(AWS CLI\)](#)

## Report columns

- Status
- Region
- Recommended Resource Summary
- Estimated Monthly Cost
- Estimated Monthly Savings
- Last Refresh Time stamp

## Amazon RDS cost optimization recommendations for DB instances

### Description

Checks your Amazon RDS DB instance configurations and usage patterns to provide recommendations for potential cost savings.

For each resource, Trusted Advisor shows only the top recommended action from AWS Cost Optimization Hub.

To use this check, you must opt in to [Cost Optimization Hub](#) and [AWS Compute Optimizer](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c1z7kmr03n

### Source

AWS Cost Optimization Hub

## Alert criteria

Yellow: RDS DB instance has a cost savings action identified by Cost Optimization Hub.

## Recommended action

Consider implementing the recommendation. The recommendation is one of the recommendation types listed in [Understanding cost optimization strategies](#) in the *AWS Cost Management User Guide*. For more information on implementing these recommendations, see the AWS Cloud Financial Management (CFM) [Service Cost Optimization Playbook](#).

Use the detailed recommendations in AWS Compute Optimizer to understand the potential impact of these changes on cost and performance.

## Additional resources

- [Viewing RDS database recommendations](#)
- [RDS database metrics](#)
- [DB instance classes](#)
- [Modifying an Amazon RDS DB instance](#)

## Report columns

- Status
- Region
- Resource ID
- Recommended Action
- Current Resource Summary
- Recommended Resource Summary
- Estimated Monthly Cost
- Estimated Monthly Savings
- Last Refresh Time stamp

## Amazon RDS cost optimization recommendations for DB instance storage

### Description

Checks your Amazon RDS DB instance storage configurations and usage patterns to provide recommendations for potential cost savings.

For each resource, Trusted Advisor shows only the top recommended action from AWS Cost Optimization Hub.

To use this check, you must opt in to [Cost Optimization Hub](#) and [AWS Compute Optimizer](#).

### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c1z7kmr04n

## Source

AWS Cost Optimization Hub

## Alert criteria

Yellow: RDS DB storage has a cost savings action identified by Cost Optimization Hub.

## Recommended action

Consider implementing the recommendation. The recommendation is one of the recommendation types listed in [Understanding cost optimization strategies](#) in the *AWS Cost Management User Guide*. For more information on implementing these recommendations, see the AWS Cloud Financial Management (CFM) [Service Cost Optimization Playbook](#).

Use the detailed recommendations in AWS Compute Optimizer to understand the potential impact of these changes on cost and performance.

## Additional resources

- [Viewing RDS database recommendations](#)
- [Amazon RDS DB instance storage](#)

## Report columns

- Status
- Region

- Resource ID
- Recommended Action
- Current Resource Summary
- Recommended Resource Summary
- Estimated Monthly Cost
- Estimated Monthly Savings
- Last Refresh Time stamp

## Amazon RDS idle DB instances

### Description

 **Note**

This is a legacy check. We recommend using the new check (Check ID: [c1z7kmr03n](#)) that offers additional customized recommendations.

Checks the configuration of your Amazon Relational Database Service (Amazon RDS) for any database (DB) instances that appear to be idle.

If a DB instance has not had a connection for a prolonged period of time, you can delete the instance to reduce costs. A DB instance is considered idle if the instance hasn't had a connection in the past 7 days. If persistent storage is needed for data on the instance, you can use lower-cost options such as taking and retaining a DB snapshot. Manually created DB snapshots are retained until you delete them.

 **Note**

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

### Check ID

Ti39halfu8

## Alert Criteria

Yellow: An active DB instance has not had a connection in the last 7 days.

## Recommended action

Consider taking a snapshot of the idle DB instance and then either stopping it or deleting it. Stopping the DB instance removes some of the costs for it, but does not remove storage costs. A stopped instance keeps all automated backups based upon the configured retention period. Stopping a DB instance usually incurs additional costs when compared to deleting the instance and then retaining only the final snapshot. See [Stopping an Amazon RDS instance temporarily](#) and [Deleting a DB Instance with a Final Snapshot](#).

## Additional resources

[Back Up and Restore](#)

## Report columns

- Region
- DB Instance Name
- Multi-AZ
- Instance Type
- Storage Provisioned (GB)
- Days Since Last Connection
- Estimated Monthly Savings (On Demand)

## Amazon RDS Reserved Instance purchase recommendations

### Description

Checks your Amazon RDS usage patterns to provide recommendations for potential cost savings through Reserved Instance (RI) purchases.

This check generates recommendations at [payer scope for the payer account and at linked scope for a linked account](#).

Trusted Advisor shows only the top recommended action from AWS Cost Optimization Hub.

To use this check, you must opt in to [Cost Optimization Hub](#).

**Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Check ID**

c1z7kmr11n

**Source**

AWS Cost Optimization Hub

**Alert criteria**

Yellow: EBS volume has a cost savings action identified by Cost Optimization Hub.

**Recommended action**

Consider [implementing the recommendation](#). For more information on implementing these recommendations, see the AWS Cloud Financial Management (CFM) [Service Cost Optimization Playbook](#).

**Additional resources**

- [Reserved DB instance for Amazon RDS](#)
- [Accessing reservation recommendations](#)
- [Purchasing reserved DB instances for Amazon RDS](#)

**Report columns**

- Status
- Region
- Recommended Resource Summary
- Estimated Monthly Cost
- Estimated Monthly Savings
- Last Refresh Time stamp

## Amazon Redshift reserved node purchase recommendations

### Description

Checks your Amazon Redshift usage patterns to provide recommendations for potential cost savings through reserved node purchases.

This check generates recommendations at [payer scope for the payer account and at linked scope for a linked account](#).

Trusted Advisor shows only the top recommended action from AWS Cost Optimization Hub.

To use this check, you must opt in to [Cost Optimization Hub](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c1z7kmr12n

### Source

AWS Cost Optimization Hub

### Alert criteria

Yellow: Account has a cost savings action identified by Cost Optimization Hub for Amazon Redshift.

### Recommended action

Consider [implementing the recommendation](#). For more information on implementing these recommendations, see the AWS Cloud Financial Management (CFM) [Service Cost Optimization Playbook](#).

## Additional resources

- [Reserved nodes](#)
- [Accessing reservation recommendations](#)
- [Purchasing a reserved node](#)

## Report columns

- Status
- Region
- Recommended Resource Summary
- Estimated Monthly Cost
- Estimated Monthly Savings
- Last Refresh Time stamp

## Amazon Route 53 Latency Resource Record Sets

### Description

Checks for Amazon Route 53 latency record sets that are configured inefficiently.

To allow Amazon Route 53 to route queries to the AWS Region with the lowest network latency, you should create latency resource record sets for a particular domain name (such as example.com) in different Regions. If you create only one latency resource record set for a domain name, all queries are routed to one Region, and you pay extra for latency-based routing without getting the benefits.

Hosted zones created by AWS services won't appear in your check results.

#### Note

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

### Check ID

51fc20e712

## Alert Criteria

Yellow: Only one latency resource record set is configured for a particular domain name.

## Recommended Action

If you have resources in multiple regions, be sure to define a latency resource record set for each region. See [Latency-Based Routing](#).

If you have resources in only one AWS Region, consider creating resources in more than one AWS Region and define latency resource record sets for each; see [Latency-Based Routing](#).

If you don't want to use multiple AWS Regions, you should use a simple resource record set. See [Working with Resource Record Sets](#).

## Additional Resources

- [Amazon Route 53 Developer Guide](#)
- [Amazon Route 53 Pricing](#)

## Report columns

- Hosted Zone Name
- Hosted Zone ID
- Resource Record Set Name
- Resource Record Set Type

## Amazon S3 Bucket Lifecycle Policy Configured

### Description

Checks if an Amazon S3 bucket has a lifecycle policy configured. An Amazon S3 lifecycle policy ensures that Amazon S3 objects inside the bucket are stored cost-effectively throughout their lifecycle. This is important for meeting regulatory requirements for data retention and storage. The policy configuration is a set of rules that define actions applied by the Amazon S3 service to a group of objects. A lifecycle policy allows you to automate transitioning objects to lower-cost storage classes or deleting them as they age. For example, you can transition an object to Amazon S3 Standard-IA storage 30 days after creation, or to Amazon Glacier after 1 year.

You can also define object expiration so that Amazon S3 deletes the object on your behalf after a certain period of time.

You can adjust the check configuration using the parameters in your AWS Config rules

For more information, see [Managing your storage lifecycle](#).

### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz100

## Source

AWS Config Managed Rule: s3-lifecycle-policy-check

## Alert Criteria

Yellow: Amazon S3 bucket has no lifecycle policy configured.

## Recommended Action

Make sure that you have a lifecycle policy configured in your Amazon S3 bucket.

If your organization does not have a retention policy in place, consider using Amazon S3 Intelligent-Tiering to optimize cost.

For information on how to define your Amazon S3 lifecycle policy, see [Setting lifecycle configuration on a bucket](#).

For information on Amazon S3 Intelligent-Tiering, see [Amazon S3 Intelligent-Tiering storage class](#)

## Additional Resources

[Setting lifecycle configuration on a bucket](#)

[Examples of S3 Lifecycle configuration](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameteres

## Amazon S3 Incomplete Multipart Upload Abort Configuration

### Description

Checks that each Amazon S3 bucket is configured with a lifecycle rule to abort multipart uploads that remain incomplete after 7 days. Using a lifecycle rule to abort these incomplete uploads and delete the associated storage is recommended.

#### Note

Results for this check are automatically refreshed one or more times each day, and refresh requests are not allowed. It might take a few hours for changes to appear. It might take a few hours for changes to appear. For Business, Enterprise On-Ramp, or Enterprise Support customers, you can use the [BatchUpdateRecommendationResourceExclusion API](#) to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c1cj39rr6v

### Alert criteria

Yellow: The lifecycle configuration bucket does not contain a lifecycle rule to abort all multipart uploads that remain incomplete after 7 days.

### Recommended action

Review lifecycle configuration for buckets without a lifecycle rule that would cleanup all incomplete multipart uploads. Uploads that are not completed after 24 hours are unlikely to

be completed. Click [here](#) to follow instructions to create a lifecycle rule. It is recommended that this is applied to all objects in your bucket. If you have a need to apply other lifecycle actions to selected objects in your bucket, you can have multiple rules with different filters. Check the storage lens dashboard or call the `ListMultipartUpload` API for more information.

## Additional Resources

[Creating a lifecycle configuration](#)

[Discovering and Deleting Incomplete Multipart Uploads to Lower Amazon S3 Costs](#)

[Uploading and copying objects using multipart upload](#)

[Lifecycle configuration elements](#)

[Elements to describe lifecycle actions](#)

[Lifecycle configuration to abort multipart uploads](#)

## Report columns

- Status
- Region
- Bucket Name
- Bucket ARN
- Lifecycle rule for deleting incomplete MPU
- Days After Initiation
- Last Updated Time

## Amazon S3 version-enabled buckets without lifecycle policies configured

### Description

Checks if Amazon S3 version-enabled buckets have a lifecycle policy configured..

For more information, see [Managing your storage lifecycle](#).

You can specify the bucket names that you want to check using the `bucketNames` parameters in your AWS Config rules.

**Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Check ID**

c18d2gz171

**Source**

AWS Config Managed Rule: s3-version-lifecycle-policy-check

**Alert criteria**

Yellow: An Amazon S3 version-enabled bucket with doesn't have a lifecycle policy configured.

**Recommended action**

Configure lifecycle policies for your Amazon S3 buckets to manage your objects so that they are stored cost effectively throughout their lifecycle.

For more information, see [Setting lifecycle configuration on a bucket](#).

**Additional resources**

[Managing your storage lifecycle](#)

[Setting lifecycle configuration on a bucket](#)

**Report columns**

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters

- Last Updated Time

## AWS Lambda cost optimization recommendations for functions

### Description

Checks your AWS Lambda configurations and usage patterns to provide recommendations for potential cost savings.

For each resource, Trusted Advisor shows only the top recommended action from AWS Cost Optimization Hub.

To use this check, you must opt in to [Cost Optimization Hub](#) and [AWS Compute Optimizer](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c1z7kmr05n

### Source

AWS Cost Optimization Hub

### Alert criteria

Yellow: Lambda function has a cost savings action identified by Cost Optimization Hub.

### Recommended action

Consider implementing the recommendation. The recommendation is one of the recommendation types listed in [Understanding cost optimization strategies](#) in the *AWS Cost Management User Guide*. For more information on implementing these recommendations, see the AWS Cloud Financial Management (CFM) [Service Cost Optimization Playbook](#).

Use the detailed recommendations in AWS Compute Optimizer to understand the potential impact of these changes on cost and performance.

## Additional resources

- [Viewing Lambda function recommendations](#)
- [Lambda function metrics](#)
- [Configuring AWS Lambda functions](#)

## Report columns

- Status
- Region
- Resource ID
- Recommended Action
- Current Resource Summary
- Recommended Resource Summary
- Estimated Monthly Cost
- Estimated Monthly Savings
- Last Refresh Time stamp

## AWS Lambda functions with excessive timeouts

### Description

Checks for Lambda functions with high timeout rates that might result in high cost.

Lambda charges based on run time and number of requests for your function. Function timeouts result in errors that may cause retries. Retrying functions will incur additionally request and run time charges.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

L4dfs2Q3C3

### Alert criteria

Yellow: Functions where > 10% of invocations end in an error due to a timeout on any given day within the last 7 days.

### Recommended action

Inspect function logging and X-ray traces to determine the contributor to the high function duration. Implement logging in your code at relevant parts, such as before or after API calls or database connections. By default, AWS SDK clients timeouts may be longer than the configured function duration. Adjust API and SDK connection clients to retry or fail within the function timeout. If the expected duration is longer than the configured timeout, you can increase the timeout setting for the function. For more information, see [Monitoring and troubleshooting Lambda applications](#).

### Additional resources

- [Monitoring and troubleshooting Lambda applications](#)
- [Lambda Function Retry Timeout SDK](#)
- [Using AWS Lambda with AWS X-Ray](#)
- [Accessing Amazon CloudWatch logs for AWS Lambda](#)
- [Error Processor Sample Application for AWS Lambda](#)

### Report columns

- Status
- Region
- Function ARN
- Max Daily Timeout Rate
- Date of Max Daily Timeout Rate
- Average Daily Timeout Rate
- Function Timeout Settings (millisecond)
- Lost Daily Compute Cost
- Average Daily Invokes
- Current Day Invokes
- Current Day Timeout Rate

- Last Updated Time

## AWS Lambda functions with high error rates

### Description

Checks for Lambda functions with high error rates that might result in higher costs.

Lambda charges are based on the number of requests and aggregate run time for your function. Function errors may cause retries that incur additional charges.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

L4dfs2Q3C2

### Alert criteria

Yellow: Functions where > 10% of invocations end in error on any given day within the last 7 days.

### Recommended action

Consider the following guidelines to reduce errors. Function errors include errors returned by the function's code and errors returned by the function's runtime.

To help you troubleshoot Lambda errors, Lambda integrates with services like Amazon CloudWatch and AWS X-Ray. You can use a combination of logs, metrics, alarms, and X-Ray tracing to quickly detect and identify issues in your function code, API, or other resources that support your application. For more information, see [Monitoring and troubleshooting Lambda applications](#).

For more information on handling errors with specific runtimes, see [Error handling and automatic retries in AWS Lambda](#).

For additional troubleshooting, see [Troubleshooting issues in Lambda](#).

You can also choose from an ecosystem of monitoring and observability tools provided by AWS Lambda partners. For more information, see [AWS Lambda Partners](#).

## Additional resources

- [Error Handling and Automatic Retries in AWS Lambda](#)
- [Monitoring and Troubleshooting Lambda applications](#)
- [Lambda Function Retry Timeout SDK](#)
- [Troubleshooting issues in Lambda](#)
- [API Invoke Errors](#)
- [Error Processor Sample Application for AWS Lambda](#)

## Report columns

- Status
- Region
- Function ARN
- Max Daily Error Rate
- Date for Max Error Rate
- Average Daily Error Rate
- Lost Daily Compute Cost
- Current Day Invokes
- Current Day Error Rate
- \*Average Daily Invokes
- Last Updated Time

## AWS Lambda over-provisioned functions for memory size

### Description

 **Note**

This is a legacy check. We recommend using the new check (Check ID: [c1z7kmr05n](#)) that offers additional customized recommendations.

Checks the AWS Lambda functions that were invoked at least once during the lookback period. This check alerts you if any of your Lambda functions were over-provisioned for memory size. When you have Lambda functions that are over-provisioned for memory sizes, you're paying for unused resources. Although some scenarios can result in low utilization by design, you can often lower your costs by changing the memory configuration of your Lambda functions. Estimated monthly savings are calculated by using the current usage rate for Lambda functions.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

C0r6dfpM05

## Alert criteria

Yellow: A Lambda function that was over-provisioned for memory size during the lookback period. To determine if a Lambda function is over-provisioned, we consider all default CloudWatch metrics for that function. The algorithm used to identify over-provisioned Lambda functions for memory size follows AWS best practices. The algorithm is updated when a new pattern has been identified.

## Recommended action

Consider reducing the memory size of your Lambda functions.

For more information, see [Opt in AWS Compute Optimizer for Trusted Advisor checks](#).

## Report columns

- Status
- Region
- Function Name
- Function Version
- Memory Size (MB)

- Recommended Memory Size (MB)
- Lookback Period (days)
- Savings Opportunity (%)
- Estimated Monthly Savings
- Estimated Monthly Savings Currency
- Last Updated Time

## AWS Savings Plans purchase recommendations for compute

### Description

Checks your AWS compute usage patterns across Amazon EC2, AWS Fargate, and AWS Lambda and provides Savings Plans purchase recommendations. With these recommendations, you can commit to a consistent usage amount measured in dollars per hour in exchange for discounted rates.

This check generates recommendations at [payer scope for the payer account and at linked scope for a linked account](#).

Trusted Advisor shows only the top recommended action from AWS Cost Optimization Hub.

To use this check, you must opt in to [Cost Optimization Hub](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c1z7kmr09n

### Source

AWS Cost Optimization Hub

## Alert criteria

Yellow: Account has a cost savings action identified by Cost Optimization Hub for compute resources.

## Recommended action

Consider [implementing the recommendation](#). For more information on implementing these recommendations, see the AWS Cloud Financial Management (CFM) [Service Cost Optimization Playbook](#).

## Additional resources

- [What are Savings Plans?](#)
- [Savings Plans types](#)
- [Purchasing Savings Plans](#)

## Report columns

- Status
- Region
- Recommended Resource Summary
- Estimated Monthly Cost
- Estimated Monthly Savings
- Last Refresh Time stamp

## AWS Savings Plans purchase recommendations for Amazon SageMaker AI

### Description

Checks your usage of Amazon SageMaker AI and provides Savings Plans purchase recommendations. With these recommendations, you can commit to a consistent usage amount measured in dollars per hour in exchange for discounted rates.

This check generates recommendations at [payer scope for the payer account and at linked scope for a linked account](#).

Trusted Advisor shows only the top recommended action from AWS Cost Optimization Hub.

To use this check, you must opt in to [Cost Optimization Hub](#).

**Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Check ID**

c1z7kmr08n

**Source**

AWS Cost Optimization Hub

**Alert criteria**

Yellow: Account has a cost savings action identified by Cost Optimization Hub for Amazon SageMaker AI.

**Recommended action**

Consider [implementing the recommendation](#). For more information on implementing these recommendations, see the AWS Cloud Financial Management (CFM) [Service Cost Optimization Playbook](#).

**Additional resources**

- [What are Savings Plans?](#)
- [Savings Plans types](#)
- [Purchasing Savings Plans](#)

**Report columns**

- Status
- Region
- Recommended Resource Summary
- Estimated Monthly Cost
- Estimated Monthly Savings

- Last Refresh Time stamp

## AWS Well-Architected high risk issues for cost optimization

### Description

Checks for high risk issues (HRIs) for your workloads in the cost optimization pillar. This check is based on your AWS-Well Architected reviews. Your check results depend on whether you completed the workload evaluation with AWS Well-Architected.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

Wxdfp4B1L1

### Alert Criteria

- Red: At least one active high risk issue was identified in the cost optimization pillar for AWS Well-Architected.
- Green: No active high risk issues were detected in the cost optimization pillar for AWS Well-Architected.

### Recommended Action

AWS Well-Architected detected high risk issues during your workload evaluation. These issues present opportunities to reduce risk and save money. Sign in to the [AWS Well-Architected](#) tool to review your answers and take action to resolve your active issues.

### Report columns

- Status
- Region
- Workload ARN

- Workload Name
- Reviewer Name
- Workload Type
- Workload Started Date
- Workload Last Modified Date
- Number of identified HRIs for Cost Optimization
- Number of HRIs resolved for Cost Optimization
- Number of questions answered for Cost Optimization
- Total number of questions in Cost Optimization pillar
- Last Updated Time

## Idle Load Balancers

### Description

Checks your Elastic Load Balancing configuration for load balancers that are idle.

Any load balancer that is configured accrues charges. If a load balancer has no associated back-end instances, or if network traffic is severely limited, the load balancer is not being used effectively. This check currently only checks for Classic Load Balancer type within ELB service. It does not include other ELB types (Application Load Balancer, Network Load Balancer).

#### Note

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

### Check ID

hjLMh88uM8

### Alert Criteria

- Yellow: A load balancer has no active back-end instances.
- Yellow: A load balancer has no healthy back-end instances.
- Yellow: A load balancer has had less than 100 requests per day for the last 7 days.

## Recommended Action

If your load balancer has no active back-end instances, consider registering instances or deleting your load balancer. See [Registering Your Amazon EC2 Instances with Your Load Balancer](#) or [Delete Your Load Balancer](#).

If your load balancer has no healthy back-end instances, see [Troubleshooting Elastic Load Balancing: Health Check Configuration](#).

If your load balancer has had a low request count, consider deleting your load balancer. See [Delete Your Load Balancer](#).

## Additional Resources

- [Managing Load Balancers](#)
- [Troubleshoot Elastic Load Balancing](#)

## Report columns

- Region
- Load Balancer Name
- Reason
- Estimated Monthly Savings

# Inactive AWS Network Firewall

## Description

Checks your AWS Network Firewall endpoints and alerts you when the Network Firewall appears to be inactive.

A Network Firewall is considered to be inactive if all its endpoints have no data processed the last 30 days. Network Firewall endpoints incur hourly charges. This check alerts you to Network Firewall with no data processed in the last 30 days. It's a best practice to either remove unused Network Firewalls or update your architecture.

## Check ID

c2v1fg0bfw

## Alert Criteria

- Yellow: The Network Firewall processed 0 bytes in the last 30 days.
- Green: The Network Firewall processed more than 0 bytes in the last 30 days.

## Recommended Action

If the Network Firewall wasn't used in the last 30 days, then consider deleting the Network Firewall.

If a Transit Gateway is used for inter-VPC communication, then consider deploying your Network Firewalls in a centralized network inspection architectures. This can reduce the hourly charges on inactive Network Firewalls.

## Additional Resources

[AWS Network Firewall Pricing](#)

[Inspection Deployment Models with AWS Network Firewall](#)

## Report columns

- Status
- Region
- Network Firewall Arn
- VPC Id
- Subnets
- TotalBytesProcessed
- Last Updated Time

## Inactive VPC interface endpoints

### Description

Checks your VPC interface endpoints and alerts you when the endpoints appear to be inactive. A VPC interface endpoint is considered to be inactive if it has no data processed in the last 30 days. VPC interface endpoints have hourly charges and data processing costs. This check alerts you about VPC interface endpoints with 0 data processed in the last 30 days. It's a best practice to either remove unused VPC interface endpoints or update your architecture.

### Check ID

c2v1fg0jp6

### Alert Criteria

- Yellow: VPC interface endpoint has processed 0 bytes in the last 30 days.

- Green: VPC interface endpoint has processed more than 0 bytes in the last 30 days

## Recommended Action

If the VPC interface endpoint had not been used in the last 30 days, consider deleting the VPC interface endpoint.

If Transit Gateway is used for inter-VPC communication, then consider deploying your VPC interface endpoints in a centralized architecture to reduce the hourly charges on inactive VPC interface endpoints.

## Additional Resources

- [AWS PrivateLink Pricing](#)
- [Centralized access to VPC private endpoints](#)

## Report columns

- Status
- Region
- VPC Endpoint Id
- VPC Id
- Subnet Ids
- Service Name
- TotalBytesProcessed
- Last Updated Time

## Inactive Gateway Load Balancer endpoints

### Description

Checks your Gateway Load Balancer endpoints and warns when they appear to be inactive. A Gateway Load Balancer endpoint is considered to be underutilized if it has no data processed in the last 30 days. Gateway Load Balancer endpoints have hourly charges and data processed charges. This check alerts you to Gateway Load Balancer endpoints with 0 data processed in the last 30 days. We recommend that you either remove unused Gateway Load Balancer endpoints, or update your architecture.

### Check ID

c2v1fg0k35

## Alert Criteria

- Yellow: Gateway Load Balancer endpoint processed 0 bytes in the last 30 days
- Green: Gateway Load Balancer endpoint processed more than 0 bytes in the last 30 days

## Recommended Action

If the Gateway Load Balancer endpoint has not been used in the last 30 days, consider deleting the VPC endpoint.

If Transit Gateway is used for inter-VPC communication, consider deploying your Gateway Load Balancer endpoints in a centralized network inspection architecture to reduce the hourly charges on inactive Gateway Load Balancer endpoints.

## Additional Resources

[AWS PrivateLink Pricing](#)

[Centralized inspection architecture with AWS Gateway Load Balancer and AWS Transit Gateway](#)

## Report columns

- Status
- Region
- VPC Endpoint Id
- VPC Id
- Subnet Id
- Service Name
- TotalBytesProcessed
- Last Updated Time

## Inactive NAT Gateways

### Description

Checks your NAT Gateways for inactive gateways. A NAT Gateway is considered to be inactive if no data (0 bytes) was processed in the last 30 days. NAT Gateways have hourly charges and data processed charges.

### Check ID

c2v1fg022t

## Alert Criteria

- Yellow: The NAT Gateway processed 0 bytes in the last 30 days
- Green: The NAT Gateway processed more than 0 bytes in the last 30 days

## Recommended Action

Consider deleting any NAT Gateways that weren't used in the last 30 days and that aren't required for external network access outside the VPC.

If a Transit Gateway is used for inter-VPC communication, then consider deploying a centralized NAT Gateway for egress to internet architecture. This can reduce the hourly cost from inactive NAT Gateways.

## Additional Resources

[NAT Gateway Pricing](#)

[Centralized egress to internet](#)

## Report columns

- Status
- Region
- NAT Gateway Id
- Subnet Id
- VPC Id
- TotalBytesFromDest
- TotalBytesFromSrc
- TotalBytes
- Last Updated Time

## Low utilization Amazon EC2 instances

### Description

 **Note**

This is a legacy check. We recommend using the new check (Check ID: [c1z7kmr00n](#)) that offers additional customized recommendations.

Checks the Amazon Elastic Compute Cloud (Amazon EC2) instances that were running at any time during the last 14 days. This check alerts you if the daily CPU utilization was 10% or less and network I/O was 5 MB or less for at least 4 days.

Running instances generate hourly usage charges. Although some scenarios can result in low utilization by design, you can often lower your costs by managing the number and size of your instances.

Estimated monthly savings are calculated by using the current usage rate for On-Demand Instances and the estimated number of days the instance might be underutilized. Actual savings will vary if you are using Reserved Instances or Spot Instances, or if the instance is not running for a full day. To get daily utilization data, download the report for this check.

 **Note**

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

## Check ID

Qch7DwouX1

## Alert Criteria

Yellow: An instance had 10% or less daily average CPU utilization and 5 MB or less network I/O on at least 4 of the previous 14 days.

## Recommended Action

Consider stopping or terminating instances that have low utilization, or scale the number of instances by using Auto Scaling. For more information, see [Stop and Start Your Instance](#), [Terminate Your Instance](#), and [What is Auto Scaling?](#)

## Additional Resources

- [Monitoring Amazon EC2](#)
- [Instance Metadata and User Data](#)
- [Amazon CloudWatch User Guide](#)
- [Auto Scaling Developer Guide](#)

## Report columns

- Region/AZ
- Instance ID
- Instance Name
- Instance Type
- Estimated Monthly Savings
- CPU Utilization 14-day Average
- Network I/O 14-Day Average
- Number of Days Low Utilization

## Unassociated Elastic IP Addresses

### Description

Checks for Elastic IP addresses (EIPs) that are not associated with a running Amazon Elastic Compute Cloud (Amazon EC2) instance.

EIPs are static IP addresses designed for dynamic cloud computing. Unlike traditional static IP addresses, EIPs mask the failure of an instance or Availability Zone by remapping a public IP address to another instance in your account. A nominal charge is imposed for an EIP that is not associated with a running instance.

#### Note

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

### Check ID

Z4AUBRNSmz

### Alert Criteria

Yellow: An allocated Elastic IP address (EIP) is not associated with a running Amazon EC2 instance.

## Recommended Action

Associate the EIP with a running active instance, or release the unassociated EIP. For more information, see [Associating an Elastic IP Address with a Different Running Instance](#) and [Releasing an Elastic IP Address](#).

## Additional Resources

[Elastic IP Addresses](#)

### Report columns

- Region
- IP Address

## Underutilized Amazon EBS volumes

### Description

Checks Amazon Elastic Block Store (Amazon EBS) volume configurations and warns when volumes appear to be underutilized.

Charges begin when a volume is created. If a volume remains unattached or has very low write activity (excluding boot volumes) for a period of time, the volume is underutilized. We recommend that you remove underutilized volumes to reduce costs.

#### Note

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

### Check ID

DAvU99Dc4C

### Alert Criteria

Yellow: A volume is unattached or had less than 1 IOPS per day for the past 7 days.

## Recommended Action

Consider creating a snapshot and deleting the volume to reduce costs. For more information, see [Creating an Amazon EBS Snapshot](#) and [Deleting an Amazon EBS Volume](#).

## Additional Resources

- [Amazon Elastic Block Store \(Amazon EBS\)](#)
- [Monitoring the Status of Your Volumes](#)

## Report columns

- Region
- Volume ID
- Volume Name
- Volume Type
- Volume Size
- Monthly Storage Cost
- Snapshot ID
- Snapshot Name
- Snapshot Age

### Note

If you opted in your account for AWS Compute Optimizer, we recommend that you use the Amazon EBS over-provisioned volumes check instead. For more information, see [Opt in AWS Compute Optimizer for Trusted Advisor checks](#).

## Underutilized Amazon Redshift Clusters

### Description

Checks your Amazon Redshift configuration for clusters that appear to be underutilized.

If an Amazon Redshift cluster has not had a connection for a prolonged period of time, or is using a low amount of CPU, you can use lower-cost options such as downsizing the cluster, or

shutting down the cluster and taking a final snapshot. Final snapshots are retained even after you delete your cluster.

## Check ID

G31sQ1E9U

## Alert Criteria

- Yellow: A running cluster has not had a connection in the last 7 days.
- Yellow: A running cluster had less than 5% cluster-wide average CPU utilization for 99% of the last 7 days.

## Recommended Action

Consider shutting down the cluster and taking a final snapshot, or downsizing the cluster. See [Shutting Down and Deleting Clusters](#) and [Resizing a Cluster](#).

## Additional Resources

[Amazon CloudWatch User Guide](#)

## Report columns

- Status
- Region
- Cluster
- Instance Type
- Reason
- Estimated Monthly Savings

## Performance

Improve the performance of your service by checking your service quotas (formerly referred to as limits), so that you can take advantage of provisioned throughput, monitor for overutilized instances, and detect any unused resources.

You can use the following checks for the performance category.

## Check names

- [Amazon Aurora DB cluster under-provisioned for read workload](#)

- [Amazon DynamoDB Auto Scaling Not Enabled](#)
- [Amazon EBS Optimization Not Enabled](#)
- [Amazon EBS Provisioned IOPS \(SSD\) Volume Attachment Configuration](#)
- [Amazon EBS under-provisioned volumes](#)
- [Amazon EC2 Auto Scaling Group is not Associated with a Launch Template](#)
- [Amazon EC2 to EBS Throughput Optimization](#)
- [EC2 Virtualization Type is Paravirtual](#)
- [Amazon ECS Memory Hard Limit](#)
- [Amazon EFS Throughput Mode Optimization](#)
- [Amazon RDS autovacuum parameter is turned off](#)
- [Amazon RDS DB clusters support only up to 64 TiB volume](#)
- [Amazon RDS DB instances in the clusters with heterogeneous instance classes](#)
- [Amazon RDS DB instances in the clusters with heterogeneous instance sizes](#)
- [Amazon RDS DB memory parameters are diverging from default](#)
- [Amazon RDS enable\\_indexonlyscan parameter is turned off](#)
- [Amazon RDS enable\\_indexscan parameter is turned off](#)
- [Amazon RDS general\\_logging parameter is turned on](#)
- [Amazon RDS InnoDB\\_Change\\_Buffering parameter using less than optimum value](#)
- [Amazon RDS innodb\\_open\\_files parameter is low](#)
- [Amazon RDS innodb\\_stats\\_persistent parameter is turned off](#)
- [Amazon RDS instance under-provisioned for system capacity](#)
- [Amazon RDS magnetic volume is in use](#)
- [Amazon RDS parameter groups not using huge pages](#)
- [Amazon RDS query cache parameter is turned on](#)
- [Amazon RDS resources instance class update is required](#)
- [Amazon RDS resources major versions update is required](#)
- [Amazon RDS resources using end of support engine edition under license-included](#)
- [Amazon Route 53 Alias Resource Record Sets](#)
- [AWS Lambda under-provisioned functions for memory size](#)

- [AWS Lambda Functions without Concurrency Limit Configured](#)
- [AWS Well-Architected high risk issues for performance](#)
- [CloudFront Alternate Domain Names](#)
- [CloudFront Content Delivery Optimization](#)
- [CloudFront Header Forwarding and Cache Hit Ratio](#)
- [High CPU Utilization Amazon EC2 Instances](#)

## Amazon Aurora DB cluster under-provisioned for read workload

### Description

Checks whether Amazon Aurora DB cluster has the resources to support a read workload.

### Check ID

c1qf5bt038

### Alert Criteria

Yellow:

Increased database reads: The database load was high and the database was reading more rows than writing or updating the rows.

### Recommended Action

We recommend that you tune your queries to decrease the database load or add a reader DB instance to your DB cluster with the same instance class and size as the writer DB instance in the cluster. The current configuration has at least one DB instance with a continuously high database load caused mostly by read operations. Distribute these operations by adding another DB instance to the cluster and directing the read workload to the DB cluster read-only endpoint.

### Additional Resources

An Aurora DB cluster has one reader endpoint for read-only connections. This endpoint uses load balancing to manage the queries contributing the most to database load in your DB cluster. The reader endpoint directs these statements to the Aurora Read Replicas and reduces the load on the primary instance. The reader endpoint also scales the capacity to handle concurrent SELECT queries with the number of Aurora Read Replicas in the cluster.

For more information, see [Adding Aurora Replicas to a DB Cluster](#) and [Managing performance and scaling for Aurora DB clusters](#).

## Report columns

- Status
- Region
- Resource
- Increased database read (count)
- Last detection period
- Last Updated Time

## Amazon DynamoDB Auto Scaling Not Enabled

### Description

Checks if your Amazon DynamoDB tables and global secondary indexes have auto scaling or on-demand enabled.

Amazon DynamoDB auto scaling uses the Application Auto Scaling service to dynamically adjust provisioned throughput capacity on your behalf in response to actual traffic patterns. This enables a table or a global secondary index to increase its provisioned read and write capacity to handle sudden increases in traffic, without throttling. When the workload decreases, Application Auto Scaling decreases the throughput so that you don't pay for unused provisioned capacity.

You can adjust the check configuration using the parameters in your AWS Config rules.

For more information, see [Managing throughput capacity automatically with DynamoDB auto scaling](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz136

## Source

AWS Config Managed Rule: dynamodb-autoscaling-enabled

## Alert Criteria

Yellow: Auto scaling is not enabled for your DynamoDB tables and/or global secondary indexes.

## Recommended Action

Unless you already have a mechanism to automatically scale the provisioned throughput of your DynamoDB table and/or the global secondary indexes based on your workload requirement, consider turning on auto scaling for your Amazon DynamoDB tables.

For more information, see [Using the AWS Management Console with DynamoDB auto scaling](#).

## Additional Resources

[Managing throughput capacity automatically with DynamoDB auto scaling](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon EBS Optimization Not Enabled

### Description

Checks if Amazon EBS optimization is enabled for your Amazon EC2 instances.

An Amazon EBS–optimized instance uses an optimized configuration stack and provides additional, dedicated capacity for Amazon EBS I/O. This optimization provides the best

performance for your Amazon EBS volumes by minimizing contention between Amazon EBS I/O and other traffic from your instance..

For more information, see [Amazon EBS-optimized instances](#).

 **Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion API](#) to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz142

## Source

AWS Config Managed Rule: ebs-optimized-instance

## Alert Criteria

Yellow: Amazon EBS optimization is not enabled on supported Amazon EC2 instances.

## Recommended Action

Turn on Amazon EBS optimization on supported instances.

For more information, see [Enable EBS optimization at launch](#).

## Additional Resources

[Amazon EBS-optimized instances](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule

- Input Parameters
- Last Updated Time

## Amazon EBS Provisioned IOPS (SSD) Volume Attachment Configuration

### Description

Checks for Provisioned IOPS (SSD) volumes that are attached to an Amazon EBS optimizable Amazon Elastic Compute Cloud (Amazon EC2) instance that is not EBS-optimized.

Provisioned IOPS (SSD) volumes in the Amazon Elastic Block Store (Amazon EBS) are designed to deliver the expected performance only when they are attached to an EBS-optimized instance.

### Check ID

PPkZrjsH2q

### Alert Criteria

Yellow: An Amazon EC2 instance that can be EBS-optimized has an attached Provisioned IOPS (SSD) volume but the instance is not EBS-optimized.

### Recommended Action

Create a new instance that is EBS-optimized, detach the volume, and reattach the volume to your new instance. For more information, see [Amazon EBS-Optimized Instances](#) and [Attaching an Amazon EBS Volume to an Instance](#).

### Additional Resources

- [Amazon EBS Volume Types](#)
- [Amazon EBS Volume Performance](#)

### Report columns

- Status
- Region/AZ
- Volume ID
- Volume Name
- Volume Attachment
- Instance ID

- Instance Type
- EBS Optimized

## Amazon EBS under-provisioned volumes

### Description

Checks the Amazon Elastic Block Store (Amazon EBS) volumes that were running at any time during the lookback period. This check alerts you if any EBS volumes were under-provisioned for your workloads. Consistent high utilization can indicate optimized, steady performance, but can also indicate that an application does not have enough resources.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

C0r6dfpM04

### Alert Criteria

**Yellow:** An EBS Volume that was under-provisioned during the lookback period. To determine if a volume is under-provisioned, we consider all default CloudWatch metrics (including IOPS and throughput). The algorithm used to identify under-provisioned EBS volumes follows AWS best practices. The algorithm is updated when a new pattern has been identified.

### Recommended Action

Consider upsizing volumes that have high utilization.

For more information, see [Opt in AWS Compute Optimizer for Trusted Advisor checks](#).

### Report columns

- Status

- Region
- Volume ID
- Volume Type
- Volume Size (GB)
- Volume Baseline IOPS
- Volume Burst IOPS
- Volume Burst Throughput
- Recommended Volume Type
- Recommended Volume Size (GB)
- Recommended Volume Baseline IOPS
- Recommended Volume Burst IOPS
- Recommended Volume Baseline Throughput
- Recommended Volume Burst Throughput
- Lookback Period (days)
- Performance Risk
- Last Updated Time

## Amazon EC2 Auto Scaling Group is not Associated with a Launch Template

### Description

Checks if an Amazon EC2 Auto Scaling group is created from an Amazon EC2 launch template.

Use a launch template to create your Amazon EC2 Auto Scaling groups to ensure access to the latest Auto Scaling group features and improvements. For example, versioning and multiple instance types.

For more information, see [Launch templates](#).

 **Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz102

## Source

AWS Config Managed Rule: autoscaling-launch-template

## Alert Criteria

Yellow: The Amazon EC2 Auto Scaling group isn't associated with a valid launch template.

## Recommended Action

Use an Amazon EC2 launch template to create your Amazon EC2 Auto Scaling groups.

For more information, see [Create a launch template for an Auto Scaling group](#).

## Additional Resources

- [Launch templates](#)
- [Create a launch template](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon EC2 to EBS Throughput Optimization

### Description

Checks for Amazon EBS volumes whose performance might be affected by the maximum throughput capability of the Amazon EC2 instance they are attached to.

To optimize performance, you should ensure that the maximum throughput of an Amazon EC2 instance is greater than the aggregate maximum throughput of the attached EBS volumes. This check computes the total EBS volume throughput for each five-minute period in the preceding day (based on Coordinated Universal Time (UTC)) for each EBS-optimized instance and alerts you if usage in more than half of those periods was greater than 95% of the maximum throughput of the EC2 instance.

## Check ID

Bh2xRR2FGH

## Alert Criteria

**Yellow:** In the preceding day (UTC), the aggregate throughput (megabytes/sec) of the EBS volumes attached to the EC2 instance exceeded 95% of the published throughput between the instance and the EBS volumes more than 50% of time.

## Recommended Action

Compare the maximum throughput of your Amazon EBS volumes (see [Amazon EBS Volume Types](#)) with the maximum throughput of the Amazon EC2 instance they are attached to. See [Instance Types That Support EBS Optimization](#).

Consider attaching your volumes to an instance that supports higher throughput to Amazon EBS for optimal performance.

## Additional Resources

- [Amazon EBS Volume Types](#)
- [Amazon EBS-Optimized Instances](#)
- [Monitoring the Status of Your Volumes](#)
- [Attaching an Amazon EBS Volume to an Instance](#)
- [Detaching an Amazon EBS Volume from an Instance](#)
- [Deleting an Amazon EBS Volume](#)

## Report columns

- Status
- Region
- Instance ID
- Instance Type
- Time Near Maximum

## EC2 Virtualization Type is Paravirtual

### Description

Checks if the virtualization type of an Amazon EC2 instance is paravirtual.

It's a best practice that you use Hardware Virtual Machine (HVM) instances instead of paravirtual instances, when possible. This is because of enhancements in HVM virtualization and the availability of PV drivers for HVM AMIs, which have closed the performance gap that historically existed between PV and HVM guests. It's important to note that current generation instance types do not support PV AMIs. Therefore, choosing an HVM instance type provides the best performance and compatibility with modern hardware.

For more information, see [Linux AMI virtualization types](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz148

### Source

AWS Config Managed Rule: ec2-paravirtual-instance-check

### Alert Criteria

Yellow: The virtualization type of Amazon EC2 instances is paravirtual.

### Recommended Action

Use HVM virtualization for your Amazon EC2 instances, and use a compatible instance type.

For information on choosing the appropriate virtualization type, see [Compatibility for changing the instance type](#).

## Additional Resources

[Compatibility for changing the instance type](#)

### Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon ECS Memory Hard Limit

### Description

Checks if Amazon ECS task definitions have a set memory limit for its container definitions. The total amount of memory reserved for all containers within a task must be lower than the task memory value.

For more information, see [Container definitions](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz176

### Source

AWS Config Managed Rule: ecs-task-definition-memory-hard-limit

## Alert Criteria

Yellow: Amazon ECS memory hard limit is not set.

## Recommended Action

Allocate memory for your Amazon ECS tasks to avoid running out of memory. If your container attempts to exceed the specified memory, then the container is terminated.

For more information, see [How can I allocate memory to tasks in Amazon ECS?](#).

## Additional Resources

[Cluster reservation](#)

### Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon EFS Throughput Mode Optimization

### Description

Checks if the Amazon EFS file system is currently configured to use Bursting throughput mode. Amazon EFS Bursting throughput uses “credits” for performance above baseline throughput (50 KiB/s per GiB). After credits are depleted, performance throttles to baseline throughput, which potentially causes slowness, application failures, and timeouts for your users. To learn more about bursting mode, see [Throughput mode in the Amazon EFS User Guide](#)

### Check ID

c1dfprch02

## Alert Criteria

- Yellow: File system is using Bursting throughput mode.

## Recommended Action

If your Bursting throughput credits are low or depleted, consider switching to Provisioned or Elastic throughput mode to provide your users and applications with their desired throughput. With Provisioned throughput, you can set your workload's required throughput, and you pay for the amount of throughput enabled for the file system. If you're unsure of your throughput requirements, you can use Elastic throughput mode where your throughput scales elastically with your workload and you only pay for what you use, measured by total data transferred. You can update your file system configuration to switch between the throughput modes at any time. To learn more about throughput pricing, see [Amazon EFS Pricing](#). You can also estimate your costs using the [AWS Pricing Calculator](#).

## Additional Resources

- [Bursting throughput](#)
- [Amazon EFS Pricing](#)
- [AWS Pricing Calculator](#)

## Report columns

- Status
- Region
- EFS File System ID
- Throughput mode
- Last Updated Time

## Amazon RDS autovacuum parameter is turned off

### Description

The autovacuum parameter is turned off for your DB instances. Turning autovacuum off increases the table and index bloat and impacts the performance.

We recommend that you turn on autovacuum in your DB parameter groups.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**. If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

## Check ID

c1qf5bt025

## Alert Criteria

Yellow: DB parameter groups have autovacuum turned off.

## Recommended Action

Turn on the autovacuum parameter in your DB parameter groups.

## Additional Resources

PostgreSQL database requires periodic maintenance which is known as vacuuming. Autovacuum in PostgreSQL automates running **VACUUM** and **ANALYZE** commands. This process gathers the table statistics and deletes the dead rows. When autovacuum is turned off, the increase of the table, index bloat, stale statistics will impact the database performance.

For more information, see [Understanding autovacuum in Amazon RDS for PostgreSQL environments](#).

## Report columns

- Status

- Region
- Resource
- Parameter Name
- Recommended Value
- Last Updated Time

## Amazon RDS DB clusters support only up to 64 TiB volume

### Description

Your DB clusters support volumes up to 64 TiB. The latest engine versions support volumes up to 128 TiB. We recommend that you upgrade the engine version of your DB cluster to latest versions to support volumes up to 128 TiB.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

### Check ID

c1qf5bt017

## Alert Criteria

Yellow: DB clusters have support for volumes only up to 64 TiB.

## Recommended Action

Upgrade the engine version of your DB clusters to support volumes up to 128 TiB.

## Additional Resources

When you scale up your application on a single Amazon Aurora DB cluster, you may not reach the limit if the storage limit is 128 TiB. The increased storage limit helps to avoid deleting the data or splitting the database across multiple instances.

For more information, see [Amazon Aurora size limits](#).

## Report columns

- Status
- Region
- Resource
- Engine Name
- Engine Version Current
- Recommended Value
- Last Updated Time

## Amazon RDS DB instances in the clusters with heterogeneous instance classes

### Description

We recommend that you use the same DB instance class and size for all the DB instances in your DB cluster.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Note**

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**. If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

**Check ID**

c1qf5bt009

**Alert Criteria**

Red: DB clusters have the DB instances with heterogeneous instance classes.

**Recommended Action**

Use the same instance class and size for all the DB instances in your DB cluster.

**Additional Resources**

When the DB instances in your DB cluster use different DB instance classes or sizes, there can be an imbalance in the workload for the DB instances. During a failover, one of the reader DB instance changes to a writer DB instance. If the DB instances use the same DB instance class and size, the workload can be balanced for the DB instances in your DB cluster.

For more information, see [Aurora Replicas](#).

**Report columns**

- Status
- Region
- Resource
- Recommended Value
- Engine Name
- Last Updated Time

## Amazon RDS DB instances in the clusters with heterogeneous instance sizes

### Description

We recommend that you use the same DB instance class and size for all the DB instances in your DB cluster.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

### Check ID

c1qf5bt008

### Alert Criteria

Red: DB clusters have the DB instances with heterogeneous instance sizes.

### Recommended Action

Use the same instance class and size for all the DB instances in your DB cluster.

## Additional Resources

When the DB instances in your DB cluster use different DB instance classes or sizes, there can be an imbalance in the workload for the DB instances. During a failover, one of the reader DB instance changes to a writer DB instance. If the DB instances use the same DB instance class and size, the workload can be balanced for the DB instances in your DB cluster.

For more information, see [Aurora Replicas](#).

### Report columns

- Status
- Region
- Resource
- Recommended Value
- Engine Name
- Last Updated Time

## Amazon RDS DB memory parameters are diverging from default

### Description

The memory parameters of the DB instances are significantly different from the default values. These settings can impact performance and cause errors.

We recommend that you reset the custom memory parameters for the DB instance to their default values in the DB parameter group.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Note**

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**. If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

**Check ID**

c1qf5bt020

**Alert Criteria**

Yellow: DB parameter groups have memory parameters that diverge considerably from the default values.

**Recommended Action**

Reset the memory parameters to their default values.

**Additional Resources**

For more information, see [Best practices for configuring parameters for Amazon RDS for MySQL, part 1: Parameters related to performance](#).

**Report columns**

- Status
- Region
- Resource
- Parameter Name
- Recommended Value
- Last Updated Time

## Amazon RDS enable\_indexonlyscan parameter is turned off

### Description

The query planner or optimizer can't use the index-only scan plan type when it is turned off.

We recommend that you set the **enable\_indexonlyscan** parameter value to 1.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

### Check ID

c1qf5bt028

### Alert Criteria

Yellow: DB parameter groups have **enable\_indexonlyscan** parameter turned off.

### Recommended Action

Set the parameter **enable\_indexonlyscan** to 1.

## Additional Resources

When you turn off **enable\_indexonlyscan** parameter, it prevents the query planner from selecting an optimal execution plan. The query planner uses a different plan type, such as index scan which can increase the query cost and execution time. The index only scan plan type retrieves the data without accessing the table data.

For more information, see [enable\\_indexonlyscan \(boolean\)](#) on the PostgreSQL documentation website.

## Report columns

- Status
- Region
- Resource
- Parameter Name
- Recommended Value
- Last Updated Time

## Amazon RDS enable\_indexscan parameter is turned off

### Description

The query planner or optimizer can't use the index scan plan type when it is turned off.

We recommend that you set the **enable\_indexscan** parameter value to 1.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**. If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

## Check ID

c1qf5bt029

## Alert Criteria

Yellow: DB parameter groups have **enable\_indexscan** parameter turned off.

## Recommended Action

Set the parameter **enable\_indexscan** to 1.

## Additional Resources

When you turn off **enable\_indexscan** parameter, it prevents the query planner from selecting an optimal execution plan. The query planner uses a different plan type, such as index scan which can increase the query cost and execution time.

For more information, see [enable\\_indexscan \(boolean\)](#) on the PostgreSQL documentation website.

## Report columns

- Status
- Region
- Resource
- Parameter Name
- Recommended Value
- Last Updated Time

## Amazon RDS general\_logging parameter is turned on

### Description

The general logging is turned on for your DB instance. This setting is useful while troubleshooting the database issues. However, turning on general logging increases the amount of I/O operations and allocated storage space, which might result in contention and performance degradation.

Check your requirements for general logging usage. We recommend that you set the **general\_logging** parameter value to **0**.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

### Check ID

c1qf5bt037

### Alert Criteria

Yellow: DB parameter groups have **general\_logging** turned on.

## Recommended Action

Check your requirements for general logging usage. If it isn't mandatory, we recommend that you set the **general\_logging** parameter value to **0**.

## Additional Resources

The general query log is turned on when the **general\_logging** parameter value is 1. The general query log contains records of the database server operations. The server writes information to this log when clients connect or disconnect and the logs contain each SQL statement received from the clients. The general query log is useful when you suspect an error in a client and you want to find the information the client sent to the database server.

For more information, see [Overview of RDS for MySQL database logs](#).

## Report columns

- Status
- Region
- Resource
- Parameter Name
- Recommended Value
- Last Updated Time

## Amazon RDS InnoDB\_Change\_Buffering parameter using less than optimum value

### Description

Change buffering allows a MySQL DB instance to defer a few writes, which are required to maintain secondary indexes. This feature was useful in environments with slow disks. The change buffering configuration improved the DB performance slightly but caused a delay in crash recovery and long shutdown times during upgrade.

We recommend that you set the value of **innodb\_change\_buffering** parameter to **NONE**.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**. If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

## Check ID

c1qf5bt021

## Alert Criteria

Yellow: DB parameter groups have **innodb\_change\_buffering** parameter set to a low optimum value.

## Recommended Action

Set **innodb\_change\_buffering** parameter value to **NONE** in your DB parameter groups.

## Additional Resources

For more information, see [Best practices for configuring parameters for Amazon RDS for MySQL, part 1: Parameters related to performance](#).

## Report columns

- Status
- Region
- Resource
- Parameter Name
- Recommended Value

- Last Updated Time

## Amazon RDS innodb\_open\_files parameter is low

### Description

The innodb\_open\_files parameter controls the number of files InnoDB can open at one time. InnoDB opens all of the log and system tablespace files when mysqld is running.

Your DB instance has a low value for the maximum number of files InnoDB can open at one time. We recommend that you set the innodb\_open\_files parameter to a minimum value of 65.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

### Check ID

c1qf5bt033

### Alert Criteria

Yellow: DB parameter groups have the InnoDB open files setting misconfigured.

## Recommended Action

Set the `innodb_open_files` parameter to a minimum value of 65.

## Additional Resources

The `innodb_open_files` parameter controls the number of files InnoDB can open at one time. InnoDB keeps all the log files and the system tablespace files open when mysqld is running. InnoDB also needs to open a few .ibd files, if file-per-table storage model is used. When the `innodb_open_files` setting is low, it impacts the database performance and the server may fail to start.

For more information, see [InnoDB Startup Options and System Variables - `innodb\_open\_files`](#) on the MySQL documentation website.

## Report columns

- Status
- Region
- Resource
- Parameter Name
- Recommended Value
- Last Updated Time

## Amazon RDS `innodb_stats_persistent` parameter is turned off

### Description

Your DB instance isn't configured to persist the InnoDB statistics to the disk. When the statistics aren't stored, they are recalculated each time the instance restarts and the table accessed. This leads to variations in the query execution plan. You can modify the value of this global parameter at the table level.

We recommend that you set the `innodb_stats_persistent` parameter value to **ON**.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**. If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

## Check ID

c1qf5bt032

## Alert Criteria

Yellow: DB parameter groups have optimizer statistics that aren't persisted to the disk.

## Recommended Action

Set the **innodb\_stats\_persistent** parameter value to **ON**.

## Additional Resources

If the **innodb\_stats\_persistent** parameter is set to **ON**, then the optimizer statistics are persisted when the instance restarts. This improves the execution plan stability and consistent query performance. You can modify global statistics persistence at the table level by using the clause **STATS\_PERSISTENT** when you create or alter a table.

For more information, see [Best practices for configuring parameters for Amazon RDS for MySQL, part 1: Parameters related to performance](#).

## Report columns

- Status
- Region

- Resource
- Parameter Name
- Recommended Value
- Last Updated Time

## Amazon RDS instance under-provisioned for system capacity

### Description

Checks whether Amazon RDS instance or Amazon Aurora DB instance has the required system capacity to operate.

### Check ID

c1qf5bt039

### Alert Criteria

Yellow:

Out-of-memory kills: When a process on the database host is stopped because of memory reduction at the OS level, the Out Of Memory (OOM) kills counter increases.

Excessive swapping: os.memory.swap.in and os.memory.swap.out metric values were high.

### Recommended Action

We recommend that you tune your queries to use less memory or use a DB instance type with higher allocated memory. When the instance is running low on memory, this impacts the database performance.

### Additional Resources

Out-of-memory kills were detected: Linux kernel invokes the Out of Memory (OOM) Killer when the processes running on the host require more than the memory physically available from the operating system. In this case, the OOM Killer reviews all the running processes, and stops one or more processes, in order to free up system memory and keep the system running.

Swapping is detected: When the memory isn't sufficient on the database host, the operating system sends a few minimum used pages to the disk in the swap space. This offloading process impacts the database performance.

For more information, see [Amazon RDS Instance Types](#) and [Scaling your Amazon RDS instance](#).

## Report columns

- Status
- Region
- Resource
- Out-of-memory kills (count)
- Excessive swapping (count)
- Last detection period
- Last Updated Time

## Amazon RDS magnetic volume is in use

### Description

Your DB instances are using magnetic storage. Magnetic storage isn't recommended for most of the DB instances. Choose a different storage type: General Purpose (SSD) or Provisioned IOPS.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

## Check ID

c1qf5bt000

## Alert Criteria

Yellow: Amazon RDS resources are using magnetic storage.

## Recommended Action

Choose a different storage type: General Purpose (SSD) or Provisioned IOPS.

## Additional Resources

Magnetic storage is an earlier generation storage type. The General Purpose (SSD) or Provisioned IOPS is the recommended storage type for new storage requirements. These storage types provide higher and consistent performance, and improved storage size options.

For more information, see [Previous generation volumes](#).

## Report columns

- Status
- Region
- Resource
- Recommended Value
- Engine Name
- Last Updated Time

## Amazon RDS parameter groups not using huge pages

### Description

Large pages can increase database scalability, but your DB instance isn't using large pages. We recommend that you set the **use\_large\_pages** parameter value to **ONLY** in the DB parameter group for your DB instance.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**. If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

## Check ID

c1qf5bt024

## Alert Criteria

Yellow: DB parameter groups don't use large pages.

## Recommended Action

Set the **use\_large\_pages** parameter value to **ONLY** in your DB parameter groups.

## Additional Resources

For more information, see [Turning on HugePages for an RDS for Oracle instance](#).

## Report columns

- Status
- Region
- Resource
- Parameter Name
- Recommended Value
- Last Updated Time

## Amazon RDS query cache parameter is turned on

### Description

When changes require that your query cache is purged, your DB instance will appear to stall. Most workloads don't benefit from a query cache. The query cache was removed from MySQL version 8.0. We recommend that you set the `query_cache_type` parameter to 0.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion API](#) to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

### Check ID

c1qf5bt022

### Alert Criteria

Yellow: DB parameter groups have query cache turned on.

### Recommended Action

Set the `query_cache_type` parameter value to 0 in your DB parameter groups.

## Additional Resources

For more information, see [Best practices for configuring parameters for Amazon RDS for MySQL, part 1: Parameters related to performance.](#)

### Report columns

- Status
- Region
- Resource
- Parameter Name
- Recommended Value
- Last Updated Time

## Amazon RDS resources instance class update is required

### Description

Your database is running a previous generation DB instance class. We have replaced DB instance classes from a previous generation with DB instance classes with better cost, performance, or both. We recommend that you run your DB instance with a DB instance class from a newer generation.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

## Check ID

c1qf5bt015

## Alert Criteria

Red: DB instances are using end of support DB instance class.

## Recommended Action

Upgrade to latest DB instance class.

## Additional Resources

For more information, see [Supported DB engines for DB instance classes](#).

## Report columns

- Status
- Region
- Resource
- DB Instance Class
- Recommended Value
- Engine Name
- Last Updated Time

## Amazon RDS resources major versions update is required

### Description

Databases with the current major version for the DB engine won't be supported. We recommend that you upgrade to the latest major version which includes new functionality and enhancements.

**Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Note**

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

**Check ID**

c1qf5bt014

**Alert Criteria**

Red: RDS resources are using end of support major versions.

**Recommended Action**

Upgrade to the latest major version for the DB engine.

**Additional Resources**

Amazon RDS releases new versions for the supported database engines to maintain your databases with the latest version. The new released versions may include bug fixes, security enhancements, and other improvements for the database engine. You can minimize the downtime required for the DB instance upgrade by using a blue/green deployment.

For more information, see the following resources:

- [Upgrading a DB instance engine version](#)

- [Amazon Aurora updates](#)
- [Using Amazon RDS Blue/Green Deployments for database updates](#)

## Report columns

- Status
- Region
- Resource
- Engine Name
- Engine Current Version
- Recommended Value
- Last Updated Time

## Amazon RDS resources using end of support engine edition under license-included

### Description

We recommend that you upgrade the major version to the latest engine version supported by Amazon RDS to continue with the current license support. The engine version of your database won't be supported with the current license.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

## Check ID

c1qf5bt016

## Alert Criteria

Red: Amazon RDS resources are using end of support engine edition under license-included model.

## Recommended Action

We recommend that you upgrade your database to the latest supported version in Amazon RDS to continue using the licensed model.

## Additional Resources

For more information, see [Oracle major version upgrades](#).

## Report columns

- Status
- Region
- Resource
- Engine Name
- Engine Version Current
- Recommended Value
- Engine Name
- Last Updated Time

## Amazon Route 53 Alias Resource Record Sets

### Description

Checks for resource record sets that can be changed to alias resource record sets to improve performance and save money.

An alias resource record set routes DNS queries to an AWS resource (for example, an Elastic Load Balancing load balancer or an Amazon S3 bucket) or to another Route 53 resource record set. When you use alias resource record sets, Route 53 routes your DNS queries to AWS resources free of charge.

Hosted zones created by AWS services won't appear in your check results.

 **Note**

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

## Check ID

B913Ef6fb4

## Alert Criteria

- Yellow: A resource record set is a CNAME to an Amazon S3 website.
- Yellow: A resource record set is a CNAME to an Amazon CloudFront distribution.
- Yellow: A resource record set is a CNAME to an Elastic Load Balancing load balancer.

## Recommended Action

Replace the listed CNAME resource record sets with alias resource record sets; see [Choosing Between Alias and Non-Alias Resource Record Sets](#).

You also need to change the record type from CNAME to A or AAAA, depending on the AWS resource. See [Values that You Specify When You Create or Edit Amazon Route 53 Resource Record Sets](#).

## Additional Resources

[Routing Queries to AWS Resources](#)

## Report columns

- Status
- Hosted Zone Name
- Hosted Zone ID

- Resource Record Set Name
- Resource Record Set Type
- Resource Record Set Identifier
- Alias Target

## AWS Lambda under-provisioned functions for memory size

### Description

Checks the AWS Lambda functions that were invoked at least once during the lookback period. This check alerts you if any of your Lambda functions were under-provisioned for memory size. When you have Lambda functions that are under-provisioned for memory size, these functions take longer time to complete.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

C0r6dfpM06

### Alert Criteria

Yellow: A Lambda function that was under-provisioned for memory size during the lookback period. To determine if a Lambda function is under-provisioned, we consider all default CloudWatch metrics for that function. The algorithm used to identify under-provisioned Lambda functions for memory size follows AWS best practices. The algorithm is updated when a new pattern has been identified.

### Recommended Action

Consider increasing the memory size of your Lambda functions.

For more information, see [Opt in AWS Compute Optimizer for Trusted Advisor checks](#).

## Report columns

- Status
- Region
- Function Name
- Function Version
- Memory Size (MB)
- Recommended Memory Size (MB)
- Lookback Period (days)
- Performance Risk
- Last Updated Time

## AWS Lambda Functions without Concurrency Limit Configured

### Description

Checks if AWS Lambda functions are configured with function-level concurrent execution limit.

Concurrency is the number of in-flight requests your AWS Lambda function is handling at the same time. For each concurrent request, Lambda provisions a separate instance of your execution environment.

You can specify the minimum and maximum reserved concurrency limit using the **concurrencyLimitLow** and **ConcurrencyLimitHigh** parameters in your AWS Config rules.

For more information, see [Lambda function scaling](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz181

## Source

AWS Config Managed Rule: lambda-concurrency-check

## Alert Criteria

Yellow: Lambda function has no concurrency limit configured.

## Recommended Action

Make sure that your Lambda functions have concurrency configured. A concurrency limit for your Lambda functions helps make sure that your function processes requests reliably and predictably. A concurrency limit reduces the risk of your function being overwhelmed due to a sudden surge in traffic.

For more information, see [Configuring reserved concurrency](#).

## Additional Resources

- [Lambda function scaling](#)
- [Configuring reserved concurrency](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## AWS Well-Architected high risk issues for performance

### Description

Checks for high risk issues (HRIs) for your workloads in the performance pillar. This check is based on your AWS-Well Architected reviews. Your check results depend on whether you completed the workload evaluation with AWS Well-Architected.

**Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Check ID**

Wxdfp4B1L2

**Alert Criteria**

- Red: At least one active high risk issue was identified in the performance pillar for AWS Well-Architected.
- Green: No active high risk issues were detected in the performance pillar for AWS Well-Architected.

**Recommended Action**

AWS Well-Architected detected high risk issues during your workload evaluation. These issues present opportunities to reduce risk and save money. Sign in to the [AWS Well-Architected](#) tool to review your answers and take action to resolve your active issues.

**Report columns**

- Status
- Region
- Workload ARN
- Workload Name
- Reviewer Name
- Workload Type
- Workload Started Date
- Workload Last Modified Date
- Number of identified HRIs for Performance
- Number of HRIs resolved for Performance

- Number of questions answered for Performance
- Total number of questions in Performance pillar
- Last Updated Time

## CloudFront Alternate Domain Names

### Description

 **Note**

This check applies to classic Amazon CloudFront distributions.

Checks that DNS is properly configured in classic Amazon CloudFront distributions that use alternate domain names (CNAMEs).

If a CloudFront distribution includes alternate domain names, the DNS configuration for the domains must route DNS queries to that distribution.

 **Note**

This check assumes Amazon Route 53 DNS and Amazon CloudFront distribution are configured in the same AWS account. As such the alert list might include resources otherwise working as expected due to DNS setting outsides of this AWS account.

### Check ID

N420c450f2

### Alert Criteria

- Yellow: A CloudFront distribution includes alternate domain names, but the DNS configuration is not correctly set up with a CNAME record or an Amazon Route 53 alias resource record.
- Yellow: A CloudFront distribution includes alternate domain names, but Trusted Advisor could not evaluate the DNS configuration because there were too many redirects.
- Yellow: A CloudFront distribution includes alternate domain names, but Trusted Advisor could not evaluate the DNS configuration for some other reason, most likely because of a timeout.

## Recommended Action

Update the DNS configuration to route DNS queries to the CloudFront distribution; see [Using Alternate Domain Names \(CNAMEs\)](#).

If you're using Amazon Route 53 as your DNS service, see [Routing Traffic to an Amazon CloudFront Web Distribution by Using Your Domain Name](#). If the check timed out, try refreshing the check.

## Additional Resources

[Amazon CloudFront Developer Guide](#)

### Report columns

- Status
- Distribution ID
- Distribution Domain Name
- Alternate Domain Name
- Reason

## CloudFront Content Delivery Optimization

### Description

Checks for cases where data transfer from Amazon Simple Storage Service (Amazon S3) buckets could be accelerated by using Amazon CloudFront, the AWS global content delivery service.

When you configure CloudFront to deliver your content, requests for your content are automatically routed to the nearest edge location where content is cached. This routing allows content to be delivered to your users with the best possible performance. A high ratio of data transferred out compared to the data stored in the bucket indicates that you could benefit from using Amazon CloudFront to deliver the data.

#### Note

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

## Check ID

796d6f3D83

### Alert Criteria

- Yellow: The amount of data transferred out of the bucket to your users by GET requests in the 30 days preceding the check is at least 25 times greater than the average amount of data stored in the bucket.
- Red: The amount of data transferred out of the bucket to your users by GET requests in the 30 days preceding the check is at least 10 TB and at least 25 times greater than the average amount of data stored in the bucket.

### Recommended Action

Consider using CloudFront for better performance. See [Amazon CloudFront Product Details](#).

If the data transferred is 10 TB per month or more, see [Amazon CloudFront Pricing](#) to explore possible cost savings.

### Additional Resources

- [Amazon CloudFront Developer Guide](#)
- [AWS Case Study: PBS](#)

### Report columns

- Status
- Region
- Bucket Name
- S3 Storage (GB)
- Data Transfer Out (GB)
- Ratio of Transfer to Storage

## CloudFront Header Forwarding and Cache Hit Ratio

### Description

 Note

This check applies to classic Amazon CloudFront distributions.

Checks the HTTP request headers that CloudFront currently receives from the client and forwards to your origin server.

Some headers, such as date, or user-agent, significantly reduce the cache hit ratio (the proportion of requests that are served from a CloudFront edge cache). This increases the load on your origin and reduces performance, because CloudFront must forward more requests to your origin.

## Check ID

N415c450f2

## Alert Criteria

Yellow: One or more request headers that CloudFront forwards to your origin might significantly reduce your cache hit ratio.

## Recommended Action

Consider whether the request headers provide enough benefit to justify the negative effect on the cache hit ratio. If your origin returns the same object regardless of the value of a given header, we recommend that you don't configure CloudFront to forward that header to the origin. For more information, see [Configuring CloudFront to Cache Objects Based on Request Headers](#).

## Additional Resources

- [Increasing the Proportion of Requests that Are Served from CloudFront Edge Caches](#)
- [CloudFront Cache Statistics Reports](#)
- [HTTP Request Headers and CloudFront Behavior](#)

## Report columns

- Distribution ID
- Distribution Domain Name
- Cache Behavior Path Pattern
- Headers

# High CPU Utilization Amazon EC2 Instances

## Description

Checks the Amazon Elastic Compute Cloud (Amazon EC2) instances that were running at any time during the last 14 days. An alert is sent if daily CPU utilization was greater than 90% on four or more days.

Consistent high utilization can indicate optimized, steady performance. However, it can also indicate that an application does not have enough resources. To get daily CPU utilization data, download the report for this check.

### Note

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

## Check ID

ZRxQ1Psb6c

## Alert Criteria

Yellow: An instance had more than 90% daily average CPU utilization on at least 4 of the previous 14 days.

## Recommended Action

Consider adding more instances. For information about scaling the number of instances based on demand, see [What is Auto Scaling?](#)

## Additional Resources

- [Monitoring Amazon EC2](#)
- [Instance Metadata and User Data](#)
- [Amazon CloudWatch User Guide](#)
- [Amazon EC2 Auto Scaling User Guide](#)

## Report columns

- Region/AZ

- Instance ID
- Instance Type
- Instance Name
- 14-Day Average CPU Utilization
- Number of Days over 90% CPU Utilization

## Security

You can use the following checks for the security category.

### Note

If you enabled Security Hub CSPM for your AWS account, you can view your findings in the Trusted Advisor console. For information, see [Viewing AWS Security Hub CSPM controls in AWS Trusted Advisor](#).

You can view all controls in the AWS Foundational Security Best Practices security standard *except* for controls that have the **Category: Recover > Resilience**. For a list of supported controls, see [AWS Foundational Security Best Practices controls](#) in the *AWS Security Hub CSPM User Guide*.

### Check names

- [Application Load Balancer security group](#)
- [Amazon CloudWatch Log Group Retention Period](#)
- [Amazon EC2 instances with Microsoft SQL Server end of support](#)
- [Amazon EC2 instances with Microsoft Windows Server end of support](#)
- [Amazon EC2 instances with Ubuntu LTS end of standard support](#)
- [Amazon EFS clients not using data-in-transit encryption](#)
- [Amazon EBS Public Snapshots](#)
- [Amazon RDS Aurora storage encryption is turned off](#)
- [Amazon RDS engine minor version upgrade is required](#)
- [Amazon RDS Public Snapshots](#)
- [Amazon RDS Security Group Access Risk](#)

- [Amazon RDS storage encryption is turned off](#)
- [Amazon Route 53 mismatching CNAME records pointing directly to S3 buckets](#)
- [Amazon Route 53 MX Resource Record Sets and Sender Policy Framework](#)
- [Amazon S3 Bucket Permissions](#)
- [Amazon VPC Peering Connections with DNS Resolution Disabled](#)
- [Application Load Balancer Target Groups Encrypted Protocol](#)
- [AWS Backup Vault Without Resource-based Policy to Prevent Deletion of Recovery Points](#)
- [AWS CloudTrail Management Event Logging](#)
- [AWS Lambda Functions Using Deprecated Runtimes](#)
- [AWS Well-Architected high risk issues for security](#)
- [CloudFront Custom SSL Certificates in the IAM Certificate Store](#)
- [CloudFront SSL Certificate on the Origin Server](#)
- [ELB Listener Security](#)
- [Classic Load Balancer Security Groups](#)
- [Exposed Access Keys](#)
- [IAM Access Key Rotation](#)
- [IAM Access Analyzer External Access](#)
- [IAM Password Policy](#)
- [IAM SAML 2.0 Identity Provider](#)
- [MFA on root account](#)
- [Root User Access Key](#)
- [Security Groups – Specific Ports Unrestricted](#)
- [Security Groups – Unrestricted Access](#)

## Application Load Balancer security group

### Description

Checks the security groups attached to the Application Load Balancer and its Amazon EC2 targets. Application Load Balancer security groups should only allow inbound ports that are

configured in a listener. A target's security groups should not accept direct connections from the internet in the same port the target receives traffic from the load balancer.

If a security group allows access to ports that are not configured for the load balancer or allows direct access to targets, the risk of loss of data or malicious attacks increases.

This check excludes the following groups:

- Target Groups that are not associated with IP addresses or EC2 instances.
- Security group rules for IPv6 traffic.

 **Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

8604e947f2

## Alert Criteria

- Red: Target has a public IP and a security group that allows inbound connections on the target control port from everywhere (0.0.0.0/0).
- Red: Target has a public IP and a security group that allows inbound connections on the traffic port from everywhere (0.0.0.0/0).
- Red: Application Load Balancer has authentication enabled and target allows inbound connections on the traffic port from everywhere (0.0.0.0/0).
- Yellow: Target's security group allow inbound connections on the traffic port from everywhere (0.0.0.0/0).
- Yellow: Target's security group allow inbound connections on the target control port from everywhere (0.0.0.0/0).
- Yellow: Application Load Balancer security group allow inbound connections on ports that don't have a corresponding listener.

- Yellow: Target's security group allow inbound connections on the target control port from a security group that is not attached to Application Load Balancer.
- Green: Application Load Balancer security group only allows inbound connections on ports that match with a listener.

## Recommended Action

For improved security, make sure that your security groups only allow the necessary traffic flows:

- The Application Load Balancer's security groups should allow inbound connections only for the same ports configured in its listeners.
- Use exclusive security groups for load balancers and targets.
- Target security groups should allow connections in the traffic port only from the load balancer(s) it's associated with.
- Target security groups should allow connections in the target control port only from the load balancer(s) it's associated with.

## Additional Resources

- [Control traffic to your AWS resources using security groups](#)
- [Security groups for your Application Load Balancer](#)

## Report columns

- Status
- Region
- Target Group
- ALB Name
- ALB SG ID
- Target SG ID
- Auth Enabled
- Last Updated Time

## Amazon CloudWatch Log Group Retention Period

### Description

Checks if Amazon CloudWatch log group retention period is set to 365 days or other specified number.

By default, logs are kept indefinitely and never expire. However, you can adjust the retention policy for each log group to comply with industry regulations or legal requirements for a specific period.

You can specify the minimum retention time and log group names using the **LogGroupNames** and **MinRetentionTime** parameters in your AWS Config rules.

### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz186

## Source

AWS Config Managed Rule: cw-loggroup-retention-period-check

## Alert Criteria

Yellow: Retention period of an Amazon CloudWatch log group is less than the desired minimum number of days.

## Recommended Action

Configure a retention period of more than 365 days for your log data stored in Amazon CloudWatch Logs to meet compliance requirements.

For more information, see [Change log data retention in CloudWatch Logs](#).

## Additional Resources

[Altering CloudWatch log retention](#)

## Report columns

- Status
- Region

- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon EC2 instances with Microsoft SQL Server end of support

### Description

Checks the SQL Server versions for Amazon Elastic Compute Cloud (Amazon EC2) instances running in the past 24 hours. This check alerts you if the versions are near or have reached the end of support. Each SQL Server version offers 10 years of support, including 5 years of mainstream support and 5 years of extended support. After the end of support, the SQL Server version won't receive regular security updates. Running applications with unsupported SQL Server versions can bring security or compliance risks.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

Qsdfp3A4L3

### Alert Criteria

- Red: An EC2 instance has an SQL Server version that reached the end of support.
- Yellow: An EC2 instance has an SQL Server version that will reach the end of support in 12 months.

### Recommended Action

To modernize your SQL Server workloads, consider refactoring to AWS Cloud native databases like Amazon Aurora. For more information, see [Modernize Windows Workloads with AWS](#).

To move to a fully managed database, consider replatforming to Amazon Relational Database Service (Amazon RDS). For more information, see [Amazon RDS for SQL Server](#).

To upgrade your SQL Server on Amazon EC2, consider using the automation runbook to simplify your upgrade. For more information, see the [AWS Systems Manager documentation](#).

If you can't upgrade your SQL Server on Amazon EC2, consider the End-of-Support Migration Program (EMP) for Windows Server. For more information, see the [EMP Website](#).

## Additional Resources

- [Get ready for SQL Server end of support with AWS](#)
- [Microsoft SQL Server on AWS](#)

## Report columns

- Status
- Region
- Instance ID
- SQL Server Version
- Support Cycle
- End of Support
- Last Updated Time

## Amazon EC2 instances with Microsoft Windows Server end of support

### Description

This check alerts you if your Microsoft Windows Server versions are near or have reached the end of support. Each Windows Server version offers 10 years of support, including 5 years of mainstream support and 5 years of extended support. After the end of support, the Windows Server version won't receive regular security updates. Running applications with unsupported Windows Server versions can bring security or compliance risks.

#### Note

This check generates results based on the AMI used to launch the EC2 instance. It's possible for the current instance operating system to be different from its launch AMI.

For example, if you launched an instance from a Windows Server 2016 AMI and later upgrade to Windows Server 2019, the launch AMI doesn't change.

### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

Qsdfp3A4L4

## Alert criteria

- Red: An EC2 instance runs on a Windows Server version that reached the end of support (Windows Server 2003, 2003 R2, 2008, and 2008 R2).
- Yellow: An EC2 instance runs on a Windows Server version that will reach the end of support in less than 18 months (Windows Server 2012 and 2012 R2).

## Recommended action

To modernize your Windows Server workloads, consider the various options available on [Modernize Windows Workloads with AWS](#).

To upgrade your Windows Server workloads to run on more recent versions of Windows Server, you can use an automation runbook. For more information, see the [AWS Systems Manager documentation](#).

Complete the following steps:

- Upgrade the Windows Server version
- Hard stop and start upon upgrading
- If using EC2Config, migrate to EC2Launch

## Report columns

- Status
- Region

- Instance ID
- Windows Server Version
- Support Cycle
- End of Support
- Last Updated Time

## Amazon EC2 instances with Ubuntu LTS end of standard support

### Description

This check alerts you if the versions are near or have reached the end of standard support. It is important to take action – either by migrating to the next LTS or upgrading to Ubuntu Pro. After the end of support, your 18.04 LTS machines will not receive any security updates. With an Ubuntu Pro subscription, your Ubuntu 18.04 LTS deployment can receive Expanded Security Maintenance (ESM) until 2028. Security vulnerabilities that remain unpatched open your systems to hackers and the potential of a major breach.

#### Note

Results for this check are automatically refreshed at least once daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c1dfprch15

### Alert Criteria

**Red:** An Amazon EC2 instance has an Ubuntu version that reached the end of standard support (Ubuntu 18.04 LTS, 18.04.1 LTS, 18.04.2 LTS, 18.04.3 LTS, 18.04.4 LTS, 18.04.5 LTS, and 18.04.6 LTS).

**Yellow:** An Amazon EC2 instance has an Ubuntu version that will reach the end of standard support in less than 6 months (Ubuntu 20.04 LTS, 20.04.1 LTS, 20.04.2 LTS, 20.04.3 LTS, 20.04.4 LTS, 20.04.5 LTS, and 20.04.6 LTS).

Green: All Amazon EC2 instances are compliant.

## Recommended Action

To upgrade the Ubuntu 18.04 LTS instances to a supported LTS version, please follow the steps mentioned in [this article](#). To upgrade the Ubuntu 18.04 LTS instances to [Ubuntu Pro](#), visit AWS License Manager console and follow the steps mentioned in the [AWS License Manager user guide](#). You can also refer to the [Ubuntu blog](#) showing a step by step demo of upgrading Ubuntu instances to Ubuntu Pro.

## Additional Resources

For information about pricing, reach out to [Support](#).

### Report columns

- Status
- Region
- Ubuntu Lts Version
- Expected End Of Support Date
- Instance ID
- Support Cycle
- Last Updated Time

## Amazon EFS clients not using data-in-transit encryption

### Description

Checks if Amazon EFS file system is mounted using data-in-transit encryption. AWS recommends that customers use data-in-transit encryption for all data flows to protect data from accidental exposure or unauthorized access. Amazon EFS recommends clients use the '-o tls' mount setting using the Amazon EFS mount helper to encrypt data in transit using TLS v1.2.

### Check ID

c1dfpnchv1

### Alert Criteria

Yellow: One or more NFS clients for your Amazon EFS file system are not using the recommended mount settings that provide data-in-transit encryption.

Green: All NFS clients for your Amazon EFS file system are using the recommended mount settings that provide data-in-transit encryption.

## Recommended Action

To take advantage of data-in-transit encryption feature on Amazon EFS, we recommend that you remount your file system using the Amazon EFS mount helper and the recommended mount settings.

### Note

Some Linux distributions don't include a version of stunnel that supports TLS features by default. If you're using an unsupported Linux distribution (see [Supported distributions](#) in the *Amazon Elastic File System User Guide*), then it's a best practice that you upgrade it before remounting with the recommended mount setting.

## Additional Resources

- [Encrypting data in transit](#)

## Report columns

- Status
- Region
- EFS File System ID
- AZs with Unencrypted Connections
- Last Updated Time

## Amazon EBS Public Snapshots

### Description

Checks the permission settings for your Amazon Elastic Block Store (Amazon EBS) volume snapshots and alerts you if any snapshots are publicly accessible.

When you make a snapshot public, you give all AWS accounts and users access to all the data on the snapshot. To share a snapshot only with specific users or accounts, mark the snapshot as private. Then, specify the user or accounts that you want to share the snapshot data with.

Note that if you have Block Public Access enabled in ‘block all sharing’ mode, then your public snapshots aren't publicly accessible and don't appear in the results of this check.

### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

## Check ID

ePs02jT06w

## Alert Criteria

Red: The EBS volume snapshot is publicly accessible.

## Recommended Action

Unless you are certain that you want to share all the data in the snapshot with all AWS accounts and users, modify the permissions: mark the snapshot as private, and then specify the accounts that you want to give permissions to. For more information, see [Sharing an Amazon EBS Snapshot](#). Use Block Public Access for EBS Snapshots to control the settings that allow public access to your data. This check can't be excluded from view in the Trusted Advisor console.

To modify permissions for your snapshots directly, use a runbook in the AWS Systems Manager console. For more information, see [AWSSupport-ModifyEBSSnapshotPermission](#).

## Additional Resources

[Amazon EBS Snapshots](#)

## Report columns

- Status
- Region
- Volume ID
- Snapshot ID
- Description

## Amazon RDS Aurora storage encryption is turned off

### Description

Amazon RDS supports encryption at rest for all the database engines by using the keys that you manage in AWS Key Management Service. On an active DB instance with Amazon RDS encryption, the data stored at rest in the storage is encrypted, similar to automated backups, read replicas, and snapshots.

If encryption isn't turned on while creating an Aurora DB cluster, then you must restore a decrypted snapshot to an encrypted DB cluster.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

### Check ID

c1qf5bt005

### Alert Criteria

Red: Amazon RDS Aurora resources don't have encryption enabled.

## Recommended Action

Turn on encryption of data at rest for your DB cluster.

## Additional Resources

You can turn on encryption while creating a DB instance or use a workaround to turn on the encryption on an active DB instance. You can't modify a decrypted DB cluster to an encrypted DB cluster. However, you can restore a decrypted snapshot to an encrypted DB cluster. When you restore from the decrypted snapshot, you must specify a AWS KMS key.

For more information, see [Encrypting Amazon Aurora resources](#).

## Report columns

- Status
- Region
- Resource
- Engine Name
- Last Updated Time

## Amazon RDS engine minor version upgrade is required

### Description

Your database resources aren't running the latest minor DB engine version. The latest minor version contains the latest security fixes and other improvements.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Note**

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**. If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

**Check ID**

c1qf5bt003

**Alert Criteria**

Yellow: Amazon RDS resources aren't running the latest minor DB engine version.

**Recommended Action**

Upgrade to the latest engine version.

**Additional Resources**

We recommend that you maintain your database with the latest DB engine minor version as this version includes the latest security and functionality fixes. The DB engine minor version upgrades contain only the changes which are backward-compatible with earlier minor versions of the same major version of the DB engine.

For more information, see [Upgrading a DB instance engine version](#).

**Report columns**

- Status
- Region
- Resource
- Engine Name
- Engine Version Current
- Recommended Value
- Last Updated Time

## Amazon RDS Public Snapshots

### Description

Checks the permission settings for your Amazon Relational Database Service (Amazon RDS) DB snapshots and alerts you if any snapshots are marked as public.

When you make a snapshot public, you give all AWS accounts and users access to all the data on the snapshot. If you want to share a snapshot only with specific users or accounts, mark the snapshot as private. Then, specify the user or accounts you want to share the snapshot data with.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

### Check ID

rSs93HQwa1

### Alert Criteria

Red: The Amazon RDS snapshot is marked as public.

### Recommended Action

Unless you are certain you want to share all the data in the snapshot with all AWS accounts and users, modify the permissions: mark the snapshot as private, and then specify the accounts that you want to give permissions to. For more information, see [Sharing a DB Snapshot or DB Cluster Snapshot](#). This check can't be excluded from view in the Trusted Advisor console.

To modify permissions for your snapshots directly, you can use a runbook in the AWS Systems Manager console. For more information, see [AWSSupport-ModifyRDSSnapshotPermission](#).

### Additional Resources

[Backing Up and Restoring Amazon RDS DB Instances](#)

### Report columns

- Status

- Region
- DB Instance or Cluster ID
- Snapshot ID

## Amazon RDS Security Group Access Risk

### Description

Checks security group configurations for Amazon Relational Database Service (Amazon RDS) and warns when a security group rule grants overly permissive access to your database. The recommended configuration for a security group rule is to allow access only from specific Amazon Elastic Compute Cloud (Amazon EC2) security groups or from a specific IP address.

#### Note

This check evaluates only security groups that are attached to Amazon RDS instances running outside on an [Amazon VPC](#).

### Check ID

nNauJisYIT

### Alert Criteria

- Yellow: A DB security group rule references an Amazon EC2 security group that grants global access on one of these ports: 20, 21, 22, 1433, 1434, 3306, 3389, 4333, 5432, 5500.
- Red: A DB security group rule grants global access (the CIDR rule suffix is /0).
- Green: A DB security group doesn't include permissive rules.

### Recommended Action

EC2-Classic was retired on August 15, 2022. It's recommend to move your Amazon RDS instances to a VPC and use Amazon EC2 security groups. For more information of moving your DB instance to a VPC see [Moving a DB instance not in a VPC into a VPC](#).

If you are unable to migrate your Amazon RDS instances to a VPC, then review your security group rules and restrict access to authorized IP addresses or IP ranges. To edit a security group, use the [AuthorizeDBSecurityGroupIngress](#) API or the AWS Management Console. For more information, see [Working with DB Security Groups](#).

## Additional Resources

- [Amazon RDS Security Groups](#)
- [Classless Inter-Domain Routing](#)
- [List of TCP and UDP port numbers](#)

## Report columns

- Status
- Region
- RDS Security Group Name
- Ingress Rule
- Reason

## Amazon RDS storage encryption is turned off

### Description

Amazon RDS supports encryption at rest for all the database engines by using the keys that you manage in AWS Key Management Service. On an active DB instance with Amazon RDS encryption, the data stored at rest in the storage is encrypted, similar to automated backups, read replicas, and snapshots.

If encryption isn't turned on while creating a DB instance, then you must restore an encrypted copy of the decrypted snapshot before you turn on the encryption.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the

recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

## Check ID

c1qf5bt006

## Alert Criteria

Red: Amazon RDS resources don't have encryption enabled.

## Recommended Action

Turn on encryption of data at rest for your DB instance.

## Additional Resources

You can encrypt a DB instance only when you create the DB instance. To encrypt an existing active DB instance:

### Create an encrypted copy of the original DB instance

1. Create a snapshot of your DB instance.
2. Create an encrypted copy of the snapshot created in step 1.
3. Restore a DB instance from the encrypted snapshot.

For more information, see the following resources:

- [Encrypting Amazon RDS resources](#)
- [Copying a DB snapshot](#)

## Report columns

- Status
- Region
- Resource
- Engine Name
- Last Updated Time

## Amazon Route 53 mismatching CNAME records pointing directly to S3 buckets

### Description

Checks the Amazon Route 53 Hosted Zones with CNAME records pointing directly to Amazon S3 bucket hostnames and alerts if your CNAME does not match with your S3 bucket name.

### Check ID

c1ng44jvbm

### Alert Criteria

Red: Amazon Route 53 Hosted Zone has CNAME records pointing to mismatching S3 bucket hostnames.

Green: No mismatching CNAME records found in your Amazon Route 53 Hosted Zone.

### Recommended Action

When pointing CNAME records to S3 bucket hostnames, you must make sure that a matching bucket exists for any CNAME or alias record you configure. By doing this, you avoid the risk of your CNAME records being spoofed. You also prevent any unauthorized AWS user from hosting faulty or malicious web content with your domain.

To avoid pointing CNAME records directly to S3 bucket hostnames, consider using origin access control (OAC) to access your S3 bucket web assets through Amazon CloudFront.

For more information about associating CNAME with an Amazon S3 bucket hostname, see [Customizing Amazon S3 URLs with CNAME records](#).

### Additional Resources

- [How to associate a hostname with an Amazon S3 bucket](#)
- [Restricting access to an Amazon S3 origin with CloudFront](#)

### Report columns

- Status
- Hosted Zone ID
- Hosted Zone ARN
- Matching CNAME Records
- Mismatching CNAME Records

- Last Updated Time

## Amazon Route 53 MX Resource Record Sets and Sender Policy Framework

### Description

For each MX record, checks for an associated TXT record that contains a valid SPF value. The TXT record value must start with "v=spf1". SPF record types are deprecated by the Internet Engineering Task Force (IETF). With Route 53, it's a best practice to use a TXT record instead of an SPF record. Trusted Advisor reports this check as green when an MX record has at least one associated TXT record with a valid SPF value.

 **Note**

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

### Check ID

c9D319e7sG

### Alert Criteria

- Green: An MX resource record set has a TXT resource record that contains a valid SPF value.
- Yellow: An MX resource record set has a TXT or SPF resource record that contains a valid SPF value.
- Red: An MX resource record set doesn't have a TXT or SPF resource record that contains a valid SPF value.

### Recommended Action

For each MX resource record set, create a TXT resource record set that contains a valid SPF value. For more information, see [Sender Policy Framework: SPF Record Syntax](#) and [Creating Resource Record Sets By Using the Amazon Route 53 Console](#).

### Additional Resources

- [MX record type](#)
- [SPF record type](#)

- [re:Post Guidance](#)
- [RFC 7208](#)

## Report columns

- Hosted Zone Name
- Hosted Zone ID
- Resource Record Set Name
- Status

# Amazon S3 Bucket Permissions

## Description

Checks buckets in Amazon Simple Storage Service (Amazon S3) that have open access permissions, or that allow access to any authenticated AWS user.

This check examines explicit bucket permissions, as well as bucket policies that might override those permissions. Granting list access permissions to all users for an Amazon S3 bucket is not recommended. These permissions can lead to unintended users listing objects in the bucket at high frequency, which can result in higher than expected charges. Permissions that grant upload and delete access to everyone can lead to security vulnerabilities in your bucket.

## Check ID

Pfx0RwqBli

## Alert criteria

- Red: The bucket ACL allows List access or Upload/Delete access for **Everyone** or **Any Authenticated AWS User** and **Block Public Access** settings are not enabled.
- Red: A bucket policy allows public access and **Block Public Access** settings are not enabled.
- Red: Trusted Advisor does not have permission to check the policy, or the policy could not be evaluated for other reasons.
- Yellow: A bucket policy allows public access, but the **Restrict Public Buckets** setting is turned on and restricts access to only authorized users of that account.
- Yellow: The bucket is compliant but does not have full **Block Public Access** protection enabled.
- Green: The bucket is compliant and has full **Block Public Access** protection enabled.

**Note**

Public ACL grants are not evaluated when Block Public Access **Ignore Public ACLs** is enabled.

## Recommended action

If a bucket allows open access, determine if open access is truly needed. For example to host a static website, you can use Amazon CloudFront to serve the content hosted on Amazon S3. See [Restricting access to an Amazon S3 origin](#) in the Amazon CloudFront Developer Guide. When possible, update the bucket permissions to restrict access to the owner or specific users. Use Amazon S3 Block Public Access to control the settings that allow public access to your data. See [Setting Bucket and Object Access Permissions](#).

## Additional resources

[Managing Access Permissions to Your Amazon S3 Resources](#)

[Configuring block public access settings for your Amazon S3 buckets](#)

## Report columns

- Status
- Region Name
- Region API Parameter
- Bucket Name
- ACL Allows List
- ACL Allows Upload/Delete
- Policy Allows Access

## Amazon VPC Peering Connections with DNS Resolution Disabled

### Description

Checks if your VPC peering connections have DNS resolution turned on for both the acceptor and requester VPCs.

DNS resolution for a VPC peering connection allows the resolution of public DNS hostnames to private IPv4 addresses when queried from your VPC. This allows the use of DNS names

for communication between resources in peered VPCs. DNS resolution in your VPC peering connections makes application development and management simpler and less error-prone, and it ensures that resources always communicate privately over the VPC peering connection.

You can specify the VPC IDs, using the `vpcIds` parameters in your AWS Config rules.

For more information, see [Enable DNS resolution for a VPC peering connection](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz124

## Source

AWS Config Managed Rule: vpc-peering-dns-resolution-check

## Alert Criteria

Yellow: DNS resolution is not enabled for both the acceptor and the requestor VPCs in a VPC peering connection.

## Recommended Action

Turn on DNS resolution for your VPC peering connections.

## Additional Resources

- [Modify VPC peering connection options](#)
- [DNS attributes in your VPC](#)

## Report columns

- Status
- Region
- Resource

- AWS Config Rule
- Input Parameters
- Last Updated Time

## Application Load Balancer Target Groups Encrypted Protocol

### Description

Checks Application Load Balancer (ALB) target groups are using HTTPS protocol to encrypt communication in transit for back-end target types of instance or IP. HTTPS requests between ALB and back-end targets help to maintain data confidentiality for data in transit.

### Check ID

c2v1fg0p1w

### Alert Criteria

- Yellow: Application Load Balancer target group using HTTP.
- Green: Application Load Balancer target group using HTTPS.

### Recommended Action

Configure back-end target types of instance or IP to support HTTPS access, and change target group to use HTTPS protocol to encrypt communication between ALB and back-end target types of instance or IP.

### Additional Resources

[Enforce encryption in transit](#)

[Application Load Balancer Target Types](#)

[Application Load Balancer Routing Configuration](#)

[Data Protection in Elastic Load Balancing](#)

### Report columns

- Status
- Region
- ALB Arn
- ALB Name
- ALB VPC Id

- Target Group Arn
- Target Group Name
- Target Group Protocol
- Last Updated Time

## AWS Backup Vault Without Resource-based Policy to Prevent Deletion of Recovery Points

### Description

Checks if AWS Backup vaults have an attached resource-based policy that prevents recovery point deletion.

The resource-based policy prevents unexpected deletion of recovery points, which allows you to enforce access control with least privileges against your backup data.

You can specify the AWS Identity and Access Management ARNs that you don't want the rule to check in the **principalArnList** parameter of your AWS Config rules.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz152

### Source

AWS Config Managed Rule: backup-recovery-point-manual-deletion-disabled

### Alert Criteria

Yellow: There are AWS Backup vaults that don't have a resource-based policy to prevent deletion of recovery points.

## Recommended Action

Create resource-based policies for your AWS Backup vaults to prevent unexpected deletion of recovery points.

The policy must include a "Deny" statement with backup:DeleteRecoveryPoint, backup:UpdateRecoveryPointLifecycle, and backup:PutBackupVaultAccessPolicy permissions.

For more information, see [Set access policies on backup vaults](#).

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## AWS CloudTrail Management Event Logging

### Description

Checks your use of AWS CloudTrail. CloudTrail provides increased visibility into activity in your AWS account. It does this by recording information about AWS API calls that are made on the account. You can use these logs to determine, for example, what actions a particular user has taken during a specified time period, or which users have taken actions on a particular resource during a specified time period.

Because CloudTrail delivers log files to an Amazon Simple Storage Service (Amazon S3) bucket, CloudTrail must have write permissions for the bucket. If a trail applies to all AWS Regions (the default when creating a new trail), then the trail appears multiple times in the Trusted Advisor report.

 **Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c25hn9x03v

## Alert Criteria

- Red: No trail is created for an AWS Region, or logging isn't enabled for any trail.
- Yellow: CloudTrail is enabled but all trails report log delivery errors.
- Green: CloudTrail is enabled and no log delivery errors are reported.

## Recommended Action

To create a trail and start logging from the console, open the [AWS CloudTrail console](#).

To start logging, see [Stopping and Starting Logging for a Trail](#).

If you receive log delivery errors, then make sure that the bucket exists and that the necessary policy is attached to the bucket. See [Amazon S3 Bucket Policy](#).

## Additional Resources

- [AWS CloudTrail User Guide](#)
- [Supported Regions](#)
- [Supported Services](#)
- [Creating a trail for an organization](#)

## Report columns

- Status
- Region
- Logging Enabled
- Delivery Error Reported
- Last Updated Time

## AWS Lambda Functions Using Deprecated Runtimes

### Description

Checks for Lambda functions whose \$LATEST version is configured to use a runtime that is approaching deprecation, or is deprecated. Deprecated runtimes are not eligible for security updates or technical support

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

Published Lambda function versions are immutable, which means they can be invoked but not updated. Only the \$LATEST version for a Lambda function can be updated. For more information, see [Lambda function versions](#).

### Check ID

L4dfs2Q4C5

### Alert Criteria

- Red: The function's \$LATEST version is configured to use a runtime that is already deprecated.
- Yellow: The function's \$LATEST version is running on a runtime that is approaching deprecation. Functions are included at least 180 days before the runtime deprecation date.

### Recommended Action

If you have functions that are running on a runtime that is approaching deprecation, you should prepare for migration to a supported runtime. For more information, see [Runtime support policy](#).

We recommend that you delete earlier function versions that you're no longer using.

### Additional Resources

[Lambda runtimes](#)

## Report columns

- Status
- Region
- Function ARN
- Runtime
- Days to Deprecation
- Deprecation Date
- Average Daily Invokes
- Last Updated Time

## AWS Well-Architected high risk issues for security

### Description

Checks for high risk issues (HRIs) for your workloads in the security pillar. This check is based on your AWS-Well Architected reviews. Your check results depend on whether you completed the workload evaluation with AWS Well-Architected.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

Wxdfp4B1L3

### Alert Criteria

- Red: At least one active high risk issue was identified in the security pillar for AWS Well-Architected.
- Green: No active high risk issues were detected in the security pillar for AWS Well-Architected.

## Recommended Action

AWS Well-Architected detected high risk issues during your workload evaluation. These issues present opportunities to reduce risk and save money. Sign in to the [AWS Well-Architected](#) tool to review your answers and take action to resolve your active issues.

### Report columns

- Status
- Region
- Workload ARN
- Workload Name
- Reviewer Name
- Workload Type
- Workload Started Date
- Workload Last Modified Date
- Number of identified HRIs for Security
- Number of HRIs resolved for Security
- Number of questions for Security
- Total number of questions in Security pillar
- Last Updated Time

## CloudFront Custom SSL Certificates in the IAM Certificate Store

### Description

 **Note**

This check applies to classic Amazon CloudFront distributions.

Checks the SSL certificates for CloudFront alternate domain names in the IAM certificate store. This check alerts you if a certificate is expired, will expire soon, uses outdated encryption, or is not configured correctly for the distribution.

When a custom certificate for an alternate domain name expires, browsers that display your CloudFront content might show a warning message about the security of your website.

Certificates that are encrypted by using the SHA-1 hashing algorithm are being deprecated by most web browsers such as Chrome and Firefox.

A certificate must contain a domain name that matches either the Origin Domain Name or the domain name in the host header of a viewer request. If it doesn't match, CloudFront returns an HTTP status code of 502 (bad gateway) to the user. For more information, see [Using Alternate Domain Names and HTTPS](#).

 **Note**

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

## Check ID

N425c450f2

### Alert Criteria

- Red: A custom SSL certificate is expired.
- Yellow: A custom SSL certificate expires in the next seven days.
- Yellow: A custom SSL certificate was encrypted by using the SHA-1 hashing algorithm.
- Yellow: One or more of the alternate domain names in the distribution don't appear either in the Common Name field or the Subject Alternative Names field of the custom SSL certificate.

### Recommended Action

We recommend using AWS Certificate Manager to provision, manage, and deploy your server certificates. With ACM, you can request a new certificate or deploy an existing ACM or external certificate to AWS resources. Certificates provided by ACM are free and can be automatically renewed. For more information about using ACM, see the [AWS Certificate Manager User Guide](#). To verify the AWS Regions ACM supports, see [AWS Certificate Manager endpoints](#) and quotas in the AWS General Reference.

Renew expired certificates or certificates that are about to expire. For more information on renewing a certificate see [Managing server certificates](#) in IAM.

Replace a certificate that was encrypted by using the SHA-1 hashing algorithm with a certificate that is encrypted by using the SHA-256 hashing algorithm.

Replace the certificate with a certificate that contains the applicable values in the Common Name or Subject Alternative Domain Names fields.

## Additional Resources

[Using an HTTPS Connection to Access Your Objects](#)

[Importing Certificates](#)

[AWS Certificate Manager User Guide](#)

## Report columns

- Status
- Distribution ID
- Distribution Domain Name
- Certificate Name
- Reason

## CloudFront SSL Certificate on the Origin Server

### Description

Checks your origin server for SSL certificates that are expired, about to expire, missing, or that use outdated encryption. If a certificate has one of these issues, CloudFront responds to requests for your content with HTTP status code 502, Bad Gateway.

Certificates that were encrypted by using the SHA-1 hashing algorithm are being deprecated by web browsers such as Chrome and Firefox. Depending on the number of SSL certificates that you have associated with your CloudFront distributions, this check might add a few cents per month to your bill with your web hosting provider, for example, AWS if you're using Amazon EC2 or Elastic Load Balancing as the origin for your CloudFront distribution. This check does not validate your origin certificate chain or certificate authorities. You can check these in your CloudFront configuration.

 **Note**

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

## Check ID

N430c450f2

### Alert Criteria

- Red: An SSL certificate on your origin has expired or is missing.
- Yellow: An SSL certificate on your origin expires in the next thirty days.
- Yellow: An SSL certificate on your origin was encrypted by using the SHA-1 hashing algorithm.
- Yellow: An SSL certificate on your origin can't be located. The connection might have failed due to timeout, or other HTTPS connection problems.

### Recommended Action

Renew the certificate on your origin if it has expired or is about to expire.

Add a certificate if one does not exist.

Replace a certificate that was encrypted by using the SHA-1 hashing algorithm with a certificate that is encrypted by using the SHA-256 hashing algorithm.

### Additional Resources

[Using Alternate Domain Names and HTTPS](#)

### Report columns

- Status
- Distribution ID
- Distribution Domain Name
- Origin
- Reason

## ELB Listener Security

### Description

Checks for classic load balancers with listeners that don't use the recommended security configurations for encrypted communication. AWS recommends that you use a secure protocol (HTTPS or SSL), up-to-date security policies, and ciphers and protocols that are secure. When

you use a secure protocol for a front-end connection (client to load balancer), the requests are encrypted between your clients and the load balancer. This creates a more secure environment. Elastic Load Balancing provides predefined security policies with ciphers and protocols that adhere to AWS security best practices. New versions of predefined policies are released as new configurations become available.

## Check ID

a2sEc6ILx

## Alert Criteria

- Red: A load balancer has no listeners configured with a secure protocol (HTTPS).
- Yellow: A load balancer HTTPS listener is configured with a Security Policy that contains a weak cipher.
- Yellow: A load balancer HTTPS listener is not configured with the recommended Security Policy.
- Green: A load balancer has at least one HTTPS listener AND all HTTPS listeners are configured with the recommended policy.

## Recommended Action

If the traffic to your load balancer must be secure, use either the HTTPS or the SSL protocol for the front-end connection.

Upgrade your load balancer to the latest version of the predefined SSL security policy.

Use only the recommended ciphers and protocols.

For more information, see [Listener Configurations for Elastic Load Balancing](#).

## Additional Resources

- [Listener Configurations Quick Reference](#)
- [Update SSL Negotiation Configuration of Your Load Balancer](#)
- [SSL Negotiation Configurations for Elastic Load Balancing](#)
- [SSL Security Policy Table](#)

## Report columns

- Status
- Region
- Load Balancer Name

- Load Balancer Port
- Reason

## Classic Load Balancer Security Groups

### Description

Checks for load balancers configured with a security group that allows access to ports that are not configured for the load balancer.

If a security group allows access to ports that are not configured for the load balancer, the risk of loss of data or malicious attacks increases.

### Check ID

xSqX82fQu

### Alert Criteria

- Yellow: The inbound rules of an Amazon VPC security group associated with a load balancer allow access to ports that are not defined in the load balancer's listener configuration.
- Green: The inbound rules of an Amazon VPC security group associated with a load balancer do not allow access to ports that are not defined in the load balancer's listener configuration.

### Recommended Action

Configure the security group rules to restrict access to only those ports and protocols that are defined in the load balancer listener configuration, plus the ICMP protocol to support Path MTU Discovery. See [Listeners for Your Classic Load Balancer](#) and [Security Groups for Load Balancers in a VPC](#).

If a security group is missing, apply a new security group to the load balancer. Create security group rules that restrict access to only those ports and protocols that are defined in the load balancer listener configuration. See [Security Groups for Load Balancers in a VPC](#).

### Additional Resources

- [Elastic Load Balancing User Guide](#)
- [Migrate your Classic Load Balancer](#)
- [Configure Your Classic Load Balancer](#)

### Report columns

- Status

- Region
- Load Balancer Name
- Security Group IDs
- Reason

## Exposed Access Keys

### Description

Checks popular code repositories for access keys that have been exposed to the public and for irregular Amazon Elastic Compute Cloud (Amazon EC2) usage that could be the result of a compromised access key.

An access key consists of an access key ID and the corresponding secret access key. Exposed access keys pose a security risk to your account and other users, could lead to excessive charges from unauthorized activity or abuse, and violate the [AWS Customer Agreement](#).

If your access key is exposed, take immediate action to secure your account. To protect your account from excessive charges, AWS temporarily limits your ability to create some AWS resources. This does not make your account secure. It only partially limits the unauthorized usage for which you could be charged.

#### Note

This check doesn't guarantee the identification of exposed access keys or compromised EC2 instances. You are ultimately responsible for the safety and security of your access keys and AWS resources.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.  
For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

If a deadline is shown for an access key, AWS may suspend your AWS account if the unauthorized usage is not stopped by that date. If you believe an alert is in error, [contact AWS Support](#).

The information displayed in Trusted Advisor might not reflect the most recent state of your account. No exposed access keys are marked as resolved until all exposed access keys on the account have been resolved. This data synchronization can take up to one week.

## Check ID

12Fnkp18Y5

## Alert Criteria

- Red: Potentially compromised – AWS has identified an access key ID and corresponding secret access key that have been exposed on the Internet and may have been compromised (used).
- Red: Exposed – AWS has identified an access key ID and corresponding secret access key that have been exposed on the Internet.
- Red: Suspected - Irregular Amazon EC2 usage indicates that an access key may have been compromised, but it has not been identified as exposed on the Internet.

## Recommended Action

Delete the affected access key as soon as possible. If the key is associated with an IAM user, see [Managing Access Keys for IAM Users](#).

Check your account for unauthorized usage. Sign in to the [AWS Management Console](#) and check each service console for suspicious resources. Pay special attention to running Amazon EC2 instances, Spot Instance requests, access keys, and IAM users. You can also check overall usage on the [Billing and Cost Management console](#).

## Additional Resources

- [Best Practices for Managing AWS Access Keys](#)
- [AWS Security Audit Guidelines](#)

## Report columns

- Access Key ID
- User Name (IAM or Root)
- Fraud Type
- Case ID
- Time Updated

- Location
- Deadline
- Usage (USD per Day)

## IAM Access Key Rotation

### Description

Checks for active IAM access keys that have not been rotated in the last 90 days.

When you rotate your access keys regularly, you reduce the chance that a compromised key could be used without your knowledge to access resources. For the purposes of this check, the last rotation date and time is when the access key was created or most recently activated. The access key number and date come from the `access_key_1_last_rotated` and `access_key_2_last_rotated` information in the most recent IAM credential report.

Because the regeneration frequency of a credential report is restricted, refreshing this check might not reflect recent changes. For more information, see [Getting Credential Reports for Your AWS account](#).

In order to create and rotate access keys, a user must have the appropriate permissions. For more information, see [Allow Users to Manage Their Own Passwords, Access Keys, and SSH Keys](#).

### Check ID

DqdJqYeRm5

### Alert Criteria

- Green: The access key is active and has been rotated in the last 90 days.
- Yellow: The access key is active and has been rotated in the last 2 years, but more than 90 days ago.
- Red: The access key is active and has not been rotated in the last 2 years.

### Recommended Action

Rotate access keys on a regular basis. See [Rotating Access Keys](#) and [Managing Access Keys for IAM Users](#).

### Additional Resources

- [IAM Best Practices](#)

- [How to rotate access keys for IAM users](#)

## Report columns

- Status
- IAM user
- Access Key
- Key Last Rotated
- Reason

## IAM Access Analyzer External Access

### Description

Checks if the IAM Access Analyzer external access at the account level is present.

IAM Access Analyzer external access analyzers help identify resources in your accounts that are shared with an external entity. The analyzer then creates a centralized dashboard with the findings. After the new analyzer is activated in the IAM console, security teams can then prioritize which accounts to review based on excessive permissions. An external access analyzer creates public and cross-account access findings for resources, and is provided at no additional charge.

### Check ID

07602fcad6

### Alert Criteria

- Red: The analyzer external access isn't activated at the account level.
- Green: The analyzer external access is activated at the account level.

### Recommended Action

The creation of an external access analyzer per account helps security teams to prioritize which accounts to review based on excessive permissions. For more information, see [Getting started with AWS Identity and Access Management Access Analyzer findings](#).

Additionally, it's a best practice to utilize the unused access analyzer, a paid feature that simplifies inspecting unused access to guide you toward least privilege. For more information, see [Identifying unused access granted to IAM users and roles](#).

## Additional Resources

- [Using AWS Identity and Access Management Access Analyzer](#)
- [IAM Access Analyzer updates: Find unused access, check policies before deployment](#)

## Report columns

- Status
- Region
- Account External Access Analyzer Arn
- Organization External Access Analyzer Arns
- Last Updated Time

## IAM Password Policy

### Description

Checks the password policy for your account and warns when a password policy is not enabled, or if password content requirements have not been enabled.

Password content requirements increase the overall security of your AWS environment by enforcing the creation of strong user passwords. When you create or change a password policy, the change is enforced immediately for new users but does not require existing users to change their passwords.

### Check ID

Yw2K9puPz1

### Alert Criteria

- Green: A password policy is enabled with recommended content requirement enabled.
- Yellow: A password policy is enabled, but at least one content requirement is not enabled.

### Recommended Action

If some content requirements are not enabled, consider enabling them. If no password policy is enabled, create and configure one. See [Setting an Account Password Policy for IAM Users](#).

To access the AWS Management Console, IAM users need passwords. As a best practice, AWS highly recommends that instead of creating IAM users, you use federation. Federation allows users to use their existing corporate credentials to log into the AWS Management Console. Use IAM Identity Center to create or federate the user, and then assume an IAM role into an account.

To learn more about identity providers and federation, see [Identity providers and federation](#) in the IAM User Guide. To learn more about IAM Identity Center, see the [IAM Identity Center User Guide](#).

## Additional Resources

### [Managing Passwords](#)

#### Report columns

- Password Policy
- Uppercase
- Lowercase
- Number
- Non-alphanumeric

## IAM SAML 2.0 Identity Provider

#### Description

Checks if the AWS account is configured for access via an identity provider (IdP) that supports SAML 2.0. Be sure to follow best practices when you centralize identities and configure users in an [external identity provider](#) or [AWS IAM Identity Center](#).

#### Check ID

c2v1fg0p86

#### Alert Criteria

- Yellow: This account isn't configured for access via an identity provider (IdP) that supports SAML 2.0.
- Green: This account is configured for access via an identity provider (IdP) that supports SAML 2.0.

#### Recommended Action

Activate IAM Identity Center for the AWS account. For more information, see [Enabling IAM Identity Center](#). After you turn on IAM Identity Center, you can then perform common tasks like creating a permission set and assigning access for Identity Center groups. For more information, see [Common tasks](#).

It's a best practice to manage human users in IAM Identity Center. But you can activate federated user access with IAM for human users in the short-term for small scale deployments. For more information see [SAML 2.0 federation](#).

## Additional Resources

[What is IAM Identity Center?](#)

[What IsIAM?](#)

## Report columns

- Status
- AWS account Id
- Last Updated Time

## MFA on root account

### Description

Checks the root user credentials of an account and warns if multi-factor authentication (MFA) is not enabled.

For increased security, we recommend that you protect your account by using MFA, which requires a user to enter a unique authentication code from their MFA hardware or virtual device when interacting with the AWS Management Console and associated websites.

#### Note

For your AWS Organizations management account, AWS requires multi-factor authentication (MFA) for the root user when accessing the AWS Management Console. For your AWS Organizations member accounts, we recommend that you centrally manage root credentials using AWS Identity and Access Management. Member account root user credentials can be deleted centrally, removing the need to manage MFA on root user credentials. For more information, see [Best practices for member accounts](#) in the *AWS Organizations User Guide*.

## Check ID

7DAFEmoDos

## Alert criteria

- Red: MFA is not enabled on the root account.
- Green: No root user credentials (root password) exist or MFA is enabled for the account.

## Recommended action

**If this is a member account in AWS Organizations:** Log in to your management account, enable the root access management feature in IAM, and remove your root user credentials from this member account. See [Centralize root access for member accounts](#).

**If this is a standalone or management account in AWS Organizations:** Log in to your root account and activate an MFA device. For more information, see [Check MFA status](#) and [AWS Multi-factor authentication in IAM](#)

## Additional resources

- [Centrally manage root access for member accounts](#)
- [AWS Multi-factor authentication in IAM](#)
- [Multi-factor authentication for AWS account root user](#)

# Root User Access Key

## Description

Checks if the root user access key is present. It's strongly recommended that you don't create access key pairs for your root user. Because [only a few tasks require the root user](#) and you typically perform those tasks infrequently, it's a best practice to log in to the AWS Management Console to perform the root user tasks. Before you create access keys, review the [alternatives to long-term access keys](#).

## Check ID

c2v1fg0f4h

## Alert Criteria

- Red: The root user access key is present
- Green: The root user access key isn't present

## Recommended Action

Delete the access key(s) for the root user. See [Deleting access keys for the root user](#). This task must be performed by the root user. You can't perform these steps as an IAM user or role.

## Additional Resources

- [Tasks that require root user credentials](#)
- [Resetting a lost or forgotten root user password](#)

### Report columns

- Status
- Account ID
- Last Updated Time

## Security Groups – Specific Ports Unrestricted

### Description

Checks security groups for rules that allow unrestricted access (0.0.0.0/0) to specific ports.

Unrestricted access increases opportunities for malicious activity (hacking, denial-of-service attacks, loss of data). The ports with highest risk are flagged red, and those with less risk are flagged yellow. Ports flagged green are typically used by applications that require unrestricted access, such as HTTP and SMTP.

If you have intentionally configured your security groups in this manner, we recommend using additional security measures to secure your infrastructure (such as IP tables).

#### Note

This check only evaluates security groups that you create and their inbound rules for IPv4 addresses. Security groups created by AWS Directory Service are flagged as red or yellow, but they don't pose a security risk and can be excluded. For more information, see the [Trusted Advisor FAQ](#).

#### Note

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

## Check ID

HCP4007jGY

### Alert Criteria

- Green: Security Group provides unrestricted access on ports 80, 25, 443, or 465.
- Red: Security Group is attached to a resource and provides unrestricted access to port 20, 21, 22, 1433, 1434, 3306, 3389, 4333, 5432, or 5500.
- Yellow: Security Group provides unrestricted access to any other port.
- Yellow: Security Group is not attached to any resource and provides unrestricted access.

### Recommended Action

Restrict access to only those IP addresses that require it. To restrict access to a specific IP address, set the suffix to /32 (for example, 192.0.2.10/32). Be sure to delete overly permissive rules after creating rules that are more restrictive.

Review and delete unused security groups. You can use AWS Firewall Manager to centrally configure and manage security groups at scale across AWS accounts. For more information, see the [AWS Firewall Manager documentation](#).

Consider using Systems Manager Sessions Manager for SSH (Port 22) and RDP (Port 3389) access to EC2 instances. With sessions manager, you can access your EC2 instances without enabling port 22 and 3389 in the security group.

### Additional Resources

- [Amazon EC2 Security Groups](#)  
[List of TCP and UDP port numbers](#)
- [Classless Inter-Domain Routing](#)
- [Working with Session Manager](#)
- [AWS Firewall Manager](#)

### Report columns

- Status
- Region
- Security Group Name
- Security Group ID
- Protocol

- From Port
- To Port
- Association

## Security Groups – Unrestricted Access

### Description

Checks security groups for rules that allow unrestricted access to a resource.

Unrestricted access increases opportunities for malicious activity (hacking, denial-of-service attacks, loss of data).

#### Note

This check evaluates only security groups that you create and their inbound rules for IPv4 addresses. Security groups created by AWS Directory Service are flagged as red or yellow, but they don't pose a security risk and can be excluded. For more information, see the [Trusted Advisor FAQ](#).

#### Note

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

### Check ID

1iG5NDGVre

### Alert Criteria

- Green: A security group rule has a source IP address with a /0 suffix for ports 25, 80, or 443.
- Yellow: A security group rule has a source IP address with a /0 suffix for ports other than 25, 80, or 443 and security group is attached to a resource.
- Red: A security group rule has a source IP address with a /0 suffix for ports other than 25, 80, or 443 and security group is not attached to a resource.

## Recommended Action

Restrict access to only those IP addresses that require it. To restrict access to a specific IP address, set the suffix to /32 (for example, 192.0.2.10/32). Be sure to delete overly permissive rules after creating rules that are more restrictive.

Review and delete unused security groups. You can use AWS Firewall Manager to centrally configure and manage security groups at scale across AWS accounts. For more information, see the [AWS Firewall Manager documentation](#).

Consider using Systems Manager Sessions Manager for SSH (Port 22) and RDP (Port 3389) access to EC2 instances. With sessions manager, you can access your EC2 instances without enabling port 22 and 3389 in the security group.

## Additional Resources

- [Amazon EC2 Security Groups](#)
- [Classless Inter-Domain Routing](#)
- [Working with Session Manager](#)
- [AWS Firewall Manager](#)

## Report columns

- Status
- Region
- Security Group Name
- Security Group ID
- Protocol
- From Port
- To Port
- IP Range
- Association

## Fault tolerance

You can use the following checks for the fault tolerance category.

### Check names

- [ALB Multi-AZ](#)
- [Amazon Aurora MySQL cluster backtracking not enabled](#)
- [Amazon Aurora DB Instance Accessibility](#)
- [Amazon CloudFront Origin Failover](#)
- [Amazon Comprehend Endpoint Access Risk](#)
- [Amazon DocumentDB Single AZ Clusters](#)
- [Amazon DynamoDB Point-in-time Recovery](#)
- [Amazon DynamoDB Table Not Included in Backup Plan](#)
- [Amazon EBS Not Included in AWS Backup Plan](#)
- [Amazon EBS Snapshots](#)
- [Amazon EC2 Auto Scaling does not have ELB Health Check Enabled](#)
- [Amazon EC2 Auto Scaling Group has Capacity Rebalancing Enabled](#)
- [Amazon EC2 Auto Scaling is not deployed in multiple AZs or does not meet the minimum number of AZs](#)
- [Amazon EC2 Availability Zone Balance](#)
- [Amazon EC2 detailed monitoring not enabled](#)
- [Amazon ECS AWSLogs driver in blocking mode](#)
- [Amazon ECS service using a single AZ](#)
- [Amazon ECS Multi-AZ placement strategy](#)
- [Amazon EFS no mount target redundancy](#)
- [Amazon EFS not in AWS Backup plan](#)
- [Amazon ElastiCache Multi-AZ clusters](#)
- [ElastiCache \(Redis OSS\) Clusters Automatic Backup](#)
- [Amazon MemoryDB Multi-AZ clusters](#)
- [Amazon MSK brokers hosting too many partitions](#)
- [Amazon MSK Cluster Multi-AZ](#)
- [Amazon OpenSearch Service domains with less than three data nodes](#)
- [Amazon RDS Backups](#)
- [Amazon RDS Continuous Backup Not Enabled](#)
- [Amazon RDS DB clusters have one DB instance](#)

- [Amazon RDS DB clusters with all instances in the same Availability Zone](#)
- [Amazon RDS DB clusters with all reader instances in the same Availability Zone](#)
- [Amazon RDS Instance Enhanced Monitoring not enabled](#)
- [Amazon RDS DB instances have storage autoscaling turned off](#)
- [Amazon RDS DB instances not using Multi-AZ deployment](#)
- [Amazon RDS DiskQueueDepth](#)
- [Amazon RDS FreeStorageSpace](#)
- [Amazon RDS log\\_output parameter is set to table](#)
- [Amazon RDS innodb\\_default\\_row\\_format parameter setting is unsafe](#)
- [Amazon RDS innodb\\_flush\\_log\\_at\\_trx\\_commit parameter is not 1](#)
- [Amazon RDS max\\_user\\_connections parameter is low](#)
- [Amazon RDS Multi-AZ](#)
- [Amazon RDS Not In AWS Backup Plan](#)
- [Amazon RDS Read Replicas are open in writable mode](#)
- [Amazon RDS resource automated backups is turned off](#)
- [Amazon RDS sync\\_binlog parameter is turned off](#)
- [RDS DB Cluster has no Multi-AZ replication enabled](#)
- [RDS Multi-AZ Standby Instance Not Enabled](#)
- [Amazon RDS ReplicaLag](#)
- [Amazon RDS synchronous\\_commit parameter is turned off](#)
- [Amazon Redshift cluster automated snapshots](#)
- [Amazon Route 53 Deleted Health Checks](#)
- [Amazon Route 53 Failover Resource Record Sets](#)
- [Amazon Route 53 High TTL Resource Record Sets](#)
- [Amazon Route 53 Name Server Delegations](#)
- [Amazon Route 53 Resolver Endpoint Availability Zone Redundancy](#)
- [Amazon S3 Bucket Replication Not Enabled](#)
- [Amazon S3 Bucket Versioning](#)
- [Application, Network, and Gateway Load Balancers Not Spanning Multiple Availability Zones](#)
- [Auto Scaling available IPs in Subnets](#)

- [Auto Scaling Group Health Check](#)
- [Auto Scaling Group Resources](#)
- [AWS CloudHSM clusters running HSM instances in a single AZ](#)
- [Direct Connect Location Resiliency](#)
- [AWS Lambda functions without a dead-letter queue configured](#)
- [AWS Lambda On Failure Event Destinations](#)
- [AWS Lambda VPC-enabled Functions without Multi-AZ Redundancy](#)
- [AWS Outposts Single Rack deployment](#)
- [AWS Resilience Hub Application Component check](#)
- [AWS Resilience Hub policy breached](#)
- [AWS Resilience Hub resilience scores](#)
- [AWS Resilience Hub assessment age](#)
- [AWS Site-to-Site VPN has at least one tunnel in DOWN status](#)
- [AWS STS global endpoint usage across AWS Regions](#)
- [AWS Well-Architected high risk issues for reliability](#)
- [Classic Load Balancer has no multiple AZs configured](#)
- [CLB Connection Draining](#)
- [ELB Target Imbalance](#)
- [GWLB - endpoint AZ independence](#)
- [Load Balancer Optimization](#)
- [NAT Gateway AZ Independence](#)
- [Network Firewall endpoint AZ Independence](#)
- [Network Firewall Multi-AZ](#)
- [Network Load Balancers Cross Load Balancing](#)
- [NLB - Internet-facing resource in private subnet](#)
- [NLB Multi-AZ](#)
- [Number of AWS Regions in an Incident Manager replication set](#)
- [Single AZ Application Check](#)
- [VPC interface endpoint network interfaces in multiple AZs](#)
- [VPN Tunnel Redundancy](#)

- [ActiveMQ Availability Zone Redundancy](#)
- [RabbitMQ Availability Zone Redundancy](#)

## ALB Multi-AZ

### Description

Checks if your Application Load Balancers are configured to use more than one Availability Zone (AZ). An AZ is a distinct location that is insulated from failures in other zones. Configure your load balancer in multiple AZs in the same Region to help improve your workload availability.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c1dfprch08

### Alert Criteria

Yellow: ALB is in a single AZ.

Green: ALB has two or more AZs.

### Recommended Action

Make sure that your load balancer is configured with at least two Availability Zones.

For more information, see [Availability Zones for your Application Load Balancer](#).

### Additional Resources

For more information, see the following documentation:

- [How Elastic Load Balancing works](#)
- [Regions, Availability Zones, and Local Zones](#)

## Report columns

- Status
- Region
- ALB Name
- ALB Rule
- ALB ARN
- Number of AZs
- Last Updated Time

## Amazon Aurora MySQL cluster backtracking not enabled

### Description

Checks if an Amazon Aurora MySQL cluster has backtracking enabled.

Amazon Aurora MySQL cluster backtracking is a feature that allows you to restore an Aurora DB cluster to a previous point in time without creating a new cluster. It enables you to roll back your database to a specific point in time within a retention period, without the need to restore from a snapshot.

You can adjust the backtracking time window (hours) in the **BacktrackWindowInHours** parameter of the AWS Config rules.

For more information, see [Backtracking an Aurora DB cluster](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz131

## Source

AWS Config Managed Rule: `aurora-mysql-backtracking-enabled`

## Alert Criteria

Yellow: Amazon Aurora MySQL clusters backtracking is not enabled.

## Recommended Action

Turn on backtracking for your Amazon Aurora MySQL cluster.

For more information, see [Backtracking an Aurora DB cluster](#).

## Additional Resources

[Backtracking an Aurora DB cluster](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon Aurora DB Instance Accessibility

### Description

Checks for cases where an Amazon Aurora DB cluster has both private and public instances.

When your primary instance fails, a replica can be promoted to a primary instance. If that replica is private, users who have only public access would no longer be able to connect to the database after failover. We recommend that all the DB instances in a cluster have the same accessibility.

### Check ID

`xuy7H1avtl`

## Alert Criteria

Yellow: The instances in an Aurora DB cluster have different accessibility (a mix of public and private).

## Recommended Action

Modify the Publicly Accessible setting of the instances in the DB cluster so that they are all either public or private. For details, see the instructions for MySQL instances at [Modifying a DB Instance Running the MySQL Database Engine](#).

## Additional Resources

[Fault Tolerance for an Aurora DB Cluster](#)

## Report columns

- Status
- Region
- Cluster
- Public DB Instances
- Private DB Instances
- Reason

## Amazon CloudFront Origin Failover

### Description

Checks that an origin group is configured for distributions that include two origins in Amazon CloudFront.

For more information, see [Optimizing high availability with CloudFront origin failover](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz112

### Source

AWS Config Managed Rule: cloudfont-origin-failover-enabled

### Alert Criteria

Yellow: Amazon CloudFront origin failover is not enabled.

### Recommended Action

Make sure that you turn on the origin failover feature for your CloudFront distributions to help ensure high availability of your content delivery to end users. When you turn on this feature, traffic is automatically routed to the backup origin server if the primary origin server is unavailable. This minimizes potential downtime and ensures continuous availability of your content.

### Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon Comprehend Endpoint Access Risk

### Description

Checks the AWS Key Management Service (AWS KMS) key permissions for an endpoint where the underlying model was encrypted by using customer managed keys. If the customer managed key is disabled, or the key policy was changed to alter the allowed permissions for Amazon Comprehend, the endpoint availability might be affected.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

Cm24dfsM13

## Alert Criteria

Red: The customer managed key is disabled or the key policy was changed to alter the allowed permissions for Amazon Comprehend access.

## Recommended Action

If the customer managed key was disabled, we recommend that you enable it. For more information, see [Enabling keys](#). If the key policy was altered and you want to keep using the endpoint, we recommend that you update the AWS KMS key policy. For more information, see [Changing a key policy](#).

## Additional Resources

[AWS KMS Permissions](#)

## Report columns

- Status
- Region
- Endpoint ARN
- Model ARN
- KMS KeyId
- Last Updated Time

## Amazon DocumentDB Single AZ Clusters

### Description

Checks if there are Amazon DocumentDB clusters configured as Single-AZ.

Running Amazon DocumentDB workloads in a Single-AZ architecture is not sufficient for highly critical workloads and it can take up to 10 minutes to recover from a component failure.

Customers should deploy replica instances in additional availability zones to ensure availability during maintenance, instance failures, component failures, or availability zone failures.

### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c15vnndn2x

## Alert Criteria

Yellow: Amazon DocumentDB cluster has instances in less than three availability zones.

Green: Amazon DocumentDB cluster has instances in three availability zones.

## Recommended Action

If your application requires high availability, modify your DB instance to enable Multi-AZ using replica instances. See [Amazon DocumentDB High Availability and Replication](#)

## Additional Resources

[Understanding Amazon DocumentDB Cluster Fault Tolerance](#)

[Regions and Availability Zones](#)

## Report columns

- Status
- Region
- Availability Zone
- DB Cluster Identifier
- DB Cluster ARN
- Last Updated Time

## Amazon DynamoDB Point-in-time Recovery

### Description

Checks if point-in time-recovery is enabled for your Amazon DynamoDB tables.

Point-in time-recovery helps protect your DynamoDB tables from accidental write or delete operations. With point-in time-recovery, you don't have to worry about creating, maintaining, or scheduling on-demand backups. Point-in time-recovery restores tables to any point in time during the last 35 days. DynamoDB maintains incremental backups of your table.

For more information, see [Point-in-time recovery for DynamoDB](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz138

### Source

AWS Config Managed Rule: dynamodb-pitr-enabled

### Alert Criteria

Yellow: Point-in-time recovery is not enabled for your DynamoDB tables.

### Recommended Action

Turn on point-in-time recovery in Amazon DynamoDB to continuously back up your table data.

For more information, see [Point-in-time recovery: How it works](#).

### Additional Resources

[Point-in-time recovery for DynamoDB](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon DynamoDB Table Not Included in Backup Plan

### Description

Checks if Amazon DynamoDB tables are part of an AWS Backup plan.

AWS Backup provides incremental backups for DynamoDB tables that capture changes made since the last backup. Including DynamoDB tables in an AWS Backup plan helps protect your data from accidental data loss scenarios and automates the backup process. This provides a reliable and scalable backup solution for your DynamoDB tables, helping to ensure that your valuable data is protected and available for recovery as needed.

For more information, see [Creating backups of DynamoDB tables with AWS Backup](#)

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz107

### Source

AWS Config Managed Rule: dynamodb-in-backup-plan

## Alert Criteria

Yellow: Amazon DynamoDB table is not included in AWS Backup plan.

## Recommended Action

Ensure that your Amazon DynamoDB tables are part of an AWS Backup plan.

## Additional Resources

[Scheduled backups](#)

[What is AWS Backup?](#)

[Creating backup plans using the AWS Backup console](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon EBS Not Included in AWS Backup Plan

### Description

Checks if Amazon EBS volumes are present in backup plans for AWS Backup.

Include Amazon EBS volumes in an AWS Backup plan to automate regular backups for the data stored on those volumes. This protects you against data loss, makes data management easier, and allows for data restoration when needed. A backup plan helps to ensure that your data is safe and that you're able to meet recovery time and point objectives (RTO/RPO) for your application and services.

For more information, see [Creating a backup plan](#)

 **Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz106

## Source

AWS Config Managed Rule: ebs-in-backup-plan

## Alert Criteria

Yellow: Amazon EBS volume is not included in AWS Backup plan.

## Recommended Action

Make sure that your Amazon EBS volumes are part of an AWS Backup plan.

## Additional Resources

[Creating backup plans using the AWS Backup console](#)

[What is AWS Backup?](#)

[Getting started 3: Create a scheduled backup](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon EBS Snapshots

### Description

Checks the age of the snapshots for your Amazon EBS volumes (either available or in-use). Failures can occur even if Amazon EBS volumes are replicated. Snapshots are persisted to Amazon S3 for durable storage and point-in-time recovery.

### Check ID

H7IgTzjTYb

### Alert Criteria

- Yellow: The most recent volume snapshot is between 7 and 30 days old.
- Red: The most recent volume snapshot is more than 30 days old.
- Red: The volume does not have a snapshot.

### Recommended Action

Create weekly or monthly snapshots of your volumes. For more information, see [Creating an Amazon EBS Snapshot](#).

To automate the creation of EBS snapshots, you can consider using [AWS Backup](#) or [Amazon Data Lifecycle Manager](#).

### Additional Resources

[Amazon Elastic Block Store \(Amazon EBS\)](#)

[Amazon EBS Snapshots](#)

[AWS Backup](#)

[Amazon Data Lifecycle Manager](#)

### Report columns

- Status
- Region
- Volume ID
- Volume Name
- Snapshot ID

- Snapshot Name
- Snapshot Age
- Volume Attachment
- Reason

## Amazon EC2 Auto Scaling does not have ELB Health Check Enabled

### Description

Checks if your Amazon EC2 Auto Scaling groups that are associated with a Classic Load Balancer are using Elastic Load Balancing health checks. The default health checks for an Auto Scaling group are Amazon EC2 status checks only. If an instance fails these status checks, it is marked unhealthy and is terminated. Amazon EC2 Auto Scaling launches a new replacement instance. The Elastic Load Balancing health check periodically monitors Amazon EC2 instances to detect and terminate unhealthy instances and then launch new instances.

For more information, see [Add Elastic Load Balancing health checks](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz104

### Source

AWS Config Managed Rule: autoscaling-group-elb-healthcheck-required

### Alert Criteria

Yellow: Amazon EC2 Auto Scaling group attached to Classic Load Balancer has not enabled Elastic Load Balancing health checks.

## Recommended Action

Ensure that your Auto Scaling groups that are associated with a Classic Load Balancer use Elastic Load Balancing health checks.

Elastic Load Balancing health checks report if the load balancer is healthy and available to handle requests. This ensures high availability for your application.

For more information, see [Add Elastic Load Balancing health checks to an Auto Scaling group](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon EC2 Auto Scaling Group has Capacity Rebalancing Enabled

### Description

Checks if Capacity Rebalancing is enabled for Amazon EC2 Auto Scaling groups that use multiple instance types.

Configuring Amazon EC2 Auto Scaling groups with capacity rebalancing helps ensure that Amazon EC2 instances are evenly distributed across Availability Zones, regardless of instance types and purchasing options. It uses a target tracking policy associated with the group, such as CPU utilization or network traffic.

For more information, see [Auto Scaling groups with multiple instance types and purchase options](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

AWS Config c18d2gz103

## Source

AWS Config Managed Rule: autoscaling-capacity-rebalancing

## Alert Criteria

Yellow: Amazon EC2 Auto Scaling group capacity rebalancing is not enabled.

## Recommended Action

Ensure that capacity rebalancing is enabled for your Amazon EC2 Auto Scaling groups that use multiple instance types.

For more information, see [Enable Capacity Rebalancing \(console\)](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon EC2 Auto Scaling is not deployed in multiple AZs or does not meet the minimum number of AZs

## Description

Checks if the Amazon EC2 Auto Scaling group is deployed in multiple Availability Zones, or the minimum number of Availability Zones specified. Deploy Amazon EC2 instances in multiple Availability Zones to ensure high availability.

You can adjust the minimum number of Availability Zones using the **minAvailabilityZones** parameter in your AWS Config rules.

For more information, see [Auto Scaling groups with multiple instance types and purchase options](#).

### Check ID

c18d2gz101

### Source

AWS Config Managed Rule: autoscaling-multiple-az

### Alert Criteria

Red: The Amazon EC2 Auto Scaling group doesn't have multiple AZs configured, or doesn't meet the minimum number of AZs specified.

### Recommended Action

Make sure that your Amazon EC2 Auto Scaling group is configured with multiple AZs. Deploy Amazon EC2 instances in multiple Availability Zones to ensure high availability.

### Additional Resources

[Create an Auto Scaling group using a launch template](#)

[Create an Auto Scaling group using a launch configuration](#)

### Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon EC2 Availability Zone Balance

### Description

Checks the distribution of Amazon Elastic Compute Cloud (Amazon EC2) instances across Availability Zones in a Region.

Availability Zones are distinct locations that are insulated from failures in other Availability Zones. This allows inexpensive, low-latency network connectivity between Availability Zones in the same Region. By launching instances in multiple Availability Zones in the same Region, you can help protect your applications from a single point of failure.

## Check ID

wuy7G1zxql

## Alert Criteria

- Yellow: The Region has instances in multiple zones, but the distribution is uneven (the difference between the highest and lowest instance counts in utilized Availability Zones is greater than 20%).
- Red: The Region has instances only in a single Availability Zone.

## Recommended Action

Balance your Amazon EC2 instances evenly across multiple Availability Zones. You can do this by launching instances manually or by using Auto Scaling to do it automatically. For more information, see [Launch Your Instance](#) and [Load Balance Your Auto Scaling Group](#).

## Additional Resources

- [Amazon EC2 Auto Scaling User Guide](#)
- [Placement groups for your Amazon EC2 instances](#)
- [Amazon EC2 instance types](#)

## Report columns

- Status
- Region
- Zone a Instances
- Zone b Instances
- Zone c Instances
- Zone e Instances
- Zone f Instances
- Reason

## Amazon EC2 detailed monitoring not enabled

### Description

Checks if detailed monitoring is enabled for your Amazon EC2 instances.

Amazon EC2 detailed monitoring provides more frequent metrics, published at one-minute intervals, instead of the five-minute intervals used in Amazon EC2 basic monitoring. Enabling detailed monitoring for Amazon EC2 helps you better manage your Amazon EC2 resources, so that you can find trends and take action faster.

For more information, see [Basic monitoring and detailed monitoring](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

AWS Config c18d2gz144

### Source

AWS Config Managed Rule: ec2-instance-detailed-monitoring-enabled

### Alert criteria

Yellow: Detailed monitoring is not enabled for Amazon EC2 instances.

### Recommended action

Turn on detailed monitoring for your Amazon EC2 instances to increase the frequency at which Amazon EC2 metric data is published to Amazon CloudWatch (from 5-minute to 1-minute intervals).

### Report columns

- Status

- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon ECS AWSLogs driver in blocking mode

### Description

Checks for Amazon ECS task definitions configured with the AWSLogs logging driver in blocking mode. A driver configured in the blocking mode risks system availability.

This check does not consider account-level driver configuration settings.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c1dvkm4z6b

### Alert criteria

Yellow: The awslogs driver logging configuration parameter mode is set to blocking.

Green: Amazon ECS task definition is not using the awslogs driver or the awslogs driver is configured in non-blocking mode.

### Recommended action

To mitigate the availability risk, consider changing the task definition AWSLogs driver configuration from blocking to non-blocking. With non-blocking mode, you will have to set a

value for the max-buffer-size parameter. For more information and guidance on configuration parameters, see [Preventing log loss with non-blocking mode in the AWSLogs container log driver](#).

## Additional resources

[Using the AWS logs log driver](#)

[Choosing container logging options to avoid backpressure](#)

[Preventing log loss with non-blocking mode in the AWSLogs container log driver](#)

## Report columns

- Status
- Region
- Task Definition ARN
- Container Definition Names
- Last Updated Time

## Amazon ECS service using a single AZ

### Description

Checks that your service configuration uses a single Availability Zone (AZ).

An AZ is a distinct location that is insulated from failures in other zones. This supports inexpensive, low-latency network connectivity between AZs in the same AWS Region. By launching instances in multiple AZs in the same Region, you can help protect your applications from a single point of failure.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c1z7dfpz01

### Alert criteria

- Yellow: An Amazon ECS service is running all tasks in a single AZ.
- Green: An Amazon ECS service is running tasks in at least two different AZs.

### Recommended action

Create at least one more task for the service in a different AZ.

### Additional resources

[Amazon ECS capacity and availability](#)

### Report columns

- Status
- Region
- ECS Cluster Name/ECS Service Name
- Number of Availability Zones
- Last Updated Time

## Amazon ECS Multi-AZ placement strategy

### Description

Checks that your Amazon ECS service uses the spread placement strategy based on Availability Zone (AZ). This strategy distributes tasks across Availability Zones in the same AWS Region and can help protect your applications from a single point of failure.

For tasks that run as part of an Amazon ECS service, spread is the default task placement strategy.

This check also verifies that spread is the first or only strategy in your list of enabled placement strategies.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c1z7dfpz02

## Alert criteria

- Yellow: Spread by availability zone is disabled or isn't the first strategy in your list of enabled placement strategies for your Amazon ECS service.
- Green: Spread by availability zone is the first strategy in your list of enabled placement strategies or the only placement strategy enabled for your Amazon ECS service.

## Recommended action

Enable the spread task placement strategy to distribute tasks across multiple AZs. Verify that spread by availability zone is the first strategy for all enabled task placement strategies or the only strategy used. If you choose to manage AZ placement, you can use a mirrored service in another AZ to mitigate these risks.

## Additional resources

[Amazon ECS task placement strategies](#)

## Report columns

- Status
- Region
- ECS Cluster Name/ECS Service Name
- Spread Task Placement Strategy Enabled and Applied Correctly
- Last Updated Time

## Amazon EFS no mount target redundancy

### Description

Checks if mount targets exist in multiple Availability Zones for an Amazon EFS file system.

An Availability Zone is a distinct location that is insulated from failures in other zones. By creating mount targets in multiple geographically separated Availability Zones within an AWS Region, you can achieve the highest levels of availability and durability for your Amazon EFS file systems.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c1dfprch01

## Alert criteria

- Yellow: File system has 1 mount target created in a single Availability Zone.

Green: File system has 2 or more mount targets created in multiple Availability Zones.

## Recommended action

For EFS file systems using One Zone storage classes, we recommend you create new file systems that use Standard storage classes by restoring a backup to a new file system. Then create mount targets in multiple Availability Zones.

For EFS file systems using Standard storage classes, we recommend you create mount targets in multiple Availability Zones.

## Additional resources

- [Managing mount targets using the Amazon EFS console](#)
- [Amazon EFS Quotas and Limits](#)

## Report columns

- Status
- Region
- EFS File System ID
- Number of mount targets

- Number of AZs
- Last Updated Time

## Amazon EFS not in AWS Backup plan

### Description

Checks if Amazon EFS file systems are included in backup plans with AWS Backup.

AWS Backup is a unified backup service designed to simplify the creation, migration, restoration, and deletion of backups, while providing improved reporting and auditing.

For more information, see [Backing up your Amazon EFS file systems](#).

### Check ID

c18d2gz117

### Source

AWS Config Managed Rule: EFS\_IN\_BACKUP\_PLAN

### Alert criteria

Red: Amazon EFS file systems aren't included in AWS Backup plan.

### Recommended action

Make sure that your Amazon EFS file systems are included in your AWS Backup plan to protect against accidental data loss or data corruption.

### Additional resources

[Backing up your Amazon EFS file systems](#)

[Amazon EFS Backup and Restore using AWS Backup.](#)

### Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon ElastiCache Multi-AZ clusters

### Description

Checks for ElastiCache clusters that deploy in a single Availability Zone (AZ). This check alerts you if Multi-AZ is inactive in a cluster.

Deployments in multiple AZs enhance ElastiCache cluster availability by asynchronously replicating to read-only replicas in a different AZ. When planned cluster maintenance occurs, or a primary node is unavailable, ElastiCache automatically promotes a replica to primary. This failover allows cluster write operations to resume, and doesn't require an administrator to intervene.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion API](#) to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

ECHdfsQ402

### Alert criteria

- Green: Multi-AZ is active in the cluster.
- Yellow: Multi-AZ is inactive in the cluster.

### Recommended action

Create at least one replica per shard, in an AZ that is different than the primary.

### Additional resources

For more information, see [Minimizing downtime in ElastiCache \(Redis OSS\) with Multi-AZ](#).

### Report columns

- Status
- Region
- Cluster Name

- Last Updated Time

## ElastiCache (Redis OSS) Clusters Automatic Backup

### Description

Checks if the Amazon ElastiCache (Redis OSS) clusters have automatic backup turned on and if the snapshot retention period is above the specified or 15 day default limit. When automatic backups are enabled, ElastiCache creates a backup of the cluster on a daily basis.

You can specify your desired snapshot retention limit using the **snapshotRetentionPeriod** parameters of your AWS Config rules.

For more information, see [Backup and restore for ElastiCache \(Redis OSS\)](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz178

### Source

AWS Config Managed Rule: elasticache-redis-cluster-automatic-backup-check

### Alert Criteria

Red: Amazon ElastiCache (Redis OSS) clusters do not have automatic backup turned on or the snapshot retention period is below the limit.

### Recommended Action

Make sure that Amazon ElastiCache (Redis OSS) clusters have automatic backup turned on and the snapshot retention period is above the specified or 15 day default limit. Automatic backups

can help guard against data loss. In the event of a failure, you can create a new cluster, restoring your data from the most recent backup.

For more information, see [Backup and restore for ElastiCache \(Redis OSS\)](#).

## Additional Resources

For more information, see [Scheduling automatic backups](#).

### Report columns

- Status
- Region
- Cluster Name
- Last Updated Time

## Amazon MemoryDB Multi-AZ clusters

### Description

Checks for MemoryDB clusters that deploy in a single Availability Zone (AZ). This check alerts you if Multi-AZ is inactive in a cluster.

Deployments in multiple AZs enhance MemoryDB cluster availability by asynchronously replicating to read-only replicas in a different AZ. When planned cluster maintenance occurs, or a primary node is unavailable, MemoryDB automatically promotes a replica to primary. This failover allows cluster write operations to resume, and doesn't require an administrator to intervene.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

MDBdfsQ401

## Alert Criteria

- Green: Multi-AZ is active in the cluster.
- Yellow: Multi-AZ is inactive in the cluster.

## Recommended Action

Create at least one replica per shard, in an AZ that is different than the primary.

## Additional Resources

For more information, see [Minimizing downtime in MemoryDB with Multi-AZ](#).

## Report columns

- Status
- Region
- Cluster Name
- Last Updated Time

# Amazon MSK brokers hosting too many partitions

## Description

Checks that the brokers of a Managed Streaming for Kafka (MSK) Cluster do not have more than the recommended number of partitions assigned.

## Check ID

Cmsvnj8vf1

## Alert Criteria

- Red: Your MSK broker has reached or exceeded 100% of the recommended maximum partition limit
- Yellow: Your MSK has reached 80% of the recommended maximum partition limit

## Recommended Action

Follow the MSK [recommended best practices](#) to scale your MSK Cluster or delete any unused partitions.

## Additional Resources

- [Right-sizing your Cluster](#)

## Report columns

- Status
- Region
- Cluster ARN
- Broker ID
- Partition Count

## Amazon MSK Cluster Multi-AZ

### Description

Checks the number of Availability Zones (AZs) for your Amazon MSK provisioned cluster. The Amazon MSK cluster is formed of several brokers that work together and distribute the data and load. Production might be interrupted during maintenance or broker issues in a 2-AZ cluster.

### Check ID

90046ff5b5

### Alert Criteria

- Yellow: The Amazon MSK cluster is provisioned with brokers in only two AZs
- Green: The Amazon MSK cluster is provisioned with brokers across three or more AZs

### Recommended Action

To increase availability of the cluster, you can create another cluster in a 3 AZs setup. Then migrate the existing cluster to the new cluster that you created. You can use Amazon MSK replication for this migration.

### Additional Resources

[Amazon MSK high availability](#)

[Amazon MSK migration](#)

### Report columns

- Status
- Region

- MSK Cluster ARN
- Number of AZs
- Last Updated Time

## Amazon OpenSearch Service domains with less than three data nodes

### Description

Checks if Amazon OpenSearch Service domains are configured with at least three data nodes and ZoneAwarenessEnabled is true. With ZoneAwarenessEnabled enabled, Amazon OpenSearch Service ensures that each primary shard and its corresponding replica are allocated in different Availability Zones.

For more information, see [Configuring a multi-AZ domain in Amazon OpenSearch Service](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz183

### Source

AWS Config Managed Rule: opensearch-data-node-fault-tolerance

### Alert Criteria

Yellow: Amazon OpenSearch Service domains are configured with less than three data nodes.

### Recommended Action

Make sure that Amazon OpenSearch Service domains are configured with a minimum of three data nodes. Configure a multi-AZ domain to enhance the availability of the Amazon OpenSearch Service cluster by allocating nodes and replicating data across three Availability

Zones within the same Region. This prevents data loss and minimizes downtime in the event of node or data center (AZ) failure.

For more information, see [Increase availability for Amazon OpenSearch Service by deploying in three Availability Zones](#).

## Additional Resources

- [Increase availability for Amazon OpenSearch Service by deploying in three Availability Zones](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon RDS Backups

### Description

Checks for automated backups of Amazon RDS DB instances.

By default, backups are enabled with a retention period of one day. Backups reduce the risk of unexpected data loss and allow for point-in-time recovery.

#### Note

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

### Check ID

opQPADkZvH

### Alert Criteria

Red: A DB instance has the backup retention period set to 0 days.

## Recommended Action

Set the retention period for the automated DB instance backup to 1 to 35 days as appropriate to the requirements of your application. See [Working With Automated Backups](#).

## Additional Resources

[Getting Started with Amazon RDS](#)

### Report columns

- Status
- Region/AZ
- DB Instance
- VPC ID
- Backup Retention Period

## Amazon RDS Continuous Backup Not Enabled

### Description

Checks if an Amazon RDS instance is enabled with automated backups using Amazon RDS or with continuous backups of AWS Backup. Continuous backups reduce the risk of unexpected data loss and allow for point-in-time recovery.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

44fde09ab5

### Alert Criteria

- Red: The instance doesn't have automated backup enabled in Amazon RDS or continuous backup in AWS Backup.

- Red: MySQL versions below 5.6 don't support automated or continuous backup. To provide resiliency, first upgrade the database version and then enable automated or continuous backup.
- Green: The instance has automated backup enabled in Amazon RDS.
- Green: The instance has continuous backup enabled in AWS Backup.

## Recommended Action

Make sure that Amazon RDS instances have automated backup configured either by setting a retention period greater than 0 in Amazon RDS or by creating a continuous backup plan using AWS Backup.

## Additional Resources

- [Getting Started with Amazon RDS](#)
- [Managing automated backups](#)
- [Introduction to backups](#)
- [Continuous backups and point-in-time restore \(PITR\)](#)
- [AWS Backup feature availability](#)

## Report columns

- Status
- Region
- DB Instance Identifier
- DB Instance ARN
- Deployment Type
- Backup Type
- Reason
- Last Updated Time

## Amazon RDS DB clusters have one DB instance

### Description

Add at least another DB instance to the DB cluster to improve availability and performance.

**Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Note**

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

**Check ID**

c1qf5bt011

**Alert Criteria**

Yellow: DB clusters have only one DB instance.

**Recommended Action**

Add a reader DB instance to the DB cluster.

**Additional Resources**

In the current configuration, one DB instance is used for both read and write operations. You can add another DB instance to allow read redistribution and a failover option.

For more information, see [High availability for Amazon Aurora](#).

**Report columns**

- Status

- Region
- Resource
- Engine Name
- DB Instance Class
- Last Updated Time

## Amazon RDS DB clusters with all instances in the same Availability Zone

### Description

The DB clusters are currently in a single Availability Zone. Use multiple Availability Zones to improve the availability.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

### Check ID

c1qf5bt007

## Alert Criteria

Yellow: DB clusters have all the instances in the same Availability Zone.

## Recommended Action

Add the DB instances to multiple Availability Zones in your DB cluster.

## Additional Resources

We recommend that you add the DB instances to multiple Availability Zones in a DB cluster. Adding DB instances to multiple Availability Zones improves the availability of your DB cluster.

For more information, see [High availability for Amazon Aurora](#).

## Report columns

- Status
- Region
- Resource
- Engine Name
- Last Updated Time

## Amazon RDS DB clusters with all reader instances in the same Availability Zone

### Description

Your DB cluster has all the reader instances in the same Availability Zone. We recommend that you distribute the Reader instances across multiple Availability Zones in your DB cluster.

Distribution increases the availability of the database, and improves the response time by reducing network latency between clients and the database.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Note**

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**. If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

**Check ID**

c1qf5bt018

**Alert Criteria**

Red: DB clusters have the reader instances in the same Availability Zone.

**Recommended Action**

Distribute the reader instances across multiple Availability Zones.

**Additional Resources**

Availability Zones (AZs) are locations that are distinct from each other to provide isolation in case of outages within each AWS Region. We recommend that you distribute the primary instance and reader instances in your DB cluster across multiple AZs to improve the availability of your DB cluster. You can create a Multi-AZ cluster using the AWS Management Console, AWS CLI, or Amazon RDS API when you create the cluster. You can modify the existing Aurora cluster to a Multi-AZ cluster by adding a new reader instance and specifying a different AZ.

For more information, see [High availability for Amazon Aurora](#).

**Report columns**

- Status
- Region
- Resource
- Engine Name
- Last Updated Time

## Amazon RDS DB Instance Enhanced Monitoring not enabled

### Description

Checks if your Amazon RDS DB instances have Enhanced Monitoring enabled.

Amazon RDS Enhanced Monitoring provides metrics in real time for the operating system (OS) that your DB instance runs on. All system metrics and process information for your Amazon RDS DB instances can be viewed on the Amazon RDS console. And, you can customize the dashboard. With Enhanced Monitoring, you have visibility of your Amazon RDS instance operation status in near real time, allowing you to respond to operational issues faster.

You can specify your desired monitoring interval using the **monitoringInterval** parameter of your AWS Config rules.

For more information, see [Overview of Enhanced Monitoring](#) and [OS metrics in Enhanced Monitoring](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz158

### Source

AWS Config Managed Rule: rds-enhanced-monitoring-enabled

### Alert Criteria

Yellow: Your Amazon RDS DB instances don't have Enhanced Monitoring enabled or are not configured with the desired interval.

## Recommended Action

Enable Enhanced Monitoring for your Amazon RDS DB instances to improve the visibility of your Amazon RDS instance operation status.

For more information, see [Monitoring OS metrics with Enhanced Monitoring](#).

## Additional Resources

[OS metrics in Enhanced Monitoring](#)

### Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon RDS DB instances have storage autoscaling turned off

### Description

Amazon RDS storage autoscaling isn't turned on for your DB instance. When there is an increase in the database workload, RDS Storage autoscaling automatically scales the storage capacity with zero downtime.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Note**

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**. If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

**Check ID**

c1qf5bt013

**Alert Criteria**

Red: DB instances don't have storage autoscaling turned on.

**Recommended Action**

Turn on Amazon RDS storage autoscaling with a specified maximum storage threshold.

**Additional Resources**

Amazon RDS storage autoscaling automatically scales storage capacity with zero downtime when the database workload increases. Storage autoscaling monitors the storage usage and automatically scales up the capacity when the usage is close to the provisioned storage capacity. You can specify a maximum limit on the storage that Amazon RDS can allocate to the DB instance. There is no additional cost for storage autoscaling. You pay only for the Amazon RDS resources that are allocated to your DB instance. We recommend that you turn on Amazon RDS storage autoscaling.

For more information, see [Managing capacity automatically with Amazon RDS storage autoscaling](#).

**Report columns**

- Status
- Region
- Resource

- Recommended Value
- Engine Name
- Last Updated Time

## Amazon RDS DB instances not using Multi-AZ deployment

### Description

We recommend that you use Multi-AZ deployment. The Multi-AZ deployments enhance the availability and durability of the DB instance.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

### Check ID

c1qf5bt019

### Alert Criteria

Yellow: DB instances aren't using Multi-AZ deployment.

## Recommended Action

Set up Multi-AZ for the impacted DB instances.

## Additional Resources

In an Amazon RDS Multi-AZ deployment, Amazon RDS automatically creates a primary database instance and replicates the data to an instance in a different availability zone. When it detects a failure, Amazon RDS automatically fails over to a standby instance without manual intervention.

For more information, see [Pricing](#).

## Report columns

- Status
- Region
- Resource
- Engine Name
- Last Updated Time

## Amazon RDS DiskQueueDepth

### Description

Checks to see if the CloudWatch metric DiskQueueDepth shows that number of queued writes to the RDS Instance database storage has grown to a level where an operational investigation should be suggested.

### Check ID

Cmsvnj8db3

### Alert Criteria

- Red: DiskQueueDepth CloudWatch metric has exceeded 10
- Yellow: DiskQueueDepth CloudWatch metric is greater than 5 but less than or equal to 10
- Green: DiskQueueDepth CloudWatch metric is less than or equal to 5

## Recommended Action

Consider moving to instances and storage volumes that support the read/write characteristics.

## Report columns

- Status
- Region
- DB Instance ARN
- DiskQueueDepth Metric

## Amazon RDS FreeStorageSpace

### Description

Checks to see if the FreeStorageSpace CloudWatch metric for an RDS database instance has decreased below an operationally reasonable threshold.

### Check ID

Cmsvnj8db2

### Alert Criteria

- Red: FreeStorageSpace has less than 10% of total capacity
- Yellow: FreeStorageSpace is between 10% and 20% of total capacity
- Green: FreeStorageSpace is more than 20% of total capacity

### Recommended Action

Scale up the storage space for the RDS database instance that is running low on free storage using the Amazon RDS Management Console, Amazon RDS API or AWS Command Line Interface.

## Report columns

- Status
- Region
- DB Instance ARN
- FreeStorageSpace Metric (MB)
- DB Instance Allocated Storage (MB)
- DB Instance Storage Used Percent

## Amazon RDS log\_output parameter is set to table

### Description

When **log\_output** is set to **TABLE**, more storage is used than when **log\_output** is set to **FILE**. We recommend that you set the parameter to **FILE**, to avoid reaching the storage size limit.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

### Check ID

c1qf5bt023

### Alert Criteria

Yellow: DB parameter groups have **log\_output** parameter set to **TABLE**.

### Recommended Action

Set the **log\_output** parameter value to **FILE** in your DB parameter groups.

### Additional Resources

For more information, see [MySQL database log files](#).

## Report columns

- Status
- Region
- Resource
- Parameter Name
- Recommended Value
- Last Updated Time

## Amazon RDS innodb\_default\_row\_format parameter setting is unsafe

### Description

Your DB instance encounters a known issue: A table created in a MySQL version lower than 8.0.26 with the **row\_format** set to **COMPACT** or **REDUNDANT** is inaccessible and unrecoverable when the index exceeds 767 bytes.

We recommend that you set the **innodb\_default\_row\_format** parameter value to **DYNAMIC**.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

## Check ID

c1qf5bt036

## Alert Criteria

Red: DB parameter groups have an unsafe setting for the **innodb\_default\_row\_format** parameter.

## Recommended Action

Set the **innodb\_default\_row\_format** parameter to **DYNAMIC**.

## Additional Resources

When a table is created with MySQL version lower than 8.0.26 with **row\_format** set to **COMPACT** or **REDUNDANT**, creating indexes with a key prefix shorter than 767 bytes isn't enforced. After the database restarts, these tables can't be accessed or recovered.

For more information, see [Changes in MySQL 8.0.26 \(2021-07-20, General Availability\)](#) on the MySQL documentation website.

## Report columns

- Status
- Region
- Resource
- Parameter Name
- Recommended Value
- Last Updated Time

## Amazon RDS **innodb\_flush\_log\_at\_trx\_commit** parameter is not 1

### Description

The value of the **innodb\_flush\_log\_at\_trx\_commit** parameter of your DB instance isn't a safe value. This parameter controls the persistence of commit operations to disk.

We recommend that you set the **innodb\_flush\_log\_at\_trx\_commit** parameter to 1.

**Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Note**

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

**Check ID**

c1qf5bt030

**Alert Criteria**

Yellow: DB parameter groups have **innodb\_flush\_log\_at\_trx\_commit** set to other than 1.

**Recommended Action**

Set the **innodb\_flush\_log\_at\_trx\_commit** parameter value to 1

**Additional Resources**

The database transaction is durable when the log buffer is saved to the durable storage. However, saving to the disk impacts performance. Depending on the value set for **innodb\_flush\_log\_at\_trx\_commit** parameter, the behavior of how logs are written and saved to the disk can vary.

- When the parameter value is 1, the logs are written and saved to the disk after each committed transaction.
- When the parameter value is 0, the logs are written and saved to the disk once per second.

- When the parameter value is 2, the logs are written after each transaction is committed and saved to the disk once per second. The data moves from the InnoDB memory buffer to the operating system's cache which is also in the memory.

 **Note**

When the parameter value is not 1, InnoDB doesn't assure ACID properties. The recent transactions for the last second may be lost when the database crashes.

For more information, see [Best practices for configuring parameters for Amazon RDS for MySQL, part 1: Parameters related to performance](#).

### Report columns

- Status
- Region
- Resource
- Parameter Name
- Recommended Value
- Last Updated Time

## Amazon RDS max\_user\_connections parameter is low

### Description

Your DB instance has a low value for the maximum number of simultaneous connections for each database account.

We recommend setting the **max\_user\_connections** parameter to a number greater than 5.

 **Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**. If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

## Check ID

c1qf5bt034

## Alert Criteria

Yellow: DB parameter groups have **max\_user\_connections** misconfigured.

## Recommended Action

Increase the value of the **max\_user\_connections** parameter to a number greater than 5.

## Additional Resources

The **max\_user\_connections** setting controls the maximum number of simultaneous connections allowed for a MySQL user account. Reaching this connection limit cause failures in the Amazon RDS instance administration operations, such as backup, patching, and parameters changes.

For more information, see [Setting Account Resource Limits](#) on the MySQL documentation website.

## Report columns

- Status
- Region
- Resource
- Parameter Name
- Recommended Value
- Last Updated Time

## Amazon RDS Multi-AZ

### Description

Checks for DB instances that are deployed in a single Availability Zone (AZ).

Multi-AZ deployments enhance database availability by synchronously replicating to a standby instance in a different Availability Zone. During planned database maintenance, or the failure of a DB instance or Availability Zone, Amazon RDS automatically fails over to the standby. This failover allows database operations to resume quickly without administrative intervention. Because Amazon RDS does not support Multi-AZ deployment for Microsoft SQL Server, this check does not examine SQL Server instances.

#### Note

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

### Check ID

f2iK5R6Dep

### Alert Criteria

Yellow: A DB instance is deployed in a single Availability Zone.

### Recommended Action

If your application requires high availability, modify your DB instance to enable Multi-AZ deployment. See [High Availability \(Multi-AZ\)](#).

### Additional Resources

[Regions and Availability Zones](#)

### Report columns

- Status
- Region/AZ
- DB Instance

- VPC ID
- Multi-AZ

## Amazon RDS Not In AWS Backup Plan

### Description

Checks if your Amazon RDS DB instances are included in a backup plan in AWS Backup.

AWS Backup is a fully managed backup service that makes it easy to centralize and automate backing up data across AWS services.

Including your Amazon RDS DB instance in a backup plan is important for regulatory compliance obligations, disaster recovery, business policies for data protection, and business continuity goals.

For more information, see [What is AWS Backup?](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz159

### Source

AWS Config Managed Rule: rds-in-backup-plan

### Alert Criteria

Yellow: An Amazon RDS DB instance is not included in a backup plan with AWS Backup.

### Recommended Action

Include your Amazon RDS DB instances in a backup plan with AWS Backup.

For more information, see [Amazon RDS Backup and Restore Using AWS Backup](#).

## Additional Resources

[Assigning resources to a backup plan](#)

### Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon RDS Read Replicas are open in writable mode

### Description

Your DB instance has a read replica in writable mode, which allows updates from clients.

We recommend that you set the the **read\_only** parameter to **TrueIfReplica** so that the read replicas isn't in writable mode.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

## Check ID

c1qf5bt035

## Alert Criteria

Yellow: DB parameter groups turn on writable mode for the read replicas.

## Recommended Action

Set the **read\_only** parameter value to **TrueIfReplica**.

## Additional Resources

The **read\_only** parameter controls the write permission from the clients to a database instance. The default value for this parameter is **TrueIfReplica**. For a replica instance, **TrueIfReplica** sets the **read\_only** value to ON (1) and disables any write activity from the clients. For a master/writer instance, **TrueIfReplica** sets the value to OFF (0) and enables the write activity from the clients for the instance. When the read replica is opened in writable mode, the data stored in this instance may diverge from the primary instance which causes replication errors.

For more information, see [Best practices for configuring parameters for Amazon RDS for MySQL, part 2: Parameters related to replication](#) on the MySQL documentation website.

## Report columns

- Status
- Region
- Resource
- Parameter Name
- Recommended Value
- Last Updated Time

## Amazon RDS resource automated backups is turned off

### Description

Automated backups are disabled on your DB resources. Automated backups enable point-in-time recovery of your DB instance.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

### Check ID

c1qf5bt001

### Alert Criteria

Red: Amazon RDS resources don't have automated backups turned on

### Recommended Action

Turn on automated backups with a retention period of up to 14 days.

## Additional Resources

Automated backups enable point-in-time recovery of your DB instances. We recommend turning on automated backups. When you turn on automated backups for a DB instance, Amazon RDS automatically performs a full backup of your data daily during your preferred backup window. The backup captures transaction logs when there are updates to your DB instance. You get backup storage up to the storage size of your DB instance at no additional cost.

For more information, see the following resources:

- [Enabling automated backups](#)
- [Demystifying Amazon RDS backup storage costs](#)

## Report columns

- Status
- Region
- Resource
- Recommended Value
- Engine Name
- Last Updated Time

## Amazon RDS sync\_binlog parameter is turned off

### Description

The synchronization of the binary log to disk isn't enforced before the transaction commits are acknowledged in your DB instance.

We recommend that you set the **sync\_binlog** parameter value to **1**.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**. If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

## Check ID

c1qf5bt031

## Alert Criteria

Yellow: DB parameter groups have synchronous binary logging turned off.

## Recommended Action

Set the **sync\_binlog** parameter to **1**.

## Additional Resources

The **sync\_binlog** parameter controls how MySQL pushes the binary log to disk. When the value of this parameter is set to **1**, it turns on binary log synchronization to disk before transactions are committed. When the value of this parameter is set to **0**, it turns off the binary log synchronization to the disk. Typically, MySQL server depends on the operating system to push the binary log to disk regularly similar to other files. The **sync\_binlog** parameter value set to **0** can enhance the performance. However, during a power failure or an operating system crash, the server loses all the committed transactions that weren't synchronized to the binary logs.

For more information, see [Best practices for configuring parameters for Amazon RDS for MySQL, part 2: Parameters related to replication](#).

## Report columns

- Status
- Region
- Resource

- Parameter Name
- Recommended Value
- Last Updated Time

## RDS DB Cluster has no Multi-AZ replication enabled

### Description

Checks if your Amazon RDS DB clusters have Multi-AZ replication enabled.

A Multi-AZ DB cluster has a writer DB instance and two reader DB instances in three separate Availability Zones. Multi-AZ DB clusters provide high availability, increased capacity for read workloads, and lower latency when compared to Multi-AZ deployments.

For more information, see [Creating a Multi-AZ DB cluster](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz161

### Source

AWS Config Managed Rule: rds-cluster-multi-az-enabled

### Alert Criteria

Yellow: Your Amazon RDS DB cluster does not have Multi-AZ replication configured

### Recommended Action

Turn on Multi-AZ DB cluster deployment when you create an Amazon RDS DB cluster.

For more information, see [Creating a Multi-AZ DB cluster](#).

## Additional Resources

### [Multi-AZ DB cluster deployments](#)

#### Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## RDS Multi-AZ Standby Instance Not Enabled

#### Description

Checks if your Amazon RDS DB instances have a Multi-AZ standby replica configured.

Amazon RDS Multi-AZ provides high availability and durability for database instances by replicating data to a standby replica in a different Availability Zone. This provides automatic failover, improve performance, and enhances data durability. In a Multi-AZ DB instance deployment, Amazon RDS automatically provisions and maintains a synchronous standby replica in a different Availability Zone. The primary DB instance is synchronously replicated across Availability Zones to a standby replica to provide data redundancy and minimize latency spikes during system backups. Running a DB instance with high availability enhances availability during planned system maintenance. It can also help protect your databases against DB instance failure and Availability Zone disruption.

For more information, see [Multi-AZ DB instance deployments](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz156

## Source

AWS Config Managed Rule: rds-multi-az-support

## Alert Criteria

Yellow: An Amazon RDS DB instance does not have a Multi-AZ replica configured.

## Recommended Action

Turn on Multi-AZ deployment when you create an Amazon RDS DB instance.

This check can't be excluded from view in the Trusted Advisor console.

## Additional Resources

[Multi-AZ DB instance deployments](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon RDS ReplicaLag

### Description

Checks to see if the ReplicaLag CloudWatch metric for an RDS database instance has increased above an operationally reasonable threshold over the past week.

ReplicaLag metric measures the number of seconds a read replica is behind the primary instance. Replication lag occurs when the asynchronous updates made to the read replica cannot keep up with the updates happening on the primary database instance. In the event of a failure to the primary instance, data could be missing from the read replica if the ReplicaLag is above an operationally reasonable threshold.

## Check ID

Cmsvnj8db1

## Alert Criteria

- Red: ReplicaLag metric exceeded 60 seconds at least once during the week.
- Yellow: ReplicaLag metric exceeded 10 seconds at least once during the week.
- Green: ReplicaLag is less than 10 seconds.

## Recommended Action

There are several possible causes for ReplicaLag to increase beyond operationally safe levels. For example, it can be caused by recently replaced/launched replica instances from older backups and these replicas requiring substantial time to “catch-up” to the primary database instance and live transactions. This ReplicaLag may dwindle over time as catch-up occurs. Another example could be that the transaction velocity able to be achieved on the primary database instance is higher than the replication process or replica infrastructure is able to match. This ReplicaLag may grow over time as replication fails to keep pace with the primary database performance. Finally, the workload may be bursty throughout different periods of the day/month/etc. that result in occasional ReplicaLag to fall behind. Your team should investigate which possible root cause has contributed to high ReplicaLag for the database, and possibly change the database instance type or other characteristics of the workload to ensure data continuity on the replica matches your requirements.

## Additional Resources

- [Working with read replicas for Amazon RDS for PostgreSQL](#)
- [Working with MySQL replication in Amazon RDS](#)
- [Working with MySQL read replicas](#)

## Report columns

- Status
- Region
- DB Instance ARN
- ReplicaLag Metric

## Amazon RDS synchronous\_commit parameter is turned off

### Description

When the **synchronous\_commit** parameter is turned off, data can be lost in a database crash. The durability of the database is at risk.

We recommend that you turn on the **synchronous\_commit** parameter.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

### Check ID

c1qf5bt026

### Alert Criteria

Red: DB parameter groups have **synchronous\_commit** parameter turned off.

### Recommended Action

Turn on **synchronous\_commit** parameter in your DB parameter groups.

## Additional Resources

The **synchronous\_commit** parameter defines the Write-Ahead Logging (WAL) process completion before the database server sends a successful notification to the client. This commit is called as an asynchronous commit because the client acknowledges the commit before WAL saves the transaction in the disk. If the **synchronous\_commit** parameter is turned off, then the transactions can be lost, DB instance durability might be compromised, and data might be lost when a database crashes.

For more information, see [MySQL database log files](#).

### Report columns

- Status
- Region
- Resource
- Parameter Name
- Recommended Value
- Last Updated Time

## Amazon Redshift cluster automated snapshots

### Description

Checks if automated snapshots are enabled for your Amazon Redshift clusters.

Amazon Redshift automatically takes incremental snapshots that track changes to the cluster since the previous automated snapshot. Automated snapshots retain all of the data required to restore a cluster from a snapshot. To disable automated snapshots, set the retention period to zero. You can't disable automated snapshots for RA3 node types.

You can specify your desired minimum and maximum retention period using the **MinRetentionPeriod** and **MaxRetentionPeriod** parameter of your AWS Config rules.

[Amazon Redshift snapshots and backups](#)

 **Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz135

## Source

AWS Config Managed Rule: redshift-backup-enabled

## Alert Criteria

Red: Amazon Redshift does not have automated snapshots configured within the desired retention period.

## Recommended Action

Make sure that automated snapshots are enabled for your Amazon Redshift clusters.

For more information, see [Managing snapshots using the console](#).

## Additional Resources

[Amazon Redshift snapshots and backups](#)

For more information, see [Working with backups](#).

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon Route 53 Deleted Health Checks

### Description

Checks for resource record sets that are associated with health checks that have been deleted.

Route 53 does not prevent you from deleting a health check that is associated with one or more resource record sets. If you delete a health check without updating the associated resource record sets, the routing of DNS queries for your DNS failover configuration will not work as intended.

Hosted zones created by AWS services won't appear in your check results.

#### Note

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

### Check ID

Cb877eB72b

### Alert Criteria

Yellow: A resource record set is associated with a health check that has been deleted.

### Recommended Action

Create a new health check and associate it with the resource record set. See [Creating, Updating, and Deleting Health Checks](#) and [Adding Health Checks to Resource Record Sets](#).

### Additional Resources

- [Amazon Route 53 Health Checks and DNS Failover](#)
- [How Health Checks Work in Simple Amazon Route 53 Configurations](#)

### Report columns

- Hosted Zone Name
- Hosted Zone ID
- Resource Record Set Name
- Resource Record Set Type
- Resource Record Set Identifier

## Amazon Route 53 Failover Resource Record Sets

### Description

Checks for Amazon Route 53 failover resource record sets that have a misconfiguration.

When Amazon Route 53 health checks determine that the primary resource is unhealthy, Amazon Route 53 responds to queries with a secondary, backup resource record set. You must create correctly configured primary and secondary resource record sets for failover to work.

Hosted zones created by AWS services won't appear in your check results.

#### Note

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

### Check ID

b73EEdD790

### Alert Criteria

- Yellow: A primary failover resource record set does not have a corresponding secondary resource record set.
- Yellow: A secondary failover resource record set does not have a corresponding primary resource record set.
- Yellow: Primary and secondary resource record sets that have the same name are associated with the same health check.

### Recommended Action

If a failover resource set is missing, create the corresponding resource record set. See [Creating Failover Resource Record Sets](#).

If your resource record sets are associated with the same health check, create separate health checks for each one. See [Creating, Updating, and Deleting Health Checks](#).

### Additional Resources

[Amazon Route 53 Health Checks and DNS Failover](#)

## Report columns

- Hosted Zone Name
- Hosted Zone ID
- Resource Record Set Name
- Resource Record Set Type
- Reason

## Amazon Route 53 High TTL Resource Record Sets

### Description

Checks for resource record sets that can benefit from having a lower time-to-live (TTL) value.

TTL is the number of seconds that a resource record set is cached by DNS resolvers. When you specify a long TTL, DNS resolvers take longer to request updated DNS records, which can cause unnecessary delay in rerouting traffic (for example, when DNS Failover detects and responds to a failure of one of your endpoints). This check looks only at records with a policy of Failover, or if there is an associated health check.

Hosted zones created by AWS services won't appear in your check results.

#### Note

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

### Check ID

C056F80cR3

### Alert Criteria

- Yellow: A resource record set whose routing policy is Failover has a TTL greater than 60 seconds.
- Green: A resource record either has no failover policy, or has a failover policy with a TTL less than 60.

## Recommended Action

Enter a TTL value of 60 seconds for the listed resource record sets. For more information, see [Working with Resource Record Sets](#).

## Additional Resources

[Amazon Route 53 Health Checks and DNS Failover](#)

### Report columns

- Status
- Hosted Zone Name
- Hosted Zone ID
- Resource Record Set Name
- Resource Record Set Type
- Resource Record Set ID
- TTL

## Amazon Route 53 Name Server Delegations

### Description

Checks for Amazon Route 53 hosted zones for which your domain registrar or DNS is not using the correct Route 53 name servers.

When you create a hosted zone, Route 53 assigns a delegation set of four name servers. The names of these servers are ns-###.awsdns-##.com, .net, .org, and .co.uk, where **###** and **##** typically represent different numbers. Before Route 53 can route DNS queries for your domain, you must update your registrar's name server configuration to remove the name servers that the registrar assigned. Then, you must add all four name servers in the Route 53 delegation set. For maximum availability, you must add all four Route 53 name servers.

Hosted zones created by AWS services won't appear in your check results.

#### Note

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

## Check ID

cF171Db240

## Alert Criteria

Yellow: A hosted zone for which the registrar for your domain does not use all four of the Route 53 name servers in the delegation set.

## Recommended Action

Add or update name server records with your registrar or with the current DNS service for your domain to include all four of the name servers in your Route 53 delegation set. To find these values, see [Getting the Name Servers for a Hosted Zone](#). For information about adding or updating name server records, see [Creating and Migrating Domains and Subdomains to Amazon Route 53](#).

## Additional Resources

[Working with Hosted Zones](#)

## Report columns

- Hosted Zone Name
- Hosted Zone ID
- Number of Name Server Delegations Used

# Amazon Route 53 Resolver Endpoint Availability Zone Redundancy

## Description

Checks to see if your service configuration has IP addresses specified in at least two Availability Zones (AZs) for redundancy. An AZ is a distinct location that is insulated from failures in other zones. By specifying IP addresses in multiple AZs in the same Region, you can help protect your applications from a single point of failure.

## Check ID

Chrv231ch1

## Alert Criteria

- Yellow: IP addresses are specified only in one AZ

- Green: IP addresses are specified in at least two AZs

## Recommended Action

Specify IP addresses in at least two Availability Zones for redundancy.

## Additional Resources

- If you require more than one elastic network interface endpoint to be available at all times, we recommend that you create at least one more network interface than you need, to make sure you have additional capacity available for handling possible traffic surges. The additional network interface also ensures availability during service operations like maintenance or upgrades.
- [High availability for Resolver endpoints](#)

## Report columns

- Status
- Region
- Resource ARN
- Number of AZs

## Amazon S3 Bucket Replication Not Enabled

### Description

Checks if your Amazon S3 buckets have replication rules enabled for Cross-Region Replication, Same-Region Replication, or both.

Replication is the automatic, asynchronous copying of objects across buckets in the same or different AWS Regions. Replication copies newly created objects and object updates from a source bucket to a destination bucket or buckets. Use Amazon S3 bucket replication to help improve the resilience and compliance of your applications and data storage.

For more information, see [Replicating objects](#).

 **Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz119

## Source

AWS Config Managed Rule: s3-bucket-replication-enabled

## Alert Criteria

Yellow: Amazon S3 bucket replication rules are not enabled for Cross-Region Replication, Same-Region Replication, or both.

## Recommended Action

Turn on Amazon S3 bucket replication rules to improve the resiliency and compliance of your applications and data storage.

For more information, see [View your backup jobs and recovery points](#) and [Setting up replication](#).

## Additional Resources

[Walkthroughs: Examples for configuring replication](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon S3 Bucket Versioning

### Description

Checks for Amazon Simple Storage Service buckets that do not have versioning enabled, or that have versioning suspended.

When versioning is enabled, you can easily recover from both unintended user actions and application failures. Versioning allows you to preserve, retrieve, and restore any version of any object stored in a bucket. You can use lifecycle rules to manage all versions of your objects, as well as their associated costs, by automatically archiving objects to the Glacier storage class. Rules can also be configured to remove versions of your objects after a specified period of time. You can also require multi-factor authentication (MFA) for any object deletions or configuration changes to your buckets.

Versioning can't be deactivated after it has been enabled. However, it can be suspended, which prevents new versions of objects from being created. Using versioning can increase your costs for Amazon S3, because you pay for storage of multiple versions of an object.

### Check ID

R365s2Qddf

### Alert Criteria

- Green: Versioning is enabled for the bucket.
- Yellow: Versioning is not enabled for the bucket.
- Yellow: Versioning is suspended for the bucket.
- Yellow: Trusted Advisor doesn't have access to validate versioning.

### Recommended Action

Enable bucket versioning on most buckets to prevent accidental deletion or overwriting. See [Using Versioning](#) and [Enabling Versioning Programmatically](#).

If bucket versioning is suspended, consider re-enabling versioning. For information on working with objects in a versioning-suspended bucket, see [Managing Objects in a Versioning-Suspended Bucket](#).

When versioning is enabled or suspended, you can define lifecycle configuration rules to mark certain object versions as expired or to permanently remove unneeded object versions. For more information, see [Object Lifecycle Management](#).

MFA Delete requires additional authentication when the versioning status of the bucket is changed or when versions of an object are deleted. It requires the user to enter credentials and a code from an approved authentication device. For more information, see [MFA Delete](#).

## Additional Resources

### [Working with Buckets](#)

#### Report columns

- Status
- Region
- Bucket Name
- Versioning
- MFA Delete Enabled

## Application, Network, and Gateway Load Balancers Not Spanning Multiple Availability Zones

#### Description

Checks If your load balancers (Application, Network, and Gateway Load Balancer) are configured with subnets across multiple Availability Zones.

You can specify your desired minimum Availability Zones in the **minAvailabilityZones** parameters of your AWS Config rules.

For more information, see [Availability Zones for your Application Load Balancer](#), [Availability Zones - Network Load Balancers](#), and [Create a Gateway Load Balancer](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz169

## Source

AWS Config Managed Rule: elbv2-multiple-az

## Alert Criteria

Yellow: Application, Network, or Gateway Load Balancers configured with subnets in less than two Availability Zones.

## Recommended Action

Configure your Application, Network, and Gateway Load Balancers with subnets across multiple Availability Zones.

## Additional Resources

[Availability Zones for your Application Load Balancer](#)

[Availability Zones \(Elastic Load Balancing\)](#)

[Create a Gateway Load Balancer](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Auto Scaling available IPs in Subnets

### Description

Checks that sufficient available IPs remain among targeted Subnets. Having sufficient IPs available for use would help when Auto Scaling Group reaches its maximum size and needs to launch additional instances.

## Check ID

Cjxm268ch1

### Alert Criteria

- Red: The maximum number of instances and IP addresses that could be created by an ASG exceed the number of IP addresses remaining in the configured subnets.
- Green: There are sufficient IP addresses available for the remaining scale possible in the ASG.

### Recommended Action

Increase the number of available IP addresses

### Report columns

- Status
- Region
- Resource ARN
- Maximum instances that can be created
- Number of available instances

## Auto Scaling Group Health Check

### Description

Examines the health check configuration for Auto Scaling groups.

If Elastic Load Balancing is being used for an Auto Scaling group, the recommended configuration is to enable an Elastic Load Balancing health check. If an Elastic Load Balancing health check is not used, Auto Scaling can only act upon the health of the Amazon Elastic Compute Cloud (Amazon EC2) instance. Auto Scaling will not act on the application running on the instance.

## Check ID

CL0G40CD08

### Alert Criteria

- Yellow: An Auto Scaling group has an associated load balancer, but the Elastic Load Balancing health check is not enabled.
- Yellow: An Auto Scaling group does not have an associated load balancer, but the Elastic Load Balancing health check is enabled.

## Recommended Action

If the Auto Scaling group has an associated load balancer, but the Elastic Load Balancing health check is not enabled, see [Add an Elastic Load Balancing Health Check to your Auto Scaling Group](#).

If the Elastic Load Balancing health check is enabled, but no load balancer is associated with the Auto Scaling group, see [Set Up an Auto-Scaled and Load-Balanced Application](#).

## Additional Resources

[Amazon EC2 Auto Scaling User Guide](#)

### Report columns

- Status
- Region
- Auto Scaling Group Name
- Load Balancer Associated
- Health Check

## Auto Scaling Group Resources

### Description

Checks the availability of resources associated with your launch configurations, launch templates, and your Auto Scaling groups.

Auto Scaling groups that point to unavailable resources cannot launch new Amazon Elastic Compute Cloud (Amazon EC2) instances. When properly configured, Auto Scaling causes the number of Amazon EC2 instances to increase seamlessly during demand spikes, and decrease automatically during demand lulls. Auto Scaling groups and launch configurations/launch templates that point to unavailable resources do not operate as intended.

#### Note

This check reports the resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.

## Check ID

8CNS11I5v

### Alert Criteria

- Red: An Auto Scaling group is associated with a deleted load balancer.
- Red: A launch configuration is associated with a deleted Amazon Machine Image (AMI).
- Red: A launch template is associated with a deleted Amazon Machine Image (AMI).

### Recommended Action

If the load balancer has been deleted, either create a new load balancer or target group and then associate it to the Auto Scaling group, or create a new Auto Scaling group without the load balancer. For information about creating a new Auto Scaling group with a new load balancer, see [Set Up an Auto-Scaled and Load-Balanced Application](#). For information about creating a new Auto Scaling group without a load balancer, see Create Auto Scaling Group in [Getting Started With Auto Scaling Using the Console](#).

If the AMI has been deleted, then create a new launch configuration or launch template version using a valid AMI and associate it with an Auto Scaling group. For information on how to create a new launch configuration, see [Create a launch configuration](#) in the *Amazon EC2 Auto Scaling User Guide*. For information on how to create a launch template, see [Create a launch template for an Auto Scaling group](#) in the *Amazon EC2 Auto Scaling User Guide*.

#### Note

For security reasons, the check results don't include any resources referenced using AWS Systems Manager parameters in the launch template.

If your launch templates include an AWS Systems Manager parameter that include an Amazon Machine Image (AMI) ID, then review the launch template to make sure that the parameters reference a valid AMI ID, or make the appropriate changes in the AWS Systems Manager parameter store. For more information, see [Use AWS Systems Manager parameters instead of AMI IDs](#) in the *Amazon EC2 Auto Scaling User Guide*.

### Additional Resources

- [Troubleshooting Auto Scaling: Amazon EC2 AMIs](#)
- [Troubleshooting Auto Scaling: Load Balancer Configuration](#)
- [Amazon EC2 Auto Scaling User Guide](#)

- [Use AWS Systems Manager parameters instead of AMI IDs](#)

## Report columns

- Status
- Region
- Auto Scaling Group Name
- Launch Type
- Resource Type
- Resource Name

## AWS CloudHSM clusters running HSM instances in a single AZ

### Description

Checks your clusters that run HSM instances in a single Availability Zone (AZ). This check alerts you if your clusters are at risk of not having the most recent backup.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

hc0dfs7601

### Alert Criteria

- Yellow: A CloudHSM cluster is running all HSM instances in a single Availability Zone for more than 1 hour.
- Green: A CloudHSM cluster is running all HSM instances in at least two different Availability Zones.

### Recommended Action

Create at least one more instance for the cluster in a different Availability Zone.

## Additional Resources

### [Best practices for AWS CloudHSM](#)

#### Report columns

- Status
- Region
- Cluster ID
- Number of HSM Instances
- Last Updated Time

## Direct Connect Location Resiliency

#### Description

Checks the resilience of the Direct Connect used to connect your on-premises to each Direct Connect gateway or virtual private gateway.

This check alerts you if any Direct Connect gateway or virtual private gateway isn't configured with virtual interfaces across at least two distinct Direct Connect locations. Lack of location resiliency can result in unexpected downtime during maintenance, a fiber cut, a device failure, or a complete location failure.

 **Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

 **Note**

Direct Connect is implemented with Transit Gateway using Direct Connect gateway.

#### Check ID

c1dfpnchv2

## Alert Criteria

Red: The Direct Connect gateway or virtual private gateway is configured with one or more virtual interfaces on a single Direct Connect device.

Yellow: The Direct Connect gateway or virtual private gateway is configured with virtual interfaces across multiple Direct Connect devices in a single Direct Connect location.

Green: The Direct Connect gateway or virtual private gateway is configured with virtual interfaces across two or more distinct Direct Connect locations.

## Recommended Action

To build Direct Connect location resiliency, you can configure the Direct Connect gateway or virtual private gateway to connect to at least two distinct Direct Connect locations. For more information, see [Direct Connect Resiliency Recommendation](#).

## Additional Resources

[Direct Connect Resiliency Recommendations](#)

[Direct Connect Failover Test](#)

## Report columns

- Status
- Region
- Last Updated Time
- Resiliency Status
- Location
- Connection ID
- Gateway ID

## AWS Lambda functions without a dead-letter queue configured

### Description

Checks if an AWS Lambda function is configured with a dead-letter queue.

A dead-letter queue is a feature of AWS Lambda that allows you to capture and analyze failed events, providing a way to handle those events accordingly. Your code might raise an exception, time out, or run out of memory, resulting in failed asynchronous executions of your Lambda

function. A dead-letter queue stores messages from failed invocations, providing a way to handle the messages and troubleshoot the failures.

You can specify the dead-letter queue resource that you want to check using the `dlqArns` parameter in your AWS Config rules.

For more information, see [Dead-letter queues](#).

 **Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz182

## Source

AWS Config Managed Rule: lambda-dlq-check

## Alert Criteria

Yellow: AWS Lambda function has no dead-letter queue configured.

## Recommended Action

Make sure that your AWS Lambda functions have a dead-letter queue configured to control message handling for all failed asynchronous invocations.

For more information, see [Dead-letter queues](#).

## Additional Resources

- [Robust Serverless Application Design with AWS Lambda Dead Letter Queues](#)

## Report columns

- Status
- Region
- Resource

- AWS Config Rule
- Input Parameters
- Last Updated Time

## AWS Lambda On Failure Event Destinations

### Description

Checks that Lambda functions in your account have On Failure event destination or Dead Letter Queue (DLQ) configured for asynchronous invocations, so that records from failed invocations can be routed to a destination for further investigation or processing.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c1dfprch05

### Alert Criteria

- Yellow: Function does not have any On Failure event destination or DLQ configured.

### Recommended Action

Please set up On Failure event destination or DLQ for your Lambda functions to send failed invocations along with other details to one of the available destination AWS services for further debugging or processing.

### Additional Resources

- [Asynchronous Invocation](#)
- [AWS Lambda On Failure Event Destinations](#)

### Report columns

- Status

- Region
- The function with version which is flagged.
- Current day async requests dropped percentage
- Current day async requests
- Average daily async requests dropped percentage
- Average daily async requests
- Last Updated Time

## AWS Lambda VPC-enabled Functions without Multi-AZ Redundancy

### Description

Checks the \$LATEST version of VPC-enabled Lambda functions that are vulnerable to service interruption in a single Availability Zone. It's a best practice that VPC-enabled functions are connected to multiple Availability Zones for high availability.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

L4dfs2Q4C6

### Alert Criteria

Yellow: The \$LATEST version of a VPC-enabled Lambda function is connected to subnets in a single Availability Zone.

### Recommended Action

When configuring functions for access to your VPC, choose subnets in multiple Availability Zones to ensure high availability.

## Additional Resources

- [Configuring a Lambda function to access resources in a VPC](#)
- [Resilience in AWS Lambda](#)

## Report columns

- Status
- Region
- Function ARN
- VPC ID
- Average daily Invokes
- Last Updated Time

## AWS Outposts Single Rack deployment

### Description

Checks for Outposts Racks balance. This evaluates if a customers Outposts instances are deployed across multiple Outposts Racks or to a single Outpost Rack. A single Outposts rack creates a single point of failure for issues that involve a single Rack (for example, environmental failures). These scenarios can be mitigated by deploying outposts across multiple Racks.

### Check ID

c243hjzrhn

### Alert Criteria

- Yellow: Your Outpost is deployed on single Rack
- Green: Your Outpost is deployed across multiple Racks.

### Recommended Action

If you are running production workloads on AWS Outposts, then its a best practice to use the following resilient architecture. A single AWS Outposts rack creates a single point of failure. Consider adding a second AWS Outposts rack to that location with enough capacity for a failover event, and then distribute workloads across racks.

## Additional Resources

- [Failure mode 4: Racks or data centers](#)

## Report columns

- Status
- Resource ARN
- AZ
- Number of Racks
- Last Updated Time

## AWS Resilience Hub Application Component check

### Description

Checks if an Application Component (AppComponent) in your application is unrecoverable. If an AppComponent doesn't recover in the case of a disruption event, you might experience unknown data loss and system downtime.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

### Check ID

RH23stmM04

### Alert Criteria

Red: AppComponent is unrecoverable.

### Recommended Action

To ensure that your AppComponent is recoverable, review and implement the resiliency recommendations, and then run a new assessment. For more information about reviewing the resiliency recommendations, see Additional Resources.

### Additional Resources

[Reviewing resiliency recommendations](#)

[AWS Resilience Hub concepts](#)

## AWS Resilience Hub User Guide

### Report columns

- Status
- Region
- Application Name
- AppComponent Name
- Last Updated Time

## AWS Resilience Hub policy breached

### Description

Checks Resilience Hub for applications that don't meet the recovery time objective (RTO) and recovery point objective (RPO) that the policy defines. The check alerts you if your application doesn't meet the RTO and RPO objectives you've set for an application in Resilience Hub.

#### Note

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear. For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

RH23stmM02

### Alert Criteria

- Green: The application has a policy and meets the RTO and RPO objectives.
- Yellow: The application hasn't been assessed yet.

- Red: The application has a policy but doesn't meet the RTO and RPO objectives.

## Recommended Action

Sign in to the Resilience Hub console and review the recommendations so that your application meets the RTO and RPO objectives.

## Additional Resources

[Resilience Hub concepts](#)

### Report columns

- Status
- Region
- Application Name
- Last Updated Time

## AWS Resilience Hub resilience scores

### Description

Checks if you have run an assessment for your applications in Resilience Hub. This check alerts you if your resilience scores are below a specific value.

#### Note

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the

[BatchUpdateRecommendationResourceExclusion API](#) to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

RH23stmM01

## Alert Criteria

- Green: Your application has a resilience score of 70 or greater.
- Yellow: Your application has a resilience score of 40 through 69.
- Yellow: The application hasn't been assessed yet.
- Red: Your application has a resilience score of less than 40.

## Recommended Action

Sign in to the Resilience Hub console and run an assessment for your application. Review the recommendations to improve the resilience score.

## Additional Resources

[Resilience Hub concepts](#)

### Report columns

- Status
- Region
- Application Name
- Application Resilience Score
- Last Updated Time

## AWS Resilience Hub assessment age

### Description

Checks how long since you last ran an application assessment. This check alerts you if you haven't run an application assessment for a specified number of days.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

RH23stmM03

### Alert Criteria

- Green: Your application assessment ran in the last 30 days.
- Yellow: Your application assessment hasn't run in the last 30 days.

### Recommended Action

Sign in to the Resilience Hub console and run an assessment for your application.

### Additional Resources

[Resilience Hub concepts](#)

### Report columns

- Status
- Region
- Application Name
- Days Since the Last Assessment Ran
- Last Assessment Run Time
- Last Updated Time

## AWS Site-to-Site VPN has at least one tunnel in DOWN status

### Description

Checks the number of tunnels that are active for each of your AWS Site-to-Site VPNs.

A VPN should have two tunnels configured at all times. This provides redundancy in case of outage or planned maintenance of the devices at the AWS endpoint. For some hardware, only one tunnel is active at a time. If a VPN has no active tunnels, charges for the VPN might still apply.

For more information, see [What is AWS Site-to-Site VPN?](#)

 **Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz123

## Source

AWS Config Managed Rule: vpc-vpn-2-tunnels-up

## Alert Criteria

Yellow: A Site-to-Site VPN has at least one tunnel DOWN.

## Recommended Action

Make sure that two tunnels are configured for VPN connections. And, if your hardware supports it, then make sure that both tunnels are active. If you no longer need a VPN connection, then delete it to avoid charges.

For more information, see [Your customer gateway device](#) and the content available on the [AWS Knowledge Center](#).

## Additional Resources

- [AWS Site-to-Site VPN User Guide](#)
- [Adding a Virtual Private Gateway to Your VPC](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## AWS STS global endpoint usage across AWS Regions

### Description

This check identifies a resiliency risk when AWS workloads make cross-region calls to the STS global endpoint in the US East (N. Virginia) Region. AWS workloads that make cross-region requests to the STS global endpoint in US East (N. Virginia) might be adversely impacted if connectivity to the US East (N. Virginia) STS endpoint is impacted.

In April 2025, AWS enhanced the global endpoint to automatically serve the STS global endpoint calls in the same Region as your workloads running in AWS, for all AWS Regions enabled by default. However, some workloads, such as those running in opt-in Regions, or those not using Amazon DNS servers, do not benefit from the reduced latency and [fault isolation](#) offered as part of this enhancement. For these workloads, STS global endpoint requests are served in the US East (N. Virginia) Region, posing a resiliency risk to your application, and increasing latency of STS requests.

#### Note

Results for this check are automatically refreshed several times daily, each time covering the past 15 days. Refresh requests are not allowed. So, it might take up to 15 days for changes to appear in the Trusted Advisor check results.

For Business, Enterprise On-Ramp, or Enterprise Support customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c15m0mgld3

### Alert criteria

Red: Workloads are making cross-region calls to the AWS STS global endpoint in the US East (N. Virginia) Region.

### Recommended action

To improve the resiliency and performance of your workloads, we recommend that you migrate from the STS global endpoint to the STS Regional endpoint. By using a Regional endpoint, you can use AWS STS in the same Region as your workloads.

The following is a list of AWS Identity and Access Management (IAM) Principals making cross-region calls to the AWS STS global endpoint in the US East (N. Virginia) Region. By following the steps in the blog post [How to use Regional AWS STS endpoints](#), you can reconfigure your workloads to use the Regional STS endpoint.

Status	Principal ARN	IAM Principal Type	Action	Last Updated Time	Originating Region
Red	arn:aws:iam::999999999999:role/example	Role	AssumeRole	2025-01-01T08:00.00Z	ca-west-1
Red	arn:aws:iam::123456789012:user/JohnDoe	User	GetCallerIdentity	2025-01-01T08:00.00Z	ca-west-1
Red	arn:aws:sts::123456789012:federated-user/<Name>	Federated User	GetCallerIdentity	2025-01-01T08:00.00Z	eu-west-2
Red	arn:aws:iam::123456789012:root	Root	AssumeRole	2025-01-01T08:00.00Z	il-central-1
Red	arn:aws:sts::0123456789012:assumed-role/aws:ec2-instance/i-0123	EC2 Instance Identity Role	GetCallerIdentity	2025-01-01T08:00.00Z	us-west-1

Status	Principal ARN	IAM Principal Type	Action	Last Updated Time	Originating Region
	456789example				

## Additional resources

- [Manage AWS STS in an AWS Region](#)
- [AWS STS Regional endpoints](#)

## Report columns

- Status
- Principal Arn
- Action
- Principal Type
- Originating Region
- Last Updated Time

## AWS Well-Architected high risk issues for reliability

### Description

Checks for high risk issues (HRIs) for your workloads in the reliability pillar. This check is based on your AWS-Well Architected reviews. Your check results depend on whether you completed the workload evaluation with AWS Well-Architected.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

Wxdfp4B1L4

## Alert Criteria

- Red: At least one active high risk issue was identified in the reliability pillar for AWS Well-Architected.
- Green: No active high risk issues were detected in the reliability pillar for AWS Well-Architected.

## Recommended Action

AWS Well-Architected detected high risk issues during your workload evaluation. These issues present opportunities to reduce risk and save money. Sign in to the [AWS Well-Architected](#) tool to review your answers and take action to resolve your active issues.

## Report columns

- Status
- Region
- Workload ARN
- Workload Name
- Reviewer Name
- Workload Type
- Workload Started Date
- Workload Last Modified Date
- Number of identified HRIs for Reliability
- Number of HRIs resolved for Reliability
- Number of questions answered for Reliability
- Total number of questions in Reliability pillar
- Last Updated Time

## Classic Load Balancer has no multiple AZs configured

### Description

Checks if Classic Load Balancer spans multiple Availability Zones (AZs).

A load balancer distributes incoming application traffic across multiple Amazon EC2 instances in multiple Availability Zones. By default, the load balancer distributes traffic evenly across the Availability Zones that you enable for your load balancer. If one Availability Zone experiences an outage, then load balancer nodes automatically forward requests to the healthy registered instances in one or more Availability Zones.

You can adjust the minimum number of Availability Zones using the **minAvailabilityZones** parameter in your AWS Config rules

For more information, see [What is a Classic Load Balancer?](#).

 **Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz154

## Source

AWS Config Managed Rule: clb-multiple-az

## Alert Criteria

Yellow: Classic Load Balancer does not have Multi-AZ configured or does not meet the minimum number of AZs specified.

## Recommended Action

Make sure that your Classic Load Balancers have multiple Availability Zones configured. Span your load balancer across multiple AZs to make sure that you have high availability of your application.

For more information, see [Tutorial: Create a Classic Load Balancer](#).

## Report columns

- Status

- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## CLB Connection Draining

### Description

Checks for Classic load balancers that do not have connection draining enabled.

When connection draining is not enabled and you deregister an Amazon EC2 instance from a Classic load balancer, the Classic load balancer stops routing traffic to that instance and closes the connection. When connection draining is enabled, the Classic load balancer stops sending new requests to the deregistered instance but keeps the connection open to serve active requests.

### Check ID

7qGXsKIUw

### Alert Criteria

- Yellow: Connection draining is not enabled for a Classic load balancer.
- Green: Connection draining is enabled for Classic load balancer. .

### Recommended Action

Enable connection draining for the Classic load balancer. For more information, see [Connection Draining](#) and [Enable or Disable Connection Draining for Your Load Balancer](#).

### Additional Resources

[Elastic Load Balancing Concepts](#)

### Report columns

- Status
- Region
- Load Balancer Name
- Reason

## ELB Target Imbalance

### Description

Checks the target groups' target distribution across Availability Zones (AZs) for Application Load Balancer (ALB), Network Load Balancer (NLB), and Gateway Load Balancer (GWLB).

This check excludes the following:

- Load balancers configured with a single Availability Zone (AZ).
- Load balancers where the difference in the number of targets between the most and least populated AZs is equal to or less than 1.
- Target groups with IP-based targets where the `AvailabilityZone` attribute is set to 'all'.

### Check ID

b92b83d667

### Alert Criteria

- Red: A single AZ represents more than 66% of the load balancer capacity.
- Yellow: A single AZ represents more than 50% of the load balancer capacity.
- Green: No AZs represents more than 50% of the load balancer capacity.

### Recommended Action

For better resilience, make sure that your targets groups have same number of targets across AZs.

### Additional Resources

[Target groups for your Application Load Balancers](#)

[Register targets with your Application Load Balancer target group](#)

### Report columns

- Status
- Region
- Load Balancer Name
- Load Balancer Type
- Target Group ARN (arn)
- Difference in registered targets across AZs
- Last Updated Time

## GWLB - endpoint AZ independence

### Description

Checks if your Gateway Load Balancer (GWLB) endpoints are configured as route destination from another Availability Zone (AZ).

Gateway Load Balancer endpoints forward network traffic to firewall appliances behind a Gateway Load Balancer for inspection. Each Gateway Load Balancer endpoint operates within a designated AZ and is built with redundancy in only that AZ. So any resources in a particular AZ must use a Gateway Load Balancer endpoint in the same AZ. This makes sure that any potential outage of a Gateway Load Balancer endpoint or its AZ doesn't impact your resources in another AZ.

### Check ID

528d6f5ee7

### Alert Criteria

- **Yellow:** Traffic from your subnet in one AZ is being routed through a Gateway Load Balancer endpoint in a different AZ.
- **Green:** Traffic from your subnet in one AZ is being routed through a Gateway Load Balancer endpoint in the same AZ.

### Recommended Action

Check the AZ of your subnet and configure its route table to route traffic through a Gateway Load Balancer endpoint in the same AZ.

If there is no Gateway Load Balancer endpoint in the AZ, then create a new one and then route your subnet traffic through it.

If you have the same route table associated across subnets in different AZs, then keep this route table associated to the subnets that reside in the same AZ as the Gateway Load Balancer endpoint. For subnets in the other AZ, you can then associate a separate route table with a route to a Gateway Load Balancer endpoint in the this AZ.

It's a best practice to choose a maintenance window for architecture changes in your Amazon VPC.

### Additional Resources

- [Availability Zone Independence](#)

- [Configure Routing for Gateway Load Balancer endpoint](#)
- [AWS Well-Architected Tool - Use bulkhead architectures to limit scope of impact](#)

## Report columns

- Status
- Region
- Cross AZ Subnet Id List
- Gateway Load Balancer Endpoint Id
- Gateway Load Balancer Endpoint Subnet Id
- VPC Endpoint Subnet AZ
- Last Updated Time

## Load Balancer Optimization

### Description

Checks your load balancer configuration.

To help increase the level of fault tolerance in Amazon Elastic Compute Cloud (Amazon EC2) when using Elastic Load Balancing , we recommend running an equal number of instances across multiple Availability Zones in a Region. A load balancer that is configured accrues charges, so this is a cost-optimization check as well.

### Check ID

iqdCTZKCUp

### Alert Criteria

- Yellow: A load balancer is enabled for a single Availability Zone.
- Yellow: A load balancer is enabled for an Availability Zone that has no active instances.
- Yellow: The Amazon EC2 instances that are registered with a load balancer are unevenly distributed across Availability Zones. (The difference between the highest and lowest instance counts in utilized Availability Zones is more than 1, and the difference is more than 20% of the highest count.)

### Recommended Action

Ensure that your load balancer points to active and healthy instances in at least two Availability Zones. For more information, see [Add Availability Zone](#).

If your load balancer is configured for an Availability Zone with no healthy instances, or if there is an imbalance of instances across the Availability Zones, determine if all the Availability Zones are necessary. Omit any unnecessary Availability Zones and ensure there is a balanced distribution of instances across the remaining Availability Zones. For more information, see [Remove Availability Zone](#).

## Additional Resources

- [Availability Zones and Regions](#)
- [Managing Load Balancers](#)
- [Best Practices in Evaluating Elastic Load Balancing](#)

## Report columns

- Status
- Region
- Load Balancer Name
- # of Zones
- Zone a Instances
- Zone b Instances
- Zone c Instances
- Zone d Instances
- Zone e Instances
- Zone f Instances
- Reason

## NAT Gateway AZ Independence

### Description

Checks if your NAT Gateways are configured with Availability Zone (AZ) independence.

A NAT Gateway enables resources in your private subnet to securely connect to services outside the subnet using the NAT Gateway's IP addresses and drops any unsolicited inbound traffic. Each NAT Gateway operates within a designated Availability Zone (AZ) and is built with redundancy in that AZ only. Therefore, your resources in a particular AZ should use a NAT Gateway in the same AZ so that any potential outage of a NAT Gateway or its AZ does not impact your resources in another AZ.

**Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Check ID**

c1dfptbg10

**Alert Criteria**

- Red: Traffic from your subnet in one AZ is being routed through a NATGW in a different AZ.
- Green: Traffic from your subnet in one AZ is being routed through a NATGW in the same AZ.

**Recommended Action**

Please check the AZ of your subnet and route traffic through a NAT Gateway in the same AZ.

If there is no NATGW in the AZ, please create one and then route your subnet traffic through it.

If you have the same route table associated across subnets in different AZs, keep this route table associated to the subnets that reside in the same AZ as the NAT Gateway and for subnets in the other AZ, please associate a separate route table with a route to a NAT Gateway in this other AZ.

We recommend choosing a maintenance window for architecture changes in your Amazon VPC.

**Additional Resources**

- [How to create a NAT Gateway](#)
- [How to configure routes for different NAT Gateway use cases](#)

**Report columns**

- Status
- Region
- NAT Availability Zone
- NAT ID
- Subnet Availability Zone

- Subnet ID
- Route Table ID
- NAT ARN
- Last Updated Time

## Network Firewall endpoint AZ Independence

### Description

Checks if your AWS Network Firewall endpoints are configured as a route destination from another Availability Zone (AZ).

Network Firewall endpoints forward network traffic to a Network Firewall for inspection. Each Network Firewall endpoint operates within a designated AZ and is built with redundancy only in that AZ. Your resources in a particular AZ should use a Network Firewall endpoint in the same AZ. This makes sure that any potential outage of a Network Firewall endpoint or its AZ doesn't impact your resources in another AZ. Network traffic that originates in a different AZ for traffic inspection incurs cross-AZ data transfer charges. It's a best practice to make sure that all resources in a specific AZ use a Network Firewall in the same AZ to avoid cross-AZ data charges.

### Check ID

7040ea389a

### Alert Criteria

- Yellow: Traffic from a subnet in one AZ is being routed through a Network Firewall endpoint in a different AZ.
- Green: Traffic from a subnet in one AZ is being routed through a Network Firewall endpoint in the same AZ.

### Recommended Action

Check the AZ of your subnet and route traffic through a Network Firewall endpoint in the same AZ.

If there is no Network Firewall endpoint in the AZ, then create a new Network Firewall and route your subnet traffic through it.

If the same route table is associated across multiple subnets in different AZs, then keep this route table associated to the subnets that reside in the same AZ as the Network Firewall

endpoint. For subnets in other AZs, associate a separate route table with a route to a Network Firewall endpoint in that AZ.

It's a best practice to choose a maintenance window for architecture changes in your Amazon VPC.

## Additional Resources

[Data Transfer within the same AWS Region](#)

[Understanding data transfer charges](#)

[Availability Zone Independence](#)

[High Level steps for implementing a firewall](#)

[Creating a firewall](#)

[AWS Well-Architected Tool - Use bulkhead architectures to limit scope of impact](#)

## Report columns

- Status
- Region
- Network Firewall Endpoint Id
- Network Firewall Arn
- Network Firewall Endpoint Subnet
- Network Firewall Endpoint AZ
- Cross AZ Subnets List
- Last Updated Time

## Network Firewall Multi-AZ

### Description

Checks if your Network Firewalls are configured to use more than one Availability Zone (AZ) for firewall endpoints.

An AZ is a distinct location that's insulated from failures in other zones. If the Network Firewall endpoint is deployed in only 1 AZ, then it can be a single point of failure and can impair workloads from other AZs using the Network Firewall for traffic inspection. It's a best practice to

configure your Network Firewalls in multiple AZs in the same Region to improve your workload availability.

### Check ID

c2v1fg0gqd

### Alert Criteria

- Yellow: Network Firewall endpoint is deployed in 1 AZ.
- Green: Network Firewall endpoints are deployed in at least two AZs.

### Recommended Action

Make sure that your Network Firewall is configured with at least two AZs for production workloads.

### Additional Resources

[VPC subnet configuration for AWS Network Firewall](#)

[Creating a firewall](#)

[Availability Zone](#)

[AWS Well-Architected Tool - Deploy the workload to multiple locations](#)

[Appliance in a shared services VPC](#)

### Report columns

- Status
- Region
- Network Firewall Arn
- VPC Id
- Network Firewall Subnets
- Network Firewall Subnets AZs
- Last Updated Time

## Network Load Balancers Cross Load Balancing

### Description

Checks if cross-zone load balancing is enabled on Network Load Balancers.

Cross-zone load balancing helps maintain even distribution of incoming traffic across instances in different Availability Zones. This prevents the load balancer from routing all traffic to instances in the same Availability Zone, which can cause uneven traffic distribution and potential overloading. The feature also helps application reliability by automatically routing traffic to healthy instances in other Availability Zones in the event of a single Availability Zone failure.

For more information, see [Cross-zone load balancing](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz105

## Source

AWS Config Managed Rule: nlb-cross-zone-load-balancing-enabled

## Alert Criteria

- Yellow: Network Load Balancer does not have cross-zone load balancing enabled.

## Recommended Action

Ensure that cross-zone load balancing is enabled on Network Load Balancers.

## Additional Resources

[Cross-zone load balancing \(Network Load Balancers\)](#)

## Report columns

- Status
- Region
- Resource

- AWS Config Rule
- Input Parameters
- Last Updated Time

## NLB - Internet-facing resource in private subnet

### Description

Checks if an internet-facing Network Load Balancer (NLB) is configured with a private subnet. An internet-facing Network Load Balancer (NLB) must be configured in public subnets in order to receive traffic. A public subnet is defined as a subnet that has a direct route to an [internet gateway](#). If the subnet is configured as private, then its Availability Zone (AZ) doesn't receive traffic, which can cause availability issues.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c1dfpnchv4

### Alert Criteria

Red: NLB is configured with one or more private subnets

Green: No private subnet is configured for internet-facing NLB

### Recommended Action

Confirm that the subnets configured in an internet-facing load balancer are public. A public subnet is defined as a subnet that has a direct route to an [internet gateway](#). Use one of following options:

- Create a new load balancer and select a different subnet with a direct route to an internet gateway.

- Change the subnet that's currently attached to the load balancer from private to public. To do this, change its route table and [associate an internet gateway](#).

## Additional Resources

- [Configure a load balancer and a listener](#)
- [Subnets for your VPC](#)
- [Associate a gateway with a route table](#)

## Report columns

- Status
- Region
- NLB Arn
- NLB Name
- Subnet ID
- NLB Scheme
- Subnet Type
- Last Updated Time

## NLB Multi-AZ

### Description

Checks if your Network Load Balancers are configured to use more than one Availability Zone (AZ). An AZ is a distinct location that is insulated from failures in other zones. Configure your load balancer in multiple AZs in the same Region to help improve your workload availability.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c1dfprch09

## Alert Criteria

Yellow: NLB is in a single AZ.

Green: NLB has two or more AZs.

## Recommended Action

Make sure that your load balancer is configured with at least two Availability Zones.

## Additional Resources

For more information, see the following documentation:

- [Availability Zones](#)
- [AWS Well-Architected - Deploy the workload to multiple locations](#)
- [Regions and Availability Zones](#)

## Report columns

- Status
- Region
- Number of AZs
- NLB ARN
- NLB Name
- Last Updated Time

## Number of AWS Regions in an Incident Manager replication set

### Description

Checks that an Incident Manager replication set's configuration uses more than one AWS Region to support regional failover and response. For incidents created by CloudWatch alarms or EventBridge events, Incident Manager creates an incident in the same AWS Region as the alarm or event rule. If Incident Manager is temporarily unavailable in that Region, the system attempts to create an incident in another Region in the replication set. If the replication set includes only one Region, the system fails to create an incident record while Incident Manager is unavailable.

**Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Check ID**

cIdfp1js9r

**Alert Criteria**

- Green: The replication set contains more than one Region.
- Yellow: The replication set contains one Region.

**Recommended Action**

Add at least one more Region to the replication set.

**Additional Resources**

For more information, see [Cross-region Incident management](#).

**Report columns**

- Status
- Multi-region
- Replication Set
- Last Updated Time

## Single AZ Application Check

**Description**

Checks through network patterns if your egress network traffic is routing through a single Availability Zone (AZ).

An AZ is a distinct location that is insulated from any impact in other zones. By spreading your service across multiple AZs, you limit the blast radius of an AZ failure.

**Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Check ID**

c1dfptbg11

**Alert Criteria**

- Yellow: Your application may be deployed in only one AZ based on observed egress network patterns. If this is true and your application expects high availability, we recommend that you provision your application resources and implement your network flows to utilize multiple Availability Zones.

**Recommended Action**

If your application requires high availability, consider implementing a multi-AZ architecture for higher availability.

**Report columns**

- Status
- Region
- VPC ID
- Last Updated Time

## VPC interface endpoint network interfaces in multiple AZs

**Description**

Checks if your AWS PrivateLink VPC interface endpoints are configured to use more than one Availability Zone (AZ). An AZ is a distinct location that is insulated from failures in other zones. This supports inexpensive, low-latency network connectivity between AZs in the same AWS Region. Select subnets in multiple AZs when you create interface endpoints to help protect your applications from a single point of failure.

**Note**

This check currently includes only interface endpoints.

**Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Check ID**

c1dfprch10

**Alert Criteria**

Yellow: VPC endpoint is in a single AZ.

Green: VPC endpoint is in at least two AZs.

**Recommended Action**

Make sure that your VPC interface endpoint is configured with at least two Availability Zones.

**Additional Resources**

For more information, see the following documentation:

- [Access an AWS service using an interface VPC endpoint](#)
- [Private IP address of the endpoint network interface](#)
- [AWS PrivateLink concepts](#)
- [Regions and Availability Zones](#)

**Report columns**

- Status
- Region
- VPC Endpoint ID

- Is Multi AZ
- Last Updated Time

## VPN Tunnel Redundancy

### Description

Checks the number of tunnels that are active for each of your Site-to-Site VPNs.

A VPN should have two tunnels configured at all times. This provides redundancy in case of outage or planned maintenance of the devices at the AWS endpoint. For some hardware, only one tunnel is active at a time. If a VPN has no active tunnels, charges for the VPN might still apply. For more information, see [AWS Site-to-Site VPN User Guide](#).

### Check ID

S45wrEXrlz

### Alert Criteria

- Yellow: A VPN has one active tunnel (this is normal for some hardware).
- Yellow: A VPN has no active tunnels.

### Recommended Action

Be sure that two tunnels are configured for your VPN connection, and that both are active if your hardware supports it. If you no longer need a VPN connection, you can delete it to avoid charges. For more information, see [Your customer gateway device](#) or [Delete a Site-to-Site VPN connection](#).

### Additional Resources

- [AWS Site-to-Site VPN User Guide](#)
- [Create a target gateway](#)

### Report columns

- Status
- Region
- VPN ID
- VPC
- Virtual Private Gateway

- Customer Gateway
- Active Tunnels
- Reason

## ActiveMQ Availability Zone Redundancy

### Description

Checks that Amazon MQ for ActiveMQ brokers are configured for high availability with an active/standby broker in multiple Availability Zones.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion API](#) to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c1t3k8mqv1

### Alert Criteria

- Yellow: An Amazon MQ for ActiveMQ broker is configured in a single Availability Zone.

Green: An Amazon MQ for ActiveMQ broker is configured in at least two Availability Zones.

### Recommended Action

Create a new broker with active/standby deployment mode.

### Additional Resources

- [Creating an ActiveMQ broker](#)

### Report columns

- Status
- Region
- ActiveMQ Broker ID

- Broker Engine Type
- Deployment Mode
- Last Updated Time

## RabbitMQ Availability Zone Redundancy

### Description

Checks that Amazon MQ for RabbitMQ brokers are configured for high availability with cluster instances in multiple Availability Zones.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion API](#) to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c1t3k8mqv2

### Alert Criteria

- Yellow: An Amazon MQ for RabbitMQ broker is configured in a single Availability Zone.

Green: An Amazon MQ for RabbitMQ broker is configured in multiple Availability Zones.

### Recommended Action

Create a new broker with the cluster deployment mode.

### Additional Resources

- [Creating a RabbitMQ broker](#)

### Report columns

- Status
- Region
- RabbitMQ Broker ID

- Broker Engine Type
- Deployment Mode
- Last Updated Time

## Service limits

See the following checks for the service limits (also known as quotas) category.

All checks in this category have the following descriptions:

### Alert Criteria

- Yellow: 80% of limit reached.
- Red: 100% of limit reached.
- Blue: Trusted Advisor was unable to retrieve utilization or limits in one or more AWS Regions.

### Recommended Action

If you expect to exceed a service limit, request an increase directly from the [Service Quotas](#) console. If Service Quotas doesn't support your service yet, you can open a support case in [Support Center](#).

### Report columns

- Status
- Service
- Region
- Limit Amount
- Current Usage

#### Note

- Values are based on a snapshot, so your current usage might differ. Quota and usage data can take up to 24 hours to reflect any changes. In cases where quotas have been recently increased, you might temporarily see utilization that exceeds the quota.

### Check names

- [Auto Scaling Groups](#)
- [Auto Scaling Launch Configurations](#)
- [CloudFormation Stacks](#)
- [DynamoDB Read Capacity](#)
- [DynamoDB Write Capacity](#)
- [EBS Active Snapshots](#)
- [EBS Cold HDD \(sc1\) Volume Storage](#)
- [EBS General Purpose SSD \(gp2\) Volume Storage](#)
- [EBS General Purpose SSD \(gp3\) Volume Storage](#)
- [EBS Magnetic \(standard\) Volume Storage](#)
- [EBS Provisioned IOPS SSD \(io1\) Volume Aggregate IOPS](#)
- [EBS Provisioned IOPS SSD \(io1\) Volume Storage](#)
- [EBS Provisioned IOPS SSD \(io2\) Volume Storage](#)
- [EBS Throughput Optimized HDD \(st1\) Volume Storage](#)
- [EC2 On-Demand Instances](#)
- [EC2 Reserved Instance Leases](#)
- [EC2-Classic Elastic IP Addresses](#)
- [EC2-VPC Elastic IP Address](#)
- [ELB Application Load Balancers](#)
- [ELB Classic Load Balancers](#)
- [ELB Network Load Balancers](#)
- [IAM Group](#)
- [IAM Instance Profiles](#)
- [IAM Policies](#)
- [IAM Roles](#)
- [IAM Server Certificates](#)
- [IAM Users](#)
- [Kinesis Shards per Region](#)
- [Lambda Code Storage Usage](#)

- [RDS Cluster Parameter Groups](#)
- [RDS Cluster Roles](#)
- [RDS Clusters](#)
- [RDS DB Instances](#)
- [RDS DB Manual Snapshots](#)
- [RDS DB Parameter Groups](#)
- [RDS DB Security Groups](#)
- [RDS Event Subscriptions](#)
- [RDS Max Auths per Security Group](#)
- [RDS Option Groups](#)
- [RDS Read Replicas per Master](#)
- [RDS Reserved Instances](#)
- [RDS Subnet Groups](#)
- [RDS Subnets per Subnet Group](#)
- [RDS Total Storage Quota](#)
- [Route 53 Hosted Zones](#)
- [Route 53 Max Health Checks](#)
- [Route 53 Reusable Delegation Sets](#)
- [Route 53 Traffic Policies](#)
- [Route 53 Traffic Policy Instances](#)
- [SES Daily Sending Quota](#)
- [VPC](#)
- [VPC Internet Gateways](#)

## Auto Scaling Groups

### Description

Checks for usage that is more than 80% of the Auto Scaling Groups quota.

### Check ID

fw7HH017J9

## Additional Resources

[Auto Scaling quotas](#)

## Auto Scaling Launch Configurations

### Description

Checks for usage that is more than 80% of the Auto Scaling launch configurations quota.

### Check ID

aW7HH017J9

### Additional Resources

[Auto Scaling quotas](#)

## CloudFormation Stacks

### Description

Checks for usage that is more than 80% of the CloudFormation stacks quota.

### Check ID

gW7HH017J9

### Additional Resources

[CloudFormation quotas](#)

## DynamoDB Read Capacity

### Description

Checks for usage that is more than 80% of the DynamoDB provisioned throughput limit for reads per AWS account.

### Check ID

6gtQddfEw6

## Additional Resources

[DynamoDB quotas](#)

## DynamoDB Write Capacity

### Description

Checks for usage that is more than 80% of the DynamoDB provisioned throughput limit for writes per AWS account.

### Check ID

c5ftjdfkMr

### Additional Resources

[DynamoDB quotas](#)

## EBS Active Snapshots

### Description

Checks for usage that is more than 80% of the EBS active snapshots quota.

### Check ID

eI7KK017J9

### Additional Resources

[Amazon EBS limits](#)

## EBS Cold HDD (sc1) Volume Storage

### Description

Checks for usage that is more than 80% of the EBS Cold HDD (sc1) volume storage quota.

### Check ID

gH5CC0e3J9

## Additional Resources

[Amazon EBS limits](#)

## EBS General Purpose SSD (gp2) Volume Storage

### Description

Checks for usage that is more than 80% of the EBS General Purpose SSD (gp2) volume storage quota.

### Check ID

dH7RR016J9

### Additional Resources

[Amazon EBS limits](#)

## EBS General Purpose SSD (gp3) Volume Storage

### Description

Checks for usage that is more than 80% of the EBS General Purpose SSD (gp3) volume storage quota.

### Check ID

dH7RR016J3

### Additional Resources

[Amazon EBS limits](#)

## EBS Magnetic (standard) Volume Storage

### Description

Checks for usage that is more than 80% of the EBS Magnetic (standard) volume storage quota.

### Check ID

cG7HH017J9

## Additional Resources

[Amazon EBS limits](#)

## EBS Provisioned IOPS SSD (io1) Volume Aggregate IOPS

### Description

Checks for usage that is more than 80% of the EBS Provisioned IOPS SSD (io1) volume aggregate IOPS quota.

### Check ID

tV7YY017J9

### Additional Resources

[Amazon EBS limits](#)

## EBS Provisioned IOPS SSD (io1) Volume Storage

### Description

Checks for usage that is more than 80% of the EBS Provisioned IOPS SSD (io1) volume storage quota.

### Check ID

gI7MM017J9

### Additional Resources

[Amazon EBS limits](#)

## EBS Provisioned IOPS SSD (io2) Volume Storage

### Description

Checks for usage that is more than 80% of the EBS Provisioned IOPS SSD (io2) volume storage quota.

### Check ID

gI7MM017J2

## Additional Resources

[Amazon EBS limits](#)

# EBS Throughput Optimized HDD (st1) Volume Storage

### Description

Checks for usage that is more than 80% of the EBS Throughput Optimized HDD (st1) volume storage quota.

### Check ID

wH7DD013J9

### Additional Resources

[Amazon EBS limits](#)

# EC2 On-Demand Instances

### Description

Checks for usage that is more than 80% of the EC2 On-Demand Instances quota.

### Check ID

0Xc6LMYG8P

### Additional Resources

[Amazon EC2 quotas](#)

# EC2 Reserved Instance Leases

### Description

Checks for usage that is more than 80% of the EC2 Reserved Instance leases quota.

### Check ID

iH7PP017J9

## Additional Resources

[Amazon EC2 quotas](#)

## EC2-Classic Elastic IP Addresses

### Description

Checks for usage that is more than 80% of the EC2-Classic Elastic IP addresses quota.

### Check ID

aW9HH018J6

### Additional Resources

[Amazon EC2 quotas](#)

## EC2-VPC Elastic IP Address

### Description

Checks for usage that is more than 80% of the EC2-VPC Elastic IP address quota.

### Check ID

1N7RR017J9

### Additional Resources

[VPC Elastic IP quotas](#)

## ELB Application Load Balancers

### Description

Checks for usage that is more than 80% of the ELB Application Load Balancers quota.

### Check ID

EM8b3yLRTt

### Additional Resources

[Elastic Load Balancing quotas](#)

## ELB Classic Load Balancers

### Description

Checks for usage that is more than 80% of the ELB Classic Load Balancers quota.

### Check ID

IK700017J9

### Additional Resources

[Elastic Load Balancing quotas](#)

## ELB Network Load Balancers

### Description

Checks for usage that is more than 80% of the ELB Network Load Balancers quota.

### Check ID

8wIqYSt25K

### Additional Resources

[Elastic Load Balancing quotas](#)

## IAM Group

### Description

Checks for usage that is more than 80% of the IAM group quota.

### Check ID

sU7XX017J9

### Additional Resources

[IAM quotas](#)

## IAM Instance Profiles

### Description

Checks for usage that is more than 80% of the IAM instance profiles quota.

### Check ID

n07SS017J9

### Additional Resources

[IAM quotas](#)

## IAM Policies

### Description

Checks for usage that is more than 80% of the IAM policies quota.

### Check ID

pR7UU017J9

### Additional Resources

[IAM quotas](#)

## IAM Roles

### Description

Checks for usage that is more than 80% of the IAM roles quota.

### Check ID

oQ7TT017J9

### Additional Resources

[IAM quotas](#)

## IAM Server Certificates

### Description

Checks for usage that is more than 80% of the IAM server certificates quota.

### Check ID

rT7WW017J9

### Additional Resources

[IAM quotas](#)

## IAM Users

### Description

Checks for usage that is more than 80% of the IAM users quota.

### Check ID

qS7VV017J9

### Additional Resources

[IAM quotas](#)

## Kinesis Shards per Region

### Description

Checks for usage that is more than 80% of the Kinesis shards per Region quota.

### Check ID

bW7HH017J9

### Additional Resources

[Kinesis quotas](#)

# Lambda Code Storage Usage

## Description

Checks for code storage usage that is more than 80% of the account limit.

### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c1dfprch07

## Alert Criteria

- Yellow: 80% of limit reached.

## Recommended Action

Please identify unused lambda functions or versions and remove them to free up the code storage for your account in the region. If you need additional storage, please create a support case in Support Center. If you expect to exceed a service limit, request an increase directly from the Service Quotas console. If Service Quotas doesn't support your service yet, you can open a support case in Support Center.

## Additional Resources

- [Lambda Code Storage Usage](#)

## Report columns

- Status
- Region
- The qualified function ARN for this resource.
- The function code storage usage in MegaBytes with 2 decimals.
- The amount of versions in the function

- Last Updated Time

## RDS Cluster Parameter Groups

### Description

Checks for usage that is more than 80% of the RDS cluster parameter groups quota.

### Check ID

jtlIM03qZM

### Additional Resources

[Amazon RDS quotas](#)

## RDS Cluster Roles

### Description

Checks for usage that is more than 80% of the RDS cluster roles quota.

### Check ID

7fuccf1Mx7

### Additional Resources

[Amazon RDS quotas](#)

## RDS Clusters

### Description

Checks for usage that is more than 80% of the RDS clusters quota.

### Check ID

gjqMBn6pjz

### Additional Resources

[Amazon RDS quotas](#)

## RDS DB Instances

### Description

Checks for usage that is more than 80% of the RDS DB instances quota.

### Check ID

XG0aXHpIEt

### Additional Resources

[Amazon RDS quotas](#)

## RDS DB Manual Snapshots

### Description

Checks for usage that is more than 80% of the RDS DB manual snapshots quota.

### Check ID

dV84wpqRUs

### Additional Resources

[Amazon RDS quotas](#)

## RDS DB Parameter Groups

### Description

Checks for usage that is more than 80% of the RDS DB parameter groups quota.

### Check ID

jEECYg2YVU

### Additional Resources

[Amazon RDS quotas](#)

## RDS DB Security Groups

### Description

Checks for usage that is more than 80% of the RDS DB security groups quota.

### Check ID

gfZAn3W7w1

### Additional Resources

[Amazon RDS quotas](#)

## RDS Event Subscriptions

### Description

Checks for usage that is more than 80% of the RDS event subscriptions quota.

### Check ID

keAhfbH5yb

### Additional Resources

[Amazon RDS quotas](#)

## RDS Max Auths per Security Group

### Description

Checks for usage that is more than 80% of the RDS max auths per security group quota.

### Check ID

dBkuNCvqn5

### Additional Resources

[Amazon RDS quotas](#)

## RDS Option Groups

### Description

Checks for usage that is more than 80% of the RDS option groups quota.

### Check ID

3Njm0DJQ09

### Additional Resources

[Amazon RDS quotas](#)

## RDS Read Replicas per Master

### Description

Checks for usage that is more than 80% of the RDS read replicas per master quota.

### Check ID

pYW8UkYz2w

### Additional Resources

[Amazon RDS quotas](#)

## RDS Reserved Instances

### Description

Checks for usage that is more than 80% of the RDS Reserved Instances quota.

### Check ID

UUIDv0a5r34

### Additional Resources

[Amazon RDS quotas](#)

## RDS Subnet Groups

### Description

Checks for usage that is more than 80% of the RDS subnet groups quota.

### Check ID

dYWBaXaaMM

### Additional Resources

[Amazon RDS quotas](#)

## RDS Subnets per Subnet Group

### Description

Checks for usage that is more than 80% of the RDS subnets per subnet group quota.

### Check ID

jEhCtdJK0Y

### Additional Resources

[Amazon RDS quotas](#)

## RDS Total Storage Quota

### Description

Checks for usage that is more than 80% of the RDS total storage quota.

### Check ID

P1jhKWEmLa

### Additional Resources

[Amazon RDS quotas](#)

## Route 53 Hosted Zones

### Description

Checks for usage that is more than 80% of the Route 53 hosted zones quota per account.

### Check ID

dx3xfcdfMr

### Additional Resources

[Route 53 quotas](#)

## Route 53 Max Health Checks

### Description

Checks for usage that is more than 80% of the Route 53 health checks quota per account.

### Check ID

ru4xfcdfMr

### Additional Resources

[Route 53 quotas](#)

## Route 53 Reusable Delegation Sets

### Description

Checks for usage that is more than 80% of the Route 53 reusable delegation sets quota per account.

### Check ID

ty3xfcdfMr

### Additional Resources

[Route 53 quotas](#)

## Route 53 Traffic Policies

### Description

Checks for usage that is more than 80% of the Route 53 traffic policies quota per account.

### Check ID

dx3xfbjfMr

### Additional Resources

[Route 53 quotas](#)

## Route 53 Traffic Policy Instances

### Description

Checks for usage that is more than 80% of the Route 53 traffic policy instances quota per account.

### Check ID

dx8afcddfMr

### Additional Resources

[Route 53 quotas](#)

## SES Daily Sending Quota

### Description

Checks for usage that is more than 80% of the Amazon SES daily sending quota.

### Check ID

hJ7NN017J9

### Additional Resources

[Amazon SES quotas](#)

## VPC

### Description

Checks for usage that is more than 80% of the VPC quota.

### Check ID

jL7PP017J9

### Additional Resources

[VPC quotas](#)

## VPC Internet Gateways

### Description

Checks for usage that is more than 80% of the VPC Internet gateways quota.

### Check ID

kM7QQ017J9

### Additional Resources

[VPC quotas](#)

## Operational Excellence

You can use the following checks for the operational excellence category.

### Check names

- [Amazon API Gateway Not Logging Execution Logs](#)
- [Amazon API Gateway REST APIs Without X-Ray Tracing Enabled](#)
- [Amazon CloudFront Access Log Configured](#)
- [Amazon CloudWatch Alarm Action is Disabled](#)
- [Amazon EC2 Instance Not Managed by AWS Systems Manager](#)
- [Amazon ECR Repository With Tag Immutability Disabled](#)
- [Amazon ECS clusters with Container Insights disabled](#)
- [Amazon ECS task logging not enabled](#)

- [Amazon OpenSearch Service logging CloudWatch not configured](#)
- [Amazon RDS DB instances in the clusters with heterogeneous parameter groups](#)
- [Amazon RDS Enhanced Monitoring is turned off](#)
- [Amazon RDS Performance Insights is turned off](#)
- [Amazon RDS track\\_counts parameter is turned off](#)
- [Amazon Redshift cluster audit logging](#)
- [Amazon S3 Access Logs Enabled](#)
- [Amazon S3 does not have Event Notifications enabled](#)
- [Amazon SNS Topics Not Logging Message Delivery Status](#)
- [Amazon VPC Without Flow Logs](#)
- [Application Load Balancers and Classic Load Balancers Without Access Logs Enabled](#)
- [CloudFormation Stack Notification](#)
- [AWS CloudTrail data events logging for objects in an S3 bucket](#)
- [AWS CodeBuild Project Logging](#)
- [AWS CodeDeploy Auto Rollback and Monitor Enabled](#)
- [AWS CodeDeploy Lambda is using all-at-once deployment configuration](#)
- [AWS Elastic Beanstalk Enhanced Health Reporting is not Configured](#)
- [AWS Elastic Beanstalk with Managed Platform Updates Disabled](#)
- [AWS Fargate platform version is not latest](#)
- [AWS Systems Manager State Manager Association in Non-compliant Status](#)
- [CloudTrail trails are not configured with Amazon CloudWatch Logs](#)
- [Elastic Load Balancing Deletion Protection Not Enabled for Load Balancers](#)
- [RDS DB Cluster Deletion Protection Check](#)
- [RDS DB Instance Automatic Minor Version Upgrade Check](#)

## Amazon API Gateway Not Logging Execution Logs

### Description

Checks if Amazon API Gateway has CloudWatch Logs turned on at the desired logging level.

Turn on CloudWatch logging for REST API methods or WebSocket API routes in Amazon API Gateway to collect execution logs in CloudWatch Logs for requests received by your APIs. The

information contained in the execution logs helps identify and troubleshoot issues related to your API.

You can specify the logging level (ERROR, INFO) ID in the **loggingLevel** parameter in the AWS Config rules.

Refer to the REST API or WebSocket API documentation for more information about CloudWatch logging in Amazon API Gateway.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz125

## Source

AWS Config Managed Rule: api-gw-execution-logging-enabled

## Alert Criteria

Yellow: The CloudWatch logging setting for execution log collection isn't enabled at the desired logging level for an Amazon API Gateway.

## Recommended Action

Turn on CloudWatch logging for execution logs for your Amazon API Gateway [REST APIs](#) or [WebSocket APIs](#) with the appropriate logging level (ERROR, INFO).

For more information, see [Create a flow log](#)

## Additional Resources

- [Setting up CloudWatch logging for a REST API in API Gateway](#)
- [Configuring logging for a WebSocket API](#)

## Report columns

- Status

- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon API Gateway REST APIs Without X-Ray Tracing Enabled

### Description

Checks if Amazon API Gateway REST APIs have AWS X-Ray tracing turned on.

Turn on X-Ray tracing for your REST APIs to allow API Gateway to sample API invocation requests with trace information. This allows you to take advantage of AWS X-Ray to trace and analyze requests as they travel through your API Gateway REST APIs to the downstream services.

For more information, see [Tracing user requests to REST APIs using X-Ray](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz126

### Source

AWS Config Managed Rule: api-gw-xray-enabled

### Alert Criteria

Yellow: X-Ray tracing is not turned on for an API Gateway REST API.

## Recommended Action

Turn on X-Ray tracing for your API Gateway REST APIs.

For more information, see [Setting up AWS X-Ray with API Gateway REST APIs](#).

## Additional Resources

- [Tracing user requests to REST APIs using X-Ray](#)
- [What is AWS X-Ray?](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon CloudFront Access Log Configured

### Description

Checks if Amazon CloudFront distributions are configured to capture information from Amazon S3 server access logs. Amazon S3 server access logs contain detailed information about every user request that CloudFront receives.

You can adjust the name of the Amazon S3 bucket for storing server access logs, using the **S3BucketName** parameter in your AWS Config rules.

For more information, see [Configuring and using standard logs \(access logs\)](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz110

### Source

AWS Config Managed Rule: cloudfront-accesslogs-enabled

### Alert Criteria

Yellow: Amazon CloudFront access logging is not enabled

### Recommended Action

Make sure that you turn on CloudFront access logging to capture detailed information about every user request that CloudFront receives.

You can turn on standard logs when you create or update a distribution.

For more information, see [Values that you specify when you create or update a distribution](#).

### Additional Resources

- [Values that you specify when you create or update a distribution](#)
- [Configuring and using standard logs \(access logs\)](#)

### Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon CloudWatch Alarm Action is Disabled

### Description

Checks if your Amazon CloudWatch alarm action is in a disabled state.

You can use the AWS CLI to enable or disable the action feature in your alarm. Or, you can programmatically disable or enable the action feature using the AWS SDK. When the alarm

action feature is turned off, CloudWatch doesn't perform any defined action in any state (OK, INSUFFICIENT\_DATA, ALARM).

### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz109

## Source

AWS Config Managed Rule: cloudwatch-alarm-action-enabled-check

## Alert Criteria

Yellow: Amazon CloudWatch alarm action is not enabled. No action is performed in any alarm state.

## Recommended Action

Enable actions in your CloudWatch alarms unless you have a valid reason to disable them, such as for testing purposes.

If the CloudWatch alarm is no longer needed, delete it to avoid incurring unnecessary costs.

For more information, see [enable-alarm-actions](#) in the AWS CLI Command Reference and [func \(\\*CloudWatch\) EnableAlarmActions](#) in the AWS SDK for Go API Reference.

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon EC2 Instance Not Managed by AWS Systems Manager

### Description

Checks if the Amazon EC2 instances in your account are managed by AWS Systems Manager.

Systems Manager helps you understand and control the current state of your Amazon EC2 instance and OS configurations. With Systems Manager, you can collect software configuration and inventory information about your fleet of instances, including the software installed on them. This allows you to track detailed system configuration, OS patch levels, application configurations, and other details about your deployment.

For more information, see [Setting up Systems Manager for EC2 instances](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz145

### Source

AWS Config Managed Rule: ec2-instance-managed-by-systems-manager

### Alert Criteria

Yellow: The Amazon EC2 instances are not managed by Systems Manager.

### Recommended Action

Configure your Amazon EC2 instance to be managed by Systems Manager.

This check can't be excluded from view in the Trusted Advisor console.

For more information, see [Why is my EC2 instance not displaying as a managed node or showing a "Connection lost" status in Systems Manager?](#)

## Additional Resources

[Setting up Systems Manager for EC2 instances](#)

### Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon ECR Repository With Tag Immutability Disabled

### Description

Checks if a private Amazon ECR repository has image tag immutability turned on.

Turn on image tag immutability for a private Amazon ECR repository to prevent image tags from being overwritten. This allows you to rely on descriptive tags as a reliable mechanism to track and uniquely identify images. For example, if image tag immutability is turned on, then users can reliably use an image tag to correlate a deployed image version with the build that produced such image.

For more information, see [Image tag mutability](#).

 **Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz129

## Source

AWS Config Managed Rule: ecr-private-tag-immutability-enabled

### Alert Criteria

Yellow: An Amazon ECR private repository doesn't have tag immutability turned on.

### Recommended Action

Turn on image tag immutability for your Amazon ECR private repositories.

For more information, see [Image tag mutability](#).

### Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon ECS clusters with Container Insights disabled

### Description

Checks if Amazon CloudWatch Container Insights is turned on for your Amazon ECS clusters.

CloudWatch Container Insights collects, aggregates, and summarizes metrics and logs from your containerized applications and microservices. The metrics include utilization for resources such as CPU, memory, disk, and network.

For more information, see [Amazon ECS CloudWatch Container Insights](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz173

### Source

AWS Config Managed Rule: ecs-container-insights-enabled

### Alert Criteria

Yellow: Amazon ECS cluster does not have container insights enabled.

### Recommended Action

Turn on CloudWatch Container Insights on your Amazon ECS clusters.

For more information, see [Using Container Insights](#).

### Additional Resources

[Amazon ECS CloudWatch Container Insights](#)

### Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon ECS task logging not enabled

### Description

Checks if log configuration is set on active Amazon ECS task definitions.

Checking the log configuration in your Amazon ECS task definitions makes sure that logs generated by containers are properly configured and stored. This helps identify and troubleshoot issues more quickly, optimize performance, and meet compliance requirements.

By default, the logs that are captured show the command output that you typically see in an interactive terminal if you ran the container locally. The awslogs driver passes these logs from Docker to Amazon CloudWatch Logs.

For more information, see [Using the awslogs log driver](#).

 **Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz175

## Source

AWS Config Managed Rule: ecs-task-definition-log-configuration

## Alert Criteria

Yellow: Amazon ECS task definition does not have a logging configuration.

## Recommended Action

Consider specifying the log driver configuration in container definition to send log information to CloudWatch Logs or a different logging driver.

For more information, see [LogConfiguration](#).

## Additional Resources

Consider specifying the log driver configuration in container definition to send log information to CloudWatch Logs or a different logging driver.

For more information, see [Example task definitions](#).

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters

- Last Updated Time

## Amazon OpenSearch Service logging CloudWatch not configured

### Description

Checks if Amazon OpenSearch Service domains are configured to send logs to Amazon CloudWatch Logs.

Monitoring logs is crucial for maintaining the reliability, availability, and performance of OpenSearch Service.

Search slow logs, indexing slow logs, and error logs are useful for troubleshooting performance and stability issues your workload. These logs need to be enabled to capture data.

You can specify which log types that you want to filter (error, search, index) using the **logTypes** parameter in your AWS Config rules.

For more information, see [Monitoring Amazon OpenSearch Service domains](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz184

### Source

AWS Config Managed Rule: opensearch-logs-to-cloudwatch

### Alert Criteria

Yellow: Amazon OpenSearch Service does not have a logging configuration with Amazon CloudWatch Logs

## Recommended Action

Configure OpenSearch Service domains to publish logs to CloudWatch Logs.

For more information, see [Enabling log publishing \(console\)](#).

## Additional Resources

- [Monitoring OpenSearch Service cluster metrics with Amazon CloudWatch](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon RDS DB instances in the clusters with heterogeneous parameter groups

### Description

We recommend that all of the DB instances in the DB cluster use the same DB parameter group.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

## Check ID

c1qf5bt010

## Alert Criteria

Yellow: DB clusters have the DB instances with heterogeneous parameter groups.

## Recommended Action

Associate the DB instance with the DB parameter group associated with the writer instance in your DB cluster.

## Additional Resources

When the DB instances in your DB cluster use different DB parameter groups, there can be an inconsistent behavior during a failover or compatibility issues between the DB instances in your DB cluster.

For more information, see [Working with parameter groups](#).

## Report columns

- Status
- Region
- Resource
- Recommended Value
- Engine Name
- Last Updated Time

## Amazon RDS Enhanced Monitoring is turned off

### Description

Your database resources don't have Enhanced Monitoring turned on. Enhanced Monitoring provides real-time operating system metrics for monitoring and troubleshooting.

**Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Note**

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

**Check ID**

c1qf5bt004

**Alert Criteria**

Yellow: Amazon RDS resources don't have Enhanced Monitoring turned on.

**Recommended Action**

Turn on Enhanced Monitoring.

**Additional Resources**

Enhanced Monitoring for Amazon RDS provides additional visibility on the health of your DB instances. We recommend that you turn on Enhanced Monitoring. When the Enhanced Monitoring option is turned on for your DB instance, it collects vital operating system metrics and process information.

For more information, see [Monitoring OS metrics with Enhanced Monitoring](#).

## Report columns

- Status
- Region
- Resource
- Recommended Value
- Engine Name
- Last Updated Time

## Amazon RDS Performance Insights is turned off

### Description

Amazon RDS Performance Insights monitors your DB instance load to help you analyze and resolve database performance issues. We recommend that you turn on Performance Insights.

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**.

If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

## Check ID

c1qf5bt012

## Alert Criteria

Yellow: Amazon RDS resources don't have Performance Insights turned on.

## Recommended Action

Turn on Performance Insights.

## Additional Resources

Performance Insights uses a lightweight data collection method that doesn't impact the performance of your applications. Performance Insights helps you assess the database load quickly.

For more information, see [Monitoring DB load with Performance Insights on Amazon RDS](#).

## Report columns

- Status
- Region
- Resource
- Recommended Value
- Engine Name
- Last Updated Time

## Amazon RDS track\_counts parameter is turned off

### Description

When the **track\_counts** parameter is turned off, the database doesn't collect the database activity statistics. Autovacuum requires these statistics to work correctly.

We recommend that you set **track\_counts** parameter to 1

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Note

When a DB instance or DB cluster is stopped, you can view the Amazon RDS recommendations in Trusted Advisor for 3 to 5 days. After five days, the recommendations are not available in Trusted Advisor. To view the recommendations, open the Amazon RDS console, and then choose **Recommendations**. If you delete a DB instance or DB cluster, then recommendations associated with those instances or clusters are not available in Trusted Advisor or the Amazon RDS management console.

## Check ID

c1qf5bt027

## Alert Criteria

Yellow: DB parameter groups have **track\_counts** parameter turned off.

## Recommended Action

Set **track\_counts** parameter to 1

## Additional Resources

When **track\_counts** parameter is turned off, it disables the collection of database activity statistics. The autovacuum daemon requires the collected statistics to identify the tables for autovacuum and autoanalyze.

For more information, see [Run-time Statistics for PostgreSQL](#) on the PostgreSQL documentation website.

## Report columns

- Status
- Region
- Resource

- Parameter Value
- Recommended Value
- Last Updated Time

## Amazon Redshift cluster audit logging

### Description

Checks if your Amazon Redshift clusters have database audit logging turned on. Amazon Redshift logs information about connections and user activities in your database.

You can specify your desired logging Amazon S3 bucket name to match in the **bucketNames** parameter of your AWS Config rules.

For more information, see [Database audit logging](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz134

### Source

AWS Config Managed Rule: redshift-audit-logging-enabled

### Alert Criteria

Yellow: An Amazon Redshift cluster has database audit logging disabled

### Recommended Action

Turn on logging and monitoring for your Amazon Redshift clusters.

For more information, see [Configuring auditing using the console](#).

## Additional Resources

### [Logging and monitoring in Amazon Redshift](#)

#### Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon S3 Access Logs Enabled

#### Description

Checks the logging configuration of Amazon Simple Storage Service buckets.

Activating server access logging delivers detailed hourly access logs to a specified Amazon S3 bucket. Access logs contain request details including type, specified resources, and processing time/date. Logging is turned off by default. Customers should activate access logging to perform security audits or analyze user behavior and usage patterns.

When logging is initially activated, the configuration is automatically validated. However, future modifications can result in logging failures. Note that currently this check doesn't examine Amazon S3 bucket write permissions.

#### Check ID

c1fd6b9614

#### Alert Criteria

- Yellow: The bucket does not have server access logging enabled.
- Yellow: The target bucket permissions do not include the root account, so Trusted Advisor cannot check it.
- Red: The target bucket does not exist.
- Red: The target bucket and the source bucket have different owners.
- Green: Bucket has server access logging enabled, the target exists, and permissions to write to target exists

## Recommended Action

Activate server access logging for all relevant Amazon S3 buckets. Server access logs provide an audit trail that can be used to understand bucket access patterns and investigate suspicious activity. Activating logging on all applicable buckets will improve visibility into access events across your Amazon S3 environment. See [Enabling Logging Using the Console](#) and [Enabling Logging Programmatically](#).

If the target bucket permissions do not include the root account and you want Trusted Advisor to check the logging status, add the root account as a grantee. See [Editing Bucket Permissions](#).

If the target bucket does not exist, select an existing bucket as a target or create a new one and select it. See [Managing Bucket Logging](#).

If the target and source have different owners, change the target bucket to one that has the same owner as the source bucket. See [Managing Bucket Logging](#).

## Additional Resources

[Working with buckets](#)

[Server access logging](#)

[Server access log format](#)

[Deleting log files](#)

## Report columns

- Status
- Region
- Resource ARN
- Bucket Name
- Target Name
- Target Exists
- Same Owner
- Write Enabled
- Reason
- Last Updated Time

## Amazon S3 does not have Event Notifications enabled

### Description

Checks if Amazon S3 Event Notifications is enabled or is correctly configured with the desired destination or types.

The Amazon S3 Event Notifications feature sends notifications when certain events happen in your Amazon S3 buckets. Amazon S3 can send notification messages to Amazon SQS queues, Amazon SNS topics, and AWS Lambda functions.

You can specify your desired destination and event types using the **destinationArn** and **eventTypes** parameters of your AWS Config rules.

For more information, see [Amazon S3 Event Notifications](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz163

### Source

AWS Config Managed Rule: s3-event-notifications-enabled

### Alert Criteria

Yellow: Amazon S3 does not have Event Notifications enabled, or not configured with the desired destination or types.

### Recommended Action

Configure Amazon S3 Event Notifications for object and bucket events.

For more information, see [Enabling and configuring event notifications using the Amazon S3 console](#).

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon SNS Topics Not Logging Message Delivery Status

### Description

Checks if Amazon SNS topics have message delivery status logging turned on.

Configure Amazon SNS topics for logging message delivery status to help provide better operational insights. For example, message delivery logging verifies if a message was delivered to a particular Amazon SNS endpoint. And, it also helps identify the response sent from the endpoint.

For more information, see [Amazon SNS message delivery status](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz121

### Source

AWS Config Managed Rule: sns-topic-message-delivery-notification-enabled

## Alert Criteria

Yellow: Message delivery status logging is not turned on for an Amazon SNS topic.

## Recommended Action

Turn on message delivery status logging for your SNS topics.

For more information, see [Configuring delivery status logging using the AWS Management Console](#).

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Amazon VPC Without Flow Logs

### Description

Checks if Amazon Virtual Private Cloud Flow Logs are created for a VPC.

You can specify the traffic type using the **trafficType** parameter in your AWS Config rules.

For more information, see [Logging IP traffic using VPC Flow Logs](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz122

## Source

AWS Config Managed Rule: vpc-flow-logs-enabled

## Alert Criteria

Yellow: VPCs do not have Amazon VPC Flow Logs.

## Recommended Action

Create VPC Flow Logs for each of your VPCs.

For more information, see [Create a flow log](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Application Load Balancers and Classic Load Balancers Without Access Logs Enabled

### Description

Checks if Application Load Balancers and Classic Load Balancers have access logging enabled.

Elastic Load Balancing provides access logs that capture detailed information about requests sent to your load balancer. Each log contains information such as the time the request was received, the client's IP address, latencies, request paths, and server responses. You can use these access logs to analyze traffic patterns and troubleshoot issues.

Access logs are an optional feature of Elastic Load Balancing that is disabled by default. After you enable access logs for your load balancer, Elastic Load Balancing captures the logs and stores them in the Amazon S3 bucket that you specify.

You can specify the access log Amazon S3 bucket that you want to check using the **s3BucketNames** parameter in your AWS Config rules.

For more information, see [Access logs for your Application Load Balancer](#) or [Access logs for your Classic Load Balancer](#).

 **Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz167

## Source

AWS Config Managed Rule: elb-logging-enabled

## Alert Criteria

Yellow: Access logs feature not enabled for an Application Load Balancer or Classic Load Balancer.

## Recommended Action

Enable access logs for your Application Load Balancers and Classic Load Balancers.

For more information, see [Enable access logs for your Application Load Balancer](#) or [Enable access logs for your Classic Load Balancer](#).

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## CloudFormation Stack Notification

### Description

Checks if all of your CloudFormation stacks use Amazon SNS to receive notifications when an event occurs.

You can configure this check to look for specific Amazon SNS topic ARNs using parameters in your AWS Config rules.

For more information, see [Setting CloudFormation stack options](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz111

### Source

AWS Config Managed Rule: `cloudformation-stack-notification-check`

### Alert Criteria

Yellow: Amazon SNS event notifications for your CloudFormation stacks are not turned on.

### Recommended Action

Make sure that your CloudFormation stacks use Amazon SNS to receive notifications when an event occurs.

Monitoring stack events helps you to respond quickly to unauthorized actions that might alter your AWS environment.

### Additional Resources

[How can I receive an email alert when my AWS CloudFormation stack enters ROLLBACK\\_IN\\_PROGRESS status?](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## AWS CloudTrail data events logging for objects in an S3 bucket

### Description

Checks if at least one AWS CloudTrail trail logs Amazon S3 data events for all of your Amazon S3 buckets.

For more information, see [Logging Amazon S3 API calls using AWS CloudTrail](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz166

### Source

AWS Config Managed Rule: cloudtrail-s3-dataevents-enabled

### Alert Criteria

Yellow: AWS CloudTrail event logging for Amazon S3 buckets is not configured

## Recommended Action

Enable CloudTrail event logging for Amazon S3 buckets and objects to track requests for target bucket access.

For more information, see [Enabling CloudTrail event logging for S3 buckets and objects](#).

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## AWS CodeBuild Project Logging

### Description

Checks if the AWS CodeBuild project environment uses logging. Logging options can be logs in Amazon CloudWatch Logs, or built in a specified Amazon S3 bucket, or both. Enabling logging in a CodeBuild project can provide several benefits such as debugging and auditing.

You can specify the name of the Amazon S3 bucket or CloudWatch Logs group for storing the logs, using the **s3BucketNames** or **cloudWatchGroupNames** parameter in your AWS Config rules.

For more information, see [Monitoring AWS CodeBuild](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz113

### Source

AWS Config Managed Rule: codebuild-project-logging-enabled

### Alert Criteria

Yellow: AWS CodeBuild project logging is not enabled.

### Recommended Action

Make sure that logging is turned on in your AWS CodeBuild project. This check can't be excluded from view in the AWS Trusted Advisor console.

For more information, see [Logging and monitoring in AWS CodeBuild](#).

### Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## AWS CodeDeploy Auto Rollback and Monitor Enabled

### Description

Checks if the deployment group is configured with automatic deployment rollback and deployment monitoring with alarms attached. If something goes wrong during a deployment, it is automatically rolled back, and your application remains in a stable state

For more information, see [Redeploy and roll back a deployment with CodeDeploy](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz114

## Source

AWS Config Managed Rule: codedeploy-auto-rollback-monitor-enabled

## Alert Criteria

Yellow: AWS CodeDeploy automatic deployment rollback and deployment monitoring are not enabled.

## Recommended Action

Configure a deployment group or deployment to automatically roll back when a deployment fails or when a monitoring threshold you specify is met.

Configure alarm to monitor various metrics, such as CPU usage, memory usage, or network traffic, during the deployment process. If any of these metrics exceed certain thresholds, the alarms trigger, and the deployment is stopped or rolled back.

For information on setting up automatic rollbacks and configuring alarms for your deployment groups, see [Configure advanced options for a deployment group](#).

## Additional Resources

[What is CodeDeploy?](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters

- Last Updated Time

## AWS CodeDeploy Lambda is using all-at-once deployment configuration

### Description

Checks if the AWS CodeDeploy deployment group for AWS Lambda compute platform is using all-at-once deployment configuration.

To reduce the risk of deployment failures of your Lambda functions in CodeDeploy, it's a best practice to use the canary or linear deployment configuration instead of the default option where all traffic is shifted from the original Lambda function to the updated function at once.

For more information, see [Lambda function versions](#) and [Deployment configuration](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz115

### Source

AWS Config Managed Rule: codedeploy-lambda-allatonce-traffic-shift-disabled

### Alert Criteria

Yellow: AWS CodeDeploy Lambda deployment uses the all-at-once deployment configuration to shift all traffic to the updated Lambda functions at once.

### Recommended Action

Use the Canary or Linear deployment configuration of CodeDeploy deployment group for the Lambda compute platform.

## Additional Resources

### [Deployment configuration](#)

#### Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## AWS Elastic Beanstalk Enhanced Health Reporting is not Configured

#### Description

Checks if an AWS Elastic Beanstalk environment is configured for enhanced health reporting.

Elastic Beanstalk enhanced health reporting provides detailed performance metrics, such as CPU usage, memory usage, network traffic, and infrastructure health information, such as number of instances and load balancer status.

For more information, see [Enhanced health reporting and monitoring](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

#### Check ID

c18d2gz108

#### Source

AWS Config Managed Rule: beanstalk-enhanced-health-reporting-enabled

## Alert Criteria

Yellow: Elastic Beanstalk environment is not configured for enhanced health reporting

## Recommended Action

Make sure that an Elastic Beanstalk environment is configured for enhanced health reporting.

For more information, see [Enabling enhanced health reporting using the Elastic Beanstalk console](#).

## Additional Resources

- [Enabling Elastic Beanstalk enhanced health reporting](#)
- [Enhanced health reporting and monitoring](#)

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## AWS Elastic Beanstalk with Managed Platform Updates Disabled

### Description

Checks if managed platform updates in Elastic Beanstalk environments and configuration templates are enabled.

AWS Elastic Beanstalk regularly releases platform updates to provide fixes, software updates, and new features. With managed platform updates, Elastic Beanstalk can automatically perform platform updates for new patch and minor platform versions.

You can specify your desired update level in the **UpdateLevel** parameters of your AWS Config rules.

For more information, see [Updating your Elastic Beanstalk environment's platform version](#).

**Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

**Check ID**

c18d2gz177

**Source**

AWS Config Managed Rule: elastic-beanstalk-managed-updates-enabled

**Alert Criteria**

Yellow: AWS Elastic Beanstalk managed platform updates is not configured at all, including at a minor or patch level.

**Recommended Action**

Enable managed platform updates in your Elastic Beanstalk environments, or configure it at a minor or update level.

For more information, see [Managed platform updates](#).

**Additional Resources**

- [Enabling Elastic Beanstalk enhanced health reporting](#)
- [Enhanced health reporting and monitoring](#)

**Report columns**

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## AWS Fargate platform version is not latest

### Description

Checks if Amazon ECS is running the latest platform version of AWS Fargate. The Fargate platform version refers to a specific runtime environment for Fargate task infrastructure. It's a combination of the kernel and container runtime versions. New platform versions are released as runtime environment evolves. For example, if there are kernel or operating system updates, new features, bug fixes, or security updates.

For more information, see [Fargate task maintenance](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion API](#) to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz174

### Source

AWS Config Managed Rule: ecs-fargate-latest-platform-version

### Alert Criteria

Yellow: Amazon ECS is not running on the latest version of the Fargate platform.

### Recommended Action

Update to the latest Fargate platform version.

For more information, see [Fargate task maintenance](#).

### Report columns

- Status
- Region

- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## AWS Systems Manager State Manager Association in Non-compliant Status

### Description

Checks if the status of the AWS Systems Manager association compliance is COMPLIANT or NON\_COMPLIANT after the association execution on the instance.

State Manager, a capability of AWS Systems Manager, is a secure and scalable configuration management service that automates the process of keeping your managed nodes and other AWS resources in a state that you define. A State Manager association is a configuration that you assign to your AWS resources. The configuration defines the state that you want to maintain on your resources, so it helps you to achieve the target, such as avoidance of configuration drifts across your Amazon EC2 instances.

For more information, see [AWS Systems Manager State Manager](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz147

### Source

AWS Config Managed Rule: ec2-managedinstance-association-compliance-status-check

## Alert Criteria

Yellow: The status of the AWS Systems Manager association compliance is NON\_COMPLIANT.

## Recommended Action

Validate the status of the State Manager associations, and then take any needed actions to return the status back to COMPLIANT.

For more information, see [About State Manager](#).

## Additional Resources

[AWS Systems Manager State Manager](#)

### Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## CloudTrail trails are not configured with Amazon CloudWatch Logs

### Description

Checks if AWS CloudTrail trails are configured to send logs to CloudWatch Logs.

Monitor CloudTrail Log files with CloudWatch Logs to trigger an automated response when critical events are captured in AWS CloudTrail.

For more information, see [Monitoring CloudTrail Log Files with CloudWatch Logs](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz164

## Source

AWS Config Managed Rule: cloud-trail-cloud-watch-logs-enabled

## Alert Criteria

Yellow: AWS CloudTrail is not set up with CloudWatch Logs integration.

## Recommended Action

Configure CloudTrail trails to send log events to CloudWatch Logs.

For more information, see [Creating CloudWatch alarms for CloudTrail events: examples](#).

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Elastic Load Balancing Deletion Protection Not Enabled for Load Balancers

### Description

Checks if deletion protection is turned on for your load balancers.

Elastic Load Balancing supports deletion protection for your Application Load Balancers, Network Load Balancers, and Gateway Load Balancers. Turn on deletion protection to prevent your load balancer from accidental deletion. Deletion protection is turned off by default when you create a load balancer. If your load balancers are part of a production environment, then consider turning on deletion protection.

Access logs are an optional feature of Elastic Load Balancing that is disabled by default. After you enable access logs for your load balancer, Elastic Load Balancing captures the logs and stores them in the Amazon S3 bucket that you specify.

For more information, see [Application Load Balancer Deletion protection](#), [Network Load Balancers Deletion protection](#), or [Gateway Load Balancers Deletion protection](#).

 **Note**

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion API](#) to include or exclude one or more resources from your Trusted Advisor results.

## Check ID

c18d2gz168

## Source

AWS Config Managed Rule: elb-deletion-protection-enabled

## Alert Criteria

Yellow: Deletion protection is not enabled for a load balancer.

## Recommended Action

Turn on deletion protection for your Application Load Balancers, Network Load Balancers, and Gateway Load Balancers.

For more information, see [Application Load Balancer Deletion protection](#), [Network Load Balancers Deletion protection](#), or [Gateway Load Balancers Deletion protection](#).

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## RDS DB Cluster Deletion Protection Check

### Description

Checks if your Amazon RDS DB clusters have deletion protection enabled.

When a cluster is configured with deletion protection, the database cannot be deleted by any user.

Deletion protection is available for Amazon Aurora and RDS for MySQL, RDS for MariaDB, RDS for Oracle, RDS for PostgreSQL, and RDS for SQL Server database instances in all AWS Regions.

For more information, see [Deletion protection for Aurora clusters](#).

### Check ID

c18d2gz160

### Source

AWS Config Managed Rule: rds-cluster-deletion-protection-enabled

### Alert Criteria

Yellow: You have Amazon RDS DB clusters that don't have deletion protection enabled.

### Recommended Action

Turn on deletion protection when you create an Amazon RDS DB cluster.

You can only delete clusters that don't have deletion protection enabled. Enabling deletion protection adds an extra layer of protection and avoids data loss from accidental or non-accidental deletion of a database instance. Deletion protection also helps meet regulatory compliance requirements and ensure business continuity.

For more information, see [Deletion protection for Aurora clusters](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

## Additional Resources

[Deletion protection for Aurora clusters](#)

### Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## RDS DB Instance Automatic Minor Version Upgrade Check

### Description

Checks if Amazon RDS DB instances have automatic minor version upgrades configured.

Turn on automatic minor version upgrades for an Amazon RDS instance to make sure that the database is always running the latest secure and stable version. Minor upgrades provide security updates, bug fixes, performance improvements, and maintain compatibility with existing applications.

For more information, see [Upgrading a DB instance engine version](#).

#### Note

Results for this check are automatically refreshed several times daily, and refresh requests are not allowed. It might take a few hours for changes to appear.

For AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan customers, you can use the [BatchUpdateRecommendationResourceExclusion](#) API to include or exclude one or more resources from your Trusted Advisor results.

### Check ID

c18d2gz155

## Source

AWS Config Managed Rule: rds-automatic-minor-version-upgrade-enabled

## Alert Criteria

Yellow: RDS DB instance does not have automatic minor version upgrades turned on.

## Recommended Action

Turn on automatic minor version upgrades when you create a Amazon RDS DB instance.

When you turn on minor version upgrade, the database version automatically upgrades if it is running a minor version of the DB engine that is lower than the [Manually upgrading the engine version](#).

## Report columns

- Status
- Region
- Resource
- AWS Config Rule
- Input Parameters
- Last Updated Time

## Change log for AWS Trusted Advisor

See the following topic for recent changes to Trusted Advisor checks.

### Note

If you use the Trusted Advisor console or the AWS Support API, deprecated checks won't appear in check results. If you use a deprecated check, such as specifying the check ID in an AWS Support API operation or your code, then you receive API call errors. Remove these checks to avoid errors.

For more information about the available checks, see the [AWS Trusted Advisor check reference](#).

Change date	Check name	Change description
January 9, 2026	Deprecated 5 Cost Optimization Trusted Advisor checks	<p>The following checks were deprecated:</p> <ul style="list-style-type: none"> <li>• Savings Plan - vZ2c2W1srf</li> <li>• Amazon Relational Database Service (RDS) Reserved Instance Optimization - 1qazXsw23e</li> <li>• Amazon Redshift Reserved Node Optimization - 1qw23er45t</li> <li>• Amazon ElastiCache Reserved Node Optimization - h3L1otH3re</li> <li>• Amazon OpenSearch Service Reserved Instance Optimization - 7ujm6yhn5t</li> </ul>
December 18, 2025	Updated <a href="#">Amazon S3 Bucket Versioning</a>	<p>Added a new <b>Alert criteria</b>:</p> <ul style="list-style-type: none"> <li>• Yellow: Trusted Advisor doesn't have access to validate versioning</li> </ul>
December 17, 2025	Updated <a href="#">Amazon S3 Bucket Permissions</a>	Updated the <b>Alert criteria</b> section.
November 21, 2025	Updated <a href="#">Application Load Balancer security group</a>	Updated the Application Load Balancer security group alerts and recommendations.
November 17, 2025	Updated <a href="#">AWS STS global endpoint usage across AWS Regions check</a> description	Updated the AWS STS global endpoint usage across AWS Regions check description to

Change date	Check name	Change description
		clarify when check results are refreshed.
October 15, 2025	Updated multiple check descriptions	A note was added to multiple check descriptions to indicate that the check reports all resources that are flagged by the criteria and the total number of resources evaluated, including OK resources. The resources table lists only the flagged resources.
October 10, 2025	Updated check reference	Updated the check reference to show all available checks.
September 11, 2025	<a href="#">L4dfs2Q4C5: AWS Lambda functions using deprecated runtimes</a>	Updated <b>Yellow</b> alert criterion to indicate that runtimes deprecating within at least 180 are included.
August 19, 2025	<a href="#">Pfx0RwqBli: Amazon S3 Bucket Permissions</a>	Alert criteria updated: <i>Trusted Advisor does not have permission to check the policy or ACL, or the policy or ACL could not be evaluated for other reasons changed from Yellow to Red.</i>
July 22, 2025	<ul style="list-style-type: none"><li>vjafUGJ9H0: AWS CloudTrail Logging</li><li>BueAdJ7NrP: Amazon S3 Bucket Logging</li></ul>	These checks are deprecated.

Change date	Check name	Change description
July 03, 2025	<a href="#">Pfx0RwqBli: Amazon S3 Bucket Permissions</a>	The <b>Alert criteria</b> is updated to reflect all Yellow and Red criteria.
July 03, 2025	<a href="#">c1dfprch15: Amazon EC2 instances with Ubuntu LTS end of standard support</a>	Updated the note to indicate that this check refreshes at least once daily.
July 02, 2025	<a href="#">c1dvkm4z6b: Amazon ECS AWSLogs driver in blocking mode</a>	Amazon ECS changed the default setting for awslogs driver logging configuration parameter mode from blocking to non-blocking . The Yellow status description has been updated to reflect this change.
July 02, 2025	<a href="#">7DAFFemoDos: MFA on root account</a>	Added information indicating that member account root user credentials can be deleted centrally, removing the need to manage MFA on root user credentials.
June 9, 2025	<a href="#">c1z7kmr17n: Amazon Aurora cost optimization recommendations for DB cluster storage</a>	New check
June 09, 2025	<a href="#">c15m0mgld3: AWS STS global endpoint usage across AWS Regions</a>	Updated check: This check is now available for all AWS Support plans.
June 02, 2025	<a href="#">c15m0mgld3: AWS STS global endpoint usage across AWS Regions</a>	New check

Change date	Check name	Change description
May 30, 2025	<ul style="list-style-type: none"><li>• c1z7kmr15n: <a href="#">Amazon DynamoDB reserved capacity purchase recommendations</a></li><li>• c1z7kmr02n: <a href="#">Amazon EBS cost optimization recommendations for volumes</a></li><li>• c1z7kmr01n: <a href="#">Amazon EC2 cost optimization recommendations for Amazon EC2 Auto Scaling groups</a></li><li>• c1z7kmr00n: <a href="#">Amazon EC2 cost optimization recommendations for instances</a></li><li>• c1z7kmr13n: <a href="#">Amazon ElastiCache reserved node purchase recommendations</a></li><li>• c1z7kmr16n: <a href="#">Amazon MemoryDB reserved node purchase recommendations</a></li><li>• c1z7kmr14n: <a href="#">Amazon OpenSearch Service Reserved Instance purchase recommendations</a></li><li>• c1z7kmr04n: <a href="#">Amazon RDS cost optimization recommendations for DB instance storage</a></li><li>• c1z7kmr03n: <a href="#">Amazon RDS cost optimization</a></li></ul>	New Cost Optimization Hub checks

Change date	Check name	Change description
	<p><a href="#">recommendations for DB instances</a></p> <ul style="list-style-type: none"> <li>• c1z7kmr11n: <a href="#">Amazon RDS Reserved Instance purchase recommendations</a></li> <li>• c1z7kmr12n: <a href="#">Amazon Redshift reserved node purchase recommendations</a></li> <li>• c1z7kmr06n: <a href="#">AWS Fargate cost optimization recommendations for Amazon ECS</a></li> <li>• c1z7kmr05n: <a href="#">AWS Lambda cost optimization recommendations for functions</a></li> <li>• c1z7kmr08n: <a href="#">AWS Savings Plans purchase recommendations for Amazon SageMaker AI</a></li> <li>• c1z7kmr09n: <a href="#">AWS Savings Plans purchase recommendations for compute</a></li> </ul>	
April 30, 2025	<ul style="list-style-type: none"> <li>• <a href="#">N420c450f2: CloudFront Alternate Domain Names</a></li> <li>• <a href="#">N425c450f2: CloudFront Custom SSL Certificates in the IAM Certificate Store</a></li> </ul>	Added a note indicating that this check applies to classic Amazon CloudFront distributions.
April 30, 2025	<a href="#">N415c450f2: CloudFront Header Forwarding and Cache Hit Ratio</a>	Added a note indicating that this check applies to classic Amazon CloudFront distributions.

Change date	Check name	Change description
April 02, 2025	c1dfprch02: Amazon EFS Throughput Mode Optimization	The description of this check has changed. For more information, see <a href="#">Amazon EC2 instances with Microsoft Windows Server end of support.</a>
April 02, 2025	Qsdfp3A4L4: Amazon EC2 instances with Microsoft Windows Server end of support	The description of this check has changed. For more information, see <a href="#">Amazon EFS Throughput Mode Optimization.</a>

## Older updates

The following AWS Security Hub CSPM checks are deprecated:

Check name	Check ID
S3.10 - S3 general purpose buckets with versioning enabled should have lifecycle configurations	Hs4Ma3G211
S3.11 - S3 general purpose buckets should have event notifications enabled	Hs4Ma3G212
CodeBuild.5 - CodeBuild project environments should not have privileged mode enabled	Hs4Ma3G218
CloudFormation.1 - CloudFormation stacks should be integrated with Amazon Simple Notification Service (SNS)	Hs4Ma3G245

Check name	Check ID
SNS.2 - Logging of delivery status should be enabled for notification messages sent to a topic	Hs4Ma3G263
Athena.1 - Athena workgroups should be encrypted at rest	Hs4Ma3G294

## New check: Amazon RDS Continuous Backup Not Enabled

Trusted Advisor added the following check on December 23, 2024.

Check name	Check category	Check ID
Amazon RDS Continuous Backup Not Enabled	Fault tolerance	44fde09ab5

Checks if an Amazon RDS instance is enabled with automated backups using Amazon RDS or with continuous backups of AWS Backup. Continuous backups reduce the risk of unexpected data loss and allow for point-in-time recovery.

For more information, see [Amazon RDS Continuous Backup Not Enabled](#).

## New check: AWS CloudTrail Management Events Logging

Trusted Advisor added the following check on December 23, 2024.

Check name	Check category	Check ID
AWS CloudTrail Management Events Logging	Security	c25hn9x03v

Checks your use of AWS CloudTrail.

For more information, see [AWS CloudTrail Management Event Logging](#).

## Updated the Auto Scaling Group Resources check

Trusted Advisor updated the following check on December 23, 2024.

Check name	Check category	Check ID
Auto Scaling Group Resources	Fault tolerance	8CNS11I5v

The description of this check is updated to include launch configurations and launch templates.

A new alert criteria, Red: A launch template is associated with a deleted Amazon Machine Image (AMI). was added.

For more information, see [Auto Scaling Group Resources](#).

## Updated the IAM Access Analyzer External Access check

Trusted Advisor updated the following check on December 23, 2024.

Check name	Check category	Check ID
IAM Access Analyzer External Access	Security	07602fcad6

The description of this check is updated to indicate that it analyzes IAM access at the account level.

For more information, see [IAM Access Analyzer External Access](#).

## Added 1 new check

Trusted Advisor added 1 new check on November 22, 2024:

- 8604e947f2 - [Application Load Balancer Security Groups](#)

## Updated 3 checks

Trusted Advisor updated 3 checks on November 7, 2024:

- b92b83d667 - [ELB Target Imbalance](#)
- 8CNsSllI5v - [Auto Scaling Group Resources](#)
- wuy7G1zxql - [Amazon EC2 Availability Zone Balance](#)

## Added 4 checks

Trusted Advisor added 4 new checks on October 11, 2024:

- 07602fcad6 - IAM Access Analyzer - external access
- 528d6f5ee7 - GWLB - Endpoint AZ
- c2vlfg0jp6 - Inactive VPC interface endpoints
- c2vlfg0k35 - Inactive Gateway Load Balancer endpoints

## Updated 3 checks

Trusted Advisor updated 3 checks on October 2, 2024:

- Check ID 7040ea389a moved from Cost Optimization pillar to the Fault Tolerance pillar
- Updated Check ID 7DAFEmoDos
- Updated Check ID Cmsvnj8db2

## Added 9 new checks

Trusted Advisor added 9 new checks on August 23, 2024:

- c2vlfg0p86 - [IAM] - SAML 2.0 Identity Provider
- 7040ea389a - Network Firewall endpoint Cross-AZ Data Transfer
- c2vlfg0bfw - Low utilization Network Firewall
- c2vlfg0gqd - Network Firewall Multi-AZ
- c2vlfg0p1w - Application Load Balancer Target Groups encrypted protocol
- c2vlfg022t - [NAT Gateway] - Underutilized Resource
- c243hjzrh - AWS Outposts Single Rack deployment
- b92b83d667 - ELB Target Imbalance
- 90046ff5b5 - MSK availability is limited to two zones

For more information, see the [AWS Trusted Advisor check reference](#).

## Updated 1 Security check and added 1 Security check

Trusted Advisor updated 1 Operational Excellence checks on August 22, 2024:

- c1fd6b96l4

Trusted Advisor added 1 Security checks on August 22, 2024:

- c2vlfg0f4h

For more information, see the [AWS Trusted Advisor check reference](#).

## Updated 6 Security checks

Trusted Advisor updated 6 Security checks on August 20, 2024:

- nNauJisYIT
- c9D319e7sG
- a2sEc6ILx
- HCP4007jGY
- 1iG5NDGVre
- Yw2K9puPzl

For more information, see the [AWS Trusted Advisor check reference](#).

## Updated 1 fault tolerance checks

Trusted Advisor updated the 1 fault tolerance check and 1 security on August 12, 2024:

- VPN Tunnel Redundancy
- Amazon RDS engine minor version upgrade is required

For more information, see the [AWS Trusted Advisor check reference](#).

## Updated 9 checks

Trusted Advisor updated the 9 checks on July 21, 2024:

- 7qGXsKIUw
- ZRxQlPsb6c
- N425c450f2
- 7DAFEmoDos
- Pfx0RwqBli
- H7IgTzjTYb
- C056F80cR3
- Yw2K9puPzl
- xSqX82fQu

For more information, see the [AWS Trusted Advisor check reference](#).

## Removed 5 checks and added 1 check

Trusted Advisor deprecated 3 Fault Tolerance checks, 1 Performance check, and 1 Security check on May 15, 2024:

- IAM Use
- ELB Cross-Zone Load Balancing
- Overutilized Amazon EBS Magnetic Volumes
- Large Number of EC2 Security Group Rules Applied to an Instance
- Large Number of Rules in an EC2 Security Group

Trusted Advisor added 1 new security check on May 15, 2024:

- Amazon S3 Server Access Logs Enabled

For more information, see the [AWS Trusted Advisor check reference](#).

## Removed fault tolerance checks

Trusted Advisor deprecated 3 Fault Tolerance check on April 25, 2024:

- Direct Connect Connection Redundancy
- Direct Connect Location Redundancy
- Direct Connect Virtual Interface Redundancy

For more information, see the [AWS Trusted Advisor check reference](#).

## New fault tolerance check

Trusted Advisor added 1 Fault Tolerance check on February 29, 2024:

- NLB - Internet-facing resource in private subnet

For more information, see the [AWS Trusted Advisor check reference](#).

## Updated fault tolerance and security checks

Trusted Advisor added 1 new Fault Tolerance check and amended 1 existing Fault tolerance and 1 Security check on March 28 2024:

- Added AWS Resilience Hub Application Component check
- Updated AWS Lambda VPC-enabled Functions without Multi-AZ Redundancy
- Updated AWS Lambda Functions Using Deprecated Runtimes

For more information, see the [AWS Trusted Advisor check reference](#).

## New fault tolerance check

Trusted Advisor added 1 Fault Tolerance check on January 31, 2024:

- Direct Connect Location Resiliency

For more information, see the [AWS Trusted Advisor check reference](#).

## Updated fault tolerance check

Trusted Advisor amended 1 Fault Tolerance check on January 08, 2024:

- Amazon RDS innodb\_flush\_log\_at\_trx\_commit parameter is not 1

For more information, see the [AWS Trusted Advisor check reference](#).

## Updated security check

Trusted Advisor amended 1 Security check on December 21, 2023:

- AWS Lambda Functions Using Deprecated Runtimes

For more information, see the [AWS Trusted Advisor check reference](#).

## New security and performance checks

Trusted Advisor added 2 new Security checks and 2 new Performance checks on December 20, 2023:

- Amazon EFS clients not using data-in-transit encryption
- Amazon Aurora DB cluster under-provisioned for read workload
- Amazon RDS instance under-provisioned for system capacity
- Amazon EC2 instances with Ubuntu LTS end of standard support

For more information, see the [AWS Trusted Advisor check reference](#).

## New security check

Trusted Advisor added 1 new Security check on December 15, 2023:

- Amazon Route 53 mismatching CNAME records pointing directly to S3 buckets

For more information, see the [AWS Trusted Advisor check reference](#).

## New fault tolerance and cost optimization checks

Trusted Advisor added 2 new Fault Tolerance checks and 1 new Cost Optimization check on December 07, 2023:

- Amazon DocumentDB Single-AZ clusters
- Amazon S3 Incomplete Multipart Upload Abort Configuration
- Amazon ECS AWSLogs driver in blocking mode

For more information, see the [AWS Trusted Advisor check reference](#).

## New fault tolerance checks

Trusted Advisor added 3 new fault tolerance checks on November 17, 2023:

- ALB Multi-AZ
- NLB Multi-AZ
- VPC interface endpoint network interfaces in multiple AZs

For more information, see the [AWS Trusted Advisor check reference](#).

## New checks for Amazon RDS

Trusted Advisor added 37 new checks for Amazon RDS on November 15, 2023.

For more information, see the [AWS Trusted Advisor check reference](#).

## New AWS Trusted Advisor API

AWS Trusted Advisor introduces new APIs to enable you to programmatically access Trusted Advisor best practice checks, recommendations, and prioritized recommendations. Trusted Advisor APIs enable you to programmatically integrate Trusted Advisor with your preferred operational tool to automate and optimize your workloads at scale. Available to Business, Enterprise On-Ramp, or Enterprise Support customers, the new APIs provide access to Trusted Advisor recommendations for your account or all the linked accounts within a payer account. Enterprise Support customers with access to management or delegated administrator accounts can additionally programmatically retrieve prioritized recommendations across their organization.

The new Trusted Advisor APIs will replace the 3 functionalities previously offered through AWS Support API (SAPI). SAPI will continue to offer case and other support information.

Trusted Advisor APIs are generally available in the US East (Ohio), US East (N. Virginia), US West (Oregon), Asia Pacific (Seoul), Asia Pacific (Sydney), and Europe (Ireland) Regions.

To learn more, please visit the [AWS Trusted Advisor API page](#).

## Trusted Advisor check removal

Trusted Advisor removed the following checks on November 9, 2023.

Check name	Check category	Check ID
EBS volumes should be attached to EC2 instances	Security	Hs4Ma3G119
S3 buckets should have server-side encryption enabled	Security	Hs4Ma3G167
CloudFront distributions should have origin access identity enabled	Security	Hs4Ma3G195

## Integration of AWS Config checks into Trusted Advisor

Trusted Advisor added 64 new checks powered by AWS Config on October 30, 2023.

For more information, see the [View AWS Trusted Advisor checks powered by AWS Config](#).

## New fault tolerance checks

Trusted Advisor added the following checks on October 12, 2023.

- Amazon RDS ReplicaLag
- Amazon RDS FreeStorageSpace
- Amazon RDS DiskQueueDepth
- Amazon Route 53 Resolver Endpoint Availability Zone Redundancy

- Auto Scaling available IPs in Subnets
- Amazon MSK brokers hosting too many partitions

For more information, see the [Fault tolerance](#) category.

## New service limits check

Trusted Advisor added the following check on August 17, 2023.

- Lambda Code Storage Usage

For more information, see the [Service limits](#) category.

## New fault tolerance check

Trusted Advisor added the following check on August 3, 2023.

- AWS Lambda On Failure Event Destinations

For more information, see the [Fault tolerance](#) category.

## New fault tolerance and performance checks

Trusted Advisor added the following checks on June 1, 2023.

- Amazon EFS No Mount Target Redundancy
- Amazon EFS Throughput Mode Optimization
- ActiveMQ Availability Zone Redundancy
- RabbitMQ Availability Zone Redundancy

For more information, see the [Fault tolerance](#) category and [Performance](#) category.

## New fault tolerance checks

Trusted Advisor added the following checks on May 16, 2023.

- NAT Gateway AZ Independence

- Single AZ Application Check

For more information, see the [Fault tolerance](#) category.

## New fault tolerance checks

Trusted Advisor added the following checks on April 27, 2023.

- Number of AWS Regions in an Incident Manager replication set
- AWS Resilience Hub assessment age

For more information, see the [Fault tolerance](#) category.

## Region Expansion of Amazon ECS Fault Tolerance Checks

Trusted Advisor expanded the following checks into additional regions on April 27, 2023. Trusted Advisor checks for Amazon ECS are now available in all regions where Amazon ECS is generally available.

- Amazon ECS service using a single AZ
- Amazon ECS Multi-AZ placement strategy

Regions expanded into include Africa (Cape Town), Asia Pacific (Hong Kong), Asia Pacific (Hyderabad), Asia Pacific (Jakarta), Asia Pacific (Melbourne), Europe (Milan), Europe (Spain), Europe (Zurich), Middle East (Bahrain), Middle East (UAE).

## New fault tolerance checks

Trusted Advisor added the following checks on March 30, 2023.

- Amazon ECS service using a single AZ
- Amazon ECS Multi-AZ placement strategy

For more information, see the [Fault tolerance](#) category.

## New fault tolerance checks

Trusted Advisor added the following checks on December 15, 2022.

- AWS CloudHSM clusters running HSM instances in a single AZ
- Amazon ElastiCache Multi-AZ clusters
- Amazon MemoryDB Multi-AZ clusters

To receive results in Trusted Advisor for your AWS CloudHSM, ElastiCache, and MemoryDB clusters, you must have clusters in your Availability Zones. For more information, see the following documentation:

- [AWS CloudHSM User Guide](#)
- [Amazon MemoryDB Developer Guide](#)

Trusted Advisor updated the following check information on December 15, 2022.

- AWS Resilience Hub policy breached – App Name was updated to Application Name
- AWS Resilience Hub resilience scores – App Name and App Resilience Score were updated to Application Name and Application Resilience Score

For more information, see the [Fault tolerance](#) category.

## Updates to the Trusted Advisor integration with AWS Security Hub CSPM

Trusted Advisor made the following update on November 17, 2022.

If you disable Security Hub CSPM or AWS Config for an AWS Region, Trusted Advisor now removes your control findings for that AWS Region within 7-9 days. Previously, the time frame to remove your Security Hub CSPM data from Trusted Advisor was 90 days.

For more information, see the following sections in the [Troubleshooting](#) topic:

- [I turned off Security Hub CSPM or AWS Config in a Region](#)
- [My control is archived in Security Hub CSPM, but I still see the findings in Trusted Advisor](#)

## New fault tolerance checks for AWS Resilience Hub

Trusted Advisor added the following checks on November 17, 2022.

- AWS Resilience Hub policy breached
- AWS Resilience Hub resilience scores

You can use these checks to view the latest resilience policy status and resilience score for your applications. Resilience Hub provides you with a central place to define, track, and manage the resiliency and availability of your applications.

To receive results in Trusted Advisor for your Resilience Hub applications, you must deploy an AWS application and use Resilience Hub to track the resiliency posture of the application. For more information, see the [AWS Resilience Hub User Guide](#).

To receive results in Trusted Advisor for your ElastiCache and MemoryDB clusters, you must have clusters in your Availability Zones. For more information, see the following documentation:

### [Amazon MemoryDB Developer Guide](#)

For more information, see the [Fault tolerance](#) category.

## Update to the Trusted Advisor console

Trusted Advisor added the following change on November 16, 2022.

The Trusted Advisor Dashboard in the console is now Trusted Advisor Recommendations. The Trusted Advisor Recommendations page still shows the check results and the available checks for each category for your AWS account.

This name change only updates the Trusted Advisor console. You can continue to use the Trusted Advisor console and the Trusted Advisor operations in the Support API as usual.

For more information, see [Get started with Trusted Advisor Recommendations](#).

## New checks for Amazon EC2

Trusted Advisor added the following check on September 1, 2022.

- Amazon EC2 instances with Microsoft Windows Server end of support

For more information, see the [Security](#) category.

## Added Security Hub CSPM checks to Trusted Advisor

As of June 23, 2022, Trusted Advisor only supports Security Hub CSPM controls available through April 7, 2022. This release supports all controls in the AWS Foundational Security Best Practices security standard except for controls in the Category: Recover > Resilience. For more information, see [Viewing AWS Security Hub CSPM controls in AWS Trusted Advisor](#).

For a list of supported controls, see [AWS Foundational Security Best Practices controls](#) in the *AWS Security Hub CSPM User Guide*.

## Added checks from AWS Compute Optimizer

Trusted Advisor added the following checks on May 4, 2022.

Check name	Check category	Check ID
Amazon EBS over-provisioned volumes	Cost optimization	C0r6dfpM03
Amazon EBS under-provisioned volumes	Performance	C0r6dfpM04
AWS Lambda over-provisioned functions for memory size	Cost optimization	C0r6dfpM05
AWS Lambda under-provisioned functions for memory size	Performance	C0r6dfpM06

You must opt in your AWS account for Compute Optimizer so that these checks can receive data from your Lambda and Amazon EBS resources. For more information, see [Opt in AWS Compute Optimizer for Trusted Advisor checks](#).

## Updates to the Exposed Access Keys check

Trusted Advisor updated the following check on April 25, 2022.

Check name	Check category	Check ID
Exposed Access Keys	Security	12Fnkp18Y5

Trusted Advisor now refreshes this check for you automatically. This check can't be refreshed manually from the Trusted Advisor console or the AWS Support API. If your application or code refreshes this check for your AWS account, we recommend that you update it to no longer refresh this check. Otherwise, you will receive the `InvalidParameterValue` error.

Any access keys that you excluded before this update will no longer be excluded and will appear as affected resources. You can't exclude access keys from your check results. For more information, see [Exposed Access Keys](#).

 **Note**

If you created your AWS account after April 25, 2022, the check results for Exposed Access Keys initially shows the gray icon

( )

even for unexposed access keys. This means that Trusted Advisor hasn't identified any changes to the check.

If Trusted Advisor identifies a resource at risk, the status changes to the action recommended icon

( ).

After you fix or delete the resource, the check result shows the check mark icon

( ).

## Updated checks for AWS Direct Connect

Trusted Advisor updated the following checks on March 29, 2022.

Check name	Check category	Check ID
AWS Direct Connect Connection Redundancy	Fault tolerance	0t121N1Ty3

Check name	Check category	Check ID
AWS Direct Connect Location Redundancy	Fault tolerance	8M012Ph3U5
AWS Direct Connect Virtual Interface Redundancy	Fault tolerance	4g3Nt5M1Th

- The value for the **Region** column now shows the AWS Region code instead of the full name. For example, resources in US East (N. Virginia) will now have the us-east-1 value.
- The value for the **Time Stamp** column now appears in the RFC 3339 format, such as 2022-03-30T01:02:27.000Z.
- Resources that don't have any detected problems will now appear in the check table. These resources will have a check mark icon  next to them.

Previously, only resources that Trusted Advisor recommended that you investigate appeared in the table. These resources have a warning icon  next to them.

## AWS Security Hub CSPM controls added to the AWS Trusted Advisor console

AWS Trusted Advisor added 111 Security Hub CSPM controls to the **Security** category on January 18, 2022.

You can view your findings for Security Hub CSPM controls from the AWS Foundational Security Best Practices security standard. This integration doesn't include controls that have the **Category: Recover > Resilience**.

For more information about this feature, see [Viewing AWS Security Hub CSPM controls in AWS Trusted Advisor](#).

## New checks for Amazon EC2 and AWS Well-Architected

Trusted Advisor added the following checks on December 20, 2021.

- Amazon EC2 instances consolidation for Microsoft SQL Server
- Amazon EC2 instances over-provisioned for Microsoft SQL Server
- Amazon EC2 instances with Microsoft SQL Server end of support
- AWS Well-Architected high risk issues for cost optimization
- AWS Well-Architected high risk issues for performance
- AWS Well-Architected high risk issues for security
- AWS Well-Architected high risk issues for reliability

For more information, see the [AWS Trusted Advisor check reference](#).

## Updated check name for Amazon OpenSearch Service

Trusted Advisor updated the name for the Amazon OpenSearch Service Reserved Instance Optimization check on September 8, 2021.

The check recommendations, category, and ID are the same.

Check name	Check category	Check ID
Amazon OpenSearch Service Reserved Instance Optimization	Cost optimization	7ujm6yhn5t

### Note

If you use Trusted Advisor for Amazon CloudWatch metrics, the metric name for this check is also updated. For more information, see [Creating Amazon CloudWatch alarms to monitor AWS Trusted Advisor metrics](#).

## Added checks for Amazon Elastic Block Store volume storage

Trusted Advisor added the following checks on June 8, 2021.

Check name	Check category	Check ID
EBS General Purpose SSD (gp3) Volume Storage	Service limits	dH7RR016J3
EBS Provisioned IOPS SSD (io2) Volume Storage	Service limits	gI7MM017J2

## Added checks for AWS Lambda

Trusted Advisor added the following checks on March 8, 2021.

Check name	Check category	Check ID
AWS Lambda Functions with Excessive Timeouts	Cost optimization	L4dfs2Q3C3
AWS Lambda Functions with High Error Rates	Cost optimization	L4dfs2Q3C2
AWS Lambda Functions Using Deprecated Runtimes	Security	L4dfs2Q4C5
AWS Lambda VPC-enabled Functions without Multi-AZ Redundancy	Fault tolerance	L4dfs2Q4C6

For more information about how to use these checks with Lambda, see [Example AWS Trusted Advisor workflow to view recommendations](#) in the *AWS Lambda Developer Guide*.

## Trusted Advisor check removal

Trusted Advisor removed the following check for the AWS GovCloud (US) Region on March 8, 2021.

Check name	Check category	Check ID
EC2 Elastic IP Addresses	Service limits	aW9HH018J6

## Updated checks for Amazon Elastic Block Store

Trusted Advisor updated the unit of Amazon EBS volume from gibibyte (GiB) to tebibyte (TiB) for the following checks on March 5, 2021.

### Note

If you use Trusted Advisor for Amazon CloudWatch metrics, the metric names for these five checks are also updated. For more information, see [Creating Amazon CloudWatch alarms to monitor AWS Trusted Advisor metrics](#).

Check name	Check category	Check ID	Updated CloudWatch metric for ServiceLimit
EBS Cold HDD (sc1) Volume Storage	Service limits	gH5CC0e3J9	Cold HDD (sc1) volume storage (TiB)
EBS General Purpose SSD (gp2) Volume Storage	Service limits	dH7RR016J9	General Purpose SSD (gp2) volume storage (TiB)
EBS Magnetic (standard) Volume Storage	Service limits	cG7HH017J9	Magnetic (standard) volume storage (TiB)
EBS Provisioned IOPS SSD (io1) Volume Storage	Service limits	gI7MM017J9	Provisioned IOPS (SSD) storage (TiB)

Check name	Check category	Check ID	Updated CloudWatch metric for ServiceLimit
EBS Throughput	Service limits	wH7DD013J9	Throughput
Optimized HDD (st1)			Optimized HDD (st1)
Volume Storage			volume storage (TiB)

## Trusted Advisor check removal

 **Note**

Trusted Advisor removed the following checks on November 18, 2020.

Checks removed on November 18, 2020	Check category	Check ID
EC2Config Service for EC2 Windows Instances	Fault tolerance	V77i0LlBqz
ENA Driver Version for EC2 Windows Instances	Fault tolerance	TyfdMXG69d
NVMe Driver Version for EC2 Windows Instances	Fault tolerance	yHAGQJV9K5
PV Driver Version for EC2 Windows Instances	Fault tolerance	Wnwm9Il5bG
EBS Active Volumes	Service limits	fH7LL017J9

Amazon Elastic Block Store no longer has a limit on the number of volumes that you can provision.

You can monitor your Amazon EC2 instances and verify they are up to date by using [AWS Systems Manager Distributor](#), other third-party tools, or write your own scripts to return driver information for Windows Management Instrumentation (WMI).

## Trusted Advisor check removal

Trusted Advisor removed the following check on February 18, 2020.

Check name	Check category	Check ID
Service Limits	Performance	eW7HH017J9

# AWS Support App in Slack

You can use the AWS Support App to manage your AWS support cases in Slack. Invite your team members to chat channels, respond to case updates, and chat directly with support agents. Use the AWS Support App to manage support cases quickly in Slack.

Use the AWS Support App to do the following:

- Create, update, search for, and resolve support cases in Slack channels
- Attach files to support cases
- Share support case details with your team without leaving the Slack channel
- Start a live chat session with support agents

When you create, update, or resolve a support case in the AWS Support App, the case is also updated in the AWS Support Center Console. You don't need to sign in to the Support Center Console to manage your support cases separately.

## Notes

- The response times for support cases are the same, whether you created the case from Slack or from the Support Center Console.
- You can create a support case for account and billing support, and technical support.

## Topics

- [Prerequisites](#)
- [Authorize a Slack workspace](#)
- [Configuring a Slack channel](#)
- [Creating support cases in a Slack channel](#)
- [Replies to support cases in Slack](#)
- [Join a live chat session with Support](#)
- [Searching for support cases in Slack](#)
- [Resolving a support case in Slack](#)
- [Reopening a support case in Slack](#)

- [Deleting a Slack channel configuration from the AWS Support App](#)
- [Deleting a Slack workspace configuration from the AWS Support App](#)
- [AWS Support App in Slack commands](#)
- [View AWS Support App correspondences in the AWS Support Center Console](#)
- [Creating AWS Support App in Slack resources with AWS CloudFormation](#)

## Prerequisites

You must meet the following requirements to use the AWS Support App in Slack:

- You have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan. You can find your support plan from the AWS Support Center Console or from the [Support plans](#) page. For more information, see [Compare AWS Support plans](#).
- You have a [Slack](#) workspace and channel for your organization. You must be a Slack workspace administrator, or have permission to add apps to that Slack workspace. For more information, see the [Slack Help Center](#).
- You sign in to the AWS account as an AWS Identity and Access Management (IAM) user or role with the required permissions. For more information, see [Managing access to the AWS Support App widget](#).
- You will need to create an IAM role that has the required permissions to perform actions for you. The AWS Support App uses this role to make API calls to different services. For more information, see [Managing access to the AWS Support App](#).

## Topics

- [Managing access to the AWS Support App widget](#)
- [Managing access to the AWS Support App](#)

## Managing access to the AWS Support App widget

You can attach an AWS Identity and Access Management (IAM) policy to grant an IAM user permission to configure the AWS Support App widget in the AWS Support Center Console.

For more information about how to add a policy to an IAM entity, see [Adding IAM identity permissions \(console\)](#) in the IAM User Guide.

**Note**

You can also sign in as the root user in your AWS account, but we don't recommend that you do this. For more information about root user access, see [Safeguard your root user credentials and don't use them for everyday tasks](#) in the *IAM User Guide*.

## Example IAM policy

You can attach the following policy to an entity, such as an IAM user or group. This policy allows a user to authorize a Slack workspace and configure Slack channels in the Support Center Console.

JSON

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  
            "Effect": "Allow",  
            "Action": [  
                "supportapp:GetSlackOauthParameters",  
                "supportapp:RedeemSlackOauthCode",  
                "supportapp:DescribeSlackChannels",  
                "supportapp>ListSlackWorkspaceConfigurations",  
                "supportapp>ListSlackChannelConfigurations",  
                "supportapp>CreateSlackChannelConfiguration",  
                "supportapp>DeleteSlackChannelConfiguration",  
                "supportapp>DeleteSlackWorkspaceConfiguration",  
                "supportapp:GetAccountAlias",  
                "supportapp:PutAccountAlias",  
                "supportapp>DeleteAccountAlias",  
                "supportapp:UpdateSlackChannelConfiguration",  
                "iam>ListRoles"  
            ],  
            "Resource": "*"  
        }  
    ]  
}
```

## Permissions required to connect the AWS Support App to Slack

The AWS Support App includes permission-only actions that don't directly correspond to an API operation. These actions are indicated in the [Service Authorization Reference](#) with [permission only].

The AWS Support App uses the following API actions to connect to Slack and then lists your *public* Slack channels in the AWS Support Center Console:

- supportapp:GetSlackOauthParameters
- supportapp:RedeemSlackOauthCode
- supportapp:DescribeSlackChannels

These API actions are not intended to be called by your code. Therefore, these API actions are not included in the AWS CLI and AWS SDKs.

## Managing access to the AWS Support App

After you have permissions to the AWS Support App widget, you must also create an AWS Identity and Access Management (IAM) role. This role performs actions from other AWS services for you, such as the AWS Support API and Service Quotas.

You then attach an IAM policy to this role so that the role has the required permissions to complete these actions. You choose this role when you create your Slack channel configuration in the Support Center Console.

Users in your Slack channel have the same permissions that you grant to the IAM role. For example, if you specify read-only access to your support cases, then users in your Slack channel can view your support cases, but can't update them.

### **Important**

When you request a live chat with a support agent and choose new private channel as your live chat channel preference, the AWS Support App creates a separate Slack channel. This Slack channel has the same permissions as the channel where you created the case or initiated the chat.

If you change the IAM role or the IAM policy, your changes apply to the Slack channel that you configured and to any new live chat Slack channels that the AWS Support App creates for you.

Follow these procedures to create your IAM role and policy.

## Topics

- [Use an AWS managed policy or create a customer managed policy](#)
- [Create an IAM role](#)
- [Troubleshooting](#)

## Use an AWS managed policy or create a customer managed policy

To grant your role permissions, you can use either an AWS managed policy or a customer managed policy.

### Tip

If you don't want to create a policy manually, we recommend that you use an AWS managed policy instead and skip this procedure. Managed policies automatically have the required permissions for the AWS Support App. You don't need to update the policies manually. For more information, see [AWS managed policies for AWS Support App in Slack](#).

Follow this procedure to create a customer managed policy for your role. This procedure uses the JSON policy editor in the IAM console.

### To create a customer managed policy for the AWS Support App

1. Sign in to the AWS Management Console and open the IAM console at <https://console.aws.amazon.com/iam/>.
2. In the navigation pane, choose **Policies**.
3. Choose **Create policy**.
4. Choose the **JSON** tab.
5. Enter your JSON, and then replace the default JSON in the editor. You can use the [example policy](#).

6. Choose **Next: Tags**.
7. (Optional) You can use tags as key–value pairs to add metadata to the policy.
8. Choose **Next: Review**.
9. On the **Review policy** page, enter a **Name**, such as *AWS Support App Role Policy*, and a **Description** (optional).
10. Review the **Summary** page to see the permissions that the policy allows and then choose **Create policy**.

This policy defines the actions that the role can take. For more information, see [Creating IAM policies \(console\)](#) in the *IAM User Guide*.

### Example IAM policy

You can attach the following example policy to your IAM role. This policy allows the role to have full permissions to all required actions for the AWS Support App. After you configure a Slack channel with the role, any user in your channel has the same permissions.

 **Note**

For a list of AWS managed policies, see [AWS managed policies for AWS Support App in Slack](#).

You can update the policy to remove a permission from the AWS Support App.

JSON

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  
            "Effect": "Allow",  
            "Action": [  
                "supportapp:GetSlackOauthParameters",  
                "supportapp:RedeemSlackOauthCode",  
                "supportapp:DescribeSlackChannels",  
                "supportapp>ListSlackWorkspaceConfigurations",  
                "supportapp>ListSlackChannelConfigurations",  
                "supportapp>CreateSlackChannelConfiguration",  
                "supportapp:UpdateSlackChannelConfiguration",  
                "supportapp:DeleteSlackChannelConfiguration"  
            ]  
        }  
    ]  
}
```

```
        "supportapp>DeleteSlackChannelConfiguration",
        "supportapp>DeleteSlackWorkspaceConfiguration",
        "supportapp>GetAccountAlias",
        "supportapp>PutAccountAlias",
        "supportapp>DeleteAccountAlias",
        "supportapp>UpdateSlackChannelConfiguration",
        "iam>ListRoles"
    ],
    "Resource": "*"
}
]
```

For descriptions for each action, see the following topics in the *Service Authorization Reference*:

- [Actions, resources, and condition keys for AWS Support](#)
- [Actions, resources, and condition keys for Service Quotas](#)
- [Actions, resources, and condition keys for AWS Identity and Access Management](#)

## Create an IAM role

After you have your policy, you must create an IAM role, and then attach the policy to that role. You choose this role when you create a Slack channel configuration in the Support Center Console.

### To create a role for the AWS Support App

1. Sign in to the AWS Management Console and open the IAM console at <https://console.aws.amazon.com/iam/>.
2. In the navigation pane, choose **Roles**, and then choose **Create role**.
3. For **Select trusted entity**, choose **AWS service**.
4. Choose **AWS Support App**.
5. Choose **Next: Permissions**.
6. Enter the policy name. You can choose the AWS managed policy or choose a customer managed policy that you created, such as *AWSSupportAppRolePolicy*. Then select the check box next to the policy.
7. Choose **Next: Tags**.
8. (Optional) You can use tags as key–value pairs to add metadata to the role.

9. Choose **Next: Review**.
10. For **Role name**, enter a name, such as *AwSSupportAppRole*.
11. (Optional) For **Role description**, enter a description for the role.
12. Review the role and then choose **Create role**. You can now choose this role when you configure a Slack channel in the Support Center Console. See [Configuring a Slack channel](#).

For more information, see [Creating a role for an AWS service](#) in the *IAM User Guide*.

## Troubleshooting

See the following topics to manage access to the AWS Support App.

### Contents

- [I want to restrict specific users in my Slack channel from specific actions](#)
- [When I configure a Slack channel, I don't see the IAM role that I created](#)
- [My IAM role is missing a permission](#)
- [A Slack error says that my IAM role isn't valid](#)
- [The AWS Support App says that I'm missing an IAM role for Service Quotas](#)

### I want to restrict specific users in my Slack channel from specific actions

By default, users in your Slack channel have the same permissions specified in the IAM policy that you attach to the IAM role that you create. This means anyone in the channel has read or write access to your support cases, whether or not they have an AWS account or an IAM user.

We recommend the following best practices:

- Configure private Slack channels with the AWS Support App
- Only invite users to your channel who need access to your support cases
- Use an IAM policy that has the minimum required permissions to the AWS Support App. See [AWS managed policies for AWS Support App in Slack](#).

## When I configure a Slack channel, I don't see the IAM role that I created

If your IAM role doesn't appear in the **IAM role for the AWS Support App** list, this means that the role doesn't have the AWS Support App as a trusted entity, or that the role was deleted. You can update the existing role, or create another one. See [Create an IAM role](#).

## My IAM role is missing a permission

The IAM role that you create for your Slack channel needs permissions to perform the actions that you want. For example, if you want your users in Slack to create support cases, the role must have the `support:CreateCase` permission. The AWS Support App assumes this role to perform these actions for you.

If you receive an error about a missing permission from the AWS Support App, verify that the policy attached to your role has the required permission.

See the previous [Example IAM policy](#).

## A Slack error says that my IAM role isn't valid

Verify that you chose the correct role for your channel configuration.

### To verify your role

1. Sign in to the AWS Support Center Console at <https://console.aws.amazon.com/support/app#/config> page.
2. Choose the channel that you configured with the AWS Support App.
3. From the **Permissions** section, find the IAM role name that you chose.
  - To change the role, choose **Edit**, choose another role, and then choose **Save**.
  - To update the role or the policy attached to the role, sign in to the [IAM console](#).

## The AWS Support App says that I'm missing an IAM role for Service Quotas

You must have the `AWSServiceRoleForServiceQuotas` role in your account to request quota increases from Service Quotas. If you receive an error about a missing resource, complete one of the following steps:

- Use the [Service Quotas](#) console to request a quota increase. After you make a successful request, Service Quotas creates this role for you automatically. Then, you can use the AWS Support App to request quota increases in Slack. For more information, see [Requesting a quota increase](#).

- Update the IAM policy attached to your role. This grants the role permission to Service Quotas. The following section in the [Example IAM policy](#) allows the AWS Support App to create the Service Quotas role for you.

```
{  
    "Effect": "Allow",  
    "Action": "iam:CreateServiceLinkedRole",  
    "Resource": "*",  
    "Condition": {  
        "StringEquals": {"iam:AWSServiceName": "servicequotas.amazonaws.com"}  
    }  
}
```

If you delete the IAM role that you configure for your channel, you must manually create the role or update the IAM policy to allow the AWS Support App to create one for you.

## Authorize a Slack workspace

After you authorize your workspace and give the AWS Support App permission to access it, you then need an AWS Identity and Access Management (IAM) role for your AWS account. The AWS Support App uses this role to call API operations from [AWS Support](#) and [Service Quotas](#) for you. For example, the AWS Support App uses the role to call the `CreateCase` operation to create a support case for you in Slack.

### Notes

- Your Slack channel inherits permissions from the IAM role. All users in the Slack channel have the same permissions that are specified in the IAM policy attached to the role. For example, if your IAM policy grants full read and write permissions to your support cases, anyone in your Slack channel can create, update, and resolve your support cases. If your IAM policy allows the role read-only permissions, then users in your Slack channel can only view your support cases.
- We recommend that you add the Slack workspaces and channels that you need to manage your support operations. We recommend that you configure private channels and only invite required users.

You must authorize each Slack workspace that you want to use for your AWS account. If you have multiple AWS accounts, you must sign in to each account and repeat the following procedure to authorize the workspace. If your account belongs to an organization in AWS Organizations and you want to authorize multiple accounts, skip to [Authorize multiple accounts](#).

## To authorize the Slack workspace for your AWS account

1. Sign in to the [AWS Support Center Console](#) and choose **Slack configuration**.
2. On the **Getting started** page, choose **Authorize workspace**.
3. If you're not already signed in to Slack, on the **Sign in to your workspace** page, enter your workspace name, and then choose **Continue**.
4. On the **AWS Support is requesting permission to access the your-workspace-name Slack** page, choose **Allow**.

### Note

If you can't allow Slack to access your workspace, make sure that you have permissions from your Slack administrator to add the AWS Support App to the workspace. See [Prerequisites](#).

On the **Slack configuration** page, your workspace name appears under **Workspaces**.

5. (Optional) To add more workspaces, choose **Authorize workspace** and repeat steps 3-4. You can add up to five workspaces to your account.
6. (Optional) By default, your AWS account ID number appears as the account name in your Slack channel. To change this value, under **Account name**, choose **Edit**, enter your account name, and then choose **Save**.

### Tip

Use a name that you and your team can easily recognize. The AWS Support App uses this name to identify your account in the Slack channel. You can update this name at any time.

## Edit account name

Choose an account name that you can easily recognize in Slack. This name won't appear in your AWS account settings.

Account name

Maximum 30 characters (5 remaining)

Example Usage:

Account name being used by Support Slack App Bot

- AWS account: aws-administrator-account (ID: 123456789012)

[Cancel](#) [Save](#)

Your workspace and account name appear on the [Slack configuration](#) page.

## Slack configuration

Workspaces	Account name
<a href="#">Delete</a> <a href="#">Authorize workspace</a> <a href="#">Add multiple accounts</a> <a href="#">C</a> Workspace troubleshooting	<a href="#">Delete</a> <a href="#">Edit</a> Name used in Slack aws-administrator-account

## Authorize multiple accounts

To authorize multiple AWS accounts to use Slack workspaces, you can use [AWS CloudFormation](#) or [Terraform](#) to create your AWS Support App resources.

# Configuring a Slack channel

After you authorize your Slack workspace, you can configure your Slack channels to use the AWS Support App.

In the channel where you invite and add the AWS Support App, you can create and search for cases, and receive case notifications. This channel displays case updates, including newly created or resolved cases, added correspondence, and shared case details.

Your Slack channel inherits permissions from the IAM role. All users in the Slack channel have the same permissions that are specified in the IAM policy attached to the role. For example, if your IAM policy grants full read and write permissions to your support cases, anyone in your Slack channel can create, update, and resolve your support cases. If your IAM policy allows the role read-only permissions, then users in your Slack channel can only view your support cases.

You can add up to 20 channels per AWS account. Each Slack channel supports up to 100 AWS accounts. This means that only 100 accounts can add the same Slack channel to the AWS Support App. To minimize distractions, we recommend adding only the accounts necessary for managing your organization's support cases.

Each AWS account must configure a Slack channel separately in the AWS Support App. This way, the AWS Support App can access the support cases in that AWS account. If another AWS account in your organization already invited the AWS Support App to that Slack channel, skip to step 3.

## Note

You can configure channels that are part of [Slack Connect](#) and channels that are shared with multiple workspaces. However, only the first workspace that configured the shared channel for an AWS account can use the AWS Support App. The AWS Support App returns an error message if you try to configure the same Slack channel for another workspace.

## To configure a Slack channel

1. From your Slack application, choose the Slack channel that you want to use with the AWS Support App.
2. Complete the following steps to invite the AWS Support App to your channel:

- a. Open the context (right-click) menu on the channel name, and then choose **View channel details**.
- b. Choose the **Integrations** tab, and then choose **Add an App**.
- c. To search for the app, enter **AWS Support App**.
- d. Choose **Add** next to the **AWS Support App**.



3. Sign in to the [Support Center Console](#) and choose **Slack configuration**.
4. Choose **Add channel**.
5. On the **Add channel** page, under **Workspace**, choose the workspace name that you previously authorized. You can choose the refresh icon if the workspace name doesn't appear in the list.

A screenshot of the 'Add channel' configuration page. It shows a section titled 'Slack workspace' with a dropdown menu labeled 'troubleshooting' and a refresh icon.

6. Under **Slack channel**, for **Channel type**, choose one of the following:
  - **Public** – Under **Public channel**, choose the Slack channel that you invited the AWS Support App to (step 2). If your channel doesn't appear in the list, choose the refresh icon and try again.
  - **Private** – Under **Channel ID**, enter the ID or the URL of the Slack channel that you invited the AWS Support App to.

**Tip**

To find the channel ID, open the context (right-click) menu for the channel name in Slack, and then choose **Copy**, and then choose **Copy link**. Your channel ID is the value that looks like **C01234A5BCD**.

7. Under **Channel configuration name**, enter a name that easily identifies your Slack channel configuration for the AWS Support App. This name appears only in your AWS account and doesn't appear in Slack. You can rename your channel configuration later.

Your Slack channel type might look like the following example.

▼ **Slack channel**

**Channel Type**

**Public**  
Choose a public channel from the list.

**Private**  
A channel member must invite a user to join or view.

**Channel ID**

C01234A5BCD

**Channel configuration name**

Choose a name that you can easily identify. You can change the name at any time.

MyTroubleshootingChannel

**Tip**

Tip To find the channel ID, right-click your channel name in Slack, choose **Copy** and then choose **Copy link**. Your channel ID is the value that looks like **C01234A5BCD**.

- Under **Permissions**, for **IAM role for the AWS Support App in Slack**, choose a role that you created for the AWS Support App. Only roles that have the AWS Support App as a trusted entity appear in the list.

The screenshot shows a dropdown menu labeled "MyIAMRole" with a downward arrow icon, indicating a list of available IAM roles. To the right of the dropdown is a small circular icon with a "C" inside, likely for clearing the selection. Above the dropdown, the text "IAM role for the AWS Support App" is displayed, followed by a note about choosing a role for the Slack channel.

**IAM role for the AWS Support App**

Choosing another IAM role for this Slack channel configuration can affect the permissions for any chat channels created from this troubleshooting channel. You can verify that your role has the required permissions. [Learn more](#)

MyIAMRole ▾ C

**Note**

If you haven't created a role or don't see your role in the list, see [Managing access to the AWS Support App](#).

- Under **Notifications**, specify how to get notified for cases.
  - All cases** – Get notified for all case updates.
  - High-severity cases** – Get notified for only cases that affect a production system or higher. For more information, see [Choosing an initial support case severity level](#).
  - None** – Don't get notified for case updates.
- (Optional) If you choose **All cases** or **High-severity cases**, you must select at least one of the following options:
  - New and reopened cases**
  - Case correspondences**
  - Resolved cases**

The following channel receives case notifications for all case updates in Slack.

The screenshot shows the 'Notifications' section of the Slack configuration page. It includes three radio button options: 'All cases' (selected), 'High-severity cases', and 'None'. Below this, under 'Notification types', there are three checked checkboxes: 'New and reopened cases', 'Case correspondences', and 'Resolved cases'. A note at the bottom states: 'Note: You will receive notifications in your Slack channel for all case updates for this account.'

11. Review your configuration and choose **Add channel**. Your channel appears in the **Slack configuration** page.

## Update your Slack channel configuration

After you configured your Slack channel, you can update them later to change the IAM role or case notification.

### To update your Slack channel configuration

1. Sign in to the [Support Center Console](#) and choose **Slack configuration**.
2. Under **Channels**, choose the channel configuration that you want.
3. On the **channelName** page, you can do the following tasks:
  - Choose **Rename** to update your channel configuration name. This name only appears in your AWS account and won't appear in Slack.
  - Choose **Delete** to delete the channel configuration from the AWS Support App. See [Deleting a Slack channel configuration from the AWS Support App](#).
  - Choose **Open in Slack** to open the Slack channel in your browser.
  - Choose **Edit** to change the IAM role or notifications.

# Creating support cases in a Slack channel

After you authorize your Slack workspace and add your Slack channel, you can create a support case in your Slack channel.

## To create a support case in Slack

1. In your Slack channel, enter the following command:

```
/awssupport create
```

2. In the **Create a support case** dialog box, do the following:

- a. If you configured more than one account for this Slack channel, for **AWS account**, choose the account ID. If you created an account name, this value appears next to the account ID. For more information, see [Authorize a Slack workspace](#).
- b. For **Subject**, enter a title for the support case.
- c. For **Description**, describe the support case. Provide details, such as how you're using an AWS service and what troubleshooting steps you tried.

The screenshot shows the 'Create a support case' dialog box. At the top left is the AWS logo, followed by the title 'Create a support case'. On the right are a share icon and a close button. Below the title, it says 'Step 1 of 3'. A descriptive text states: 'You can create a case with AWS Support for technical and account-related issues.' Under the heading 'AWS account', a dropdown menu is open, showing 'dev-ops-production (ID:123456789012)'. The 'Subject' field contains 'AWS resources issue'. The 'Description' field has a blue border and contains the text 'I can't find my resource in my AWS account.' with a character count of '2457'. Below the description, a note says 'Note: You can add attachments after step 3 when you confirm the case.' At the bottom are 'Cancel' and 'Next' buttons.

Step 1 of 3

You can create a case with AWS Support for technical and account-related issues.

AWS account

dev-ops-production (ID:123456789012)

Subject

AWS resources issue

Description

I can't find my resource in my AWS account. 2457

Note: You can add attachments after step 3 when you confirm the case.

Cancel Next

3. Choose **Next**.
4. On the **Create a support case** dialog box, specify the following options:
  - a. Choose the **Issue type**.
  - b. Choose the **Service**.
  - c. Choose the **Category**.
  - d. Choose the **Severity**.
  - e. Review your case details and choose **Next**.

The following example shows a technical support case for Alexa Services.

The screenshot shows the 'Create a support case' interface in Step 2 of 3. It includes fields for Issue type (set to Technical support), Service (set to Alexa Services), Category (set to APIs), and Severity (set to General guidance). Navigation buttons 'Back' and 'Next' are at the bottom.

5. For **Contact language**, choose your preferred language for your support case.

**Note**

Japanese language support isn't available for live chat in Slack for account and billing cases.

6. For **Contact method**, choose **Email and Slack notifications** or **Live chat in Slack**.

The following example shows how to choose a live chat in Slack.

Create a support case

Step 3 of 3

Contact language

English

Contact method

Live chat in Slack

Email and Slack notifications

Live chat channel preference

New private channel

⚠ A new channel will be created for your live chat session, and anyone who is invited to the channel can see previous chat history.

Additional chat members (optional)

Add chat members

You will be added to the live chat automatically.

Back Review

- a. If you choose **Live chat in Slack**, choose **New private channel** or **Current channel** as your **Live chat channel preference**. **New private channel** will create a separate private channel for you to chat with the AWS Support agent, and **Current channel** will use a thread in the current channel for you to chat with the AWS Support agent.
- b. (Optional) If you choose **Live chat in Slack**, you can enter the names of other Slack members. For **New private channel**, the AWS Support App will automatically add you and selected members to the new channel. For **Current channel**, the AWS Support App will automatically tag you and selected members in the chat thread when the AWS Support agent joins.

## Important

- We recommend that you only add chat members that you want to have access to your support case details and chat history.
- If you start a new live chat session for an existing support case, the AWS Support App uses the same chat channel or thread that was used for a previous live chat. The AWS Support App also uses the same live chat channel preference that was used previously.
- The **Current channel** option is only available if the chat is requested from a private channel. We recommend that you only use this option if you want all channel members to have access to your chat.

7. (Optional) For **Additional contacts to notify**, enter email addresses to also receive updates about this support case. You can add up to 10 email addresses.
8. Choose **Review**.
9. In the Slack channel, review the case details. You can do the following:
  - Choose **Edit** to change the case details.
  - Add a file to your case. To do so, follow these steps:
    - a. Choose **Attach file**, choose the + icon in Slack, and choose **Your computer**.
    - b. Navigate to and choose your file.
    - c. In the **Upload a file** dialog box, enter @awssupport, and press the send  icon.

## Notes

- You can attach up to three files. Each file can be up to 5 MB.
- If you attach a file to your support case, you must submit your case within 1 hour. If you don't, you must add the files again.

- Choose **Share to channel** to share the case details with others in the Slack channel. You can use this option to share the case details with your team before you create the case.
10. Review your case details, and then choose **Create case**.

The following example shows a technical support case for Alexa Services.

A screenshot of the AWS Support App in a Slack channel. The message is from the AWS Support app at 1:02 PM. It says: "To request a live chat with a support agent, choose **Create case**". Below this, the case details are listed:

- Case subject:** Question about my Alexa services
- Description:** I can't sign in to my Alexa services and am receiving an error message when I use the API.
- AWS account:** Will (ID: 123456789012)
- Issue type:** Technical support
- Service:** Alexa Services
- Category:** APIs
- Severity:** General guidance
- Live chat channel preference:** New private channel

*The AWS Support App will create a new private channel for the chat session. A support agent will join as soon as they're available.*

Buttons at the bottom: **Edit**, **Attach file**, **Share to channel**, **Create case** (highlighted in green).

After you create a support case, it might take a few minutes for your case details to appear.

11. When your support case is updated, you can choose **See details** to view your case information. You can then do the following:
- Choose **Share to channel** to share the case details with others in the Slack channel.
  - Choose **Reply** to add a correspondence.
  - Choose **Resolve case**.

**Note**

If you didn't choose to receive automatic case updates in Slack, you can search for the support case to find the **See details** option.

# Replies to support cases in Slack

You can add updates to your case such as case details and attachments, and reply to responses from the support agent.

## Note

- You can also use the AWS Support Center Console to reply to support agents. For more information, see [Legacy experience: Updating, resolving, and reopening your case](#).
- You cannot add correspondences to cases from chat channels created by the AWS Support App. Live chat channels only send messages to agents during the live chat.


## To reply to a support case in Slack

1. In your Slack channel, choose the case that you want to respond to. You can enter /awssupport search to find your support case.
2. Choose **See details** next to the case that you want.
3. At the bottom of the case details, choose **Reply**.



Share to channel   **Reply**   Resolve case

4. In the **Reply to case** dialog box, enter a brief description of the issue in the **Message** field. Then choose **Next**.



5. Choose your contact method. The available contact methods depend on your case type and support plan.
6. (Optional) For **Additional contacts to notify**, enter additional email addresses that you want to receive updates about this support case. You can add up to 10 email addresses.
7. Choose **Review**. You can then choose if you want to edit your reply, attach files, or share to the channel.
8. When you're ready to reply, choose **Send message**.
9. (Optional) To view previous correspondence for your case, choose **Previous correspondence**. To view shortened messages, choose **Show full message**.

## Example : Reply to a case in Slack

The screenshot shows a Slack message from the AWS Support app at 10:53 AM. The message reads: "To respond to this case, review and then choose **Send message**". Below this, it says "Case subject: AWS resources issue" and "Message: I'm attaching a file to this case that can help you troubleshoot the issue." A note states "We will contact you by email and Slack notifications within 24 hours." and "Additional contacts to notify: None". At the bottom are buttons for "Edit", "Attach file", "Share to channel", and "Send message" (which is highlighted in green). Below these are "Attachments: error-log" and a "Delete files" button. A success message at the bottom says "✓ You successfully attached 1 file. Choose **Create case** within 1 hour to include the file with your case."

## Join a live chat session with Support

When you request a live chat for your case, you choose to either use a new chat channel or a thread in the current channel for you and the AWS Support agent. Use this chat channel or thread to communicate with the support agent and any others that you invited to the live chat.

### **Important**

Anyone who joins a channel with a live chat can view details about the specific support case and the chat history. Its a best practice to add only users that require access to your support cases. Any member of a chat channel or thread can also participate in an active chat.

### **Note**

Live chat channels and threads also receive notifications when a correspondence is added to the case outside of the live chat session. This occurs before, during, and after a chat session, so you can use a chat channel or thread to monitor all updates for a case. If you

chose to use a new chat channel, use the configuration channel that you invited the AWS Support App to reply to these correspondences.


## To join a live chat session with Support in a new channel

1. In the Slack application, navigate to the channel that the AWS Support App creates for you. The channel name includes your support case ID, such as **awscase-1234567890**.

### Note

The AWS Support App adds a pinned message to the live chat channel that contains details about your support case. From the pinned message, you can end the chat or resolve the case. You can find all pinned messages in this channel under the channel name.

2. When the support agent joins the channel, you can chat about your support case. Until a support agent joins the channel, the agent won't see messages in that chat and the messages don't appear in your case correspondence.



Jane Doe 1:08 PM  
was added to awscase-1234567890 by AWS Support.

aws AWS Support APP 1:08 PM  
set the channel topic: 🎉 A support agent hasn't joined this channel yet or has recently left. Until the next agent joins, messages that you send won't be visible to AWS Support or recorded in the correspondence for this support case.

aws AWS Support APP 1:08 PM  
A support agent will join this channel as soon as they're available.

3. (Optional) Add other members to the chat channel. By default, chat channels are private.
4. After the support agent joins the chat, the chat channel is active and the AWS Support App records the chat.

You can chat with the agent about your support case and upload any file attachments to the channel. The AWS Support App automatically saves your files and chat log to your case correspondence.

### Note

When you chat with a support agent, note the following differences in Slack for the AWS Support App:

- Support agents can't view shared messages or threads. To share text from a message or thread, enter the text as a new message.
- If you edit or delete a message, the agent still sees the original message. You must enter your new message again to show the revision.

## Example : Live chat session

The following is an example of a live chat session with a support agent to fix a connectivity issue for two Amazon Elastic Compute Cloud (Amazon EC2) instances.

```
aws AWS Support APP 4:28 PM
set the channel topic: A support agent is active in the channel. All messages that you send are visible to the agent and will be recorded in the correspondence for this support case.

aws Kayla (Support Engineer) APP 4:28 PM
Hello my name is Kayla, how can I help you today?

John Doe 4:28 PM
Hey Kayla, I'm having some issues connecting to my EC2 instance

aws Kayla (Support Engineer) APP 4:28 PM
Sure, let me take a look at the details of your case

John Doe 4:28 PM
No prob, let me know if you need more info from me
I also have my colleague Tony in the chat, he has a bit more context on the issue

aws Kayla (Support Engineer) APP 4:29 PM
Can you provide me with the instance ID?

Tony Jackson 4:29 PM
31696f09-f826-45d0-ba02-ec5cb92d4a75
and
c9b7f99c-6e9b-46f2-b9b4-ae13b854e328

aws Kayla (Support Engineer) APP 4:29 PM
Thanks!
```

5. (Optional) To stop the live chat, choose **End chat**. The support agent leaves the channel and the AWS Support App stops recording the live chat. You can find the chat history attached to the case correspondence for this support case.
6. If the issue is resolved, you can choose **Resolve case** from the pinned message or enter /awssupport resolve.

## Example : End a live chat

The following pinned message shows the case details about an Amazon EC2 instance. You can find the pinned messages under the Slack channel name.

Pinned by AWS Support

 **AWS Support** APP 2:33 PM  
This is a live chat channel for the following case.

**Case subject:** Cannot connect to ec2 instance (Case ID: 6887208841)

**Description:** The ec2 instance i-09f00da444 was unable to lookup our dns region. We had full access yesterday. Now we get "Access denied" message.

*Case created by Jane Doe (in Slack)*

- **Status:** Unassigned
- **Created:** 02/16/2021, 2:33PM PST
- **AWS account:** Instance Management (ID: 111122223333)
- **Issue type:** Technical support
- **Service:** Elastic Compute Cloud (EC2-Linux)
- **Category:** SSH Issue
- **Severity:** Production system impaired

[End chat](#) [Resolve case](#)

## Example : Correspondence notification in chat channel

The following is an example of a live chat channel receiving a notification when the another collaborator adds an update after the chat has ended.

 **AWS Support** APP 3:28 PM  
A correspondence was added to the case after the live chat ended.

**Correspondence:** Can you link me the article one more time? *Correspondence added by (in Slack)*

**Status:** Unassigned

To reply to this correspondence, go to this [thread](#) or sign in to the AWS Support Center. [Learn more](#)

 **AWS Support**  
The following case was created for account [REDACTED] (ID: [REDACTED]).  
(Case ID: [REDACTED])

[View original message](#)  
Thread in # [REDACTED] Jan 23rd | [View message](#)

 [docs.aws.amazon.com](#)  
[Replying to support cases in Slack - AWS Support](#)  
Use the AWS Support App to reply to your support cases in Slack.

The notification will indicate the chat status (requested, in progress, or ended) and whether the correspondence was added by an agent or by another collaborator. The Support App will also attempt to link back to the original Slack thread or channel where this chat was requested. You can [reply to this case](#) from that channel, or any other channel with access to this case.

## To join a live chat session with Support in the current channel

1. In the Slack application, navigate to the thread in the current channel that the AWS Support App uses for the chat. In most cases, this will be the thread that started when the case was first created.
2. When the support agent joins the thread, you can chat about your support case. Until a support agent joins the thread, the agent won't see messages in that thread, and the messages won't appear in your case correspondence when the chat ends.

 **Note**

Messages sent to this channel outside of the chat thread are never seen by Support, even while a chat is active.

**Thread**  aws-support-communications

 **AWS Support** APP < 1 minute ago

The following case was created for account [REDACTED].

| Question about my Alexa services (Case ID: [REDACTED])

 A support agent hasn't joined this chat session yet or has recently left

[Get updates](#)

[See details](#)

[End chat](#)

[Reply](#)

[Resolve case](#)

7 replies

 **AWS Support** APP < 1 minute ago

@Jane Doe requested a chat for this case.

| Question about my Alexa services (Case ID: [REDACTED])

 **AWS Support** APP < 1 minute ago

A support agent will join this chat session as soon as they're available.

 *Tip: Editing and deleting messages is not supported during the chat session. Support agents will still see original messages.*

3. (Optional) Tag other channel members to notify them on the chat thread.
4. After the support agent joins the chat, the chat thread is active and the AWS Support App records the chat. Similar to the new chat channel option, you can chat with the agent about your support case and upload any file attachments to the thread. The AWS Support App automatically saves your files and chat log to your case correspondence.
5. (Optional) To stop the live chat, choose End chat from the initial message for this thread. The support agent leaves the thread and the AWS Support App stops recording the live chat. You can find the chat history attached to the case correspondence for this support case.
6. If the issue is resolved, you can choose Resolve case from the initial message for this thread.

**Thread**  aws-support-communications

---

 **AWS Support** APP < 1 minute ago  
The following case was created for account [REDACTED].

Question about my Alexa services (Case ID: [REDACTED])

 A support agent hasn't joined this chat session yet or has recently left

[Get updates](#) [See details](#) [End chat](#) [Reply](#) [Resolve case](#)

7 replies

## Searching for support cases in Slack

From your Slack channel, you can search for support cases from your AWS account and from other accounts that configured the same channel and workspace. For example, if your account (123456789012) and your coworker's account (111122223333) have configured the same workspace and channels in the AWS Support Center Console, you can use the AWS Support App to search for each other's support cases.

To filter your search results, you can use the following options:

- Account ID
- Case ID
- Case status
- Contact language
- Date range

### Example : Search for cases in Slack

The following example shows how to search by **Filter options** for a single account by specifying the date range, case status, and contact language.

Only visible to you

 **AWS Support** APP 1:07 PM  
Search for cases created by account **aws-administrator-account** (ID: 123456789012).

I want to search for cases by:

Filter options  
 Case ID

Date range:

10/01/2022   
Today

Case status:

All cases

Case created in:

English

**Search**

## To search for a support case in Slack

1. In the Slack channel, enter the following command:

```
/awssupport search
```

2. For the **I want to search for cases by:** option, choose one of the following:

**A. Filter options** – You can filter cases with the following options:

- **AWS account** – This list only appears if you have multiple accounts in the channel.
- **Date range** – The date the case was created.
- **Case status** – The current case status, such as **All open cases** or **Resolved**.
- **Case created in** – The contact language for the case.

- B. **Case ID** – Enter the case ID. You can only enter one case ID at a time. If you have multiple accounts in the channel, choose the AWS account to search for the case.
3. Choose **Search**. Your search results appear in Slack.

## Use your search results

The following example returns three support cases from one AWS account.

Only visible to you

 **AWS Support** APP 1:51 PM

3 results found for cases created from 10/01/2022 to 12/28/2022 with AWS account aws-administrator-account (ID:123456789012).

**Case subject:** Can't retrieve info about my certificate (Case ID: 1234567890) [See details](#)

**Created:** 10/25/2022, 10:30 PM UTC

**Status:** Resolved

---

**Case subject:** Question about my AWS account bill (Case ID: 4445556660) [See details](#)

**Created:** 10/14/2022, 7:35 PM UTC

**Status:** Resolved

---

**Case subject:** Technical support for EC2 instances (Case ID: 9087654321) [See details](#)

**Created:** 10/13/2022, 2:28 PM UTC

**Status:** In progress

---

[Edit Search](#) [Share to channel](#)

After you receive your search results, you can do the following:

### To use your search results

1. Choose **Edit Search** to change your previous filter options or case ID.
2. Choose **Share to channel** to share the search results with the channel.
3. Choose **See details** for more information about a case. You can choose **Show full message** to view the rest of the latest correspondence.

4. If you searched by **Filter options**, search results can return multiple cases. Choose **Next 5 results** or **Previous 5 results** to view the next or previous 5 cases.

### Example : Resolved support case

The following example shows a resolved support case for an account and billing issue after choosing **See details**.

Only visible to you

This case was created on 10/14/2022, 10:30 PM UTC.

**Case subject:** Question about my AWS account bill (Case ID: 4445556660)

**Description:** I have a question about a charge for my last statement

- **Status:** Resolved
- **AWS account:** aws-administrator-account (ID: 123456789012)
- **Issue type:** Account and billing support
- **Service:** Academy
- **Category:** Account/Lab access issue
- **Severity:** General question
- **Language:** English

**Correspondence:**

Amazon Web Services, 10/25/2022, 10:30 PM UTC

This case has been resolved. Please contact us again if you need further assistance.

[Share to channel](#)


[Reopen case](#)

## Resolving a support case in Slack

If you don't need your support case anymore, or you fixed the issue, you can resolve a support case directly in Slack. This also resolves the case in the AWS Support Center Console. After you resolve a case, you can reopen the case later.

## To resolve a support case in Slack

1. In your Slack channel, navigate to the support case. See [Searching for support cases in Slack](#).
2. Choose **See details** for the case.
3. Choose **Resolve case**.
4. In the **Resolve case** dialog box, choose **Resolve case**. You can reopen a case in the Slack channel or from the Support Center Console.




## Reopening a support case in Slack

After you resolve a support case, you can reopen the case from Slack.

### To reopen a support case in Slack

1. Find the support case to reopen in Slack. See [Searching for support cases in Slack](#).
2. Choose **See details**.
3. Choose **Reopen case**.
4. In the **Reopen case** dialog box, enter a brief description of the issue in the **Message** field.
5. Choose **Next**.



6. (Optional) Enter additional contacts.
7. Choose **Review**.
8. Review your case details, and then choose **Send message**. Your case reopens. If you requested a new live chat with a support agent, Slack uses the same chat channel or thread as the one that was used for a previous live chat. If you requested a live chat in a new channel and you haven't had one so far, a new chat channel opens. If you requested a live chat in the current channel and you haven't had one so far, a thread in the current channel is used.


## Deleting a Slack channel configuration from the AWS Support App

You can delete a channel configuration from the AWS Support App if you don't need it. This action only removes the channel from the AWS Support App and the AWS Support Center Console. Your channel isn't deleted from Slack.

You can add up to 20 channels for your AWS account. If you already reached this quota, you must delete a channel before you can add another one.

## To delete a Slack channel configuration

1. Sign in to the [Support Center Console](#) and choose **Slack configuration**.
2. On the **Slack configuration** page, under **Channels**, choose the channel name, and then choose **Delete**.
3. In the **Delete channel name** dialog box, choose **Delete**. You can add this channel to the AWS Support App again later.



## Deleting a Slack workspace configuration from the AWS Support App

You can delete a workspace configuration from the AWS Support App if you don't need it. This action only removes the workspace from the AWS Support App and the AWS Support Center Console. Your workspace isn't deleted from Slack.

You can add up to 5 workspaces for your AWS account. If you already reached this quota, you must delete a Slack workspace before you can add another one.


### Note

If you added channels from this workspace to the AWS Support App, you must first delete these channels before you can delete the workspace. See [Deleting a Slack channel configuration from the AWS Support App](#).

## To delete a Slack workspace configuration

1. Sign in to the [AWS Support Center Console](#) and choose **Slack configuration**.

2. On the **Slack configuration** page, under **Slack workspaces**, choose **Delete a workspace**.
3. In the **Delete Slack workspace** dialog box, choose the Slack workspace name, and then choose **Delete**. You can add the workspace to your AWS account again later.



## AWS Support App in Slack commands

### Slack channel commands

You can enter the following commands in the Slack channel where you invited the AWS Support App. This Slack channel name also appears as a configured channel in the AWS Support Center Console.

`/awssupport create or /awssupport create-case`

Create a support case.

`/awssupport search or /awssupport search-case`

Search for cases. You can search for support cases for the AWS accounts that configured the AWS Support App for the same Slack channel.

`/awssupport quota or /awssupport service-quota-increase`

Request a service quota increase.

## Live chat channel commands

You can enter the following commands in the live chat channel. This is the channel that the AWS Support App creates for you if you choose a new channel for your chat with Support. Chat channels include your support case ID, such as **awscase-1234567890**.

### Note

The following commands are not available when using a thread in the current channel for a live chat. Instead, use the buttons attached to the initial thread message to end a chat, invite a new agent, or resolve the case.

`/awssupport endchat`

Remove the support agent and end the live chat session.

`/awssupport invite`

Invite a new support agent to this channel.

`/awssupport resolve`

Resolve this support case.

## View AWS Support App correspondences in the AWS Support Center Console

When you create, update, or resolve support cases for your account in the Slack channel, you can also sign in to the Support Center Console to view your cases. You can view the case correspondences to determine whether the case was updated in the Slack channel, view the chat history with a support agent, and find any attachments that you uploaded from Slack.

### To view case correspondences from Slack

1. Sign in to the [AWS Support Center Console](#) for your account.
2. Choose your support case.
3. In the **Correspondence**, you can view whether the case was created and updated from the Slack channel.

## Example : Support case

In the following screenshot, Jane Doe reopened a support case in Slack. This correspondence appears for the support case in the Support Center Console.

Correspondence	
MyIAMRole (Role) Thu Feb 24 2022 09:09:33 GMT-0800 (Pacific Standard Time)	I am having difficulty retrieving information about my certificates.  _Case created by JaneDoe (in Slack)_

## Creating AWS Support App in Slack resources with AWS CloudFormation

AWS Support App in Slack is integrated with AWS CloudFormation, a service that helps you to model and set up your AWS resources so that you can spend less time creating and managing your resources and infrastructure. You create a template that describes all the AWS resources that you want (such as your AccountAlias and SlackChannelConfiguration), and CloudFormation provisions and configures those resources for you.

When you use CloudFormation, you can reuse your template to set up your AWS Support App resources consistently and repeatedly. Describe your resources once, and then provision the same resources over and over in multiple AWS accounts and Regions.

## AWS Support App and CloudFormation templates

To provision and configure resources for AWS Support App and related services, you must understand [CloudFormation templates](#). Templates are formatted text files in JSON or YAML. These templates describe the resources that you want to provision in your CloudFormation stacks. If you're unfamiliar with JSON or YAML, you can use CloudFormation Designer to help you get started with CloudFormation templates. For more information, see [What is CloudFormation Designer?](#) in the [AWS CloudFormation User Guide](#).

AWS Support App supports creating your AccountAlias and SlackChannelConfiguration in CloudFormation. For more information, including examples of JSON and YAML templates for the

AccountAlias and SlackChannelConfiguration resources, see the [AWS Support App resource type reference](#) in the *AWS CloudFormation User Guide*.

## Create Slack configuration resources for your organization

You can use CloudFormation templates to create the resources that you need for the AWS Support App. If you're the management account for your organization, you can use the templates to create these resources for your member accounts in AWS Organizations.

For example, you might use a template to create the same Slack workspace configuration for all accounts in the organization, but then use separate templates to create different Slack channel configurations for specific AWS accounts or organizational units (OUs). You can also use a template to create a Slack workspace configuration so that member accounts can then configure the Slack channels that they want for their AWS accounts.

You can choose whether to use CloudFormation templates or not. If you don't use CloudFormation templates, you can complete the following manual steps instead:

- Create the AWS Support App resources in the AWS Support Center Console.
- Create a support case with AWS Support to [authorize multiple accounts](#) to use the AWS Support App.
- Call the [RegisterSlackWorkspaceForOrganization](#) API operation to register a Slack workspace for your account. The CloudFormation stack calls this API operation for you.

Follow these procedures to upload the CloudFormation template to your organization. You can use the example templates from the [AWS Support App resource type reference](#) page.

The templates tell CloudFormation to create the following resources:

- A [Slack channel configuration](#).
- A [Slack workspace configuration](#).
- An [IAM role](#) with the AWSSupportSlackAppCFNRole name. The AWSSupportAppFullAccess AWS managed policy is attached.

## Contents

- [Update your CloudFormation templates for Slack](#)
- [Create a stack for the management account](#)

- [Create a stack set for your organization](#)

## Update your CloudFormation templates for Slack

To get started, use the following templates to create your stack. You must replace the templates with valid values for your Slack workspace and channel.

### Note

We don't recommend the use of the template to create an [AccountAlias](#) resource for your organization. The AccountAlias resource uniquely identifies an AWS account in the AWS Support App. Your member accounts can enter an account name in the Support Center Console. For more information, see [Authorize a Slack workspace](#).

## To update your CloudFormation templates for Slack

1. If you're the management account for an organization, you must manually authorize a Slack workspace for your account before your member accounts can use CloudFormation to create the resources. If you haven't already done so, see [Authorize a Slack workspace](#).
2. From the [AWS Support App resource type reference](#) page, copy the JSON or YAML template for the resource that you want.
3. In a text editor, paste the template into a new file.
4. In the template, specify the parameters that you want. At a minimum, replace the values for the following fields:
  - TeamId with your Slack workspace ID
  - ChannelId with the Slack channel ID
  - ChannelName with a name to identify the Slack channel configuration

### Tip

To find the workspace and channel IDs, open your Slack channel in a browser. In the URL, your workspace ID is the first identifier and the channel ID is the second. For example, in <https://app.slack.com/client/T012ABCDEFG/C01234A5BCD>, T012ABCDEFG is the workspace ID and C01234A5BCD is the channel ID.

5. Save the file as either a JSON or YAML file.

## Create a stack for the management account

Next, you must create a stack for the management account in the organization. This step calls the [RegisterSlackWorkspaceForOrganization](#) API operation for you and authorizes the workspace with Slack.

 **Note**

We recommend that you upload the Slack workspace configuration template that you updated in the previous procedure for the management account. You don't need to upload the Slack channel configuration template unless you're also configuring the management account to use the AWS Support App.

### To create a stack for the management account

1. Sign in to the AWS Management Console as the management account for your organization.
2. Open the CloudFormation console at <https://console.aws.amazon.com/cloudformation>.
3. If you haven't already, in the **Region selector**, choose one of the following AWS Regions:
  - Europe (Frankfurt)
  - Europe (Ireland)
  - Europe (London)
  - US East (N. Virginia)
  - US East (Ohio)
  - US West (Oregon)
  - Asia Pacific (Singapore)
  - Asia Pacific (Tokyo)
  - Canada (Central)
4. Follow the procedure to create a stack. For more information, see [Creating a stack on the CloudFormation console](#).

After CloudFormation successfully creates the stack, you can use the same template to create a stack set for your organization.

## Create a stack set for your organization

Next, use the same template for the Slack workspace configuration to create a stack set with service-managed permissions. You can use stack sets to create the stack for your entire organization or specify the OUs that you want. For more information, see [Create a stack set](#).

This procedure also calls the [RegisterSlackWorkspaceForOrganization](#) API operation for you. This API operation authorizes the workspace with Slack for the member accounts.

### To create a stack set for your organization

1. Sign in to the AWS Management Console as the management account for your organization.
2. Open the CloudFormation console at <https://console.aws.amazon.com/cloudformation>.
3. If you haven't already, in the **Region selector**, choose the same AWS Region that you used in the previous procedure.
4. In the navigation pane, choose **StackSets**.
5. Choose **Create StackSet**.
6. On the **Choose a template** page, keep the default options for the following options:
  - For **Permissions**, keep **Service-managed permissions**.
  - For **Prerequisite - Prepare template**, keep **Template is ready**.
7. Under **Specify template**, choose **Upload a template file**, and then choose **Choose file**.
8. Choose the file and then choose **Next**.
9. On the **Specify StackSet details** page, enter a stack name such as **support-app-slack-workspace**, enter a description, and then choose **Next**.
10. On the **Configure StackSet options** page, keep the default options and then choose **Next**.
11. On the **Set deployment options** page, for **Add stacks to stack set**, keep the default **Deploy new stacks** option.
12. For **Deployment targets**, choose if you want to create the stack for the entire organization or specific OUs. If you choose an OU, enter the OU ID.
13. For **Specify regions**, enter only *one* of the following AWS Regions:
  - Europe (Frankfurt)
  - Europe (Ireland)
  - Europe (London)

- US East (N. Virginia)
- US East (Ohio)
- US West (Oregon)
- Asia Pacific (Singapore)
- Asia Pacific (Tokyo)
- Canada (Central)

 **Notes:**

- To streamline your workflow, we recommend that you use the same AWS Region that you chose in step 3.
- Choosing more than one AWS Region can cause conflicts with creating your stack.

14. For **Deployment options**, for **Failure tolerance - optional**, enter the number of accounts where the stacks can fail before CloudFormation stops the operation. We recommend that you enter the number of accounts that you want to add, minus one. For example, if your specified OU has 10 member accounts, enter 9. This means that even if CloudFormation fails the operation 9 times, at least one account will succeed.
15. Choose **Next**.
16. On the **Review** page, review your options, and then choose **Submit**. You can check the status of your stack on the **Stack instances** tab.
17. (Optional) Repeat this procedure to upload a template for a Slack channel configuration. The example template also creates the IAM role and attaches an AWS managed policy. This role has the required permissions to access other services for you. For more information, see [Managing access to the AWS Support App](#).

If you don't create a stack set to create the Slack channel configuration, your member accounts can manually configure the Slack channel. For more information, see [Configuring a Slack channel](#).

After CloudFormation creates the stacks, each member account can sign in to the Support Center Console and find their configured Slack workspaces and channels. They can then use the AWS Support App for their AWS account. See [Creating support cases in a Slack channel](#).

**Tip**

If you need to upload a new template, we recommend that you use the same AWS Region that you specified before.

## Learn more about CloudFormation

To learn more about CloudFormation, see the following resources:

- [AWS CloudFormation](#)
- [AWS CloudFormation User Guide](#)
- [CloudFormation API Reference](#)
- [AWS CloudFormation Command Line Interface User Guide](#)

## Create AWS Support App resources by using Terraform

You can also use [Terraform](#) to create the AWS Support App resources for your AWS account.

Terraform is an infrastructure-as-code tool that you can use for your cloud applications. You can use Terraform to create AWS Support App resources instead of deploying a CloudFormation stack to an account.

After you install Terraform, you can specify the AWS Support App resources that you want. Terraform calls the [RegisterSlackWorkspaceForOrganization](#) API operation to register a Slack workspace for you and creates your resources. You can then sign in to the Support Center Console and find your configured Slack workspaces and channels.

**Notes**

- If you're the management account for an organization, you must manually authorize a Slack workspace for your account before your member accounts can use Terraform to create the resources. If you haven't already done so, see [Authorize a Slack workspace](#).
- Unlike CloudFormation stack sets, you can't use Terraform to create the AWS Support App resources for an OU in your organization.
- You can also find the event history for these updates from Terraform in AWS CloudTrail. The eventSource for these events will be `cloudcontrolapi.amazonaws.com` and

[supportapp.amazonaws.com](https://supportapp.amazonaws.com). For more information, see [Logging AWS Support App in Slack API calls using AWS CloudTrail](#).

## Learn more

To learn more about Terraform, see the following topics:

- [Terraform installation](#)
- [Terraform tutorial: Build infrastructure for AWS](#)
- [awscc\\_support\\_app\\_account\\_alias](#)
- [awscc\\_supportapp\\_slack\\_workspace\\_configuration](#)
- [awscc\\_supportapp\\_slack\\_channel\\_configuration](#)

# Security in AWS Support

Cloud security at AWS is the highest priority. As an AWS customer, you benefit from a data center and network architecture that is built to meet the requirements of the most security-sensitive organizations.

Security is a shared responsibility between AWS and you. The [shared responsibility model](#) describes this as security *of* the cloud and security *in* the cloud:

- **Security of the cloud** – AWS is responsible for protecting the infrastructure that runs AWS services in the AWS Cloud. AWS also provides you with services that you can use securely. Third-party auditors regularly test and verify the effectiveness of our security as part of the [AWS compliance programs](#). To learn about the compliance programs that apply to AWS Support, see [AWS services in scope by compliance program](#).
- **Security in the cloud** – Your responsibility is determined by the AWS service that you use. You are also responsible for other factors including the sensitivity of your data, your company's requirements, and applicable laws and regulations.

This documentation helps you understand how to apply the shared responsibility model when using Support. The following topics show you how to configure Support to meet your security and compliance objectives. You also learn how to use other Amazon Web Services that help you to monitor and secure your Support resources.

## Topics

- [Data protection in AWS Support](#)
- [Security for your AWS Support cases](#)
- [Identity and access management for AWS Support](#)
- [Incident response](#)
- [Logging and monitoring in AWS Support and AWS Trusted Advisor](#)
- [Compliance validation for AWS Support](#)
- [Resilience in AWS Support](#)
- [Infrastructure security in AWS Support](#)
- [Configuration and vulnerability analysis in Support](#)

# Data protection in AWS Support

The AWS [shared responsibility model](#) applies to data protection in Support. As described in this model, AWS is responsible for protecting the global infrastructure that runs all of the AWS Cloud. You are responsible for maintaining control over your content that is hosted on this infrastructure. You are also responsible for the security configuration and management tasks for the AWS services that you use. For more information about data privacy, see the [Data Privacy FAQ](#). For information about data protection in Europe, see the [AWS Shared Responsibility Model and GDPR](#) blog post on the [AWS Security Blog](#).

For data protection purposes, we recommend that you protect AWS account credentials and set up individual users with AWS IAM Identity Center or AWS Identity and Access Management (IAM). That way, each user is given only the permissions necessary to fulfill their job duties. We also recommend that you secure your data in the following ways:

- Use multi-factor authentication (MFA) with each account.
- Use SSL/TLS to communicate with AWS resources. We require TLS 1.2 and recommend TLS 1.3.
- Set up API and user activity logging with AWS CloudTrail. For information about using CloudTrail trails to capture AWS activities, see [Working with CloudTrail trails](#) in the *AWS CloudTrail User Guide*.
- Use AWS encryption solutions, along with all default security controls within AWS services.
- Use advanced managed security services such as Amazon Macie, which assists in discovering and securing sensitive data that is stored in Amazon S3.
- If you require FIPS 140-3 validated cryptographic modules when accessing AWS through a command line interface or an API, use a FIPS endpoint. For more information about the available FIPS endpoints, see [Federal Information Processing Standard \(FIPS\) 140-3](#).

We strongly recommend that you never put confidential or sensitive information, such as your customers' email addresses, into tags or free-form text fields such as a **Name** field. This includes when you work with AWS Support or other AWS services using the console, API, AWS CLI, or AWS SDKs. Any data that you enter into tags or free-form text fields used for names may be used for billing or diagnostic logs. If you provide a URL to an external server, we strongly recommend that you do not include credentials information in the URL to validate your request to that server.

**⚠️ Important**

In the case correspondence, never share sensitive information, such as credentials, credit cards, signed URLs, or personally identifiable information.

## Security for your AWS Support cases

When you create a support case, you own the information that you include in your support case. AWS doesn't access your AWS account data without your permission. AWS doesn't share your information with third parties.

When you create a support case, note the following:

- AWS Support uses the permissions defined in the `AWSServiceRoleForSupport` service-linked role to call other AWS services that troubleshoot customer issues for you. For more information, see [Using service-linked roles for AWS Support](#) and [AWS managed policy: AWSSupportServiceRolePolicy](#).
- You can view API calls to AWS Support that occurred in your AWS account. For example, you can view log information when someone in your account creates or resolves a support case. For more information, see [Logging AWS Support API calls with AWS CloudTrail](#).
- You can use the AWS Support API to call the `DescribeCases` API. This API returns support case information, such as the case ID, the create and resolve date, and correspondences with the support agent. You can view case details for up to 24 months after the case was created. For more information, see [DescribeCases](#) in the *AWS Support API Reference*.
- Your support cases follow [Compliance validation for AWS Support](#).
- When you create a support case, AWS doesn't gain access your account. If necessary, support agents use a screen-sharing tool to view your screen remotely and identify and troubleshoot problems. This tool is view-only. AWS Support can't act for you during the screen-share session. You must give consent to share a screen with a support agent. For more information, see the [AWS Support FAQs](#).
- You can change your AWS Support plan to get the help that you need for your account. For more information, see [Compare AWS Support Plans](#) and [Changing your AWS Support plan](#).

# Identity and access management for AWS Support

AWS Identity and Access Management (IAM) is an AWS service that helps an administrator securely control access to AWS resources. IAM administrators control who can be *authenticated* (signed in) and *authorized* (have permissions) to use Support resources. IAM is an AWS service that you can use with no additional charge.

## Topics

- [Audience](#)
- [Authenticating with identities](#)
- [Managing access using policies](#)
- [How AWS Support works with IAM](#)
- [AWS Support identity-based policy examples](#)
- [Using service-linked roles](#)
- [AWS managed policies for AWS Support](#)
- [Manage access to AWS Support Center](#)
- [Manage access to AWS Support Plans](#)
- [Manage access to AWS Trusted Advisor](#)
- [Example Service Control Policies for AWS Trusted Advisor](#)
- [Troubleshooting AWS Support identity and access](#)

## Audience

How you use AWS Identity and Access Management (IAM) differs based on your role:

- **Service user** - request permissions from your administrator if you cannot access features (see [Troubleshooting AWS Support identity and access](#))
- **Service administrator** - determine user access and submit permission requests (see [How AWS Support works with IAM](#))
- **IAM administrator** - write policies to manage access (see [AWS Support identity-based policy examples](#))

# Authenticating with identities

Authentication is how you sign in to AWS using your identity credentials. You must be authenticated as the AWS account root user, an IAM user, or by assuming an IAM role.

You can sign in as a federated identity using credentials from an identity source like AWS IAM Identity Center (IAM Identity Center), single sign-on authentication, or Google/Facebook credentials. For more information about signing in, see [How to sign in to your AWS account](#) in the *AWS Sign-In User Guide*.

For programmatic access, AWS provides an SDK and CLI to cryptographically sign requests. For more information, see [AWS Signature Version 4 for API requests](#) in the *IAM User Guide*.

## AWS account root user

When you create an AWS account, you begin with one sign-in identity called the AWS account *root user* that has complete access to all AWS services and resources. We strongly recommend that you don't use the root user for everyday tasks. For tasks that require root user credentials, see [Tasks that require root user credentials](#) in the *IAM User Guide*.

## IAM users and groups

An [IAM user](#) is an identity with specific permissions for a single person or application. We recommend using temporary credentials instead of IAM users with long-term credentials. For more information, see [Require human users to use federation with an identity provider to access AWS using temporary credentials](#) in the *IAM User Guide*.

An [IAM group](#) specifies a collection of IAM users and makes permissions easier to manage for large sets of users. For more information, see [Use cases for IAM users](#) in the *IAM User Guide*.

## IAM roles

An [IAM role](#) is an identity with specific permissions that provides temporary credentials. You can assume a role by [switching from a user to an IAM role \(console\)](#) or by calling an AWS CLI or AWS API operation. For more information, see [Methods to assume a role](#) in the *IAM User Guide*.

IAM roles are useful for federated user access, temporary IAM user permissions, cross-account access, cross-service access, and applications running on Amazon EC2. For more information, see [Cross account resource access in IAM](#) in the *IAM User Guide*.

## Managing access using policies

You control access in AWS by creating policies and attaching them to AWS identities or resources. A policy defines permissions when associated with an identity or resource. AWS evaluates these policies when a principal makes a request. Most policies are stored in AWS as JSON documents. For more information about JSON policy documents, see [Overview of JSON policies](#) in the *IAM User Guide*.

Using policies, administrators specify who has access to what by defining which **principal** can perform **actions** on what **resources**, and under what **conditions**.

By default, users and roles have no permissions. An IAM administrator creates IAM policies and adds them to roles, which users can then assume. IAM policies define permissions regardless of the method used to perform the operation.

### Identity-based policies

Identity-based policies are JSON permissions policy documents that you attach to an identity (user, group, or role). These policies control what actions identities can perform, on which resources, and under what conditions. To learn how to create an identity-based policy, see [Define custom IAM permissions with customer managed policies](#) in the *IAM User Guide*.

Identity-based policies can be *inline policies* (embedded directly into a single identity) or *managed policies* (standalone policies attached to multiple identities). To learn how to choose between managed and inline policies, see [Choose between managed policies and inline policies](#) in the *IAM User Guide*.

### Other policy types

AWS supports additional policy types that can set the maximum permissions granted by more common policy types:

- **Permissions boundaries** – Set the maximum permissions that an identity-based policy can grant to an IAM entity. For more information, see [Permissions boundaries for IAM entities](#) in the *IAM User Guide*.
- **Service control policies (SCPs)** – Specify the maximum permissions for an organization or organizational unit in AWS Organizations. For more information, see [Service control policies](#) in the *AWS Organizations User Guide*.

- **Resource control policies (RCPs)** – Set the maximum available permissions for resources in your accounts. For more information, see [Resource control policies \(RCPs\)](#) in the *AWS Organizations User Guide*.
- **Session policies** – Advanced policies passed as a parameter when creating a temporary session for a role or federated user. For more information, see [Session policies](#) in the *IAM User Guide*.

## Multiple policy types

When multiple types of policies apply to a request, the resulting permissions are more complicated to understand. To learn how AWS determines whether to allow a request when multiple policy types are involved, see [Policy evaluation logic](#) in the *IAM User Guide*.

## How AWS Support works with IAM

Before you use IAM to manage access to Support, you should understand what IAM features are available to use with Support. To get a high-level view of how Support and other AWS services work with IAM, see [AWS services that work with IAM](#) in the *IAM User Guide*.

For information about how to manage access for Support using IAM, see [Manage access for Support](#).

### Topics

- [Support identity-based policies](#)
- [Support IAM roles](#)

## Support identity-based policies

With IAM identity-based policies, you can specify allowed or denied actions and resources as well as the conditions under which actions are allowed or denied. Support supports specific actions. To learn about the elements that you use in a JSON policy, see [IAM JSON policy elements reference](#) in the *IAM User Guide*.

### Actions

Administrators can use AWS JSON policies to specify who has access to what. That is, which **principal** can perform **actions** on what **resources**, and under what **conditions**.

The Action element of a JSON policy describes the actions that you can use to allow or deny access in a policy. Include actions in a policy to grant permissions to perform the associated operation.

Policy actions in Support use the following prefix before the action: support:. For example, to grant someone permission to run an Amazon EC2 instance with the Amazon EC2 RunInstances API operation, you include the ec2:RunInstances action in their policy. Policy statements must include either an Action or NotAction element. Support defines its own set of actions that describe tasks that you can perform with this service.

To specify multiple actions in a single statement, separate them with commas as follows:

```
"Action": [  
    "ec2:action1",  
    "ec2:action2"]
```

You can specify multiple actions using wildcards (\*). For example, to specify all actions that begin with the word Describe, include the following action:

```
"Action": "ec2:Describe*"
```

To see a list of Support actions, see [Actions Defined by AWS Support](#) in the *IAM User Guide*.

## Examples

To view examples of Support identity-based policies, see [AWS Support identity-based policy examples](#).

## Support IAM roles

An [IAM role](#) is an entity within your AWS account that has specific permissions.

### Using temporary credentials with Support

You can use temporary credentials to sign in with federation, assume an IAM role, or to assume a cross-account role. You obtain temporary security credentials by calling AWS STS API operations such as [AssumeRole](#) or [GetFederationToken](#).

Support supports using temporary credentials.

## Service-linked roles

[Service-linked roles](#) allow AWS services to access resources in other services to complete an action on your behalf. Service-linked roles appear in your IAM account and are owned by the service. An IAM administrator can view but not edit the permissions for service-linked roles.

Support supports service-linked roles. For details about creating or managing Support service-linked roles, see [Using service-linked roles for AWS Support](#).

## Service roles

This feature allows a service to assume a [service role](#) on your behalf. This role allows the service to access resources in other services to complete an action on your behalf. Service roles appear in your IAM account and are owned by the account. This means that an IAM administrator can change the permissions for this role. However, doing so might break the functionality of the service.

Support supports service roles.

## AWS Support identity-based policy examples

By default, IAM users and roles don't have permission to create or modify Support resources. They also can't perform tasks using the AWS Management Console, AWS CLI, or AWS API. An IAM administrator must create IAM policies that grant users and roles permission to perform specific API operations on the specified resources they need. The administrator must then attach those policies to the IAM users or groups that require those permissions.

To learn how to create an IAM identity-based policy using these example JSON policy documents, see [Creating policies on the JSON tab](#) in the *IAM User Guide*.

### Topics

- [Policy best practices](#)
- [Using the Support console](#)
- [Allow users to view their own permissions](#)

## Policy best practices

Identity-based policies are very powerful. They determine whether someone can create, access, or delete Support resources in your account. When you create or edit identity-based policies, follow these guidelines and recommendations:

- **Get Started Using AWS Managed Policies** – To start using Support quickly, use AWS managed policies to give your employees the permissions they need. These policies are already available in your account and are maintained and updated by AWS. For more information, see [Get started using permissions with AWS managed policies](#) in the *IAM User Guide*.
- **Grant Least Privilege** – When you create custom policies, grant only the permissions required to perform a task. Start with a minimum set of permissions and grant additional permissions as necessary. Doing so is more secure than starting with permissions that are too lenient and then trying to tighten them later. For more information, see [Grant least privilege](#) in the *IAM User Guide*.
- **Enable MFA for Sensitive Operations** – For extra security, require IAM users to use multi-factor authentication (MFA) to access sensitive resources or API operations. For more information, see [Using multi-factor authentication \(MFA\) in AWS](#) in the *IAM User Guide*.
- **Use Policy Conditions for Extra Security** – To the extent that it's practical, define the conditions under which your identity-based policies allow access to a resource. For example, you can write conditions to specify a range of allowable IP addresses that a request must come from. You can also write conditions to allow requests only within a specified date or time range, or to require the use of SSL or MFA. For more information, see [IAM JSON policy elements: Condition](#) in the *IAM User Guide*.

## Using the Support console

To access the AWS Support console, you must have a minimum set of permissions. These permissions must allow you to list and view details about the Support resources in your AWS account. If you create an identity-based policy that is more restrictive than the minimum required permissions, the console won't function as intended for entities (IAM users or roles) with that policy.

To be sure that those entities can still use the Support console, also attach the following AWS managed policy to the entities. For more information, see [Adding permissions to a user](#) in the *IAM User Guide*:

You don't need to allow minimum console permissions for users that are making calls only to the AWS CLI or the AWS API. Instead, allow access to only the actions that match the API operation that you're trying to perform.

## Allow users to view their own permissions

This example shows how you might create a policy that allows IAM users to view the inline and managed policies that are attached to their user identity. This policy includes permissions to complete this action on the console or programmatically using the AWS CLI or AWS API.

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  
            "Sid": "ViewOwnUserInfo",  
            "Effect": "Allow",  
            "Action": [  
                "iam:GetUserPolicy",  
                "iam>ListGroupsForUser",  
                "iam>ListAttachedUserPolicies",  
                "iam>ListUserPolicies",  
                "iam GetUser"  
            ],  
            "Resource": ["arn:aws:iam::*:user/${aws:username}"]  
        },  
        {  
            "Sid": "NavigateInConsole",  
            "Effect": "Allow",  
            "Action": [  
                "iam:GetGroupPolicy",  
                "iam:GetPolicyVersion",  
                "iam GetPolicy",  
                "iam>ListAttachedGroupPolicies",  
                "iam>ListGroupPolicies",  
                "iam>ListPolicyVersions",  
                "iam>ListPolicies",  
                "iam>ListUsers"  
            ],  
            "Resource": "*"  
        }  
    ]  
}
```

# Using service-linked roles

AWS Support and AWS Trusted Advisor use AWS Identity and Access Management (IAM) [service-linked roles](#). A service-linked role is a unique IAM role that is linked directly to Support and Trusted Advisor. In each case, the service-linked role is a predefined role. This role includes all the permissions that Support or Trusted Advisor require to call other AWS services on your behalf. The following topics explain what service-linked roles do and how to work with them in Support and Trusted Advisor.

## Topics

- [Using service-linked roles for AWS Support](#)
- [Using service-linked roles for Trusted Advisor](#)

## Using service-linked roles for AWS Support

AWS Support tools gather information about your AWS resources through API calls to provide customer service and technical support. To increase the transparency and auditability of support activities, Support uses an AWS Identity and Access Management (IAM) [service-linked role](#).

The AWSServiceRoleForSupport service-linked role is a unique IAM role that is linked directly to Support. This service-linked role is predefined, and it includes the permissions that Support requires to call other AWS services on your behalf.

The AWSServiceRoleForSupport service-linked role trusts the support.amazonaws.com service to assume the role.

To provide these services, the role's predefined permissions give Support access to resource metadata, not customer data. Only Support tools can assume this role, which exists within your AWS account.

We redact fields that could contain customer data. For example, the Input and Output fields of the [GetExecutionHistory](#) for the AWS Step Functions API call aren't visible to Support. We use AWS KMS keys to encrypt sensitive fields. These fields are redacted in the API response and aren't visible to AWS Support agents.

**Note**

AWS Trusted Advisor uses a separate IAM service-linked role to access AWS resources for your account to provide best practice recommendations and checks. For more information, see [Using service-linked roles for Trusted Advisor](#).

The `AWSServiceRoleForSupport` service-linked role enables all AWS Support API calls to be visible to customers through AWS CloudTrail. This helps with monitoring and auditing requirements, because it provides a transparent way to understand the actions that Support performs on your behalf. For information about CloudTrail, see the [AWS CloudTrail User Guide](#).

## Service-linked role permissions for Support

This role uses the `AWSSupportServiceRolePolicy` AWS managed policy. This managed policy is attached to the role and allows the role permission to complete actions on your behalf.

These actions might include the following:

- **Billing, administrative, support, and other customer services** – AWS customer service uses the permissions granted by the managed policy to perform a number of services as part of your support plan. These include investigating and answering account and billing questions, providing administrative support for your account, increasing service quotas, and offering additional customer support.
- **Processing of service attributes and usage data for your AWS account** – Support might use the permissions granted by the managed policy to access service attributes and usage data for your AWS account. This policy allows Support to provide billing, administrative, and technical support for your account. Service attributes include your account's resource identifiers, metadata tags, roles, and permissions. Usage data includes usage policies, usage statistics, and analytics.
- **Maintaining the operational health of your account and its resources** – Support uses automated tools to perform actions related to operational and technical support.

For more information about the allowed services and actions, see the [AWSSupportServiceRolePolicy](#) policy in the IAM console.

**Note**

AWS Support automatically updates the `AWSSupportServiceRolePolicy` policy once per month to add permissions for new AWS services and actions.

For more information, see [AWS managed policies for AWS Support](#).

### Creating a service-linked role for Support

You don't need to manually create the `AWSServiceRoleForSupport` role. When you create an AWS account, this role is automatically created and configured for you.

**Important**

If you used Support before it began supporting service-linked roles, then AWS created the `AWSServiceRoleForSupport` role in your account. For more information, see [A new role appeared in my IAM account](#).

### Editing and deleting a service-linked role for Support

You can use IAM to edit the description for the `AWSServiceRoleForSupport` service-linked role. For more information, see [Editing a service-linked role](#) in the *IAM User Guide*.

The `AWSServiceRoleForSupport` role is necessary for Support to provide administrative, operational, and technical support for your account. As a result, this role can't be deleted through the IAM console, API, or AWS Command Line Interface (AWS CLI). This protects your AWS account, because you can't inadvertently remove necessary permissions for administering support services.

Customers onboarded to AWS Organizations and who have an Enterprise Support plan can delete the `AWSServiceRoleForSupport` service-linked role. Deleting this role restricts access to your resources by AWS Support engineers, limiting their ability to perform actions on your behalf. For more information, or to request to delete the `AWSServiceRoleForSupport` service-linked role, contact your Technical Account Manager (TAM).

For more information about the `AWSServiceRoleForSupport` role or its uses, contact [Support](#).

## Using service-linked roles for Trusted Advisor

AWS Trusted Advisor uses the AWS Identity and Access Management (IAM) [service-linked role](#). A service-linked role is a unique IAM role that is linked directly to AWS Trusted Advisor. Service-linked roles are predefined by Trusted Advisor, and they include all the permissions that the service requires to call other AWS services on your behalf. Trusted Advisor uses this role to check your usage across AWS and to provide recommendations to improve your AWS environment. For example, Trusted Advisor analyzes your Amazon Elastic Compute Cloud (Amazon EC2) instance use to help you reduce costs, increase performance, tolerate failures, and improve security.

### Note

AWS Support uses a separate IAM service-linked role for accessing your account's resources to provide billing, administrative, and support services. For more information, see [Using service-linked roles for AWS Support](#).

For information about other services that support service-linked roles, see [AWS services that work with IAM](#). Look for the services that have **Yes** in the **Service-linked role** column. Choose a **Yes** with a link to view the service-linked role documentation for that service.

### Topics

- [Service-linked role permissions for Trusted Advisor](#)
- [Manage permissions for service-linked roles](#)
- [Creating a service-linked role for Trusted Advisor](#)
- [Editing a service-linked role for Trusted Advisor](#)
- [Deleting a service-linked role for Trusted Advisor](#)

### Service-linked role permissions for Trusted Advisor

Trusted Advisor uses two service-linked roles:

- [\*\*AWSServiceRoleForTrustedAdvisor\*\*](#) – This role trusts the Trusted Advisor service to assume the role to access AWS services on your behalf. The role permissions policy allows Trusted Advisor read-only access for all AWS resources. This role simplifies getting started with your AWS account, because you don't have to add the necessary permissions for Trusted Advisor. When you open an AWS account, Trusted Advisor creates this role for you. The defined permissions include

the trust policy and the permissions policy. You can't attach the permissions policy to any other IAM entity.

For more information about the attached policy, see [AWSTrustedAdvisorServicePolicy](#).

- [AWSServiceRoleForTrustedAdvisorReporting](#) – This role trusts the Trusted Advisor service to assume the role for the organizational view feature. This role enables Trusted Advisor as a trusted service in your AWS Organizations organization. Trusted Advisor creates this role for you when you enable organizational view.

For more information about the attached policy, see

[AWSTrustedAdvisorReportingServiceRolePolicy](#).

You can use the organizational view to create reports for Trusted Advisor check results for all accounts in your organization. For more information about this feature, see [Organizational view for AWS Trusted Advisor](#).

## Manage permissions for service-linked roles

You must configure permissions to allow an IAM entity (such as a user, group, or role) to create, edit, or delete a service-linked role. The following examples use the AWSServiceRoleForTrustedAdvisor service-linked role.

### Example : Allow an IAM entity to create the AWSServiceRoleForTrustedAdvisor service-linked role

This step is necessary only if the Trusted Advisor account is disabled, the service-linked role is deleted, and the user must recreate the role to reenable Trusted Advisor.

You can add the following statement to the permissions policy for the IAM entity to create the service-linked role.

```
{  
    "Effect": "Allow",  
    "Action": [  
        "iam:CreateServiceLinkedRole",  
        "iam:PutRolePolicy"  
    ],  
    "Resource": "arn:aws:iam::*:role/aws-service-role/trustedadvisor.amazonaws.com/  
AWSServiceRoleForTrustedAdvisor*",  
    "Condition": {"StringLike": {"iam:AWSPropertyName": "trustedadvisor.amazonaws.com"}}}
```

{

## Example : Allow an IAM entity to edit the description of the AWSServiceRoleForTrustedAdvisor service-linked role

You can only edit the description for the AWSServiceRoleForTrustedAdvisor role. You can add the following statement to the permissions policy for the IAM entity to edit the description of a service-linked role.

```
{  
    "Effect": "Allow",  
    "Action": [  
        "iam:UpdateRoleDescription"  
    ],  
    "Resource": "arn:aws:iam::*:role/aws-service-role/trustedadvisor.amazonaws.com/  
AWSServiceRoleForTrustedAdvisor*",  
    "Condition": {"StringLike": {"iam:AWSPropertyName": "trustedadvisor.amazonaws.com"}}  
}
```

## Example : Allow an IAM entity to delete the AWSServiceRoleForTrustedAdvisor service-linked role

You can add the following statement to the permissions policy for the IAM entity to delete a service-linked role.

```
{  
    "Effect": "Allow",  
    "Action": [  
        "iam>DeleteServiceLinkedRole",  
        "iam:GetServiceLinkedRoleDeletionStatus"  
    ],  
    "Resource": "arn:aws:iam::*:role/aws-service-role/trustedadvisor.amazonaws.com/  
AWSServiceRoleForTrustedAdvisor*",  
    "Condition": {"StringLike": {"iam:AWSPropertyName": "trustedadvisor.amazonaws.com"}}  
}
```

You can also use an AWS managed policy, such as [AdministratorAccess](#), to provide full access to Trusted Advisor.

## Creating a service-linked role for Trusted Advisor

You don't need to manually create the `AWSServiceRoleForTrustedAdvisor` service-linked role. When you open an AWS account, Trusted Advisor creates the service-linked role for you.

### Important

If you were using the Trusted Advisor service before it began supporting service-linked roles, then Trusted Advisor already created the `AWSServiceRoleForTrustedAdvisor` role in your account. To learn more, see [A new role appeared in my IAM account](#) in the *IAM User Guide*.

If your account doesn't have the `AWSServiceRoleForTrustedAdvisor` service-linked role, then Trusted Advisor won't work as expected. This can happen if someone in your account disabled Trusted Advisor and then deleted the service-linked role. In this case, you can use IAM to create the `AWSServiceRoleForTrustedAdvisor` service-linked role, and then reenable Trusted Advisor.

### To enable Trusted Advisor (console)

1. Use the IAM console, AWS CLI, or the IAM API to create a service-linked role for Trusted Advisor. For more information, see [Creating a service-linked role](#).
2. Sign in to the AWS Management Console, and then navigate to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor>.  
The **Disabled Trusted Advisor** status banner appears in the console.
3. Choose **Enable Trusted Advisor Role** from the status banner. If the required `AWSServiceRoleForTrustedAdvisor` isn't detected, the disabled status banner remains.

### Editing a service-linked role for Trusted Advisor

You can't change the name of a service-linked role because various entities might reference the role. However, you can use the IAM console, AWS CLI, or the IAM API to edit the description of the role. For more information, see [Editing a service-linked role](#) in the *IAM User Guide*.

### Deleting a service-linked role for Trusted Advisor

If you don't need to use the features or services of Trusted Advisor, you can delete the `AWSServiceRoleForTrustedAdvisor` role. You must disable Trusted Advisor before you can

delete this service-linked role. This prevents you from removing permissions required by Trusted Advisor operations. When you disable Trusted Advisor, you disable all service features, including offline processing and notifications. Also, if you disable Trusted Advisor for a member account, then the separate payer account is also affected, which means you won't receive Trusted Advisor checks that identify ways to save costs. You can't access the Trusted Advisor console. API calls to Trusted Advisor return an access denied error.

You must recreate the `AWSServiceRoleForTrustedAdvisor` service-linked role in the account before you can reenable Trusted Advisor.

You must first disable Trusted Advisor in the console before you can delete the `AWSServiceRoleForTrustedAdvisor` service-linked role.

## To disable Trusted Advisor

1. Sign in to the AWS Management Console and navigate to the Trusted Advisor console at <https://console.aws.amazon.com/trustedadvisor>.
2. In the navigation pane, choose **Preferences**.
3. In the **Service Linked Role Permissions** section, choose **Disable Trusted Advisor**.
4. In the confirmation dialog box, choose **OK** to confirm that you want to disable Trusted Advisor.

After you disable Trusted Advisor, all Trusted Advisor functionality is disabled, and the Trusted Advisor console displays only the disabled status banner.

You can then use the IAM console, the AWS CLI, or the IAM API to delete the Trusted Advisor service-linked role named `AWSServiceRoleForTrustedAdvisor`. For more information, see [Deleting a service-linked role](#) in the *IAM User Guide*.

## AWS managed policies for AWS Support

An AWS managed policy is a standalone policy that is created and administered by AWS. AWS managed policies are designed to provide permissions for many common use cases so that you can start assigning permissions to users, groups, and roles.

Keep in mind that AWS managed policies might not grant least-privilege permissions for your specific use cases because they're available for all AWS customers to use. We recommend that you

reduce permissions further by defining [customer managed policies](#) that are specific to your use cases.

You cannot change the permissions defined in AWS managed policies. If AWS updates the permissions defined in an AWS managed policy, the update affects all principal identities (users, groups, and roles) that the policy is attached to. AWS is most likely to update an AWS managed policy when a new AWS service is launched or new API operations become available for existing services.

For more information, see [AWS managed policies](#) in the *IAM User Guide*.

## Topics

- [AWS managed policies for AWS Support](#)
- [AWS managed policies for AWS Support App in Slack](#)
- [AWS managed policies for AWS Trusted Advisor](#)
- [AWS managed policies for AWS Support Plans](#)
- [AWS managed policies for AWS Partner-Led Support](#)

## AWS managed policies for AWS Support

AWS Support has the following managed policies.

## Contents

- [AWS managed policy: AWSSupportAccess](#)
- [AWS managed policy: AWSSupportServiceRolePolicy](#)
- [AWS Support updates to AWS managed policies](#)
- [Permission changes for AWSSupportServiceRolePolicy](#)

## AWS managed policy: AWSSupportAccess

AWS Support uses the [AWSSupportAccess](#) AWS managed policy. This policy manages your support case lifecycle through the Support API. Enhanced functionality in the AWS Support Center Console is provided through the support-console API service. You can attach this policy to your IAM entities. For more information, see [Service-linked role permissions for Support](#).

To view the permissions for this policy, see [AWSSupportAccess](#) in the *AWS Managed Policy Reference*.

## AWS managed policy: AWSSupportServiceRolePolicy

AWS Support uses the [AWSSupportServiceRolePolicy](#) AWS managed policy. This managed policy is attached to the AWSServiceRoleForSupport service-linked role. The policy allows the service-linked role to complete actions on your behalf. You can't attach this policy to your IAM entities. For more information, see [Service-linked role permissions for Support](#).

To view the permissions for this policy, see [AWSSupportServiceRolePolicy](#) in the *AWS Managed Policy Reference*.

For a list of changes to the policy, see [AWS Support updates to AWS managed policies](#) and [Permission changes for AWSSupportServiceRolePolicy](#).

## AWS Support updates to AWS managed policies

View details about updates to AWS managed policies for AWS Support since these services began tracking these changes. For automatic alerts about changes to this page, subscribe to the RSS feed on the [Document history](#) page.

The following table describes important updates to the AWS Support managed policies since February 17, 2022.

### AWS Support

Change	Description	Date
<a href="#">AWSSupportServiceRolePolicy</a> – Update to an existing policy	Added 105 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support: <ul style="list-style-type: none"><li>Amazon Bedrock – To troubleshoot issues related to Amazon Bedrock.</li></ul>	January 29, 2026

Change	Description	Date
	<ul style="list-style-type: none"><li>• Amazon Braket – To debug issues related to Amazon Braket.</li><li>• Amazon Connect – To debug issues related to Amazon Connect.</li><li>• Amazon Aurora DSQL – To troubleshoot issues related to Amazon Aurora DSQL.</li><li>• AWS Compute Optimizer – To debug issues related to AWS Compute Optimizer.</li><li>• Amazon Connect – To debug issues related to Amazon Connect.</li><li>• Amazon EBS – To debug issues related to Amazon EBS.</li><li>• Amazon EC2 – To troubleshoot issues related to Amazon EC2.</li><li>• Amazon EKS – To debug issues related to Amazon EKS.</li><li>• AWS Elastic Beanstalk – To debug issues related to AWS Elastic Beanstalk.</li><li>• AWS Glue – To troubleshoot issues related to AWS Glue.</li><li>• AWS IoT Greengrass – To debug issues related to AWS IoT Greengrass.</li></ul>	

Change	Description	Date
	<ul style="list-style-type: none"><li>• AWS Invoicing – To debug issues related to AWS Invoicing.</li><li>• Amazon Kinesis Video Streams – To debug issues related to Amazon Kinesis Video Streams.</li><li>• AWS License Manager – To debug issues related to AWS License Manager.</li><li>• Amazon MemoryDB – To troubleshoot issues related to Amazon MemoryDB.</li><li>• Multi-party approval – To debug issues related to Multi-party approval.</li><li>• Amazon MQ – To troubleshoot issues related to Amazon MQ.</li><li>• Oracle Database@AWS – To troubleshoot issues related to Oracle Database@AWS.</li><li>• AWS Payment Cryptography – To debug issues related to AWS Payment Cryptography.</li><li>• Amazon RDS – To debug issues related to Amazon RDS.</li><li>• AWS Tax Settings – To troubleshoot issues related to AWS Tax Settings.</li></ul>	

Change	Description	Date
<p><a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy</p>	<p>Added 145 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• AWS Amplify – To troubleshoot issues related to AWS Amplify.</li><li>• AWS AppSync – To debug issues related to AWS AppSync.</li><li>• AWS Outposts – To debug issues related to AWS Outposts.</li><li>• AWS Clean Rooms – To troubleshoot issues related to AWS Clean Rooms.</li><li>• AWS Compute Optimizer – To debug issues related to AWS Compute Optimizer.</li><li>• Amazon Connect – To debug issues related to Amazon Connect.</li><li>• Amazon DynamoDB – To debug issues related to Amazon DynamoDB.</li><li>• Amazon EMR – To troubleshoot issues related to Amazon EMR.</li><li>• Amazon Location Service – To troubleshoot issues</li></ul>	December 08, 2025

Change	Description	Date
	<p>related to Amazon Location Service.</p> <ul style="list-style-type: none"><li>• Amazon GuardDuty – To debug issues related to Amazon GuardDuty.</li><li>• AWS Network Firewall – To debug issues related to AWS Network Firewall.</li><li>• AWS HealthOmics – To troubleshoot issues related to AWS HealthOmics.</li><li>• AWS Organizations – To debug issues related to AWS Organizations.</li><li>• Amazon S3 – To debug issues related to Amazon S3.</li><li>• Amazon S3 Tables – To debug issues related to Amazon S3 Tables.</li><li>• Amazon S3 Vectors – To debug issues related to Amazon S3 Vectors.</li><li>• Amazon SageMaker AI – To troubleshoot issues related to Amazon SageMaker AI.</li><li>• AWS Security Hub CSPM – To troubleshoot issues related to AWS Security Hub CSPM.</li><li>• Amazon SES – To debug issues related to Amazon SES.</li></ul>	

Change	Description	Date
	<ul style="list-style-type: none"><li>• AWS Signer – To debug issues related to AWS Signer.</li><li>• AWS STS – To troubleshoot issues related to AWS STS.</li></ul>	

Change	Description	Date
<a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy	<p>Added 125 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• Artificial intelligence for IT operations(AIOps) – To debug issues related to Artificial intelligence for IT operations(AIOps).</li><li>• AWS Backup gateway – To troubleshoot issues related to AWS Backup gateway.</li><li>• CloudFormation – To debug issues related to CloudFormation.</li><li>• Amazon Cognito Identity – To debug issues related to Amazon Cognito Identity.</li><li>• Amazon Cognito – To troubleshoot issues related to Amazon Cognito.</li><li>• AWS Backup – To debug issues related to AWS Backup.</li><li>• Directory Service – To debug issues related to Directory Service.</li><li>• Amazon EC2 – To debug issues related to Amazon EC2.</li></ul>	Sep 30, 2025

Change	Description	Date
	<ul style="list-style-type: none"><li>• AWS FIS – To troubleshoot issues related to AWS FIS.</li><li>• Amazon FSx – To troubleshoot issues related to Amazon FSx.</li><li>• AWS Global Accelerator – To debug issues related to AWS Global Accelerator.</li><li>• AWS Identity Store – To debug issues related to AWS Identity Store.</li><li>• AWS Invoicing – To debug issues related to AWS Invoicing.</li><li>• AWS Lake Formation – To troubleshoot issues related to AWS Lake Formation.</li><li>• AWS Network Firewall – To debug issues related to AWS Network Firewall.</li><li>• Oracle Database@AWS – To troubleshoot issues related to Oracle Database@AWS.</li><li>• Amazon S3 – To debug issues related to Amazon S3.</li><li>• Amazon SES – To troubleshoot issues related to Amazon SES.</li><li>• AWS IAM Identity Center – To troubleshoot issues</li></ul>	

Change	Description	Date
	related to AWS IAM Identity Center.	
<a href="#"><u>AWSSupportAccess</u></a> – Update to an existing policy	Added permissions for the support-console API to the AWSSupportAccess managed policy.	July 18, 2025

Change	Description	Date
<p><a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy</p>	<p>Added 25 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• CloudFormation – To debug issues related to CloudFormation.</li><li>• AWS Config – To troubleshoot issues related to AWS Config.</li><li>• Amazon OpenSearch Service – To debug issues related to Amazon OpenSearch Service.</li><li>• AWS Glue – To debug issues related to AWS Glue.</li><li>• AWS IAM – To troubleshoot issues related to AWS IAM.</li><li>• Amazon Pinpoint – To troubleshoot issues related to Amazon Pinpoint.</li><li>• AWS Outposts – To debug issues related to AWS Outposts.</li><li>• AWS STS – To debug issues related to AWS STS.</li></ul> <p>For more information, see <a href="#"><u>Permission changes for</u></a></p>	Jul 15, 2025

Change	Description	Date
	<a href="#"><u>AWSSupportServiceRolePolicy</u></a>	.

Change	Description	Date
<p><a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy</p>	<p>Added 257 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• AWS App Runner – To debug issues related to AWS App Runner.</li><li>• AWS AppSync – To troubleshoot issues related to AWS AppSync.</li><li>• AWS Batch – To debug issues related to AWS Batch.</li><li>• Amazon Bedrock – To troubleshoot issues related to Amazon Bedrock.</li><li>• Amazon CloudFront – To debug issues related to Amazon CloudFront.</li><li>• AWS CodePipeline – To troubleshoot issues related to AWS CodePipeline.</li><li>• AWS Config – To troubleshoot issues related to AWS Config.</li><li>• Amazon Connect – To debug issues related to Amazon Connect.</li></ul>	Jun 17, 2025

Change	Description	Date
	<ul style="list-style-type: none"><li>• AWS DataSync – To debug issues related to AWS DataSync.</li><li>• Direct Connect – To troubleshoot issues related to the Direct Connect.</li><li>• Amazon EC2 – To troubleshoot issues related to the Amazon EC2.</li><li>• AWS Fault Injection Service – To debug issues related to the AWS Fault Injection Service.</li><li>• AWS Firewall Manager – To troubleshoot issues related to the AWS Firewall Manager.</li><li>• AWS Glue – To debug issues related to the AWS Glue.</li><li>• Amazon GuardDuty – To debug issues related to the Amazon GuardDuty.</li><li>• EC2 Image Builder – To troubleshoot issues related to the EC2 Image Builder.</li><li>• AWS IoT – To troubleshoot issues related to the AWS IoT.</li><li>• AWS IoT FleetWise – To debug issues related to the AWS IoT FleetWise.</li><li>• Amazon CloudWatch Logs – To debug issues related</li></ul>	

Change	Description	Date
	<p>to the Amazon CloudWatch Logs.</p> <ul style="list-style-type: none"><li>• AWS Elemental MediaLive<ul style="list-style-type: none"><li>– To debug issues related to the AWS Elemental MediaLive.</li></ul></li><li>• Network Flow Monitor<ul style="list-style-type: none"><li>– To troubleshoot issues related to the Network Flow Monitor.</li></ul></li><li>• AWS Network Manager – To troubleshoot issues related to AWS Network Manager.</li><li>• Amazon CloudWatch Observability Admin Service – To troubleshoot issues related to the Amazon CloudWatch Observability Admin Service.</li><li>• AWS Parallel Computing Service – To debug issues related to the AWS Parallel Computing Service.</li><li>• Amazon Redshift Serverless – To troubleshoot issues related to the Amazon Redshift Serverless.</li><li>• Amazon Redshift – To troubleshoot issues related to the Amazon Redshift.</li></ul>	

Change	Description	Date
	<ul style="list-style-type: none"><li>• AWS Resilience Hub – To debug issues related to the AWS Resilience Hub.</li><li>• AWS Identity and Access Management Roles Anywhere– To debug issues related to the AWS Identity and Access Management Roles Anywhere.</li><li>• Amazon S3 on Outposts – To troubleshoot issues related to the Amazon S3 on Outposts.</li><li>• Amazon S3 – To troubleshoot issues related to the Amazon S3.</li><li>• Amazon S3 Tables– To troubleshoot issues related to the Amazon S3 Tables.</li><li>• Amazon SageMaker AI – To debug issues related to the Amazon SageMaker AI.</li><li>• AWS Security Hub CSPM – To debug issues related to the AWS Security Hub CSPM.</li><li>• Amazon SQS – To debug issues related to the Amazon SQS.</li><li>• AWS Systems Manager Incident Manager – To troubleshoot issues related</li></ul>	

Change	Description	Date
	<p>to the AWS Systems Manager Incident Manager.</p> <ul style="list-style-type: none"><li>• AWS Systems Manager Quick Setup – To debug issues related to the AWS Systems Manager Quick Setup.</li><li>• AWS Systems Manager – To debug issues related to the AWS Systems Manager.</li><li>• Amazon WorkSpaces Thin Client – To troubleshoot issues related to the Amazon WorkSpaces Thin Client.</li><li>• Amazon Timestream – To debug issues related to the Amazon Timestream.</li><li>• AWS Telco Network Builder – To troubleshoot issues related to the AWS Telco Network Builder.</li><li>• AWS Transfer Family – To debug issues related to the AWS Transfer Family.</li><li>• Amazon VPC Lattice – To troubleshoot issues related to the Amazon VPC Lattice.</li></ul>	

Change	Description	Date
<a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy	<p>Added 88 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• Amazon Bedrock – To troubleshoot issues related to Amazon Bedrock.</li><li>• Amazon Connect – To debug issues related to Amazon Connect.</li><li>• Amazon DataZone – To debug issues related to Amazon DataZone.</li><li>• Amazon EC2 – To troubleshoot issues related to the Amazon EC2.</li><li>• Amazon EKS – To debug issues related to the Amazon EKS.</li><li>• AWS Glue – To troubleshoot issues related to AWS Glue.</li><li>• Amazon Managed Service for Apache Flink – To troubleshoot issues related to the Amazon Managed Service for Apache Flink.</li><li>• AWS Lambda – To debug issues related to the AWS Lambda.</li></ul>	Nov 25, 2024

Change	Description	Date
<p><a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy</p>	<p>Added 79 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• Amazon OpenSearch Serverless – To troubleshoot issues related to Amazon OpenSearch Serverless.</li><li>• AWS AppConfig – To debug issues related to AWS AppConfig.</li><li>• Application Signals – To debug issues related to Application Signals.</li><li>• Amazon Athena – To troubleshoot issues related to the Amazon Athena.</li><li>• Amazon CloudWatch – To debug issues related to the Amazon CloudWatch.</li><li>• Amazon DynamoDB – To troubleshoot issues related to Amazon DynamoDB.</li><li>• Amazon EC2 – To troubleshoot issues related to the Amazon EC2.</li><li>• AWS IoT – To debug issues related to the AWS IoT.</li></ul>	Oct 8, 2024

Change	Description	Date
	<ul style="list-style-type: none"><li>• AWS Lambda – To troubleshoot issues related to the AWS Lambda.</li><li>• AWS Launch Wizard – To troubleshoot issues related to the AWS Launch Wizard.</li><li>• AWS Security Hub CSPM – To debug issues related to AWS Security Hub CSPM.</li><li>• Amazon WorkSpaces – To debug issues related to the Amazon WorkSpaces.</li></ul>	

Change	Description	Date
<a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy	<p>Added 79 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• AWS account – To troubleshoot issues related to the AWS account.</li><li>• AWS Auto Scaling – To debug issues related to AWS Auto Scaling.</li><li>• Amazon Bedrock – To debug issues related to Amazon Bedrock.</li><li>• AWS CodeConnections – To troubleshoot issues related to the AWS CodeConnections.</li><li>• AWS Deadline Cloud – To debug issues related to the AWS Deadline Cloud.</li><li>• Amazon Elastic Kubernetes Service – To troubleshoot issues related to Amazon Elastic Kubernetes Service.</li><li>• Elastic Load Balancing – To troubleshoot issues related to the Elastic Load Balancing.</li></ul>	Aug 5, 2024

Change	Description	Date
	<ul style="list-style-type: none"><li>• AWS Free Tier – To debug issues related to the AWS Free Tier.</li><li>• Amazon Inspector – To troubleshoot issues related to the Amazon Inspector.</li><li>• Amazon OpenSearch Ingestion – To troubleshoot issues related to the Amazon OpenSearch Ingestion.</li><li>• Amazon WorkSpaces – To debug issues related to Amazon WorkSpaces.</li><li>• AWS X-Ray – To debug issues related to the AWS X-Ray.</li></ul>	

Change	Description	Date
<a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy	<p>Added 17 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• Amazon CloudWatch Network Monitor – To troubleshoot issues related to the Network Monitor service.</li><li>• Amazon CloudWatch Logs – To debug issues related to Amazon CloudWatch Logs.</li><li>• Amazon Managed Streaming for Apache Kafka – To debug issues related to Amazon Managed Streaming for Apache Kafka.</li><li>• Amazon Managed Service for Prometheus – To troubleshoot issues related to the Amazon Managed Service for Prometheus.</li></ul>	Mar 22, 2024

Change	Description	Date
<a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy	<p>Added 63 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• AWS Clean Rooms – To troubleshoot issues related to the AWS Clean Rooms.</li><li>• CodeConnections – To troubleshoot issues related to CodeConnections.</li><li>• Amazon EKS – To debug issues related to Amazon EKS.</li><li>• Image Builder – To debug issues related to the Image Builder.</li><li>• Amazon Inspector2 – To troubleshoot issues related to Amazon Inspector2.</li><li>• Amazon Inspector Scan – To debug issues related to the Amazon Inspector Scan.</li><li>• Amazon CloudWatch Logs – To troubleshoot issues related to Amazon CloudWatch Logs.</li><li>• AWS Outposts – To troubleshoot issues related to the AWS Outposts.</li></ul>	Jan 17, 2024

Change	Description	Date
	<ul style="list-style-type: none"><li>• Amazon RDS – To debug issues related to Amazon RDS.</li><li>• AWS IAM Identity Center – To troubleshoot issues related to AWS IAM Identity Center.</li><li>• Amazon S3 Express – To debug issues related to Amazon S3 Express.</li><li>• AWS Trusted Advisor – To troubleshoot issues related to AWS Trusted Advisor.</li></ul>	

Change	Description	Date
<p><a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy</p>	<p>Added 126 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• AWS Direct Connect – To troubleshoot issues related to the AWS Direct Connect service.</li><li>• Amazon SageMaker AI – To troubleshoot issues related to Amazon SageMaker AI service.</li><li>• Amazon AppStream – To debug issues related to Amazon AppStream.</li><li>• AWS Resource Explorer – To debug issues related to the AWS Resource Explorer.</li><li>• Amazon Redshift serverless – To troubleshoot issues related to Amazon Redshift serverless.</li><li>• Amazon ElastiCache – To debug issues related to the Amazon ElastiCache.</li><li>• Amazon Comprehend – To troubleshoot issues related to Amazon Comprehend.</li></ul>	Dec 6, 2023

Change	Description	Date
	<ul style="list-style-type: none"><li>• Amazon EC2 – To troubleshoot issues related to the Amazon EC2.</li><li>• Amazon Elastic Kubernetes Service – To debug issues related to Amazon Elastic Kubernetes Service.</li><li>• AWS Elastic Disaster Recovery – To troubleshoot issues related to AWS Elastic Disaster Recovery.</li><li>• AWS AppSync – To debug issues related to AWS AppSync.</li><li>• Amazon CloudWatch Logs – To troubleshoot issues related to Amazon CloudWatch Logs.</li><li>• AWS Health – To debug issues related to the AWS Health Service.</li><li>• Amazon Connect – To debug issues related to the Amazon Connect.</li><li>• AWS Snowball Edge – To troubleshoot issues related to AWS Snowball Edge.</li><li>• AWS HealthImaging – To troubleshoot issues related to AWS HealthImaging.</li></ul>	

Change	Description	Date
<a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy	<p>Added 163 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• Amazon CloudFront – To troubleshoot issues related to the CloudFront service.</li><li>• Amazon EC2 – To troubleshoot issues related to the Amazon EC2 service.</li><li>• Amazon AppStream – To debug issues related to Amazon AppStream.</li><li>• AWS WAF – To debug issues related to the AWS Web Application Firewall.</li><li>• Amazon Connect – To troubleshoot issues related to Amazon Connect.</li><li>• AWS IoT – To debug issues related to the AWS IoT.</li><li>• Amazon Route 53 – To troubleshoot issues related to Amazon Route 53.</li><li>• AWS Verified Access – To troubleshoot issues related to the AWS Verified Access service.</li><li>• Amazon Simple Email Service – To debug issues</li></ul>	Oct 27, 2023

Change	Description	Date
	<p>related to Amazon Simple Email Service.</p> <ul style="list-style-type: none"><li>• AWS Elastic Beanstalk – To troubleshoot issues related to AWS Elastic Beanstalk.</li><li>• Amazon DynamoDB – To debug issues related to Amazon DynamoDB.</li><li>• AWS EC2 Image Builder – To troubleshoot issues related to AWS EC2 Image Builder.</li><li>• AWS Outposts – To debug issues related to the AWS Outposts Service.</li><li>• AWS Glue – To debug issues related to the AWS Glue.</li><li>• AWS Directory Service – To troubleshoot issues related to AWS Directory Service.</li><li>• AWS Elastic Disaster Recovery – To troubleshoot issues related to AWS Elastic Disaster Recovery.</li><li>• AWS Step Functions – To debug issues related to AWS Step Functions.</li><li>• Amazon EMR – To troubleshoot issues related to Amazon EMR.</li><li>• Amazon Relational Database Service – To troubleshoot issues related</li></ul>	

Change	Description	Date
	<p>to Amazon Relational Database Service.</p> <ul style="list-style-type: none"><li>• Amazon EC2 Systems Manager – To debug issues related to Amazon EC2 Systems Manager.</li></ul>	

Change	Description	Date
<a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy	<p>Added 176 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• AWS Glue – To troubleshoot issues related to the AWS Glue service</li><li>• Amazon EMR – To troubleshoot issues related to the Amazon EMR service.</li><li>• Amazon Security Lake – To debug issues related to the Amazon Security Lake service.</li><li>• AWS Systems Manager – To debug issues related to the Systems Manager service.</li><li>• Amazon Verified Permissions – To troubleshoot issues related to Amazon Verified Permissions.</li><li>• AWS IAM Access Analyzer – To debug issues related to the IAM Access Analyzer service.</li><li>• AWS Backup – To troubleshoot issues related to AWS Backup.</li><li>• AWS Database Migration Service – To troubleshoot</li></ul>	Aug 28, 2023

Change	Description	Date
	<p>issues related to the DMS service.</p> <ul style="list-style-type: none"><li>• Amazon DynamoDB – To debug issues related to Dynamo DB.</li><li>• Amazon Elastic Container Registry (Amazon ECR) – To troubleshoot issues related to Amazon Elastic Container Registry (Amazon ECR).</li><li>• Amazon Elastic Container Service – To debug issues related to Amazon Elastic Container Service.</li><li>• Amazon Elastic Kubernetes Service – To troubleshoot issues related to Amazon Elastic Kubernetes Service.</li><li>• Amazon EMR Serverless – To debug issues related to the Amazon EMR Serverless Service.</li><li>• AWS Identity and Access Management – To troubleshoot issues related to AWS Identity and Access Management.</li><li>• AWS Network Firewall – To troubleshoot issues related to AWS Network Firewall.</li></ul>	

Change	Description	Date
	<ul style="list-style-type: none"><li>• AWS HealthOmics – To debug issues related to AWS HealthOmics.</li><li>• Amazon Quick Suite – To debug issues related to Amazon Quick Suite.</li><li>• Amazon Relational Database Service – To troubleshoot issues related to Amazon Relational Database Service.</li><li>• Amazon Redshift – To troubleshoot issues related to Amazon Redshift.</li><li>• Amazon Redshift Serverless – To debug issues related to Amazon Redshift Serverles s.</li><li>• Amazon SageMaker AI – To debug issues related to Amazon SageMaker AI.</li></ul>	

Change	Description	Date
<p><a href="#"><u>AWSSupportServiceRolePolicy</u></a></p> <p>– Update to an existing policy</p>	<p>Added 141 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• Lambda – To troubleshoot issues related to Lambda service.</li><li>• Amazon Lex – To troubleshoot issues related to Amazon Lex service.</li><li>• AWS Transfer – To debug issues related to Transfer service.</li><li>• AWS Amplify – To debug issues related to Amplify service.</li><li>• Amazon EventBridge Pipes – To troubleshoot permissions and billing issues related to Pipes.</li><li>• Amazon EventBridge – To debug issues related to Amazon EventBridge</li><li>• Amazon CloudWatch Logs – To troubleshoot issues related to Amazon CloudWatch Logs.</li><li>• AWS Systems Manager – To troubleshoot issues related to Systems Manager.</li></ul>	June 26, 2023

Change	Description	Date
	<ul style="list-style-type: none"><li>• Amazon CloudWatch – To debug issues related to CloudWatch.</li><li>• Amazon ElastiCache – To troubleshoot issues related to Amazon ElastiCache.</li><li>• Amazon Athena – To debug issues related to Athena.</li><li>• AWS Elastic Disaster Recovery – To troubleshoot issues related to Elastic Disaster Recovery.</li><li>• Amazon CloudWatch – To troubleshoot configurations of Amazon CloudWatch.</li><li>• Amazon EC2 – To debug issues related to the EC2 service.</li><li>• AWS Certificate Manager – To troubleshoot issues related to Certificate Manager.</li><li>• Amazon EventBridge Scheduler – To troubleshoot issues related to EventBridge Scheduler.</li><li>• Amazon OpenSearch Service – To troubleshoot issues related to OpenSearch.</li><li>• Amazon EventBridge Schemas – To debug issues</li></ul>	

Change	Description	Date
	<p>related to EventBridge Schemas.</p> <ul style="list-style-type: none"><li>• AWS User Notifications – To troubleshoot issues related to User Notifications.</li><li>• Amazon CloudWatch Application Insights – To troubleshoot issues related to CloudWatch Application Insights.</li><li>• Amazon DynamoDB – To troubleshoot issues related to DynamoDB.</li><li>• Amazon DocumentDB Elastic Clusters – To troubleshoot issues related to DocumentDB Elastic Clusters.</li></ul>	

Change	Description	Date
<p><a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy</p>	<p>Added 53 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• Auto Scaling – To troubleshoot issues related to Auto Scaling service.</li><li>• Amazon CloudWatch – To troubleshoot issues related to Amazon CloudWatch.</li><li>• AWS Compute Optimizer – To troubleshoot issues related to Compute Optimizer.</li><li>• Amazon CloudWatch Evidently – To troubleshoot issues related to Evidently.</li><li>• EC2 Image Builder – To troubleshoot issues related to Image Builder service.</li><li>• AWS IoT TwinMaker – To troubleshoot issues related to AWS IoT TwinMaker.</li><li>• Amazon CloudWatch Logs – To troubleshoot issues related to Amazon CloudWatch Logs.</li><li>• Amazon Pinpoint – To troubleshoot issues related to Amazon Pinpoint.</li></ul>	May 02, 2023

Change	Description	Date
	<ul style="list-style-type: none"><li>• AWS OAM Link – To debug issues related to OAM resources.</li><li>• AWS Outposts – To troubleshoot issues related to AWS Outposts.</li><li>• Amazon RDS – To debug issues related to Amazon RDS.</li><li>• AWS Resource Explorer – To troubleshoot issues related to Resource Explorer.</li><li>• Amazon CloudWatch RUM – To troubleshoot configurations of RUM service resources.</li><li>• Amazon SNS – To troubleshoot issues related to Amazon SNS.</li><li>• Amazon CloudWatch Synthetics – To troubleshoot issues related to CloudWatch Synthetics.</li></ul>	

Change	Description	Date
<p><a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy</p>	<p>Added 52 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• AWS Backup gateway – To troubleshoot issues related to Backup gateway.</li><li>• Amazon S3 – To debug issues related to Amazon S3.</li><li>• AWS Application Migration Service – To troubleshoot issues related to Application Migration Service.</li><li>• AWS Clean Rooms – To debug issues related to AWS Clean Rooms;</li><li>• AWS Systems Manager for SAP – To troubleshoot issues related to AWS Systems Manager for SAP.</li><li>• Amazon VPC Lattice – To debug issues related to Amazon VPC Lattice.</li></ul>	March 16, 2023

Change	Description	Date
<p><a href="#"><u>AWSSupportServiceRolePolicy</u></a></p> <p>– Update to an existing policy</p>	<p>Added 220 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• Amazon Athena – To enable AWS Support to develop tools that can be used to help customers with their queries related to Athena.</li><li>• Amazon Chime – To troubleshoot issues related to Amazon Chime.</li><li>• Amazon CloudWatch Internet Monitor – To debug issues related to Internet Monitor.</li><li>• Amazon Comprehend – To troubleshoot issues related to Amazon Comprehend.</li><li>• Amazon Elastic Compute Cloud – To debug issues related to Transit Gateway Connect and multicast features.</li><li>• Amazon EventBridge Pipes – To troubleshoot issues related to EventBridge Pipes.</li><li>• Amazon Interactive Video Service – To enable AWS Support to query Amazon</li></ul>	January 10, 2023

Change	Description	Date
	<p>IVS resources to troubleshoot customer issues.</p> <ul style="list-style-type: none"><li>• Amazon FSx – To enable AWS Support to develop tools to support importing and exporting for an Amazon FSx data repository.</li><li>• Amazon GameLift Servers – To troubleshoot issues related to Amazon GameLift Servers.</li><li>• AWS Glue– To troubleshoot issues related to AWS Glue Data Quality.</li><li>• Amazon Kinesis Video Streams– To troubleshoot issues related to Kinesis Video Streams.</li><li>• Amazon Managed Service for Prometheus – To troubleshoot issues related to Amazon Managed Service for Prometheus.</li><li>• Amazon Managed Streaming for Apache Kafka – To troubleshoot issues related to Amazon MSK Connect.</li><li>• AWS Network Manager – To troubleshoot issues related to Network Manager.</li></ul>	

Change	Description	Date
	<ul style="list-style-type: none"><li>• Amazon Nimble Studio – To debug issues related to Nimble Studio.</li><li>• Amazon Personalize – To debug issues related to Amazon Personalize.</li><li>• Amazon Pinpoint – To troubleshoot issues related to Amazon Pinpoint.</li><li>• AWS HealthOmics – To troubleshoot issues related to HealthOmics.</li><li>• Amazon Transcribe – To debug issues related to Amazon Transcribe.</li></ul>	

Change	Description	Date
<p><a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy</p>	<p>Added 47 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• AWS Application Migration Service – To troubleshoot replication and launch issues.</li><li>• AWS CloudFormation hooks – To enable AWS Support to develop automation tools that can help resolve issues.</li><li>• Amazon Elastic Kubernetes Service – To troubleshoot issues related to Amazon EKS.</li><li>• AWS IoT FleetWise – To troubleshoot issues related to AWS IoT FleetWise.</li><li>• AWS Mainframe Modernization – To debug issues related to AWS Mainframe Modernization.</li><li>• AWS Outposts – To help AWS Support get a list of dedicated hosts and assets.</li><li>• AWS Private 5G – To troubleshoot issues related to Private 5G.</li></ul>	October 4, 2022

Change	Description	Date
	<ul style="list-style-type: none"><li>• AWS Tiros – To debug issues related to Tiros.</li></ul>	

Change	Description	Date
<a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy	<p>Added 46 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• Amazon Managed Streaming for Apache Kafka – To troubleshoot issues related to Amazon MSK.</li><li>• AWS DataSync – To troubleshoot issues related to DataSync.</li><li>• AWS Elastic Disaster Recovery – To troubleshoot replication and launch issues.</li><li>• Amazon GameSparks – To troubleshoot issues related to GameSparks.</li><li>• AWS IoT TwinMaker – To debug issues related to AWS IoT TwinMaker.</li><li>• AWS Lambda – To view the configuration of a function URL to troubleshooting issues.</li><li>• Amazon Lookout for Equipment – To troubleshoot issues related to Lookout for Equipment.</li></ul>	August 17, 2022

Change	Description	Date
	<ul style="list-style-type: none"><li>Amazon Route 53 and Amazon Route 53 Resolver<ul style="list-style-type: none"><li>To get resolver configurations so that AWS Support can check the DNS resolution behavior of a VPC.</li></ul></li></ul>	
<a href="#"><u>AWS Support Service Role Policy</u></a> – Update to an existing policy	<p>Added new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>Amazon CloudWatch Logs<ul style="list-style-type: none"><li>To help troubleshoot CloudWatch Logs related issues.</li></ul></li><li>Amazon Interactive Video Service – To help Support check existing Amazon IVS resources for support cases regarding fraud or compromised accounts.</li><li>Amazon Inspector – To troubleshoot Amazon Inspector related issues.</li></ul> <p>Removed permissions for services, such as Amazon WorkLink. Amazon WorkLink was deprecated on April 19, 2022.</p>	June 23, 2022

Change	Description	Date
<p><a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy</p>	<p>Added 25 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• AWS Amplify UI Builder<ul style="list-style-type: none"><li>– To troubleshoot issues related to component and theme generation.</li></ul></li><li>• Amazon AppStream – To troubleshoot issues by retrieving resources for features that launched recently.</li><li>• AWS Backup – To troubleshoot issues related to backup jobs.</li><li>• AWS CloudFormation – To perform diagnostics on issues related to IAM, extension, and versioning.</li><li>• Amazon Kinesis – To troubleshoot issues related to Kinesis.</li><li>• AWS Transfer Family – To troubleshoot issues related to Transfer Family.</li></ul>	April 27, 2022

Change	Description	Date
<a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy	<p>Added 54 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• Amazon Elastic Compute Cloud<ul style="list-style-type: none"><li>• To troubleshoot issues related to customer and AWS-managed prefixed lists.</li></ul></li><li>• To troubleshoot issues related to Amazon VPC IP Address Manager (IPAM).</li><li>• AWS Network Manager – To troubleshoot issues related to Network Manager.</li><li>• Savings Plans – To get metadata about outstanding Savings Plans commitments.</li><li>• AWS Serverless Application Repository – To improve and support response actions as part of researching and resolving support cases.</li><li>• Amazon WorkSpaces Web – To debug and troubleshoot issues with WorkSpaces Web services.</li></ul>	March 14, 2022

Change	Description	Date
<a href="#"><u>AWSSupportServiceRolePolicy</u></a> – Update to an existing policy	<p>Added 74 new permissions to the following services to perform actions that help troubleshoot customer issues related to billing, administrative, and technical support:</p> <ul style="list-style-type: none"><li>• AWS Application Migration Service – To support agentless replication in the Application Migration Service.</li><li>• AWS CloudFormation – To perform diagnostics on IAM, extension, and versioning related issues.</li><li>• Amazon CloudWatch Logs – To validate resource policies.</li><li>• Amazon EC2 Recycle Bin – To get metadata about Recycle Bin retention rules.</li><li>• AWS Elastic Disaster Recovery – To troubleshoot replication and launch problems in customer accounts.</li><li>• Amazon FSx – To view the description of Amazon FSx snapshots.</li><li>• Amazon Lightsail – To view metadata and configurations details for Lightsail buckets.</li></ul>	February 17, 2022

Change	Description	Date
	<ul style="list-style-type: none"> <li>• Amazon Macie – To view Macie configurations, such as classification jobs, custom data identifiers, regular expressions and findings.</li> <li>• Amazon S3 – To gather metadata and configurations for Amazon S3 buckets.</li> <li>• AWS Storage Gateway – To view metadata about customers' automatic tape creation policies.</li> <li>• Elastic Load Balancing – To view the description of resource limits when using the Service Quotas console.</li> </ul> <p>For more information, see <a href="#">Permission changes for AWSSupportServiceRolePolicy</a>.</p>	
Change log published	Change log for the AWS Support managed policies.	February 17, 2022

## Permission changes for AWSSupportServiceRolePolicy

Most permissions added to AWSSupportServiceRolePolicy allow AWS Support to call an API operation with the same name. However, some API operations require permissions that have a different name.

The following table only lists the API operations that require permissions with a different name. This table describes these differences beginning on February 17, 2022.

Date	API operation name	Required policy permission
Added permissions on February 17, 2022	s3.GetBucketAnalyticsConfiguration	s3:GetAnalyticsConfiguration
	s3.ListBucketAnalyticsConfiguration	
	s3.GetBucketNotificationConfiguration	s3:GetBucketNotification
	s3.GetBucketEncryption	s3:GetEncryptionCo
	s3.GetBucketIntelligentTieringConfiguration	s3:GetIntelligentT
	s3.ListBucketIntelligentTieringConfiguration	ieringConfiguration
	s3.GetBucketInventoryConfiguration	s3:GetInventoryCon
	s3.ListBucketInventoryConfiguration	figuration
	s3.GetBucketLifecycleConfiguration	s3:GetLifecycleCon
	s3.GetBucketMetricConfiguration	figuration
	s3.ListBucketMetricsConfiguration	

Date	API operation name	Required policy permission
	s3.GetBucketReplication	s3:GetReplicationConfiguration
	s3.HeadBucket	s3>ListBucket
	s3.ListObjects	
	s3.ListBuckets	s3>ListAllMyBuckets
	s3.ListMultipartUploads	s3>ListBucketMultiPartUploads
	s3.ListObjectVersions	s3>ListBucketVersions
	s3.ListParts	s3>ListMultipartUploadParts
Added permissions on July 15, 2025	cloudcontrolapi:GetResource	cloudformation:GetResource
	cloudcontrolapi:ListResources	cloudformation>ListResources

## AWS managed policies for AWS Support App in Slack

 **Note**

To access and view support cases in the AWS Support Center Console, see [Manage access to AWS Support Center](#).

AWS Support App has the following managed policies.

### Contents

- [AWS managed policy: AWSSupportAppFullAccess](#)

- [AWS managed policy: AWSSupportAppReadOnlyAccess](#)
- [AWS Support App updates to AWS managed policies](#)

## AWS managed policy: AWSSupportAppFullAccess

You can use the [AWSSupportAppFullAccess](#) managed policy to grant the IAM role the permissions to your Slack channel configurations. You can also attach the AWSSupportAppFullAccess policy to your IAM entities.

For more information, see [AWS Support App in Slack](#).

To view the permissions for this policy, see [AWSSupportAppFullAccess](#) in the *AWS Managed Policy Reference*.

### Permissions details

This policy includes the following permissions:

- `servicequotas` – Describes your existing service quotas and requests, and creates service quota increases for your account.
- `support` – Creates, updates, and resolves your support cases. Updates and describes information about your cases, such as file attachments, correspondences, and severity levels. Initiates live chat sessions with a support agent.
- `iam` – Creates a service-linked role for Service Quotas.

For more information, see [Managing access to the AWS Support App](#).

## AWS managed policy: AWSSupportAppReadOnlyAccess

The [AWSSupportAppReadOnlyAccess](#) policy grants permissions that allow the entity to perform read-only AWS Support App actions. For more information, see [AWS Support App in Slack](#).

To view the permissions for this policy, see [AWSSupportAppReadOnlyAccess](#) in the *AWS Managed Policy Reference*.

### Permissions details

This policy includes the following permissions:

- `support` – Describes support case details and communications added to the support cases.

## AWS Support App updates to AWS managed policies

View details about updates to AWS managed policies for AWS Support App since this service began tracking these changes. For automatic alerts about changes to this page, subscribe to the RSS feed on the [Document history](#) page.

The following table describes important updates to the AWS Support App managed policies since August 17, 2022.

### AWS Support App

Change	Description	Date
<a href="#">AWSSupportAppFullAccess</a> and <a href="#">AWSSupportAppReadOnlyAccess</a> New AWS managed policies for the AWS Support App	You can use these policies for the IAM role that you configure for your Slack channel configuration.  For more information, see <a href="#">Managing access to the AWS Support App</a> .	August 19, 2022
Change log published	Change log for the AWS Support App managed policies.	August 19, 2022

## AWS managed policies for AWS Trusted Advisor

Trusted Advisor has the following AWS managed policies.

### Contents

- [AWS managed policy: AWSTrustedAdvisorPriorityFullAccess](#)
- [AWS managed policy: AWSTrustedAdvisorPriorityReadOnlyAccess](#)
- [AWS managed policy: AWSTrustedAdvisorServiceRolePolicy](#)
- [AWS managed policy: AWSTrustedAdvisorReportingServiceRolePolicy](#)

- [Trusted Advisor updates to AWS managed policies](#)

## AWS managed policy: AWSTrustedAdvisorPriorityFullAccess

The [AWSTrustedAdvisorPriorityFullAccess](#) policy grants full access to Trusted Advisor Priority. This policy also allows the user to add Trusted Advisor as a trusted service with AWS Organizations and to specify the delegated administrator accounts for Trusted Advisor Priority.

### Permissions details

In the first statement, the policy includes the following permissions for `trustedadvisor`:

- Describes your account and organization.
- Describes identified risks from Trusted Advisor Priority. The permissions allow you to download and update the risk status.
- Describes your configurations for Trusted Advisor Priority email notifications. The permissions allow you to configure the email notifications and disable them for your delegated administrators.
- Sets up Trusted Advisor so that your account can enable AWS Organizations.

In the second statement, the policy includes the following permissions for `organizations`:

- Describes your Trusted Advisor account and organization.
- Lists the AWS services that you enabled to use Organizations.

In the third statement, the policy includes the following permissions for `organizations`:

- Lists the delegated administrators for Trusted Advisor Priority.
- Enables and disables trusted access with Organizations.

In the fourth statement, the policy includes the following permissions for `iam`:

- Creates the `AWSServiceRoleForTrustedAdvisorReporting` service-linked role.

In the fifth statement, the policy includes the following permissions for `organizations`:

- Allows you to register and deregister delegated administrators for Trusted Advisor Priority.

## JSON

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  
            "Sid": "AWSTrustedAdvisorPriorityFullAccess",  
            "Effect": "Allow",  
            "Action": [  
                "trustedadvisor:DescribeAccount*",  
                "trustedadvisor:DescribeOrganization",  
                "trustedadvisor:DescribeRisk*",  
                "trustedadvisor:DownloadRisk",  
                "trustedadvisor:UpdateRiskStatus",  
                "trustedadvisor:DescribeNotificationConfigurations",  
                "trustedadvisor:UpdateNotificationConfigurations",  
                "trustedadvisor:DeleteNotificationConfigurationForDelegatedAdmin",  
                "trustedadvisor:SetOrganizationAccess"  
            ],  
            "Resource": "*"  
        },  
        {  
            "Sid": "AllowAccessForOrganization",  
            "Effect": "Allow",  
            "Action": [  
                "organizations:DescribeAccount",  
                "organizations:DescribeOrganization",  
                "organizations>ListAWSAccessForOrganization"  
            ],  
            "Resource": "*"  
        },  
        {  
            "Sid": "AllowListDelegatedAdministrators",  
            "Effect": "Allow",  
            "Action": [  
                "organizations>ListDelegatedAdministrators",  
                "organizations:EnableAWSAccess",  
                "organizations:DisableAWSAccess"  
            ],  
            "Resource": "*",  
            "Condition": {  
                "StringEquals": {  
                    "organizations:ServicePrincipal": [  
                        "aws-organizations.amazonaws.com"  
                    ]  
                }  
            }  
        }  
    ]  
}
```

```
        "reporting.trustedadvisor.amazonaws.com"
    ]
}
}
},
{
  "Sid": "AllowCreateServiceLinkedRole",
  "Effect": "Allow",
  "Action": "iam:CreateServiceLinkedRole",
  "Resource": "arn:aws:iam::*:role/aws-service-role/
reporting.trustedadvisor.amazonaws.com/AWSServiceRoleForTrustedAdvisorReporting",
  "Condition": {
    "StringLike": {
      "iam:AWSServiceName": "reporting.trustedadvisor.amazonaws.com"
    }
  }
},
{
  "Sid": "AllowRegisterDelegatedAdministrators",
  "Effect": "Allow",
  "Action": [
    "organizations:RegisterDelegatedAdministrator",
    "organizations:DeregisterDelegatedAdministrator"
  ],
  "Resource": "arn:aws:organizations::*:*",
  "Condition": {
    "StringEquals": {
      "organizations:ServicePrincipal": [
        "reporting.trustedadvisor.amazonaws.com"
      ]
    }
  }
}
]
```

## AWS managed policy: AWSTrustedAdvisorPriorityReadOnlyAccess

The [AWSTrustedAdvisorPriorityReadOnlyAccess](#) policy grants read-only permissions to Trusted Advisor Priority, including permission to view the delegated administrator accounts.

### Permissions details

In the first statement, the policy includes the following permissions for `trustedadvisor`:

- Describes your Trusted Advisor account and organization.
- Describes the identified risks from Trusted Advisor Priority and allows you to download them.
- Describes the configurations for Trusted Advisor Priority email notifications.

In the second and third statement, the policy includes the following permissions for organizations:

- Describes your organization with Organizations.
- Lists the AWS services that you enabled to use Organizations.
- Lists the delegated administrators for Trusted Advisor Priority

JSON

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "AWSTrustedAdvisorPriorityReadOnlyAccess",
      "Effect": "Allow",
      "Action": [
        "trustedadvisor:DescribeAccount*",
        "trustedadvisor:DescribeOrganization",
        "trustedadvisor:DescribeRisk*",
        "trustedadvisor:DownloadRisk",
        "trustedadvisor:DescribeNotificationConfigurations"
      ],
      "Resource": "*"
    },
    {
      "Sid": "AllowAccessForOrganization",
      "Effect": "Allow",
      "Action": [
        "organizations:DescribeOrganization",
        "organizations>ListAWSServiceAccessForOrganization"
      ],
      "Resource": "*"
    }
  ]
}
```

```
{  
    "Sid": "AllowListDelegatedAdministrators",  
    "Effect": "Allow",  
    "Action": [  
        "organizations>ListDelegatedAdministrators"  
    ],  
    "Resource": "*",  
    "Condition": {  
        "StringEquals": {  
            "organizations:ServicePrincipal": [  
                "reporting.trustedadvisor.amazonaws.com"  
            ]  
        }  
    }  
}  
]  
}
```

## AWS managed policy: AWSTrustedAdvisorServiceRolePolicy

This policy is attached to the `AWSServiceRoleForTrustedAdvisor` service-linked role. It allows the service-linked role to perform actions for you. You can't attach the [AWSTrustedAdvisorServiceRolePolicy](#) to your AWS Identity and Access Management (IAM) entities. For more information, see [Using service-linked roles for Trusted Advisor](#).

This policy grants administrative permissions that allow the service-linked role to access AWS services. These permissions allow the checks for Trusted Advisor to evaluate your account.

### Permissions details

This policy includes the following permissions.

- `accessanalyzer` – Describes AWS Identity and Access Management Access Analyzer resources
- `Auto Scaling` – Describes Amazon EC2 Auto Scaling account quotas and resources
- `cloudformation` – Describes AWS CloudFormation (CloudFormation) account quotas and stacks
- `cloudfront` – Describes Amazon CloudFront distributions

- `cloudtrail` – Describes AWS CloudTrail (CloudTrail) trails
  - `dynamodb` – Describes Amazon DynamoDB account quotas and resources
  - `dynamodbaccelerator` – Describes DynamoDB Accelerator resources
  - `ec2` – Describes Amazon Elastic Compute Cloud (Amazon EC2) account quotas and resources
  - `elasticloadbalancing` – Describes Elastic Load Balancing (ELB) account quotas and resources
  - `iam` – Gets IAM resources, such as credentials, password policy, and certificates
  - `networkfirewall` – Describes AWS Network Firewall resources
  - `kinesis` – Describes Amazon Kinesis (Kinesis) account quotas
  - `rds` – Describes Amazon Relational Database Service (Amazon RDS) resources
  - `redshift` – Describes Amazon Redshift resources
  - `route53` – Describes Amazon Route 53 account quotas and resources
  - `s3` – Describes Amazon Simple Storage Service (Amazon S3) resources
  - `ses` – Gets Amazon Simple Email Service (Amazon SES) send quotas
  - `sqs` – Lists Amazon Simple Queue Service (Amazon SQS) queues
  - `cloudwatch` – Gets Amazon CloudWatch Events (CloudWatch Events) metric statistics
  - `ce` – Gets Cost Explorer Service (Cost Explorer) recommendations
  - `route53resolver` – Gets Amazon Route 53 Resolver Resolver Endpoints and resources
  - `kafka` – Gets Amazon Managed Streaming for Apache Kafka resources
  - `ecs` – Gets Amazon ECS resources
  - `outposts` – Gets AWS Outposts resources

## JSON

```
"autoscaling:DescribeLaunchConfigurations",
"ce:GetReservationPurchaseRecommendation",
"ce:GetSavingsPlansPurchaseRecommendation",
"cloudformation:DescribeAccountLimits",
"cloudformation:DescribeStacks",
"cloudformation>ListStacks",
"cloudfront>ListDistributions",
"cloudtrail:DescribeTrails",
"cloudtrail:GetTrailStatus",
"cloudtrail:GetTrail",
"cloudtrail>ListTrails",
"cloudtrail:GetEventSelectors",
"cloudwatch:GetMetricStatistics",
"cloudwatch>ListMetrics",
"dax:DescribeClusters",
"dynamodb:DescribeLimits",
"dynamodb:DescribeTable",
"dynamodb>ListTables",
"ec2:DescribeAddresses",
"ec2:DescribeReservedInstances",
"ec2:DescribeInstances",
"ec2:DescribeVpcs",
"ec2:DescribeInternetGateways",
"ec2:DescribeImages",
"ec2:DescribeNatGateways",
"ec2:DescribeVolumes",
"ec2:DescribeSecurityGroups",
"ec2:DescribeSubnets",
"ec2:DescribeRegions",
"ec2:DescribeReservedInstancesOfferings",
"ec2:DescribeRouteTables",
"ec2:DescribeSnapshots",
"ec2:DescribeVpcEndpoints",
"ec2:DescribeVpnConnections",
"ec2:DescribeVpnGateways",
"ec2:DescribeLaunchTemplateVersions",
"ec2:GetManagedPrefixListEntries",
"ecs:DescribeTaskDefinition",
"ecs>ListTaskDefinitions",
"elasticloadbalancing:DescribeAccountLimits",
"elasticloadbalancing:DescribeInstanceHealth",
"elasticloadbalancing:DescribeLoadBalancerAttributes",
"elasticloadbalancing:DescribeLoadBalancerPolicies",
"elasticloadbalancing:DescribeLoadBalancerPolicyTypes",
```

```
"elasticloadbalancing:DescribeLoadBalancers",
"elasticloadbalancing:DescribeListeners",
"elasticloadbalancing:DescribeRules",
"elasticloadbalancing:DescribeTargetGroups",
"elasticloadbalancing:DescribeTargetHealth",
"iam:GenerateCredentialReport",
"iam:GetAccountPasswordPolicy",
"iam:GetAccountSummary",
"iam:GetCredentialReport",
"iam:GetServerCertificate",
"iam>ListServerCertificates",
"iam>ListSAMLProviders",
"kinesis:DescribeLimits",
"kafka:DescribeClusterV2",
"kafka>ListClustersV2",
"kafka>ListNodes",
"network-firewall>ListFirewalls",
"network-firewall:DescribeFirewall",
"outposts:GetOutpost",
"outposts>ListAssets",
"outposts>ListOutposts",
"rds:DescribeAccountAttributes",
"rds:DescribeDBClusters",
"rds:DescribeDBEngineVersions",
"rds:DescribeDBInstances",
"rds:DescribeDBParameterGroups",
"rds:DescribeDBParameters",
"rds:DescribeDBSecurityGroups",
"rds:DescribeDBSnapshots",
"rds:DescribeDBSubnetGroups",
"rds:DescribeEngineDefaultParameters",
"rds:DescribeEvents",
"rds:DescribeOptionGroupOptions",
"rds:DescribeOptionGroups",
"rds:DescribeOrderableDBInstanceOptions",
"rds:DescribeReservedDBInstances",
"rds:DescribeReservedDBInstancesOfferings",
"rds>ListTagsForResource",
"redshift:DescribeClusters",
"redshift:DescribeReservedNodeOfferings",
"redshift:DescribeReservedNodes",
"route53:GetAccountLimit",
"route53:GetHealthCheck",
"route53:GetHostedZone",
```

```
        "route53>ListHealthChecks",
        "route53>ListHostedZones",
        "route53>ListHostedZonesByName",
        "route53>ListResourceRecordSets",
        "route53resolver>ListResolverEndpoints",
        "route53resolver>ListResolverEndpointIpAddresses",
        "s3:GetAccountPublicAccessBlock",
        "s3:GetBucketAcl",
        "s3:GetBucketPolicy",
        "s3:GetBucketPolicyStatus",
        "s3:GetBucketLocation",
        "s3:GetBucketLogging",
        "s3:GetBucketVersioning",
        "s3:GetBucketPublicAccessBlock",
        "s3:GetLifecycleConfiguration",
        "s3>ListBucket",
        "s3>ListAllMyBuckets",
        "ses:GetSendQuota",
        "sns:GetQueueAttributes",
        "sns>ListQueues"
    ],
    "Resource": "*"
}
]
}
```

## AWS managed policy: AWSTrustedAdvisorReportingServiceRolePolicy

This policy is attached to the AWSServiceRoleForTrustedAdvisorReporting service-linked role that allows Trusted Advisor to perform actions for the organizational view feature. You can't attach the [AWSTrustedAdvisorReportingServiceRolePolicy](#) to your IAM entities. For more information, see [Using service-linked roles for Trusted Advisor](#).

This policy grants administrative permissions that allow the service-linked role to perform AWS Organizations actions.

### Permissions details

This policy includes the following permissions.

- organizations – Describes your organization and lists the service access, accounts, parents, children, and organizational units

JSON

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  
            "Action": [  
                "organizations:DescribeOrganization",  
                "organizations>ListAWSAccessForOrganization",  
                "organizations>ListAccounts",  
                "organizations>ListAccountsForParent",  
                "organizations>ListDelegatedAdministrators",  
                "organizations>ListOrganizationalUnitsForParent",  
                "organizations>ListChildren",  
                "organizations>ListParents",  
                "organizations:DescribeOrganizationalUnit",  
                "organizations:DescribeAccount"  
            ],  
            "Effect": "Allow",  
            "Resource": "*"  
        }  
    ]  
}
```

## Trusted Advisor updates to AWS managed policies

View details about updates to AWS managed policies for AWS Support and Trusted Advisor since these services began tracking these changes. For automatic alerts about changes to this page, subscribe to the RSS feed on the [Document history](#) page.

The following table describes important updates to the Trusted Advisor managed policies since August 10, 2021.

## Trusted Advisor

Change	Description	Date
<a href="#"><u>AWSTrustedAdvisorServiceRolePolicy</u></a>  Update to an existing policy.	Trusted Advisor added new actions to grant the elasticloadbalancing:DescribeListeners, and elasticloadbalancing:DescribeRules permissions.	October 30, 2024
<a href="#"><u>AWSTrustedAdvisorServiceRolePolicy</u></a>  Update to an existing policy.	Trusted Advisor added new actions to grant the access-analyzer>ListAnalyzers , cloudwatchMetrics , dax:DescribeClusters , ec2:DescribeNatGateways , ec2:DescribeRouteTables , ec2:DescribeVpcEndpoints , ec2:GetManagedPrefixListEntries , elasticloadbalancing:DescribeTargetHealth , iam>ListSAMLProviders , kafka:DescribeClusterV2 , network-firewall>ListFirewalls , network-firewall:DescribeFirewall and sqs:GetQueueAttributes permissions.	June 11, 2024

Change	Description	Date
<a href="#"><u>AWSTrustedAdvisorServiceRolePolicy</u></a> Update to an existing policy.	Trusted Advisor added new actions to grant the <code>cloudtrail:GetTrail</code> , <code>cloudtrail&gt;ListTrails</code> , <code>cloudtrail:ListEventSelectors</code> , <code>outposts:GetOutpost</code> , <code>outposts&gt;ListAssets</code> and <code>outposts&gt;ListOutposts</code> permissions.	January 18, 2024
<a href="#"><u>AWSTrustedAdvisorPriorityFullAccess</u></a> Update to an existing policy.	Trusted Advisor updated the <code>AWSTrustedAdvisorPriorityFullAccess</code> AWS managed policy to include statement IDs.	December 6, 2023
<a href="#"><u>AWSTrustedAdvisorPriorityReadOnlyAccess</u></a> Update to an existing policy.	Trusted Advisor updated the <code>AWSTrustedAdvisorPriorityReadOnlyAccess</code> AWS managed policy to include statement IDs.	December 6, 2023
<a href="#"><u>AWSTrustedAdvisorServiceRolePolicy</u></a> – Update to an existing policy	Trusted Advisor added new actions to grant the <code>ec2:DescribeRegions</code> , <code>s3:GetLifecycleConfiguration</code> , <code>ecs:DescribeTaskDefinition</code> and <code>ecs&gt;ListTaskDefinitions</code> permissions.	November 9, 2023

Change	Description	Date
<a href="#"><u>AWSTrustedAdvisorServiceRolePolicy</u></a> – Update to an existing policy	Trusted Advisor added new IAM actions route53resolver:ListResolveEndpoints , route53resolver:ListResolveEndpointIpAddress es , ec2:DescribeSubnets , kafka:Lis tClustersV2 and kafka:ListNodes to onboard new resilience checks.	September 14, 2023
<a href="#"><u>AWSTrustedAdvisorReportingServiceRolePolicy</u></a>  V2 of managed policy attached on Trusted Advisor AWSServiceRoleForTrustedAdvisorReporting service-linked role	Upgrade AWS managed policy to V2 for the Trusted Advisor AWSServiceRoleForTrustedAdvisorReporting service-linked role. The V2 will add one more IAM action organizations>ListDelegatedAdministrators	Feb 28, 2023
<a href="#"><u>AWSTrustedAdvisorPriorityFullAccess</u></a> and <a href="#"><u>AWSTrustedAdvisorPriorityReadOnlyAccess</u></a>  New AWS managed policies for the Trusted Advisor	Trusted Advisor added two new managed policies that you can use to control access to Trusted Advisor Priority.	August 17, 2022

Change	Description	Date
<a href="#"><u>AWSTrustedAdvisorServiceRolePolicy</u></a> – Update to an existing policy	<p>Trusted Advisor added new actions to grant the <code>DescribeTargetGroups</code> and <code>GetAccountPublicAccessBlock</code> permissions.</p> <p>The <code>DescribeTargetGroups</code> permission is required for the <b>Auto Scaling Group Health Check</b> to retrieve non-Classic Load Balancers that are attached to an Auto Scaling group.</p> <p>The <code>GetAccountPublicAccessBlock</code> permission is required for the <b>Amazon S3 Bucket Permissions</b> check to retrieve the block public access settings for an AWS account.</p>	August 10, 2021
Change log published	Trusted Advisor started tracking changes for its AWS managed policies.	August 10, 2021

## AWS managed policies for AWS Support Plans

AWS Support Plans has the following managed policies.

### Contents

- [AWS managed policy: AWSSupportPlansFullAccess](#)
- [AWS managed policy: AWSSupportPlansReadOnlyAccess](#)
- [AWS Support Plans updates to AWS managed policies](#)

## AWS managed policy: AWSSupportPlansFullAccess

AWS Support Plans uses the [AWSSupportPlansFullAccess](#) AWS managed policy. The IAM entity uses this policy to complete the following Support Plans actions for you:

- View your support plan for your AWS account
- View details about the status for a request to change your support plan
- Change the support plan for your AWS account
- Create support plan schedules for your AWS account
- View a list of all support plan modifiers for your AWS account

### JSON

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  
            "Effect": "Allow",  
            "Action": [  
                "supportplans:GetSupportPlan",  
                "supportplans:GetSupportPlanUpdateStatus",  
                "supportplans:StartSupportPlanUpdate",  
                "supportplans>CreateSupportPlanSchedule",  
                "supportplans>ListSupportPlanModifiers"  
            ],  
            "Resource": "*"  
        }  
    ]  
}
```

For a list of changes to the policies, see [AWS Support Plans updates to AWS managed policies](#).

## AWS managed policy: AWSSupportPlansReadOnlyAccess

AWS Support Plans uses the [AWSSupportPlansReadOnlyAccess](#) AWS managed policy. The IAM entity uses this policy to complete the following read-only Support Plans actions for you:

- View your support plan for your AWS account

- View details about the status for a request to change your support plan
- View a list of all support plan modifiers for your AWS account

## JSON

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  
            "Effect": "Allow",  
            "Action": [  
                "supportplans:GetSupportPlan",  
                "supportplans:GetSupportPlanUpdateStatus",  
                "supportplans>ListSupportPlanModifiers"  
            ],  
            "Resource": "*"  
        }  
    ]  
}
```

For a list of changes to the policies, see [AWS Support Plans updates to AWS managed policies](#).

## AWS Support Plans updates to AWS managed policies

View details about updates to AWS managed policies for Support Plans since these services began tracking these changes. For automatic alerts about changes to this page, subscribe to the RSS feed on the [Document history](#) page.

The following table describes important updates to the Support Plans managed policies since September 29, 2022.

### AWS Support

Change	Description	Date
<a href="#">AWSSupportPlansRea dOnlyAccess</a> - Update to an existing policy	Add ListSupportPlanModifi ers action to	September 9, 2024

Change	Description	Date
<a href="#">AWSSupportPlansFullAccess</a> - Update to an existing policy	AWSSupportPlansFullAccess and AWSSupportPlansReadOnlyAccess managed policies.	
<a href="#">AWSSupportPlansFullAccess</a> - Update to an existing policy	Add CreateSupportPlanSchedule action to AWSSupportPlansFullAccess managed policy.	May 8, 2023
Change log published	Change log for the Support Plans managed policies.	September 29, 2022

## AWS managed policies for AWS Partner-Led Support

An AWS managed policy is a standalone policy that is created and administered by AWS. AWS managed policies are designed to provide permissions for many common use cases so that you can start assigning permissions to users, groups, and roles.

Keep in mind that AWS managed policies might not grant least-privilege permissions for your specific use cases because they're available for all AWS customers to use. We recommend that you reduce permissions further by defining [customer managed policies](#) that are specific to your use cases.

You cannot change the permissions defined in AWS managed policies. If AWS updates the permissions defined in an AWS managed policy, the update affects all principal identities (users, groups, and roles) that the policy is attached to. AWS is most likely to update an AWS managed policy when a new AWS service is launched or new API operations become available for existing services.

For more information, see [AWS managed policies](#) in the *IAM User Guide*.

## AWS managed policy: AWSPartnerLedSupportReadOnlyAccess

You can attach `AWSPartnerLedSupportReadOnlyAccess` to your users, groups, and roles.

This policy can be used to grant read-only access to APIs that can read service metadata for services in your AWS account. You can use this policy to provide your partners in the AWS Partner-Led Support Program with access to the services specified in the following permissions details section.

### **Important**

Although `AWSPartnerLedSupportReadOnlyAccess` is a managed policy provided by AWS, you're responsible for reviewing the services and permissions that are included in the policy to verify that they meet your specific support requirements. Don't assume that this managed policy automatically includes all existing or new AWS services. You might need to create and maintain additional custom policies to cover services outside the scope of this managed policy.

## Permissions details

This policy includes the following permissions.

- `acm` – Allow principals to troubleshoot technical support cases related to AWS Certificate Manager.
- `acm-pca` – Allow principals to troubleshoot technical support cases related to AWS Private Certificate Authority.
- `apigateway` – Allow principals to troubleshoot technical support cases related to Amazon API Gateway.
- `athena` – Allow principals to troubleshoot technical support cases related to Amazon Athena.
- `backup` – Allow principals to troubleshoot technical support cases related to AWS Backup.
- `backup-gateway` – Allow principals to troubleshoot technical support cases related to AWS Backup Gateway.
- `cloudformation` – Allow principals to troubleshoot technical support cases related to AWS CloudFormation.
- `cloudfront` – Allow principals to troubleshoot technical support cases related to Amazon CloudFront.

- `cloudtrail` – Allow principals to troubleshoot technical support cases related to AWS CloudTrail.
- `cloudwatch` – Allow principals to troubleshoot technical support cases related to Amazon CloudWatch.
- `codepipeline` – Allow principals to troubleshoot technical support cases related to AWS CodePipeline.
- `cognito-identity` – Allow principals to troubleshoot technical support cases related to Amazon Cognito Identity.
- `cognito-idp` – Allow principals to troubleshoot technical support cases related to Amazon Cognito user pools.
- `cognito-sync` – Allow principals to troubleshoot technical support cases related to Amazon Cognito Sync.
- `connect` – Allow principals to troubleshoot technical support cases related to Amazon Connect.
- `directconnect` – Allow principals to troubleshoot technical support cases related to AWS Direct Connect.
- `dms` – Allow principals to troubleshoot technical support cases related to AWS Database Migration Service.
- `ds` – Allow principals to troubleshoot technical support cases related to AWS Directory Service.
- `ec2` – Allow principals to troubleshoot technical support cases related to Amazon Elastic Compute Cloud. This include technical support categories in EC2 (Windows and Linux), Virtual Private Cloud (VPC) and VPC.
- `ecs` – Allow principals to troubleshoot technical support cases related to Amazon Elastic Container Service.
- `eks` – Allow principals to troubleshoot technical support cases related to Amazon Elastic Kubernetes Service.
- `elasticache` – Allow principals to troubleshoot technical support cases related to Amazon ElastiCache.
- `elasticbeanstalk` – Allow principals to troubleshoot technical support cases related to AWS Elastic Beanstalk.
- `elasticfilesystem` – Allow principals to troubleshoot technical support cases related to Amazon Elastic File System.
- `elasticloadbalancing` – Allow principals to troubleshoot technical support cases related to Elastic Load Balancing.

- `emr-containers` – Allow principals to troubleshoot technical support cases related to Amazon EMR on EKS.
- `emr-serverless` – Allow principals to troubleshoot technical support cases related to Amazon EMR Serverless.
- `es` – Allow principals to troubleshoot technical support cases related to Amazon OpenSearch Service. This includes technical support categories such as OpenSearch Service Managed Cluster.
- `events` – Allow principals to troubleshoot technical support cases related to Amazon EventBridge.
- `fsx` – Allow principals to troubleshoot technical support cases related to Amazon FSx. This includes technical support categories such as FSX for Windows File Server.
- `glue` – Allow principals to troubleshoot technical support cases related to AWS Glue.
- `guardduty` – Allow principals to troubleshoot technical support cases related to Amazon GuardDuty.
- `iam` – Allow principals to troubleshoot technical support cases related to AWS Identity and Access Management.
- `kafka` – Allow principals to troubleshoot technical support cases related to Amazon Managed Streaming for Apache Kafka.
- `kafkaconnect` – Allow principals to troubleshoot technical support cases related to Amazon Managed Streaming for Apache Kafka Connect.
- `lambda` – Allow principals to troubleshoot technical support cases related to AWS Lambda.
- `logs` – Allow principals to troubleshoot technical support cases related to Amazon CloudWatch Logs.
- `medialive` – Allow principals to troubleshoot technical support cases related to AWS Elemental MediaLive.
- `mobiletargeting` – Allow principals to troubleshoot technical support cases related to Amazon Pinpoint.
- `pipes` – Allow principals to troubleshoot technical support cases related to Amazon EventBridge Pipes.
- `polly` – Allow principals to troubleshoot technical support cases related to Amazon Polly.
- `quicksight` – Allow principals to troubleshoot technical support cases related to Amazon Quick Suite.
- `rds` – Allow principals to troubleshoot technical support cases related to Amazon Relational Database Service. This includes technical support categories such as: Relational Database Service

(Aurora - MySQL-Compat), Relational Database Service (Aurora - PostgreSQL-c), Relational Database Service (PostgreSQL), Relational Database Service (SQL Server), Relational Database Service (MySQL) and Relational Database Service (Oracle).

- `redshift` – Allow principals to troubleshoot technical support cases related to Amazon Redshift.
- `redshift-data` – Allow principals to troubleshoot technical support cases related to Amazon Redshift Data API.
- `redshift-serverless` – Allow principals to troubleshoot technical support cases related to Amazon Redshift Serverless.
- `route53` – Allow principals to troubleshoot technical support cases related to Amazon Route 53.
- `route53domains` – Allow principals to troubleshoot technical support cases related to Amazon Route 53 Domains.
- `route53-recovery-cluster` – Allow principals to troubleshoot technical support cases related to Amazon Route 53 Recovery Cluster.
- `route53-recovery-control-config` – Allow principals to troubleshoot technical support cases related to Amazon Route 53 Recovery Controls.
- `route53-recovery-readiness` – Allow principals to troubleshoot technical support cases related to Amazon Route 53 Recovery Readiness.
- `route53resolver` – Allow principals to troubleshoot technical support cases related to Amazon Route 53 Resolver.
- `s3` – Allow principals to troubleshoot technical support cases related to Amazon Simple Storage Service.
- `s3express` – Allow principals to troubleshoot technical support cases related to Amazon S3 Express.
- `sagemaker` – Allow principals to troubleshoot technical support cases related to Amazon SageMaker AI.
- `scheduler` – Allow principals to troubleshoot technical support cases related to Amazon EventBridge Scheduler.
- `servicequotas` – Allow principals to troubleshoot technical support cases related to Service Quotas.
- `ses` – Allow principals to troubleshoot technical support cases related to Amazon Simple Email Service.

- sns – Allow principals to troubleshoot technical support cases related to Amazon Simple Notification Service.
- ssm – Allow principals to troubleshoot technical support cases related to AWS Systems Manager.
- ssm-contacts – Allow principals to troubleshoot technical support cases related to AWS Systems Manager Incident Manager Contacts.
- ssm-incidents – Allow principals to troubleshoot technical support cases related to AWS Systems Manager Incident Manager.
- ssm-sap – Allow principals to troubleshoot technical support cases related to AWS Systems Manager for SAP.
- swf – Allow principals to troubleshoot technical support cases related to Amazon Simple Workflow Service.
- vpc-lattice – Allow principals to troubleshoot technical support cases related to Amazon VPC Lattice. This includes technical support categories such as VPC - Transit Gateway.
- waf – Allow principals to troubleshoot technical support cases related to AWS WAF.
- waf-regional – Allow principals to troubleshoot technical support cases related to AWS WAF Regional.
- wafv2 – Allow principals to troubleshoot technical support cases related to AWS WAF V2.
- workspaces – Allow principals to troubleshoot technical support cases related to Amazon WorkSpaces. This includes technical support categories such as Workspaces (Windows).
- workspaces-web – Allow principals to troubleshoot technical support cases related to Amazon WorkSpaces Secure Browser. This includes technical support categories such as Workspaces (Windows).

To view the permissions for this policy, see [AWSPartnerLedSupportReadOnlyAccess](#) in the *AWS Managed Policy Reference*.

## AWS Partner-Led Support updates to AWS managed policies

View details about updates to AWS managed policies for AWS Partner-Led Support since this service began tracking these changes. For automatic alerts about changes to this page, subscribe to the RSS feed on the AWS Partner-Led Support Document history page.

Change	Description	Date
<a href="#">AWS Partner-Led Support Read Only Access – New policy</a>	Added a new AWS managed policy that contains permissions that can read service metadata for services in your AWS account.	November 22, 2024
AWS Partner-Led Support started tracking changes	AWS Partner-Led Support started tracking changes for its AWS managed policies.	November 22, 2024

## Manage access to AWS Support Center

You must have permissions to access Support Center and to [create a support case](#).

You can use one of the following options to access Support Center:

- Use AWS Identity and Access Management (IAM).
- Use the email address and password associated with your AWS account. This identity is called the AWS account *root user* (not recommended).

If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, you can also use the [Support API](#) to access Support and Trusted Advisor operations programmatically. For more information, see the [AWS Support API Reference](#).

 **Note**

If you can't sign in to Support Center, you can use the [Contact Us](#) page instead. You can use this page to get help with billing and account issues.

## AWS account (not recommended)

You can sign in to the AWS Management Console and access the Support Center by using your AWS account email address and password. This identity is called the AWS account *root user*. However, we strongly recommend that you don't use the root user for your everyday tasks, even

the administrative ones. Instead, we recommend that you use IAM, which lets you control who can perform certain tasks in your account.

## AWS support actions

You can perform the following Support actions in the console. You can also specify these Support actions in an IAM policy to allow or deny specific actions.

 **Note**

Denying any of the following actions in your IAM policies, might result in unintended behavior in Support Center when creating or interacting with a support case.

Action	Description
AddAttachmentsToSet	Grants permission to add one or more attachments to an attachment set. An attachment set is a temporary container for attachments that you add to a case or case communication. The set is available for 1 hour after it's created. The expiryTime returned in the response is when the set expires.
AddCommunicationToCase	Grants permission to add additional customer communication to an Support case, including a set of email addresses to copy on the communication.
CreateCase	Grants permission to create a case.
DescribeAttachment	Grants permission to retrieve an attachment on a case.
DescribeCaseAttributes	Grants permission to allow secondary services to read Support case attributes. <b>*This is used internally by Support Center to get attributes tagged on your case.</b>

Action	Description
DescribeCases	Grants permission to return a list of Support cases that matches a case ID or case IDs.
DescribeCommunication	Grants permission to get a single communication and attachments for a single AWS Support case.
DescribeCommunications	Grants permission to return communications and attachments for one or more Support cases.
DescribeCreateCaseOptions	Grants permission to return a list of CreateCaseOption types along with the corresponding supported hours and language availability.
DescribeIssueTypes	Grants permission to return issue types for Support cases. This is used internally by Support Center to get available issue types for your account.
DescribeServices	Grants permission to return the current list of AWS services and a list of service categories for each service. You then use service names and categories to create a case. Each AWS service has its own set of categories.
DescribeSeverityLevels	Grants permission to return the list of severity levels that you can assign to a Support case.
DescribeSupportedLanguages	Grants permission to return a list of supported languages for a specified categoryCode, issueType and serviceCode.
DescribeSupportLevel	Grants permission to return the support level for an AWS account identifier. This is used internally by Support Center to identify your support level.

Action	Description
DescribeTrustedAdvisorCheckRefreshStatuses	Grants permission to return the refresh status of the AWS Trusted Advisor checks that have the specified check IDs.
DescribeTrustedAdvisorCheckResult	Grants permission to return the results of the AWS Trusted Advisor check that has the specified check ID.
DescribeTrustedAdvisorChecks	Grants permission to return information about all available AWS Trusted Advisor checks, including the name, ID, category, description, and metadata.
DescribeTrustedAdvisorCheckSummaries	Grants permission to return the results for the AWS Trusted Advisor check summaries for the check IDs that you specified.
GetInteraction	Grants permission to retrieve details about a specific interaction by its unique identifier. This is used internally by Support Center to retrieve personalized recommendations.
InitiateCallForCase	Grants permission to initiate a call on Support Center. This is used internally by Support Center to start a call on your behalf.
ListInteractionEntries	Grants permission to retrieve a list of entries within a specific interaction, including messages, status updates, or other relevant data points. This is used internally by Support Center to track the detailed trail of an interaction.

Action	Description
ListInteractions	Grants permission to retrieve a list of interactions, potentially with filters or pagination. This is used internally by Support Center to manage and overview multiple interactions.
InitiateChatForCase	Grants permission to initiate a chat on Support Center. This is used internally by Support Center to start a chat on your behalf.
PutCaseAttributes	Grants permission to allow secondary services to attach attributes to Support cases. This is used internally by Support Center to add operational tags to your Support cases.
RateCaseCommunication	Grants permission to rate a Support case communication.
RefreshTrustedAdvisorCheck	Grants permission to refresh the AWS Trusted Advisor check that you specify using the check ID.
ResolveCase	Grants permission to resolve a Support case.
ResolveInteraction	Grants permission to mark an interaction as resolved using its unique identifier, indicating that the issue has been fully addressed and requires no further action. Once resolved, the interaction's status is set to CLOSED and becomes accessible to all users within the same account.
SearchForCases	Grants permission to return a list of Support cases that matches the given inputs. This is used internally by Support Center to find searched cases.

Action	Description
StartInteraction	Grants permission to initiate a new interaction to receive personalized troubleshooting assistance for account and technical issues. This is used internally by Support Center to initiate the troubleshooting process.
UpdateInteraction	Grants permission to update a specific interaction by its unique identifier with another message. This is used internally by Support Center to update the troubleshooting process.

## IAM

By default, IAM users can't access the Support Center. You can use IAM to create individual users or groups. Then, you attach IAM policies to these entities, so that they have permission to perform actions and access resources, such as to open Support Center cases and use the Support API.

After you create IAM users, you can give those users individual passwords and an account-specific sign-in page. They can then sign in to your AWS account and work in the Support Center. IAM users who have AWS Support access can see all cases that are created for the account.

For more information, see [Sign in to the AWS Management Console as an IAM user](#) in the *IAM User Guide*.

The easiest way to grant permissions is to attach the AWS managed policy [AWSSupportAccess](#) to the user, group, or role. AWS Support allows action-level permissions to control access to specific AWS Support operations. AWS Support doesn't provide resource-level access, so the Resource element is always set to \*. You can't allow or deny access to specific support cases.

### Example : Allow access to all Support actions

The AWS managed policy [AWSSupportAccess](#) grants an IAM user access to Support. An IAM user with this policy can access all AWS Support operations and resources.

## JSON

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  
            "Effect": "Allow",  
            "Action": ["support:*"],  
            "Resource": "*"  
        }  
    ]  
}
```

For more information about how to attach the `AWSupportAccess` policy to your entities, see [Adding IAM identity permissions \(console\)](#) in the *IAM User Guide*.

### Example : Allow access to all actions except the `ResolveCase` action

You can also create *customer managed policies* in IAM to specify what actions to allow or deny. The following policy statement allows an IAM user to perform all actions in Support except resolve a case.

## JSON

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  
            "Effect": "Allow",  
            "Action": "support:*",  
            "Resource": "*"  
        },  
        {  
            "Effect": "Deny",  
            "Action": "support:ResolveCase",  
            "Resource": "*"  
        }  
    ]  
}
```

For more information about how to create a customer managed IAM policy, see [Creating IAM policies \(console\)](#) in the *IAM User Guide*.

If the user or group already has a policy, you can add the AWS Support-specific policy statement to that policy.

### **Important**

- If you can't view cases in the Support Center, make sure that you have the required permissions. You might need to contact your IAM administrator. For more information, see [Identity and access management for AWS Support](#).

## Access to AWS Trusted Advisor

In the AWS Management Console, a separate `trustedadvisor` IAM namespace controls access to Trusted Advisor. In the Support API, the `support` IAM namespace controls access to Trusted Advisor. For more information, see [Manage access to AWS Trusted Advisor](#).

## Manage access to AWS Support Plans

### Topics

- [Permissions for the Support Plans console](#)
- [Support Plans actions](#)
- [Example IAM policies for Support Plans](#)
- [Troubleshooting](#)

### Permissions for the Support Plans console

To access the Support Plans console, a user must have a minimum set of permissions. These permissions must allow the user to list and view details about the Support Plans resources in your AWS account.

You can create an AWS Identity and Access Management (IAM) policy with the `supportplans` namespace. You can use this policy to specify permissions for actions and resources.

When you create a policy, you can specify the namespace of the service to allow or deny an action. The namespace for Support Plans is `supportplans`.

You can use AWS managed policies and attach them to your IAM entities. For more information, see [AWS managed policies for AWS Support Plans](#).

## Support Plans actions

You can perform the following Support Plans actions in the console. You can also specify these Support Plans actions in an IAM policy to allow or deny specific actions.

Action	Description
GetSupportPlan	Grants permission to view details about the current support plan for this AWS account.
GetSupportPlanUpdateStatus	Grants permission to view details about the status for a request to update a support plan.
StartSupportPlanUpdate	Grants permission to start the request to update the support plan for this AWS account.
CreateSupportPlanSchedule	Grants permission to create support plan schedules for this AWS account.
ListSupportPlanModifiers	Grants permission to view a list of all support plan modifiers for this AWS account.

## Example IAM policies for Support Plans

You can use the following example policies to manage access to Support Plans.

### Full access to Support Plans

The following policy allows users full access to Support Plans.

JSON

```
{  
    "Version": "2012-10-17",  
    "Statement": [
```

```
{  
    "Effect": "Allow",  
    "Action": "supportplans:*",  
    "Resource": "*"  
}  
]  
}
```

## Read-only access to Support Plans

The following policy allows read-only access to Support Plans.

JSON

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  
            "Effect": "Allow",  
            "Action": "supportplans:Get*",  
            "Resource": "*"  
        },  
        {  
            "Effect": "Allow",  
            "Action": "supportplans>List*",  
            "Resource": "*"  
        }  
    ]  
}
```

## Deny access to Support Plans

The following policy doesn't allow users access to Support Plans.

JSON

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  

```

```
        "Effect": "Deny",
        "Action": "supportplans:*",
        "Resource": "*"
    }
]
}
```

## Troubleshooting

See the following topics to manage access to Support Plans.

### **When I try to view or change my support plan, the Support Plans console says that I'm missing the GetSupportPlan permission**

IAM users must have the required permissions to access the Support Plans console. You can update your IAM policy to include the missing permission or use an AWS managed policy, such as AWSSupportPlansFullAccess or AWSSupportPlansReadOnlyAccess. For more information, see [AWS managed policies for AWS Support Plans](#).

If you don't have access to update your IAM policies, contact your AWS account administrator.

### **Related information**

For more information, see the following topics in the *IAM User Guide*:

- [Testing IAM policies with the IAM policy simulator](#)
- [Troubleshooting access denied error messages](#)

### **I have the correct Support Plans permissions, but I still get the same error**

If your AWS account is a member account that's part of AWS Organizations, the service control policy (SCP) might need to be updated. SCPs are a type of policy that manages permissions in an organization.

Because Support Plans is a *global* service, policies that restrict AWS Regions might prevent member accounts from viewing or changing their support plan. To allow global services for your organization, such as IAM and Support Plans, you must add the service to the exclusion list in any applicable SCP. This means that accounts in the organization can access these services, even if the SCP denies a specified AWS Region.

To add Support Plans as an exception, enter "supportplans: \*" to the "NotAction" list in the SCP.

```
"supportplans: *",
```

Your SCP might appear as the following policy snippet.

### Example : SCP that allows Support Plans access in an organization

```
{ "Version": "2012-10-17",
  "Statement": [
    { "Sid": "GRREGIONDENY",
      "Effect": "Deny",
      "NotAction": [
        "aws-portal:*",
        "budgets:*",
        "chime:*"
        "iam:*",
        "supportplans:*",
        ....
```

If you have a member account and can't update the SCP, contact your AWS account administrator. The management account might need to update the SCP so that all member accounts can access Support Plans.

#### Notes for AWS Control Tower

- If your organization uses an SCP with AWS Control Tower, you can update the **Deny access to AWS based on the requested AWS Region control** (commonly referred to as the Region deny control).
- If you update the SCP for AWS Control Tower to allow supportplans, repairing the drift will remove your update to the SCP. For more information, see [Detect and resolve drift in AWS Control Tower](#).

## Related information

For more information, see the following topics:

- [Service control policies \(SCPs\) in the AWS Organizations User Guide.](#)

- [Configure the Region deny control](#) in the *AWS Control Tower User Guide*
- [Deny access to AWS based on the requested AWS Region](#) in the *AWS Control Tower User Guide*

## Manage access to AWS Trusted Advisor

You can access AWS Trusted Advisor from the AWS Management Console. All AWS accounts have access to a select core [Trusted Advisor checks](#). If you have a AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan, you can access all checks. for more information, see [AWS Trusted Advisor check reference](#).

You can use AWS Identity and Access Management (IAM) to control access to Trusted Advisor.

### Topics

- [Permissions for the Trusted Advisor console](#)
- [Trusted Advisor actions](#)
- [IAM policy examples](#)
- [See also](#)

### Permissions for the Trusted Advisor console

To access the Trusted Advisor console, a user must have a minimum set of permissions. These permissions must allow the user to list and view details about the Trusted Advisor resources in your AWS account.

You can use the following options to control access to Trusted Advisor:

- Use the tag filter feature of the Trusted Advisor console. The user or role must have permissions associated with the tags.

You can use AWS managed policies or custom policies to assign permissions by tags. For more information, see [Controlling access to and for IAM users and roles using tags](#).

- Create an IAM policy with the `trustedadvisor` namespace. You can use this policy to specify permissions for actions and resources.

When you create a policy, you can specify the namespace of the service to allow or deny an action. The namespace for Trusted Advisor is `trustedadvisor`. However, you can't use the

trustedadvisor namespace to allow or deny Trusted Advisor API operations in the Support API. You must use the support namespace for Support instead.

 **Note**

If you have permissions to the [AWS Support](#) API, the Trusted Advisor widget in the AWS Management Console shows a summary view of your Trusted Advisor results. To view your results in the Trusted Advisor console, you must have permission to the trustedadvisor namespace.

## Trusted Advisor actions

You can perform the following Trusted Advisor actions in the console. You can also specify these Trusted Advisor actions in an IAM policy to allow or deny specific actions.

Action	Description
DescribeAccount	Grants permission to view the Support plan and various Trusted Advisor preferences.
DescribeAccountAccess	Grants permission to view if the AWS account has enabled or disabled Trusted Advisor.
DescribeCheckItems	Grants permission to view details for the check items.
DescribeCheckRefreshStatuses	Grants permission to view the refresh statuses for Trusted Advisor checks.
DescribeCheckSummaries	Grants permission to view Trusted Advisor check summaries.
DescribeChecks	Grants permission to view details for Trusted Advisor checks.
DescribeNotificationPreferences	Grants permission to view the notification preferences for the AWS account.

Action	Description
ExcludeCheckItems	Grants permission to exclude recommendations for Trusted Advisor checks.
IncludeCheckItems	Grants permission to include recommendations for Trusted Advisor checks.
RefreshCheck	Grants permission to refresh a Trusted Advisor check.
SetAccountAccess	Grants permission to enable or disable Trusted Advisor for the account.
UpdateNotificationPreferences	Grants permission to update notification preferences for Trusted Advisor.
DescribeCheckStatusHistoryChanges	Grants permission to view the results and changed statuses for checks in the last 30 days.

## Trusted Advisor actions for organizational view

The following Trusted Advisor actions are for the organizational view feature. For more information, see [Organizational view for AWS Trusted Advisor](#).

Action	Description
DescribeOrganization	Grants permission to view if the AWS account meets the requirements to enable the organizational view feature.
DescribeOrganizationAccounts	Grants permission to view the linked AWS accounts that are in the organization.
DescribeReports	Grants permission to view details for organizational view reports, such as the report name, runtime, date created, status, and format.

Action	Description
DescribeServiceMetadata	Grants permission to view information about organizational view reports, such as the AWS Regions, check categories, check names, and resource statuses.
GenerateReport	Grants permission to create a report for Trusted Advisor checks in your organization.
ListAccountsForParent	Grants permission to view, in the Trusted Advisor console, all of the accounts in an AWS organization that are contained by a root or organizational unit (OU).
ListOrganizationalUnitsForParent	Grants permission to view, in the Trusted Advisor console, all of the organizational units (OUs) in a parent organizational unit or root.
ListRoots	Grants permission to view, in the Trusted Advisor console, all of the roots that are defined in an AWS organization.
SetOrganizationAccess	Grants permission to enable the organizational view feature for Trusted Advisor.

## Trusted Advisor Priority actions

If you have Trusted Advisor Priority enabled for your account, you can perform the following Trusted Advisor actions in the console. You can also add these Trusted Advisor actions in an IAM policy to allow or deny specific actions. For more information, see [Example IAM policies for Trusted Advisor Priority](#).

### Note

The risks that appear in Trusted Advisor Priority are recommendations that your technical account manager (TAM) has identified for your account. Recommendations from a service, such as a Trusted Advisor check, are created for you automatically. Recommendations from

your TAM are created for you manually. Next, your TAM sends these recommendations so that they appear in Trusted Advisor Priority for your account.

For more information, see [Get started with AWS Trusted Advisor Priority](#).

Action	Description
DescribeRisks	Grants permission to view risks in Trusted Advisor Priority.
DescribeRisk	Grants permission to view risk details in Trusted Advisor Priority.
DescribeRiskResources	Grants permission to view affected resources for a risk in Trusted Advisor Priority.
DownloadRisk	Grants permission to download a file that contains details about the risk in Trusted Advisor Priority.
UpdateRiskStatus	Grants permission to update the risk status in Trusted Advisor Priority.
DescribeNotificationConfigurations	Grants permission to get your email notification preferences for Trusted Advisor Priority.
UpdateNotificationConfigurations	Grants permission to create or update your email notification preferences for Trusted Advisor Priority.
DeleteNotificationConfigurationForDelegatedAdmin	Grants permission to the organization management account to delete email notification preferences from a delegated administrator account for Trusted Advisor Priority.

## IAM policy examples

The following policies show you how to allow and deny access to Trusted Advisor. You can use one of the following policies to create a *customer managed policy* in the IAM console. For example, you can copy an example policy, and then paste it into the [JSON tab](#) of the IAM console. Then, you attach the policy to your IAM user, group, or role.

For more information about how to create an IAM policy, see [Creating IAM policies \(console\)](#) in the *IAM User Guide*.

### Examples

- [Full access to Trusted Advisor](#)
- [Read-only access to Trusted Advisor](#)
- [Deny access to Trusted Advisor](#)
- [Allow and deny specific actions](#)
- [Control access to the Support API operations for Trusted Advisor](#)
- [Example IAM policies for Trusted Advisor Priority](#)

### Full access to Trusted Advisor

The following policy allows users to view and take all actions on all Trusted Advisor checks in the Trusted Advisor console.

#### JSON

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  
            "Effect": "Allow",  
            "Action": "trustedadvisor:*",  
            "Resource": "*"  
        }  
    ]  
}
```

## Read-only access to Trusted Advisor

The following policy allows users read-only access to the Trusted Advisor console. Users can't make changes, such as refresh checks or change notification preferences.

JSON

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  
            "Effect": "Allow",  
            "Action": [  
                "trustedadvisor:Describe*",  
                "trustedadvisor:Get*",  
                "trustedadvisor>List*"  
            ],  
            "Resource": "*"  
        }  
    ]  
}
```

## Deny access to Trusted Advisor

The following policy doesn't allow users to view or take actions for Trusted Advisor checks in the Trusted Advisor console.

JSON

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  
            "Effect": "Deny",  

```

## Allow and deny specific actions

The following policy allows users to view all Trusted Advisor checks in the Trusted Advisor console, but doesn't allow them to refresh any checks.

JSON

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  
            "Effect": "Allow",  
            "Action": "trustedadvisor:*",  
            "Resource": "*"  
        },  
        {  
            "Effect": "Deny",  
            "Action": "trustedadvisor:RefreshCheck",  
            "Resource": "*"  
        }  
    ]  
}
```

## Control access to the Support API operations for Trusted Advisor

In the AWS Management Console, a separate `trustedadvisor` IAM namespace controls access to Trusted Advisor. You can't use the `trustedadvisor` namespace to allow or deny Trusted Advisor API operations in the Support API. Instead, you use the `support` namespace. You must have permissions to the Support API to call Trusted Advisor programmatically.

For example, if you want to call the [RefreshTrustedAdvisorCheck](#) operation, you must have permissions to this action in the policy.

### Example : Allow Trusted Advisor API operations only

The following policy allows users access to the Support API operations for Trusted Advisor, but not the rest of the Support API operations. For example, users can use the API to view and refresh checks. They can't create, view, update, or resolve AWS Support cases.

You can use this policy to call the Trusted Advisor API operations programmatically, but you can't use this policy to view or refresh checks in the Trusted Advisor console.

## JSON

```
{  
    "Version": "2012-10-17",  
    "Statement": [  
        {  
            "Effect": "Allow",  
            "Action": [  
                "support:DescribeTrustedAdvisorCheckRefreshStatuses",  
                "support:DescribeTrustedAdvisorCheckResult",  
                "support:DescribeTrustedAdvisorChecks",  
                "support:DescribeTrustedAdvisorCheckSummaries",  
                "support:RefreshTrustedAdvisorCheck",  
                "trustedadvisor:Describe*"  
            ],  
            "Resource": "*"  
        },  
        {  
            "Effect": "Deny",  
            "Action": [  
                "support:AddAttachmentsToSet",  
                "support:AddCommunicationToCase",  
                "support>CreateCase",  
                "support:DescribeAttachment",  
                "support:DescribeCases",  
                "support:DescribeCommunications",  
                "support:DescribeServices",  
                "support:DescribeSeverityLevels",  
                "support:ResolveCase"  
            ],  
            "Resource": "*"  
        }  
    ]  
}
```

For more information about how IAM works with Support and Trusted Advisor, see [Actions](#).

## Example IAM policies for Trusted Advisor Priority

You can use the following AWS managed policies to control access to Trusted Advisor Priority. For more information, see [AWS managed policies for AWS Trusted Advisor](#) and [Get started with AWS Trusted Advisor Priority](#).

### See also

For more information about Trusted Advisor permissions, see the following resources:

- [Actions defined by AWS Trusted Advisor](#) in the *IAM User Guide*.
- [Controlling Access to the Trusted Advisor Console](#)

## Example Service Control Policies for AWS Trusted Advisor

AWS Trusted Advisor supports service control policies (SCPs). SCPs are policies that you attach to elements in an organization to manage permissions within that organization. An SCP applies to all AWS accounts [under the element to which you attach the SCP](#). SCPs offer central control over the maximum available permissions for all accounts in your organization. They can help you to ensure your AWS accounts stay within your organization's access control guidelines. For more information, see [Service control policies](#) in the *AWS Organizations User Guide*.

### Topics

- [Prerequisites](#)
- [Example Service Control Policies](#)

## Prerequisites

To use SCPs, you must first do the following:

- Enable all features in your organization. For more information, see [Enabling all features in your organization](#) in the *AWS Organizations User Guide*.
- Enable SCPs for use within your organization. For more information, see [Enabling and disabling policy types](#) in the *AWS Organizations User Guide*.
- Create the SCPs that you need. For more information about creating SCPs, see [Creating, updating, and deleting service control policies](#) in the *AWS Organizations User Guide*.

## Example Service Control Policies

The following examples show how you can control various aspects of resource sharing in an organization.

## **Example : Prevent users from creating or editing engagements in Trusted Advisor Engage**

The following SCP prevents users from creating new engagements or editing existing engagements.

## JSON

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Effect": "Deny",
      "Action": [
        "trustedadvisor>CreateEngagement",
        "trustedadvisor:UpdateEngagement*"
      ],
      "Resource": [
        "*"
      ]
    }
  ]
}
```

### **Example : Deny Trusted Advisor Engage and Trusted Advisor Priority Access**

The following SCP prevents users from accessing or performing any actions within Trusted Advisor Engage and Trusted Advisor Priority.

## JSON

```
{  
  "Version": "2012-10-17",  
  "Statement": [  
    {  
      "Effect": "Deny",
```

```
    "Action": [
        "trustedadvisor>ListEngagement*",
        "trustedadvisor>GetEngagement*",
        "trustedadvisor>CreateEngagement*",
        "trustedadvisor>UpdateEngagement*",
        "trustedadvisor>DescribeRisk*",
        "trustedadvisor>UpdateRisk*",
        "trustedadvisor>DownloadRisk"
    ],
    "Resource": [
        "*"
    ]
}
```

## Troubleshooting AWS Support identity and access

Use the following information to help you diagnose and fix common issues that you might encounter when working with Support and IAM.

### Topics

- [I'm not authorized to perform iam:PassRole](#)
- [I want to view my access keys](#)
- [I'm an administrator and want to allow others to access Support](#)
- [I want to allow people outside of my AWS account to access my Support resources](#)

### I'm not authorized to perform iam:PassRole

If you receive an error that you're not authorized to perform the `iam:PassRole` action, your policies must be updated to allow you to pass a role to Support.

Some AWS services allow you to pass an existing role to that service instead of creating a new service role or service-linked role. To do this, you must have permissions to pass the role to the service.

The following example error occurs when an IAM user named `marymajor` tries to use the console to perform an action in Support. However, the action requires the service to have permissions that are granted by a service role. Mary does not have permissions to pass the role to the service.

User: arn:aws:iam::123456789012:user/marymajor is not authorized to perform: iam:PassRole

In this case, Mary's policies must be updated to allow her to perform the `iam:PassRole` action.

If you need help, contact your AWS administrator. Your administrator is the person who provided you with your sign-in credentials.

## I want to view my access keys

After you create your IAM user access keys, you can view your access key ID at any time. However, you can't view your secret access key again. If you lose your secret key, you must create a new access key pair.

Access keys consist of two parts: an access key ID (for example, AKIAIOSFODNN7EXAMPLE) and a secret access key (for example, wJalrXUtnFEMI/K7MDENG/bPxRfiCYEXAMPLEKEY). Like a user name and password, you must use both the access key ID and secret access key together to authenticate your requests. Manage your access keys as securely as you do your user name and password.

### Important

Do not provide your access keys to a third party, even to help [find your canonical user ID](#). By doing this, you might give someone permanent access to your AWS account.

When you create an access key pair, you are prompted to save the access key ID and secret access key in a secure location. The secret access key is available only at the time you create it. If you lose your secret access key, you must add new access keys to your IAM user. You can have a maximum of two access keys. If you already have two, you must delete one key pair before creating a new one. To view instructions, see [Managing access keys](#) in the *IAM User Guide*.

## I'm an administrator and want to allow others to access Support

To allow others to access Support, you must grant permission to the people or applications that need access. If you are using AWS IAM Identity Center to manage people and applications, you assign permission sets to users or groups to define their level of access. Permission sets automatically create and assign IAM policies to IAM roles that are associated with the person or application. For more information, see [Permission sets](#) in the *AWS IAM Identity Center User Guide*.

If you are not using IAM Identity Center, you must create IAM entities (users or roles) for the people or applications that need access. You must then attach a policy to the entity that grants them the correct permissions in Support. After the permissions are granted, provide the credentials to the user or application developer. They will use those credentials to access AWS. To learn more about creating IAM users, groups, policies, and permissions, see [IAM Identities](#) and [Policies and permissions in IAM](#) in the *IAM User Guide*.

## I want to allow people outside of my AWS account to access my Support resources

You can create a role that users in other accounts or people outside of your organization can use to access your resources. You can specify who is trusted to assume the role. For services that support resource-based policies or access control lists (ACLs), you can use those policies to grant people access to your resources.

To learn more, consult the following:

- To learn whether Support supports these features, see [How AWS Support works with IAM](#).
- To learn how to provide access to your resources across AWS accounts that you own, see [Providing access to an IAM user in another AWS account that you own](#) in the *IAM User Guide*.
- To learn how to provide access to your resources to third-party AWS accounts, see [Providing access to AWS accounts owned by third parties](#) in the *IAM User Guide*.
- To learn how to provide access through identity federation, see [Providing access to externally authenticated users \(identity federation\)](#) in the *IAM User Guide*.
- To learn the difference between using roles and resource-based policies for cross-account access, see [Cross account resource access in IAM](#) in the *IAM User Guide*.

## Incident response

Incident response for Support is an AWS responsibility. AWS has a formal, documented policy and program that governs incident response. For more information, see the [AWS Security Incident Response Technical Guide](#).

Use the following options to inform yourself about operational issues:

- View AWS operational issues with broad impact on the [AWS Service Health Dashboard](#). For example, events that affect a service or Region that isn't specific to your account.

- View operational issues for individual accounts in the [Health Dashboard](#). For example, events that affect services or resources in your account. For more information, see [Getting started with the Health Dashboard](#) in the *AWS Health User Guide*.

## Logging and monitoring in AWS Support and AWS Trusted Advisor

Monitoring is an important part of maintaining the reliability, availability, and performance of AWS Support and AWS Trusted Advisor and your other AWS solutions. AWS provides the following monitoring tools to watch AWS Support and AWS Trusted Advisor, report when something is wrong, and take actions when appropriate:

- *Amazon CloudWatch* monitors your AWS resources and the applications that you run on AWS in real time. You can collect and track metrics, create customized dashboards, and set alarms that notify you or take actions when a specified metric reaches a threshold that you specify. For example, you can have CloudWatch track CPU usage or other metrics of your Amazon Elastic Compute Cloud (Amazon EC2) instances and automatically launch new instances when needed. For more information, see the [Amazon CloudWatch User Guide](#).
- *Amazon EventBridge* delivers a near real-time stream of system events that describe changes in AWS resources. EventBridge enables automated event-driven computing, as you can write rules that watch for certain events and trigger automated actions in other AWS services when these events happen. For more information, see the [Amazon EventBridge User Guide](#).
- *AWS CloudTrail* captures API calls and related events made by or on behalf of your AWS account and delivers the log files to an Amazon Simple Storage Service (Amazon S3) bucket that you specify. You can identify which users and accounts called AWS, the source IP address from which the calls were made, and when the calls occurred. For more information, see the [AWS CloudTrail User Guide](#).

For more information, see [Monitoring and logging for AWS Support](#) and [Monitoring and logging for AWS Trusted Advisor](#).

# Compliance validation for AWS Support

To learn whether an AWS service is within the scope of specific compliance programs, see [AWS services in Scope by Compliance Program](#) and choose the compliance program that you are interested in. For general information, see [AWS Compliance Programs](#).

You can download third-party audit reports using AWS Artifact. For more information, see [Downloading Reports in AWS Artifact](#).

Your compliance responsibility when using AWS services is determined by the sensitivity of your data, your company's compliance objectives, and applicable laws and regulations. For more information about your compliance responsibility when using AWS services, see [AWS Security Documentation](#).

## Resilience in AWS Support

The AWS global infrastructure is built around AWS Regions and Availability Zones. AWS Regions provide multiple physically separated and isolated Availability Zones, which are connected with low-latency, high-throughput, and highly redundant networking. With Availability Zones, you can design and operate applications and databases that automatically fail over between zones without interruption. Availability Zones are more highly available, fault tolerant, and scalable than traditional single or multiple data center infrastructures.

For more information about AWS Regions and Availability Zones, see [AWS global infrastructure](#).

## Infrastructure security in AWS Support

As a managed service, AWS Support is protected by the AWS global network security procedures that are described in the [Amazon Web Services: Overview of security processes](#) whitepaper.

You use AWS published API calls to access Support through the network. Clients must support Transport Layer Security (TLS) 1.0 or later. We recommend TLS 1.2 or later. Clients must also support cipher suites with perfect forward secrecy (PFS) such as Ephemeral Diffie-Hellman (DHE) or Elliptic Curve Ephemeral Diffie-Hellman (ECDHE). Most modern systems such as Java 7 and later support these modes.

Additionally, requests must be signed by using an access key ID and a secret access key that is associated with an IAM principal. Or you can use the [AWS Security Token Service](#) (AWS STS) to generate temporary security credentials to sign requests.

# Configuration and vulnerability analysis in Support

For AWS Trusted Advisor, AWS handles basic security tasks such as guest operating system (OS) and database patching, firewall configuration, and disaster recovery.

Configuration and IT controls are a shared responsibility between AWS and you, our customer. For more information, see the AWS [shared responsibility model](#).

# Code examples for Support using AWS SDKs

The following code examples show how to use Support with an AWS software development kit (SDK).

*Basics* are code examples that show you how to perform the essential operations within a service.

*Actions* are code excerpts from larger programs and must be run in context. While actions show you how to call individual service functions, you can see actions in context in their related scenarios.

For a complete list of AWS SDK developer guides and code examples, see [Using AWS Support with an AWS SDK](#). This topic also includes information about getting started and details about previous SDK versions.

## Code examples

- [Basic examples for Support using AWS SDKs](#)
  - [Hello Support](#)
  - [Learn the basics of Support with an AWS SDK](#)
  - [Actions for Support using AWS SDKs](#)
    - [Use AddAttachmentsToSet with an AWS SDK or CLI](#)
    - [Use AddCommunicationToCase with an AWS SDK or CLI](#)
    - [Use CreateCase with an AWS SDK or CLI](#)
    - [Use DescribeAttachment with an AWS SDK or CLI](#)
    - [Use DescribeCases with an AWS SDK or CLI](#)
    - [Use DescribeCommunications with an AWS SDK or CLI](#)
    - [Use DescribeServices with an AWS SDK or CLI](#)
    - [Use DescribeSeverityLevels with an AWS SDK or CLI](#)
    - [Use DescribeTrustedAdvisorCheckRefreshStatuses with a CLI](#)
    - [Use DescribeTrustedAdvisorCheckResult with a CLI](#)
    - [Use DescribeTrustedAdvisorCheckSummaries with a CLI](#)
    - [Use DescribeTrustedAdvisorChecks with a CLI](#)
    - [Use RefreshTrustedAdvisorCheck with a CLI](#)
    - [Use ResolveCase with an AWS SDK or CLI](#)

# Basic examples for Support using AWS SDKs

The following code examples show how to use the basics of AWS Support with AWS SDKs.

## Examples

- [Hello Support](#)
- [Learn the basics of Support with an AWS SDK](#)
- [Actions for Support using AWS SDKs](#)
  - [Use AddAttachmentsToSet with an AWS SDK or CLI](#)
  - [Use AddCommunicationToCase with an AWS SDK or CLI](#)
  - [Use CreateCase with an AWS SDK or CLI](#)
  - [Use DescribeAttachment with an AWS SDK or CLI](#)
  - [Use DescribeCases with an AWS SDK or CLI](#)
  - [Use DescribeCommunications with an AWS SDK or CLI](#)
  - [Use DescribeServices with an AWS SDK or CLI](#)
  - [Use DescribeSeverityLevels with an AWS SDK or CLI](#)
  - [Use DescribeTrustedAdvisorCheckRefreshStatuses with a CLI](#)
  - [Use DescribeTrustedAdvisorCheckResult with a CLI](#)
  - [Use DescribeTrustedAdvisorCheckSummaries with a CLI](#)
  - [Use DescribeTrustedAdvisorChecks with a CLI](#)
  - [Use RefreshTrustedAdvisorCheck with a CLI](#)
  - [Use ResolveCase with an AWS SDK or CLI](#)

## Hello Support

The following code examples show how to get started using Support.

## .NET

### SDK for .NET

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
using Amazon.AWSSupport;
using Microsoft.Extensions.DependencyInjection;
using Microsoft.Extensions.Hosting;

public static class HelloSupport
{
    static async Task Main(string[] args)
    {
        // Use the AWS .NET Core Setup package to set up dependency injection for
        // the AWS Support service.
        // Use your AWS profile name, or leave it blank to use the default
        // profile.
        // You must have one of the following AWS Support plans: Business,
        // Enterprise On-Ramp, or Enterprise. Otherwise, an exception will be thrown.
        using var host = Host.CreateDefaultBuilder(args)
            .ConfigureServices((_, services) =>
                services.AddAWSService<IAmazonAWSSupport>()
            .Build();

        // Now the client is available for injection.
        var supportClient =
host.Services.GetRequiredService<IAmazonAWSSupport>();

        // You can use await and any of the async methods to get a response.
        var response = await supportClient.DescribeServicesAsync();
        Console.WriteLine($"\\tHello AWS Support! There are
{response.Services.Count} services available.");
    }
}
```

- For API details, see [DescribeServices](#) in *AWS SDK for .NET API Reference*.

## Java

### SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.support.SupportClient;
import software.amazon.awssdk.services.support.model.Category;
import software.amazon.awssdk.services.support.model.DescribeServicesRequest;
import software.amazon.awssdk.services.support.model.DescribeServicesResponse;
import software.amazon.awssdk.services.support.model.Service;
import software.amazon.awssdk.services.support.model.SupportException;
import java.util.ArrayList;
import java.util.List;

/**
 * Before running this Java (v2) code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * In addition, you must have the AWS Business Support Plan to use the AWS
 * Support Java API. For more information, see:
 *
 * https://aws.amazon.com/premiumsupport/plans/
 *
 * This Java example performs the following task:
 *
 * 1. Gets and displays available services.
 *
 *
 * NOTE: To see multiple operations, see SupportScenario.
```

```
*/  
  
public class HelloSupport {  
    public static void main(String[] args) {  
        Region region = Region.US_WEST_2;  
        SupportClient supportClient = SupportClient.builder()  
            .region(region)  
            .build();  
  
        System.out.println("***** Step 1. Get and display available services.");  
        displayServices(supportClient);  
    }  
  
    // Return a List that contains a Service name and Category name.  
    public static void displayServices(SupportClient supportClient) {  
        try {  
            DescribeServicesRequest servicesRequest =  
                DescribeServicesRequest.builder()  
                    .language("en")  
                    .build();  
  
            DescribeServicesResponse response =  
                supportClient.describeServices(servicesRequest);  
            List<Service> services = response.services();  
  
            System.out.println("Get the first 10 services");  
            int index = 1;  
            for (Service service : services) {  
                if (index == 11)  
                    break;  
  
                System.out.println("The Service name is: " + service.name());  
  
                // Display the Categories for this service.  
                List<Category> categories = service.categories();  
                for (Category cat : categories) {  
                    System.out.println("The category name is: " + cat.name());  
                }  
                index++;  
            }  
  
        } catch (SupportException e) {  
            System.out.println(e.getLocalizedMessage());  
            System.exit(1);  
        }  
    }  
}
```

```
    }
}
}
```

- For API details, see [DescribeServices](#) in *AWS SDK for Java 2.x API Reference*.

## JavaScript

### SDK for JavaScript (v3)

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Invoke `main()` to run the example.

```
import {
  DescribeServicesCommand,
  SupportClient,
} from "@aws-sdk/client-support";

// Change the value of 'region' to your preferred AWS Region.
const client = new SupportClient({ region: "us-east-1" });

const getServiceCount = async () => {
  try {
    const { services } = await client.send(new DescribeServicesCommand([]));
    return services.length;
  } catch (err) {
    if (err.name === "SubscriptionRequiredException") {
      throw new Error(
        "You must be subscribed to the AWS Support plan to use this feature."
      );
    }
    throw err;
  }
};

export const main = async () => {
```

```
try {
    const count = await getServiceCount();
    console.log(`Hello, AWS Support! There are ${count} services available.`);
} catch (err) {
    console.error("Failed to get service count: ", err.message);
}
};
```

- For API details, see [DescribeServices](#) in *AWS SDK for JavaScript API Reference*.

## Kotlin

### SDK for Kotlin

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
```

Before running this Kotlin code example, set up your development environment, including your credentials.

For more information, see the following documentation topic:

<https://docs.aws.amazon.com/sdk-for-kotlin/latest/developer-guide/setup.html>

In addition, you must have the AWS Business Support Plan to use the AWS Support Java API. For more information, see:

<https://aws.amazon.com/premiumsupport/plans/>

This Kotlin example performs the following task:

1. Gets and displays available services.

```
 */
```

```
suspend fun main() {
    displaySomeServices()
}
```

```
// Return a List that contains a Service name and Category name.
suspend fun displaySomeServices() {
    val servicesRequest =
        DescribeServicesRequest {
            language = "en"
    }

    SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->
        val response = supportClient.describeServices(servicesRequest)
        println("Get the first 10 services")
        var index = 1

        response.services?.forEach { service ->
            if (index == 11) {
                return@forEach
            }

            println("The Service name is: " + service.name)

            // Get the categories for this service.
            service.categories?.forEach { cat ->
                println("The category name is ${cat.name}")
                index++
            }
        }
    }
}
```

- For API details, see [DescribeServices](#) in *AWS SDK for Kotlin API reference*.

## Python

### SDK for Python (Boto3)

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import logging
import boto3
from botocore.exceptions import ClientError

logger = logging.getLogger(__name__)

def hello_support(support_client):
    """
    Use the AWS SDK for Python (Boto3) to create an AWS Support client and count
    the available services in your account.
    This example uses the default settings specified in your shared credentials
    and config files.

    :param support_client: A Boto3 Support Client object.
    """
    try:
        print("Hello, AWS Support! Let's count the available Support services:")
        response = support_client.describe_services()
        print(f"There are {len(response['services'])} services available.")
    except ClientError as err:
        if err.response["Error"]["Code"] == "SubscriptionRequiredException":
            logger.info(
                "You must have a Business, Enterprise On-Ramp, or Enterprise
Support"
                "plan to use the AWS Support API. \n\tPlease upgrade your
subscription to run these "
                "examples."
            )
        else:
            logger.error(
                "Couldn't count services. Here's why: %s: %s",
                err.response["Error"]["Code"],
                err.response["Error"]["Message"],
            )
            raise
    if __name__ == "__main__":
        hello_support(boto3.client("support"))
```

- For API details, see [DescribeServices](#) in *AWS SDK for Python (Boto3) API Reference*.

For a complete list of AWS SDK developer guides and code examples, see [Using AWS Support with an AWS SDK](#). This topic also includes information about getting started and details about previous SDK versions.

## Learn the basics of Support with an AWS SDK

The following code examples show how to:

- Get and display available services and severity levels for cases.
- Create a support case using a selected service, category, and severity level.
- Get and display a list of open cases for the current day.
- Add an attachment set and a communication to the new case.
- Describe the new attachment and communication for the case.
- Resolve the case.
- Get and display a list of resolved cases for the current day.

### .NET

#### SDK for .NET

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run an interactive scenario at a command prompt.

```
/// <summary>
/// Hello AWS Support example.
/// </summary>
public static class SupportCaseScenario
{
    /*
     * Before running this .NET code example, set up your development environment,
     * including your credentials.
     * To use the AWS Support API, you must have one of the following AWS Support
     * plans: Business, Enterprise On-Ramp, or Enterprise.
    
```

```
This .NET example performs the following tasks:  
1. Get and display services. Select a service from the list.  
2. Select a category from the selected service.  
3. Get and display severity levels and select a severity level from the  
list.  
4. Create a support case using the selected service, category, and severity  
level.  
5. Get and display a list of open support cases for the current day.  
6. Create an attachment set with a sample text file to add to the case.  
7. Add a communication with the attachment to the support case.  
8. List the communications of the support case.  
9. Describe the attachment set.  
10. Resolve the support case.  
11. Get a list of resolved cases for the current day.  
*/  
  
private static SupportWrapper _supportWrapper = null!;  
  
static async Task Main(string[] args)  
{  
    // Set up dependency injection for the AWS Support service.  
    // Use your AWS profile name, or leave it blank to use the default  
profile.  
    using var host = Host.CreateDefaultBuilder(args)  
        .ConfigureLogging(logging =>  
            logging.AddFilter("System", LogLevel.Debug)  
                .AddFilter<DebugLoggerProvider>("Microsoft",  
LogLevel.Information)  
                    .AddFilter<ConsoleLoggerProvider>("Microsoft",  
LogLevel.Trace))  
        .ConfigureServices((_, services) =>  
            services.AddAWSService<IAmazonAWSSupport>(new AWSOptions()  
& Profile = "default")  
                .AddTransient<SupportWrapper>()  
        )  
        .Build();  
  
    var logger = LoggerFactory.Create(builder =>  
    {  
        builder.AddConsole();  
    }).CreateLogger(typeof(SupportCaseScenario));  
  
    _supportWrapper = host.Services.GetRequiredService<SupportWrapper>();
```

```
Console.WriteLine(new string('-', 80));
Console.WriteLine("Welcome to the AWS Support case example scenario.");
Console.WriteLine(new string('-', 80));

try
{
    var apiSupported = await _supportWrapper.VerifySubscription();
    if (!apiSupported)
    {
        logger.LogError("You must have a Business, Enterprise On-Ramp, or
Enterprise Support " +
                        "plan to use the AWS Support API. \n\tPlease
upgrade your subscription to run these examples.");
        return;
    }

    var service = await DisplayAndSelectServices();

    var category = DisplayAndSelectCategories(service);

    var severityLevel = await DisplayAndSelectSeverity();

    var caseId = await CreateSupportCase(service, category,
severityLevel);

    await DescribeTodayOpenCases();

    var attachmentSetId = await CreateAttachmentSet();

    await AddCommunicationToCase(attachmentSetId, caseId);

    var attachmentId = await ListCommunicationsForCase(caseId);

    await DescribeCaseAttachment(attachmentId);

    await ResolveCase(caseId);

    await DescribeTodayResolvedCases();

    Console.WriteLine(new string('-', 80));
    Console.WriteLine("AWS Support case example scenario complete.");
    Console.WriteLine(new string('-', 80));
}
```

```
        catch (Exception ex)
    {
        logger.LogError(ex, "There was a problem executing the scenario.");
    }
}

/// <summary>
/// List some available services from AWS Support, and select a service for
the example.
/// </summary>
/// <returns>The selected service.</returns>
private static async Task<Service> DisplayAndSelectServices()
{
    Console.WriteLine(new string('-', 80));
    var services = await _supportWrapper.DescribeServices();
    Console.WriteLine($"AWS Support client returned {services.Count}
services.");

    Console.WriteLine($"1. Displaying first 10 services:");
    for (int i = 0; i < 10 && i < services.Count; i++)
    {
        Console.WriteLine($"{i + 1}. {services[i].Name}");
    }

    var choiceNumber = 0;
    while (choiceNumber < 1 || choiceNumber > services.Count)
    {
        Console.WriteLine(
            "Select an example support service by entering a number from the
preceding list:");
        var choice = Console.ReadLine();
        Int32.TryParse(choice, out choiceNumber);
    }
    Console.WriteLine(new string('-', 80));

    return services[choiceNumber - 1];
}

/// <summary>
/// List the available categories for a service and select a category for the
example.
/// </summary>
/// <param name="service">Service to use for displaying categories.</param>
/// <returns>The selected category.</returns>
```

```
private static Category DisplayAndSelectCategories(Service service)
{
    Console.WriteLine(new string('-', 80));

    Console.WriteLine($"2. Available support categories for Service
\"{service.Name}\":");
    for (int i = 0; i < service.Categories.Count; i++)
    {
        Console.WriteLine($"\\t{i + 1}. {service.Categories[i].Name}");
    }

    var choiceNumber = 0;
    while (choiceNumber < 1 || choiceNumber > service.Categories.Count)
    {
        Console.WriteLine(
            "Select an example support category by entering a number from the
preceding list:");
        var choice = Console.ReadLine();
        Int32.TryParse(choice, out choiceNumber);
    }

    Console.WriteLine(new string('-', 80));

    return service.Categories[choiceNumber - 1];
}

/// <summary>
/// List available severity levels from AWS Support, and select a level for
the example.
/// </summary>
/// <returns>The selected severity level.</returns>
private static async Task<SeverityLevel> DisplayAndSelectSeverity()
{
    Console.WriteLine(new string('-', 80));
    var severityLevels = await _supportWrapper.DescribeSeverityLevels();

    Console.WriteLine($"3. Get and display available severity levels:");
    for (int i = 0; i < 10 && i < severityLevels.Count; i++)
    {
        Console.WriteLine($"\\t{i + 1}. {severityLevels[i].Name}");
    }

    var choiceNumber = 0;
    while (choiceNumber < 1 || choiceNumber > severityLevels.Count)
```

```
{  
    Console.WriteLine(  
        "Select an example severity level by entering a number from the  
preceding list:");  
    var choice = Console.ReadLine();  
    Int32.TryParse(choice, out choiceNumber);  
}  
Console.WriteLine(new string('-', 80));  
  
return severityLevels[choiceNumber - 1];  
}  
  
/// <summary>  
/// Create an example support case.  
/// </summary>  
/// <param name="service">Service to use for the new case.</param>  
/// <param name="category">Category to use for the new case.</param>  
/// <param name="severity">Severity to use for the new case.</param>  
/// <returns>The caseId of the new support case.</returns>  
private static async Task<string> CreateSupportCase(Service service,  
    Category category, SeverityLevel severity)  
{  
    Console.WriteLine(new string('-', 80));  
    Console.WriteLine($"4. Create an example support case" +  
        $" with the following settings:" +  
        $" \n\tService: {service.Name}, Category:  
{category.Name} " +  
        $"and Severity Level: {severity.Name}.");  
    var caseId = await _supportWrapper.CreateCase(service.Code,  
category.Code, severity.Code,  
        "Example case for testing, ignore.", "This is my example support  
case.");  
  
    Console.WriteLine($"\\tNew case created with ID {caseId}");  
  
    Console.WriteLine(new string('-', 80));  
  
    return caseId;  
}  
  
/// <summary>  
/// List open cases for the current day.  
/// </summary>  
/// <returns>Async task.</returns>
```

```
private static async Task DescribeTodayOpenCases()
{
    Console.WriteLine($"5. List the open support cases for the current day.");
    // Describe the cases. If it is empty, try again and allow time for the new case to appear.
    List<CaseDetails> currentOpenCases = null!;
    while (currentOpenCases == null || currentOpenCases.Count == 0)
    {
        Thread.Sleep(1000);
        currentOpenCases = await _supportWrapper.DescribeCases(
            new List<string>(),
            null,
            false,
            false,
            DateTime.UtcNow.Date,
            DateTime.UtcNow);
    }

    foreach (var openCase in currentOpenCases)
    {
        Console.WriteLine($"\\tCase: {openCase.CaseId} created {openCase.TimeCreated}");
    }

    Console.WriteLine(new string('-', 80));
}

/// <summary>
/// Create an attachment set for a support case.
/// </summary>
/// <returns>The attachment set id.</returns>
private static async Task<string> CreateAttachmentSet()
{
    Console.WriteLine(new string('-', 80));
    Console.WriteLine($"6. Create an attachment set for a support case.");
    var fileName = "example_attachment.txt";

    // Create the file if it does not already exist.
    if (!File.Exists(fileName))
    {
        await using StreamWriter sw = File.CreateText(fileName);
        await sw.WriteLineAsync(
            "This is a sample file for attachment to a support case.");
    }
}
```

```
        }

        await using var ms = new MemoryStream(await
File.ReadAllBytesAsync(fileName));

        var attachmentSetId = await _supportWrapper.AddAttachmentToSet(
            ms,
            fileName);

        Console.WriteLine($"\\tNew attachment set created with id: \\n
\\t{attachmentSetId.Substring(0, 65)}...");

        Console.WriteLine(new string('-', 80));

        return attachmentSetId;
    }

/// <summary>
/// Add an attachment set and communication to a case.
/// </summary>
/// <param name="attachmentSetId">Id of the attachment set.</param>
/// <param name="caseId">Id of the case to receive the attachment set.</param>
private static async Task AddCommunicationToCase(string attachmentSetId,
string caseId)
{
    Console.WriteLine(new string('-', 80));
    Console.WriteLine($"7. Add attachment set and communication to
{caseId}.");

    await _supportWrapper.AddCommunicationToCase(
        caseId,
        "This is an example communication added to a support case.",
        attachmentSetId);

    Console.WriteLine($"\\tNew attachment set and communication added to
{caseId}");

    Console.WriteLine(new string('-', 80));
}

/// <summary>
/// List the communications for a case.
```

```
/// </summary>
/// <param name="caseId">Id of the case to describe.</param>
/// <returns>An attachment id.</returns>
private static async Task<string> ListCommunicationsForCase(string caseId)
{
    Console.WriteLine(new string('-', 80));
    Console.WriteLine($"8. List communications for case {caseId}.");

    var communications = await
_supportWrapper.DescribeCommunications(caseId);
    var attachmentId = "";
    foreach (var communication in communications)
    {
        Console.WriteLine(
            $"\\tCommunication created on: {communication.TimeCreated} has
{communication.AttachmentSet.Count} attachments.");
        if (communication.AttachmentSet.Any())
        {
            attachmentId = communication.AttachmentSet.First().AttachmentId;
        }
    }

    Console.WriteLine(new string('-', 80));
    return attachmentId;
}

/// <summary>
/// Describe an attachment by id.
/// </summary>
/// <param name="attachmentId">Id of the attachment to describe.</param>
/// <returns>Async task.</returns>
private static async Task DescribeCaseAttachment(string attachmentId)
{
    Console.WriteLine(new string('-', 80));
    Console.WriteLine($"9. Describe the attachment set.");

    var attachment = await _supportWrapper.DescribeAttachment(attachmentId);
    var data = Encoding.ASCII.GetString(attachment.Data.ToArray());
    Console.WriteLine($"\\tAttachment includes {attachment.FileName} with
data: \\n\\t{data}");

    Console.WriteLine(new string('-', 80));
}
```

```
/// <summary>
/// Resolve the support case.
/// </summary>
/// <param name="caseId">Id of the case to resolve.</param>
/// <returns>Async task.</returns>
private static async Task ResolveCase(string caseId)
{
    Console.WriteLine(new string('-', 80));
    Console.WriteLine($"10. Resolve case {caseId}.");

    var status = await _supportWrapper.ResolveCase(caseId);
    Console.WriteLine($"\\tCase {caseId} has final status {status}");

    Console.WriteLine(new string('-', 80));
}

/// <summary>
/// List resolved cases for the current day.
/// </summary>
/// <returns>Async Task.</returns>
private static async Task DescribeTodayResolvedCases()
{
    Console.WriteLine(new string('-', 80));
    Console.WriteLine($"11. List the resolved support cases for the current
day.");
    var currentCases = await _supportWrapper.DescribeCases(
        new List<string>(),
        null,
        false,
        true,
        DateTime.UtcNow.Date,
        DateTime.UtcNow);

    foreach (var currentCase in currentCases)
    {
        if (currentCase.Status == "resolved")
        {
            Console.WriteLine(
                $"\\tCase: {currentCase.CaseId}: status
{currentCase.Status}");
        }
    }

    Console.WriteLine(new string('-', 80));
}
```

```
    }  
}
```

Wrapper methods used by the scenario for Support actions.

```
/// <summary>  
/// Wrapper methods to use AWS Support for working with support cases.  
/// </summary>  
public class SupportWrapper  
{  
    private readonly IAmazonAWSSupport _amazonSupport;  
    public SupportWrapper(IAmazonAWSSupport amazonSupport)  
    {  
        _amazonSupport = amazonSupport;  
    }  
  
    /// <summary>  
    /// Get the descriptions of AWS services.  
    /// </summary>  
    /// <param name="name">Optional language for services.  
    /// Currently Chinese ("zh"), English ("en"), Japanese ("ja") and Korean  
    /// ("ko") are supported.</param>  
    /// <returns>The list of AWS service descriptions.</returns>  
    public async Task<List<Service>> DescribeServices(string language = "en")  
    {  
        var response = await _amazonSupport.DescribeServicesAsync(  
            new DescribeServicesRequest()  
            {  
                Language = language  
            });  
        return response.Services;  
    }  
  
    /// <summary>  
    /// Get the descriptions of support severity levels.  
    /// </summary>  
    /// <param name="name">Optional language for severity levels.
```

```
    ///> Currently Chinese ("zh"), English ("en"), Japanese ("ja") and Korean ("ko") are supported.</param>
    ///> The list of support severity levels.</returns>
    public async Task<List<SeverityLevel>> DescribeSeverityLevels(string language = "en")
    {
        var response = await _amazonSupport.DescribeSeverityLevelsAsync(
            new DescribeSeverityLevelsRequest()
        {
            Language = language
        });
        return response.SeverityLevels;
    }

    ///> Create a new support case.
    ///> Service code for the new case.
    ///> Category for the new case.
    ///> Severity code for the new case.
    ///> Subject of the new case.
    ///> Body text of the new case.
    ///> Optional language support for your case.
    ///> Currently Chinese ("zh"), English ("en"), Japanese ("ja") and Korean ("ko") are supported.
    ///> Optional Id for an attachment set for the new case.
    ///> Optional issue type for the new case. Options are "customer-service" or "technical".
    ///> The caseId of the new support case.
    public async Task<string> CreateCase(string serviceCode, string categoryCode, string severityCode, string subject, string body, string language = "en", string? attachmentSetId = null, string issueType = "customer-service")
    {
        var response = await _amazonSupport.CreateCaseAsync(
            new CreateCaseRequest()
        {
            ServiceCode = serviceCode,
            CategoryCode = categoryCode,
            SeverityCode = severityCode,
            Subject = subject,
```

```
        Language = language,
        AttachmentSetId = attachmentSetId,
        IssueType = issueType,
        CommunicationBody = body
    });
    return response.CaseId;
}

/// <summary>
/// Add an attachment to a set, or create a new attachment set if one does
not exist.
/// </summary>
/// <param name="data">The data for the attachment.</param>
/// <param name="fileName">The file name for the attachment.</param>
/// <param name="attachmentSetId">Optional setId for the attachment. Creates
a new attachment set if empty.</param>
/// <returns>The setId of the attachment.</returns>
public async Task<string> AddAttachmentToSet(MemoryStream data, string
fileName, string? attachmentSetId = null)
{
    var response = await _amazonSupport.AddAttachmentsToSetAsync(
        new AddAttachmentsToSetRequest
    {
        AttachmentSetId = attachmentSetId,
        Attachments = new List<Attachment>
    {
        new Attachment
    {
        Data = data,
        FileName = fileName
    }
    }
});
    return response.AttachmentSetId;
}

/// <summary>
/// Get description of a specific attachment.
/// </summary>
```

```
/// <param name="attachmentId">Id of the attachment, usually fetched by  
describing the communications of a case.</param>  
/// <returns>The attachment object.</returns>  
public async Task<Attachment> DescribeAttachment(string attachmentId)  
{  
    var response = await _amazonSupport.DescribeAttachmentAsync(  
        new DescribeAttachmentRequest()  
    {  
        AttachmentId = attachmentId  
    });  
    return response.Attachment;  
}  
  
/// <summary>  
/// Add communication to a case, including optional attachment set ID and CC  
email addresses.  
/// </summary>  
/// <param name="caseId">Id for the support case.</param>  
/// <param name="body">Body text of the communication.</param>  
/// <param name="attachmentSetId">Optional Id for an attachment set.</param>  
/// <param name="ccEmailAddresses">Optional list of CC email addresses.</param>  
/// <returns>True if successful.</returns>  
public async Task<bool> AddCommunicationToCase(string caseId, string body,  
    string? attachmentSetId = null, List<string>? ccEmailAddresses = null)  
{  
    var response = await _amazonSupport.AddCommunicationToCaseAsync(  
        new AddCommunicationToCaseRequest()  
    {  
        CaseId = caseId,  
        CommunicationBody = body,  
        AttachmentSetId = attachmentSetId,  
        CcEmailAddresses = ccEmailAddresses  
    });  
    return response.Result;  
}  
  
/// <summary>  
/// Describe the communications for a case, optionally with a date filter.  
/// </summary>
```

```
/// <param name="caseId">The ID of the support case.</param>
/// <param name="afterTime">The optional start date for a filtered search.</
param>
/// <param name="beforeTime">The optional end date for a filtered search.</
param>
/// <returns>The list of communications for the case.</returns>
public async Task<List<Communication>> DescribeCommunications(string caseId,
DateTime? afterTime = null, DateTime? beforeTime = null)
{
    var results = new List<Communication>();
    var paginateCommunications =
_amazonSupport.Paginator.DescribeCommunications(
        new DescribeCommunicationsRequest()
    {
        CaseId = caseId,
        AfterTime = afterTime?.ToString("s"),
        BeforeTime = beforeTime?.ToString("s")
    });
    // Get the entire list using the paginator.
    await foreach (var communications in
paginateCommunications.Communications)
    {
        results.Add(communications);
    }
    return results;
}

/// <summary>
/// Get case details for a list of case ids, optionally with date filters.
/// </summary>
/// <param name="caseIds">The list of case IDs.</param>
/// <param name="displayId">Optional display ID.</param>
/// <param name="includeCommunication">True to include communication.
Defaults to true.</param>
/// <param name="includeResolvedCases">True to include resolved cases.
Defaults to false.</param>
/// <param name="afterTime">The optional start date for a filtered search.</
param>
/// <param name="beforeTime">The optional end date for a filtered search.</
param>
/// <param name="language">Optional language support for your case.
```

```
/// Currently Chinese ("zh"), English ("en"), Japanese ("ja") and Korean
("ko") are supported.</param>
/// <returns>A list of CaseDetails.</returns>
public async Task<List<CaseDetails>> DescribeCases(List<string> caseIds,
string? displayId = null, bool includeCommunication = true,
bool includeResolvedCases = false, DateTime? afterTime = null, DateTime?
beforeTime = null,
string language = "en")
{
    var results = new List<CaseDetails>();
    var paginateCases = _amazonSupport.Paginator.DescribeCases(
        new DescribeCasesRequest()
    {
        CaseIdList = caseIds,
        DisplayId = displayId,
        IncludeCommunications = includeCommunication,
        IncludeResolvedCases = includeResolvedCases,
        AfterTime = afterTime?.ToString("s"),
        BeforeTime = beforeTime?.ToString("s"),
        Language = language
    });
    // Get the entire list using the paginator.
    await foreach (var cases in paginateCases.Cases)
    {
        results.Add(cases);
    }
    return results;
}

/// <summary>
/// Resolve a support case by caseId.
/// </summary>
/// <param name="caseId">Id for the support case.</param>
/// <returns>The final status of the case after resolving.</returns>
public async Task<string> ResolveCase(string caseId)
{
    var response = await _amazonSupport.ResolveCaseAsync(
        new ResolveCaseRequest()
    {
        CaseId = caseId
    });
    return response.FinalCaseStatus;
```

```
}

/// <summary>
/// Verify the support level for AWS Support API access.
/// </summary>
/// <returns>True if the subscription level supports API access.</returns>
public async Task<bool> VerifySubscription()
{
    try
    {
        var response = await _amazonSupport.DescribeServicesAsync(
            new DescribeServicesRequest()
            {
                Language = "en"
            });
        return response.HttpStatusCode == HttpStatusCode.OK;
    }
    catch (Amazon.AWSSupport.AmazonAWSSupportException ex)
    {
        if (ex.ErrorCode == "SubscriptionRequiredException")
        {
            return false;
        }
        else throw;
    }
}
}
```

- For API details, see the following topics in *AWS SDK for .NET API Reference*.
  - [AddAttachmentsToSet](#)
  - [AddCommunicationToCase](#)
  - [CreateCase](#)
  - [DescribeAttachment](#)
  - [DescribeCases](#)
  - [DescribeCommunications](#)
  - [DescribeServices](#)
  - [DescribeSeverityLevels](#)
  - [ResolveCase](#)

## Java

### SDK for Java 2.x

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run various Support operations.

```
import software.amazon.awssdk.core.SdkBytes;
import software.amazon.awssdk.regions.Region;
import software.amazon.awssdk.services.support.SupportClient;
import software.amazon.awssdk.services.support.model.AddAttachmentsToSetResponse;
import
software.amazon.awssdk.services.support.model.AddCommunicationToCaseRequest;
import
software.amazon.awssdk.services.support.model.AddCommunicationToCaseResponse;
import software.amazon.awssdk.services.support.model.Attachment;
import software.amazon.awssdk.services.support.model.AttachmentDetails;
import software.amazon.awssdk.services.support.model.CaseDetails;
import software.amazon.awssdk.services.support.model.Category;
import software.amazon.awssdk.services.support.model.Communication;
import software.amazon.awssdk.services.support.model.CreateCaseRequest;
import software.amazon.awssdk.services.support.model.CreateCaseResponse;
import software.amazon.awssdk.services.support.model.DescribeAttachmentRequest;
import software.amazon.awssdk.services.support.model.DescribeAttachmentResponse;
import software.amazon.awssdk.services.support.model.DescribeCasesRequest;
import software.amazon.awssdk.services.support.model.DescribeCasesResponse;
import
software.amazon.awssdk.services.support.model.DescribeCommunicationsRequest;
import
software.amazon.awssdk.services.support.model.DescribeCommunicationsResponse;
import software.amazon.awssdk.services.support.model.DescribeServicesRequest;
import software.amazon.awssdk.services.support.model.DescribeServicesResponse;
import
software.amazon.awssdk.services.support.model.DescribeSeverityLevelsRequest;
import
software.amazon.awssdk.services.support.model.DescribeSeverityLevelsResponse;
import software.amazon.awssdk.services.support.model.ResolveCaseRequest;
import software.amazon.awssdk.services.support.model.ResolveCaseResponse;
```

```
import software.amazon.awssdk.services.support.model.Service;
import software.amazon.awssdk.services.support.model.SeverityLevel;
import software.amazon.awssdk.services.support.model.SupportException;
import software.amazon.awssdk.services.support.model.AddAttachmentsToSetRequest;
import java.io.File;
import java.io.FileInputStream;
import java.io.FileNotFoundException;
import java.io.InputStream;
import java.time.Instant;
import java.time.temporal.ChronoUnit;
import java.util.ArrayList;
import java.util.List;

/**
 * Before running this Java (v2) code example, set up your development
 * environment, including your credentials.
 *
 * For more information, see the following documentation topic:
 *
 * https://docs.aws.amazon.com/sdk-for-java/latest/developer-guide/get-started.html
 *
 * In addition, you must have the AWS Business Support Plan to use the AWS
 * Support Java API. For more information, see:
 *
 * https://aws.amazon.com/premiumsupport/plans/
 *
 * This Java example performs the following tasks:
 *
 * 1. Gets and displays available services.
 * 2. Gets and displays severity levels.
 * 3. Creates a support case by using the selected service, category, and
 *    severity level.
 * 4. Gets a list of open cases for the current day.
 * 5. Creates an attachment set with a generated file.
 * 6. Adds a communication with the attachment to the support case.
 * 7. Lists the communications of the support case.
 * 8. Describes the attachment set included with the communication.
 * 9. Resolves the support case.
 * 10. Gets a list of resolved cases for the current day.
 */
public class SupportScenario {
```

```
public static final String DASHES = new String(new char[80]).replace("\0",
"-");

public static void main(String[] args) {
    final String usage = """

        Usage:
            <fileAttachment>Where:
                fileAttachment - The file can be a simple saved .txt file to
use as an email attachment.\s
            """;

    // if (args.length != 1) {
    //     System.out.println(usage);
    //     System.exit(1);
    // }

    String fileAttachment = "C:\\\\AWS\\\\test.txt" ; //args[0];
    Region region = Region.US_WEST_2;
    SupportClient supportClient = SupportClient.builder()
        .region(region)
        .build();

    System.out.println(DASHES);
    System.out.println("***** Welcome to the AWS Support case example
scenario.");
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("1. Get and display available services.");
    List<String> sevCatList = displayServices(supportClient);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("2. Get and display Support severity levels.");
    String sevLevel = displaySevLevels(supportClient);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("3. Create a support case using the selected service,
category, and severity level.");
    String caseId = createSupportCase(supportClient, sevCatList, sevLevel);
    if (caseId.compareTo("") == 0) {
        System.out.println("A support case was not successfully created!");
    }
}
```

```
        System.exit(1);
    } else
        System.out.println("Support case " + caseId + " was successfully
created!");
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("4. Get open support cases.");
    getOpenCase(supportClient);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("5. Create an attachment set with a generated file to
add to the case.");
    String attachmentSetId = addAttachment(supportClient, fileAttachment);
    System.out.println("The Attachment Set id value is" + attachmentSetId);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("6. Add communication with the attachment to the
support case.");
    addAttachSupportCase(supportClient, caseId, attachmentSetId);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("7. List the communications of the support case.");
    String attachId = listCommunications(supportClient, caseId);
    System.out.println("The Attachment id value is" + attachId);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("8. Describe the attachment set included with the
communication.");
    describeAttachment(supportClient, attachId);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("9. Resolve the support case.");
    resolveSupportCase(supportClient, caseId);
    System.out.println(DASHES);

    System.out.println(DASHES);
    System.out.println("10. Get a list of resolved cases for the current
day.");
```

```
getResolvedCase(supportClient);
System.out.println(DASHES);

System.out.println(DASHES);
System.out.println("***** This Scenario has successfully completed");
System.out.println(DASHES);
}

public static void getResolvedCase(SupportClient supportClient) {
    try {
        // Specify the start and end time.
        Instant now = Instant.now();
        java.time.LocalDate.now();
        Instant yesterday = now.minus(1, ChronoUnit.DAYS);

        DescribeCasesRequest describeCasesRequest =
DescribeCasesRequest.builder()
            .maxResults(30)
            .afterTime(yesterday.toString())
            .beforeTime(now.toString())
            .includeResolvedCases(true)
            .build();

        DescribeCasesResponse response =
supportClient.describeCases(describeCasesRequest);
        List<CaseDetails> cases = response.cases();
        for (CaseDetails sinCase : cases) {
            if (sinCase.status().compareTo("resolved") == 0)
                System.out.println("The case status is " + sinCase.status());
        }

    } catch (SupportException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}

public static void resolveSupportCase(SupportClient supportClient, String
caseId) {
    try {
        ResolveCaseRequest caseRequest = ResolveCaseRequest.builder()
            .caseId(caseId)
            .build();
```

```
        ResolveCaseResponse response =
supportClient.resolveCase(caseRequest);
        System.out.println("The status of case " + caseId + " is " +
response.finalCaseStatus());

    } catch (SupportException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}

public static void describeAttachment(SupportClient supportClient, String
attachId) {
    try {
        DescribeAttachmentRequest attachmentRequest =
DescribeAttachmentRequest.builder()
            .attachmentId(attachId)
            .build();

        DescribeAttachmentResponse response =
supportClient.describeAttachment(attachmentRequest);
        System.out.println("The name of the file is " +
response.attachment().fileName());

    } catch (SupportException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}

public static String listCommunications(SupportClient supportClient, String
caseId) {
    try {
        String attachId = null;
        DescribeCommunicationsRequest communicationsRequest =
DescribeCommunicationsRequest.builder()
            .caseId(caseId)
            .maxResults(10)
            .build();

        DescribeCommunicationsResponse response =
supportClient.describeCommunications(communicationsRequest);
        List<Communication> communications = response.communications();
        for (Communication comm : communications) {
```

```
        System.out.println("the body is: " + comm.body());

        // Get the attachment id value.
        List<AttachmentDetails> attachments = comm.attachmentSet();
        for (AttachmentDetails detail : attachments) {
            attachId = detail.attachmentId();
        }
    }

    return attachId;

} catch (SupportException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
return "";
}

public static void addAttachSupportCase(SupportClient supportClient, String caseId, String attachmentSetId) {
    try {
        AddCommunicationToCaseRequest caseRequest =
AddCommunicationToCaseRequest.builder()
        .caseId(caseId)
        .attachmentSetId(attachmentSetId)
        .communicationBody("Please refer to attachment for details.")
        .build();

        AddCommunicationToCaseResponse response =
supportClient.addCommunicationToCase(caseRequest);
        if (response.result())
            System.out.println("You have successfully added a communication
to an AWS Support case");
        else
            System.out.println("There was an error adding the communication
to an AWS Support case");

    } catch (SupportException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}

public static String addAttachment(SupportClient supportClient, String fileAttachment) {
```

```
try {
    File myFile = new File(fileAttachment);
    InputStream sourceStream = new FileInputStream(myFile);
    SdkBytes sourceBytes = SdkBytes.fromInputStream(sourceStream);

    Attachment attachment = Attachment.builder()
        .fileName(myFile.getName())
        .data(sourceBytes)
        .build();

    AddAttachmentsToSetRequest setRequest =
    AddAttachmentsToSetRequest.builder()
        .attachments(attachment)
        .build();

    AddAttachmentsToSetResponse response =
supportClient.addAttachmentsToSet(setRequest);
    return response.attachmentSetId();

} catch (SupportException | FileNotFoundException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
return "";
}

public static void getOpenCase(SupportClient supportClient) {
try {
    // Specify the start and end time.
    Instant now = Instant.now();
    java.time.LocalDate.now();
    Instant yesterday = now.minus(1, ChronoUnit.DAYS);

    DescribeCasesRequest describeCasesRequest =
DescribeCasesRequest.builder()
    .maxResults(20)
    .afterTime(yesterday.toString())
    .beforeTime(now.toString())
    .build();

    DescribeCasesResponse response =
supportClient.describeCases(describeCasesRequest);
    List<CaseDetails> cases = response.cases();
    for (CaseDetails sinCase : cases) {
```

```
        System.out.println("The case status is " + sinCase.status());
        System.out.println("The case Id is " + sinCase.caseId());
        System.out.println("The case subject is " + sinCase.subject());
    }

} catch (SupportException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}

public static String createSupportCase(SupportClient supportClient,
List<String> sevCatList, String sevLevel) {
    try {
        String serviceCode = sevCatList.get(0);
        String caseCat = sevCatList.get(1);
        CreateCaseRequest caseRequest = CreateCaseRequest.builder()
            .categoryCode(caseCat.toLowerCase())
            .serviceCode(serviceCode.toLowerCase())
            .severityCode(sevLevel.toLowerCase())
            .communicationBody("Test issue with " +
serviceCode.toLowerCase())
            .subject("Test case, please ignore")
            .language("en")
            .issueType("technical")
            .build();

        CreateCaseResponse response = supportClient.createCase(caseRequest);
        return response.caseId();

    } catch (SupportException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
    return "";
}

public static String displaySevLevels(SupportClient supportClient) {
    try {
        DescribeSeverityLevelsRequest severityLevelsRequest =
DescribeSeverityLevelsRequest.builder()
            .language("en")
            .build();
    }
}
```

```
        DescribeSeverityLevelsResponse response =
supportClient.describeSeverityLevels(severityLevelsRequest);
        List<SeverityLevel> severityLevels = response.severityLevels();
        String levelName = null;
        for (SeverityLevel sevLevel : severityLevels) {
            System.out.println("The severity level name is: " +
sevLevel.name());
            if (sevLevel.name().compareTo("High") == 0)
                levelName = sevLevel.name();
        }
        return levelName;

    } catch (SupportException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
    return "";
}

// Return a List that contains a Service name and Category name.
public static List<String> displayServices(SupportClient supportClient) {
    try {
        DescribeServicesRequest servicesRequest =
DescribeServicesRequest.builder()
            .language("en")
            .build();

        DescribeServicesResponse response =
supportClient.describeServices(servicesRequest);
        String serviceCode = null;
        String catName = null;
        List<String> sevCatList = new ArrayList<>();
        List<Service> services = response.services();

        System.out.println("Get the first 10 services");
        int index = 1;
        for (Service service : services) {
            if (index == 11)
                break;

            System.out.println("The Service name is: " + service.name());
            if (service.name().compareTo("Account") == 0)
                serviceCode = service.code();
```

```
// Get the Categories for this service.  
List<Category> categories = service.categories();  
for (Category cat : categories) {  
    System.out.println("The category name is: " + cat.name());  
    if (cat.name().compareTo("Security") == 0)  
        catName = cat.name();  
}  
index++;  
}  
  
// Push the two values to the list.  
sevCatList.add(serviceCode);  
sevCatList.add(catName);  
return sevCatList;  
  
} catch (SupportException e) {  
    System.out.println(e.getLocalizedMessage());  
    System.exit(1);  
}  
return null;  
}  
}  
}
```

- For API details, see the following topics in *AWS SDK for Java 2.x API Reference*.
  - [AddAttachmentsToSet](#)
  - [AddCommunicationToCase](#)
  - [CreateCase](#)
  - [DescribeAttachment](#)
  - [DescribeCases](#)
  - [DescribeCommunications](#)
  - [DescribeServices](#)
  - [DescribeSeverityLevels](#)
  - [ResolveCase](#)

## JavaScript

### SDK for JavaScript (v3)

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run an interactive scenario in the terminal.

```
import {
    AddAttachmentsToSetCommand,
    AddCommunicationToCaseCommand,
    CreateCaseCommand,
    DescribeAttachmentCommand,
    DescribeCasesCommand,
    DescribeCommunicationsCommand,
    DescribeServicesCommand,
    DescribeSeverityLevelsCommand,
    ResolveCaseCommand,
    SupportClient,
} from "@aws-sdk/client-support";
import * as inquirer from "@inquirer/prompts";
import { retry } from "@aws-doc-sdk-examples/lib/utils/util-timers.js";

const wrapText = (text, char = "=") => {
    const rule = char.repeat(80);
    return `${rule}\n${text}\n${rule}\n`;
};

const client = new SupportClient({ region: "us-east-1" });

// Verify that the account has a Support plan.
export const verifyAccount = async () => {
    const command = new DescribeServicesCommand({});

    try {
        await client.send(command);
    } catch (err) {
        if (err.name === "SubscriptionRequiredException") {
            throw new Error(
                `The account does not have a Support plan. Please contact AWS Support at ${process.env.AWSSUPPORT_EMAIL}.`
            );
        }
    }
}
```

```
        "You must be subscribed to the AWS Support plan to use this feature.",
    );
}
throw err;
}
};

/***
 * Select a service from the list returned from DescribeServices.
 */
export const getService = async () => {
const { services } = await client.send(new DescribeServicesCommand({}));
const selectedService = await inquirer.select({
    message:
        "Select a service. Your support case will be created for this service. The
list of services is truncated for readability.",
    choices: services.slice(0, 10).map((s) => ({ name: s.name, value: s })),
});
return selectedService;
};

/***
 * @param {{ categories: import('@aws-sdk/client-support').Category[]}} service
 */
export const getCategory = async (service) => {
const selectedCategory = await inquirer.select({
    message: "Select a category.",
    choices: service.categories.map((c) => ({ name: c.name, value: c })),
});
return selectedCategory;
};

// Get the available severity levels for the account.
export const getSeverityLevel = async () => {
const command = new DescribeSeverityLevelsCommand({});
const { severityLevels } = await client.send(command);
const selectedSeverityLevel = await inquirer.select({
    message: "Select a severity level.",
    choices: severityLevels.map((s) => ({ name: s.name, value: s })),
});
return selectedSeverityLevel;
};

/***
```

```
* Create a new support case
* @param {{
*   selectedService: import('@aws-sdk/client-support').Service
*   selectedCategory: import('@aws-sdk/client-support').Category
*   selectedSeverityLevel: import('@aws-sdk/client-support').SeverityLevel
* }} selections
* @returns
*/
export const createCase = async ({
  selectedService,
  selectedCategory,
  selectedSeverityLevel,
}) => {
  const command = new CreateCaseCommand({
    subject: "IGNORE: Test case",
    communicationBody: "This is a test. Please ignore.",
    serviceCode: selectedService.code,
    categoryCode: selectedCategory.code,
    severityCode: selectedSeverityLevel.code,
  });
  const { caseId } = await client.send(command);
  return caseId;
};

// Get a list of open support cases created today.
export const getTodaysOpenCases = async () => {
  const d = new Date();
  const startOfToday = new Date(d.getFullYear(), d.getMonth(), d.getDate());
  const command = new DescribeCasesCommand({
    includeCommunications: false,
    afterTime: startOfToday.toISOString(),
  });

  const { cases } = await client.send(command);

  if (cases.length === 0) {
    throw new Error(
      "Unexpected number of cases. Expected more than 0 open cases.",
    );
  }
  return cases;
};

// Create an attachment set.
```

```
export const createAttachmentSet = async () => {
  const command = new AddAttachmentsToSetCommand({
    attachments: [
      {
        fileName: "example.txt",
        data: new TextEncoder().encode("some example text"),
      },
    ],
  });
  const { attachmentSetId } = await client.send(command);
  return attachmentSetId;
};

export const linkAttachmentSetToCase = async (attachmentSetId, caseId) => {
  const command = new AddCommunicationToCaseCommand({
    attachmentSetId,
    caseId,
    communicationBody: "Adding attachment set to case.",
  });
  await client.send(command);
};

// Get all communications for a support case.
export const getCommunications = async (caseId) => {
  const command = new DescribeCommunicationsCommand({
    caseId,
  });
  const { communications } = await client.send(command);
  return communications;
};

/**
 * @param {import('@aws-sdk/client-support').Communication[]} communications
 */
export const getFirstAttachment = (communications) => {
  const firstCommWithAttachment = communications.find(
    (c) => c.attachmentSet.length > 0,
  );
  return firstCommWithAttachment?.attachmentSet[0].attachmentId;
};

// Get an attachment.
export const getAttachment = async (attachmentId) => {
  const command = new DescribeAttachmentCommand({
```

```
        attachmentId,
    });
    const { attachment } = await client.send(command);
    return attachment;
};

// Resolve the case matching the given case ID.
export const resolveCase = async (caseId) => {
    const shouldResolve = await inquirer.confirm({
        message: `Do you want to resolve ${caseId}?`,
    });

    if (shouldResolve) {
        const command = new ResolveCaseCommand({
            caseId: caseId,
        });

        await client.send(command);
        return true;
    }
    return false;
};

/**
 * Find a specific case in the list of provided cases by case ID.
 * If the case is not found, and the results are paginated, continue
 * paging through the results.
 * @param {{
 *     caseId: string,
 *     cases: import('@aws-sdk/client-support').CaseDetails[]
 *     nextToken: string
 * }} options
 * @returns
 */
export const findCase = async ({ caseId, cases, nextToken }) => {
    const foundCase = cases.find((c) => c.caseId === caseId);

    if (foundCase) {
        return foundCase;
    }

    if (nextToken) {
        const response = await client.send(
            new DescribeCasesCommand({
```

```
        nextToken,
        includeResolvedCases: true,
    }),
);
return findCase({
    caseId,
    cases: response.cases,
    nextToken: response.nextToken,
});
}

throw new Error(`#${caseId} not found.`);
};

// Get all cases created today.
export const getTodaysResolvedCases = async (caseIdToWaitFor) => {
const d = new Date("2023-01-18");
const startOfToday = new Date(d.getFullYear(), d.getMonth(), d.getDate());
const command = new DescribeCasesCommand({
    includeCommunications: false,
    afterTime: startOfToday.toISOString(),
    includeResolvedCases: true,
});
const { cases, nextToken } = await client.send(command);
await findCase({ cases, caseId: caseIdToWaitFor, nextToken });
return cases.filter((c) => c.status === "resolved");
};

const main = async () => {
let caseId;
try {
    console.log(wrapText("Welcome to the AWS Support basic usage scenario."));

    // Verify that the account is subscribed to support.
    await verifyAccount();

    // Provided a truncated list of services and prompt the user to select one.
    const selectedService = await getService();

    // Provided the categories for the selected service and prompt the user to
    // select one.
    const selectedCategory = await getCategory(selectedService);
}
```

```
// Provide the severity available severity levels for the account and prompt  
the user to select one.  
const selectedSeverityLevel = await getSeverityLevel();  
  
// Create a support case.  
console.log("\nCreating a support case.");  
caseId = await createCase({  
    selectedService,  
    selectedCategory,  
    selectedSeverityLevel,  
});  
console.log(`Support case created: ${caseId}`);  
  
// Display a list of open support cases created today.  
const todaysOpenCases = await retry(  
    { intervalInMs: 1000, maxRetries: 15 },  
    getTodaysOpenCases,  
);  
console.log(  
    `\nOpen support cases created today: ${todaysOpenCases.length}\`  
);  
console.log(todaysOpenCases.map((c) => `${c.caseId}`).join("\n"));  
  
// Create an attachment set.  
console.log("\nCreating an attachment set.");  
const attachmentSetId = await createAttachmentSet();  
console.log(`Attachment set created: ${attachmentSetId}`);  
  
// Add the attachment set to the support case.  
console.log(`\nAdding attachment set to ${caseId}`);  
await linkAttachmentSetToCase(attachmentSetId, caseId);  
console.log(`Attachment set added to ${caseId}`);  
  
// List the communications for a support case.  
console.log(`\nListing communications for ${caseId}`);  
const communications = await getCommunications(caseId);  
console.log(  
    communications  
    .map(  
        (c) =>  
            `Communication created on ${c.timeCreated}. Has  
${c.attachmentSet.length} attachments.\`  
    )  
    .join("\n"),
```

```
);

// Describe the first attachment.
console.log(`\nDescribing attachment ${attachmentSetId}`);
const attachmentId = getFirstAttachment(communications);
const attachment = await getAttachment(attachmentId);
console.log(
  `Attachment is the file ${
    attachment.fileName
  }' with data: \n${new TextDecoder().decode(attachment.data)}`,
);

// Confirm that the support case should be resolved.
const isResolved = await resolveCase(caseId);
if (isResolved) {
  // List the resolved cases and include the one previously created.
  // Resolved cases can take a while to appear.
  console.log(
    "\nWaiting for case status to be marked as resolved. This can take some
time.",
  );
  const resolvedCases = await retry(
    { intervalInMs: 20000, maxRetries: 15 },
    () => getTodaysResolvedCases(caseId),
  );
  console.log("Resolved cases:");
  console.log(resolvedCases.map((c) => c.caseId).join("\n"));
}
} catch (err) {
  console.error(err);
}
};
```

- For API details, see the following topics in *AWS SDK for JavaScript API Reference*.
  - [AddAttachmentsToSet](#)
  - [AddCommunicationToCase](#)
  - [CreateCase](#)
  - [DescribeAttachment](#)
  - [DescribeCases](#)
  - [DescribeCommunications](#)

- [DescribeServices](#)
- [DescribeSeverityLevels](#)
- [ResolveCase](#)

## Kotlin

### SDK for Kotlin

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/**
```

Before running this Kotlin code example, set up your development environment, including your credentials.

For more information, see the following documentation topic:

<https://docs.aws.amazon.com/sdk-for-kotlin/latest/developer-guide/setup.html>

In addition, you must have the AWS Business Support Plan to use the AWS Support Java API. For more information, see:

<https://aws.amazon.com/premiumsupport/plans/>

This Kotlin example performs the following tasks:

1. Gets and displays available services.
2. Gets and displays severity levels.
3. Creates a support case by using the selected service, category, and severity level.
4. Gets a list of open cases for the current day.
5. Creates an attachment set with a generated file.
6. Adds a communication with the attachment to the support case.
7. Lists the communications of the support case.
8. Describes the attachment set included with the communication.
9. Resolves the support case.
10. Gets a list of resolved cases for the current day.

```
*/
```

```
suspend fun main(args: Array<String>) {
    val usage = """
Usage:
    <fileAttachment>
Where:
    fileAttachment - The file can be a simple saved .txt file to use as an
email attachment.

"""

    if (args.size != 1) {
        println(usage)
        exitProcess(0)
    }

    val fileAttachment = args[0]
    println("***** Welcome to the AWS Support case example scenario.")
    println("***** Step 1. Get and display available services.")
    val sevCatList = displayServices()

    println("***** Step 2. Get and display Support severity levels.")
    val sevLevel = displaySevLevels()

    println("***** Step 3. Create a support case using the selected service,
category, and severity level.")
    val caseIdVal = createSupportCase(sevCatList, sevLevel)
    if (caseIdVal != null) {
        println("Support case $caseIdVal was successfully created!")
    } else {
        println("A support case was not successfully created!")
        exitProcess(1)
    }

    println("***** Step 4. Get open support cases.")
    getOpenCase()

    println("***** Step 5. Create an attachment set with a generated file to add
to the case.")
    val attachmentSetId = addAttachment(fileAttachment)
    println("The Attachment Set id value is $attachmentSetId")

    println("***** Step 6. Add communication with the attachment to the support
case.")
    addAttachSupportCase(caseIdVal, attachmentSetId)
```

```
    println("***** Step 7. List the communications of the support case.")
    val attachId = listCommunications(caseIdVal)
    println("The Attachment id value is $attachId")

    println("***** Step 8. Describe the attachment set included with the
communication.")
    describeAttachment(attachId)

    println("***** Step 9. Resolve the support case.")
    resolveSupportCase(caseIdVal)

    println("***** Step 10. Get a list of resolved cases for the current day.")
    getResolvedCase()
    println("***** This Scenario has successfully completed")
}

suspend fun getResolvedCase() {
    // Specify the start and end time.
    val now = Instant.now()
    LocalDate.now()
    val yesterday = now.minus(1, ChronoUnit.DAYS)
    val describeCasesRequest =
        DescribeCasesRequest {
            maxResults = 30
            afterTime = yesterday.toString()
            beforeTime = now.toString()
            includeResolvedCases = true
        }

    SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->
        val response = supportClient.describeCases(describeCasesRequest)
        response.cases?.forEach { sinCase ->
            println("The case status is ${sinCase.status}")
            println("The case Id is ${sinCase.caseId}")
            println("The case subject is ${sinCase.subject}")
        }
    }
}

suspend fun resolveSupportCase(caseIdVal: String) {
    val caseRequest =
        ResolveCaseRequest {
            caseId = caseIdVal
        }
}
```

```
SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->
    val response = supportClient.resolveCase(caseRequest)
    println("The status of case $caseIdVal is ${response.finalCaseStatus}")
}
}

suspend fun describeAttachment(attachId: String?) {
    val attachmentRequest =
        DescribeAttachmentRequest {
            attachmentId = attachId
        }

    SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->
        val response = supportClient.describeAttachment(attachmentRequest)
        println("The name of the file is ${response.attachment?.fileName}")
    }
}

suspend fun listCommunications(caseIdVal: String?): String? {
    val communicationsRequest =
        DescribeCommunicationsRequest {
            caseId = caseIdVal
            maxResults = 10
        }

    SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->
        val response =
            supportClient.describeCommunications(communicationsRequest)
        response.communications?.forEach { comm ->
            println("the body is: " + comm.body)
            comm.attachmentSet?.forEach { detail ->
                return detail.attachmentId
            }
        }
        return ""
    }
}

suspend fun addAttachSupportCase(
    caseIdVal: String?,
    attachmentSetIdVal: String?,
) {
    val caseRequest =
        AddCommunicationToCaseRequest {
```

```
        caseId = caseIdVal
        attachmentSetId = attachmentSetIdVal
        communicationBody = "Please refer to attachment for details."
    }

SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->
    val response = supportClient.addCommunicationToCase(caseRequest)
    if (response.result) {
        println("You have successfully added a communication to an AWS
Support case")
    } else {
        println("There was an error adding the communication to an AWS
Support case")
    }
}

suspend fun addAttachment(fileAttachment: String): String? {
    val myFile = File(fileAttachment)
    val sourceBytes = (File(fileAttachment).readBytes())
    val attachmentVal =
        Attachment {
            fileName = myFile.name
            data = sourceBytes
        }

    val setRequest =
        AddAttachmentsToSetRequest {
            attachments = listOf(attachmentVal)
        }

    SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->
        val response = supportClient.addAttachmentsToSet(setRequest)
        return response.attachmentSetId
    }
}

suspend fun getOpenCase() {
    // Specify the start and end time.
    val now = Instant.now()
    LocalDate.now()
    val yesterday = now.minus(1, ChronoUnit.DAYS)
    val describeCasesRequest =
        DescribeCasesRequest {
```

```
        maxResults = 20
        afterTime = yesterday.toString()
        beforeTime = now.toString()
    }

SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->
    val response = supportClient.describeCases(describeCasesRequest)
    response.cases?.forEach { sinCase ->
        println("The case status is ${sinCase.status}")
        println("The case Id is ${sinCase.caseId}")
        println("The case subject is ${sinCase.subject}")
    }
}

suspend fun createSupportCase(
    sevCatListVal: List<String>,
    sevLevelVal: String,
): String? {
    val serCode = sevCatListVal[0]
    val caseCategory = sevCatListVal[1]
    val caseRequest =
        CreateCaseRequest {
            categoryCode = caseCategory.lowercase(Locale.getDefault())
            serviceCode = serCode.lowercase(Locale.getDefault())
            severityCode = sevLevelVal.lowercase(Locale.getDefault())
            communicationBody = "Test issue with
${serCode.lowercase(Locale.getDefault())}"
            subject = "Test case, please ignore"
            language = "en"
            issueType = "technical"
        }
}

SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->
    val response = supportClient.createCase(caseRequest)
    return response.caseId
}

suspend fun displaySevLevels(): String {
    var levelName = ""
    val severityLevelsRequest =
        DescribeSeverityLevelsRequest {
            language = "en"
        }
}
```

```
    }

    SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->
        val response =
supportClient.describeSeverityLevels(severityLevelsRequest)
        response.severityLevels?.forEach { sevLevel ->
            println("The severity level name is: ${sevLevel.name}")
            if (sevLevel.name == "High") {
                levelName = sevLevel.name!!
            }
        }
        return levelName
    }
}

// Return a List that contains a Service name and Category name.
suspend fun displayServices(): List<String> {
    var serviceCode = ""
    var catName = ""
    val sevCatList = mutableListOf<String>()
    val servicesRequest =
        DescribeServicesRequest {
            language = "en"
        }

    SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->
        val response = supportClient.describeServices(servicesRequest)
        println("Get the first 10 services")
        var index = 1

        response.services?.forEach { service ->
            if (index == 11) {
                return@forEach
            }

            println("The Service name is ${service.name}")
            if (service.name == "Account") {
                serviceCode = service.code.toString()
            }
        }

        // Get the categories for this service.
        service.categories?.forEach { cat ->
            println("The category name is ${cat.name}")
            if (cat.name == "Security") {

```

```
        catName = cat.name!!
    }
}
index++
}
}

// Push the two values to the list.
serviceCode.let { sevCatList.add(it) }
catName.let { sevCatList.add(it) }
return sevCatList
}
```

- For API details, see the following topics in *AWS SDK for Kotlin API reference*.
  - [AddAttachmentsToSet](#)
  - [AddCommunicationToCase](#)
  - [CreateCase](#)
  - [DescribeAttachment](#)
  - [DescribeCases](#)
  - [DescribeCommunications](#)
  - [DescribeServices](#)
  - [DescribeSeverityLevels](#)
  - [ResolveCase](#)

## Python

### SDK for Python (Boto3)

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

Run an interactive scenario at a command prompt.

```
class SupportCasesScenario:
```

```
"""Runs an interactive scenario that shows how to get started using AWS
Support."""

def __init__(self, support_wrapper):
    """
    :param support_wrapper: An object that wraps AWS Support actions.
    """
    self.support_wrapper = support_wrapper

def display_and_select_service(self):
    """
    Lists support services and prompts the user to select one.

    :return: The support service selected by the user.
    """
    print("-" * 88)
    services_list = self.support_wrapper.describe_services("en")
    print(f"AWS Support client returned {len(services_list)} services.")
    print("Displaying first 10 services:")

    service_choices = [svc["name"] for svc in services_list[:10]]
    selected_index = q.choose(
        "Select an example support service by entering a number from the
preceding list:",
        service_choices,
    )
    selected_service = services_list[selected_index]
    print("-" * 88)
    return selected_service

def display_and_select_category(self, service):
    """
    Lists categories for a support service and prompts the user to select
one.

    :param service: The service of the categories.
    :return: The selected category.
    """
    print("-" * 88)
    print(
        f"Available support categories for Service {service['name']}
{len(service['categories'])}:"
    )
```

```
categories_choices = [category["name"] for category in
service["categories"]]
selected_index = q.choose(
    "Select an example support category by entering a number from the
preceding list:",
    categories_choices,
)
selected_category = service["categories"][selected_index]
print("-" * 88)
return selected_category

def display_and_select_severity(self):
"""
Lists available severity levels and prompts the user to select one.

:return: The selected severity level.
"""
print("-" * 88)
severity_levels_list =
self.support_wrapper.describe_severity_levels("en")
print(f"Available severity levels:")
severity_choices = [level["name"] for level in severity_levels_list]
selected_index = q.choose(
    "Select an example severity level by entering a number from the
preceding list:",
    severity_choices,
)
selected_severity = severity_levels_list[selected_index]
print("-" * 88)
return selected_severity

def create_example_case(self, service, category, severity_level):
"""
Creates an example support case with the user's selections.

:param service: The service for the new case.
:param category: The category for the new case.
:param severity_level: The severity level for the new case.
:return: The caseId of the new support case.
"""

print("-" * 88)
print(f"Creating new case for service {service['name']}.")
case_id = self.support_wrapper.create_case(service, category,
severity_level)
```

```
        print(f"\tNew case created with ID {case_id}.")  
        print("-" * 88)  
        return case_id  
  
    def list_open_cases(self):  
        """  
        List the open cases for the current day.  
        """  
        print("-" * 88)  
        print("Let's list the open cases for the current day.")  
        start_time = str(datetime.utcnow().date())  
        end_time = str(datetime.utcnow().date() + timedelta(days=1))  
        open_cases = self.support_wrapper.describe_cases(start_time, end_time,  
False)  
        for case in open_cases:  
            print(f"\tCase: {case['caseId']}: status {case['status']}")  
        print("-" * 88)  
  
    def create_attachment_set(self):  
        """  
        Create an attachment set with a sample file.  
  
        :return: The attachment set ID of the new attachment set.  
        """  
        print("-" * 88)  
        print("Creating attachment set with a sample file.")  
        attachment_set_id = self.support_wrapper.add_attachment_to_set()  
        print(f"\tNew attachment set created with ID {attachment_set_id}.")  
        print("-" * 88)  
        return attachment_set_id  
  
    def add_communication(self, case_id, attachment_set_id):  
        """  
        Add a communication with an attachment set to the case.  
  
        :param case_id: The ID of the case for the communication.  
        :param attachment_set_id: The ID of the attachment set to  
add to the communication.  
        """  
        print("-" * 88)  
        print(f"Adding a communication and attachment set to the case.")  
        self.support_wrapper.add_communication_to_case(attachment_set_id,  
case_id)  
        print()
```

```
f"Added a communication and attachment set {attachment_set_id} to the
case {case_id}.""
)
print("-" * 88)

def list_communications(self, case_id):
    """
    List the communications associated with a case.

    :param case_id: The ID of the case.
    :return: The attachment ID of an attachment.
    """
    print("-" * 88)
    print("Let's list the communications for our case.")
    attachment_id = ""
    communications =
self.support_wrapper.describe_all_case_communications(case_id)
    for communication in communications:
        print(
            f"\tCommunication created on {communication['timeCreated']} "
            f"has {len(communication['attachmentSet'])} attachments."
        )
        if len(communication["attachmentSet"]) > 0:
            attachment_id = communication["attachmentSet"][0]["attachmentId"]
print("-" * 88)
return attachment_id

def describe_case_attachment(self, attachment_id):
    """
    Describe an attachment associated with a case.

    :param attachment_id: The ID of the attachment.
    """
    print("-" * 88)
    print("Let's list the communications for our case.")
    attached_file = self.support_wrapper.describe_attachment(attachment_id)
    print(f"\tAttachment includes file {attached_file}.")
    print("-" * 88)

def resolve_case(self, case_id):
    """
    Shows how to resolve an AWS Support case by its ID.

    :param case_id: The ID of the case to resolve.
```

```
"""
print("-" * 88)
print(f'Resolving case with ID {case_id}.')
case_status = self.support_wrapper.resolve_case(case_id)
print(f"\tFinal case status is {case_status}.")
print("-" * 88)

def list_resolved_cases(self):
    """
    List the resolved cases for the current day.
    """
    print("-" * 88)
    print("Let's list the resolved cases for the current day.")
    start_time = str(datetime.utcnow().date())
    end_time = str(datetime.utcnow().date() + timedelta(days=1))
    resolved_cases = self.support_wrapper.describe_cases(start_time,
end_time, True)
    for case in resolved_cases:
        print(f"\tCase: {case['caseId']}: status {case['status']}.")

print("-" * 88)

def run_scenario(self):
    logging.basicConfig(level=logging.INFO, format="%(levelname)s:
%(message)s")

    print("-" * 88)
    print("Welcome to the AWS Support get started with support cases demo.")
    print("-" * 88)

    selected_service = self.display_and_select_service()
    selected_category = self.display_and_select_category(selected_service)
    selected_severity = self.display_and_select_severity()
    new_case_id = self.create_example_case(
        selected_service, selected_category, selected_severity
    )
    wait(10)
    self.list_open_cases()
    new_attachment_set_id = self.create_attachment_set()
    self.add_communication(new_case_id, new_attachment_set_id)
    new_attachment_id = self.list_communications(new_case_id)
    self.describe_case_attachment(new_attachment_id)
    self.resolve_case(new_case_id)
    wait(10)
    self.list_resolved_cases()
```

```
print("\nThanks for watching!")
print("-" * 88)

if __name__ == "__main__":
    try:
        scenario = SupportCasesScenario(SupportWrapper.from_client())
        scenario.run_scenario()
    except Exception:
        logging.exception("Something went wrong with the demo.")
```

## Define a class that wraps support client actions.

```
class SupportWrapper:
    """Encapsulates Support actions."""

    def __init__(self, support_client):
        """
        :param support_client: A Boto3 Support client.
        """
        self.support_client = support_client

    @classmethod
    def from_client(cls):
        """
        Instantiates this class from a Boto3 client.
        """
        support_client = boto3.client("support")
        return cls(support_client)

    def describe_services(self, language):
        """
        Get the descriptions of AWS services available for support for a
        language.

        :param language: The language for support services.
        Currently, only "en" (English) and "ja" (Japanese) are supported.
        :return: The list of AWS service descriptions.
        """
        try:
```

```
        response = self.support_client.describe_services(language=language)
        services = response["services"]
    except ClientError as err:
        if err.response["Error"]["Code"] == "SubscriptionRequiredException":
            logger.info(
                "You must have a Business, Enterprise On-Ramp, or Enterprise
Support "
                "plan to use the AWS Support API. \n\tPlease upgrade your
subscription to run these "
                "examples."
            )
        else:
            logger.error(
                "Couldn't get Support services for language %s. Here's why:
%s: %s",
                language,
                err.response["Error"]["Code"],
                err.response["Error"]["Message"],
            )
        raise
    else:
        return services

def describe_severity_levels(self, language):
    """
    Get the descriptions of available severity levels for support cases for a
    language.

    :param language: The language for support severity levels.
    Currently, only "en" (English) and "ja" (Japanese) are supported.
    :return: The list of severity levels.
    """
    try:
        response =
self.support_client.describe_severity_levels(language=language)
        severity_levels = response["severityLevels"]
    except ClientError as err:
        if err.response["Error"]["Code"] == "SubscriptionRequiredException":
            logger.info(
                "You must have a Business, Enterprise On-Ramp, or Enterprise
Support "
                "plan to use the AWS Support API. \n\tPlease upgrade your
subscription to run these "
            )
    
```

```
        "examples."
    )
else:
    logger.error(
        "Couldn't get severity levels for language %s. Here's why:
%s: %s",
        language,
        err.response["Error"]["Code"],
        err.response["Error"]["Message"],
    )
    raise
else:
    return severity_levels

def create_case(self, service, category, severity):
    """
    Create a new support case.

    :param service: The service to use for the new case.
    :param category: The category to use for the new case.
    :param severity: The severity to use for the new case.
    :return: The caseId of the new case.
    """

    try:
        response = self.support_client.create_case(
            subject="Example case for testing, ignore.",
            serviceCode=service["code"],
            severityCode=severity["code"],
            categoryCode=category["code"],
            communicationBody="Example support case body.",
            language="en",
            issueType="customer-service",
        )
        case_id = response["caseId"]
    except ClientError as err:
        if err.response["Error"]["Code"] == "SubscriptionRequiredException":
            logger.info(
                "You must have a Business, Enterprise On-Ramp, or Enterprise
Support "
                "plan to use the AWS Support API. \n\tPlease upgrade your
subscription to run these "
                "examples."
            )

```

```
        else:
            logger.error(
                "Couldn't create case. Here's why: %s: %s",
                err.response["Error"]["Code"],
                err.response["Error"]["Message"],
            )
            raise
    else:
        return case_id

def add_attachment_to_set(self):
    """
    Add an attachment to a set, or create a new attachment set if one does
    not exist.

    :return: The attachment set ID.
    """
    try:
        response = self.support_client.add_attachments_to_set(
            attachments=[
                {
                    "fileName": "attachment_file.txt",
                    "data": b"This is a sample file for attachment to a
support case.",
                }
            ]
        )
        new_set_id = response["attachmentSetId"]
    except ClientError as err:
        if err.response["Error"]["Code"] == "SubscriptionRequiredException":
            logger.info(
                "You must have a Business, Enterprise On-Ramp, or Enterprise
Support "
                "plan to use the AWS Support API. \n\tPlease upgrade your
subscription to run these "
                "examples."
            )
        else:
            logger.error(
                "Couldn't add attachment. Here's why: %s: %s",
                err.response["Error"]["Code"],
                err.response["Error"]["Message"],
            )
    
```

```
        raise
    else:
        return new_set_id

def add_communication_to_case(self, attachment_set_id, case_id):
    """
    Add a communication and an attachment set to a case.

    :param attachment_set_id: The ID of an existing attachment set.
    :param case_id: The ID of the case.
    """
    try:
        self.support_client.add_communication_to_case(
            caseId=case_id,
            communicationBody="This is an example communication added to a
support case.",
            attachmentSetId=attachment_set_id,
        )
    except ClientError as err:
        if err.response["Error"]["Code"] == "SubscriptionRequiredException":
            logger.info(
                "You must have a Business, Enterprise On-Ramp, or Enterprise
Support "
                "plan to use the AWS Support API. \n\tPlease upgrade your
subscription to run these "
                "examples."
            )
        else:
            logger.error(
                "Couldn't add communication. Here's why: %s: %s",
                err.response["Error"]["Code"],
                err.response["Error"]["Message"],
            )
    raise

def describe_all_case_communications(self, case_id):
    """
    Describe all the communications for a case using a paginator.

    :param case_id: The ID of the case.
    :return: The communications for the case.
    """

```

```
try:
    communications = []
    paginator =
self.support_client.getPaginator("describe_communications")
    for page in paginator.paginate(caseId=case_id):
        communications += page["communications"]
except ClientError as err:
    if err.response["Error"]["Code"] == "SubscriptionRequiredException":
        logger.info(
            "You must have a Business, Enterprise On-Ramp, or Enterprise
Support "
            "plan to use the AWS Support API. \n\tPlease upgrade your
subscription to run these "
            "examples."
        )
    else:
        logger.error(
            "Couldn't describe communications. Here's why: %s: %s",
            err.response["Error"]["Code"],
            err.response["Error"]["Message"],
        )
        raise
else:
    return communications


def describe_attachment(self, attachment_id):
    """
    Get information about an attachment by its attachmentID.

    :param attachment_id: The ID of the attachment.
    :return: The name of the attached file.
    """
try:
    response = self.support_client.describe_attachment(
        attachmentId=attachment_id
    )
    attached_file = response["attachment"]["fileName"]
except ClientError as err:
    if err.response["Error"]["Code"] == "SubscriptionRequiredException":
        logger.info(
            "You must have a Business, Enterprise On-Ramp, or Enterprise
Support "
```

```
                "plan to use the AWS Support API. \n\tPlease upgrade your
subscription to run these "
                "examples."
            )
        else:
            logger.error(
                "Couldn't get attachment description. Here's why: %s: %s",
                err.response["Error"]["Code"],
                err.response["Error"]["Message"],
            )
            raise
    else:
        return attached_file

def resolve_case(self, case_id):
    """
    Resolve a support case by its caseId.

    :param case_id: The ID of the case to resolve.
    :return: The final status of the case.
    """
    try:
        response = self.support_client.resolve_case(caseId=case_id)
        final_status = response["finalCaseStatus"]
    except ClientError as err:
        if err.response["Error"]["Code"] == "SubscriptionRequiredException":
            logger.info(
                "You must have a Business, Enterprise On-Ramp, or Enterprise
Support "
                "plan to use the AWS Support API. \n\tPlease upgrade your
subscription to run these "
                "examples."
            )
        else:
            logger.error(
                "Couldn't resolve case. Here's why: %s: %s",
                err.response["Error"]["Code"],
                err.response["Error"]["Message"],
            )
            raise
    else:
        return final_status
```

```
def describe_cases(self, after_time, before_time, resolved):
    """
    Describe support cases over a period of time, optionally filtering
    by status.

    :param after_time: The start time to include for cases.
    :param before_time: The end time to include for cases.
    :param resolved: True to include resolved cases in the results,
        otherwise results are open cases.
    :return: The final status of the case.
    """

    try:
        cases = []
        paginator = self.support_client.getPaginator("describe_cases")
        for page in paginator.paginate(
            afterTime=after_time,
            beforeTime=before_time,
            includeResolvedCases=resolved,
            language="en",
        ):
            cases += page["cases"]
    except ClientError as err:
        if err.response["Error"]["Code"] == "SubscriptionRequiredException":
            logger.info(
                "You must have a Business, Enterprise On-Ramp, or Enterprise
Support "
                "plan to use the AWS Support API. \n\tPlease upgrade your
subscription to run these "
                "examples."
            )
        else:
            logger.error(
                "Couldn't describe cases. Here's why: %s: %s",
                err.response["Error"]["Code"],
                err.response["Error"]["Message"],
            )
            raise
    else:
        if resolved:
            cases = filter(lambda case: case["status"] == "resolved", cases)
    return cases
```

- For API details, see the following topics in *AWS SDK for Python (Boto3) API Reference*.
  - [AddAttachmentsToSet](#)
  - [AddCommunicationToCase](#)
  - [CreateCase](#)
  - [DescribeAttachment](#)
  - [DescribeCases](#)
  - [DescribeCommunications](#)
  - [DescribeServices](#)
  - [DescribeSeverityLevels](#)
  - [ResolveCase](#)

For a complete list of AWS SDK developer guides and code examples, see [Using AWS Support with an AWS SDK](#). This topic also includes information about getting started and details about previous SDK versions.

## Actions for Support using AWS SDKs

The following code examples demonstrate how to perform individual Support actions with AWS SDKs. Each example includes a link to GitHub, where you can find instructions for setting up and running the code.

The following examples include only the most commonly used actions. For a complete list, see the [AWS Support API Reference](#).

### Examples

- [Use AddAttachmentsToSet with an AWS SDK or CLI](#)
- [Use AddCommunicationToCase with an AWS SDK or CLI](#)
- [Use CreateCase with an AWS SDK or CLI](#)
- [Use DescribeAttachment with an AWS SDK or CLI](#)
- [Use DescribeCases with an AWS SDK or CLI](#)
- [Use DescribeCommunications with an AWS SDK or CLI](#)
- [Use DescribeServices with an AWS SDK or CLI](#)

- [Use DescribeSeverityLevels with an AWS SDK or CLI](#)
- [Use DescribeTrustedAdvisorCheckRefreshStatuses with a CLI](#)
- [Use DescribeTrustedAdvisorCheckResult with a CLI](#)
- [Use DescribeTrustedAdvisorCheckSummaries with a CLI](#)
- [Use DescribeTrustedAdvisorChecks with a CLI](#)
- [Use RefreshTrustedAdvisorCheck with a CLI](#)
- [Use ResolveCase with an AWS SDK or CLI](#)

## Use AddAttachmentsToSet with an AWS SDK or CLI

The following code examples show how to use AddAttachmentsToSet.

Action examples are code excerpts from larger programs and must be run in context. You can see this action in context in the following code example:

- [Learn the basics](#)

.NET

### SDK for .NET

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/// <summary>
/// Add an attachment to a set, or create a new attachment set if one does
not exist.
/// </summary>
/// <param name="data">The data for the attachment.</param>
/// <param name="fileName">The file name for the attachment.</param>
/// <param name="attachmentSetId">Optional setId for the attachment. Creates
a new attachment set if empty.</param>
/// <returns>The setId of the attachment.</returns>
```

```
public async Task<string> AddAttachmentToSet(MemoryStream data, string  
fileName, string? attachmentSetId = null)  
{  
    var response = await _amazonSupport.AddAttachmentsToSetAsync(  
        new AddAttachmentsToSetRequest  
    {  
        AttachmentSetId = attachmentSetId,  
        Attachments = new List<Attachment>  
    {  
        new Attachment  
    {  
        Data = data,  
        FileName = fileName  
    }  
    }  
});  
return response.AttachmentSetId;  
}
```

- For API details, see [AddAttachmentsToSet](#) in *AWS SDK for .NET API Reference*.

## CLI

### AWS CLI

#### To add an attachment to a set

The following add-attachments-to-set example adds an image to a set that you can then specify for a support case in your AWS account.

```
aws support add-attachments-to-set \  
--attachment-set-id "as-2f5a6faa2a4a1e600-mu-nk5xQlBr70-  
G1cUos5LZkd38K0AHZa9BMDVzNEXAMPLE" \  
--attachments fileName=troubleshoot-screenshot.png,data=base64-encoded-string
```

#### Output:

```
{  
    "attachmentSetId": "as-2f5a6faa2a4a1e600-mu-nk5xQlBr70-  
G1cUos5LZkd38K0AHZa9BMDVzNEXAMPLE",
```

```
        "expiryTime": "2020-05-14T17:04:40.790+0000"  
    }
```

For more information, see [Case management](#) in the *AWS Support User Guide*.

- For API details, see [AddAttachmentsToSet](#) in *AWS CLI Command Reference*.

## Java

### SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String addAttachment(SupportClient supportClient, String  
fileAttachment) {  
    try {  
        File myFile = new File(fileAttachment);  
        InputStream sourceStream = new FileInputStream(myFile);  
        SdkBytes sourceBytes = SdkBytes.fromInputStream(sourceStream);  
  
        Attachment attachment = Attachment.builder()  
            .fileName(myFile.getName())  
            .data(sourceBytes)  
            .build();  
  
        AddAttachmentsToSetRequest setRequest =  
        AddAttachmentsToSetRequest.builder()  
            .attachments(attachment)  
            .build();  
  
        AddAttachmentsToSetResponse response =  
supportClient.addAttachmentsToSet(setRequest);  
        return response.attachmentSetId();  
  
    } catch (SupportException | FileNotFoundException e) {  
        System.out.println(e.getLocalizedMessage());  
        System.exit(1);  
    }  
}
```

```
        return "";
    }
```

- For API details, see [AddAttachmentsToSet](#) in *AWS SDK for Java 2.x API Reference*.

## JavaScript

### SDK for JavaScript (v3)

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import { AddAttachmentsToSetCommand } from "@aws-sdk/client-support";

import { client } from "../libs/client.js";

export const main = async () => {
  try {
    // Create a new attachment set or add attachments to an existing set.
    // Provide an 'attachmentSetId' value to add attachments to an existing set.
    // Use AddCommunicationToCase or CreateCase to associate an attachment set
    // with a support case.
    const response = await client.send(
      new AddAttachmentsToSetCommand({
        // You can add up to three attachments per set. The size limit is 5 MB
        // per attachment.
        attachments: [
          {
            fileName: "example.txt",
            data: new TextEncoder().encode("some example text"),
          },
        ],
      }),
    );
    // Use this ID in AddCommunicationToCase or CreateCase.
    console.log(response.attachmentSetId);
    return response;
  } catch (err) {
```

```
        console.error(err);
    }
};
```

- For API details, see [AddAttachmentsToSet](#) in *AWS SDK for JavaScript API Reference*.

## Kotlin

### SDK for Kotlin

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
suspend fun addAttachment(fileAttachment: String): String? {
    val myFile = File(fileAttachment)
    val sourceBytes = (File(fileAttachment).readBytes())
    val attachmentVal =
        Attachment {
            fileName = myFile.name
            data = sourceBytes
        }

    val setRequest =
        AddAttachmentsToSetRequest {
            attachments = listOf(attachmentVal)
        }

    SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->
        val response = supportClient.addAttachmentsToSet(setRequest)
        return response.attachmentSetId
    }
}
```

- For API details, see [AddAttachmentsToSet](#) in *AWS SDK for Kotlin API reference*.

# Python

## SDK for Python (Boto3)

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
class SupportWrapper:  
    """Encapsulates Support actions."""  
  
    def __init__(self, support_client):  
        """  
        :param support_client: A Boto3 Support client.  
        """  
        self.support_client = support_client  
  
    @classmethod  
    def from_client(cls):  
        """  
        Instantiates this class from a Boto3 client.  
        """  
        support_client = boto3.client("support")  
        return cls(support_client)  
  
  
    def add_attachment_to_set(self):  
        """  
        Add an attachment to a set, or create a new attachment set if one does  
        not exist.  
  
        :return: The attachment set ID.  
        """  
        try:  
            response = self.support_client.add_attachments_to_set(  
                attachments=[  
                    {  
                        "fileName": "attachment_file.txt",  
                        "data": b"This is a sample file for attachment to a  
support case.",  
                    }  
                ]  
            )  
            return response["attachmentSetId"]  
        except ClientError as error:  
            raise error  
  
    def get_case(self, case_id):  
        """  
        Get a case by its ID.  
  
        :param case_id: The ID of the case to get.  
        :return: The case details.  
        """  
        try:  
            response = self.support_client.get_case(case_id=case_id)  
            return response["case"]  
        except ClientError as error:  
            raise error  
  
    def update_case_status(self, case_id, status):  
        """  
        Update the status of a case.  
  
        :param case_id: The ID of the case to update.  
        :param status: The new status for the case.  
        :return: The updated case details.  
        """  
        try:  
            response = self.support_client.update_case_status(case_id=case_id,  
                status=status)  
            return response["case"]  
        except ClientError as error:  
            raise error
```

```
        }
    ]
)
new_set_id = response["attachmentSetId"]
except ClientError as err:
    if err.response["Error"]["Code"] == "SubscriptionRequiredException":
        logger.info(
            "You must have a Business, Enterprise On-Ramp, or Enterprise
Support "
            "plan to use the AWS Support API. \n\tPlease upgrade your
subscription to run these "
            "examples."
        )
    else:
        logger.error(
            "Couldn't add attachment. Here's why: %s: %s",
            err.response["Error"]["Code"],
            err.response["Error"]["Message"],
        )
        raise
else:
    return new_set_id
```

- For API details, see [AddAttachmentsToSet](#) in *AWS SDK for Python (Boto3) API Reference*.

For a complete list of AWS SDK developer guides and code examples, see [Using AWS Support with an AWS SDK](#). This topic also includes information about getting started and details about previous SDK versions.

## Use AddCommunicationToCase with an AWS SDK or CLI

The following code examples show how to use AddCommunicationToCase.

Action examples are code excerpts from larger programs and must be run in context. You can see this action in context in the following code example:

- [Learn the basics](#)

## .NET

### SDK for .NET

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/// <summary>
/// Add communication to a case, including optional attachment set ID and CC
email addresses.
/// </summary>
/// <param name="caseId">Id for the support case.</param>
/// <param name="body">Body text of the communication.</param>
/// <param name="attachmentSetId">Optional Id for an attachment set.</param>
/// <param name="ccEmailAddresses">Optional list of CC email addresses.</
param>
/// <returns>True if successful.</returns>
public async Task<bool> AddCommunicationToCase(string caseId, string body,
    string? attachmentSetId = null, List<string>? ccEmailAddresses = null)
{
    var response = await _amazonSupport.AddCommunicationToCaseAsync(
        new AddCommunicationToCaseRequest()
    {
        CaseId = caseId,
        CommunicationBody = body,
        AttachmentSetId = attachmentSetId,
        CcEmailAddresses = ccEmailAddresses
    });
    return response.Result;
}
```

- For API details, see [AddCommunicationToCase](#) in *AWS SDK for .NET API Reference*.

## CLI

### AWS CLI

#### To add communication to a case

The following add-communication-to-case example adds communications to a support case in your AWS account.

```
aws support add-communication-to-case \
--case-id "case-12345678910-2013-c4c1d2bf33c5cf47" \
--communication-body "I'm attaching a set of images to this case." \
--cc-email-addresses "myemail@example.com" \
--attachment-set-id "as-2f5a6faa2a4a1e600-mu-nk5xQLBr70-
G1cUos5LZkd38K0AHZa9BMDVzNEXAMPLE"
```

Output:

```
{  
    "result": true  
}
```

For more information, see [Case management](#) in the *AWS Support User Guide*.

- For API details, see [AddCommunicationToCase](#) in *AWS CLI Command Reference*.

## Java

### SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void addAttachSupportCase(SupportClient supportClient, String
caseId, String attachmentSetId) {
    try {
        AddCommunicationToCaseRequest caseRequest =
        AddCommunicationToCaseRequest.builder()
```

```
        .caseId(caseId)
        .attachmentSetId(attachmentSetId)
        .communicationBody("Please refer to attachment for details.")
        .build();

    AddCommunicationToCaseResponse response =
supportClient.addCommunicationToCase(caseRequest);
    if (response.result())
        System.out.println("You have successfully added a communication
to an AWS Support case");
    else
        System.out.println("There was an error adding the communication
to an AWS Support case");

} catch (SupportException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
}
```

- For API details, see [AddCommunicationToCase](#) in *AWS SDK for Java 2.x API Reference*.

## JavaScript

### SDK for JavaScript (v3)

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import { AddCommunicationToCaseCommand } from "@aws-sdk/client-support";

import { client } from "../libs/client.js";

export const main = async () => {
    let attachmentSetId;

    try {
        // Add a communication to a case.
```

```
const response = await client.send(
  new AddCommunicationToCaseCommand({
    communicationBody: "Adding an attachment.",
    // Set value to an existing support case id.
    caseId: "CASE_ID",
    // Optional. Set value to an existing attachment set id to add
    attachments to the case.
    attachmentSetId,
  }),
);
console.log(response);
return response;
} catch (err) {
  console.error(err);
}
};
```

- For API details, see [AddCommunicationToCase](#) in *AWS SDK for JavaScript API Reference*.

## Kotlin

### SDK for Kotlin

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
suspend fun addAttachSupportCase(
  caseIdVal: String?,
  attachmentSetIdVal: String?,
) {
  val caseRequest =
    AddCommunicationToCaseRequest {
      caseId = caseIdVal
      attachmentSetId = attachmentSetIdVal
      communicationBody = "Please refer to attachment for details."
    }
}

SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->
```

```
    val response = supportClient.addCommunicationToCase(caseRequest)
    if (response.result) {
        println("You have successfully added a communication to an AWS
Support case")
    } else {
        println("There was an error adding the communication to an AWS
Support case")
    }
}
```

- For API details, see [AddCommunicationToCase](#) in *AWS SDK for Kotlin API reference*.

## PowerShell

### Tools for PowerShell V4

#### **Example 1: Adds the body of an email communication to the specified case.**

```
Add-ASACommunicationToCase -CaseId "case-12345678910-2013-c4c1d2bf33c5cf47" -
CommunicationBody "Some text about the case"
```

#### **Example 2: Adds the body of an email communication to the specified case plus one or more email addresses contained in the CC line of the email.**

```
Add-ASACommunicationToCase -CaseId "case-12345678910-2013-c4c1d2bf33c5cf47" -
CcEmailAddress @("email1@address.com", "email2@address.com") -CommunicationBody
"Some text about the case"
```

- For API details, see [AddCommunicationToCase](#) in *AWS Tools for PowerShell Cmdlet Reference (V4)*.

### Tools for PowerShell V5

#### **Example 1: Adds the body of an email communication to the specified case.**

```
Add-ASACommunicationToCase -CaseId "case-12345678910-2013-c4c1d2bf33c5cf47" -
CommunicationBody "Some text about the case"
```

#### **Example 2: Adds the body of an email communication to the specified case plus one or more email addresses contained in the CC line of the email.**

```
Add-ASACommunicationToCase -CaseId "case-12345678910-2013-c4c1d2bf33c5cf47" -  
CcEmailAddress @("email1@address.com", "email2@address.com") -CommunicationBody  
"Some text about the case"
```

- For API details, see [AddCommunicationToCase](#) in *AWS Tools for PowerShell Cmdlet Reference (V5)*.

## Python

### SDK for Python (Boto3)

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
class SupportWrapper:  
    """Encapsulates Support actions."""  
  
    def __init__(self, support_client):  
        """  
        :param support_client: A Boto3 Support client.  
        """  
        self.support_client = support_client  
  
    @classmethod  
    def from_client(cls):  
        """  
        Instantiates this class from a Boto3 client.  
        """  
        support_client = boto3.client("support")  
        return cls(support_client)  
  
    def add_communication_to_case(self, attachment_set_id, case_id):  
        """  
        Add a communication and an attachment set to a case.  
  
        :param attachment_set_id: The ID of an existing attachment set.  
        :param case_id: The ID of the case.
```

```
"""
try:
    self.support_client.add_communication_to_case(
        caseId=case_id,
        communicationBody="This is an example communication added to a
support case.",
        attachmentSetId=attachment_set_id,
    )
except ClientError as err:
    if err.response["Error"]["Code"] == "SubscriptionRequiredException":
        logger.info(
            "You must have a Business, Enterprise On-Ramp, or Enterprise
Support "
            "plan to use the AWS Support API. \n\tPlease upgrade your
subscription to run these "
            "'examples.'"
        )
    else:
        logger.error(
            "Couldn't add communication. Here's why: %s: %s",
            err.response["Error"]["Code"],
            err.response["Error"]["Message"],
        )
        raise
```

- For API details, see [AddCommunicationToCase](#) in *AWS SDK for Python (Boto3) API Reference*.

For a complete list of AWS SDK developer guides and code examples, see [Using AWS Support with an AWS SDK](#). This topic also includes information about getting started and details about previous SDK versions.

## Use CreateCase with an AWS SDK or CLI

The following code examples show how to use CreateCase.

Action examples are code excerpts from larger programs and must be run in context. You can see this action in context in the following code example:

- [Learn the basics](#)

## SDK for .NET

### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/// <summary>
/// Create a new support case.
/// </summary>
/// <param name="serviceCode">Service code for the new case.</param>
/// <param name="categoryCode">Category for the new case.</param>
/// <param name="severityCode">Severity code for the new case.</param>
/// <param name="subject">Subject of the new case.</param>
/// <param name="body">Body text of the new case.</param>
/// <param name="language">Optional language support for your case.
/// Currently Chinese ("zh"), English ("en"), Japanese ("ja") and Korean
/// ("ko") are supported.</param>
/// <param name="attachmentSetId">Optional Id for an attachment set for the
new case.</param>
/// <param name="issueType">Optional issue type for the new case. Options are
"customer-service" or "technical".</param>
/// <returns>The caseId of the new support case.</returns>
public async Task<string> CreateCase(string serviceCode, string categoryCode,
string severityCode, string subject,
string body, string language = "en", string? attachmentSetId = null,
string issueType = "customer-service")
{
    var response = await _amazonSupport.CreateCaseAsync(
        new CreateCaseRequest()
    {
        ServiceCode = serviceCode,
        CategoryCode = categoryCode,
        SeverityCode = severityCode,
        Subject = subject,
        Language = language,
        AttachmentSetId = attachmentSetId,
        IssueType = issueType,
```

```
        CommunicationBody = body
    });
    return response.CaseId;
}
```

- For API details, see [CreateCase](#) in *AWS SDK for .NET API Reference*.

## CLI

### AWS CLI

#### To create a case

The following create-case example creates a support case for your AWS account.

```
aws support create-case \
--category-code "using-aws" \
--cc-email-addresses "myemail@example.com" \
--communication-body "I want to learn more about an AWS service." \
--issue-type "technical" \
--language "en" \
--service-code "general-info" \
--severity-code "low" \
--subject "Question about my account"
```

Output:

```
{
    "caseId": "case-12345678910-2013-c4c1d2bf33c5cf47"
}
```

For more information, see [Case management](#) in the *AWS Support User Guide*.

- For API details, see [CreateCase](#) in *AWS CLI Command Reference*.

## Java

**SDK for Java 2.x****Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String createSupportCase(SupportClient supportClient,
List<String> sevCatList, String sevLevel) {
    try {
        String serviceCode = sevCatList.get(0);
        String caseCat = sevCatList.get(1);
        CreateCaseRequest caseRequest = CreateCaseRequest.builder()
            .categoryCode(caseCat.toLowerCase())
            .serviceCode(serviceCode.toLowerCase())
            .severityCode(sevLevel.toLowerCase())
            .communicationBody("Test issue with " +
serviceCode.toLowerCase())
            .subject("Test case, please ignore")
            .language("en")
            .issueType("technical")
            .build();

        CreateCaseResponse response = supportClient.createCase(caseRequest);
        return response.caseId();

    } catch (SupportException e) {
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
    return "";
}
```

- For API details, see [CreateCase](#) in *AWS SDK for Java 2.x API Reference*.

## JavaScript

### SDK for JavaScript (v3)

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import { CreateCaseCommand } from "@aws-sdk/client-support";

import { client } from "../libs/client.js";

export const main = async () => {
  try {
    // Create a new case and log the case id.
    // Important: This creates a real support case in your account.
    const response = await client.send(
      new CreateCaseCommand({
        // The subject line of the case.
        subject: "IGNORE: Test case",
        // Use DescribeServices to find available service codes for each service.
        serviceCode: "service-quicksight-end-user",
        // Use DescribeSecurityLevels to find available severity codes for your
        support plan.
        severityCode: "low",
        // Use DescribeServices to find available category codes for each
        service.
        categoryCode: "end-user-support",
        // The main description of the support case.
        communicationBody: "This is a test. Please ignore.",
      }),
    );
    console.log(response.caseId);
    return response;
  } catch (err) {
    console.error(err);
  }
};
```

- For API details, see [CreateCase in AWS SDK for JavaScript API Reference](#).

## Kotlin

### SDK for Kotlin

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
suspend fun createSupportCase(
    sevCatListVal: List<String>,
    sevLevelVal: String,
): String? {
    val serCode = sevCatListVal[0]
    val caseCategory = sevCatListVal[1]
    val caseRequest =
        CreateCaseRequest {
            categoryCode = caseCategory.lowercase(Locale.getDefault())
            serviceCode = serCode.lowercase(Locale.getDefault())
            severityCode = sevLevelVal.lowercase(Locale.getDefault())
            communicationBody = "Test issue with
${serCode.lowercase(Locale.getDefault())}"
            subject = "Test case, please ignore"
            language = "en"
            issueType = "technical"
        }
    SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->
        val response = supportClient.createCase(caseRequest)
        return response.caseId
    }
}
```

- For API details, see [CreateCase in AWS SDK for Kotlin API reference](#).

## PowerShell

### Tools for PowerShell V4

**Example 1: Creates a new case in the AWS Support Center. Values for the -ServiceCode and -CategoryCode parameters can be obtained using the Get-ASAService cmdlet. The value for the -SeverityCode parameter can be obtained using the Get-ASASeverityLevel cmdlet. The -IssueType parameter value can be either "customer-service" or "technical". If successful the AWS Support case number is output. By default the case will be handled in English, to use Japanese add the -Language "ja" parameter. The -ServiceCode, -CategoryCode, -Subject and -CommunicationBody parameters are mandatory.**

```
New-ASACase -ServiceCode "amazon-cloudfront" -CategoryCode "APIs" -SeverityCode  
"low" -Subject "subject text" -CommunicationBody "description of the case" -  
CcEmailAddress @("email1@domain.com", "email2@domain.com") -IssueType "technical"
```

- For API details, see [CreateCase in AWS Tools for PowerShell Cmdlet Reference \(V4\)](#).

### Tools for PowerShell V5

**Example 1: Creates a new case in the AWS Support Center. Values for the -ServiceCode and -CategoryCode parameters can be obtained using the Get-ASAService cmdlet. The value for the -SeverityCode parameter can be obtained using the Get-ASASeverityLevel cmdlet. The -IssueType parameter value can be either "customer-service" or "technical". If successful the AWS Support case number is output. By default the case will be handled in English, to use Japanese add the -Language "ja" parameter. The -ServiceCode, -CategoryCode, -Subject and -CommunicationBody parameters are mandatory.**

```
New-ASACase -ServiceCode "amazon-cloudfront" -CategoryCode "APIs" -SeverityCode  
"low" -Subject "subject text" -CommunicationBody "description of the case" -  
CcEmailAddress @("email1@domain.com", "email2@domain.com") -IssueType "technical"
```

- For API details, see [CreateCase in AWS Tools for PowerShell Cmdlet Reference \(V5\)](#).

## Python

### SDK for Python (Boto3)

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
class SupportWrapper:  
    """Encapsulates Support actions."""  
  
    def __init__(self, support_client):  
        """  
        :param support_client: A Boto3 Support client.  
        """  
        self.support_client = support_client  
  
    @classmethod  
    def from_client(cls):  
        """  
        Instantiates this class from a Boto3 client.  
        """  
        support_client = boto3.client("support")  
        return cls(support_client)  
  
    def create_case(self, service, category, severity):  
        """  
        Create a new support case.  
  
        :param service: The service to use for the new case.  
        :param category: The category to use for the new case.  
        :param severity: The severity to use for the new case.  
        :return: The caseId of the new case.  
        """  
        try:  
            response = self.support_client.create_case(  
                subject="Example case for testing, ignore.",  
                serviceCode=service["code"],  
                severityCode=severity["code"],
```

```
        categoryCode=category["code"],
        communicationBody="Example support case body.",
        language="en",
        issueType="customer-service",
    )
    case_id = response["caseId"]
except ClientError as err:
    if err.response["Error"]["Code"] == "SubscriptionRequiredException":
        logger.info(
            "You must have a Business, Enterprise On-Ramp, or Enterprise
Support "
            "plan to use the AWS Support API. \n\tPlease upgrade your
subscription to run these "
            "examples."
    )
else:
    logger.error(
        "Couldn't create case. Here's why: %s: %s",
        err.response["Error"]["Code"],
        err.response["Error"]["Message"],
    )
    raise
else:
    return case_id
```

- For API details, see [CreateCase in AWS SDK for Python \(Boto3\) API Reference](#).

For a complete list of AWS SDK developer guides and code examples, see [Using AWS Support with an AWS SDK](#). This topic also includes information about getting started and details about previous SDK versions.

## Use `DescribeAttachment` with an AWS SDK or CLI

The following code examples show how to use `DescribeAttachment`.

Action examples are code excerpts from larger programs and must be run in context. You can see this action in context in the following code example:

- [Learn the basics](#)

## .NET

### SDK for .NET

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/// <summary>
/// Get description of a specific attachment.
/// </summary>
/// <param name="attachmentId">Id of the attachment, usually fetched by
describing the communications of a case.</param>
/// <returns>The attachment object.</returns>
public async Task<Attachment> DescribeAttachment(string attachmentId)
{
    var response = await _amazonSupport.DescribeAttachmentAsync(
        new DescribeAttachmentRequest()
    {
        AttachmentId = attachmentId
    });
    return response.Attachment;
}
```

- For API details, see [DescribeAttachment](#) in *AWS SDK for .NET API Reference*.

## CLI

### AWS CLI

#### To describe an attachment

The following `describe-attachment` example returns information about the attachment with the specified ID.

```
aws support describe-attachment \
```

```
--attachment-id "attachment-KBnjRNrePd9D6Jx0-Mm00xZuDEaL2JAj_0-gJv9qqDooTipsz3V1Nb19rCfkZneeQeDPgp8X1iVJyHH7UuhZDdNeqGoduZsPrAhyMakqlc60-iJjL5HqyYGiT1FG8EXAMPLE"
```

Output:

```
{  
    "attachment": {  
        "fileName": "troubleshoot-screenshot.png",  
        "data": "base64-blob"  
    }  
}
```

For more information, see [Case management](#) in the *AWS Support User Guide*.

- For API details, see [DescribeAttachment](#) in *AWS CLI Command Reference*.

## Java

### SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void describeAttachment(SupportClient supportClient, String  
attachId) {  
    try {  
        DescribeAttachmentRequest attachmentRequest =  
DescribeAttachmentRequest.builder()  
            .attachmentId(attachId)  
            .build();  
  
        DescribeAttachmentResponse response =  
supportClient.describeAttachment(attachmentRequest);  
        System.out.println("The name of the file is " +  
response.attachment().fileName());  
  
    } catch (SupportException e) {
```

```
        System.out.println(e.getLocalizedMessage());
        System.exit(1);
    }
}
```

- For API details, see [DescribeAttachment](#) in *AWS SDK for Java 2.x API Reference*.

## JavaScript

### SDK for JavaScript (v3)

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import { DescribeAttachmentCommand } from "@aws-sdk/client-support";

import { client } from "../libs/client.js";

export const main = async () => {
  try {
    // Get the metadata and content of an attachment.
    const response = await client.send(
      new DescribeAttachmentCommand({
        // Set value to an existing attachment id.
        // Use DescribeCommunications or DescribeCases to find an attachment id.
        attachmentId: "ATTACHMENT_ID",
      }),
    );
    console.log(response.attachment?.fileName);
    return response;
  } catch (err) {
    console.error(err);
  }
};
```

- For API details, see [DescribeAttachment](#) in *AWS SDK for JavaScript API Reference*.

## Kotlin

### SDK for Kotlin

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
suspend fun describeAttachment(attachId: String?) {  
    val attachmentRequest =  
        DescribeAttachmentRequest {  
            attachmentId = attachId  
        }  
  
    SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->  
        val response = supportClient.describeAttachment(attachmentRequest)  
        println("The name of the file is ${response.attachment?.fileName}")  
    }  
}
```

- For API details, see [DescribeAttachment](#) in *AWS SDK for Kotlin API reference*.

## Python

### SDK for Python (Boto3)

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
class SupportWrapper:  
    """Encapsulates Support actions."""  
  
    def __init__(self, support_client):  
        """
```

```
:param support_client: A Boto3 Support client.  
"""  
    self.support_client = support_client  
  
@classmethod  
def from_client(cls):  
    """  
        Instantiates this class from a Boto3 client.  
    """  
    support_client = boto3.client("support")  
    return cls(support_client)  
  
  
def describe_attachment(self, attachment_id):  
    """  
        Get information about an attachment by its attachmentID.  
  
    :param attachment_id: The ID of the attachment.  
    :return: The name of the attached file.  
    """  
    try:  
        response = self.support_client.describe_attachment(  
            attachmentId=attachment_id  
        )  
        attached_file = response["attachment"]["fileName"]  
    except ClientError as err:  
        if err.response["Error"]["Code"] == "SubscriptionRequiredException":  
            logger.info(  
                "You must have a Business, Enterprise On-Ramp, or Enterprise  
Support "  
                "plan to use the AWS Support API. \n\tPlease upgrade your  
subscription to run these "  
                "examples."  
            )  
        else:  
            logger.error(  
                "Couldn't get attachment description. Here's why: %s: %s",  
                err.response["Error"]["Code"],  
                err.response["Error"]["Message"],  
            )  
            raise  
    else:  
        return attached_file
```

- For API details, see [DescribeAttachment](#) in *AWS SDK for Python (Boto3) API Reference*.

For a complete list of AWS SDK developer guides and code examples, see [Using AWS Support with an AWS SDK](#). This topic also includes information about getting started and details about previous SDK versions.

## Use `DescribeCases` with an AWS SDK or CLI

The following code examples show how to use `DescribeCases`.

Action examples are code excerpts from larger programs and must be run in context. You can see this action in context in the following code example:

- [Learn the basics](#)

.NET

### SDK for .NET

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/// <summary>
/// Get case details for a list of case ids, optionally with date filters.
/// </summary>
/// <param name="caseIds">The list of case IDs.</param>
/// <param name="displayId">Optional display ID.</param>
/// <param name="includeCommunication">True to include communication.
/// Defaults to true.</param>
/// <param name="includeResolvedCases">True to include resolved cases.
/// Defaults to false.</param>
/// <param name="afterTime">The optional start date for a filtered search.</param>
```

```
    /// <param name="beforeTime">The optional end date for a filtered search.</param>
    /// <param name="language">Optional language support for your case.
    /// Currently Chinese ("zh"), English ("en"), Japanese ("ja") and Korean
    /// ("ko") are supported.</param>
    /// <returns>A list of CaseDetails.</returns>
    public async Task<List<CaseDetails>> DescribeCases(List<string> caseIds,
        string? displayId = null, bool includeCommunication = true,
        bool includeResolvedCases = false, DateTime? afterTime = null, DateTime?
        beforeTime = null,
        string language = "en")
    {
        var results = new List<CaseDetails>();
        var paginateCases = _amazonSupport.Paginator.DescribeCases(
            new DescribeCasesRequest()
            {
                CaseIdList = caseIds,
                DisplayId = displayId,
                IncludeCommunications = includeCommunication,
                IncludeResolvedCases = includeResolvedCases,
                AfterTime = afterTime?.ToString("s"),
                BeforeTime = beforeTime?.ToString("s"),
                Language = language
            });
        // Get the entire list using the paginator.
        await foreach (var cases in paginateCases.Cases)
        {
            results.Add(cases);
        }
        return results;
    }
```

- For API details, see [DescribeCases](#) in *AWS SDK for .NET API Reference*.

## CLI

### AWS CLI

#### To describe a case

The following `describe-cases` example returns information about the specified support case in your AWS account.

```
aws support describe-cases \
--display-id "1234567890" \
--after-time "2020-03-23T21:31:47.774Z" \
--include-resolved-cases \
--language "en" \
--no-include-communications \
--max-item 1
```

Output:

```
{
  "cases": [
    {
      "status": "resolved",
      "ccEmailAddresses": [],
      "timeCreated": "2020-03-23T21:31:47.774Z",
      "caseId": "case-12345678910-2013-c4c1d2bf33c5cf47",
      "severityCode": "low",
      "language": "en",
      "categoryCode": "using-aws",
      "serviceCode": "general-info",
      "submittedBy": "myemail@example.com",
      "displayId": "1234567890",
      "subject": "Question about my account"
    }
  ]
}
```

For more information, see [Case management](#) in the *AWS Support User Guide*.

- For API details, see [DescribeCases](#) in *AWS CLI Command Reference*.

## Java

**SDK for Java 2.x****Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void getOpenCase(SupportClient supportClient) {  
    try {  
        // Specify the start and end time.  
        Instant now = Instant.now();  
        java.time.LocalDate.now();  
        Instant yesterday = now.minus(1, ChronoUnit.DAYS);  
  
        DescribeCasesRequest describeCasesRequest =  
DescribeCasesRequest.builder()  
            .maxResults(20)  
            .afterTime(yesterday.toString())  
            .beforeTime(now.toString())  
            .build();  
  
        DescribeCasesResponse response =  
supportClient.describeCases(describeCasesRequest);  
        List<CaseDetails> cases = response.cases();  
        for (CaseDetails sinCase : cases) {  
            System.out.println("The case status is " + sinCase.status());  
            System.out.println("The case Id is " + sinCase.caseId());  
            System.out.println("The case subject is " + sinCase.subject());  
        }  
  
    } catch (SupportException e) {  
        System.out.println(e.getLocalizedMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [DescribeCases](#) in *AWS SDK for Java 2.x API Reference*.

## JavaScript

### SDK for JavaScript (v3)

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import { DescribeCasesCommand } from "@aws-sdk/client-support";

import { client } from "../libs/client.js";

export const main = async () => {
  try {
    // Get all of the unresolved cases in your account.
    // Filter or expand results by providing parameters to the
    DescribeCasesCommand. Refer
    // to the TypeScript definition and the API doc for more information on
    possible parameters.
    // https://docs.aws.amazon.com/AWSJavaScriptSDK/v3/latest/clients/client-
    support/interfaces/describecasescommandinput.html
    const response = await client.send(new DescribeCasesCommand({}));
    const caseIds = response.cases.map((supportCase) => supportCase.caseId);
    console.log(caseIds);
    return response;
  } catch (err) {
    console.error(err);
  }
};
```

- For API details, see [DescribeCases](#) in *AWS SDK for JavaScript API Reference*.

## Kotlin

### SDK for Kotlin

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
suspend fun getOpenCase() {  
    // Specify the start and end time.  
    val now = Instant.now()  
    LocalDate.now()  
    val yesterday = now.minus(1, ChronoUnit.DAYS)  
    val describeCasesRequest =  
        DescribeCasesRequest {  
            maxResults = 20  
            afterTime = yesterday.toString()  
            beforeTime = now.toString()  
        }  
  
    SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->  
        val response = supportClient.describeCases(describeCasesRequest)  
        response.cases?.forEach { sinCase ->  
            println("The case status is ${sinCase.status}")  
            println("The case Id is ${sinCase.caseId}")  
            println("The case subject is ${sinCase.subject}")  
        }  
    }  
}
```

- For API details, see [DescribeCases](#) in *AWS SDK for Kotlin API reference*.

## PowerShell

### Tools for PowerShell V4

#### Example 1: Returns the details of all support cases.

```
Get-ASACase
```

**Example 2:** Returns the details of all support cases since the specified date and time.

```
Get-ASACase -AfterTime "2013-09-10T03:06Z"
```

**Example 3:** Returns the details of the first 10 support cases, including those that have been resolved.

```
Get-ASACase -MaxResult 10 -IncludeResolvedCases $true
```

**Example 4:** Returns the details of the single specified support case.

```
Get-ASACase -CaseIdList "case-12345678910-2013-c4c1d2bf33c5cf47"
```

**Example 5:** Returns the details of specified support cases.

```
Get-ASACase -CaseIdList @("case-12345678910-2013-c4c1d2bf33c5cf47",  
"case-18929034710-2011-c4fdeabf33c5cf47")
```

- For API details, see [DescribeCases](#) in *AWS Tools for PowerShell Cmdlet Reference (V4)*.

## Tools for PowerShell V5

**Example 1:** Returns the details of all support cases.

```
Get-ASACase
```

**Example 2:** Returns the details of all support cases since the specified date and time.

```
Get-ASACase -AfterTime "2013-09-10T03:06Z"
```

**Example 3:** Returns the details of the first 10 support cases, including those that have been resolved.

```
Get-ASACase -MaxResult 10 -IncludeResolvedCases $true
```

## Example 4: Returns the details of the single specified support case.

```
Get-ASACase -CaseIdList "case-12345678910-2013-c4c1d2bf33c5cf47"
```

## Example 5: Returns the details of specified support cases.

```
Get-ASACase -CaseIdList @("case-12345678910-2013-c4c1d2bf33c5cf47",  
"case-18929034710-2011-c4fdeabf33c5cf47")
```

- For API details, see [DescribeCases](#) in *AWS Tools for PowerShell Cmdlet Reference (V5)*.

## Python

### SDK for Python (Boto3)

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
class SupportWrapper:  
    """Encapsulates Support actions."""  
  
    def __init__(self, support_client):  
        """  
        :param support_client: A Boto3 Support client.  
        """  
        self.support_client = support_client  
  
    @classmethod  
    def from_client(cls):  
        """  
        Instantiates this class from a Boto3 client.  
        """  
        support_client = boto3.client("support")  
        return cls(support_client)  
  
    def describe_cases(self, after_time, before_time, resolved):
```

```
"""
Describe support cases over a period of time, optionally filtering
by status.

:param after_time: The start time to include for cases.
:param before_time: The end time to include for cases.
:param resolved: True to include resolved cases in the results,
    otherwise results are open cases.
:return: The final status of the case.
"""

try:
    cases = []
    paginator = self.support_client.getPaginator("describe_cases")
    for page in paginator.paginate(
        afterTime=after_time,
        beforeTime=before_time,
        includeResolvedCases=resolved,
        language="en",
    ):
        cases += page["cases"]
except ClientError as err:
    if err.response["Error"]["Code"] == "SubscriptionRequiredException":
        logger.info(
            "You must have a Business, Enterprise On-Ramp, or Enterprise
Support "
            "plan to use the AWS Support API. \n\tPlease upgrade your
subscription to run these "
            "examples."
        )
    else:
        logger.error(
            "Couldn't describe cases. Here's why: %s: %s",
            err.response["Error"]["Code"],
            err.response["Error"]["Message"],
        )
        raise
else:
    if resolved:
        cases = filter(lambda case: case["status"] == "resolved", cases)
return cases
```

- For API details, see [DescribeCases](#) in *AWS SDK for Python (Boto3) API Reference*.

For a complete list of AWS SDK developer guides and code examples, see [Using AWS Support with an AWS SDK](#). This topic also includes information about getting started and details about previous SDK versions.

## Use `DescribeCommunications` with an AWS SDK or CLI

The following code examples show how to use `DescribeCommunications`.

Action examples are code excerpts from larger programs and must be run in context. You can see this action in context in the following code example:

- [Learn the basics](#)

.NET

### SDK for .NET

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/// <summary>
/// Describe the communications for a case, optionally with a date filter.
/// </summary>
/// <param name="caseId">The ID of the support case.</param>
/// <param name="afterTime">The optional start date for a filtered search.</param>
/// <param name="beforeTime">The optional end date for a filtered search.</param>
/// <returns>The list of communications for the case.</returns>
public async Task<List<Communication>> DescribeCommunications(string caseId,
DateTime? afterTime = null, DateTime? beforeTime = null)
{
    var results = new List<Communication>();
    var paginateCommunications =
_amazonSupport.Paginator.DescribeCommunications(
    new DescribeCommunicationsRequest()
    {
```

```
        CaseId = caseId,
        AfterTime = afterTime?.ToString("s"),
        BeforeTime = beforeTime?.ToString("s")
    });
// Get the entire list using the paginator.
await foreach (var communications in
paginateCommunications.Communications)
{
    results.Add(communications);
}
return results;
}
```

- For API details, see [DescribeCommunications](#) in *AWS SDK for .NET API Reference*.

## CLI

### AWS CLI

#### To describe the latest communication for a case

The following describe-communications example returns the latest communication for the specified support case in your AWS account.

```
aws support describe-communications \
--case-id "case-12345678910-2013-c4c1d2bf33c5cf47" \
--after-time "2020-03-23T21:31:47.774Z" \
--max-item 1
```

Output:

```
{
    "communications": [
        {
            "body": "I want to learn more about an AWS service.",
            "attachmentSet": [],
            "caseId": "case-12345678910-2013-c4c1d2bf33c5cf47",
            "timeCreated": "2020-05-12T23:12:35.000Z",
            "submittedBy": "Amazon Web Services"
        }
    ]
}
```

```
],
"NextToken":  
"eyJJuZXh0VG9rZW4iOiBudWxsLCAiYm90b190cnVuY2F0ZV9hbW91bnQEXAMPLE=="  
}
```

For more information, see [Case management](#) in the *AWS Support User Guide*.

- For API details, see [DescribeCommunications](#) in *AWS CLI Command Reference*.

## Java

### SDK for Java 2.x

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String listCommunications(SupportClient supportClient, String  
caseId) {  
    try {  
        String attachId = null;  
        DescribeCommunicationsRequest communicationsRequest =  
DescribeCommunicationsRequest.builder()  
            .caseId(caseId)  
            .maxResults(10)  
            .build();  
  
        DescribeCommunicationsResponse response =  
supportClient.describeCommunications(communicationsRequest);  
        List<Communication> communications = response.communications();  
        for (Communication comm : communications) {  
            System.out.println("the body is: " + comm.body());  
  
            // Get the attachment id value.  
            List<AttachmentDetails> attachments = comm.attachmentSet();  
            for (AttachmentDetails detail : attachments) {  
                attachId = detail.attachmentId();  
            }  
        }  
        return attachId;  
    }
```

```
        } catch (SupportException e) {
            System.out.println(e.getLocalizedMessage());
            System.exit(1);
        }
        return "";
    }
```

- For API details, see [DescribeCommunications](#) in *AWS SDK for Java 2.x API Reference*.

## JavaScript

### SDK for JavaScript (v3)

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import { DescribeCommunicationsCommand } from "@aws-sdk/client-support";

import { client } from "../libs/client.js";

export const main = async () => {
    try {
        // Get all communications for the support case.
        // Filter results by providing parameters to the
        DescribeCommunicationsCommand. Refer
        // to the TypeScript definition and the API doc for more information on
        possible parameters.
        // https://docs.aws.amazon.com/AWSJavaScriptSDK/v3/latest/clients/client-
        support/interfaces/describecommunicationscommandinput.html
        const response = await client.send(
            new DescribeCommunicationsCommand({
                // Set value to an existing case id.
                caseId: "CASE_ID",
            }),
        );
        const text = response.communications.map((item) => item.body).join("\n");
        console.log(text);
    }
}
```

```
        return response;
    } catch (err) {
        console.error(err);
    }
};
```

- For API details, see [DescribeCommunications](#) in *AWS SDK for JavaScript API Reference*.

## Kotlin

### SDK for Kotlin

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
suspend fun listCommunications(caseIdVal: String?): String? {
    val communicationsRequest =
        DescribeCommunicationsRequest {
            caseId = caseIdVal
            maxResults = 10
    }

    SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->
        val response =
            supportClient.describeCommunications(communicationsRequest)
        response.communications?.forEach { comm ->
            println("the body is: " + comm.body)
            comm.attachmentSet?.forEach { detail ->
                return detail.attachmentId
            }
        }
    }
    return ""
}
```

- For API details, see [DescribeCommunications](#) in *AWS SDK for Kotlin API reference*.

## PowerShell

### Tools for PowerShell V4

#### Example 1: Returns all communications for the specified case.

```
Get-ASACommunication -CaseId "case-12345678910-2013-c4c1d2bf33c5cf47"
```

#### Example 2: Returns all communications since midnight UTC on January 1st 2012 for the specified case.

```
Get-ASACommunication -CaseId "case-12345678910-2013-c4c1d2bf33c5cf47" -AfterTime  
"2012-01-10T00:00Z"
```

- For API details, see [DescribeCommunications](#) in *AWS Tools for PowerShell Cmdlet Reference (V4)*.

### Tools for PowerShell V5

#### Example 1: Returns all communications for the specified case.

```
Get-ASACommunication -CaseId "case-12345678910-2013-c4c1d2bf33c5cf47"
```

#### Example 2: Returns all communications since midnight UTC on January 1st 2012 for the specified case.

```
Get-ASACommunication -CaseId "case-12345678910-2013-c4c1d2bf33c5cf47" -AfterTime  
"2012-01-10T00:00Z"
```

- For API details, see [DescribeCommunications](#) in *AWS Tools for PowerShell Cmdlet Reference (V5)*.

## Python

### SDK for Python (Boto3)

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
class SupportWrapper:  
    """Encapsulates Support actions."""  
  
    def __init__(self, support_client):  
        """  
        :param support_client: A Boto3 Support client.  
        """  
        self.support_client = support_client  
  
    @classmethod  
    def from_client(cls):  
        """  
        Instantiates this class from a Boto3 client.  
        """  
        support_client = boto3.client("support")  
        return cls(support_client)  
  
  
    def describe_all_case_communications(self, case_id):  
        """  
        Describe all the communications for a case using a paginator.  
  
        :param case_id: The ID of the case.  
        :return: The communications for the case.  
        """  
        try:  
            communications = []  
            paginator =  
                self.support_client.getPaginator("describe_communications")  
            for page in paginator.paginate(caseId=case_id):  
                communications += page["communications"]  
        except ClientError as err:  
            if err.response["Error"]["Code"] == "SubscriptionRequiredException":  
                logger.info(  
                    "You must have a Business, Enterprise On-Ramp, or Enterprise  
Support"  
                    "plan to use the AWS Support API. \n\tPlease upgrade your  
subscription to run these "  
                    "examples."  
                )  
            else:  
                logger.error(  
                    "Couldn't describe communications. Here's why: %s: %s",
```

```
        err.response["Error"]["Code"],
        err.response["Error"]["Message"],
    )
    raise
else:
    return communications
```

- For API details, see [DescribeCommunications](#) in *AWS SDK for Python (Boto3) API Reference*.

For a complete list of AWS SDK developer guides and code examples, see [Using AWS Support with an AWS SDK](#). This topic also includes information about getting started and details about previous SDK versions.

## Use **DescribeServices** with an AWS SDK or CLI

The following code examples show how to use **DescribeServices**.

Action examples are code excerpts from larger programs and must be run in context. You can see this action in context in the following code example:

- [Learn the basics](#)

.NET

### SDK for .NET

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/// <summary>
/// Get the descriptions of AWS services.
/// </summary>
/// <param name="name">Optional language for services.
```

```
/// Currently Chinese ("zh"), English ("en"), Japanese ("ja") and Korean ("ko") are supported.</param>
/// <returns>The list of AWS service descriptions.</returns>
public async Task<List<Service>> DescribeServices(string language = "en")
{
    var response = await _amazonSupport.DescribeServicesAsync(
        new DescribeServicesRequest()
    {
        Language = language
    });
    return response.Services;
}
```

- For API details, see [DescribeServices](#) in *AWS SDK for .NET API Reference*.

## CLI

### AWS CLI

#### To list AWS services and service categories

The following describe-services example lists the available service categories for requesting general information.

```
aws support describe-services \
--service-code-list "general-info"
```

Output:

```
{
    "services": [
        {
            "code": "general-info",
            "name": "General Info and Getting Started",
            "categories": [
                {
                    "code": "charges",
                    "name": "How Will I Be Charged?"
                },
                {

```

```
        "code": "gdpr-queries",
        "name": "Data Privacy Query"
    },
    {
        "code": "reserved-instances",
        "name": "Reserved Instances"
    },
    {
        "code": "resource",
        "name": "Where is my Resource?"
    },
    {
        "code": "using-aws",
        "name": "Using AWS & Services"
    },
    {
        "code": "free-tier",
        "name": "Free Tier"
    },
    {
        "code": "security-and-compliance",
        "name": "Security & Compliance"
    },
    {
        "code": "account-structure",
        "name": "Account Structure"
    }
]
}
]
```

For more information, see [Case management](#) in the *AWS Support User Guide*.

- For API details, see [DescribeServices](#) in *AWS CLI Command Reference*.

## Java

**SDK for Java 2.x****Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Return a List that contains a Service name and Category name.
public static List<String> displayServices(SupportClient supportClient) {
    try {
        DescribeServicesRequest servicesRequest =
DescribeServicesRequest.builder()
            .language("en")
            .build();

        DescribeServicesResponse response =
supportClient.describeServices(servicesRequest);
        String serviceCode = null;
        String catName = null;
        List<String> sevCatList = new ArrayList<>();
        List<Service> services = response.services();

        System.out.println("Get the first 10 services");
        int index = 1;
        for (Service service : services) {
            if (index == 11)
                break;

            System.out.println("The Service name is: " + service.name());
            if (service.name().compareTo("Account") == 0)
                serviceCode = service.code();

            // Get the Categories for this service.
            List<Category> categories = service.categories();
            for (Category cat : categories) {
                System.out.println("The category name is: " + cat.name());
                if (cat.name().compareTo("Security") == 0)
                    catName = cat.name();
            }
        }
    }
}
```

```
        index++;
    }

    // Push the two values to the list.
    sevCatList.add(serviceCode);
    sevCatList.add(catName);
    return sevCatList;

} catch (SupportException e) {
    System.out.println(e.getLocalizedMessage());
    System.exit(1);
}
return null;
}
```

- For API details, see [DescribeServices](#) in *AWS SDK for Java 2.x API Reference*.

## Kotlin

### SDK for Kotlin

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
// Return a List that contains a Service name and Category name.
suspend fun displayServices(): List<String> {
    var serviceCode = ""
    var catName = ""
    val sevCatList = mutableListOf<String>()
    val servicesRequest =
        DescribeServicesRequest {
            language = "en"
        }

    SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->
        val response = supportClient.describeServices(servicesRequest)
        println("Get the first 10 services")
        var index = 1
```

```
response.services?.forEach { service ->
    if (index == 11) {
        return@forEach
    }

    println("The Service name is ${service.name}")
    if (service.name == "Account") {
        serviceCode = service.code.toString()
    }

    // Get the categories for this service.
    service.categories?.forEach { cat ->
        println("The category name is ${cat.name}")
        if (cat.name == "Security") {
            catName = cat.name!!
        }
    }
    index++
}

// Push the two values to the list.
serviceCode.let { sevCatList.add(it) }
catName.let { sevCatList.add(it) }
return sevCatList
}
```

- For API details, see [DescribeServices](#) in *AWS SDK for Kotlin API reference*.

## PowerShell

### Tools for PowerShell V4

#### Example 1: Returns all available service codes, names and categories.

```
Get-ASAService
```

#### Example 2: Returns the name and categories for the service with the specified code.

```
Get-ASAService -ServiceCodeList "amazon-cloudfront"
```

**Example 3: Returns the name and categories for the specified service codes.**

```
Get-ASAService -ServiceCodeList @("amazon-cloudfront", "amazon-cloudwatch")
```

**Example 4: Returns the name and categories (in Japanese) for the specified service codes. Currently English ("en") and Japanese ("ja") language codes are supported.**

```
Get-ASAService -ServiceCodeList @("amazon-cloudfront", "amazon-cloudwatch") -  
Language "ja"
```

- For API details, see [DescribeServices](#) in *AWS Tools for PowerShell Cmdlet Reference (V4)*.

**Tools for PowerShell V5****Example 1: Returns all available service codes, names and categories.**

```
Get-ASAService
```

**Example 2: Returns the name and categories for the service with the specified code.**

```
Get-ASAService -ServiceCodeList "amazon-cloudfront"
```

**Example 3: Returns the name and categories for the specified service codes.**

```
Get-ASAService -ServiceCodeList @("amazon-cloudfront", "amazon-cloudwatch")
```

**Example 4: Returns the name and categories (in Japanese) for the specified service codes. Currently English ("en") and Japanese ("ja") language codes are supported.**

```
Get-ASAService -ServiceCodeList @("amazon-cloudfront", "amazon-cloudwatch") -  
Language "ja"
```

- For API details, see [DescribeServices](#) in *AWS Tools for PowerShell Cmdlet Reference (V5)*.

## Python

### SDK for Python (Boto3)

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
class SupportWrapper:  
    """Encapsulates Support actions."""  
  
    def __init__(self, support_client):  
        """  
        :param support_client: A Boto3 Support client.  
        """  
        self.support_client = support_client  
  
    @classmethod  
    def from_client(cls):  
        """  
        Instantiates this class from a Boto3 client.  
        """  
        support_client = boto3.client("support")  
        return cls(support_client)  
  
    def describe_services(self, language):  
        """  
        Get the descriptions of AWS services available for support for a  
        language.  
  
        :param language: The language for support services.  
        Currently, only "en" (English) and "ja" (Japanese) are supported.  
        :return: The list of AWS service descriptions.  
        """  
        try:  
            response = self.support_client.describe_services(language=language)  
            services = response["services"]  
        except ClientError as err:  
            if err.response["Error"]["Code"] == "SubscriptionRequiredException":
```

```
        logger.info(
            "You must have a Business, Enterprise On-Ramp, or Enterprise
Support "
            "plan to use the AWS Support API. \n\tPlease upgrade your
subscription to run these "
            "examples."
        )
    else:
        logger.error(
            "Couldn't get Support services for language %s. Here's why:
%s: %s",
            language,
            err.response["Error"]["Code"],
            err.response["Error"]["Message"],
        )
        raise
else:
    return services
```

- For API details, see [DescribeServices](#) in *AWS SDK for Python (Boto3) API Reference*.

For a complete list of AWS SDK developer guides and code examples, see [Using AWS Support with an AWS SDK](#). This topic also includes information about getting started and details about previous SDK versions.

## Use `DescribeSeverityLevels` with an AWS SDK or CLI

The following code examples show how to use `DescribeSeverityLevels`.

Action examples are code excerpts from larger programs and must be run in context. You can see this action in context in the following code example:

- [Learn the basics](#)

## .NET

### SDK for .NET

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/// <summary>
/// Get the descriptions of support severity levels.
/// </summary>
/// <param name="name">Optional language for severity levels.
/// Currently Chinese ("zh"), English ("en"), Japanese ("ja") and Korean
/// ("ko") are supported.</param>
/// <returns>The list of support severity levels.</returns>
public async Task<List<SeverityLevel>> DescribeSeverityLevels(string language
= "en")
{
    var response = await _amazonSupport.DescribeSeverityLevelsAsync(
        new DescribeSeverityLevelsRequest()
    {
        Language = language
    });
    return response.SeverityLevels;
}
```

- For API details, see [DescribeSeverityLevels](#) in *AWS SDK for .NET API Reference*.

## CLI

### AWS CLI

#### To list the available severity levels

The following `describe-severity-levels` example lists the available severity levels for a support case.

```
aws support describe-severity-levels
```

Output:

```
{  
    "severityLevels": [  
        {  
            "code": "low",  
            "name": "Low"  
        },  
        {  
            "code": "normal",  
            "name": "Normal"  
        },  
        {  
            "code": "high",  
            "name": "High"  
        },  
        {  
            "code": "urgent",  
            "name": "Urgent"  
        },  
        {  
            "code": "critical",  
            "name": "Critical"  
        }  
    ]  
}
```

For more information, see [Choosing a severity](#) in the *AWS Support User Guide*.

- For API details, see [DescribeSeverityLevels](#) in *AWS CLI Command Reference*.

## Java

### SDK for Java 2.x

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static String displaySevLevels(SupportClient supportClient) {  
    try {  
        DescribeSeverityLevelsRequest severityLevelsRequest =  
DescribeSeverityLevelsRequest.builder()  
            .language("en")  
            .build();  
  
        DescribeSeverityLevelsResponse response =  
supportClient.describeSeverityLevels(severityLevelsRequest);  
        List<SeverityLevel> severityLevels = response.severityLevels();  
        String levelName = null;  
        for (SeverityLevel sevLevel : severityLevels) {  
            System.out.println("The severity level name is: " +  
sevLevel.name());  
            if (sevLevel.name().compareTo("High") == 0)  
                levelName = sevLevel.name();  
        }  
        return levelName;  
  
    } catch (SupportException e) {  
        System.out.println(e.getLocalizedMessage());  
        System.exit(1);  
    }  
    return "";  
}
```

- For API details, see [DescribeSeverityLevels](#) in *AWS SDK for Java 2.x API Reference*.

## JavaScript

### SDK for JavaScript (v3)

 **Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import { DescribeSeverityLevelsCommand } from "@aws-sdk/client-support";
```

```
import { client } from "../libs/client.js";

export const main = async () => {
  try {
    // Get the list of severity levels.
    // The available values depend on the support plan for the account.
    const response = await client.send(new DescribeSeverityLevelsCommand({}));
    console.log(response.severityLevels);
    return response;
  } catch (err) {
    console.error(err);
  }
};
```

- For API details, see [DescribeSeverityLevels](#) in *AWS SDK for JavaScript API Reference*.

## Kotlin

### SDK for Kotlin

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
suspend fun displaySevLevels(): String {
    var levelName = ""
    val severityLevelsRequest =
        DescribeSeverityLevelsRequest {
            language = "en"
        }

    SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->
        val response =
        supportClient.describeSeverityLevels(severityLevelsRequest)
        response.severityLevels?.forEach { sevLevel ->
            println("The severity level name is: ${sevLevel.name}")
            if (sevLevel.name == "High") {
                levelName = sevLevel.name!!
            }
        }
    }
}
```

```
        }
        return levelName
    }
}
```

- For API details, see [DescribeSeverityLevels](#) in *AWS SDK for Kotlin API reference*.

## PowerShell

### Tools for PowerShell V4

**Example 1:** Returns the list of severity levels that can be assigned to an AWS Support case.

```
Get-ASASeverityLevel
```

**Example 2:** Returns the list of severity levels that can be assigned to an AWS Support case. The names of the levels are returned in Japanese.

```
Get-ASASeverityLevel -Language "ja"
```

- For API details, see [DescribeSeverityLevels](#) in *AWS Tools for PowerShell Cmdlet Reference (V4)*.

### Tools for PowerShell V5

**Example 1:** Returns the list of severity levels that can be assigned to an AWS Support case.

```
Get-ASASeverityLevel
```

**Example 2:** Returns the list of severity levels that can be assigned to an AWS Support case. The names of the levels are returned in Japanese.

```
Get-ASASeverityLevel -Language "ja"
```

- For API details, see [DescribeSeverityLevels](#) in *AWS Tools for PowerShell Cmdlet Reference (V5)*.

## Python

### SDK for Python (Boto3)

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
class SupportWrapper:  
    """Encapsulates Support actions."""  
  
    def __init__(self, support_client):  
        """  
        :param support_client: A Boto3 Support client.  
        """  
        self.support_client = support_client  
  
    @classmethod  
    def from_client(cls):  
        """  
        Instantiates this class from a Boto3 client.  
        """  
        support_client = boto3.client("support")  
        return cls(support_client)  
  
    def describe_severity_levels(self, language):  
        """  
        Get the descriptions of available severity levels for support cases for a  
        language.  
  
        :param language: The language for support severity levels.  
        Currently, only "en" (English) and "ja" (Japanese) are supported.  
        :return: The list of severity levels.  
        """  
        try:  
            response =  
        self.support_client.describe_severity_levels(language=language)  
            severity_levels = response["severityLevels"]  
        except ClientError as err:
```

```
        if err.response["Error"]["Code"] == "SubscriptionRequiredException":
            logger.info(
                "You must have a Business, Enterprise On-Ramp, or Enterprise
Support "
                "subscription to run these "
                "examples."
            )
        else:
            logger.error(
                "Couldn't get severity levels for language %s. Here's why:
%s: %s",
                language,
                err.response["Error"]["Code"],
                err.response["Error"]["Message"],
            )
            raise
    else:
        return severity_levels
```

- For API details, see [DescribeSeverityLevels](#) in *AWS SDK for Python (Boto3) API Reference*.

For a complete list of AWS SDK developer guides and code examples, see [Using AWS Support with an AWS SDK](#). This topic also includes information about getting started and details about previous SDK versions.

## Use **DescribeTrustedAdvisorCheckRefreshStatuses** with a CLI

The following code examples show how to use `DescribeTrustedAdvisorCheckRefreshStatuses`.

CLI

### AWS CLI

#### To list the refresh statuses of AWS Trusted Advisor checks

The following `describe-trusted-advisor-check-refresh-statuses` example lists the refresh statuses for two Trusted Advisor checks: Amazon S3 Bucket Permissions and IAM Use.

```
aws support describe-trusted-advisor-check-refresh-statuses \
--check-id "Pfx0RwqBli" "zXCKfM1nI3"
```

Output:

```
{  
    "statuses": [  
        {  
            "checkId": "Pfx0RwqBli",  
            "status": "none",  
            "millisUntilNextRefreshable": 0  
        },  
        {  
            "checkId": "zXCKfM1nI3",  
            "status": "none",  
            "millisUntilNextRefreshable": 0  
        }  
    ]  
}
```

For more information, see [AWS Trusted Advisor](#) in the *AWS Support User Guide*.

- For API details, see [DescribeTrustedAdvisorCheckRefreshStatuses](#) in *AWS CLI Command Reference*.

## PowerShell

### Tools for PowerShell V4

**Example 1: Returns the current status of refresh requests for the specified checks.**  
**Request-ASATrustedAdvisorCheckRefresh can be used to request that the status information of the checks be refreshed.**

```
Get-ASATrustedAdvisorCheckRefreshStatus -CheckId @("checkid1", "checkid2")
```

- For API details, see [DescribeTrustedAdvisorCheckRefreshStatuses](#) in *AWS Tools for PowerShell Cmdlet Reference (V4)*.

## Tools for PowerShell V5

**Example 1: Returns the current status of refresh requests for the specified checks.**  
**Request-ASATrustedAdvisorCheckRefresh can be used to request that the status information of the checks be refreshed.**

```
Get-ASATrustedAdvisorCheckRefreshStatus -CheckId @("checkid1", "checkid2")
```

- For API details, see [DescribeTrustedAdvisorCheckRefreshStatuses](#) in *AWS Tools for PowerShell Cmdlet Reference (V5)*.

For a complete list of AWS SDK developer guides and code examples, see [Using AWS Support with an AWS SDK](#). This topic also includes information about getting started and details about previous SDK versions.

## Use **DescribeTrustedAdvisorCheckResult** with a CLI

The following code examples show how to use **DescribeTrustedAdvisorCheckResult**.

### CLI

#### AWS CLI

##### To list the results of an AWS Trusted Advisor check

The following `describe-trusted-advisor-check-result` example lists the results of the IAM Use check.

```
aws support describe-trusted-advisor-check-result \
--check-id "zXCKfM1nI3"
```

Output:

```
{
  "result": {
    "checkId": "zXCKfM1nI3",
    "timestamp": "2020-05-13T21:38:05Z",
    "status": "ok",
    "resourcesSummary": {
      "resourcesProcessed": 1,
      "resourcesFlagged": 0,
```

```
        "resourcesIgnored": 0,
        "resourcesSuppressed": 0
    },
    "categorySpecificSummary": {
        "costOptimizing": {
            "estimatedMonthlySavings": 0.0,
            "estimatedPercentMonthlySavings": 0.0
        }
    },
    "flaggedResources": [
        {
            "status": "ok",
            "resourceId": "47DEQpj8HBSa-_TImW-5JCeUQeRkm5NMpJWZEXAMPLE",
            "isSuppressed": false
        }
    ]
}
```

For more information, see [AWS Trusted Advisor](#) in the *AWS Support User Guide*.

- For API details, see [DescribeTrustedAdvisorCheckResult](#) in *AWS CLI Command Reference*.

## PowerShell

### Tools for PowerShell V4

**Example 1:** Returns the results of a Trusted Advisor check. The list of available Trusted Advisor checks can be obtained using `Get-ASATrustedAdvisorChecks`. The output is the overall status of the check, the timestamp at which the check was last run and the unique checkid for the specific check. To have the results output in Japanese, add the `-Language "ja"` parameter.

```
Get-ASATrustedAdvisorCheckResult -CheckId "checkid1"
```

- For API details, see [DescribeTrustedAdvisorCheckResult](#) in *AWS Tools for PowerShell Cmdlet Reference (V4)*.

### Tools for PowerShell V5

**Example 1:** Returns the results of a Trusted Advisor check. The list of available Trusted Advisor checks can be obtained using `Get-ASATrustedAdvisorChecks`. The output is

the overall status of the check, the timestamp at which the check was last run and the unique checkid for the specific check. To have the results output in Japanese, add the `-Language "ja"` parameter.

```
Get-ASATrustedAdvisorCheckResult -CheckId "checkid1"
```

- For API details, see [DescribeTrustedAdvisorCheckResult](#) in *AWS Tools for PowerShell Cmdlet Reference (V5)*.

For a complete list of AWS SDK developer guides and code examples, see [Using AWS Support with an AWS SDK](#). This topic also includes information about getting started and details about previous SDK versions.

## Use `DescribeTrustedAdvisorCheckSummaries` with a CLI

The following code examples show how to use `DescribeTrustedAdvisorCheckSummaries`.

CLI

### AWS CLI

#### To list the summaries of AWS Trusted Advisor checks

The following `describe-trusted-advisor-check-summaries` example lists the results for two Trusted Advisor checks: Amazon S3 Bucket Permissions and IAM Use.

```
aws support describe-trusted-advisor-check-summaries \
--check-ids "Pfx0RwqBli" "zXCKfM1nI3"
```

Output:

```
{
  "summaries": [
    {
      "checkId": "Pfx0RwqBli",
      "timestamp": "2020-05-13T21:38:12Z",
      "status": "ok",
      "hasFlaggedResources": true,
      "resourcesSummary": {
```

```
        "resourcesProcessed": 44,
        "resourcesFlagged": 0,
        "resourcesIgnored": 0,
        "resourcesSuppressed": 0
    },
    "categorySpecificSummary": {
        "costOptimizing": {
            "estimatedMonthlySavings": 0.0,
            "estimatedPercentMonthlySavings": 0.0
        }
    }
},
{
    "checkId": "zXCkfM1nI3",
    "timestamp": "2020-05-13T21:38:05Z",
    "status": "ok",
    "hasFlaggedResources": true,
    "resourcesSummary": {
        "resourcesProcessed": 1,
        "resourcesFlagged": 0,
        "resourcesIgnored": 0,
        "resourcesSuppressed": 0
    },
    "categorySpecificSummary": {
        "costOptimizing": {
            "estimatedMonthlySavings": 0.0,
            "estimatedPercentMonthlySavings": 0.0
        }
    }
}
]
```

For more information, see [AWS Trusted Advisor](#) in the *AWS Support User Guide*.

- For API details, see [DescribeTrustedAdvisorCheckSummaries](#) in *AWS CLI Command Reference*.

## PowerShell

### Tools for PowerShell V4

**Example 1: Returns the latest summary for the specified Trusted Advisor check.**

```
Get-ASATrustedAdvisorCheckSummary -CheckId "checkid1"
```

### Example 2: Returns the latest summaries for the specified Trusted Advisor checks.

```
Get-ASATrustedAdvisorCheckSummary -CheckId @("checkid1", "checkid2")
```

- For API details, see [DescribeTrustedAdvisorCheckSummaries](#) in *AWS Tools for PowerShell Cmdlet Reference (V4)*.

## Tools for PowerShell V5

### Example 1: Returns the latest summary for the specified Trusted Advisor check.

```
Get-ASATrustedAdvisorCheckSummary -CheckId "checkid1"
```

### Example 2: Returns the latest summaries for the specified Trusted Advisor checks.

```
Get-ASATrustedAdvisorCheckSummary -CheckId @("checkid1", "checkid2")
```

- For API details, see [DescribeTrustedAdvisorCheckSummaries](#) in *AWS Tools for PowerShell Cmdlet Reference (V5)*.

For a complete list of AWS SDK developer guides and code examples, see [Using AWS Support with an AWS SDK](#). This topic also includes information about getting started and details about previous SDK versions.

## Use **DescribeTrustedAdvisorChecks** with a CLI

The following code examples show how to use **DescribeTrustedAdvisorChecks**.

### CLI

#### AWS CLI

##### To list the available AWS Trusted Advisor checks

The following `describe-trusted-advisor-checks` example lists the available Trusted Advisor checks in your AWS account. This information includes the check name, ID, description, category, and metadata. Note that the output is shortened for readability.

```
aws support describe-trusted-advisor-checks \
--language "en"
```

Output:

```
{
  "checks": [
    {
      "id": "zXCKfM1nI3",
      "name": "IAM Use",
      "description": "Checks for your use of AWS Identity and Access Management (IAM). You can use IAM to create users, groups, and roles in AWS, and you can use permissions to control access to AWS resources. \n<br>\n<br><b>Alert Criteria</b><br>\nYellow: No IAM users have been created for this account.\n<br>\n<br><b>Recommended Action</b><br>\nCreate one or more IAM users and groups in your account. You can then create additional users whose permissions are limited to perform specific tasks in your AWS environment. For more information, see <a href=\"https://docs.aws.amazon.com/IAM/latest/UserGuide/IAMGettingStarted.html\" target=\"_blank\">Getting Started</a>. \n<br><br>\n<b>Additional Resources</b><br>\n<a href=\"https://docs.aws.amazon.com/IAM/latest/UserGuide/IAM_Introduction.html\" target=\"_blank\">What Is IAM?</a>",
      "category": "security",
      "metadata": []
    }
  ]
}
```

For more information, see [AWS Trusted Advisor](#) in the *AWS Support User Guide*.

- For API details, see [DescribeTrustedAdvisorChecks](#) in *AWS CLI Command Reference*.

## PowerShell

### Tools for PowerShell V4

**Example 1: Returns the collection of Trusted Advisor checks. You must specify the Language parameter which can accept either "en" for English output or "ja" for Japanese output.**

```
Get-ASATrustedAdvisorCheck -Language "en"
```

- For API details, see [DescribeTrustedAdvisorChecks](#) in *AWS Tools for PowerShell Cmdlet Reference (V4)*.

## Tools for PowerShell V5

**Example 1: Returns the collection of Trusted Advisor checks. You must specify the Language parameter which can accept either "en" for English output or "ja" for Japanese output.**

```
Get-ASATrustedAdvisorCheck -Language "en"
```

- For API details, see [DescribeTrustedAdvisorChecks](#) in *AWS Tools for PowerShell Cmdlet Reference (V5)*.

For a complete list of AWS SDK developer guides and code examples, see [Using AWS Support with an AWS SDK](#). This topic also includes information about getting started and details about previous SDK versions.

## Use RefreshTrustedAdvisorCheck with a CLI

The following code examples show how to use RefreshTrustedAdvisorCheck.

### CLI

#### AWS CLI

##### To refresh an AWS Trusted Advisor check

The following `refresh-trusted-advisor-check` example refreshes the Amazon S3 Bucket Permissions Trusted Advisor check in your AWS account.

```
aws support refresh-trusted-advisor-check \
--check-id "Pfx0RwqBli"
```

Output:

```
{
  "status": {
    "checkId": "Pfx0RwqBli",
    "status": "queued",
```

```
        "millisUntilNextRefreshable": 3599992
    }
}
```

For more information, see [AWS Trusted Advisor](#) in the *AWS Support User Guide*.

- For API details, see [RefreshTrustedAdvisorCheck](#) in *AWS CLI Command Reference*.

## PowerShell

### Tools for PowerShell V4

**Example 1: Requests a refresh for the specified Trusted Advisor check.**

```
Request-ASATrustedAdvisorCheckRefresh -CheckId "checkid1"
```

- For API details, see [RefreshTrustedAdvisorCheck](#) in *AWS Tools for PowerShell Cmdlet Reference (V4)*.

### Tools for PowerShell V5

**Example 1: Requests a refresh for the specified Trusted Advisor check.**

```
Request-ASATrustedAdvisorCheckRefresh -CheckId "checkid1"
```

- For API details, see [RefreshTrustedAdvisorCheck](#) in *AWS Tools for PowerShell Cmdlet Reference (V5)*.

For a complete list of AWS SDK developer guides and code examples, see [Using AWS Support with an AWS SDK](#). This topic also includes information about getting started and details about previous SDK versions.

## Use ResolveCase with an AWS SDK or CLI

The following code examples show how to use ResolveCase.

Action examples are code excerpts from larger programs and must be run in context. You can see this action in context in the following code example:

- [Learn the basics](#)

## .NET

### SDK for .NET

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
/// <summary>
/// Resolve a support case by caseId.
/// </summary>
/// <param name="caseId">Id for the support case.</param>
/// <returns>The final status of the case after resolving.</returns>
public async Task<string> ResolveCase(string caseId)
{
    var response = await _amazonSupport.ResolveCaseAsync(
        new ResolveCaseRequest()
    {
        CaseId = caseId
    });
    return response.FinalCaseStatus;
}
```

- For API details, see [ResolveCase](#) in *AWS SDK for .NET API Reference*.

## CLI

### AWS CLI

#### To resolve a support case

The following `resolve-case` example resolves a support case in your AWS account.

```
aws support resolve-case \
--case-id "case-12345678910-2013-c4c1d2bf33c5cf47"
```

**Output:**

```
{  
    "finalCaseStatus": "resolved",  
    "initialCaseStatus": "work-in-progress"  
}
```

For more information, see [Case management](#) in the *AWS Support User Guide*.

- For API details, see [ResolveCase](#) in *AWS CLI Command Reference*.

**Java****SDK for Java 2.x****Note**

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
public static void resolveSupportCase(SupportClient supportClient, String  
caseId) {  
    try {  
        ResolveCaseRequest caseRequest = ResolveCaseRequest.builder()  
            .caseId(caseId)  
            .build();  
  
        ResolveCaseResponse response =  
supportClient.resolveCase(caseRequest);  
        System.out.println("The status of case " + caseId + " is " +  
response.finalCaseStatus());  
  
    } catch (SupportException e) {  
        System.out.println(e.getLocalizedMessage());  
        System.exit(1);  
    }  
}
```

- For API details, see [ResolveCase](#) in *AWS SDK for Java 2.x API Reference*.

## JavaScript

### SDK for JavaScript (v3)

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
import { ResolveCaseCommand } from "@aws-sdk/client-support";

import { client } from "../libs/client.js";

const main = async () => {
  try {
    const response = await client.send(
      new ResolveCaseCommand({
        caseId: "CASE_ID",
      }),
    );

    console.log(response.finalCaseStatus);
    return response;
  } catch (err) {
    console.error(err);
  }
};
```

- For API details, see [ResolveCase](#) in *AWS SDK for JavaScript API Reference*.

## Kotlin

### SDK for Kotlin

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
suspend fun resolveSupportCase(caseIdVal: String) {  
    val caseRequest =  
        ResolveCaseRequest {  
            caseId = caseIdVal  
        }  
    SupportClient.fromEnvironment { region = "us-west-2" }.use { supportClient ->  
        val response = supportClient.resolveCase(caseRequest)  
        println("The status of case $caseIdVal is ${response.finalCaseStatus}")  
    }  
}
```

- For API details, see [ResolveCase](#) in *AWS SDK for Kotlin API reference*.

## PowerShell

### Tools for PowerShell V4

**Example 1: Returns the initial state of the specified case and the current state after the call to resolve it is completed.**

```
Resolve-ASACase -CaseId "case-12345678910-2013-c4c1d2bf33c5cf47"
```

- For API details, see [ResolveCase](#) in *AWS Tools for PowerShell Cmdlet Reference (V4)*.

### Tools for PowerShell V5

**Example 1: Returns the initial state of the specified case and the current state after the call to resolve it is completed.**

```
Resolve-ASACase -CaseId "case-12345678910-2013-c4c1d2bf33c5cf47"
```

- For API details, see [ResolveCase](#) in *AWS Tools for PowerShell Cmdlet Reference (V5)*.

## Python

### SDK for Python (Boto3)

#### Note

There's more on GitHub. Find the complete example and learn how to set up and run in the [AWS Code Examples Repository](#).

```
class SupportWrapper:  
    """Encapsulates Support actions."""  
  
    def __init__(self, support_client):  
        """  
        :param support_client: A Boto3 Support client.  
        """  
        self.support_client = support_client  
  
    @classmethod  
    def from_client(cls):  
        """  
        Instantiates this class from a Boto3 client.  
        """  
        support_client = boto3.client("support")  
        return cls(support_client)  
  
    def resolve_case(self, case_id):  
        """  
        Resolve a support case by its caseId.  
  
        :param case_id: The ID of the case to resolve.  
        :return: The final status of the case.  
        """  
        try:  
            response = self.support_client.resolve_case(caseId=case_id)  
            final_status = response["finalCaseStatus"]  
        except ClientError as err:  
            if err.response["Error"]["Code"] == "SubscriptionRequiredException":  
                logger.info(
```

```
Support "
        "You must have a Business, Enterprise On-Ramp, or Enterprise
subscription to run these "
        "examples."
    )
else:
    logger.error(
        "Couldn't resolve case. Here's why: %s: %s",
        err.response["Error"]["Code"],
        err.response["Error"]["Message"],
    )
    raise
else:
    return final_status
```

- For API details, see [ResolveCase](#) in *AWS SDK for Python (Boto3) API Reference*.

For a complete list of AWS SDK developer guides and code examples, see [Using AWS Support with an AWS SDK](#). This topic also includes information about getting started and details about previous SDK versions.

# Monitoring and logging for AWS Support

Monitoring is an important part of maintaining the reliability, availability, and performance of Support and your other AWS solutions. AWS provides the following monitoring tools to watch Support, report when something is wrong, and take automatic actions when appropriate:

- *Amazon EventBridge* delivers a near real-time stream of system events that describe changes in AWS resources. EventBridge enables automated event-driven computing, as you can write rules that watch for certain events and trigger automated actions in other AWS services when these events happen. For more information, see the [Amazon EventBridge User Guide](#).
- *AWS CloudTrail* captures API calls and related events made by or on behalf of your AWS account and delivers the log files to an Amazon S3 bucket that you specify. You can identify which users and accounts called AWS, the source IP address from which the calls were made, and when the calls occurred. For more information, see the [AWS CloudTrail User Guide](#).

## Topics

- [Integrating AWS Support into event-driven applications using Amazon EventBridge](#)
- [Logging AWS Support API calls with AWS CloudTrail](#)
- [Logging AWS Support App in Slack API calls using AWS CloudTrail](#)

## Integrating AWS Support into event-driven applications using Amazon EventBridge

You can incorporate AWS Support into event-driven applications (EDAs) that use events that occur in AWS Support to communicate between application components and initiate downstream processes.

For example, you can get notified whenever the following AWS Support events occur in your account:

- A support case is created, resolved, or reopened
- A correspondence is added to an existing support case


You do this by using Amazon EventBridge to route events from AWS Support to other software components. Amazon EventBridge is a serverless service that uses events to connect application components together, making it easier for you to integrate AWS services like AWS Support into event-driven architectures without additional code and operations.

## How EventBridge routes AWS Support events

Here's how EventBridge works with AWS Support events:

As with many AWS services, AWS Support generates and sends events to the EventBridge default *event bus*. An event bus is a router that receives events and routes them to the destinations, or *targets*, that you specify. Targets can include other AWS services, custom applications, and SaaS partner applications.

EventBridge routes events according to *rules* you create on the event bus. For each rule, you specify a filter, or *event pattern*, to select only the events you want. Whenever an event is sent to the event bus, EventBridge compares it against each rule. If the event matches the rule, EventBridge routes the event to the specified target(s).



## AWS Support events

AWS Support sends the following events to the default EventBridge event bus automatically.

Event detail type	Description
<a href="#">Support Case Update</a>	Represents a change in a support case.

## Event structure

All events from AWS services contain two types of data:

- A common set of fields containing metadata about the event, such as the AWS service that is the source of the event, the time the event was generated, the account and region in which the event took place, and others. For definitions of these general fields, see [Event structure](#) in the *Amazon EventBridge Events Reference*.
- A detail field that contains data specific to that particular service event.

## AWS Support event delivery via AWS CloudTrail

AWS services can send events directly to the EventBridge default event bus. In addition, AWS CloudTrail sends events originating from numerous AWS services to EventBridge as well. These events can include API calls, console signins and actions, service events, and CloudTrail Insights. For more information, see [AWS service events delivered via AWS CloudTrail](#) in the *EventBridge User Guide*.

For a list of AWS Support events sent to EventBridge, refer to the AWS Support topic in the [EventBridge Events Reference](#).

## Creating event patterns that match AWS Support events

Event patterns are filters where specify the data that the events you want to select should have.

Each event pattern is a JSON object that contains:

- A `source` attribute that identifies the service sending the event. For AWS Support events, the source is `aws.support`.
- (Optional): A `detail-type` attribute that contains an array of the event names to match.
- (Optional): A `detail` attribute containing any other event data on which to match.

For example, the following event pattern would select all Support Case Update events from AWS Support:

```
{  
  "source": ["aws.support"],
```

```
"detail-type": ["Support Case Update"]  
}
```

You can get more specific in your event selection by including values in the event itself. For example, the following event pattern matches Support Case Update events that represent a case being reopened:

```
{  
    "source": ["aws.support"],  
    "detail-type": ["Support Case Update"],  
    "detail": {  
        "event-name": "ReopenCase"  
    }  
}
```

For more information on writing event patterns, see [Event patterns](#) in the *EventBridge User Guide*.

## See also

For more information about how to use EventBridge with AWS Support, see the following resources:

- [How to automate AWS Support API with Amazon EventBridge](#)
- [AWS Support case activity notifier](#) on GitHub

## Support Case Update event

Below are the detail fields for the Support Case Update event.

The source and detail-type fields are included below because they contain specific values for AWS Support events. For definitions of the other metadata fields that are included in all events, see [Event structure](#) in the *Amazon EventBridge Events Reference*.

```
{  
    . . .,  
    "detail-type": "Support Case Update",  
    "source": "aws.support",  
    . . .,  
    "detail": {
```

```
"case-id" : "string",
"display-id" : "string",
"communication-id" : "string",
"event-name" : "string",
"origin" : "string"
}
}
```

## detail-type

Identifies the type of event.

For this event, this value is `Support Case Update`.

## source

Identifies the service that generated the event. For AWS Support events, this value is `aws.support`.

## detail

A JSON object that contains information about the event. The service generating the event determines the content of this field.

For this event, this data includes:

### case-id

The support case ID. The case ID is an alphanumeric string in the following format:  
`case-12345678910-2013-c4c1d2bf33c5cf47`.

### display-id

The identifier for the case on pages in the AWS Support Center.

### communication-id

The communication ID.

### event-name

*Valid values:* `CreateCase` | `AddCommunicationToCase` | `ResolveCase` | `ReopenCase`

Specifies the type of support case event.

## origin

*Valid values:* AWS | CUSTOMER

Specifies whether you or an AWS Support agent added a case correspondence to a support case.

Currently, only events with an event-name of AddCommunicationToCase will contain have this value.

### Example Support Case Update event example: Support case created

```
{  
  "version": "0",  
  "id": "3433df007-9285-55a3-f6d1-536944be45d7",  
  "detail-type": "Support Case Update",  
  "source": "aws.support",  
  "account": "111122223333",  
  "time": "2022-02-21T15:51:19Z",  
  "region": "us-east-1",  
  "resources": [],  
  "detail": {  
    "case-id": "case-111122223333-muen-2022-7118885805350839",  
    "display-id": "1234563851",  
    "communication-id": "",  
    "event-name": "CreateCase",  
    "origin": ""  
  }  
}
```

### Example Support Case Update event example: AWS Support replies to a support case

```
{  
  "version": "0",  
  "id": "f90cb8cb-32be-1c91-c0ba-d50b4ca5e51b",  
  "detail-type": "Support Case Update",  
  "source": "aws.support",  
  "account": "111122223333",  
  "time": "2022-02-21T15:51:31Z",  
  "region": "us-east-1",  
  "resources": [],  
  "detail": {
```

```
        "case-id": "case-111122223333-muen-2022-7118885805350839",
        "display-id": "1234563851",
        "communication-id": "ekko:us-east-1:12345678-268a-424b-be08-54613cab84d2",
        "event-name": "AddCommunicationToCase",
        "origin": "AWS"
    }
}
```

## Example Support Case Update event example: Support case resolved

```
{
    "version": "0",
    "id": "1aa4458d-556f-732e-ddc1-4a5b2fb14a5",
    "detail-type": "Support Case Update",
    "source": "aws.support",
    "account": "111122223333",
    "time": "2022-02-21T15:51:31Z",
    "region": "us-east-1",
    "resources": [],
    "detail": {
        "case-id": "case-111122223333-muen-2022-7118885805350839",
        "display-id": "1234563851",
        "communication-id": "",
        "event-name": "ResolveCase",
        "origin": ""
    }
}
```

## Example Support Case Update event example: Support case reopened

```
{
    "version": "0",
    "id": "3bb9d8fe-6089-ad27-9508-804209b233ad",
    "detail-type": "Support Case Update",
    "source": "aws.support",
    "account": "111122223333",
    "time": "2022-02-21T15:47:19Z",
    "region": "us-east-1",
    "resources": [],
    "detail": {
        "case-id": "case-111122223333-muen-2021-27f40618fe0303ea",
        "display-id": "1234563851",
        "communication-id": ""
    }
}
```

```
        "event-name": "ReopenCase",
        "origin": ""
    }
}
```

## Logging AWS Support API calls with AWS CloudTrail

AWS Support is integrated with AWS CloudTrail, a service that provides a record of actions taken by a user, role, or an AWS service in AWS Support. CloudTrail captures API calls for AWS Support as events. The calls captured include calls from the AWS Support console and code calls to the AWS Support API operations.

If you create a trail, you can enable continuous delivery of CloudTrail events to an Amazon Simple Storage Service (Amazon S3) bucket, including events for AWS Support. If you don't configure a trail, you can still view the most recent events in the CloudTrail console in **Event history**.

Using the information collected by CloudTrail, you can determine the request that was made to AWS Support, the IP address from which the request was made, who made the request, when it was made, and additional details.

To learn more about CloudTrail, including how to configure and enable it, see the [AWS CloudTrail User Guide](#).

## AWS Support information in CloudTrail

CloudTrail is enabled on your AWS account when you create the account. When supported event activity occurs in AWS Support, that activity is recorded in a CloudTrail event along with other AWS service events in **Event history**. You can view, search, and download recent events in your AWS account. For more information, see [Viewing events with CloudTrail event history](#).

For an ongoing record of events in your AWS account, including events for AWS Support, create a *trail*. A trail enables CloudTrail to deliver log files to an Amazon S3 bucket. By default, when you create a trail in the console, the trail applies to all AWS Regions. The trail logs events from all Regions in the AWS partition and delivers the log files to the Amazon S3 bucket that you specify. Additionally, you can configure other AWS services to further analyze and act upon the event data collected in CloudTrail logs. For more information, see the following:

- [Overview for creating a trail](#)

- [CloudTrail supported services and integrations](#)
- [Configuring Amazon SNS notifications for CloudTrail](#)
- [Receiving CloudTrail log files from multiple Regions](#) and [Receiving CloudTrail log files from multiple accounts](#)

All AWS Support API operations are logged by CloudTrail and are documented in the [AWS Support API Reference](#).

For example, calls to the `CreateCase`, `DescribeCases` and `ResolveCase` operations generate entries in the CloudTrail log files.

Every event or log entry contains information about who generated the request. The identity information helps you determine the following:

- Whether the request was made with root or AWS Identity and Access Management (IAM) user credentials.
- Whether the request was made with temporary security credentials for a role or federated user.
- Whether the request was made by another AWS service.

For more information, see the [CloudTrail userIdentity element](#).

You can also aggregate AWS Support log files from multiple AWS Regions and multiple AWS accounts into a single Amazon S3 bucket.

## AWS Trusted Advisor information in CloudTrail logging

Trusted Advisor is an AWS Support service that you can use to check your AWS account for ways to save costs, improve security, and optimize your account.

All Trusted Advisor API operations are logged by CloudTrail and are documented in the [AWS Support API Reference](#).

For example, calls to the `DescribeTrustedAdvisorCheckRefreshStatuses`, `DescribeTrustedAdvisorCheckResult` and `RefreshTrustedAdvisorCheck` operations generate entries in the CloudTrail log files.

**Note**

CloudTrail also logs Trusted Advisor console actions. See [Logging AWS Trusted Advisor console actions with AWS CloudTrail](#).

## Understanding AWS Support log file entries

A trail is a configuration that enables delivery of events as log files to an Amazon S3 bucket that you specify. CloudTrail log files contain one or more log entries. An event represents a single request from any source. It includes information about the requested operation, the date and time of the operation, request parameters, and so on. CloudTrail log files aren't an ordered stack trace of the public API calls, so they don't appear in any specific order.

### Example : Log entry for CreateCase

The following example shows a CloudTrail log entry for the [CreateCase](#) operation.

```
{  
  "Records": [  
    {  
      "eventVersion": "1.04",  
      "userIdentity": {  
        "type": "IAMUser",  
        "principalId": "AIDACKCEVSQ6C2EXAMPLE",  
        "arn": "arn:aws:iam::111122223333:user/janedoe",  
        "accountId": "111122223333",  
        "accessKeyId": "AKIAIOSFODNN7EXAMPLE",  
        "userName": "janedoe",  
        "sessionContext": {  
          "attributes": {  
            "mfaAuthenticated": "false",  
            "creationDate": "2016-04-13T17:51:37Z"  
          }  
        },  
        "invokedBy": "signin.amazonaws.com"  
      },  
      "eventTime": "2016-04-13T18:05:53Z",  
      "eventSource": "support.amazonaws.com",  
      "eventName": "CreateCase",  
      "awsRegion": "us-east-1",  
      "sourceIPAddress": "198.51.100.15",  
      "recipientAccountId": "111122223333"  
    }  
  ]  
}
```

```
        "userAgent": "signin.amazonaws.com",
        "requestParameters": {
            "severityCode": "low",
            "categoryCode": "other",
            "language": "en",
            "serviceCode": "support-api",
            "issueType": "technical"
        },
        "responseElements": {
            "caseId": "case-111122223333-muen-2016-c3f2077e504940f2"
        },
        "requestID": "58c257ef-01a2-11e6-be2a-01c031063738",
        "eventID": "5aa34bfc-ad5b-4fb1-8a55-2277c86e746a",
        "eventType": "AwsApiCall",
        "recipientAccountId": "111122223333"
    }
],
...
}
```

## Example : Log entry for RefreshTrustedAdvisorCheck

The following example shows a CloudTrail log entry for the [RefreshTrustedAdvisorCheck](#) operation.

```
{
    "eventVersion": "1.05",
    "userIdentity": {
        "type": "IAMUser",
        "principalId": "AIDACKCEVSQ6C2EXAMPLE",
        "arn": "arn:aws:iam::111122223333:user/Admin",
        "accountId": "111122223333",
        "accessKeyId": "AKIAIOSFODNN7EXAMPLE",
        "userName": "Admin"
    },
    "eventTime": "2020-10-21T16:34:13Z",
    "eventSource": "support.amazonaws.com",
    "eventName": "RefreshTrustedAdvisorCheck",
    "awsRegion": "us-east-1",
    "sourceIPAddress": "72.21.198.67",
    "userAgent": "signin.amazonaws.com",
    "requestParameters": {
        "checkId": "Pfx0RwqBli"
    },
    "responseElements": null,
```

```
"requestID": "4c4d5fc8-c403-4f82-9544-41f820e0fa01",
"eventID": "2f4630ac-5c27-4f0d-b93f-63742d6fc85e",
"eventType": "AwsApiCall",
"recipientAccountId": "111122223333"
}
```

## Logging AWS Support App in Slack API calls using AWS CloudTrail

The AWS Support App in Slack is integrated with AWS CloudTrail. CloudTrail provides a record of actions taken by a user, role, or an AWS service in the AWS Support App. To create this record, CloudTrail captures all public API calls for AWS Support App as events. These captured calls include calls from the AWS Support App console, and code calls to the AWS Support App public API operations. If you create a trail, you can enable continuous delivery of CloudTrail events to an Amazon S3 bucket. These include events for AWS Support App. If you don't configure a trail, you can still view the most recent events in the CloudTrail console in **Event history**. You can use the information that CloudTrail collects to determine that the request that was made to AWS Support App. You can also learn the IP address where the call originated, who made the request, when it was made, and additional details.

To learn more about CloudTrail, see the [AWS CloudTrail User Guide](#).

## AWS Support App information in CloudTrail

When you create your AWS account, this activates CloudTrail on the account. When public API activity occurs in the AWS Support App, that activity is recorded in a CloudTrail event, along with other AWS service events in **Event history**. You can view, search, and download recent events in your AWS account. For more information, see [Viewing events with CloudTrail Event history](#).

For an ongoing record of events in your AWS account, including events for AWS Support App, create a *trail*. By default, when you create a trail in the console, the trail applies to all AWS Regions. The trail logs events from all Regions in the AWS partition and delivers the log files to the Amazon S3 bucket that you specify. Additionally, you can configure other AWS services to analyze further the event data collected in CloudTrail logs and act upon the data. For more information, see the following:

- [Overview for creating a trail](#)
- [CloudTrail supported services and integrations](#)

- [Configuring Amazon SNS notifications for CloudTrail](#)
- [Receiving CloudTrail log files from multiple regions](#) and [Receiving CloudTrail log files from multiple accounts](#)

CloudTrail logs all public AWS Support App actions. These actions are also documented in the [AWS Support App in Slack API Reference](#). For example, calls to the CreateSlackChannelConfiguration, GetAccountAlias and UpdateSlackChannelConfiguration actions generate entries in the CloudTrail log files.

Every event or log entry contains information about who generated the request. The identity information helps you determine the following:

- Whether the request was made with root or AWS Identity and Access Management (IAM) user credentials.
- Whether the request was made with temporary security credentials for a role or federated user.
- Whether the request was made by another AWS service.

For more information, see the [CloudTrail userIdentity element](#).

## Understanding AWS Support App log file entries

A trail is a configuration that enables delivery of events as log files to an Amazon S3 bucket that you specify. CloudTrail log files contain one or more log entries. An event represents a single request from any source and includes information about the requested action, the date and time of the action, request parameters, and so on. CloudTrail log files aren't an ordered stack trace of the public API calls. This means that the logs don't appear in any specific order.

### Example : Log example for CreateSlackChannelConfiguration

The following example shows a CloudTrail log entry for the [CreateSlackChannelConfiguration](#) operation.

```
{  
    "eventVersion": "1.08",  
    "userIdentity": {  
        "type": "AssumedRole",  
        "principalId": "AIDACKCEVSQ6C2EXAMPLE:JaneDoe",  
        "arn": "arn:aws:sts::111122223333:assumed-role/Administrator/JaneDoe",  
        "accountId": "111122223333",  
    },  
}
```

```
"accessKeyId": "AKIAI44QH8DHBEXAMPLE",
"sessionContext": {
    "sessionIssuer": {
        "type": "Role",
        "principalId": "AIDACKCEVSQ6C2EXAMPLE",
        "arn": "arn:aws:iam::111122223333:role/Administrator",
        "accountId": "111122223333",
        "userName": "Administrator"
    },
    "webIdFederationData": {},
    "attributes": {
        "creationDate": "2022-02-26T01:37:57Z",
        "mfaAuthenticated": "false"
    }
},
"eventTime": "2022-02-26T01:48:20Z",
"eventSource": "supportapp.amazonaws.com",
"eventName": "CreateSlackChannelConfiguration",
"awsRegion": "us-east-1",
"sourceIPAddress": "205.251.233.183",
"userAgent": "aws-cli/1.3.23 Python/2.7.6 Linux/2.6.18-164.el5",
"requestParameters": {
    "notifyOnCreateOrReopenCase": true,
    "teamId": "T012ABCDEFG",
    "notifyOnAddCorrespondenceToCase": true,
    "notifyOnCaseSeverity": "all",
    "channelName": "troubleshooting-channel",
    "notifyOnResolveCase": true,
    "channelId": "C01234A5BCD",
    "channelRoleArn": "arn:aws:iam::111122223333:role/AWSSupportAppRole"
},
"responseElements": null,
"requestID": "d06df6ca-c233-4ffb-bbfff-63470c5dc255",
"eventID": "0898ce29-a396-444a-899d-b068f390c361",
"readOnly": false,
"eventType": "AwsApiCall",
"managementEvent": true,
"recipientAccountId": "111122223333",
"eventCategory": "Management"
}
```

## Example : Log example for [ListSlackChannelConfigurations](#)

The following example shows a CloudTrail log entry for the [ListSlackChannelConfigurations](#) operation.

```
{  
    "eventVersion": "1.08",  
    "userIdentity": {  
        "type": "AssumedRole",  
        "principalId": "AIDACKCEVSQ6C2EXAMPLE:AWSSupportAppRole",  
        "arn": "arn:aws:sts::111122223333:assumed-role/AWSSupportAppRole",  
        "accountId": "111122223333",  
        "accessKeyId": "AKIAI44QH8DHBEXAMPLE",  
        "sessionContext": {  
            "sessionIssuer": {  
                "type": "Role",  
                "principalId": "AIDACKCEVSQ6C2EXAMPLE",  
                "arn": "arn:aws:iam::111122223333:role/AWSSupportAppRole",  
                "accountId": "111122223333",  
                "userName": "AWSSupportAppRole"  
            },  
            "webIdFederationData": {},  
            "attributes": {  
                "creationDate": "2022-03-01T20:06:32Z",  
                "mfaAuthenticated": "false"  
            }  
        }  
    },  
    "eventTime": "2022-03-01T20:06:46Z",  
    "eventSource": "supportapp.amazonaws.com",  
    "eventName": "ListSlackChannelConfigurations",  
    "awsRegion": "us-east-1",  
    "sourceIPAddress": "72.21.217.131",  
    "userAgent": "aws-cli/1.3.23 Python/2.7.6 Linux/2.6.18-164.el5",  
    "requestParameters": null,  
    "responseElements": null,  
    "requestID": "20f81d63-31c5-4351-bd02-9eda7f76e7b8",  
    "eventID": "70acb7fe-3f84-47cd-8c28-cc148ad06d21",  
    "readOnly": true,  
    "eventType": "AwsApiCall",  
    "managementEvent": true,  
    "recipientAccountId": "111122223333",  
    "eventCategory": "Management"
```

}

## Example : Log example for GetAccountAlias

The following example shows a CloudTrail log entry for the [GetAccountAlias](#) operation.

```
{  
    "eventVersion": "1.08",  
    "userIdentity": {  
        "type": "AssumedRole",  
        "principalId": "AIDACKCEVSQ6C2EXAMPLE:devdsk",  
        "arn": "arn:aws:sts::111122223333:assumed-role/AWSSupportAppRole/devdsk",  
        "accountId": "111122223333",  
        "accessKeyId": "AKIAI44QH8DHBEXAMPLE",  
        "sessionContext": {  
            "sessionIssuer": {  
                "type": "Role",  
                "principalId": "AIDACKCEVSQ6C2EXAMPLE",  
                "arn": "arn:aws:iam::111122223333:role/AWSSupportAppRole",  
                "accountId": "111122223333",  
                "userName": "AWSSupportAppRole"  
            },  
            "webIdFederationData": {},  
            "attributes": {  
                "creationDate": "2022-03-01T20:31:27Z",  
                "mfaAuthenticated": "false"  
            }  
        }  
    },  
    "eventTime": "2022-03-01T20:31:47Z",  
    "eventSource": "supportapp.amazonaws.com",  
    "eventName": "GetAccountAlias",  
    "awsRegion": "us-east-1",  
    "sourceIPAddress": "72.21.217.142",  
    "userAgent": "aws-cli/1.3.23 Python/2.7.6 Linux/2.6.18-164.el5",  
    "requestParameters": null,  
    "responseElements": null,  
    "requestID": "a225966c-0906-408b-b8dd-f246665e6758",  
    "eventID": "79ebba8d-3285-4023-831a-64af7de8d4ad",  
    "readOnly": true,  
    "eventType": "AwsApiCall",  
    "managementEvent": true,  
    "recipientAccountId": "111122223333",  
    "eventCategory": "Management"
```

{}

# Monitoring and logging for AWS Support Plans

Monitoring is an important part of maintaining the reliability, availability, and performance of Support Plans and your other AWS solutions. AWS provides the following monitoring tools to watch Support Plans, report when something is wrong, and take automatic actions when appropriate:

- AWS *CloudTrail* captures API calls and related events made by or on behalf of your AWS account and delivers the log files to an Amazon S3 bucket that you specify. You can identify which users and accounts called AWS, the source IP address from which the calls were made, and when the calls occurred. For more information, see the [AWS CloudTrail User Guide](#).

## Topics

- [Logging AWS Support Plans API calls with AWS CloudTrail](#)

## Logging AWS Support Plans API calls with AWS CloudTrail

AWS Support Plans is integrated with AWS CloudTrail, a service that provides a record of actions taken by a user, role, or an AWS service. CloudTrail captures API calls for AWS Support Plans as events. The calls captured include calls from the AWS Support Plans console and code calls to the AWS Support Plans API operations.

If you create a trail, you can enable continuous delivery of CloudTrail events to an Amazon Simple Storage Service (Amazon S3) bucket, including events for AWS Support Plans. If you don't configure a trail, you can still view the most recent events in the CloudTrail console in **Event history**.

Using the information collected by CloudTrail, you can determine the request that was made to AWS Support Plans, the IP address from which the request was made, who made the request, when it was made, and additional details.

To learn more about CloudTrail, including how to configure and enable it, see the [AWS CloudTrail User Guide](#).

## AWS Support Plans information in CloudTrail

CloudTrail is enabled on your AWS account when you create the account. When supported event activity occurs in AWS Support Plans, that activity is recorded in a CloudTrail event along with other AWS service events in **Event history**. You can view, search, and download recent events in your account. For more information, see [Viewing events with CloudTrail event history](#).

For an ongoing record of events in your account, including events for AWS Support Plans, create a *trail*. A trail enables CloudTrail to deliver log files to an Amazon S3 bucket. By default, when you create a trail in the console, the trail applies to all AWS Regions. The trail logs events from all Regions in the AWS partition and delivers the log files to the Amazon S3 bucket that you specify. Additionally, you can configure other AWS services to further analyze and act upon the event data collected in CloudTrail logs. For more information, see the following:

- [Overview for creating a trail](#)
- [CloudTrail supported services and integrations](#)
- [Configuring Amazon SNS notifications for CloudTrail](#)
- [Receiving CloudTrail log files from multiple Regions](#) and [Receiving CloudTrail log files from multiple accounts](#)

All AWS Support Plans API operations are logged by CloudTrail. Every event or log entry contains information about who generated the request. The identity information helps you determine the following:

- Whether the request was made with root or AWS Identity and Access Management (IAM) user credentials.
- Whether the request was made with temporary security credentials for a role or federated user.
- Whether the request was made by another AWS service.

For more information, see the [CloudTrail userIdentity element](#).

You can also aggregate AWS Support Plans log files from multiple AWS Regions and multiple accounts into a single Amazon S3 bucket.

## Understanding AWS Support Plans log file entries

A trail is a configuration that enables delivery of events as log files to an Amazon S3 bucket that you specify. CloudTrail log files contain one or more log entries. An event represents a single request from any source. It includes information about the requested operation, the date and time of the operation, request parameters, and so on. CloudTrail log files aren't an ordered stack trace of the public API calls, so they don't appear in any specific order.

### Example : Log entry for GetSupportPlan

The following example shows a CloudTrail log entry for the GetSupportPlan operation.

```
{
    "eventVersion": "1.08",
    "userIdentity": {
        "type": "AssumedRole",
        "principalId": "AIDACKCEVSQ6C2EXAMPLE",
        "arn": "arn:aws:sts::111122223333:user/janedoe",
        "accountId": "111122223333",
        "accessKeyId": "AKIAIOSFODNN7EXAMPLE",
        "sessionContext": {
            "sessionIssuer": {
                "type": "Role",
                "principalId": "AIDACKCEVSQ6C2EXAMPLE",
                "arn": "arn:aws:iam::111122223333:role/Admin",
                "accountId": "111122223333",
                "userName": "Admin"
            },
            "webIdFederationData": {},
            "attributes": {
                "creationDate": "2022-06-29T16:30:04Z",
                "mfaAuthenticated": "false"
            }
        }
    },
    "eventTime": "2022-06-29T16:39:11Z",
    "eventSource": "supportplans.amazonaws.com",
    "eventName": "GetSupportPlan",
    "awsRegion": "us-west-2",
    "sourceIPAddress": "205.251.233.183",
    "userAgent": "Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:91.0) Gecko/20100101 Firefox/91.0",
    "requestParameters": null,
```

```
        "responseElements": null,  
        "requestID": "7665c39a-d6bf-4d0d-8010-2f59740b8ecb",  
        "eventID": "b711bc30-16a5-4579-8f0d-9ada8fe6d1ce",  
        "readOnly": true,  
        "eventType": "AwsApiCall",  
        "managementEvent": true,  
        "recipientAccountId": "111122223333",  
        "eventCategory": "Management"  
    }  
}
```

## **Example : Log entry for GetSupportPlanUpdateStatus**

The following example shows a CloudTrail log entry for the `GetSupportPlanUpdateStatus` operation.

```
"userAgent": "Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:91.0) Gecko/20100101 Firefox/91.0",
"requestParameters": {
    "supportPlanUpdateArn": "arn:aws:supportplans::111122223333:supportplanupdate/7f03b7a233a0e87ebc79e56d4d2bcf19e976c37",
},
"responseElements": null,
"requestID": "75e5c767-8703-4ed3-b01e-4dda28020322",
"eventID": "28d1c0e3-ccb6-4fd1-8793-65be010114cc",
"readOnly": true,
"eventType": "AwsApiCall",
"managementEvent": true,
"recipientAccountId": "111122223333",
"eventCategory": "Management"
}
```

## Example : Log entry for StartSupportPlanUpdate

The following example shows a CloudTrail log entry for the StartSupportPlanUpdate operation.

```
{
    "eventVersion": "1.08",
    "userIdentity": {
        "type": "AssumedRole",
        "principalId": "AIDACKCEVSQ6C2EXAMPLE",
        "arn": "arn:aws:sts::111122223333:user/janedoe",
        "accountId": "111122223333",
        "accessKeyId": "AKIAIOSFODNN7EXAMPLE",
        "sessionContext": {
            "sessionIssuer": {
                "type": "Role",
                "principalId": "AIDACKCEVSQ6C2EXAMPLE",
                "arn": "arn:aws:iam::111122223333:role/Admin",
                "accountId": "111122223333",
                "userName": "Admin"
            },
            "webIdFederationData": {},
            "attributes": {
                "creationDate": "2022-06-29T16:30:04Z",
                "mfaAuthenticated": "false"
            }
        }
    }
}
```

```
},
"eventTime": "2022-06-29T16:38:55Z",
"eventSource": "supportplans.amazonaws.com",
"eventName": "StartSupportPlanUpdate",
"awsRegion": "us-west-2",
"sourceIPAddress": "205.251.233.183",
"userAgent": "Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:91.0) Gecko/20100101 Firefox/91.0",
"requestParameters": {
    "clientToken": "98add111-dcc9-464d-8722-438d697fe242",
    "update": {
        "supportLevel": "BASIC"
    }
},
"responseElements": {
    "Access-Control-Expose-Headers": "x-amzn-RequestId,x-amzn-ErrorType,x-amzn-ErrorMessage,Date",
    "supportPlanUpdateArn": "arn:aws:supportplans::111122223333:supportplanupdate/7f03b7a233a0e87ebc79e56d4d2bcf19e976c37",
},
"requestID": "e5ff9382-5fb8-4764-9993-0f33fb0b1e17",
"eventID": "5dba89f8-2e5b-42b9-9b8f-395580c52962",
"readOnly": false,
"eventType": "AwsApiCall",
"managementEvent": true,
"recipientAccountId": "111122223333",
"eventCategory": "Management"
}
```

## Example : Log entry for CreateSupportPlanSchedule

The following example shows a CloudTrail log entry for the CreateSupportPlanSchedule operation.

```
{
"eventVersion": "1.08",
"userIdentity": {
    "type": "AssumedRole",
    "principalId": "AIDACKCEVSQ6C2EXAMPLE",
    "arn": "arn:aws:sts::111122223333:user/janedoe",
    "accountId": "111122223333",
    "accessKeyId": "AKIAIOSFODNN7EXAMPLE",
    "sessionContext": {
```

```
        "sessionIssuer": {
            "type": "Role",
            "principalId": "AIDACKCEVSQ6C2EXAMPLE",
            "arn": "arn:aws:iam::111122223333:role/Admin",
            "accountId": "111122223333",
            "userName": "Admin"
        },
        "webIdFederationData": {},
        "attributes": {
            "creationDate": "2023-05-09T16:30:04Z",
            "mfaAuthenticated": "false"
        }
    },
    "eventTime": "2023-05-09T16:30:04Z",
    "eventSource": "supportplans.amazonaws.com",
    "eventName": "CreateSupportPlanSchedule",
    "awsRegion": "us-west-2",
    "sourceIPAddress": "205.251.233.183",
    "userAgent": "Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:91.0) Gecko/20100101 Firefox/91.0",
    "requestParameters": {
        "clientToken": "b998de5e-ad1c-4448-90db-2bf86d6d9e9a",
        "scheduleCreationDetails": {
            "startLevel": "BUSINESS",
            "startOffer": "TrialPlan7FB93B",
            "startTimestamp": "2023-06-03T17:23:56.109Z",
            "endLevel": "BUSINESS",
            "endOffer": "StandardPlan2074BB",
            "endTimestamp": "2023-09-03T17:23:55.109Z"
        }
    },
    "responseElements": {
        "Access-Control-Expose-Headers": "x-amzn-RequestId,x-amzn-ErrorType,x-amzn-ErrorMessage,Date",
        "supportPlanUpdateArn": "arn:aws:supportplans::111122223333:supportplanschedule/b9a9a4336a3974950a6e670f7dab79b77a4b104db548a0d57050ce4544721d4b"
    },
    "requestID": "150450b8-e61a-4b15-93a8-c3b557a1ca48",
    "eventID": "a2a1ba44-610d-4dc8-bf16-29f1635b57a9",
    "readOnly": false,
    "eventType": "AwsApiCall",
    "managementEvent": true,
```

```
"recipientAccountId": "111122223333",
"eventCategory": "Management"
}
```

## Example : Log entry for ListSupportPlanModifiers

The following example shows a CloudTrail log entry for the `ListSupportPlanModifiers` operation.

```
{
  "eventVersion": "1.09",
  "userIdentity": {
    "type": "AssumedRole",
    "principalId": "AIDACKCEVSQ6C2EXAMPLE",
    "arn": "arn:aws:sts::111122223333:user/janedoe",
    "accountId": "111122223333",
    "accessKeyId": "AKIAIOSFODNN7EXAMPLE",
    "sessionContext": {
      "sessionIssuer": {
        "type": "Role",
        "principalId": "AIDACKCEVSQ6C2EXAMPLE",
        "arn": "arn:aws:sts::111122223333:user/janedoe",
        "accountId": "111122223333",
        "userName": "Admin"
      },
      "attributes": {
        "creationDate": "2024-08-15T15:44:43Z",
        "mfaAuthenticated": "false"
      }
    }
  },
  "eventTime": "2024-08-15T16:29:59Z",
  "eventSource": "supportplans.amazonaws.com",
  "eventName": "ListSupportPlanModifiers",
  "awsRegion": "us-west-2",
  "sourceIPAddress": "205.251.233.183",
  "userAgent": "Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:91.0) Gecko/20100101 Firefox/91.0",
  "requestParameters": null,
  "responseElements": null,
  "requestID": "7665c39a-d6bf-4d0d-8010-2f59740b8ecb",
  "eventID": "b711bc30-16a5-4579-8f0d-9ada8fe6d1ce",
  "readOnly": true,
```

```
"eventType": "AwsApiCall",
"managementEvent": true,
"recipientAccountId": "111122223333",
"eventCategory": "Management"
}
```

## Logging changes to your Support plan

### Important

As of August 3, 2022, the following operations are deprecated and won't appear in your new CloudTrail logs. For a list of supported operations, see [Understanding AWS Support Plans log file entries](#).

- `DescribeSupportLevelSummary` – This action appears in your log when you open the [Support plans](#) page.
- `UpdateProbationAutoCancellation` – After you sign up for Developer Support or Business Support and then try to cancel within 30 days, your plan will be automatically canceled at the end of that period. This action appears in your log when you choose **Opt-out of automatic cancellation** in the banner that appears on the [Support plans](#) page. You will resume your plan for Developer Support or Business Support.
- `UpdateSupportLevel` – This action appears in your log when you change your support plan.

### Note

The `eventSource` field has the `support-subscription.amazonaws.com` namespace for these actions.

### Example : Log entry for `DescribeSupportLevelSummary`

The following example shows a CloudTrail log entry for the `DescribeSupportLevelSummary` action.

```
{
  "eventVersion": "1.08",
  "userIdentity": {
```

```
"type": "Root",
"principalId": "111122223333",
"arn": "arn:aws:iam::111122223333:root",
"accountId": "111122223333",
"accessKeyId": "AKIAIOSFODNN7EXAMPLE",
"sessionContext": {
    "sessionIssuer": {},
    "webIdFederationData": {},
    "attributes": {
        "mfaAuthenticated": "false",
        "creationDate": "2021-01-07T22:08:05Z"
    }
},
"eventTime": "2021-01-07T22:08:07Z",
"eventSource": "support-subscription.amazonaws.com",
"eventName": "DescribeSupportLevelSummary",
"awsRegion": "us-east-1",
"sourceIPAddress": "100.127.8.67",
"userAgent": "AWS-SupportPlansConsole, aws-internal/3",
"requestParameters": {
    "lang": "en"
},
"responseElements": null,
"requestID": "b423b84d-829b-4090-a239-2b639b123abc",
"eventID": "e1eeda0e-d77c-487b-a7e5-4014f7123abc",
"readOnly": true,
"eventType": "AwsApiCall",
"managementEvent": true,
"eventCategory": "Management",
"recipientAccountId": "111122223333"
}
```

## Example : Log entry for UpdateProbationAutoCancellation

The following example shows a CloudTrail log entry for the `UpdateProbationAutoCancellation` action.

```
{
    "eventVersion": "1.08",
    "userIdentity": {
        "type": "Root",
        "principalId": "111122223333",
```

```
"arn": "arn:aws:iam::111122223333:root",
"accountId": "111122223333",
"accessKeyId": "AKIAIOSFODNN7EXAMPLE"
},
"eventTime": "2021-01-07T23:28:43Z",
"eventSource": "support-subscription.amazonaws.com",
"eventName": "UpdateProbationAutoCancellation",
"awsRegion": "us-east-1", "sourceIPAddress": "100.127.8.67",
"userAgent": "AWS-SupportPlansConsole, aws-internal/3",
"requestParameters": {
    "lang": "en"
},
"responseElements": null,
"requestID": "5492206a-e200-4c33-9fcf-4162d4123abc",
"eventID": "f4a58c09-0bb0-4ba2-a8d3-df6909123abc",
"readOnly": false,
"eventType": "AwsApiCall",
"managementEvent": true,
"eventCategory": "Management",
"recipientAccountId": "111122223333"
}
```

## Example : Log entry for UpdateSupportLevel

The following example shows a CloudTrail log entry for the UpdateSupportLevel action to change to Developer Support.

```
{
    "eventVersion": "1.08",
    "userIdentity": {
        "type": "Root",
        "principalId": "111122223333",
        "arn": "arn:aws:iam::111122223333:root",
        "accountId": "111122223333",
        "accessKeyId": "AKIAIOSFODNN7EXAMPLE",
        "sessionContext": {
            "sessionIssuer": {},
            "webIdFederationData": {},
            "attributes": {
                "mfaAuthenticated": "false",
                "creationDate": "2021-01-07T22:08:05Z"
            }
        }
    }
}
```

```
},
"eventTime": "2021-01-07T22:08:43Z",
"eventSource": "support-subscription.amazonaws.com",
"eventName": "UpdateSupportLevel",
"awsRegion": "us-east-1",
"sourceIPAddress": "100.127.8.247",
"userAgent": "AWS-SupportPlansConsole, aws-internal/3",
"requestParameters": {
    "supportLevel": "new_developer"
},
"responseElements": {
    "aispl": false,
    "supportLevel": "new_developer"
},
"requestID": "5df3da3a-61cd-4a3c-8f41-e5276b123abc",
"eventID": "c69fb149-c206-47ce-8766-8df6ec123abc",
"readOnly": false,
"eventType": "AwsApiCall",
"managementEvent": true,
"eventCategory": "Management",
"recipientAccountId": "111122223333"
}
```

# Monitoring and logging for AWS Trusted Advisor

Monitoring is an important part of maintaining the reliability, availability, and performance of Trusted Advisor and your other AWS solutions. AWS provides the following monitoring tools to watch Trusted Advisor, report when something is wrong, and take automatic actions when appropriate:

- *Amazon EventBridge* delivers a near real-time stream of system events that describe changes in AWS resources. EventBridge enables automated event-driven computing, as you can write rules that watch for certain events and trigger automated actions in other AWS services when these events happen.

For example, Trusted Advisor provides the **Amazon S3 Bucket Permissions** check. This check identifies if you have buckets that have open access permissions or allow access to any authenticated AWS user. If a bucket permission changes, the status changes for the Trusted Advisor check. EventBridge detects this event and then sends you a notification so that you can take action. For more information, see the [Amazon EventBridge User Guide](#).

- AWS Trusted Advisor checks identify ways for you to reduce cost, increase performance, and improve security for your AWS account. You can use EventBridge to monitor the status of Trusted Advisor checks. You can then use Amazon CloudWatch to create alarms on Trusted Advisor metrics. These alarms notify you when the status changes for a Trusted Advisor check, such as an updated resource or a service quota that is reached.
- *AWS CloudTrail* captures API calls and related events made by or on behalf of your AWS account and delivers the log files to an Amazon S3 bucket that you specify. You can identify which users and accounts called AWS, the source IP address from which the calls were made, and when the calls occurred. For more information, see the [AWS CloudTrail User Guide](#).

## Topics

- [Monitoring AWS Trusted Advisor check results with Amazon EventBridge](#)
- [Creating Amazon CloudWatch alarms to monitor AWS Trusted Advisor metrics](#)
- [Logging AWS Trusted Advisor console actions with AWS CloudTrail](#)

# Monitoring AWS Trusted Advisor check results with Amazon EventBridge

## Important

End of Support Notice: Developer Support will be discontinued January 1, 2027. Customers with Developer Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information, see [Business Support+ plan details](#)

End of Support Notice: Business Support will be discontinued January 1, 2027. Customers with Business Support can continue using their existing plan or choose to upgrade to Business Support+ anytime before January 1, 2027. Business Support+ delivers AI-powered assistance that understands the context of your operations, with 24/7 access to AWS experts at \$29/month minimum per account. For more information see, [Business Support+ plan details](#)

End of Support Notice: On January 1, 2027, AWS will discontinue Enterprise On-Ramp. Throughout 2026, Enterprise On-Ramp customers will be automatically upgraded to AWS Enterprise Support during contract renewal or in periodic batches. Customers will receive an email notification a month before their upgrade. No further action is required. Enterprise Support provides designated TAM assignment, 15-minute response times, and AWS Security Incident Response available at no additional cost, all at a lower \$5,000 minimum (reduced from \$15,000). For more information, see [AWS Enterprise Support plan details](#).

For more information, see [Developer, Business, and Enterprise On-Ramp end of support](#). Developer Support, Business Support, and Enterprise On-Ramp will remain available in the AWS GovCloud (US) Region.

You can use EventBridge to detect when your checks for Trusted Advisor change status. Then, based on the rules that you create, EventBridge invokes one or more target actions when the status changes to a value that you specify in a rule.

Depending on the status change, you can send notifications, capture status information, take corrective action, initiate events, or take other actions. For example, you can specify the following

target types if a check changes status from no problems detected (green) to recommended action (red).

- Use an AWS Lambda function to pass a notification to a Slack channel.
- Push data about the check to an Amazon Kinesis stream to support comprehensive and real-time status monitoring.
- Send an Amazon Simple Notification Service topic to your email.
- Get notified with an Amazon CloudWatch alarm action.

For more information about on how to use EventBridge and Lambda functions to automate responses for Trusted Advisor, see [Trusted Advisor tools](#) in GitHub.

### Notes

- Trusted Advisor delivers events on a best effort basis. Events are not always guaranteed to be delivered to EventBridge.
- You must have an AWS Business Support+, AWS Enterprise Support, or AWS Unified Operations plan to create a rule for Trusted Advisor checks. For more information, see [Change AWS Support Plans](#).
- As Trusted Advisor is a Global service, all Events are emitted to EventBridge in the US East (N. Virginia) Region.

Follow this procedure to create an EventBridge rule for Trusted Advisor. Before you create event rules, do the following:

- Familiarize yourself with events, rules, and targets in EventBridge. For more information, see [What is Amazon EventBridge?](#) in the *Amazon EventBridge User Guide*.
- Create the target that you will use in your event rule.

### To create an EventBridge rule for Trusted Advisor

1. Open the Amazon EventBridge console at <https://console.aws.amazon.com/events/>.

2. To change the Region, use the **Region selector** in the upper-right corner of the page and choose **US East (N. Virginia)**.
3. In the navigation pane, choose **Rules**.
4. Choose **Create rule**.
5. On the **Define rule detail** page, enter a name and description for your rule.
6. Keep the default values for **Event bus** and **Rule type**, and then choose **Next**.
7. On the **Build event pattern** page, for **Event source**, choose **AWS events or EventBridge partner events**.
8. Under **Event pattern**, keep the default value for **AWS services**.
9. For **AWS service**, choose **Trusted Advisor**.
10. For **Event type**, choose **Check Item Refresh Status**.
11. Choose one of the following options for check statuses:
  - Choose **Any status** to create a rule that monitors for any status change.
  - Choose **Specific status(es)**, and then choose the values that you want your rule to monitor.
    - **ERROR** – Trusted Advisor recommends an action for the check.
    - **INFO** – Trusted Advisor can't determine the status of the check.
    - **OK** – Trusted Advisor doesn't detect an issue for the check.
    - **WARN** – Trusted Advisor detects a possible issue for the check and recommends investigation.
12. Choose one of the following options for your checks:
  - Choose **Any check**.
  - Choose **Specific check(s)**, and then choose one or more check names from the list.
13. Choose one of the following options for AWS resources:
  - Choose **Any resource ID** to create a rule that monitors all resources.
  - Choose **Specific resource ID(s) by ARN**, and then enter the Amazon Resource Names (ARNs) that you want.
14. Choose **Next**.

15. In the **Select target(s)** page, choose the target type that you created for this rule, and then configure any additional options that are required for that type. For example, you might send the event to an Amazon SQS queue or an Amazon SNS topic.
16. Choose **Next**.
17. (Optional) On the **Configure tags** page, add any tags and then choose **Next**.
18. On the **Review and create** page, review your rule setup and ensure that it meets your event monitoring requirements.
19. Choose **Create rule**. Your rule will now monitor for Trusted Advisor checks and then send the event to the target that you specified.

## Creating Amazon CloudWatch alarms to monitor AWS Trusted Advisor metrics

When AWS Trusted Advisor refreshes your checks, Trusted Advisor publishes metrics about your check results to CloudWatch. You can view the metrics in CloudWatch. You can also create alarms to detect status changes to Trusted Advisor checks and status changes for resources, and service quota usage (formerly referred to as limits).

Follow this procedure to create a CloudWatch alarm for a specific Trusted Advisor metric.

### Topics

- [Prerequisites](#)
- [CloudWatch metrics for Trusted Advisor](#)
- [Trusted Advisor metrics and dimensions](#)

## Prerequisites

Before you create CloudWatch alarms for Trusted Advisor metrics, review the following information:

- Understand how CloudWatch uses metrics and alarms. For more information, see [How CloudWatch works](#) in the *Amazon CloudWatch User Guide*.
- Use the Trusted Advisor console or the AWS Support API to refresh your checks and get the latest check results. For more information, see [Refresh check results](#).

## To create a CloudWatch alarm for Trusted Advisor metrics

1. Open the CloudWatch console at <https://console.aws.amazon.com/cloudwatch/>.
2. Use the **Region selector** and choose the **US East (N. Virginia)** AWS Region.
3. In the navigation pane, choose **Alarms**.
4. Choose **Create alarm**.
5. Choose **Select metric**.
6. For **Metrics**, enter one or more dimension values to filter the metric list. For example, you can enter the metric name **ServiceLimitUsage** or the dimension, such as the Trusted Advisor check name.

### Tip

- You can search for **Trusted Advisor** to list all metrics for the service.
- For a list of metric and dimension names, see [Trusted Advisor metrics and dimensions](#).

7. In the results table, select the check box for the metric.

In the following example, the check name is **IAM Access Key Rotation** and the metric name is **YellowResources**.

N. Virginia	All	All > TrustedAdvisor	All > TrustedAdvisor > Check Metrics	Trusted	Advisor	IAM	Access	Key
CheckName (2)	Metric Name							
<input type="checkbox"/>	RedResources							
<input checked="" type="checkbox"/>	YellowResources							

8. Choose **Select metric**.
9. On the **Specify metric and conditions** page, verify that the **Metric name** and **CheckName** that you chose appear on the page.
10. For **Period**, you can specify the time period that you want the alarm to start when the check status changes, such as 5 minutes.
11. Under **Conditions**, choose **Static**, and then specify the alarm condition for when the alarm should start.

For example, if you choose **Greater/Equal >=threshold** and enter **1** for the threshold value, this means that the alarm starts when Trusted Advisor detects at least one IAM access key that hasn't been rotated in the last 90 days.

### Notes

- For the **GreenChecks**, **RedChecks**, **YellowChecks**, **RedResources**, and **YellowResources** metrics, you can specify a threshold that is any whole number greater than or equal to zero.
- Trusted Advisor doesn't send metrics for **GreenResources**, which are resources for which Trusted Advisor hasn't detected any issues.

12. Choose **Next**.
13. On the **Configure actions** page, for **Alarm state trigger**, choose **In alarm**.
14. For **Select an SNS topic**, choose an existing Amazon Simple Notification Service (Amazon SNS) topic or create one.

## Notification

**Alarm state trigger**  
Define the alarm state that will trigger this action.

In alarm  
The metric or expression is outside of the defined threshold.

OK  
The metric or expression is within the defined threshold.

Insufficient data  
The alarm has just started or not enough data is available.

**Select an SNS topic**  
Define the SNS (Simple Notification Service) topic that will receive the notification.

Select an existing SNS topic

Create new topic

Use topic ARN

**Send a notification to...**

Default\_CloudWatch\_Alarms\_Topic

Only email lists for this account are available.

Email (endpoints)

janedoe@example.com - [View in SNS Console](#) 

[Add notification](#)

15. Choose **Next**.

16. For **Name and description**, enter a name and description for your alarm.

17. Choose **Next**.

18. On the **Preview and create** page, review your alarm details, and then choose **Create alarm**.

When the status for the **IAM Access Key Rotation** check changes to red for 5 minutes, your alarm will send a notification to your SNS topic.

### Example : Email notification for a CloudWatch alarm

The following email message shows that an alarm detected a change for the **IAM Access Key Rotation** check.

You are receiving this email because your Amazon CloudWatch Alarm "IAMAccessKeyRotationCheckAlarm" in the US East (N. Virginia) region has entered the ALARM state, because "Threshold Crossed: 1 out of the last 1 datapoints [9.0 (26/03/21 22:44:00)] was greater than or equal to the threshold (1.0) (minimum 1 datapoint for OK -> ALARM transition)." at "Friday 26 March, 2021 22:49:42 UTC".

View this alarm in the AWS Management Console:

<https://us-east-1.console.aws.amazon.com/cloudwatch/home?region=us-east-1#s=Alarms&alarm=IAMAccessKeyRotationCheckAlarm>

#### Alarm Details:

- Name: IAMAccessKeyRotationCheckAlarm
- Description: This alarm starts when one or more AWS access keys in my AWS account have not been rotated in the last 90 days.
- State Change: INSUFFICIENT\_DATA -> ALARM
- Reason for State Change: Threshold Crossed: 1 out of the last 1 datapoints [9.0 (26/03/21 22:44:00)] was greater than or equal to the threshold (1.0) (minimum 1 datapoint for OK -> ALARM transition).
- Timestamp: Friday 26 March, 2021 22:49:42 UTC
- AWS Account: 123456789012
- Alarm Arn: arn:aws:cloudwatch:us-east-1:123456789012:alarm:IAMAccessKeyRotationCheckAlarm

#### Threshold:

- The alarm is in the ALARM state when the metric is GreaterThanOrEqualToThreshold 1.0 for 300 seconds.

#### Monitored Metric:

- MetricNamespace: AWS/TrustedAdvisor
- MetricName: RedResources
- Dimensions: [CheckName = IAM Access Key Rotation]
- Period: 300 seconds
- Statistic: Average
- Unit: not specified
- TreatMissingData: missing

#### State Change Actions:

- OK:
- ALARM: [arn:aws:sns:us-east-1:123456789012:Default\_CloudWatch\_Alarms\_Topic]
- INSUFFICIENT\_DATA:

# CloudWatch metrics for Trusted Advisor

You can use the CloudWatch console or the AWS Command Line Interface (AWS CLI) to find the metrics available for Trusted Advisor.

For a list of the namespaces, metrics, and dimensions for all services that publish metrics, see [AWS services that publish CloudWatch metrics](#) in the *Amazon CloudWatch User Guide*.


## View Trusted Advisor metrics (console)

You can sign in to the CloudWatch console and view the available metrics for Trusted Advisor.

### To view available Trusted Advisor metrics (console)

1. Open the CloudWatch console at <https://console.aws.amazon.com/cloudwatch/>.
2. Use the **Region selector** and choose the **US East (N. Virginia)** AWS Region.
3. In the navigation pane, choose **Metrics**.
4. Enter a metric namespace, such as **TrustedAdvisor**.
5. Choose a metric dimension, such as **Check Metrics**.
6. The **All metrics** tab shows metrics for that dimension in the namespace. You can do the following:
  - a. To sort the table, choose the column heading.
  - b. To graph a metric, select the check box next to the metric. To select all metrics, select the check box in the heading row of the table.
  - c. To filter by metric, choose the metric name, and then choose **Add to search**.

The following example shows the results for the **Security Groups - Specific Ports Unrestricted** check. The check identifies 13 resources that are yellow. Trusted Advisor recommends that you investigate checks that are yellow.



7. (Optional) To add this graph to a CloudWatch dashboard, choose **Actions**, and then choose **Add to dashboard**.

For more information about creating a graph to view your metrics, see [Graphing a metric](#) in the *Amazon CloudWatch User Guide*.

## View Trusted Advisor metrics (CLI)

You can use the [list-metrics](#) AWS CLI command to view available metrics for Trusted Advisor.

### Example : List all metrics for Trusted Advisor

The following example specifies the AWS/TrustedAdvisor namespace to view all metrics for Trusted Advisor.

```
aws cloudwatch list-metrics --namespace AWS/TrustedAdvisor
```

Your output might look like the following.

```
{
```

```
"Metrics": [
  {
    "Namespace": "AWS/TrustedAdvisor",
    "Dimensions": [
      {
        "Name": "ServiceName",
        "Value": "EBS"
      },
      {
        "Name": "ServiceLimit",
        "Value": "Magnetic (standard) volume storage (TiB)"
      },
      {
        "Name": "Region",
        "Value": "ap-northeast-2"
      }
    ],
    "MetricName": "ServiceLimitUsage"
  },
  {
    "Namespace": "AWS/TrustedAdvisor",
    "Dimensions": [
      {
        "Name": "CheckName",
        "Value": "Overutilized Amazon EBS Magnetic Volumes"
      }
    ],
    "MetricName": "YellowResources"
  },
  {
    "Namespace": "AWS/TrustedAdvisor",
    "Dimensions": [
      {
        "Name": "ServiceName",
        "Value": "EBS"
      },
      {
        "Name": "ServiceLimit",
        "Value": "Provisioned IOPS"
      },
      {
        "Name": "Region",
        "Value": "eu-west-1"
      }
    ]
  }
]
```

```
        ],
        "MetricName": "ServiceLimitUsage"
    },
    {
        "Namespace": "AWS/TrustedAdvisor",
        "Dimensions": [
            {
                "Name": "ServiceName",
                "Value": "EBS"
            },
            {
                "Name": "ServiceLimit",
                "Value": "Provisioned IOPS"
            },
            {
                "Name": "Region",
                "Value": "ap-south-1"
            }
        ],
        "MetricName": "ServiceLimitUsage"
    },
    ...
]
}
```

### Example : List all metrics for a dimension

The following example specifies the AWS/TrustedAdvisor namespace and the Region dimension to view the metrics available for the specified AWS Region.

```
aws cloudwatch list-metrics --namespace AWS/TrustedAdvisor --dimensions
  Name=Region,Value=us-east-1
```

Your output might look like the following.

```
{
    "Metrics": [
        {
            "Namespace": "AWS/TrustedAdvisor",
            "Dimensions": [
                {
                    "Name": "ServiceName",
                    "Value": "SES"
                }
            ]
        }
    ]
}
```

```
        },
        {
            "Name": "ServiceLimit",
            "Value": "Daily sending quota"
        },
        {
            "Name": "Region",
            "Value": "us-east-1"
        }
    ],
    "MetricName": "ServiceLimitUsage"
},
{
    "Namespace": "AWS/TrustedAdvisor",
    "Dimensions": [
        {
            "Name": "ServiceName",
            "Value": "AutoScaling"
        },
        {
            "Name": "ServiceLimit",
            "Value": "Launch configurations"
        },
        {
            "Name": "Region",
            "Value": "us-east-1"
        }
    ],
    "MetricName": "ServiceLimitUsage"
},
{
    "Namespace": "AWS/TrustedAdvisor",
    "Dimensions": [
        {
            "Name": "ServiceName",
            "Value": "CloudFormation"
        },
        {
            "Name": "ServiceLimit",
            "Value": "Stacks"
        },
        {
            "Name": "Region",
            "Value": "us-east-1"
        }
    ]
}
```

```
        }
    ],
    "MetricName": "ServiceLimitUsage"
},
...
]
```

## Example : List metrics for a specific metric name

The following example specifies the AWS/TrustedAdvisor namespace and the RedResources metric name to view the results for only this specific metric.

```
aws cloudwatch list-metrics --namespace AWS/TrustedAdvisor --metric-name RedResources
```

Your output might look like the following.

```
{
  "Metrics": [
    {
      "Namespace": "AWS/TrustedAdvisor",
      "Dimensions": [
        {
          "Name": "CheckName",
          "Value": "Amazon RDS Security Group Access Risk"
        }
      ],
      "MetricName": "RedResources"
    },
    {
      "Namespace": "AWS/TrustedAdvisor",
      "Dimensions": [
        {
          "Name": "CheckName",
          "Value": "Exposed Access Keys"
        }
      ],
      "MetricName": "RedResources"
    },
    {
      "Namespace": "AWS/TrustedAdvisor",
      "Dimensions": [
        {
```

```
        "Name": "CheckName",
        "Value": "Large Number of Rules in an EC2 Security Group"
    },
],
"MetricName": "RedResources"
},
{
"Namespace": "AWS/TrustedAdvisor",
"Dimensions": [
{
        "Name": "CheckName",
        "Value": "Auto Scaling Group Health Check"
    },
],
"MetricName": "RedResources"
},
...
]
```

## Trusted Advisor metrics and dimensions

See the following tables for the Trusted Advisor metrics and dimensions that you can use for your CloudWatch alarms and graphs.

### Trusted Advisor check-level metrics

You can use the following metrics for Trusted Advisor checks.

Metric	Description
RedResources	The number of resources that are in a red state (action recommended).
YellowResources	The number of resources that are in a yellow state (investigation recommended).

### Trusted Advisor service quota-level metrics

You can use the following metrics for AWS service quotas.

Metric	Description
ServiceLimitUsage	The percentage of resource usage against a service quota (formerly referred to as limits).

## Dimensions for check-level metrics

You can use the following dimension for Trusted Advisor checks.

Dimension	Description
CheckName	The name of the Trusted Advisor check.  You can find all check names in the <a href="#">Trusted Advisor console</a> or the <a href="#">AWS Trusted Advisor check reference</a> .

## Dimensions for service quota metrics

You can use the following dimensions for Trusted Advisor service quota metrics.

Dimension	Description
Region	The AWS Region for a service quota.
ServiceName	The name of the AWS service.
ServiceLimit	The name of the service quota.  For more information about service quotas, see <a href="#">AWS service quotas</a> in the <a href="#">AWS General Reference</a> .

## Logging AWS Trusted Advisor console actions with AWS CloudTrail

Trusted Advisor is integrated with AWS CloudTrail, a service that provides a record of actions taken by a user, role, or an AWS service in Trusted Advisor. CloudTrail captures actions for Trusted Advisor

as events. The calls captured include calls from the Trusted Advisor console. If you create a trail, you can enable continuous delivery of CloudTrail events to an Amazon Simple Storage Service (Amazon S3) bucket, including events for Trusted Advisor. If you don't configure a trail, you can still view the most recent events in the CloudTrail console in **Event history**. Using the information collected by CloudTrail, you can determine the request that was made to Trusted Advisor, the IP address from which the request was made, who made the request, when it was made, and additional details.

To learn more about CloudTrail, including how to configure and enable it, see the [AWS CloudTrail User Guide](#).

## Trusted Advisor information in CloudTrail

CloudTrail is enabled on your AWS account when you create the account. When supported event activity occurs in the Trusted Advisor console, that activity is recorded in a CloudTrail event along with other AWS service events in **Event history**. You can view, search, and download recent events in your AWS account. For more information, see [Viewing Events with CloudTrail Event History](#).

For an ongoing record of events in your AWS account, including events for Trusted Advisor, create a trail. A *trail* enables CloudTrail to deliver log files to an Amazon S3 bucket. By default, when you create a trail in the console, the trail applies to all AWS Regions. The trail logs events from all Regions in the AWS partition and delivers the log files to the Amazon S3 bucket that you specify. Additionally, you can configure other AWS services to further analyze and act upon the event data collected in CloudTrail logs. For more information, see the following:

- [Overview for Creating a Trail](#)
- [CloudTrail Supported Services and Integrations](#)
- [Configuring Amazon SNS Notifications for CloudTrail](#)
- [Receiving CloudTrail Log Files from Multiple Regions](#) and [Receiving CloudTrail Log Files from Multiple Accounts](#)

Trusted Advisor supports logging a subset of the Trusted Advisor console actions as events in CloudTrail log files. CloudTrail logs the following actions:

- [BatchUpdateRecommendationResourceExclusion](#)
- [CreateEngagement](#)
- [CreateEngagementAttachment](#)

- [`CreateEngagementCommunication`](#)
- [`CreateExcelReport`](#)
- [`DescribeAccount`](#)
- [`DescribeAccountAccess`](#)
- [`DescribeCheckItems`](#)
- [`DescribeCheckRefreshStatuses`](#)
- [`DescribeCheckSummaries`](#)
- [`DescribeChecks`](#)
- [`DescribeNotificationPreferences`](#)
- [`DescribeOrganization`](#)
- [`DescribeOrganizationAccounts`](#)
- [`DescribeReports`](#)
- [`DescribeServiceMetadata`](#)
- [`ExcludeCheckItems`](#)
- [`GenerateReport`](#)
- [`GetEngagement`](#)
- [`GetEngagementAttachment`](#)
- [`GetEngagementType`](#)
- [`GetExcelReport`](#)
- [`GetOrganizationRecommendation`](#)
- [`GetRecommendation`](#)
- [`IncludeCheckItems`](#)
- [`ListAccountsForParent`](#)
- [`ListChecks`](#)
- [`ListEngagementCommunications`](#)
- [`ListEngagementTypes`](#)
- [`ListEngagements`](#)
- [`ListOrganizationRecommendationAccounts`](#)
- [`ListOrganizationRecommendationResources`](#)
- [`ListOrganizationRecommendations`](#)

- `ListOrganizationalUnitsForParent`
- [ListRecommendationResources](#)
- [ListRecommendations](#)
- `ListRoots`
- `RefreshCheck`
- `SetAccountAccess`
- `SetOrganizationAccess`
- `UpdateEngagement`
- `UpdateEngagementStatus`
- `UpdateNotificationPreferences`
- [UpdateOrganizationRecommendationLifecycle](#)
- [UpdateRecommendationLifecycle](#)

For a complete list of Trusted Advisor console actions, see[Trusted Advisor actions](#).

 **Note**

CloudTrail also logs the Trusted Advisor API operations in the [AWS Support API Reference](#).  
For more information, see[Logging AWS Support API calls with AWS CloudTrail](#).

Every event or log entry contains information about who generated the request. The identity information helps you determine the following:

- Whether the request was made with root or AWS Identity and Access Management (IAM) user credentials.
- Whether the request was made with temporary security credentials for a role or federated user.
- Whether the request was made by another AWS service.

For more information, see the[CloudTrail userIdentity Element](#).

## Example: Trusted Advisor Log File Entries

A trail is a configuration that enables delivery of events as log files to an Amazon S3 bucket that you specify. CloudTrail log files contain one or more log entries. An event represents a single

request from any source and includes information about the requested action, the date and time of the action, request parameters, and so on. CloudTrail log files aren't an ordered stack trace of the public API calls, so they don't appear in any specific order.

### Example : Log entry for RefreshCheck

The following example shows a CloudTrail log entry that demonstrates the RefreshCheck action for the Amazon S3 Bucket Versioning check (ID R365s2Qddf).

```
{  
    "eventVersion": "1.04",  
    "userIdentity": {  
        "type": "IAMUser",  
        "principalId": "AIDACKCEVSQ6C2EXAMPLE",  
        "arn": "arn:aws:iam::123456789012:user/janedoe",  
        "accountId": "123456789012",  
        "accessKeyId": "AKIAIOSFODNN7EXAMPLE",  
        "userName": "janedoe",  
        "sessionContext": {  
            "attributes": {  
                "mfaAuthenticated": "false",  
                "creationDate": "2020-10-21T22:06:18Z"  
            }  
        }  
    },  
    "eventTime": "2020-10-21T22:06:33Z",  
    "eventSource": "trustedadvisor.amazonaws.com",  
    "eventName": "RefreshCheck",  
    "awsRegion": "us-east-1",  
    "sourceIPAddress": "100.127.34.136",  
    "userAgent": "signin.amazonaws.com",  
    "requestParameters": {  
        "checkId": "R365s2Qddf"  
    },  
    "responseElements": {  
        "status": {  
            "checkId": "R365s2Qddf",  
            "status": "enqueued",  
            "millisUntilNextRefreshable": 3599993  
        }  
    },  
    "requestID": "d23ec729-8995-494c-8054-dedeEXAMPLE",  
    "eventID": "a49d5202-560f-4a4e-b38a-02f1cEXAMPLE",  
}
```

```
"eventType":"AwsApiCall",
"recipientAccountId":"123456789012"
}
```

## Example : Log entry for UpdateNotificationPreferences

The following example shows a CloudTrail log entry that demonstrates the `UpdateNotificationPreferences` action.

```
{
  "eventVersion":"1.04",
  "userIdentity":{
    "type":"IAMUser",
    "principalId":"AIDACKCEVSQ6C2EXAMPLE",
    "arn":"arn:aws:iam::123456789012:user/janedoe",
    "accountId":"123456789012",
    "accessKeyId":"AKIAIOSFODNN7EXAMPLE",
    "userName":"janedoe",
    "sessionContext":{
      "attributes":{
        "mfaAuthenticated":"false",
        "creationDate":"2020-10-21T22:06:18Z"
      }
    }
  },
  "eventTime":"2020-10-21T22:09:49Z",
  "eventSource":"trustedadvisor.amazonaws.com",
  "eventName":"UpdateNotificationPreferences",
  "awsRegion":"us-east-1",
  "sourceIPAddress":"100.127.34.167",
  "userAgent":"signin.amazonaws.com",
  "requestParameters":{
    "contacts":[
      {
        "id":"billing",
        "type":"email",
        "active":false
      },
      {
        "id":"operational",
        "type":"email",
        "active":false
      }
    ]
  }
}
```

```
},
{
  "id":"security",
  "type":"email",
  "active":false
}
],
"language":"en"
},
"responseElements":null,
"requestID":"695295f3-c81c-486e-9404-fa148EXAMPLE",
"eventID":"5f923d8c-d210-4037-bd32-997c6EXAMPLE",
"eventType":"AwsApiCall",
"recipientAccountId":"123456789012"
}
```

## Example : Log entry for GenerateReport

The following example shows a CloudTrail log entry that demonstrates the `GenerateReport` action. This action creates a report for your AWS organization.

```
{
  "eventVersion":"1.04",
  "userIdentity":{
    "type":"IAMUser",
    "principalId":"AIDACKCEVSQ6C2EXAMPLE",
    "arn":"arn:aws:iam::123456789012:user/janedoe",
    "accountId":"123456789012",
    "accessKeyId":"AKIAIOSFODNN7EXAMPLE",
    "userName":"janedoe",
    "sessionContext":{
      "attributes":{
        "mfaAuthenticated":"false",
        "creationDate":"2020-11-03T13:03:10Z"
      }
    }
  },
  "eventTime":"2020-11-03T13:04:29Z",
  "eventSource":"trustedadvisor.amazonaws.com",
  "eventName":"GenerateReport",
  "awsRegion":"us-east-1",
  "sourceIPAddress":"100.127.36.171",
```

```
"userAgent":"signin.amazonaws.com",
"requestParameters":{
  "refresh":false,
  "includeSuppressedResources":false,
  "language":"en",
  "format":"JSON",
  "name":"organizational-view-report",
  "preference":{
    "accounts":[

    ],
    "organizationalUnitIds":[
      "r-j134"
    ],
    "preferenceName":"organizational-view-report",
    "format":"json",
    "language":"en"
  }
},
"responseElements":{
  "status":"ENQUEUED"
},
"requestID":"bb866dc1-60af-47fd-a660-21498EXAMPLE",
"eventID":"2606c89d-c107-47bd-a7c6-ec92fEXAMPLE",
"eventType":"AwsApiCall",
"recipientAccountId":"123456789012"
}
```

# Troubleshooting resources

For answers to common troubleshooting questions, see the [AWS Support Knowledge Center](#).

For Amazon EC2 Windows instances, you can use EC2Rescue to examine your instances to help identify common problems, collect log files, and help Support troubleshoot your issues. You can also use EC2Rescue to analyze boot volumes from non-functional instances. For more information, see [How can I use EC2Rescue to troubleshoot and fix common issues on my EC2 Windows instance?](#)

## Service-specific troubleshooting

Most AWS service documentation contains troubleshooting topics that can get you started before contacting AWS Support. The following table provides links to troubleshooting topics, arranged by service.

 **Note**

The following table provides a list of the most common services. To search for other troubleshooting topics, use the search text box on the [AWS Documentation landing page](#).

Service	Link
Amazon Web Services	<a href="#">Troubleshooting AWS Signature Version 4 errors</a>
Amazon API Gateway	<a href="#">Troubleshooting issues with HTTP APIs</a>
Amazon AppStream	<a href="#">Troubleshoot Amazon AppStream</a>
Amazon Athena	<a href="#">Troubleshoot in Athena</a>
Amazon Aurora MySQL	<a href="#">Troubleshoot for Amazon Aurora</a>
Amazon Aurora PostgreSQL	<a href="#">Troubleshoot for Amazon Aurora</a>
Amazon EC2 Auto Scaling	<a href="#">Troubleshooting Auto Scaling</a>
AWS Certificate Manager (ACM)	<a href="#">Troubleshooting</a>

Service	Link
AWS CloudFormation	<a href="#">Troubleshooting AWS CloudFormation</a>
Amazon CloudFront	<a href="#">Troubleshooting</a>   <a href="#">Troubleshooting RTMP distributions</a>
AWS CloudHSM	<a href="#">Troubleshooting</a>
Amazon CloudSearch	<a href="#">Troubleshooting Amazon CloudSearch</a>
AWS CodeDeploy	<a href="#">Troubleshooting AWS CodeDeploy</a>
Amazon CloudWatch	<a href="#">Troubleshooting</a>
AWS Database Migration Service	<a href="#">Troubleshooting migration tasks in AWS Database Migration Service</a>
AWS Data Pipeline	<a href="#">Troubleshooting</a>
AWS Direct Connect	<a href="#">Troubleshooting AWS Direct Connect</a>
AWS Directory Service	<a href="#">Troubleshooting AWS Directory Service administration issues</a>
Amazon DynamoDB	<a href="#">Troubleshooting</a>   <a href="#">Troubleshooting SSL/TLS connection establishment issues</a>
AWS Elastic Beanstalk	<a href="#">Troubleshooting</a>
Amazon Elastic Compute Cloud (Amazon EC2)	<a href="#">Troubleshooting instances</a>   <a href="#">Troubleshooting Windows instances</a>   <a href="#">Troubleshooting VM Import/Export</a>   <a href="#">Troubleshooting API request errors</a>
Amazon Elastic Container Service (Amazon ECS)	<a href="#">Amazon ECS troubleshooting</a>
Amazon Elastic Kubernetes Service (Amazon EKS)	<a href="#">Amazon EKS troubleshooting</a>
Elastic Load Balancing	<a href="#">Troubleshoot your application load balancers</a>   <a href="#">Troubleshoot your Classic Load Balancer</a>

Service	Link
Amazon ElastiCache (Memcached)	<a href="#">Troubleshooting applications</a>
Amazon ElastiCache (Redis OSS)	<a href="#">Troubleshooting applications</a>
Amazon EMR	<a href="#">Troubleshoot a cluster</a>
AWS Flow Framework	<a href="#">Troubleshooting and debugging tips</a>
AWS Glue	<a href="#">Troubleshooting AWS Glue</a>
AWS Glue DataBrew	<a href="#">Troubleshooting identity and access in AWS Glue DataBrew</a>
AWS GovCloud (US)	<a href="#">Troubleshooting</a>
AWS Identity and Access Management (IAM)	<a href="#">Troubleshooting IAM</a>
Amazon Keyspaces (for Apache Cassandra)	<a href="#">Troubleshooting Amazon Keyspaces (for Apache Cassandra)</a>
Amazon Kinesis Data Streams	<a href="#">Troubleshooting Amazon Kinesis Data Streams producers</a>   <a href="#">Troubleshooting Amazon Kinesis Data Streams consumers</a>
Amazon Managed Service for Apache Flink	<a href="#">Troubleshooting Performance</a>   <a href="#">Troubleshooting Amazon Managed Service for Apache Flink for SQL Applications</a>
Amazon Data Firehose	<a href="#">Troubleshooting Amazon Data Firehose</a>
AWS Lambda	<a href="#">Troubleshooting and monitoring AWS Lambda functions with CloudWatch</a>
Amazon OpenSearch Service	<a href="#">Troubleshooting Amazon OpenSearch Service</a>
Amazon Personalize	<a href="#">Troubleshooting</a>
Amazon Quick Suite	<a href="#">Troubleshooting Amazon Quick Suite</a>   <a href="#">Troubleshooting skipped row errors</a>

Service	Link
AWS Resource Access Manager (AWS RAM)	<a href="#">Troubleshooting issues with AWS RAM</a>
Amazon Redshift	<a href="#">Troubleshooting queries</a>   <a href="#">Troubleshooting data loads</a>   <a href="#">Troubleshooting connection issues in Amazon Redshift</a>   <a href="#">Troubleshooting Amazon Redshift audit logging</a>   <a href="#">Troubleshooting queries in Amazon Redshift Spectrum</a>
Amazon Relational Database Service (Amazon RDS)	<a href="#">Troubleshooting</a>   <a href="#">Troubleshooting applications on Amazon RDS</a>   <a href="#">Troubleshooting DB issues for Amazon RDS Custom</a>
Amazon Route 53	<a href="#">Troubleshooting Amazon Route 53</a>
Amazon SageMaker AI	<a href="#">Troubleshoot errors</a>   <a href="#">Troubleshooting Amazon SageMaker AI Studio</a>
Amazon Silk	<a href="#">Troubleshooting</a>
Amazon Simple Email Service (Amazon SES)	<a href="#">Troubleshooting Amazon SES</a>
Amazon Simple Storage Service (Amazon S3)	<a href="#">Troubleshooting</a>
Amazon Simple Workflow Service (Amazon SWF)	<a href="#">AWS flow framework for Java: Troubleshooting and debugging tips</a>   <a href="#">AWS flow framework for Ruby: Troubleshooting and debugging workflows</a>
AWS Storage Gateway	<a href="#">Troubleshooting your gateway</a>
AWS Systems Manager	<a href="#">Troubleshooting SSM Agent</a>
Amazon Virtual Private Cloud (Amazon VPC)	<a href="#">Troubleshooting</a>
AWS Virtual Private Network (Site-to-Site VPN)	<a href="#">Troubleshooting your customer gateway device</a>

Service	Link
AWS WAF	<a href="#">Testing and tuning your AWS WAF protections</a>
Amazon WorkMail	<a href="#">Troubleshooting the Amazon WorkMail web application</a>
Amazon WorkSpaces	<a href="#">Troubleshooting Amazon WorkSpaces issues</a>   <a href="#">Troubleshooting Amazon WorkSpaces client issues</a>

# Document history

The following table describes the important changes to the documentation since the last release of the AWS Support service.

- **AWS Support API version:** 2013-04-15
- **AWS Support App API version:** 2021-08-20

The following table describes important updates to the AWS Support and AWS Trusted Advisor documentation, beginning May 10, 2021. You can subscribe to the RSS feed to receive notifications about the updates.

Change	Description	Date
<a href="#"><u>Updated documentation for AWSSupportServiceRolePolicy</u></a>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#"><u>AWS managed policy: AWSSupportServiceRolePolicy</u></a> .	January 29, 2026
<a href="#"><u>Added Best practices and target response times for Enterprise Support cases in Create a support case from a support interaction</u></a>	Added a new drop down section detailing best practices for Enterprise Support customers when creating cases to AWS Support. For more information, see <a href="#"><u>Create a support case from a support interaction</u></a> .	January 12, 2026
<a href="#"><u>Deprecated 5 Cost Optimization Trusted Advisor checks</u></a>	For details, see the <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	January 9, 2026
<a href="#"><u>Updated Change AWS Support Plans</u></a>	Added a note detailing what happens if an account is	January 8, 2026

	added to or removed from an organization that's enrolled in AWS Business Support+. For more information, see <a href="#">Change AWS Support Plans</a> .	
<a href="#">New section Set up permissions to use AI-enhanced troubleshooting</a>	Added a new section outlining how to configure the required permissions for AI-enhanced troubleshooting in Service Catalog. For more information, see <a href="#">Set up permissions to use AI-enhanced troubleshooting</a> .	December 22, 2025
<a href="#">Updated Trusted Advisor check reference</a>	For details, see the <a href="#">Change log for AWS Trusted Advisor checks</a> .	December 18, 2025
<a href="#">Updated Trusted Advisor check reference</a>	For details, see the <a href="#">Change log for AWS Trusted Advisor checks</a> .	December 17, 2025
<a href="#">Added information regarding virtual meetings with AWS Support</a>	For more information, see <a href="#">Virtual meetings with AWS Support</a> .	December 9, 2025
<a href="#">Updated documentation for AWSSupportServiceRolePolicy</a>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#">AWS managed policy: AWSSupportServiceRolePolicy</a> .	December 8, 2025
<a href="#">Added information regarding new AWS Support plans</a>	For more information, see <a href="#">AWS Support Plans</a> .	December 2, 2025

<u><a href="#">Added information regarding AI-enhanced troubleshooting</a></u>	For more information, see <a href="#">AI-enhanced troubleshooting in Support Center Console</a> .	December 2, 2025
<u><a href="#">Added information a new section for AWS Unified Operations</a></u>	For more information, see <a href="#">What is AWS Unified Operations</a> .	December 2, 2025
<u><a href="#">Added description for Support Assistant APIs</a></u>	Added AWS Support API Actions for Support Assistant : ListInteractions, ListInteractionEntries, and ResolveInteraction in <a href="#">Manage access to AWS Support Center</a> .	December 2, 2025
<u><a href="#">Updated Trusted Advisor check reference</a></u>	For details, see the <a href="#">Change log for AWS Trusted Advisor checks</a> .	November 21, 2025
<u><a href="#">Updated Trusted Advisor check reference</a></u>	For details, see the <a href="#">Change log for AWS Trusted Advisor checks</a> .	November 17, 2025
<u><a href="#">Updated Editing and deleting a service-linked role for Support</a></u>	Customers onboarded to AWS Organizations with an Enterprise Support plan can delete the AWSServiceRoleForSupport service-linked role. For more information, see <a href="#">Editing and deleting a service-linked role for Support</a> .	October 31, 2025
<u><a href="#">Updated Trusted Advisor check reference</a></u>	For details, see the <a href="#">Change log for AWS Trusted Advisor checks</a> .	October 15, 2025

<a href="#"><u>Updated documentation for AWSSupportServiceRolePolicy</u></a>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#">AWS managed policy: AWSSupportServiceRolePolicy</a> .	September 30, 2025
<a href="#"><u>New topic</u></a>	Added a new topic with information on how to enable promotional plan expiration notifications. For more information, see <a href="#">Configure promotional plan expiration notifications</a> .	September 12, 2025
<a href="#"><u>Updated Trusted Advisor check</u></a>	For details, see the <a href="#">Change log for AWS Trusted Advisor checks</a> .	September 11, 2025
<a href="#"><u>Updated Testing Support Center Console API calls</u></a>	Step 3 has been updated to indicate the correct event source, <b>support-console.amazonaws.com</b> . For more information see <a href="#">Testing Support Center Console API calls</a> .	September 2, 2025
<a href="#"><u>Updated Changing AWS Support plans</u></a>	The steps to upgrade or downgrade your AWS Support subscription have been updated. For more information see <a href="#">Changing AWS Support plans</a> .	August 27, 2025

<a href="#"><u>Updated Trusted Advisor check</u></a>	For details, see the <a href="#">Change log for AWS Trusted Advisor checks</a> .	August 19, 2025
<a href="#"><u>Removed Trusted Advisor Engage section</u></a>	Removed <b>Get started with AWS Trusted Advisor Engage (Preview)</b> section.	August 7, 2025
<a href="#"><u>Updated how to add the AWS Support App to a Slack channel</u></a>	For details, see <a href="#">Configuring a Slack channel</a> .	August 6, 2025
<a href="#"><u>Two checks deprecated</u></a>	For details, see the <a href="#">Change log for AWS Trusted Advisor checks</a> .	July 22, 2025
<a href="#"><u>Updated managed policies: AWSSupportAccess</u></a>	For details, see <a href="#">AWS Support updates to AWS managed policies</a> .	July 18, 2025
<a href="#"><u>Updated documentation for AWSSupportServiceRolePolicy</u></a>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#">AWS managed policy: AWSSupportServiceRolePolicy</a> .	July 15, 2025
<a href="#"><u>Updated check: Amazon EC2 instances with Ubuntu LTS end of standard support</u></a>	For details, see the <a href="#">Change log for AWS Trusted Advisor checks</a> .	July 3, 2025
<a href="#"><u>Updated Trusted Advisor check: Amazon S3 Bucket Permissions</u></a>	For details, see the <a href="#">Change log for AWS Trusted Advisor checks</a> .	July 3, 2025

<a href="#"><u>Updated check: MFA on root account</u></a>	For details, see the <a href="#"><u>Change log for AWS Trusted Advisor checks.</u></a>	July 2, 2025
<a href="#"><u>Updated check: Amazon ECS AWSLogs driver in blocking mode.</u></a>	For details, see the <a href="#"><u>Change log for AWS Trusted Advisor checks.</u></a>	July 2, 2025
<a href="#"><u>Updated Request a service quota increase</u></a>	Added information on how to create a service quota increase request if your AWS service or AWS Region isn't supported in the Service Quotas console. For more information, see <a href="#"><u>Request service quota increase.</u></a>	July 2, 2025
<a href="#"><u>Creating a service quota increase request in the Support Center Console is no longer supported.</u></a>	For more information, see <a href="#"><u>Creating a service quota increase.</u></a>	June 23, 2025
<a href="#"><u>Added description for UpdateInteraction in Support API</u></a>	Added AWS Support API UpdateInteraction Actions description in <a href="#"><u>Manage access to AWS Support Center.</u></a>	June 23, 2025
<a href="#"><u>Updated documentation for AWSSupportServiceRolePolicy</u></a>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#"><u>AWS managed policy: AWSSupportServiceRolePolicy.</u></a>	June 17, 2025

<a href="#"><u>New section: About the Support Center Console API</u></a>	The Support Center Console API enhances your experience with the Support Center Console. For details, see <a href="#"><u>About the Support Center Console API</u></a> .	June 16, 2025
<a href="#"><u>Updated AWS Trusted Advisor chapter introduction to reflect that Basic and Developer Support plans don't support automatic check refresh. You must manually refresh Security checks to see the most recent check status.</u></a>	For details, see <a href="#"><u>AWS Trusted Advisor</u></a> .	June 11, 2025
<a href="#"><u>Updated check: AWS STS global endpoint usage across AWS Regions is now available at all AWS Support plan tiers.</u></a>	For details, see the <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	June 9, 2025
<a href="#"><u>New check: Amazon Aurora cost optimization recommendations for DB cluster storage</u></a>	For details, see the <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	June 9, 2025
<a href="#"><u>New check: AWS STS global endpoint usage across AWS Regions</u></a>	For details, see the <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	June 2, 2025
<a href="#"><u>15 new AWS Cost Optimization Hub checks add to Trusted Advisor</u></a>	For details, see the <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	May 30, 2025
<a href="#"><u>Updated three Trusted Advisor checks</u></a>	For details, see the <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	May 21, 2025

<a href="#"><u>New feature: Update support case severity</u></a>	For details, see the <i>Changing a support case severity level</i> section <a href="#"><u>Creating support cases and case management</u></a> .	May 21, 2025
<a href="#"><u>Updated time you can view AWS Support case details.</u></a>	For details, see <a href="#"><u>Security for your AWS Support cases</u></a> .	April 29, 2025
<a href="#"><u>Updated two Trusted Advisor checks</u></a>	For details, see the <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	April 2, 2025
<a href="#"><u>Added description for Support API</u></a>	Added AWS Support API Actions description in <a href="#"><u>Manage access to AWS Support Center</u></a> .	March 7, 2025
<a href="#"><u>Deprecated 6 AWS Security Hub CSPM checks</u></a>	For details, see the <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	March 5, 2025
<a href="#"><u>Removed references to category-level metrics for Trusted Advisor</u></a>	Category-level metrics for Trusted Advisor are deprecated. References to category-level metrics are removed from <a href="#"><u>Creating Amazon CloudWatch alarms to monitor AWS Trusted Advisor metrics</u></a> .	January 27, 2025
<a href="#"><u>Updated documentation for Trusted Advisor</u></a>	Added two new checks: AWS CloudTrail Management Events Logging and Amazon RDS Continuous Backups Not Enabled. For more information, see <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	December 23, 2024

<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Updated Auto Scaling Group Resources. For more information, see <a href="#">Change log for AWS Trusted Advisor checks</a> .	December 23, 2024
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Updated IAM Access Analyzer External Access check. For more information, see <a href="#">Change log for AWS Trusted Advisor checks</a> .	December 23, 2024
<u><a href="#">Updated documentation for AWSSupportServiceRolePolicy</a></u>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#">AWS managed policy: AWSSupportServiceRolePolicy</a> .	November 25, 2024
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Added 1 new Trusted Advisor check. For more information, see <a href="#">Change log for AWS Trusted Advisor checks</a> .	November 22, 2024
<u><a href="#">Added documentation for AWS managed policies for AWS Partner-Led Support</a></u>	Added documentation for a new AWS managed policy <code>AWSPartnerLedSupportReadOnlyAccess</code> . For more information, see <a href="#">AWS managed policies for AWS Partner-Led Support</a> .	November 22, 2024
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Updated 3 Trusted Advisor checks. For more information, see <a href="#">Change log for AWS Trusted Advisor checks</a> .	November 7, 2024

<u><a href="#">Updated documentation for AWS Support Plans</a></u>	Added a new log example for the <code>ListSupportPlanModifiers</code> operation to the <a href="#">Logging Support Plans API calls with AWS CloudTrail</a> page.	November 6, 2024
<u><a href="#">Updated documentation for AWSTrustedAdvisorServiceRolePolicy</a></u>	Added new IAM actions <code>elasticloadbalancing:DescribeListeners</code> and <code>elasticloadbalancing:DescribeRules</code> , to onboard a new security check. For more information, see <a href="#">AWS managed policy: AWSTrustedAdvisorServiceRolePolicy</a> .	October 30, 2024
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Added 4 new Trusted Advisor checks. For more information, see <a href="#">Change log for AWS Trusted Advisor checks</a> .	October 11, 2024
<u><a href="#">Updated documentation for AWSSupportServiceRolePolicy</a></u>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#">AWS managed policy: AWSSupportServiceRolePolicy</a> .	October 8, 2024

<a href="#"><u>Updated documentation for Trusted Advisor</u></a>	Moved 1 Cost Optimization check under the Fault Tolerance pillar. Updated 1 Security check and 1 Fault Tolerance check. For more information, see <a href="#"><u>Change log for AWS Trusted Advisor checks.</u></a>	October 2, 2024
<a href="#"><u>Updated AWS Trusted Advisor Engage section</u></a>	Updated the AWS Trusted Advisor Engage section to reference AWS Countdown . For more information, see Get started with AWS Trusted Advisor Engage (Preview).	September 16, 2024
<a href="#"><u>Updated documentation for AWS Support Plans</u></a>	Added a new permission and CloudTrail documentation for viewing a list of support plan modifiers. For more information, see <a href="#"><u>Manage access to AWS Support Plans, AWS managed policies for AWS Support Plans and Logging AWS Support Plans API calls with AWS CloudTrail.</u></a>	September 9, 2024
<a href="#"><u>Updated documentation for Trusted Advisor</u></a>	Trusted Advisor added 9 new checks on Aug 23rd. For more information, see <a href="#"><u>Change log for AWS Trusted Advisor checks.</u></a>	August 23, 2024

<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Updated 1 Trusted Advisor Operational Excellence check and added 1 new Trusted Advisor Security check. For more information, see <a href="#">Change log for AWS Trusted Advisor checks</a> .	August 22, 2024
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Updated 6 Trusted Advisor Security checks. For more information, see <a href="#">Change log for AWS Trusted Advisor checks</a> .	August 20, 2024
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Updated 2 Trusted Advisor checks. For more information, see <a href="#">Change log for AWS Trusted Advisor checks</a> .	August 12, 2024
<u><a href="#">Updated documentation for AWSSupportServiceRolePolicy</a></u>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#">AWS managed policy: AWSSupportServiceRolePolicy</a> .	August 5, 2024
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Updated 9 Trusted Advisor Checks. For more information, see <a href="#">Change log for AWS Trusted Advisor checks</a> .	July 21, 2024

[Updated documentation for AWSTrustedAdvisorServiceRolePolicy](#)

Added new IAM actions  
access-analyzer:ListAnalyzers , cloudwatchMetrics:ListMetrics ,  
dax:DescribeClusters , ec2:DescribeNatGateways , ec2:DescribeRouteTables ,  
ec2:DescribeVpcEndpointDetails , ec2:GetManagedPrefixListEntries ,  
elasticloadbalancing:DescribeTargetHealth , iam>ListSAMLProviders , kafka:DescribeClusterV2  
network-firewall:ListFirewalls network-firewall:DescribeFirewall and sqs:GetQueueAttributes to  
onboard new checks. For more information, see [AWS managed policy: AWSTrustedAdvisorServiceRolePolicy](#).

[Removed 5 AWS Trusted Advisor checks from documentation](#)

Removed 5 AWS Trusted Advisor checks that are now deprecated. For more information, see [Change log for AWS Trusted Advisor checks](#).

June 11, 2024

May 15, 2024

<a href="#"><u>Added 1 new AWS Trusted Advisor Security check to documentation</u></a>	Added 1 new AWS Trusted Advisor Security check to documentation. For more information, see <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	May 15, 2024
<a href="#"><u>Removed 3 Fault Tolerance checks from documentation</u></a>	Removed 3 Fault Tolerance checks that are now deprecated. For more information, see <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	April 25, 2024
<a href="#"><u>Updated Fault Tolerance and Security check documentation</u></a>	Added 1 new fault tolerance check. Updated 1 fault tolerance and 1 security check. For more information, see <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	March 29, 2024
<a href="#"><u>Updated documentation for AWSSupportServiceRolePolicy</u></a>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#"><u>AWS managed policy: AWSSupportServiceRolePolicy</u></a> .	March 22, 2024
<a href="#"><u>Updated documentation for Support plan</u></a>	Updates to the Features of Support Plans. For more information, see <a href="#"><u>Support plans</u></a> .	March 11, 2024

<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Added 1 fault tolerance check. For more information, see <a href="#">Change log for AWS Trusted Advisor checks.</a>	February 29, 2024
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Added 1 fault tolerance check. For more information, see <a href="#">Change log for AWS Trusted Advisor checks.</a>	January 31, 2024
<u><a href="#">Updated documentation for AWSTrustedAdvisorServiceRolePolicy</a></u>	Added new IAM actions <code>cloudtrail:GetTrail</code> , <code>cloudtrail&gt;ListTrails</code> , <code>cloudtrail:GetEventSelectors</code> , <code>outposts:GetOutpost</code> , <code>outposts&gt;ListAssets</code> and <code>outposts&gt;ListOutposts</code> to onboard new checks. For more information, see <a href="#">AWS managed policy: AWSTrustedAdvisorServiceRolePolicy</a> .	January 18, 2024
<u><a href="#">Updated documentation for AWSSupportServiceRolePolicy</a></u>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#">AWS managed policy: AWSSupportServiceRolePolicy</a> .	January 17, 2024

<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Updated 1 fault tolerance check to amend title and description. For more information, see <a href="#">Change log for AWS Trusted Advisor checks</a> .	January 8, 2024
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Updated 1 security check to reflect change in deprecation period. For more information, see <a href="#">Change log for AWS Trusted Advisor checks</a> .	December 21, 2023
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Added 2 security checks and 2 performance checks. For more information, see <a href="#">Change log for AWS Trusted Advisor checks</a> .	December 20, 2023
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Added 1 security check. For more information, see <a href="#">Change log for AWS Trusted Advisor checks</a> .	December 15, 2023
<u><a href="#">Updated documentation for Trusted Advisor Engage</a></u>	Updated Trusted Advisor Engage documentation with changes for email notification option.	December 14, 2023
<u><a href="#">Updated documentation for Trusted Advisor Engage</a></u>	Updated Trusted Advisor Engage documentation with changes for scheduled engagements.	December 11, 2023

<a href="#"><u>Updated documentation for Trusted Advisor</u></a>	Added 2 new fault tolerance checks and 1 cost optimization check. For more information, see <a href="#"><u>Change log for AWS Trusted Advisor checks.</u></a>	December 7, 2023
<a href="#"><u>Updated documentation for AWSSupportServiceRolePolicy</u></a>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#"><u>AWS managed policy: AWSSupportServiceRolePolicy.</u></a>	December 6, 2023
<a href="#"><u>Updated AWS managed policies for Trusted Advisor</u></a>	Updated the AWSTrustee dAdvisorPriorityFu llAccess and AWSTrustee dAdvisorPriorityRe adOnlyAccess AWS managed policies to include statement IDs. For more information, see <a href="#"><u>AWS managed policies for AWS Trusted Advisor.</u></a>	December 6, 2023
<a href="#"><u>Updated documentation for Trusted Advisor</u></a>	Added 3 new fault tolerance checks. For more information, see <a href="#"><u>Change log for AWS Trusted Advisor checks.</u></a>	November 17, 2023
<a href="#"><u>Updated documentation for Trusted Advisor</u></a>	Added 37 new checks for Amazon RDS. For more information, see <a href="#"><u>Change log for AWS Trusted Advisor checks.</u></a>	November 15, 2023

<u><a href="#">Updated documentation for AWSTrustedAdvisorServiceRolePolicy</a></u>	Added new IAM actions ec2:DescribeRegion, s3:GetLifecycleConfiguration, ecs:DescribeTaskDefinition and ecs>ListTaskDefinitions to onboard new checks. For more information, see <a href="#">AWS managed policy: AWSTrustedAdvisorServiceRolePolicy</a> .	November 9, 2023
<u><a href="#">Updated documentation for AWSSupportServiceRolePolicy</a></u>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#">AWS managed policy: AWSSupportServiceRolePolicy</a> .	October 27, 2023
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Added 64 new checks integrated from AWS Config. For more information, see <a href="#">Change log for AWS Trusted Advisor checks</a> .	October 26, 2023
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Added six new fault tolerance checks in Trusted Advisor. For more information, see the <a href="#">Change log for AWS Trusted Advisor checks</a> .	October 12, 2023

<a href="#"><u>Updated documentation for AWSTrustedAdvisorServiceRolePolicy</u></a>	Added new IAM actions route53resolver:ListResolverEndpoint , route53resolver:ListResolverEndpoint IpAddresses , ec2:DescribeSubnets , kafka:ListClustersV2 and kafka:ListNodes to onboard new resilience checks. For more information, see <a href="#"><u>AWS managed policy: AWSTrustedAdvisorServiceRolePolicy</u></a> .	September 14, 2023
<a href="#"><u>Updated documentation for AWSSupportServiceRolePolicy</u></a>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#"><u>AWS managed policy: AWSSupportServiceRolePolicy</u></a> .	August 28, 2023
<a href="#"><u>Updated documentation for Trusted Advisor</u></a>	Added 1 new service limits checks for AWS Lambda. For more information, see the <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	August 17, 2023
<a href="#"><u>Updated documentation for Trusted Advisor</u></a>	Added 1 new fault tolerance checks for Lambda. For more information, see the <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	August 3, 2023

<u><a href="#">Updated documentation for Trusted Advisor Engage</a></u>	Updated Trusted Advisor Engage documentation with changes to forms for creating and editing engagements. Added page with <a href="#">Example Service Control Policies for AWS Trusted Advisor.</a>	July 27, 2023
<u><a href="#">Updated documentation for AWSSupportServiceRolePolicy</a></u>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#">AWS managed policy: AWSSupportServiceRolePolicy.</a>	June 26, 2023
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Added two new fault tolerance checks for Amazon MQ. Added one new fault tolerance check and one new performance check for Amazon Elastic File System. For more information, see the <a href="#">Change log for AWS Trusted Advisor checks.</a>	June 1, 2023
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Added two new fault tolerance checks for NAT Gateway. For more information, see the <a href="#">Change log for AWS Trusted Advisor checks.</a>	May 16, 2023

<u><a href="#">Updated documentation for AWS Support Plans</a></u>	Added a new permission and CloudTrail documentation for the creation of support plan schedules. For more information, see <a href="#">Manage access to AWS Support Plans</a> , <a href="#">AWS managed policies for AWS Support Plans</a> and <a href="#">Logging AWS Support Plans API calls with AWS CloudTrail</a> .	May 8, 2023
<u><a href="#">Updated documentation for AWSSupportServiceRolePolicy</a></u>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#">AWS managed policy: AWSSupportServiceRolePolicy</a> .	May 2, 2023
<u><a href="#">Updated documentation for Trusted Advisor Engage and Trusted Advisor Priority</a></u>	Clarified prerequisites for Trusted Advisor Engage and Trusted Advisor Priority. Added example IAM policy with ability to use Trusted Advisor Engage and to enable trusted access to Trusted Advisor.	April 28, 2023
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Added two new fault tolerance checks for AWS Resilience Hub and Incident Manager. For more information, see the <a href="#">Change log for AWS Trusted Advisor checks</a> .	April 27, 2023

<u><a href="#">Added documentation for Trusted Advisor Engage</a></u>	You can use AWS Trusted Advisor Engage to get the most out of your AWS Support Plans by making it easy for you to see, request and track all your proactive engagements, and communicate with your AWS account team about ongoing engagements. For more information, see Get started with AWS Trusted Advisor Engage.	April 6, 2023
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Added two new fault tolerance checks for Amazon ECS. For more information, see the <a href="#">Change log for AWS Trusted Advisor checks</a> .	March 30, 2023
<u><a href="#">Updated documentation for AWSSupportServiceRolePolicy</a></u>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#">AWS managed policy: AWSSupportServiceRolePolicy</a> .	March 16, 2023

<u><a href="#">Added documentation for Trusted Advisor Priority</a></u>	Updated the Trusted Advisor Priority console: <ul style="list-style-type: none"><li>• The <b>Acknowledge</b> and <b>Dismiss</b> buttons have replaced the <b>Accept</b> and <b>Reject</b> buttons.</li><li>• You don't need to enter your job title or name to acknowledge, resolve, dismiss, or reopen recommendations.</li></ul>	February 16, 2023
<u><a href="#">Updated code examples for Support</a></u>	For more information, see <u><a href="#">Getting started with Trusted Advisor Priority</a></u> .	
<u><a href="#">Updated documentation for AWSSupportServiceRolePolicy</a></u>	Added .NET, Java, and Kotlin code examples that show how to use Support with an AWS software development kit (SDK). For more information, see <u><a href="#">Code examples for Support using AWS SDKs</a></u> .	January 16, 2023
<u><a href="#">Updated documentation for AWSSupportServiceRolePolicy</a></u>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <u><a href="#">AWS managed policy: AWSSupportServiceRolePolicy</a></u> .	January 10, 2023

<a href="#"><u>Updated documentation for AWS Support App</u></a>	You can search for support cases in Slack by using filter options or searching by case ID. For more information, see <a href="#">Searching for support cases in Slack</a> .	December 29, 2022
<a href="#"><u>Updated documentation for AWS Support App</u></a>	You can also use Terraform to create your resources for the AWS Support App. For more information, see <a href="#">Create AWS Support App resources by using Terraform</a> .	December 22, 2022
<a href="#"><u>Updated documentation for Trusted Advisor</u></a>	Added three new fault tolerance checks for Amazon MemoryDB, Amazon ElastiCache, and AWS CloudHSM. For more information, see the <a href="#">Change log for AWS Trusted Advisor checks</a> .	December 15, 2022
<a href="#"><u>Updated documentation for the AWS Support App in Slack</u></a>	You can now request live chat support for the following options: <ul style="list-style-type: none"><li>• Account and billing support cases.</li><li>• Japanese language support for technical support cases.</li><li>• For more information, see <a href="#">Creating support cases in a Slack channel</a>.</li></ul>	December 14, 2022

<a href="#"><u>Updated documentation for AWS Support</u></a>	Added documentation about new endpoints for the Support API. For more information, see <a href="#"><u>About the AWS Support API</u></a> .	December 14, 2022
<a href="#"><u>Added documentation for CloudFormation templates to use for the AWS Support App in Slack</u></a>	You can use CloudFormation templates to create Slack configuration workspaces and channels for AWS accounts in AWS Organizations. For more information, see <a href="#"><u>Creating AWS Support App resources with AWS CloudFormation</u></a> .	December 5, 2022
<a href="#"><u>Updated documentation for Trusted Advisor</u></a>	Added two new fault tolerance checks for AWS Resilience Hub. For more information, see the <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	November 17, 2022
<a href="#"><u>Added documentation for your AWS Security Hub CSPM findings in Trusted Advisor</u></a>	Your findings from Security Hub CSPM controls are removed from Trusted Advisor faster. For more information, see the <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	November 17, 2022
<a href="#"><u>Updated documentation for AWS Trusted Advisor</u></a>	Added documentation for Trusted Advisor Recommendations. For more information, see the <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	November 16, 2022

<a href="#"><u>Updated documentation for the AWS Support App in Slack</u></a>	Added documentation for Japanese language support. For more information, see <a href="#"><u>Creating support cases in a Slack channel.</u></a>	November 11, 2022
<a href="#"><u>Updated documentation for AWS Support Plans</u></a>	Added troubleshooting information to allow Support Plans access in an organization. For more information, see <a href="#"><u>Troubleshooting.</u></a>	November 9, 2022
<a href="#"><u>Updated documentation for the AWS Support App in Slack</u></a>	Added documentation for supportapp permissions. For more information, see <a href="#"><u>Permissions required for the AWS Support App to connect to Slack.</u></a>	November 1, 2022
<a href="#"><u>Updated documentation for the AWS Support App in Slack</u></a>	You can use the RegisterSlackWorkspaceForOrganization API operation to register a Slack workspace for your AWS account. To call this API, your account must be part of an organization in AWS Organizations. For more information, see the <a href="#"><u>AWS Support App in Slack API Reference.</u></a>	October 19, 2022

<a href="#"><u>Updated documentation for AWSSupportServiceRolePolicy</u></a>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#"><u>AWS managed policy: AWSSupportServiceRolePolicy</u></a> .	October 4, 2022
<a href="#"><u>Updated documentation for Support Plans</u></a>	You can now use AWS Identity and Access Management (IAM) to manage permissions to change the support plan for your AWS account. For more information, see the following topics: <ul style="list-style-type: none"><li>• <a href="#"><u>Managing access for AWS Support Plans</u></a></li><li>• <a href="#"><u>AWS managed policies for AWS Support Plans</u></a></li><li>• <a href="#"><u>Changing AWS Support Plans</u></a></li><li>• <a href="#"><u>Logging AWS Support Plans API calls with AWS CloudTrail</u></a></li></ul>	September 29, 2022
<a href="#"><u>Updated documentation for the AWS Support App in Slack</u></a>	Added documentation on how to configure a public or private channel to use with the AWS Support App. For more information, see <a href="#"><u>Configuring a Slack channel</u></a> .	September 22, 2022

<a href="#"><u>Updated documentation for AWS Support</u></a>	Added a new section about security for your support cases. For more information, see <a href="#"><u>Security for your AWS Support cases</u></a> .	September 9, 2022
<a href="#"><u>Updated documentation for Trusted Advisor</u></a>	Added a new security check for Amazon EC2. For more information, see the <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	September 1, 2022
<a href="#"><u>Updated documentation for the AWS Support App in Slack</u></a>	<p>See the following topics:</p> <p>You can use the AWS Support App to manage your support cases, request service quota increases, and chat with support agents directly in your Slack channels. For more information, see the <a href="#"><u>AWS Support App in Slack documentation</u></a>.</p> <p>You can attach AWS managed policies to your IAM roles to use the AWS Support App. For more information, see <a href="#"><u>AWS managed policies for AWS Support App in Slack</u></a>.</p> <p>New API reference for the AWS Support App. See the <a href="#"><u>AWS Support App API Reference</u></a>.</p>	August 24, 2022

<u><a href="#">Updated documentation for AWSSupportServiceRolePolicy</a></u>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#">AWS managed policy: AWSSupportServiceRolePolicy</a> .	August 17, 2022
<u><a href="#">Added documentation for Trusted Advisor Priority</a></u>	Trusted Advisor Priority adds support for the following features: <ul style="list-style-type: none"><li>• Delegated administrators</li><li>• Daily and weekly email notifications for recommendation summaries</li><li>• Reopen resolved or rejected recommendations</li><li>• AWS managed policies</li></ul> For more information, see <a href="#">Getting started with Trusted Advisor Priority</a> .	August 17, 2022
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	The <b>Preferences</b> page in the Trusted Advisor console has been updated. For more information, see <a href="#">Getting started with AWS Trusted Advisor</a> .	July 15, 2022

[Updated documentation for Trusted Advisor](#)

Updated the checks to include the following information:

- **Alert Criteria**
- **Recommended Action**
- **Additional Resources**
- **Report columns**

For more information, see the [AWS Trusted Advisor check reference](#).

[Updated documentation for AWS Support](#)

Added documentation that explains how to manage your support cases.

June 28, 2022

- [Updating an existing support case](#)
- [Troubleshooting](#)

[Updated documentation for AWSSupportServiceRolePolicy](#)

Updated permissions to provide billing, administrative, and support services for the service-linked role. For more information, see [AWS managed policy: AWSSupportServiceRolePolicy](#).

June 23, 2022

<a href="#"><u>Updated documentation for Trusted Advisor</u></a>	Trusted Advisor supports additional AWS Foundation Security Best Practices security standard controls that are sourced from AWS Security Hub CSPM. For more information, see the <a href="#"><u>Change log for AWS Trusted Advisor checks</u></a> .	June 23, 2022
<a href="#"><u>Updated documentation for Trusted Advisor</u></a>	Added information about how to request service quota increases. For more information, see <a href="#"><u>Service limits</u></a> .	June 21, 2022
<a href="#"><u>Updated documentation for AWS Support</u></a>	The create case experience has been updated in the Support Center Console. For more information, see <a href="#"><u>Creating support cases and case management</u></a> .	May 18, 2022
<a href="#"><u>Updated documentation for Trusted Advisor</u></a>	Added four checks for Amazon EBS and AWS Lambda. For more information, see <a href="#"><u>Opt in AWS Compute Optimizer to add Trusted Advisor checks</u></a> .	May 4, 2022
<a href="#"><u>Updated documentation for AWSSupportServiceRolePolicy</u></a>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#"><u>AWS managed policy: AWSSupportServiceRolePolicy</u></a> .	April 27, 2022

<a href="#"><u>Updated documentation for the Exposed Access Keys check</u></a>	This check is now automatically refreshed for you. For more information, see <a href="#">Change log for AWS Trusted Advisor checks</a> .	April 25, 2022
<a href="#"><u>Updated documentation for Trusted Advisor</u></a>	The AWS Direct Connect checks in the fault tolerance category are updated. For more information, see <a href="#">Change log for AWS Trusted Advisor checks</a> .	March 29, 2022
<a href="#"><u>Updated documentation for AWSSupportServiceRolePolicy</u></a>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#">AWS managed policy: AWSSupportServiceRolePolicy</a> .	March 14, 2022
<a href="#"><u>Added documentation for Trusted Advisor Priority</u></a>	You can use Trusted Advisor Priority to view a list of prioritized recommendations from your technical account manager (TAM). For more information, see <a href="#">Getting started with Trusted Advisor Priority</a> .	February 28, 2022
<a href="#"><u>Updated documentation for using Amazon EventBridge for Trusted Advisor</u></a>	You can create an EventBridge rule to monitor changes to your Trusted Advisor checks. For more information, see <a href="#">Monitoring AWS Trusted Advisor check results with EventBridge</a> .	February 21, 2022

<a href="#"><u>New documentation for using Amazon EventBridge to monitor AWS Support cases</u></a>	You can create an EventBridge rule to monitor and receive notifications about your support cases. For more information, see <a href="#">Monitoring Support cases with EventBridge</a> .	February 21, 2022
<a href="#"><u>Updated documentation for AWSSupportServiceRolePolicy</u></a>	Added new permissions to provide billing, administrative, and support services for the service-linked role. For more information, see <a href="#">AWS managed policy: AWSSupportServiceRolePolicy</a> .	February 17, 2022
<a href="#"><u>Added documentation for integrating with AWS Security Hub CSPM</u></a>	In the Trusted Advisor console, you can now view the findings for your Security Hub CSPM controls that are part of the AWS Foundation Security Best Practices security standard. For more information, see <a href="#">Viewing AWS Security Hub CSPM controls in the AWS Trusted Advisor console</a> .	January 18, 2022

[Updated documentation for Trusted Advisor](#)

Added three new checks for Amazon EC2 instances that are running Microsoft SQL Server.

December 20, 2021

- Amazon EC2 instances consolidation for Microsoft SQL Server
- Amazon EC2 instances over-provisioned for Microsoft SQL Server
- Amazon EC2 instances with Microsoft SQL Server end of support

For more information, see the [AWS Trusted Advisor check reference](#).

[Updated documentation for Trusted Advisor](#)

Trusted Advisor added four new checks for AWS Well-Architected

December 20, 2021

- AWS Well-Architected high risk issues for cost optimization
- AWS Well-Architected high risk issues for performance
- AWS Well-Architected high risk issues for security
- AWS Well-Architected high risk issues for reliability

For more information, see the [AWS Trusted Advisor check reference](#).

[Updated documentation](#)

If you have an [Enterprise On-Ramp](#) Support plan, you have access to all Trusted Advisor checks and the AWS Support API.

November 24, 2021

[Updated documentation for Trusted Advisor](#)

Trusted Advisor added two new checks for Amazon Comprehend. For more information, see the [AWS Trusted Advisor check reference](#).

September 29, 2021

<u><a href="#">Updated documentation for Trusted Advisor</a></u>	The check name for Amazon OpenSearch Service Reserved Instance Optimization was updated. For more information, see <a href="#">Change log for AWS Trusted Advisor checks</a> .	September 8, 2021
<u><a href="#">Updated documentation for Trusted Advisor checks</a></u>	Added a reference topic for all Trusted Advisor checks. For more information, see <a href="#">AWS Trusted Advisor check reference</a> .	September 1, 2021
<u><a href="#">Updated documentation for Trusted Advisor managed policies</a></u>	Updated documentation for the Trusted Advisor managed policies. For more information, see <a href="#">AWS managed policies for AWS Support and AWS Trusted Advisor</a> .	August 10, 2021
<u><a href="#">Updated documentation for Trusted Advisor</a></u>	Updated documentation for the Trusted Advisor console. For more information, see <a href="#">Get started with AWS Trusted Advisor</a> .	July 16, 2021
<u><a href="#">Updated documentation for creating Support cases</a></u>	Added documentation about how to create a related support case for cases that are permanently closed. For more information, see <a href="#">Reopening a closed case</a> and <a href="#">Creating a related case</a> .	June 8, 2021

<u>Updated documentation for Trusted Advisor</u>	Trusted Advisor added two new checks for Amazon Elastic Block Store (Amazon EBS) volume storage. For more information, see <a href="#">Change log for AWS Trusted Advisor checks</a> .	June 8, 2021
<u>Updated documentation</u>	The following topics are updated: <ul style="list-style-type: none"><li>• Updated procedures and added content to the <a href="#">Creating Amazon CloudWatch alarms to monitor AWS Trusted Advisor metrics</a> topic</li><li>• Added the <a href="#">Service quotas for the AWS Support API</a> section</li></ul>	May 12, 2021

## Earlier updates

Change	Description	Date
Updated documentation for Trusted Advisor	Added documentation to filter, refresh, and download check results. For more information, see the following sections: <ul style="list-style-type: none"><li>• <a href="#">Filter your checks</a></li><li>• <a href="#">Refresh check results</a></li><li>• <a href="#">Download check results</a></li></ul>	March 16, 2021
Updated documentation about AWS managed policies	Added information about the AwSSupportServiceRolePolicy AWS managed	March 16, 2021

Change	Description	Date
	policy. For more information, see <a href="#">Using service-linked roles for AWS Support</a> .	
Added checks for AWS Lambda	Added four AWS Trusted Advisor checks for Lambda in the <a href="#">Change log for AWS Trusted Advisor</a> .	March 8, 2021
Updated service limit checks for Amazon Elastic Block Store	Updated five AWS Trusted Advisor checks for Amazon EBS in the <a href="#">Change log for AWS Trusted Advisor</a> .	March 5, 2021
Updated documentation for CloudTrail logging	CloudTrail supports logging for console actions when you change your AWS Support plan. For more information, see <a href="#">Logging changes to your Support plan</a> .	February 9, 2021
Updated documentation for Trusted Advisor	Updated the <a href="#">Get started with Trusted Advisor Recommendations</a> topic.	January 29, 2021
Updated documentation for Trusted Advisor reports	Added a <a href="#">Troubleshooting</a> section for using Trusted Advisor reports with other AWS services.	December 4, 2020
Added AWS Trusted Advisor support for AWS CloudTrail logging	CloudTrail supports logging for a subset of Trusted Advisor console actions. For more information, see <a href="#">Logging AWS Trusted Advisor console actions with AWS CloudTrail</a> .	November 23, 2020
Added a change log topic	View changes to AWS Trusted Advisor checks and categories in the <a href="#">Change log for AWS Trusted Advisor</a> .	November 18, 2020
Added support for organizational units	You can now create reports for Trusted Advisor checks for organizational units (OUs). For more information, see <a href="#">Create organizational view reports</a> .	November 17, 2020

Change	Description	Date
Updated the logging with AWS CloudTrail topic	Added an example log entry for a Trusted Advisor API operation. See <a href="#">AWS Trusted Advisor information in CloudTrail logging</a> .	October 22, 2020
Added AWS Support quotas	Added information about the current quotas and restrictions for Support. See the <a href="#">Support endpoints and quotas</a> in the <i>AWS General Reference</i> .	August 4, 2020
Organizational view for AWS Trusted Advisor	You can now create reports for Trusted Advisor checks for accounts that are part of AWS Organizations. See <a href="#">Organizational view for AWS Trusted Advisor</a> .	July 17, 2020
Security and AWS Support	Updated information about security considerations when using AWS Support and Trusted Advisor. See <a href="#">Security in AWS Support</a>	May 5, 2020
Security and AWS Support	Added information about security considerations when using AWS Support.	January 10, 2020
Using Trusted Advisor as a web service	Added updated instructions to refresh Trusted Advisor data after getting list of Trusted Advisor checks.	November 1, 2018
Using Service-linked roles	Added new section.	July 11, 2018
Getting Started: Troubleshooting	Added troubleshooting links for Route 53 and AWS Certificate Manager.	September 1, 2017
Case Management Example: Creating a Case	Added a note about the CC box for users who have the Basic support plan.	August 1, 2017

Change	Description	Date
Monitoring Trusted Advisor Check Results with CloudWatch Events	Added new section.	November 18, 2016
Case Management	Updated the names of case severity levels.	October 27, 2016
Logging AWS Support Calls with AWS CloudTrail	Added new section.	April 21, 2016
Getting Started: Troubleshooting	Added more troubleshooting links.	May 19, 2015
Getting Started: Troubleshooting	Added more troubleshooting links.	November 18, 2014
Getting Started: Case Management	Updated to reflect Service Catalog in the AWS Management Console.	October 30, 2014
Programming the Life of an AWS Support Case	Added information about new API elements for adding attachments to cases and for omitting case communications when retrieving case history.	July 16, 2014
Accessing AWS Support	Removed named support contacts as an access method.	May 28, 2014
Getting Started	Added the Getting Started section.	December 13, 2013
Initial publication	New AWS Support service released.	April 30, 2013