STAT542

May 11, 2021

[1]:
```
import os
import warnings
%matplotlib inline
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
plt.style.use('seaborn')
sns.set_style('whitegrid')
plt.rcParams['axes.labelsize']=12
import matplotlib.gridspec as gridspec
from wordcloud import WordCloud, STOPWORDS
pd.options.mode.chained_assignment = None # Warning for chained copies disabled
```

[2]:
```
off = pd.read_csv("en.openfoodfacts.org.products.tsv", delimiter='\t',␣
 ↪encoding='utf-8')

pd.set_option('display.max_columns', None)
pd.set_option('display.max_rows', None)
```

```
C:\Users\arkam\anaconda3\lib\site-
packages\IPython\core\interactiveshell.py:3166: DtypeWarning: Columns
(0,3,5,19,20,24,25,26,27,28,36,37,38,39,48) have mixed types.Specify dtype
option on import or set low_memory=False.
  interactivity=interactivity, compiler=compiler, result=result)
```

[3]:
```
plt.figure(figsize=(20, 5)); thresh_pc = 20

percentage=(off.isnull().mean()) * 100
percentage.sort_values(ascending=False).plot.bar(color=('yellow', 'green',␣
 ↪'purple', 'pink', 'brown'),
                                                  edgecolor='b')
plt.axhline(y = thresh_pc, color='k', linestyle='-')
# plt.title('Missing values percentage per column', fontsize=20, weight='bold' )
plt.text(len(off.isnull().sum()/len(off))/1.2, thresh_pc + 12.5,
         'Columns with more than \n %s%s missing values' %(thresh_pc, '%'),␣
 ↪fontsize=14, weight='bold', color='r',
          ha='left', va='top')
```

```
# plt.text(len(off.isnull().sum()/len(off))/1.2, thresh_pc - 5,
#          'Columns with less than \n %s%s missing values' %(thresh_pc, '%'),␣
 ↪fontsize=14, weight='bold', color='k',
#          ha='left', va='top')
plt.xlabel('Columns', size=15, weight='bold', fontsize=14)
plt.ylabel('Percentage of missing values', weight='bold', fontsize=14)
plt.yticks(weight ='bold', fontsize = 13)

plt.savefig('initial_barplot.png', dpi=300)
plt.show()
```



[3]:
```
off2=off.dropna(thresh=int(0.2*off.shape[0]), axis=1)
print("Shape before cleaning = ", off.shape)
print("Shape after cleaning  = ", off2.shape)
print("We dropped ", off.shape[1]- off2.shape[1]," columns")
off2.columns.values
```

```
Shape before cleaning =  (356027, 163)
Shape after cleaning  =  (356027, 54)
We dropped  109  columns
```

[3]:
```
array(['code', 'url', 'creator', 'created_t', 'created_datetime',
       'last_modified_t', 'last_modified_datetime', 'product_name',
       'quantity', 'packaging', 'packaging_tags', 'brands', 'brands_tags',
       'categories', 'categories_tags', 'categories_en', 'countries',
       'countries_tags', 'countries_en', 'ingredients_text',
       'serving_size', 'additives_n', 'additives', 'additives_tags',
       'additives_en', 'ingredients_from_palm_oil_n',
       'ingredients_that_may_be_from_palm_oil_n', 'nutrition_grade_fr',
       'pnns_groups_1', 'pnns_groups_2', 'states', 'states_tags',
```

```
       'states_en', 'main_category', 'main_category_en', 'image_url',
       'image_small_url', 'energy_100g', 'fat_100g', 'saturated-fat_100g',
       'trans-fat_100g', 'cholesterol_100g', 'carbohydrates_100g',
       'sugars_100g', 'fiber_100g', 'proteins_100g', 'salt_100g',
       'sodium_100g', 'vitamin-a_100g', 'vitamin-c_100g', 'calcium_100g',
       'iron_100g', 'nutrition-score-fr_100g', 'nutrition-score-uk_100g'],
      dtype=object)
```

[5]:
```
off2['pnns_groups_1'].value_counts().head(10).to_frame()
```

[5]:

	pnns_groups_1
unknown	43603
Sugary snacks	14750
Beverages	13476
Milk and dairy products	10733
Cereals and potatoes	10078
Fish Meat Eggs	9473
Composite foods	7972
Fat and sauces	7122
Fruits and vegetables	6763
Salty snacks	3299

[4]:
```
ss = off2[np.logical_or(off2['pnns_groups_1']=='Sugary snacks',
                        off2['pnns_groups_1']=='Beverages')]
print(ss.shape)
ss.head(3)
```

```
(28226, 54)
```

[4]:

	code	url	creator	created_t	created_datetime	last_modified_t	last_modified_datetime	product_name	quantity	packaging	packaging_tags	brands	brands_tags
177	394710	http://world-en.openfoodfacts.org/product/0000…	b7	1484497370	2017-01-15T16:22:50Z	1484501040	2017-01-15T17:24:00Z	Danoises à la cannelle roulées	1.150 kg	Frais	frais	Kirkland Signature	kirkland-signature
182	1938067	http://world-en.openfoodfacts.org/product/0000…	b7	1484501528	2017-01-15T17:32:08Z	1484504972	2017-01-15T18:29:32Z	Chaussons tressés aux pommes	1.200 kg	Frais	frais	Kirkland Signature	kirkland-signature
185	7020254	http://world-en.openfoodfacts.org/product/0000…	teolemon	1420150193	2015-01-01T22:09:53Z	1504376301	2017-09-02T18:18:21Z	Root Beer	33 cl e	Canette,Métal	canette,metal	A&W	a-w

```
                                          categories  \
177      Snacks sucrés,Biscuits et gâteaux,Pâtisseries
182      Snacks sucrés,Biscuits et gâteaux,Pâtisseries
185  Boissons,Boissons gazeuses,Sodas,Boissons sucr…

                                     categories_tags  \
177  en:sugary-snacks,en:biscuits-and-cakes,en:past…
182  en:sugary-snacks,en:biscuits-and-cakes,en:past…
185  en:beverages,en:carbonated-drinks,en:sodas,en:…

                                       categories_en countries  \
177          Sugary snacks,Biscuits and cakes,Pastries    Canada
182          Sugary snacks,Biscuits and cakes,Pastries    Canada
185  Beverages,Carbonated drinks,Sodas,Sugared beve…    France

    countries_tags countries_en  \
177      en:canada       Canada
182      en:canada       Canada
185      en:france       France

                                    ingredients_text        serving_size  \
177  Ingrédients: Pâte (farine, eau, beurre, sucre,…   146 g / 1 danoise
182  Ingrédients : Pâte (farine, margarines d'huile…  150 g / 1 chausson
185  Eau gazéifiée, sirop de maïs à haute teneur en…               33 cl

     additives_n                                          additives  \
177         10.0   [ ingredients -> fr:ingredients  ]  [ pate ->…
182          5.0   [ ingredients -> fr:ingredients  ]  [ pate ->…
185          3.0   [ eau-gazeifiee -> fr:eau-gazeifiee  ]  [ eau…

                                      additives_tags  \
177  en:e1100,en:e170,en:e202,en:e203,en:e300,en:e3…
182            en:e202,en:e211,en:e330,en:e509,en:e920
185                           en:e150,en:e211,en:e999

                                        additives_en  \
177  E1100 - Alpha-Amylase,E170 - Calcium carbonate…
182  E202 - Potassium sorbate,E211 - Sodium benzoat…
185  E150 - Caramel,E211 - Sodium benzoate,E999 - Q…

     ingredients_from_palm_oil_n  ingredients_that_may_be_from_palm_oil_n  \
177                          0.0                                      1.0
182                          0.0                                      0.0
185                          0.0                                      0.0

    nutrition_grade_fr  pnns_groups_1        pnns_groups_2  \
```

```
177               NaN  Sugary snacks   Biscuits and cakes
182                 c  Sugary snacks   Biscuits and cakes
185                 e      Beverages  Sweetened beverages

                                            states  \
177  en:to-be-checked, en:complete, en:nutrition-fa…
182  en:to-be-checked, en:complete, en:nutrition-fa…
185  en:to-be-checked, en:complete, en:nutrition-fa…

                                       states_tags  \
177  en:to-be-checked,en:complete,en:nutrition-fact…
182  en:to-be-checked,en:complete,en:nutrition-fact…
185  en:to-be-checked,en:complete,en:nutrition-fact…

                                         states_en     main_category  \
177  To be checked,Complete,Nutrition facts complet…  en:sugary-snacks
182  To be checked,Complete,Nutrition facts complet…  en:sugary-snacks
185  To be checked,Complete,Nutrition facts complet…      en:beverages

    main_category_en                                          image_url  \
177    Sugary snacks                                                NaN
182    Sugary snacks                                                NaN
185        Beverages  http://en.openfoodfacts.org/images/products/00…

                                    image_small_url  energy_100g  fat_100g  \
177                                             NaN       1520.0      14.4
182                                             NaN       1090.0      10.7
185  http://en.openfoodfacts.org/images/products/00…        215.0       0.0

     saturated-fat_100g  trans-fat_100g  cholesterol_100g  carbohydrates_100g  \
177                 NaN             NaN           0.04110                54.1
182                 2.0           0.667           0.00533                38.7
185                 0.0             NaN               NaN                14.2

     sugars_100g  fiber_100g  proteins_100g  salt_100g  sodium_100g  \
177         28.1        2.05           4.79     0.9220       0.3630
182         24.7        2.00           3.33     0.6470       0.2550
185         13.6        0.00           0.00     0.0616       0.0242

     vitamin-a_100g  vitamin-c_100g  calcium_100g  iron_100g  \
177        0.000205         0.00616        0.0548    0.00247
182        0.000000         0.00160        0.0133    0.00048
185             NaN             NaN           NaN        NaN

     nutrition-score-fr_100g  nutrition-score-uk_100g
177                      NaN                      NaN
182                      9.0                      9.0
```

185 18.0 3.0

[5]:
```
plt.figure(figsize=(20, 5)); thresh_pc = 70

percentage=(ss.isnull().mean()) * 100
percentage.sort_values(ascending=False).plot.bar(color=('yellow', 'green',␣
 ↪'purple', 'pink', 'brown'),
                                                  edgecolor='b')
plt.axhline(y = thresh_pc, color='k', linestyle='-')
# plt.title('Missing values percentage per column', fontsize=20, weight='bold' )
plt.text(len(ss.isnull().sum()/len(off))/1.2, thresh_pc + 12.5,
         'Columns with more than \n %s%s missing values' %(thresh_pc, '%'),␣
 ↪fontsize=14, weight='bold', color='r',
          ha='left', va='top')
# plt.text(len(ss.isnull().sum()/len(off))/1.2, thresh_pc - 5,
#          'Columns with less than \n %s%s missing values' %(thresh_pc, '%'),␣
 ↪fontsize=14, weight='bold', color='g',
#          ha='left', va='top')
plt.xlabel('Columns', size=15, weight='bold', fontsize=14)
plt.ylabel('Percentage of missing values', weight='bold', fontsize=14)
plt.yticks(weight ='bold', fontsize = 13)

plt.show()
```



[5]:
```
ss2=ss.dropna(thresh=int(0.7*ss.shape[0]), axis=1)
print("Shape before cleaning = ", ss.shape)
print("Shape after cleaning  = ", ss2.shape)
print("We dropped ", ss.shape[1]- ss2.shape[1]," columns")
ss2.columns.values
```

```
Shape before cleaning =  (28226, 54)
```

```
Shape after cleaning  =  (28226, 42)
We dropped  12  columns
```

[5]:
```
array(['code', 'url', 'creator', 'created_t', 'created_datetime',
       'last_modified_t', 'last_modified_datetime', 'product_name',
       'quantity', 'packaging', 'packaging_tags', 'brands', 'brands_tags',
       'categories', 'categories_tags', 'categories_en', 'countries',
       'countries_tags', 'countries_en', 'ingredients_text',
       'additives_n', 'additives', 'ingredients_from_palm_oil_n',
       'ingredients_that_may_be_from_palm_oil_n', 'nutrition_grade_fr',
       'pnns_groups_1', 'pnns_groups_2', 'states', 'states_tags',
       'states_en', 'main_category', 'main_category_en', 'energy_100g',
       'fat_100g', 'saturated-fat_100g', 'carbohydrates_100g',
       'sugars_100g', 'proteins_100g', 'salt_100g', 'sodium_100g',
       'nutrition-score-fr_100g', 'nutrition-score-uk_100g'], dtype=object)
```

[25]:
```
ss2.to_csv('ss2_forLeon.csv')
```

[6]:
```
ss2 = ss2.fillna(0, axis=1)

ss_corr=ss2.corr()
f,ax=plt.subplots(figsize=(8,6))
sns.heatmap(ss_corr, cmap='Blues')
plt.title("Correlation between features",
          weight='bold',
          fontsize=18)
plt.xticks(weight='bold')
plt.yticks(weight='bold')

plt.show()
```



[7]:
```
ss2 = ss.dropna(thresh=int(0.2*ss.shape[0]), axis=1)
print("Shape before cleaning = ", ss.shape)
print("Shape after cleaning  = ", ss2.shape)
print("We dropped ", ss.shape[1]- ss2.shape[1]," columns")
```

```
Shape before cleaning =  (28226, 54)
Shape after cleaning  =  (28226, 48)
We dropped  6  columns
```

[10]:
```
ss2['main_category'].value_counts().head(20).to_frame()
```

[10]:

	main_category
en:sugary-snacks	11195
en:beverages	10587
en:fruit-juices	2383
en:plant-based-foods-and-beverages	1548
en:spreads	1188

```
en:fruit-juices-and-nectars                436
en:sweeteners                              408
en:breakfasts                              250
en:groceries                                98
en:desserts                                 64
en:fresh-foods                              40
es:pan-y-reposteria                         28
en:dairies                                   1
```

[57]:
```
wordcloud1 = WordCloud(width=600, height=500, background_color='white').
 ↪generate(' '.join(ss2['main_category']))
WordCloud.generate_from_frequencies

fig, ax2 = plt.subplots(1,1, figsize=(6,5))

# ax1.set_title('Sugary snacks and beverages', weight='bold', fontsize=15,␣
 ↪color='k')
# im1 = ax1.imshow(wordcloud1, aspect='auto')

pie = ax2.pie(np.ravel(ss2['countries_en'].value_counts().head(20).to_frame().
 ↪values),
        shadow=True, startangle=0, colors = plt.cm.tab20c.colors)
labels=np.array(ss2['countries_en'].value_counts().head(20).to_frame().index)
ax2.legend(pie[0], labels, bbox_to_anchor=(1.1,0.5), loc="center right",␣
 ↪fontsize=10,
           bbox_transform=plt.gcf().transFigure)
plt.show()
```



[8]:
```
from scipy.stats import skew
from sklearn.preprocessing import RobustScaler

ss2_sub = ss2[['energy_100g','fat_100g',
               'saturated-fat_100g', 'carbohydrates_100g',
               'sugars_100g', 'proteins_100g', 'salt_100g',
               'sodium_100g']]
ss2_sub = ss2_sub.dropna(axis=0).reset_index(); del ss2_sub['index']
numfeats = ss2_sub.dtypes[ss2_sub.dtypes != "object"].index

skewfeats = ss2_sub[numfeats].apply(lambda x: skew(x.dropna())) #compute␣
 ↪skewness
skewfeats = skewfeats[skewfeats > 0.75]
skewfeats = skewfeats.index

ss2_sub[skewfeats] = np.log1p(ss2_sub[skewfeats])
# scaler=RobustScaler()
# scaler.fit(ss2_sub)
```

[16]:
```
import sys
import scipy.cluster.hierarchy as shc
from sklearn.cluster import KMeans, AgglomerativeClustering
```

```
ss2_sub = ss2_sub.fillna(0, axis=1)
plt.figure(figsize=(20, 7))
plt.title("Sugary Snacks + Beverages Dendograms (WEIGHTED)", fontsize=12)
plt.xticks(rotation=90)

sys.setrecursionlimit(200000)
dend = shc.dendrogram(shc.linkage(ss2_sub, method='average'))
```



[12]:
```
import sys
import scipy.cluster.hierarchy as shc
from sklearn.cluster import KMeans, AgglomerativeClustering

ss2_sub = ss2_sub.fillna(0, axis=1)
plt.figure(figsize=(20, 7))
plt.title("Sugary Snacks + Beverages Dendograms (WARD)", fontsize=12)
plt.xticks(rotation=90)

sys.setrecursionlimit(100000)
dend = shc.dendrogram(shc.linkage(ss2_sub, method='ward'))
```



[14]:
```
from sklearn.cluster import KMeans, AgglomerativeClustering
aggclust = AgglomerativeClustering(n_clusters = 9, affinity='euclidean',␣
↪memory=None,
                                   connectivity=None, compute_full_tree='auto',␣
↪linkage='ward')
pred_agg = aggclust.fit_predict(ss2_sub)
ss2_sub['agglom_clust'] = pred_agg

plt.figure(figsize=(14,4))
ss2_sub['agglom_clust'].value_counts().plot(kind='bar', color=['tan',␣
↪'crimson', 'silver', 'darkcyan',
                                                               'deeppink',␣
↪'deepskyblue','lightgreen', 'orchid'])
plt.ylabel("Count",fontsize=14, weight='bold')
plt.xlabel(' Agglomerative Clusters', fontsize=14, weight='bold')
plt.show()
```



[63]:
```
from sklearn.cluster import KMeans, AgglomerativeClustering, SpectralClustering
import numpy as np

kmeans = KMeans(n_clusters = 9, init = 'k-means++', n_init = 10,
                tol = 0.0001, n_jobs = -1, random_state = 1).fit(ss2_sub)
labels2 = kmeans.labels_

# spec = SpectralClustering(n_clusters=9, n_init = 10,
#                  eigen_tol = 0.0001, assign_labels='kmeans', random_state = 1).
↪fit(ss2_sub)
# labels3 = spec.labels_

centers=kmeans.cluster_centers_
pred_km = kmeans.fit_predict(ss2_sub)
```

```
# pred_sp = spec.fit_predict(ss2_sub)
ss2_sub['kmeans_clust'] = pred_km
# ss2_sub['spec_clust'] = pred_sp
```

```
C:\Users\arkam\anaconda3\lib\site-packages\sklearn\cluster\_kmeans.py:939:
FutureWarning: 'n_jobs' was deprecated in version 0.23 and will be removed in
0.25.
  " removed in 0.25.", FutureWarning)
C:\Users\arkam\anaconda3\lib\site-packages\sklearn\cluster\_kmeans.py:939:
FutureWarning: 'n_jobs' was deprecated in version 0.23 and will be removed in
0.25.
  " removed in 0.25.", FutureWarning)
```

[21]:
```
ss2_nona = ss2[['energy_100g','fat_100g',
                'saturated-fat_100g', 'carbohydrates_100g',
                'sugars_100g', 'nutrition-score-fr_100g',
                'nutrition-score-uk_100g', 'pnns_groups_2', 'main_category']]
ss2_nona = ss2_nona.dropna(axis=0).reset_index()
ss2_nona['agglom_clust'] = aggclust.fit_predict(ss2_sub)
ss2_nona['kmeans_clust'] = kmeans.fit_predict(ss2_sub)
ss2_nona['spec_clust'] = spec.fit_predict(ss2_sub)
ss2_nona.head(5)
```

```
C:\Users\arkam\anaconda3\lib\site-packages\sklearn\cluster\_kmeans.py:939:
FutureWarning: 'n_jobs' was deprecated in version 0.23 and will be removed in
0.25.
  " removed in 0.25.", FutureWarning)
```

[21]:

	index	energy_100g	fat_100g	saturated-fat_100g	carbohydrates_100g	sugars_100g	nutrition-score-fr_100g	nutrition-score-uk_100g	pnns_groups_2	main_category	agglom_clust	kmeans_clust
0	177	1520.0	14.4	0.0	54.1	28.1	0.0	0.0	Biscuits and cakes	en:sugary-snacks	5	2
1	182	1090.0	10.7	2.0	38.7	24.7	9.0	9.0	Biscuits and cakes	en:sugary-snacks	2	6
2	185	215.0	0.0	0.0	14.2	13.6	18.0	3.0	Sweetened beverages	en:beverages	0	3
3	186	0.0	0.0	0.0	0.0	0.0	0.0	0.0	Biscuits and cakes	en:sugary-snacks	7	0
4	189	1667.0	0.0	0.0	93.3	93.3	14.0	14.0	Sweets	en:sugary-snacks	1	4

[22]:
```
fig = plt.figure(figsize=(15,6))

fig.add_subplot(1,2,1)
fig.suptitle("Agglomerative Clusters vs. K-Means Clusters", fontsize=20,␣
↪weight='bold')

ss2_nona['agglom_clust'].value_counts().plot(kind='bar', color=['brown',␣
↪'crimson', 'orange', 'red', 'deeppink', 'pink', 'yellow', 'green', 'blue'])
plt.ylabel("Count",fontsize=14, weight='bold')
plt.xticks(fontsize=12); plt.yticks(fontsize=12)
plt.xlabel('Agglomerative Clusters', fontsize=14, weight='bold')

fig.add_subplot(1,2,2)
ss2_nona['kmeans_clust'].value_counts().plot(kind='bar', color=['brown',␣
↪'crimson', 'orange', 'red', 'deeppink', 'pink', 'yellow', 'green', 'blue'])
plt.ylabel("Count",fontsize=14, weight='bold')
plt.xlabel('Kmeans Clusters', fontsize=14, weight='bold')
plt.xticks(fontsize=12); plt.yticks(fontsize=12)
plt.tight_layout()
plt.show()
```



[25]:
```
#Clusters column
agclust0=ss2_nona[ss2_nona['agglom_clust']==7]
agclust1=ss2_nona[ss2_nona['agglom_clust']==0]
agclust2=ss2_nona[ss2_nona['agglom_clust']==4]
agclust3=ss2_nona[ss2_nona['agglom_clust']==8]
agclust4=ss2_nona[ss2_nona['agglom_clust']==5]
agclust5=ss2_nona[ss2_nona['agglom_clust']==3]
agclust6=ss2_nona[ss2_nona['agglom_clust']==1]
agclust7=ss2_nona[ss2_nona['agglom_clust']==2]
agclust8=ss2_nona[ss2_nona['agglom_clust']==6]
```

```
agclust7.head(2)
```

[25]:
```
    index  energy_100g  fat_100g  saturated-fat_100g  carbohydrates_100g  \
1     182       1090.0      10.7                 2.0                38.7
18    370        586.0       0.0                 0.0                34.0

    sugars_100g  nutrition-score-fr_100g  nutrition-score-uk_100g  \
1          24.7                      9.0                      9.0
18         24.0                      6.0                      6.0

         pnns_groups_2     main_category  agglom_clust  kmeans_clust
1   Biscuits and cakes  en:sugary-snacks             2             6
18              Sweets  en:sugary-snacks             2             6
```

[27]:
```
#Clusters column
kmclust0=ss2_nona[ss2_nona['kmeans_clust']==5]
kmclust1=ss2_nona[ss2_nona['kmeans_clust']==3]
kmclust2=ss2_nona[ss2_nona['kmeans_clust']==6]
kmclust3=ss2_nona[ss2_nona['kmeans_clust']==0]
kmclust4=ss2_nona[ss2_nona['kmeans_clust']==8]
kmclust5=ss2_nona[ss2_nona['kmeans_clust']==7]
kmclust6=ss2_nona[ss2_nona['kmeans_clust']==1]
kmclust7=ss2_nona[ss2_nona['kmeans_clust']==2]
kmclust8=ss2_nona[ss2_nona['kmeans_clust']==4]

kmclust7.head(2)
```

[27]:
```
   index  energy_100g  fat_100g  saturated-fat_100g  carbohydrates_100g  \
0    177       1520.0      14.4                 0.0                54.1
7    223       2257.0      33.3                21.1                53.8

   sugars_100g  nutrition-score-fr_100g  nutrition-score-uk_100g  \
0         28.1                      0.0                      0.0
7         51.5                     26.0                     26.0

        pnns_groups_2                      main_category  agglom_clust  \
0  Biscuits and cakes                 en:sugary-snacks             5
7              Sweets  en:plant-based-foods-and-beverages             5

   kmeans_clust
0             2
7             2
```

[55]:
```
# print(agclust0['pnns_groups_2'].value_counts().head(2))
# print(agclust1['pnns_groups_2'].value_counts().head(2))
# print(agclust2['pnns_groups_2'].value_counts().head(2))
```

```
# print(agclust3['pnns_groups_2'].value_counts().head(2))
# print(agclust4['pnns_groups_2'].value_counts().head(2))
# print(agclust5['pnns_groups_2'].value_counts().head(2))
# print(agclust6['pnns_groups_2'].value_counts().head(2))
# print(agclust7['pnns_groups_2'].value_counts().head(2))
# print(agclust1['pnns_groups_2'].value_counts().head(2))

# print(kmclust0['pnns_groups_2'].value_counts().head(2))
# print(kmclust1['pnns_groups_2'].value_counts().head(2))
# print(kmclust2['pnns_groups_2'].value_counts().head(2))
# print(kmclust3['pnns_groups_2'].value_counts().head(2))
# print(kmclust4['pnns_groups_2'].value_counts().head(2))
# print(kmclust5['pnns_groups_2'].value_counts().head(2))
# print(kmclust6['pnns_groups_2'].value_counts().head(2))
# print(kmclust7['pnns_groups_2'].value_counts().head(2))
# print(kmclust8['pnns_groups_2'].value_counts().head(2))
# np.mean(agclust0['nutrition-score-fr_100g'].values[np.ravel(np.
 ↪where(agclust0['nutrition-score-fr_100g']>0))])
# np.mean(agclust1['nutrition-score-fr_100g'].values[np.ravel(np.
 ↪where(agclust1['nutrition-score-fr_100g']>0))])
# np.mean(agclust2['nutrition-score-fr_100g'].values[np.ravel(np.
 ↪where(agclust2['nutrition-score-fr_100g']>0))])
# np.mean(agclust3['nutrition-score-fr_100g'].values[np.ravel(np.
 ↪where(agclust3['nutrition-score-fr_100g']>0))])
# np.mean(agclust4['nutrition-score-fr_100g'].values[np.ravel(np.
 ↪where(agclust4['nutrition-score-fr_100g']>0))])
# np.mean(agclust5['nutrition-score-fr_100g'].values[np.ravel(np.
 ↪where(agclust5['nutrition-score-fr_100g']>0))])
# np.mean(agclust6['nutrition-score-fr_100g'].values[np.ravel(np.
 ↪where(agclust6['nutrition-score-fr_100g']>0))])
# np.mean(agclust7['nutrition-score-fr_100g'].values[np.ravel(np.
 ↪where(agclust7['nutrition-score-fr_100g']>0))])
# np.mean(agclust8['nutrition-score-fr_100g'].values[np.ravel(np.
 ↪where(agclust8['nutrition-score-fr_100g']>0))])
```

[55]:
```
16.05093996361431
```

[26]:
```
fig, axes = plt.subplots(3,2, figsize=(10,10))

ax1 = axes[0,0]
ax1.set_title('Agg. Cluster 0\1', weight='bold', fontsize=15, color='k')
wordcloud1 = WordCloud(width=600, height=500, background_color='white').
 ↪generate(' '.join(agclust0['pnns_groups_2']))
WordCloud.generate_from_frequencies
im1 = ax1.imshow(wordcloud1, aspect='auto')
```

```
ax2 = axes[0,1]
ax2.set_title('K-Means Cluster 1', weight='bold', fontsize=15, color='k')
wordcloud1 = WordCloud(width=600, height=500, background_color='white').
 ↪generate(' '.join(kmclust0['pnns_groups_2']))
WordCloud.generate_from_frequencies
im2 = ax2.imshow(wordcloud1, aspect='auto')

ax3 = axes[1,0]
ax3.set_title('Agg. Cluster 2', weight='bold', fontsize=15, color='k')
wordcloud1 = WordCloud(width=600, height=500, background_color='white').
 ↪generate(' '.join(agclust1['pnns_groups_2']))
WordCloud.generate_from_frequencies
im3 = ax3.imshow(wordcloud1, aspect='auto')

ax4 = axes[1,1]
ax4.set_title('K-Means Cluster 2', weight='bold', fontsize=15, color='k')
wordcloud1 = WordCloud(width=600, height=500, background_color='white').
 ↪generate(' '.join(kmclust1['pnns_groups_2']))
WordCloud.generate_from_frequencies
im4 = ax4.imshow(wordcloud1, aspect='auto')

ax3 = axes[2,0]
ax3.set_title('Agg. Cluster 3', weight='bold', fontsize=15, color='k')
wordcloud1 = WordCloud(width=600, height=500, background_color='white').
 ↪generate(' '.join(agclust2['pnns_groups_2']))
WordCloud.generate_from_frequencies
im3 = ax3.imshow(wordcloud1, aspect='auto')

ax4 = axes[2,1]
ax4.set_title('K-Means Cluster 3', weight='bold', fontsize=15, color='k')
wordcloud1 = WordCloud(width=600, height=500, background_color='white').
 ↪generate(' '.join(kmclust2['pnns_groups_2']))
WordCloud.generate_from_frequencies
im4 = ax4.imshow(wordcloud1, aspect='auto')
```

[337]:
```
def plot_km_cluster(data, color):
    fig, ax = plt.subplots(2, 2, figsize=(12,11)) # define plot area
    x_cols = ['carbohydrates_100g', 'fat_100g', 'sugars_100g',␣
↪'saturated-fat_100g']
    y_cols = ['energy_100g', 'energy_100g', 'energy_100g', 'fat_100g']
    for x_col,y_col,i,j in zip(x_cols,y_cols,[0,0,1,1],[0,1,0,1]):
        for x,y,c in zip(data[x_col], data[y_col], color_km):
            ax[i,j].scatter(x,y, color = c, s=8)
        ax[i,j].set_title('Scatter plot of ' + y_col + ' vs. ' + x_col) # Give␣
↪the plot a main title
        ax[i,j].set_xlabel(x_col) # Set text for the x axis
        ax[i,j].set_ylabel(y_col)# Set text for y axis
        if np.logical_and(i==1, j==1) == False:
```

```
            ax[i,j].set_ylim(0,3000)
    plt.show()

#Create color dictionary for clusters
col_dic = {0:'darkblue',1:'green',2:'darkorange',3:'yellow',
           4:'magenta',5:'black', 6:'cyan', 7:'lime', 8:'red', 9:'darkviolet',␣
 ↪10:'grey'}
# kpred = kmeans.fit_predict(ss2_sub)
ind = (np.random.uniform(0,1,2000)*len(kpred)).astype(int)
color_km = [col_dic[x] for x in kpred[ind]]
plot_km_cluster(ss2_nona, color_km)
```



[350]:
```
def plot_km_cluster(data, color):
    fig, ax = plt.subplots(2, 2, figsize=(12,11)) # define plot area
```

```
    x_cols = ['carbohydrates_100g', 'fat_100g', 'sugars_100g',␣
↪'saturated-fat_100g']
    y_cols = ['energy_100g', 'energy_100g', 'energy_100g', 'fat_100g']
    for x_col,y_col,i,j in zip(x_cols,y_cols,[0,0,1,1],[0,1,0,1]):
        for x,y,c in zip(data[x_col], data[y_col], color_km):
            ax[i,j].scatter(x,y, color = c, s=8)
        ax[i,j].set_title('Scatter plot of ' + y_col + ' vs. ' + x_col) # Give␣
↪the plot a main title
        ax[i,j].set_xlabel(x_col) # Set text for the x axis
        ax[i,j].set_ylabel(y_col)# Set text for y axis
        if np.logical_and(i==1, j==1) == False:
            ax[i,j].set_ylim(0,3000)
    markers = [plt.Line2D([0,0],[0,0],color=color, marker='o', linestyle='')␣
↪for color in col_dic.values()]
    plt.legend(markers, col_dic.keys(), numpoints=1, bbox_to_anchor=(1.01,0.5),␣
↪loc="center right", fontsize=10,
           bbox_transform=plt.gcf().transFigure)
    plt.show()

#Create color dictionary for clusters
col_dic = {0:'darkblue',1:'green',2:'darkorange',3:'yellow',
           4:'magenta',5:'black', 6:'cyan', 7:'lime', 8:'red', 9:'darkviolet',␣
↪10:'grey'}
# kpred = kmeans.fit_predict(ss2_sub)
ind = (np.random.uniform(0,1,2000)*len(kpred)).astype(int)
color_km = [col_dic[x] for x in kpred[ind]]
plot_km_cluster(ss2_nona, color_km)
```



[354]:
```
def plot_ag_cluster(data, color):
    fig, ax = plt.subplots(2, 2, figsize=(12,11)) # define plot area
    x_cols = ['carbohydrates_100g', 'fat_100g', 'sugars_100g',␣
↪'saturated-fat_100g']
    y_cols = ['energy_100g', 'energy_100g', 'energy_100g', 'fat_100g']
    for x_col,y_col,i,j in zip(x_cols,y_cols,[0,0,1,1],[0,1,0,1]):
        for x,y,c in zip(data[x_col], data[y_col], color):
            ax[i,j].scatter(x,y, color = c, s=8)
        ax[i,j].set_title('Scatter plot of ' + y_col + ' vs. ' + x_col) # Give␣
↪the plot a main title
        ax[i,j].set_xlabel(x_col) # Set text for the x axis
        ax[i,j].set_ylabel(y_col)# Set text for y axis
        if np.logical_and(i==1, j==1) == False:
            ax[i,j].set_ylim(0,3000)
    markers = [plt.Line2D([0,0],[0,0],color=color, marker='o', linestyle='')␣
↪for color in col_dic.values()]
    plt.legend(markers, col_dic.keys(), numpoints=1, bbox_to_anchor=(1.01,0.5),␣
↪loc="center right", fontsize=10,
```

```
            bbox_transform=plt.gcf().transFigure)
    plt.show()

# pred_agg = aggclust.fit_predict(ss2_sub)
color_ag = [col_dic[x] for x in pred_agg[ind]]
plot_ag_cluster(ss2_nona, color_ag)
```



[ ]: