


Question 1

Mongo db connection

```
Problems Output Debug Console Terminal Ports
C:\Users\Mitu\Downloads\Assignment 2 node\Assignment 2node\blog-management-api\blog-management-api>node server.js
◇ injected env (5) from .env // tip: ☞ enable debugging { debug: true }
MongoDB connected successfully
Server running on http://localhost:5000
METHOD: GET
URL: /api/auth/login
BODY: undefined
METHOD: GET
```



Blog Management API is running...

Register User api call

A screenshot of a REST client interface. The top bar shows 'New Request' and 'authRoutes.js'. The main area is divided into two panes. The left pane shows the request details: a POST method to 'http://localhost:5000/api/auth/register'. The 'Body' tab is selected, displaying a JSON object:

```
{
  "name": "Mitu",
  "email": "mitu@gmail.com",
  "password": "mitu@123"
}
```

. The right pane shows the response details: 'Status: 201 Created', 'Size: 151 Bytes', and 'Time: 111 ms'. The 'Response' tab is selected, displaying a JSON object:

```
{
  "success": true,
  "message": "User registered successfully",
  "data": {
    "id": "6a9be3447a0d9b7d6eb6705a",
    "name": "Mitu",
    "email": "mitu@gmail.com",
    "role": "user"
  }
}
```

Login

New Request X .env X

POST

http://localhost:5000/api/auth/login

Send

Query

Headers 2

Auth 1

Body 1

Tests

Pre Run

JSON

XML

Text

Form

Form-encode

GraphQL

Binary

JSON Content

Format

1 {

2 "email": "mitu@gmail.com",

3 "password": "mitu@123"

4 }

Status: 200 OK Size: 251 Bytes Time: 65 ms

Response

Headers 21

Cookies

Results

Docs

</>

≡

1 {

2 "success": true,

3 "message": "Login successful",

4 "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiI2YTliZTM0NDdhMGQ5YjdkNmVinjcwNWEiLCJyb2x1IjoiaXN1ciIsImhhdCI6MTc4ODYwMTQ0NSwiZXhwIjojNzg4Njg3ODQ1fQ.QQIEWD4JR1Icgg5C4eszWAgzSqPSPD2PjK-Eh7A6E-w"

5 }

Response

Chart

Profile

New Request X .env X

GET

http://localhost:5000/api/auth/profile

Send

Query

Headers 2

Auth 1

Body 1

Tests

Pre Run

None

Basic

Bearer

OAuth 2

NTLM

AWS

Bearer Token

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ1c2VySWQiOiI2YTliZTM0NDdhMGQ5YjdkNmVinjcwNWEiLCJyb2x1IjoiaXN1ciIsImhhdCI6MTc4ODYwMTMzMzZlZjoxNzg4Njg3NzIxMjQ.MVhAlaUtXLT74Cjn6EuP7M9BMEal2pFzXCOSpd7loS4

Token Prefix

Bearer

Status: 200 OK Size: 219 Bytes Time: 17 ms

Response

Headers 18

Cookies

Results

Docs

</>

≡

1 {

2 "success": true,

3 "data": {

4 "_id": "6a9be3447a0d9b7d6eb6705a",

5 "name": "Mitu",

6 "email": "mitu@gmail.com",

7 "role": "user",

8 "profilePicture": null,

9 "createdAt": "2026-09-05T09:39:16.045Z",

10 "updatedAt": "2026-09-05T09:39:16.045Z",

11 "__v": 0

12 }

13 }

Response

Chart

Create Blog

TC New Request X .env X

POST http://localhost:5000/api/posts Send

Query Headers 2 Auth 1 Body 1 Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

```
1 {
2   "title": "First blog",
3   "content": "first blog post on github",
4   "tags": [
5     "nodejs",
6     "javascript",
7     "mongodb"],
8   "published": true
9 }
```

Status: 201 Created Size: 348 Bytes Time: 21 ms

Response Headers 18 Cookies Results Docs

```
1 {
2   "success": true,
3   "message": "Post created successfully",
4   "data": {
5     "title": "First blog",
6     "content": "first blog post on github",
7     "tags": [
8       "nodejs",
9       "javascript",
10      "mongodb"
11    ],
12     "published": true,
13     "image": null,
14     "author": "6a9be3447a0d9b7d6eb6705a",
15     "_id": "6a9be5047a0d9b7d6eb6705b",
16     "createdAt": "2026-09-05T09:46:44.481Z",
17     "updatedAt": "2026-09-05T09:46:44.481Z",
18     "__v": 0
19   }
20 }
```

Response Chart

Get All Posts

TC New Request X .env X

GET http://localhost:5000/api/posts Send

Query Headers 2 Auth 1 Body 1 Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

```
1 {
2   "title": "First blog",
3   "content": "first blog post on github",
4   "tags": [
5     "nodejs",
6     "javascript",
7     "mongodb"],
8   "published": true
9 }
```

Status: 200 OK Size: 369 Bytes Time: 95 ms

Response Headers 18 Cookies Results Docs

```
1 {
2   "success": true,
3   "count": 1,
4   "data": [
5     {
6       "_id": "6a9be5047a0d9b7d6eb6705b",
7       "title": "First blog",
8       "content": "first blog post on github",
9       "tags": [
10        "nodejs",
11        "javascript",
12        "mongodb"
13      ],
14       "published": true,
15       "image": null,
16       "author": {
17         "_id": "6a9be3447a0d9b7d6eb6705a",
18         "name": "Mitu",
19         "email": "mitu@gmail.com"
20       }
21     }
22   ]
23 }
```

Response Chart

Get Single Post By Id

TC New Request X .env X

GET http://localhost:5000/api/posts/6a9be5047a0d9b7d6eb6705b Send

Query Headers 2 Auth 1 Body 1 Tests Pre Run

JSON XML Text Form Form-encode GraphQL Binary

JSON Content Format

```
1 {
2   "title": "First blog",
3   "content": "first blog post on github",
4   "tags": [
5     "nodejs",
6     "javascript",
7     "mongodb"],
8   "published": true
9 }
```

Status: 200 OK Size: 357 Bytes Time: 36 ms

Response Headers 18 Cookies Results Docs

```
1 {
2   "success": true,
3   "data": {
4     "_id": "6a9be5047a0d9b7d6eb6705b",
5     "title": "First blog",
6     "content": "first blog post on github",
7     "tags": [
8       "nodejs",
9       "javascript",
10      "mongodb"
11    ],
12     "published": true,
13     "image": null,
14     "author": {
15       "_id": "6a9be3447a0d9b7d6eb6705a",
16       "name": "Mitu",
17       "email": "mitu@gmail.com"
18     },
19     "createdAt": "2026-09-05T09:46:44.481Z",
20     "updatedAt": "2026-09-05T09:46:44.481Z",
21     "__v": 0
22   }
23 }
```

Response Chart

Update Post

The screenshot shows a REST client interface with a list of requests at the top. The selected request is a POST to `http://localhost:5000/api/posts/6a9be5047a0d9b7d6eb6705b/image`. The 'Authorization' tab is active, showing a Bearer token: `eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJ...`. Below this, the 'Body' tab is selected, displaying a JSON response in 'Pretty' format:

```
1 {
2   "success": true,
3   "message": "Image uploaded successfully",
4   "image": "/uploads/1788602652522-126606348.png"
5 }
```

At the top right, the status is `200 OK` with a response time of `365 ms` and size of `767 B`. A 'Save Response' button is also visible.

Delete Post


The screenshot shows a REST client interface with a 'New Request' tab. The selected request is a DELETE to `http://localhost:5000/api/posts/6a9be5047a0d9b7d6eb6705b`. The 'Body' tab is active, showing a 'Form' field. The 'Response' tab is also active, displaying a JSON response in 'Pretty' format:

```
1 {
2   "success": true,
3   "message": "Post deleted successfully"
4 }
```


At the top right, the status is `200 OK` with a response size of `54 Bytes` and time of `64 ms`. A 'Copy' button is visible next to the response.

Ejs View



Login



Dashboard




Post create




Question 2

Secure Signup for Bookstore Customers



Question 3

Issue a Digital Membership Token on Login



Question 4

Defining Customer and Admin Roles

TC New Request X JS User.js X login.ejs X dashboard.ejs X posts.ejs 1 X

models > JS User.js > ...

```
3 const userSchema = new mongoose.Schema(  
11   email: {  
12     type: String,  
13     required: true,  
14     unique: true,  
15     lowercase: true,  
16     trim: true  
17   },  
18  
19   password: {  
20     type: String,  
21     required: true  
22   },  
23  
24   role: {  
25     type: String,  
26     enum: ["user", "admin"],  
27     default: "user"  
28   },  
29  
30   profilePicture: {  
31     type: String,  
32     default: null  
33   }  
34 },  
35 {
```

localhost:27017 posts users +

localhost:27017 > blog_management > users

>_ Open MongoDB shell

Documents 1 Aggregations Schema Indexes 2 Validation

Type a query: { field: 'value' } or [Generate query](#)

Explain Reset Find Options


ADD DATA BULK EXPORT DATA EXPORT CODE

25 1-1 of 1

```
_id: ObjectId('6a9be3447a0d9b7d6eb6785a')  
name: "Mitu"  
email: "mitu@gmail.com"  
password: "52b51050MPBG123W0pQmRVd7Fu/geiE4LmbPR0iSsrWGu1L2Xr.NUWK1RKj."  
role: "user"  
profilePicture: null  
createdAt: ISODate('2026-09-05T09:39:16.045+00:00') September 5, 2026 at 9:39:16 AM UTC  
updatedAt: ISODate('2026-09-05T09:39:16.045+00:00') September 5, 2026 at 9:39:16 AM UTC  
__v: 0
```

Question 5

Admin-Only Access to Inventory Dashboard



Question 6

Delete or cancel the order

