Web安全从入门到放弃

CplusHua | 36W白帽大佬,青藤云安全分析师



OWASP Top 10 - 2017



A1:2017-Injection

A2:2017-Broken Authentication

A3:2017-Sensitive Data Exposure

A4:2017-XML External Entities (XXE) [NEW]

A5:2017-Broken Access Control [Merged]

A6:2017-Security Misconfiguration

A7:2017-Cross-Site Scripting (XSS)

A8:2017-Insecure Deserialization [NEW, Community]

A9:2017-Using Components with Known Vulnerabilities


A10:2017-Insufficient Logging&Monitoring [NEW,Comm.]

20分钟, 你买不了吃亏, 买不了上当

20分钟,我们来聊一聊几个有意思的攻 击思路

Attacking Route





- 1. 看不到的攻击面
- 2. 无法避免的中低危漏洞
- 3. 意想不到的网络边界

目标被攻陷!

黑盒业务功能攻击





可信数据

- 1. 生成支付签名
- 2. 会话信息伪造
- 3. 重置用户密码
- 1. . . .

原始数据

输入 固定

可信数据


黑盒网络攻击 跨云攻击





白帽 LIVE

We are frequently asked, can hackers live off bounties full-time? Seventeen percent said they rely solely on bug bounty programs for their income, whereas 26% of hackers reported that 76-100% of their annual income comes exclusively from bug bounty programs.





谢谢观赏!

CplusHua

