



Java 9-17 Features


Michał Krysiuk Transition Technologies PSC





Repo

- Exercises to each Java version
- Useful comments
- Written tests for exercises



```
String getUsername(int id) {
    // implement here
    // get username from DataProvider.
    // Return value or throw exception if there is no value
    return "";
}
```

```
void shouldReturnUsernameForIdGreaterThan3() {
   String username = dataService.getUsername( id: 4);
   assertEquals( expected: "user-4", username);
}
```



- Modular system
- New HTTP Client
- Interface Private Methods
- JShell
- Collection factory methods



Modular system

java.base

```
// module-info.java
Module java.base {
   exports java.lang;
   exports java.io;
   exports java.net;
   exports java.util;
}
```

Exported Packages

```
java.io
java.time
java.util
java.net
java.lang
```

Concealed Packages

```
sun.security.provider
sun.nio.ch
sun.reflect.annotation
```



New HTTP Client

Interface Private Methods

```
public interface InterfaceWithPrivateMethod {
    default void processMethod(Integer input) {
        // many code lines
        // many code lines
        // many code lines
        // many code lines
        // many code lines
       Integer someConstant = input * 9;
        // many code lines
        // many code lines
        // many code lines
        // many code lines
       if (someConstant < 1) {</pre>
            throw new RuntimeException("Value lower than 1!");
         else if (someConstant.equals(81)) {
            throw new RuntimeException("Value equals to 81!");
          else if (someConstant > 99)
            throw new RuntimeException("Value greater than 99!");
```

```
public interface InterfaceWithPrivateMethod {
    private static Integer getSomeNamedConstant() {
        return 9;
    default void processMethod(Integer input) {
        // many code lines
        Integer someConstant = input * getSomeNamedConstant();
        // many code lines
        // many code lines
        // many code lines
        // many code lines
        verify(someConstant);
    private void verify(Integer value) {
        if (value < 1) {
            throw new RuntimeException("Value lower than 1!");
        }else if(value.equals(81)){
            throw new RuntimeException("Value equals to 81!");
        }else if(value > 99){
            throw new RuntimeException("Value greater than 99!");
```

JShell

Java REPL

```
Select C:\Program Files\Common Files\O... — X

For an introduction type: /help intro

-jshell> int a = 15;
a ==> 15

jshell> int b = 22;
b ==> 22

jshell> a * b - 20 / 4

$3 ==> 325

jshell> jshell>
```

Collection factory methods

List::of, Set::of, Map::of

```
// when try to add element
java.lang.UnsupportedOperationException
    at java.base/java.util.ImmutableCollections.uoe(ImmutableCollections.java:1
    at java.base/java.util.ImmutableCollections$AbstractImmutableCollection.add
    at java9.setOf.ImageConverter.getAvailableFileKeys(ImageConverter.java:14)
    at java9.setOf.ImageConverterTest.name(ImageConverterTest.java:16)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native M
```



- Local Variable Type Inference
- Unmodifiable Collections
- New Optional.orElseThrow() Method



Local Variable Type Inference

```
// without var
String text = "example-text";
// text = 5;
User myUser = new User();
Map<String, Integer> myMap = new HashMap<>();
```

```
// with var
var text = "example-text";
// text = 5;
var myUser = new User();
var myMap = new HashMap<String, Integer>();
```

```
// illegal use
var x;
var x = null;
class User {
   var myField;
}
```

Unmodifiable Collections

Collectors::toUnmodifiableList Collectors::toUnmodifiableSet Collectors::toUnmodifiableMap

List::copyOf Set::copyOf Map::copyOf

```
@Test
void shouldToUnmodifiableCollectorReturnUnmodifiableList() {
    List<Integer> integers = Arrays.asList(1, 2, 3);
    List<Integer> result = integers.stream()
            .collect(Collectors.toUnmodifiableList());
    assertThrows(UnsupportedOperationException.class, () -> {
        result.add(4);
   });
@Test
void shouldCopyOfReturnUnmodifiableList() {
    List<Integer> integers = Arrays.asList(1, 2, 3);
    List<Integer> result = List.copyOf(integers);
    assertThrows(UnsupportedOperationException.class, () -> {
        result.add(4);
    });
```



New Optional.orElseThrow() Method

Preferred alternative to get() method

```
Optional<Integer> integerOptional = Optional.of(1);
Integer integer = integerOptional.orElseThrow();
```

java.util.NoSuchElementException: No value present





- New String methods
- New Files methods
- Script running
- Local-variable syntax for lambda



Many new String methods

isBlank

strip stripLeading stripTrailing

lines


```
"String operations \r in Java \nare soooo \r\neasy".lines()
// "String operations", " in Java", " are soooo", "easy"
```

repreat

```
"ha".repeat(10); // "hahahahahahahahaha"
```



Script running



New Files methods

Files::writeString

Files::readString

```
Path file = Files.createTempFile( prefix: "filename", suffix: ".txt");
Files.writeString(file, csq: "Some text");
String fileContent = Files.readString(file);
```







- New String methods
- Teeing Collector
- File::mismatch method



New String methods

indent(int n)


```
String text = "Hello\nCode!";
System.out.println(text);
String textWithIndent = text.indent(10);
System.out.println(textWithIndent);
Hello
Code!
Hello
Code!
```

transform

Some text Any text

Teeing Collector





File::mismatch method

mismatch(Path path, Path path2) throws IOException

```
Path filePath1 = Files.createTempFile( prefix: "file1", suffix: ".txt");
Files.writeString(filePath1, csq: "Java 12 is awesome");

Path filePath2 = Files.createTempFile( prefix: "file2", suffix: ".txt");
Files.writeString(filePath2, csq: "Java 12 is amazing");

long mismatch = Files.mismatch(filePath1, filePath2);
// 12
```







- Switch Expressions update Preview Feature
- Text Blocks Preview Feature
- Z Garbage Collector improvements
- Minor Java API changes





- Switch Expressions
- NullPointerExceptions update



Switch Expressions

Before

```
String season = "Winter";
String translation;
switch (season)
    case "Spring": {
        translation = "wiosna";
        break;
    case "Summer": {
        translation = "lato";
        break;
    case "Autumn": {
        translation = "jesień";
        break;
    case "Winter": {
        translation = "zima";
        break;
    default: {
        translation = "nieznany";
```

- Arrow case
- Eliminate the need of break statement

After

```
String season = "Winter";

String translation = switch (season) {
   case "Spring" -> "wiosna";
   case "Summer" -> "lato";
   case "Autumn" -> "jesień";
   case "Winter" -> "zima";
   default -> "nieznany";
};
```

NullPinterException update

Code





NullPinterException update

Before

```
Exception in thread "main" java.lang.NullPointerException

at Test.lambda$main$0(scratch_2.java:114)

at java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:174)

at java.util.ArrayList$ArrayList$pliterator.forEachRemaining(ArrayList.java:1382)

at java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:482)

at java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:472)

at java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:708)

at java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)

at java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:499)

at Test.main(scratch_2.java:115)
```

After

```
Exception in thread "main" java.lang.NullPointerException: Cannot invoke "Address.getCity()" because the return value of "Student.getAddress()" is null

at Test.lambda$main$0(scratch_2.java:114)

at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:178)

at java.base/java.util.ArrayList$ArrayListSpliterator.forEachRemaining(ArrayList.java:1625)

at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)

at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)

at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)

at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)

at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)

at Test.main(scratch_2.java:115)
```







- Records
- Text blocks



Records

Before

```
class User {
   private final String name;
   private final String address;
   public User(String name, String address) {
       this.name = name;
       this.address = address;
   public String getName() {
       return name;
   public String getAddress() {
       return address;
   @Override
   public int hashCode() {
       return Objects.hash(name, address);
    public boolean equals(Object obj) {
       if (this == obj) {
           return true;
       } else if (!(obj instanceof User)) {
           return false;
       } else {
           User other = (User) obj;
           return Objects.equals(name, other.name)
                    && Objects.equals(address, other.address);
   @Override
   public String toString() {
       return "Person [name=" + name + ", address=" + address + "]";
```

After

```
record User(String name, String address) {
}
```

Custom constructor

```
record User(String name, String address) {
    public User {
        Objects.requireNonNull(name);
    }
}
```



Text blocks

Before

```
String text = "Lorem ipsum dolor sit\n" +
    "amet, consectetur '\n" +
    "adipiscing elit. Aenean sit \" amet enim odio. \n" +
    "Suspendisse quis dui finibus,\n" +
    "\n" +
    "\n" +
    "\n" +
    "tempor mi et,\n" +
    "vehicula ex. Suspendisse commodo tris\n";
```

After

```
String textBlock = """

Lorem ipsum dolor sit
amet, consectetur '
adipiscing elit. Aenean sit " amet enim odio.
Suspendisse quis dui finibus,

tempor mi et,
vehicula ex. Suspendisse commodo tris
""":
```





Java 16

- Pattern Matching For Instanceof
- Day Period Support
- New Stream.toList method



Pattern Matching For instanceof

```
// old
if (shape instanceof Circle) {
   Circle circle = (Circle) shape;
   return circle.getDisplayName();
}
```

```
//new
if (shape instanceof Circle circle) {
   return circle.getDisplayName();
}
```

Day Period Support

New DateTimeFormatter symbol

Alternative to am/pm

```
LocalTime date = LocalTime.parse("18:25:08.690791");
DateTimeFormatter formatter = DateTimeFormatter.ofPattern("h B");
date.format(formatter)
// 6 in the afternoon
```



New Stream.toList method

New toList() method

```
//old
List<Integer> list = Stream.of("1", "2", "3", "4")
   .map(Integer::parseInt)
   .collect(Collectors.toList());
   //new
   List<Integer> list = Stream.of("1", "2", "3", "4")
   .map(Integer::parseInt)
   .toList();
```



Java 17

- Always Strict Floating-Point
- Sealed Classes



Always Strict Floating-Point

Floating-point operations always in strict mode Result independent of platform

```
public strictfp class SomeMathClass {}
public strictfp interface Calulcator {}
public strictfp void sum() {}
```



Sealed Classes

```
sealed class Bike permits Motorbike, Bicycle {
}
non-sealed class Motorbike extends Bike {
}
final class Bicycle extends Bike {
}
```

non-sealed

open inhertance

sealed

restrict inhertance

final

block inhertance









Thanks for attention!



Michał Krysiuk



krysiukm@tt.com.pl



mivchal333



