

Five-seed status and observable definitions

All five seeds have 15 committed parent blocks. Previously completed parents are reused when available; no new extension, fork, or Jacobian run contributes to this supplement.

Seed	Blocks	Steps	Coverage	O all pre	O all post	O sel post	O unsel post
202	15 / 15	1410	39.5%	2.453	2.259	0.758	3.240
303	15 / 15	1410	38.9%	2.478	2.284	0.741	3.264
404	15 / 15	1410	39.8%	2.401	2.208	0.713	3.197
505	15 / 15	1410	39.8%	2.402	2.209	0.707	3.201
606	15 / 15	1410	39.9%	2.390	2.198	0.698	3.193

- O hard / all**





Mean CE against the saved hard pseudo-label for every image in each adaptation batch, before or after its update. This is a reported measurement; only selected images enter training.
- O hard / selected**

The historical reported proxy CE and actual hard-label training loss, on the fixed selected mask. Recomputed values match the archived per-update logs.
- O hard / unselected**


Same hard pseudo-label CE on images excluded by the confidence threshold. The selection mask and targets remain fixed across the pre/post comparison.
- Additional diagnostics**

Soft mixed-target cross-entropy and offline true-label CE are also reported for all, selected and unselected images in the companion step/block CSVs. They are not interchangeable with the hard-label training objective.

Lambda 0.7, beta 0.0005: unsmoothed five-seed block trajectories



Lambda 0.7, beta 0.0005: unsmoothed five-seed block trajectories



What the observed CE does and does not say

Across five seeds, the image-weighted within-step hard all-image CE change is negative in 5/5 cells; the mean of five cell changes is -0.1934. These are same-batch pre/post differences, not a same-domain return trend.

The selected-only objective, all-image hard pseudo-label CE, soft-target CE, true-label adaptation-batch CE, and held-out audit CE answer different questions. All are retained side by side. Labels were used only after each training decision for measurement.

This is a one-cycle 15-block readout. It cannot establish three-cycle deterioration, long-horizon feedback effects, a closed Jacobian or a phase boundary. The five seeds share the same benchmark and are exploratory, not an untouched confirmation set.

Complete companion evidence

O_steps.csv: every minibatch, with hard/soft/true CE before and after on all, selected and unselected images.

O_blocks.csv: 15 unsmoothed domain-block summaries per seed, with image-weighted CE and held-out audit CE.

O_cells.csv: five full one-cycle summaries. source_manifest.json: exact Sapelo parent paths and provenance.

The raw per-batch archives and checkpoints remain on Sapelo. Empty populations are NA, never zero.

Source root: /scratch/yz54720/RSI2RSD/C4/ ; pair I07_b00005; beta 0.0005. The analysis verifies SHA256 for each consumed step archive, update log and block summary and reconciles selected CE with original logs. Full checkpoint-manifest coverage is a separate audit.