

Diccionario de Datos

Design Name	Diagrama
Version Date	01.12.2025 11:40:55
Version Comment	
Model Name	Relational_2

Table Name	Carrito
Functional Name	Carrito
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	iCarritoID	P		Y	Integer	LT				
2	Usuario_iUsuarioID		F	Y	Integer	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Carrito_PK	PK				iCarritoID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Carrito_Usuario_FK	Usuario	Y	Y		Usuario_iUsuarioID	iUsuarioID	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Producto_Carrito_Carrito_FK	Producto_Carrito	Y	Y		Carrito_iCarritoID	iCarritoID	

Table Name	Ciudad
Functional Name	Ciudad
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	iCiudadID	P		Y	Integer	LT				
2	vcNombre				NVARCHAR (100)	LT				
3	Region_iRegionID		F	Y	Integer	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Ciudad_PK	PK				iCiudadID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Ciudad_Region_FK	Region	Y	Y		Region_iRegionID	iRegionID	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Comuna_Ciudad_FK	Comuna	Y	Y		Ciudad_iCiudadID	iCiudadID	

Table Name	Ciente
Functional Name	Ciente
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	7
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	iClienteID	P		Y	Integer	LT				
2	vcNombre				NVARCHAR (100)	LT				
3	vcApellido_Paterno				NVARCHAR (100)	LT				
4	vcApellido_Materno				NVARCHAR (100)	LT				
5	iEdad				Integer	LT				
6	vcDireccion				NVARCHAR (200)	LT				
7	Usuario_iUsuarioID		F	Y	Integer	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Ciente_PK	PK				iClienteID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Ciente_Usuario_FK	Usuario	Y	Y		Usuario_iUsuarioID	iUsuarioID	

Table Name	Comuna
Functional Name	Comuna
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	iComunaID	P		Y	Integer	LT				
2	vcNombre				NVARCHAR (100)	LT				
3	Ciudad_iCiudadID		F	Y	Integer	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Comuna_PK	PK				iComunaID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Comuna_Ciudad_FK	Ciudad	Y	Y		Ciudad_iCiudadID	iCiudadID	

Table Name	Empresa
Functional Name	Empresa
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	iEmpresaID	P		Y	Integer	LT				
2	vcNombre_Empresa				NVARCHAR (200)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Empresa_PK	PK				iEmpresaID	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Proveedor_Empresa_FK	Proveedor	Y	Y		Empresa_iEmpresaID	iEmpresaID	

Table Name	Log_Venta
Functional Name	Log_Venta
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	1
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	iLog_VentaID	P		Y	Integer	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Log_Venta_PK	PK				iLog_VentaID	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Venta_Log_Venta_FK	Venta	Y	Y		Log_Venta_iLog_VentaID	iLog_VentaID	

Table Name	Pais
Functional Name	Pais
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	iPaisID	P		Y	Integer	LT				
2	vcNombre				NVARCHAR (100)	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Pais_PK	PK				iPaisID	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Region_Pais_FK	Region	Y	Y		Pais_iPaisID	iPaisID	
Usuario_Pais_FK	Usuario	Y	Y		Pais_iPaisID	iPaisID	

Table Name	Producto
Functional Name	Producto
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	10
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	ProductoID	P		Y	Integer	LT				
2	iCodigo_producto				NVARCHAR (100)	LT				
3	vcNombre				NVARCHAR (200)	LT				
4	vcDescripcion				NVARCHAR (300)	LT				
5	iCantidad				Integer	LT				
6	iPrecio				Integer	LT				
7	Carrito_iCarritoID			Y	Integer	LT				
8	Venta_iVentaID		F	Y	Integer	LT				
9	dFechaCreacion				Datetime	LT				
10	Producto_Carrito_iProductoCarritoID		F	Y	Integer	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Producto_PK	PK				ProductoID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Producto_Venta_FK	Venta	Y	Y		Venta_iVentaID	iVentaID	

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Producto_Producto_Carrito_FK	Producto_Carrito	Y	Y		Producto_Carrito_iProductoCarritoID	iProductoCarritoID	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Relation_22_Producto_FK	Relation_22	Y	Y		Producto_ProductoID	ProductoID	

Table Name	Producto_Carrito
Functional Name	Producto_Carrito
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	iProductoCarritoID	P		Y	Integer	LT				
2	vcProducto				NVARCHAR (200)	LT				
3	iCantidad				Integer	LT				
4	Carrito_iCarritoID		F	Y	Integer	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Producto_Carrito_PK	PK				iProductoCarritoID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Producto_Carrito_Carrito_FK	Carrito	Y	Y		Carrito_iCarritoID	iCarritoID	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Producto_Producto_Carrito_FK	Producto	Y	Y		Producto_Carrito_iProductoCarritoID	iProductoCarritoID	

Table Name	Proveedor
Functional Name	Proveedor
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	9
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	iProveedorID	P		Y	Integer	LT				
2	vcCodigo_Proveedor				NVARCHAR (100)	LT				
3	vcNombre				NVARCHAR (100)	LT				
4	vcApellido_Paterno				NVARCHAR (100)	LT				
5	vcApellido_Materno				NVARCHAR (100)	LT				
6	iValoracion				Integer	LT				
7	Usuario_iUsuarioID		F	Y	Integer	LT				
8	Suscripcion_iSuscripcionID		F	Y	Integer	LT				
9	Empresa_iEmpresaID		F	Y	Integer	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Proveedor_PK	PK				iProveedorID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Proveedor_Suscripcion_FK	Suscripcion	Y	Y		Suscripcion_iSuscripcionID	iSuscripcionID	
Proveedor_Usuario_FK	Usuario	Y	Y		Usuario_iUsuarioID	iUsuarioID	

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Proveedor_Empresa_FK	Empresa	Y	Y		Empresa_iEmpresaID	iEmpresaID	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Venta_Proveedor_FK	Venta	Y	Y		Proveedor_iProveedorID	iProveedorID	

Table Name	Region
Functional Name	Region
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	3
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	iRegionID	P		Y	Integer	LT				
2	vcNombre				NVARCHAR (150)	LT				
3	Pais_iPaisID		F	Y	Integer	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Region_PK	PK				iRegionID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Region_Pais_FK	Pais	Y	Y		Pais_iPaisID	iPaisID	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Ciudad_Region_FK	Ciudad	Y	Y		Region_iRegionID	iRegionID	

Table Name	Relation_22
Functional Name	
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	Producto_ProductoID	P	F	Y	Integer	LT				
2	Venta_iVentaID	P	F	Y	Integer	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Relation_22_PK	PK				Producto_ProductoID	ASC
					Venta_iVentaID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Relation_22_Venta_FK	Venta	Y	Y		Venta_iVentaID	iVentaID	
Relation_22_Producto_FK	Producto	Y	Y		Producto_ProductoID	ProductoID	

Table Name	Suscripcion
Functional Name	Suscripcion
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	iSuscripcionID	P		Y	Integer	LT				
2	vcDescripcion				Integer	LT				
3	iPrecio				Integer	LT				
4	vcTipo				NVARCHAR (150)	LT				
5	dFechaSuscripcion				Datetime	LT				
6	dFechaVencimiento				Date	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Suscripcion_PK	PK				iSuscripcionID	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Proveedor_Suscripcion_FK	Proveedor	Y	Y		Suscripcion_iSuscripcionID	iSuscripcionID	

Table Name	Usuario
Functional Name	Usuario
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	5
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	iUsuarioID	P		Y	Integer	LT				
2	vcTipo_Usuario				NVARCHAR (100)	LT				
3	vcCorreo				NVARCHAR (150)	LT				
4	vcContrasena				NVARCHAR (150)	LT				
5	Pais_iPaisID		F	Y	Integer	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Usuario_PK	PK				iUsuarioID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Usuario_Pais_FK	Pais	Y	Y		Pais_iPaisID	iPaisID	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Carrito_Usuario_FK	Carrito	Y	Y		Usuario_iUsuarioID	iUsuarioID	
Cliente_Usuario_FK	Cliente	Y	Y		Usuario_iUsuarioID	iUsuarioID	

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Proveedor_Usuario_FK	Proveedor	Y	Y		Usuario_iUsuarioID	iUsuarioID	

Table Name	Venta
Functional Name	Venta
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	4
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	iVentaID	P		Y	Integer	LT				
2	Log_Venta_iLog_VentaID		F	Y	Integer	LT				
3	Proveedor_iProveedorID		F	Y	Integer	LT				
4	dFecha				Datetime	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Venta_PK	PK				iVentaID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Venta_Proveedor_FK	Proveedor	Y	Y		Proveedor_iProveedorID	iProveedorID	
Venta_Log_Venta_FK	Log_Venta	Y	Y		Log_Venta_iLog_VentaID	iLog_VentaID	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Producto_Venta_FK	Producto	Y	Y		Venta_iVentaID	iVentaID	
Relation_22_Venta_FK	Relation_22	Y	Y		Venta_iVentaID	iVentaID	