

CERTIFICATE

of constancy of performance 1922 - CPR - 0898

In compliance with Regulation (EU) 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Fire detection and fire alarm systems. Manual call points and Short-circuit isolators. teknim TFB-1166 Analogue Addressable Manual Call Point, Resettable with Short-circuit Isolator

(For list of controlled characteristics, see Annex I and Annex II to 1922 - CPR - 0898 that is an inseparable part of this certificate)

placed on the market under the name or trade mark of

Bilgi Elektronik San. ve Tic. A.Ş.

Dudullu Organize Sanayi Bölgesi 1. Cadde İsmet Tarman İş Merkezi No:1, Kat:2 No.32 Ümraniye, İstanbul, Turkey

and produced in the manufacturing plant

Bilgi Elektronik San. ve Tic. A.Ş.

Dudullu Organize Sanayi Bölgesi 1. Cadde İsmet Tarman İş Merkezi No:1, Kat:2 No.32 Ümraniye, İstanbul, Turkey

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard


EN 54-11:2001/A1:2005 and EN 54-17:2005;EN 54-17:2005/AC:2007

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on 07.09.2017 and will remain valid until 07.09.2018 as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body. The certificate is supported through annual surveillance audit and is reissued after each surveillance audit. The validity of the certificate may be confirmed in the CE register at the web address www.dedal-bg.net.



Issued: Burgas, 07 September 2017







ANNEX I TO CERTIFICATE OF CONSTANCY OF PERFORMANCE 1922-CPR-0898/ 07.09.2017

Performance list, acc. to EN 54-11:2001/A1:2005

Essential characteristic	Performance	Clause
Nominal activation conditions / Sensitivity and Performance under		
fire conditions		
- Alarm condition	pass	4.3.2
- Indicators for alarm condition	pass	4.4
- Safety aspects	pass	4.7.1
- Protection against accidental operation	pass	4.7.4
- Operational performancetest	pass	5.2
- Function test	pass	5.3
Operational reliability		
- Marking and data	pass	4.2
- Normal condition	pass	4.3.1
- Reset facility	pass	4.5
- Test facility	pass	4.6
- Shape, dimensions and colours	pass	4.7.2
- Symbols and lettering	pass	4.7.3
- Environment category	pass	4.7.5
- Additional requirements for software controlled manual	pass	4.8
call points	Parac	1.0
- Test facility test (operational)	pass	5.4
- Reliability test (endurance)	pass	5.5
	Para	3.5
Durability of operational reliability, temperature resistance		
- Dry heat (operational)	pass	5.7
- Dry heat (endurance)	N/A	5.8
- Cold (operational)	pass	5.9
Durability of operational reliability, vibration resistance		
- Shock (operational)	pass	5.14
- Impact (operational)	pass	5.15
- Vibration, sinusoidal (operational)	pass	5.16
- Vibration, sinusoidal (endurance)	pass	5.17
	Pass	3.17
Durability of operational reliability, humidity resistance		
- Damp heat, cyclic (operational)	pass	5.10
- Damp heat, cyclic (endurance)	N/A	5.11
- Damp heat, steady state (endurance)		5.12
- Enclosure protection	pass N/A	
Durability of operational reliability, corrosion resistance	IV/A	5.19
- Damp heat, cyclic (endurance)	NI/A	F 44
- Sulphur dioxide (SO2) corrosion (endurance)	N/A	5.11
First storide (502) corrosion (endurance)	pass	5.13
Durability of operational reliability, electrical stability		
- Variation of supply parameters		
- Electromagnetic compatibility (EMC), immunity (operational)	pass	5.6
Electroniagnetic compatibility (EWIC), immunity (operational)	pass	5.18

CE

ged stamp of "Dedal". Ago, Ta

Manager:

Attestation 8
Certification



ANNEX II TO CERTIFICATE OF CONSTANCY OF PERFORMANCE 1922-CPR-0898/ 07.09.2017

Performance list, acc. to EN 54-17:2005;EN 54-17:2005/AC:2007

Essential Characteristics	Performance	Clause
Nominal activation conditions / sensitivity /response delay (response time) andperformance under fire conditions		
Performance under fire conditions		то не при в при на при
- Reproducibility	pass	5.2
Operational reliability		
- Requirements	pass	4
Durability of operational reliability, temperature resistance		
- Dry heat (operational)	pass	5.4
- Cold (operational)	pass	5.5
Durability of operational reliability, vibration resistance		
- Shock (operational)	pass	5.9
- Impact (operational)	pass	5.10
- Vibration, sinusoidal (operational)	pass	5.11
- Vibration, sinusoidal (endurance)	pass	5.12
Durability of operational reliability, humidity resistance		
- Damp heat, cyclic (operational)	pass	5.6
- Damp heat, steady state (endurance)	pass	5.7
Durability of operational reliability, corrosion resistance		
- Sulphur dioxide (SO2) corrosion (endurance)	pass	5.8
Durability of operational reliability,electrical stability		
- Variation in supply parameters	pass	5.3
 Electromagnetic compatibility (EMC), immunity tests (operational) 	pass	5.13



of "Dedal, Acc., Le

