

C# LAB 05

Question03

1. using System;

```
public class CalculateValues
{
    public int Addition(int number1, int number2)
    {
        return number1 + number2;
    }

    public int Subtraction(int number1, int number2)
    {
        return number1 - number2;
    }

    public int Multiplication(int number1, int number2)
    {
        return number1 * number2;
    }

    public int Division(int number1, int number2)
    {
        return number1 / number2;
    }
}

public class Program
{
    public static void Main(string[] args)
    {
```

```

// Declare variables to store the user input and the result of the arithmetic operation.
int number1, number2, choice, result;

// Prompt the user to enter the two numbers.
Console.WriteLine("Enter the first number: ");
number1 = Convert.ToInt32(Console.ReadLine());
Console.WriteLine("Enter the second number: ");
number2 = Convert.ToInt32(Console.ReadLine());

// Prompt the user to select the arithmetic operation.
Console.WriteLine("Select the arithmetic operation:");
Console.WriteLine("1. Addition");
Console.WriteLine("2. Subtraction");
Console.WriteLine("3. Multiplication");
Console.WriteLine("4. Division");
choice = Convert.ToInt32(Console.ReadLine());

// Create an object of the CalculateValues class.
var calculateValues = new CalculateValues();

// Call the appropriate method on the CalculateValues object to perform the arithmetic operation.
switch (choice)
{
case 1:
    result = calculateValues.Addition(number1, number2);
    break;
case 2:
    result = calculateValues.Subtraction(number1, number2);
    break;
case 3:
    result = calculateValues.Multiplication(number1, number2);
    break;
case 4:
    result = calculateValues.Division(number1, number2);
    break;
default:
    result = 0;
    break;
}

// Display the result of the arithmetic operation.
Console.WriteLine("The result is {0}.", result);
}
}

```

Question 04

1.

```
public class MyClass
{
    private void sayHello()
    {
        Console.WriteLine("Hello, world!");
    }
}
```

```
public class Program
{
    public static void Main(string[] args)
    {
        // Create an object of the MyClass class.
        var myClass = new MyClass();

        // Try to access the sayHello() method.
        //myClass.sayHello(); // This will not compile.
    }
}
```

```
public class MyClass
{
    public void sayHello()
    {
        Console.WriteLine("Hello, world!");
    }
}
```

```
public class Program
{
    public static void Main(string[] args)
    {
        // Create an object of the MyClass class.
        var myClass = new MyClass();
    }
}
```

```
        // Access the sayHello() method.
        myClass.sayHello();
    }
}
```

Question 05

1.

```
using System;

public class ArrayOperations
{
    public int[] CreateArray(int size)
    {
        int[] array = new int[size];

        // Prompt the user to enter values for the array.
        for (int i = 0; i < size; i++)
        {
            Console.WriteLine("Enter a value for the array at index {0}: ", i);
            array[i] = Convert.ToInt32(Console.ReadLine());
        }

        return array;
    }

    public int FindMinimumValue(int[] array)
    {
        int minValue = array[0];

        for (int i = 1; i < array.Length; i++)
        {
            if (array[i] < minValue)
            {
                minValue = array[i];
            }
        }
    }
}
```

```
    return minValue;  
}
```

```
public int FindMaximumValue(int[] array)  
{  
    int maxValue = array[0];  
  
    for (int i = 1; i < array.Length; i++)  
    {  
        if (array[i] > maxValue)  
        {  
            maxValue = array[i];  
        }  
    }  
  
    return maxValue;  
}
```

```
public double CalculateAverageValue(int[] array)  
{  
    int sum = 0;  
  
    for (int i = 0; i < array.Length; i++)  
    {  
        sum += array[i];  
    }  
  
    return sum / array.Length;  
}
```

```
public void ReverseArray(int[] array)  
{  
    int[] reversedArray = new int[array.Length];  
  
    for (int i = array.Length - 1; i >= 0; i--)  
    {  
        reversedArray[array.Length - 1 - i] = array[i];  
    }  
  
    array = reversedArray;
```

```

    }
}

public class Program
{
    public static void Main(string[] args)
    {
        // Declare variables to store the array and the results of the operations.
        int[] array;    int minValue, maxValue;
        double averageValue;

        // Create an array of size 10.
        array = ArrayOperations.CreateArray(10);

        // Find the minimum, maximum, and average values of the array.
        minValue = ArrayOperations.FindMinimumValue(array);
        maxValue = ArrayOperations.FindMaximumValue(array);
        averageValue = ArrayOperations.CalculateAverageValue(array);

        // Reverse the order of the array.
        ArrayOperations.ReverseArray(array);

        // Display the results of the operations.
        Console.WriteLine("The minimum value is {0}.", minValue);
        Console.WriteLine("The maximum value is {0}.", maxValue);
        Console.WriteLine("The average value is {0}.", averageValue);
        Console.WriteLine("The reversed array is: ");    for (int i = 0; i <
array.Length; i++)
        {
            Console.WriteLine("{0}", array[i]);
        }
    }
}

```