Smart Rail, New Pulse: The Jing-Zhang Ren-Line Century AI Innovation Belt Overall Urban Design

Using the 'Z-shaped' zigzag alignment of the Jing-Zhang Railway as a spatial motif, the proposal presents 'Jing-Zhang Ren-Line: Smart Growth Belt': one north-south spine (Jing-Zhang Heritage Park AI Innovation Axis), two wings (Zhongguancun Technology Services Wing, Xiaoyue River Scenario Enablement Wing), three key areas (Zhongzhi Park, AI Origin Community, Dazhongsi), three pilgrimage landmarks, and 12 AI scenario cards. All geometry derives from the provisional boundary and is recalculated in EPSG:4548; metrics are traceable and will be fully recomputed once official data is published.

阅读中文版本

Smart Rail, New Pulse: The Jing-Zhang Ren-Line Century AI Innovation Belt Overall Urban Design

Design Basis and Source List

This formal proposal takes the Beijing Municipal Planning and Natural Resources Commission Haidian Branch prequalification announcement for the Century Jing-Zhang AI Innovation Belt International Urban Design Solicitation as its primary basis, and uses the provisional boundary, key areas, enums, metrics, and source registry maintained in `brief/site-package/` as machine-readable evidence

Source

Source
.

The AI agent read `design_brief.json`, `allowed_design_space.json`, `sources.json`, `enums/`, `ranges/`, `schemas/`, `data/source_registry.json`, and `data/processed/agent_fact_pack.md`, then used `project_scope_summary.csv`, `agent_task_requirements.csv`, `source_use_matrix.csv`, and `missing_data_checklist.csv` to build task, scope, usage, and gap lists

Source
.

Usage boundaries follow `data/source_registry.json`

Source
:

the agent must not upgrade background-only or provisional-only materials into official boundary, statutory control plan, scoring basis, or government implementation commitments. The provisional boundary and three key-area polygons come from `brief/site-package/geometry/provisional_boundaries.geojson` and are used for generation, self-check, and visualization only

Source

Source

Depth

.

This proposal is not a standalone vision document; every spatial conclusion returns to a GeoJSON layer, every performance conclusion returns to a metrics table, and professional judgment returns to the standard matrix and design depth matrix

Standard

Standard

.

The evaluable status of this generation is: provisional boundary, with precision warnings retained and recalculation required after official data release; this does not block content scoring. Spatial boundaries trace back to the site boundary layer and area metrics

Spatial data

Metric

,

and the three key areas are cross-checked by their own layers and count metric

Spatial data

Metric

.



Evidence chain overview

Three-Level Scope Framework

The scheme organizes work in three levels defined by the announcement Standard:

the coordinated research area covers about 43.6 km2 for AI industry ecosystem, strategy, innovation chains, and future city form; the overall design area covers about 11.4 km2 around the Jing-Zhang Heritage Park for urban renewal framework, industrial space layout, transport and municipal support, and urban character control Metric;

the key areas cover about 369 ha for three detailed design districts, requiring functional uses, building scale, retain-renovate-demolish classification, public space connectivity, and transport organization Metric.

The three levels are mapped item by item in `compliance_matrix.json` so every mandatory task under announcement items 1.3, 1.4,

1.5 and agent.1-agent.6 has section, layer, metric, drawing, and HTML evidence
Depth.

Level	Design question	Proposal answer	Data anchor
Coordinated research	How to organize AI ecosystem and future city form	Innovation chain from universities to open source to enterprises to public experience to global outreach, with the Ren-Line spatial motif	compliance_matrix.json, standard_matrix.json
Overall design	How to map industry, renewal, transport, and character	Land use, buildings, roads, green space, public space, and phasing layers	Spatial data, Spatial data
Key areas	How to reach detailed design depth	Positioning, spatial actions, AI scenarios, and implementation dependencies per district	Spatial data, Spatial data, Spatial data



Land use and spatial structure

The three levels are not disconnected drawing sets. Coordinated research shapes industry chain and city form judgment, overall design lands that judgment into renewal projects, spatial structure, and facility capacity, and detailed design verifies implementability at plot, building, transport, public space, and AI scenario scale. The agent fixed the provisional boundary and constraints before generating land use, buildings, roads, green space, public space, phasing, and AI service nodes, then recalculated metrics and flagged which conclusions remain limited by the provisional boundary

Spatial data

.

Coordinated Research Area: Industry and Future City Research

The coordinated research area, roughly 43.6 km2, is the first design level, focused on industry and future city research

Standard

Depth

.

Industry research answers how Haidian AI industry should organize its innovation chain and how the world-class AI innovation ecosystem required by the agent open call should land; future city research asks how AI will change work, life, social interaction, learning, transport, and public services. The proposal organizes an innovation chain of university ideation, open-source collaboration, enterprise transformation, public experience, and global outreach, and overlaps it with the Ren-Line spatial structure: the spine carries ideation and showcase functions, the wings carry technology services (west) and scenario enablement (east), and the three key areas carry indigenous innovation, talent origin, and AI-native industries

Source

Depth

.

The world-class AI innovation ecosystem maps to differentiated positioning across the three key areas and innovation service facilities along the belt: Zhongzhi Park hosts full-stack indigenous innovation plus governance discourse, AI Origin Community hosts ecosystem and talent origin, and Dazhongsi hosts AI-native industries plus international outreach

Spatial data

Spatial data

Spatial data

.

The three districts total about 369 ha

Metric

,

served by 8 AI scenario stops and 12 AI scenario cards

Metric

,

validated against five user personas

Metric

and anchored in public space, green space, and road layers

Spatial data

Spatial data

Spatial data

.

Statements about global AI activities, developer communities, open scenarios, or pilgrimage routes are marked as conceptual proposals or reference options for professional teams, not as confirmed government activities or implementation arrangements

Depth

Depth

The concept identity is **Jingzhang Herringbone Line · Living Intelligence Spine**. Reviewable logo, bilingual wordmark, colour, wayfinding, pass, digital-platform, and annual-event prototypes are supplied under `assets/identity/`. The mark uses the Jing-Zhang railway herringbone as its geometry: Rail Blue carries the engineering heritage, Spine Green the continuous civic ecology, Signal Orange the visible AI-service interface, and Node Red the AI public node that requires human confirmation. It is not a government emblem, registered trademark, or authorized partner brand; any public implementation requires trademark search, wayfinding approval, and rights clearance

Depth

Depth

Jingzhang Herringbone Line logo, bilingual wordmark, and meaning

Identity element	Deliverable and rule	Use boundary
Mark and wordmark	`logo-lockup.svg/png`; the bilingual lockup reads “京张人字线 • 智脉共生带 / Jingzhang Herringbone Line • Living Intelligence Spine.”	Concept asset only; it does not confer official identity or trademark rights.
Palette	Rail Blue `#274E88`, Spine Green `#126A58`, Signal Orange `#D9822B`, Node Red `#BE3A34`, Warm Paper `#F7F5EF`.	Keep high contrast in wayfinding, furniture, pages, and event material; never encode safety information by colour alone.
Wayfinding and access	Bilingual AI Scenario Station prototype includes human assistance, accessibility, and real-time information.	Requires transport, accessibility, and advertising approval before deployment.
Digital and event applications	Spine Pass, scenario-opening platform, and annual AI week visual prototypes.	No individual-route collection; event names, partner marks, and data interfaces require separate authorization.

Concept VI: mark, colour, wayfinding, and scenario applications

The six global cases below are mechanism references, not confirmed partnerships, endorsements, or rights grants. The Toronto, Seoul, and Singapore cases are registered in `sources.json` and `report/narrative.md` with publisher, linked source, date information, transferable mechanism, and use boundary

Source

Source

Source.

London, Qianhai, and Shibuya are likewise verifiable mechanism comparisons. The submission does not reproduce their photographs, logos, drawings, dashboards, or copyright-protected text

Source

Source

Source.

Case	Publisher, source, and date	Transferable mechanism	Licence and applicability boundary
Toronto Quayside	Waterfront Toronto project page; verified 2026-08-12.	Coordination among public-realm delivery, competitive development partner, and walkable waterfront.	Linked and originally summarized only; no renderings, logos, or data used.
Seoul Smart City & Digitization	Seoul Metropolitan Government, Smart City & Digitization Master Plan (2021–2025); verified 2026-08-12.	Public-benefit, inclusion, cyber-safety, and participation principles.	Not a replication of DMC; Seoul retains copyright and no visual material is used.
Punggol Digital District	JTC Corporation; webpage updated 2026-01-14.	Industry-academia proximity, community integration, district operating-data platform, and low-carbon mobility.	Mechanism comparison only; no JTC plan or photography redistributed.
London Knowledge Quarter	University College London; 2024–2025 dashboard materials.	Multi-institution network plus explainable research and industry performance dashboards.	UCL/Elsevier require attribution for findings; no data or screenshots redistributed.
Qianhai Shenzhen-Hong Kong Cooperation Zone	Shenzhen Municipal Commerce Bureau; 2024-08-08.	Cross-regional institutional, transport, and ecological interface coordination.	Page prohibits republication without written authorization; no claim of Qianhai partnership.
Tokyo Shibuya Stream	Tokyo Convention & Visitors Bureau; 2025-12-11.	Former-railway redevelopment linked with river promenade, squares, and mixed-use facilities.	Page images carry copyright; no images, marks, or drawings reproduced.

Applicability is this proposal's original interpretation of mechanisms. It requires revalidation against Haidian's official boundaries, regulations, property rights, public engagement, and professional advice

Depth

Depth.

Overall Design Area: Urban Renewal and Regulatory-Plan-Level Urban Design

The overall design area must reach regulatory-plan-level urban design depth

Standard.

The proposal presents an urban renewal spatial framework, low-efficiency space identification, a renewal project list, implementation policy recommendations, industrial function ratios, spatial organization patterns, total building scale, and carrying capacity assessment. `geometry/land_use.geojson` fully and gaplessly covers the design boundary

Spatial data

Depth ;

`geometry/buildings.geojson` expresses 104 conceptual building footprints

Spatial data

Metric ;

`geometry/roads.geojson` expresses micro-circulation, slow-traffic, and rail transfer relations

Spatial data

Metric ;

and `metrics.json` recalculates core areas and ratios

Depth .

Regulatory-plan content is decomposed into reviewable objects: land use structure, building footprints, transport organization, green and public space ratios, phasing scope, and AI scenario nodes. Content touching building height, development intensity, road red lines, setbacks, and facility standards is written as pending confirmation by official regulatory conditions where no official control data exists, and agent-guessed values are never presented as approved indicators

Metric

Metric ;

related depth items are

Depth

and

Depth .

The overall design must support transport, rail, municipal, and supporting facilities: rail-station integrated development, road micro-circulation, non-motorized parking, parking supply, innovation service platforms, talent and life services, new infrastructure, distributed energy, and edge computing are proposed as spatial layouts and implementation paths

Depth

Depth ,

while `geometry/phasing.geojson` expresses the three-phase implementation scope

Spatial data

Metric

Depth .

AI Innovation Ecosystem, Personas, and AI+ Scenarios

The AI innovation ecosystem organizes space and facilities around full-stack indigenous innovation, a world-class ecosystem, and scenario enablement. Five user personas (open-source developers, startups, enterprise visitors, surrounding residents, and university students) are translated into locatable spatial responses. AI+ scenarios are placed along the spine and wings in two categories: industry-development scenarios and AI-empowered urban-function scenarios

Standard

Depth

.

Personas and scenario cards are listed below, each anchored in public space, green space, and road layers

Spatial data

Spatial data

Spatial data

;

counts are checked by the scenario card and persona indicators

Metric

Metric

.

The three AI industry test scenarios below are **conceptual pilot cards**, not connected data systems, approved road tests, or government commitments. Their thresholds are suggested pilot evaluation targets. Before activation, responsible authorities, operators, and data subjects must confirm lawful basis, information security, accessibility, and human-review procedures

Depth

Depth

.

Test scenario	Data inputs and minimization boundary	TRL / test metric	Spatial component	Suggested operator	Exit condition and human fallback
Automated active-travel navigation	Authorized high-definition map, anonymized flow and traffic conditions; no identifiable face or continuous individual-route data.	TRL 6; navigation-advice accuracy target ⩾95%, end-to-end prompt latency target ⩽200 ms.	Jing-Zhang Heritage Park active-travel spine; conceptual service extent about 8 km.	Scenario operator, transport coordinating party, and accessibility representatives.	Pause automated prompts after failed target, abnormal complaints, or safety incident; revert to static wayfinding, human assistance, and on-site patrols.
AI public-space maintenance	Facility-state sensors, de-identified/cropped inspection images, and human maintenance tickets; no resident profiling.	TRL 5; fault-detection target ⩾90%, maintenance-response target ⩽30 min.	Qinghe waterfront park, station plazas, and AI scenario stations.	Parks team, municipal maintenance team, and site operator.	Shrink deployment when cost exceeds budget, false positives become unacceptable, or maintenance burden is high; manual inspection remains the primary process.
Data-compliance circulation sandbox	De-identified training samples, authorization register, and tamper-evident audit log; no unauthorized production data.	TRL 4; zero confirmed leakage events, audit-completeness target 100%.	Zhongzhiyuan data-compliance circulation node (concept indoor/ service space).	Data controller, security-governance team, and independent compliance reviewer.	Freeze processing, preserve audit records, and conduct human review if law, consent purpose, or security baseline changes; no automation substitutes legal judgment.

Persona	Typical needs	Spatial response	Review boundary
Open-source developers	Release, collaboration, testing, reputation	Origin community release hall, public code wall, overnight collaboration space	No personal behavior tracking; aggregate statistics only
Startups	Low-cost offices, compute access, product testbed	Zhongzhi Park shared test field, edge compute service points, governance consulting	Compute and data services require separate authorization
Enterprise visitors	Showcase, business, international reception, recruitment	Dazhongsi international roadshow lounge, transit connections, public space near anchors	Company marks and cases require rights clearance
Residents	Commute, leisure, community services, low-disruption renewal	Heritage Park slow-traffic loop, embedded community services, graded night lighting	No resident profiling for commercial recommendation
University students	Commercialization, cross-campus work, daily slow travel	Campus-park slow connections, commercialization stops, AI education experience points	Campus data and research results require authorization

Scenario card	Spatial carrier	Design note
01 Open-source release hall	AI Origin Community	Release, code contribution showcase, and small roadshows for universities, open-source communities, and startups
02 Safety governance sandbox	Zhongzhi Park	Translates standard-setting, safety evaluation, and red-team testing into visitable, bookable, regulated nodes
03 Edge compute stop	Overall design area	New-infrastructure prototype tied to public services and distributed energy, pending deepening
04 AI slow-traffic navigation	Heritage Park vitality belt	Explainable wayfinding and low-intrusion sensing to identify gaps, congestion, and accessibility needs
05 Dazhongsi international roadshow lounge	Dazhongsi	Showcase, negotiation, press, and international exchange for agents, devices, and content enterprises
06 Qinghe low-carbon innovation corridor	Zhongzhi Park riverside	Combines green space, stormwater, walking and cycling with AI display as district public living room
07 Near-campus commercialization street	AI Origin Community	Incubation, showcase, legal, IP, and investment services for university commercialization
08 Data-elements parlor	Dazhongsi	City-service interface for data-element and digital-asset circulation under compliance and audit
09 AI life-services sample street	Community-commerce junctions	AI+ healthcare, education, legal, and life services in operable small-block spaces
10 Global AI event week route	Belt public space system	A walkable, shareable experience from heritage culture to open source to industry to roadshow
11 Origin pilgrimage plaza	AI Origin Community	Memorial, release, and public-art landmark at the Ren-Line vertex
12 Dazhongsi station-city living room	Dazhongsi front	Integrated transit, retail, exhibition, and digital-experience complex

Land Use, Building Scale, and Retain-Renovate-Demolish Strategy

Land use uses `geometry/land_use.geojson` as the machine-readable base map, cut on a grid into gapless parcels within the design boundary and classified by `enums/land_use_codes.json`, organizing research, commercial service, education, culture, green, and plaza functions

Spatial data

Spatial data

Spatial data

;

layout depth is covered by

Depth

.

Building scale is expressed as 104 conceptual building footprints totaling about 869,111 m2

Spatial data

Metric

,

following `enums/building_types.json`. Because floor area ratio, total floor area, building height, and density lack official regulatory data, the proposal does not compile formal building scale indicators from guessed values

Metric

Metric

Metric ;

related depth items are

Depth

and

Depth .

The retain-renovate-demolish strategy follows a retain-first, low-disruption renewal principle

Depth :

the Heritage Park, Qinghe riverside green space, railway heritage, and historical remains are retained first

Spatial data

Spatial data

Spatial data ;

the building footprint layer expresses an indicative retain/renovate/demolish classification, with actual action subject to property rights and implementation conditions

Spatial data

Depth .

The renewal project list and phasing are covered in their own sections, and all land and building-scale conclusions return to `metrics.json` so recalculation stays traceable

Depth .

Transport, Rail, Municipal Infrastructure, and Public Services

Transport follows a rail-first, slow-traffic-first, hierarchical network principle: rail stations form TOD nodes with seamless transfer among rail, bus, walking, and cycling; roads are layered into arterials, collectors, local roads, and slow-traffic-priority routes, with emphasis on closing the east-west slow-traffic gaps across the Heritage Park spine

Spatial data

Spatial data

Metric ;

depth is covered by

Depth .

The three key areas organize station-city integration around Dazhongsi station, the Origin Community station, and the park hub respectively

Spatial data

Spatial data

Spatial data

The slow-traffic system runs along the spine and wings, linking 8 AI scenario stops and three pilgrimage landmarks

Spatial data

Metric



Rail, slow traffic, and blue-green systems

Municipal and public services are arranged in two levels under TOD priority: district facilities concentrate around stations, and community facilities embed into residential and industrial clusters

Depth

New infrastructure (edge compute, smart poles, smart sanitation, energy, and reclaimed water) is proposed as prototypes to be deepened with municipal, power, and telecom special plans. Rail alignments, stations, and high-voltage corridors follow the constraint layer; the proposal does not change existing rail red lines or municipal corridors

Spatial data

Spatial data

Spatial data
.

All transport and municipal conclusions derive from the provisional boundary and public data and await official data confirmation

Depth
.

Blue-Green Network, Public Space, and Urban Character

The blue-green network takes the Heritage Park as the north-south spine, linking Qinghe and Xiaoyue River waterfronts and parkland into a one-spine-two-wings, interwoven open-space skeleton

Spatial data

Spatial data

Spatial data
;

the green ratio is checked by

Metric
.

Public space follows a node-axis-venue structure: station plazas, AI scenario stops, and pilgrimage landmarks form activity nodes; the spine slow-traffic system forms the axis; parks and plazas form open venues

Spatial data

Spatial data

Spatial data
;

the public-space ratio is checked by

Metric
,

with depth in

Depth
.

Public space emphasizes accessibility, continuity, barrier-freedom, and all-age friendliness, connected by slow-traffic paths.

Public-space component library	Core provision	Data and operation boundary
AI Scenario Station	Bilingual wayfinding, bookable test bench, human assistance, accessible seating, paper guide, and low-power information screen.	Real-time information is optional; paper, static signs, and human assistance preserve basic service offline.
Heritage active-travel corridor	Railway-remnant viewing band, continuous shade, cycle stop, low-level night guidance, and rain garden.	It does not alter heritage or rail-safety boundaries; lighting and sensors require heritage, transport, and electrical review.
Station-front shared living room	Canopy, waiting seats, accessible ramp, movable exhibition stand, and child/carer facilities.	Fire safety, passenger flow, accessibility, and advertising permits are prerequisites.
Community micro-renewal pocket	Rest, exercise, family, community notice, and non-digital service point.	Community co-creation determines content; no resident profile is used for marketing or automated decisions.

Landmark catalogue	Location and form	Recognition and display system
AI Origin Plaza	Herringbone-vertex public plaza in the Beijing AI Origin Community; release, public art, and remembrance.	Renewable displays for open-source contribution, public service, and accessible co-creation; recognition requires transparent rules and external review.
Jingzhang Intelligence Spine Bridge/Walk	Lightweight crossing and lookout on the heritage spine (concept).	Explains railway history, repair process, and open-data method; does not replace statutory heritage interpretation.
Dazhongsi Station-City Living Room	Transfer, exhibition, and digital-experience node at Dazhongsi station front.	Names, logos, work, and personal data require authorization before showing enterprise or university results.

The heritage-resource system follows six steps: identify, grade, protect, adaptively activate, interpret, and monitor. Official heritage listings, railway remnants, mature trees, water, and oral-history material first require inventory and property-right verification; protection grade and sensitivity then determine no-touch, low-impact renewal, and interpretable-use interfaces. Rail Blue, Spine Green, Signal Orange, and Node Red form bilingual wayfinding without covering statutory heritage signs. “See the rails, remember the history, feel the future” is a conceptual international-communication line whose content must be archival-verified, translation-reviewed, and rights-cleared before publication. This framework does not replace legal heritage recognition or protection requirements

Spatial data

Depth

.

Urban character is themed as century-old Jing-Zhang coexisting with the AI future: heritage park and railway imagery are retained, innovation buildings are encouraged to adopt the Ren-Line roof and railway-motif language, and height and setback controls near rail, water, and heritage interfaces are managed to create a place where rails remain visible, history is remembered, and the future can be felt

Depth

Depth

.

Character controls (color, material, roof form, signage, nightscape) are proposed as design guidance to be deepened under formal urban design and regulatory conditions; at heritage-protection locations the proposal only expresses retain-and-revitalize intention without altering protection requirements

Spatial data

Depth

.

Renewal Projects, Implementation Policy, and Phasing

The renewal project list carries 8 projects covering the three key areas and spine nodes, including Zhongzhi industrial upgrading, Origin Community stitching renewal, Dazhongsi station-city integration, Heritage Park connection, Qinghe waterfront renewal, Xiaoyue River scenario nodes, spine slow-traffic connection, and community service gap-filling

Metric

Depth

.

Each project states its renewal goal, scope, functional mix, and implementation dependencies, mapped to `geometry/phasing.geojson` phases

Spatial data

Spatial data

Spatial data

;

phasing area is checked by

Metric

,

with depth in

Depth

.

Implementation policy centers on balancing retain/renovate/demolish, multi-stakeholder coordination, and phased rolling implementation: land and property rights suggestions, renewal organization models, investment and industry access suggestions, phasing sequence, and monitoring and evaluation mechanisms are proposed. The plan proceeds in three phases: near-term focuses on station surroundings and completed park segments, mid-term advances spine connection and key-area renewal, and long-term completes the wings and overall character

Spatial data

Metric

.

Policy and phasing suggestions derive from public data and do not constitute government implementation commitments; official views prevail

Depth

.

The annual activity, developer community, and brand assets follow a proposed public-issue-first, auditable-open, rights-clear, and exit-capable operating model; this is not a pre-set government event plan.

Operating module	Annual cadence and output	Open and governance condition	Attraction and conversion path
Living Intelligence Week (concept)	Once yearly: results release, public experience, accessible co-creation day, and international communication kit.	Open-call rules, accessibility plan, event safety plan, and authorization for partner names and logos.	From university/community issue call to scenario showcase to compliant pilot matching; no subsidy or tenancy is promised.
Developer community	Monthly technical exchange, quarterly open-source maintenance day, and annual public-problem challenge.	Open-source licence, IP ownership, code of conduct, and youth protection; personal data are minimized.	Reusable tools, open-source contributions, and problem validation form portfolios; authorized entities may then connect incubation, training, or procurement.
Open scenario operation	Five steps: submit, risk-screen, small sandbox, independent review, expand or exit.	Data classification, purpose limitation, human review, public complaint channel, cyber security, and procurement/approval prerequisites.	Only prototypes that pass safety, public-interest, and feasibility review proceed to further professional analysis.
Brand-asset governance	Quarterly asset inventory; annual use audit and accessibility check; common logo, palette, tone, and source acknowledgement.	Asset owner, licence period, translation responsibility, partner scope, and withdrawal mechanism are registered.	Authorized partners may use the concept identity within a clear scope; no derivative registration, commercial endorsement, or data marketing without written authorization.

Metrics, Area Recalculation, and Compliance Matrix

The metrics system is output by `metrics.json` and verified by graphics, with 17 metrics all recalculated from geometry layers in EPSG:4548, guaranteeing consistency among metrics, layers, drawings, HTML, the booklet, and the boards

Depth

:

Metric	Value	Source layer / note
site_area_sqm	11,412,825	Spatial data , provisional boundary
key_detailed_design_area_sqm	3,692,893	Spatial data plus two other districts
key_area_count	3	Spatial data
green_ratio	19.76%	Spatial data
public_space_ratio	1.13%	Spatial data
building_footprint_area_sqm	869,111	Spatial data
road_centerline_length_m	39,357	Spatial data
phasing_area_sqm	4,246,442	Spatial data
scenario / persona / landmark / renewal counts	12 / 5 / 3 / 8	structured tables

Area recalculation follows a provisional-boundary-first, official-data-priority-calibration principle: all areas are computed from the provisional boundary polygon in EPSG:4548 with precision warnings retained, and after official boundary and key-area polygons are published the whole package must be recomputed rather than editing single numbers

Source

Depth

Metric

.

Floor area ratio, height, and density are marked unknown without official data and are not used for formal scale commitments

Metric

Metric

Metric

.

Compliance mapping is kept in `compliance_matrix.json`, mapping every requirement under announcement items 1.3.1-1.5.3 and agent.1-agent.6 to section, layer, metric, drawing, and HTML evidence

Standard

Standard

Standard

;

professional standards and depth regulation are

Standard

Standard

,

with recalculation and data gaps covered by

Depth

Depth

.

Design depth is recorded in `design_depth_matrix.json` across spatial and functional depth items including diagnosis, three-level framework, and overall structure

Depth

Depth

Depth

;

land use is

Depth

;

intensity and massing are

Depth

Depth

,

retain/renovate/demolish and blue-green public space are

Depth

Depth

,

plus

Depth,

and across implementation and mechanism items including transport, municipal, and renewal projects

Depth

Depth

Depth;

phasing is

Depth,

and data gaps are covered in the risks section

Depth.



Metrics evidence chain

Risk, Copyright, and Compliance

This proposal is generated from a provisional boundary and public data and carries the following main risks: boundary risk, because the provisional boundary is not an official red line and area and spatial conclusions must be fully recalculated after official boundary release

Source

Depth ;

data risk, because statutory control conditions, property rights, existing buildings, and municipal utility data are missing, so related conclusions are flagged provisional

Source

Depth ;

compliance risk, because AI-generated content and governance suggestions do not constitute legal opinions or government decisions, and content touching personal data and facial recognition follows current law; and implementation risk, because renewal projects and policy suggestions are not commitments and require confirmation by authorities and professional teams

Source

Depth .

Copyright and compliance: the proposal content, naming, and identity (Jing-Zhang Ren-Line, Smart Growth Belt) are AI-agent conceptual proposals; cited literature and public materials are attributed; trademarks, fonts, and images require rights clearance before public use; this submission is released under the COMMUNITY-DISPLAY-ONLY license for review display and does not authorize commercial use

Source .

The proposal contains no personal identity information, privacy data, or unauthorized content; all AI scenario suggestions follow data-minimization, explainability, and human-review principles. If cited materials conflict with official information, the latest official release prevails

Depth .

References

Primary references are the following: site package and fact pack

Source

Source ;

boundary and key-area sources

Source

Source;

official announcement, agent taskbook, and source registry

Source

Source

Source:

- Public materials: solicitation announcement, design brief, site package, and data registry; full index in `sources.json` and `brief/site-package/data/source_registry.json`

  Source

  Source.
- Site data: provisional boundary, key areas, land use and building type enums, constraint layers, and source data in `geometry/` and `brief/site-package/enums/`

  Source

  Source.
- Professional standards: urban design management measures, regulatory detailed planning, national land use classification guide, and architectural design depth regulation, in `standard_matrix.json`

  Standard

  Standard;

  land use classification and design depth are

  Standard

  Standard.
- Generated materials: AI task requirements, fact pack, and missing-data checklist in `data/` and `assumptions.json`

  Source.
- Metrics and compliance: area recalculation, metrics, compliance matrix, and design depth matrix in `metrics.json`, `compliance_matrix.json`, and `design_depth_matrix.json`

  Depth

  Depth.

Detailed Design of Key Areas

Detailed design of key areas is mandatory

Standard.

The three key districts are expressed as provisional constraints in `geometry/key_areas.geojson`, totaling about 369 ha

Spatial data

Spatial data

Spatial data ;

count and area are checked by

Metric

Metric ,

and by the three-key-area detailed design depth item

Depth .

The HTML page toggles among the three districts; the A3 booklet and A0 boards include overall plans, partial details, and metric notes for each district. The three districts are also summarized as follows.

District	Positioning	Spatial actions	AI industry and operations	Evidence
Zhongzhi Park	Garden-style full-stack indigenous innovation	Strengthen Qinghe waterfront, industry showcase, low-carbon innovation exchange, and external transport; open testing and standards governance on green space	Indigenous model testing, standards workshops, governance showcase, low-carbon compute experience	Spatial data
AI Origin Community	Near-campus commercialization and talent community	Campus-park-block slow stitching; release, talent services, living, and open-source collaboration	Open-source community, release, talent-zone services, near-campus incubation	Spatial data
Dazhongsi	Urban AI economy and international exchange	Station-city integration around Dazhongsi station, four-quadrant pedestrian connection, retail services, public environment renewal	Agents and device showcase, content consumption, data elements, international roadshow	Spatial data

Zhongzhi Park is positioned as a garden-style indigenous-innovation accelerator of about 192 ha

Spatial data .

Spatial actions include strengthening the Qinghe low-carbon innovation corridor

Spatial data ,

placing indigenous model training and evaluation and governance showcase spaces, carrying open testing and standards workshops on green space, and organizing external transport and station-city connections. Uses are dominated by research land with industry services and support

Spatial data

Depth .

Implementation depends on river blue lines, ecology, and flood control, requiring official regulatory and ownership data

Depth .

AI Origin Community is positioned as a near-campus commercialization and talent community of about 104 ha

Spatial data .

Around the Ren-Line vertex an AI origin memorial plaza is placed

Spatial data ,

campus-park-block slow stitching is organized

Spatial data ,

and release, talent services, living, and open-source collaboration are added. Uses mix research, education, culture, residential, and public services

Spatial data

Spatial data .

Implementation depends on campus boundaries, ownership, and ground-floor uses, requiring official data

Depth .

Dazhongsi is positioned as an urban AI-economy and international-exchange district of about 72 ha

Spatial data .

Around Dazhongsi station the proposal organizes integrated development, four-quadrant pedestrian connectivity

Spatial data

Spatial data ,

and agents and device showcase, content consumption, a data-elements parlor, and an international roadshow lounge. Uses are dominated by commercial services with mixed planned green space

Spatial data

Spatial data .

Implementation depends on rail station, road intersections, and municipal utilities, requiring official data

Depth .



Three key areas detailed design