

MySQL Workbench

unconnected x unconnected x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

Not connected

Administration Schemas

Information

foodi fi

Limit to 1000 rows

```
2 -- 1 questions
3
4 • select count( distinct customer_id) as Foodie_Fi_customers
5   from subscriptions;
6
7 -- 2 questions
8
9 • select date_format(start_date, '%Y-%m-01') as start_date, count(customer_id) as Monthly_customer_count
10   from subscriptions
11   where plan_id = 0
12   group by date_format(start_date, '%Y-%m-01')
13   order by start_date;
14
15 -- 3 questions
16
17 • select p.plan_name, count(*) as total_plan
18   from subscriptions s
19   inner join plans p
20   on s.plan_id = p.plan_id
21   where start_date > 2020-12-31
22   group by p.plan_name;
23
24 -- 4 questions
25
26 • select count(customer_id) as churned_customer,
27   round((count(customer_id) / (select count(distinct customer_id) from subscriptions)) * 100.0,1) as churned_cust_pct
28   from subscriptions
29   where plan_id = 4;
30
```

MySQL Workbench

unconnected x unconnected x

File Edit View Query Database Server Tools Scripting Help

Navigator

foodi fi x

Limit to 1000 rows

31 -- 5 questions

32

33 • select count(customer_id) as immediate_churn_count,

34 round(count(customer_id) * 100.0 / (select count(distinct customer_id) from subscriptions),0) as immediate_churn_pct

35 from (select customer_id

36 from subscriptions

37 group by customer_id

38 having count(plan_id) = 2

39 and min(plan_id) = 0

40 and max(plan_id) = 4) as immediate_churners;

41

42 -- 6 questions

43 -- first of two approach, this approach applies when trial period is strictly of 7 days regardless of plan upgradation

44 • select s2.plan_id, count(s1.customer_id) as customer_count,

45 round(count(s1.customer_id) * 100.0 / (select count(distinct customer_id) from subscriptions),1) as customer_percentage

46 from subscriptions s1

47 inner join subscriptions s2

48 on s1.customer_id = s2.customer_id

49 and s1.start_date + interval 7 day = s2.start_date

50 and s1.plan_id != s2.plan_id

51 where s1.plan_id = 0

52 group by s2.plan_id

53 order by s2.plan_id;

54

MySQL Workbench

unconnected x unconnected x

File Edit View Query Database Server Tools Scripting Help

Navigator foodi fi x

SCHEMAS

Filter objects

Not connected

Administration Schemas

Information

```
54
55 -- This approach applies when trial period ends immediatly after plan upgradation
56
57 • select s2.plan_id, count(s1.customer_id) as customer_count,
58 round(count(s1.customer_id) * 100.0 / (select count(distinct customer_id) from subscriptions),1) as customer_percentage
59 from subscriptions s1
60 inner join subscriptions s2
61 on s1.customer_id = s2.customer_id
62 and s1.start_date < s2.start_date
63 where s1.plan_id = 0
64 and s2.start_date = ( select min(start_date)
65 from subscriptions s3
66 where s3.customer_id = s1.customer_id
67 and s3.start_date > s1.start_date)
68 group by s2.plan_id
69 order by s2.plan_id;
70
71 -- 7 questions
72
73 -- Question says all the plan activated by customers in 2020
74 • select plan_id, count(distinct customer_id) customer_count_2020,
75 round(count(distinct customer_id) *100.0 / (select count(customer_id) from subscriptions where year(start_date) = 2020),1) as customer_pct_2020
76 from (select plan_id, customer_id
77 from subscriptions
78 where year(start_date) <= 2020) as plan_2020
79 group by plan_id;
80
```

MySQL Workbench

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

Not connected

Administration Schemas Information

foodi f

Limit to 1000 rows

```
81 -- 8 questions
82 • select count(distinct customer_id) as annual_plan_2020_customers
83 from subscriptions
84 where year(start_date) = 2020 and plan_id = 3;
85
86 -- 9 questions
87
88 • select round(avg(datediff(s2.start_date, s1.start_date)),0) as avg_days_for_annual_plan
89 from subscriptions s1
90 inner join subscriptions s2
91 on s1.customer_id = s2.customer_id
92 where s1.plan_id = 0 and s2.plan_id = 3;
93
94 -- 10 questions
95
96 • select
97 sum(case when days_to_upgrade_plan <= 30 then 1 else 0 end) as "0 - 30 days",
98 sum(case when days_to_upgrade_plan between 31 and 60 then 1 else 0 end) as "31 - 60 days",
99 sum(case when days_to_upgrade_plan between 61 and 90 then 1 else 0 end) as "61 - 90 days",
100 sum(case when days_to_upgrade_plan >=91 then 1 else 0 end) as "91+ days"
101 from (select datediff(s2.start_date, s1.start_date) days_to_upgrade_plan
102 from subscriptions s1
103 inner join subscriptions s2
104 on s1.customer_id = s2.customer_id
105 where s1.plan_id = 0 and s2.plan_id = 3) as days_difference;
```



```

105 -- where s1.plan_id = 2 and s2.plan_id = 1) as days_difference;
106
107 -- 11 questions
108 -- In this question, I am not taking those customers whose pro monthly plan ended on 31 december 2019.
109 -- I am taking those customer whose pro monthly plan was bought befor basic monthly.
110
111 • select count(*) as downgraded_customer_pro_to_basic_monthly
112 from subscriptions s1
113 inner join subscriptions s2
114 on s1.customer_id = s2.customer_id
115 and s1.start_date < s2.start_date
116 and year(s1.start_date) = 2020
117 and year(s2.start_date) = 2020
118 where s1.plan_id = 2 and s2.plan_id = 1;
119
120 -- 2nd method
121
122 • SELECT
123     COUNT(*) AS downgraded_customer_pro_to_basic_monthly
124 FROM
125     subscriptions s1
126     INNER JOIN
127     subscriptions s2 ON s1.customer_id = s2.customer_id
128         AND s1.start_date < s2.start_date
129         AND YEAR(s1.start_date) = 2020
130         AND YEAR(s2.start_date) = 2020
131 WHERE
132     s1.plan_id = 2 AND s2.plan_id = 1
133     AND NOT EXISTS( SELECT
134         1
135     FROM
136         subscriptions s3
137     WHERE
138         s3.customer_id = s1.customer_id
139         AND s3.start_date > s1.start_date
140         AND s3.start_date < s2.start_date);

```

Output

Administration Schemas

Information

Object Info Session