

# Users's Guide 1.10

## Table of Contents

OpenHospital .....	5
1 Abstract .....	5
2 Introduction .....	6
3 Useful Information before reading this user manual. ....	6
3.1 Help .....	6
3.2 Legenda .....	6
4 Run the application .....	8
5 Outpatient Department Management ( <u>OPD</u> ) .....	10
5.1 Main Characteristics .....	10
5.2 Functions of Out Patient Department .....	11
5.2.1 Search patient visits ( <u>Search</u> ) .....	12
5.2.2 Create a new patient visit ( <u>New</u> ) .....	12
5.2.3 Modify a recorded patient visit ( <u>Edit</u> ) .....	14
5.2.4 Delete a recorded patient visit ( <u>Delete</u> ) .....	15
5.3 OPD Extended (OPD v1.3) .....	15
5.3.1 New features .....	15
6 Pharmacy ( <u>Pharmacy</u> ) .....	17
6.1 Pharmaceuticals ( <u>Pharmaceuticals</u> ) .....	17
6.1.1 Main Characteristics .....	17
6.1.2 Functions of pharmaceuticals .....	18
6.1.2.1 Insert a new pharmaceutical ( <u>New</u> ) .....	19
6.1.2.2 Modify an existing pharmaceutical ( <u>Edit</u> ) .....	19
6.1.2.3 Delete a pharmaceutical ( <u>Delete</u> ) .....	20
6.1.2.4 Export the list of pharmaceuticals ( <u>Export</u> ) .....	20
6.1.2.5 Stock report ( <u>STOCK</u> ) .....	21
6.1.2.6 Order of pharmaceuticals ( <u>Order</u> ) .....	21
6.1.2.7 Order of pharmaceuticals ( <u>Expiring</u> ) .....	21
6.2 Pharmaceutical Stock (Pharmaceutical <u>Stock</u> ) .....	21
6.2.1 Main Characteristics .....	21
6.2.2 Functions of Pharmaceuticals Stock .....	22
6.2.2.1 Search pharmaceuticals stock movements ( <u>Filter</u> ) .....	23
6.2.2.2 Insert stock charging movement ( <u>Charge</u> ) .....	25
6.2.2.3 Insert stock discharging movement ( <u>Discharge</u> ) .....	28
6.3 Pharmaceuticals Stock Ward (Pharmaceuticals Stock <u>Ward</u> ) .....	31
6.3.1 Main Characteristics .....	31
6.3.2 Functions of Pharmaceuticals Stock Ward .....	32

6.3.2.1 Rectify (Rectify) . . . . .	33
6.3.2.2 Search Ward Pharmacy movements (Filter) . . . . .	34
6.3.2.3 The Movements Panel . . . . .	35
6.3.2.4 Inserting a new Ward Pharmacy Movement (New) . . . . .	35
<b>7 Laboratory (Laboratory) . . . . .</b>	<b>37</b>
7.1 Main Characteristics . . . . .	37
7.2 Functions of Laboratory . . . . .	37
7.2.1 Search of Laboratory exams (Search) . . . . .	38
7.2.2 Create a new laboratory exam (New) . . . . .	39
7.2.2.1 Results . . . . .	40
7.2.3 Modify a laboratory exam (Edit) . . . . .	41
7.2.4 Delete Laboratory Exam (Delete) . . . . .	42
7.3 Laboratory Extended (v.1.1) . . . . .	42
7.3.1 New Laboratory Browsing (v 1.1.) . . . . .	42
7.3.2 New Laboratory Exam (v. 2.0) . . . . .	43
7.3.3 Laboratory Multiple Insert . . . . .	44
7.3.3.1 New Patient Exam (New) . . . . .	44
<b>8 Accounting (Accounting) . . . . .</b>	<b>45</b>
8.1 Main Characteristics . . . . .	45
8.2 Functions of Accounting . . . . .	46
8.2.1 Insert a new bill (New Bill) . . . . .	48
8.2.1.1 Insert a bill entry related to Medicals, Operations or Exams (Medical, Operation, Exam) . . . . .	50
8.2.1.2 Insert a bill entry related to various custom reasons (Custom) . . . . .	51
8.2.1.3 Remove a bill entry of a bill (Remove Item) . . . . .	52
8.2.1.4 Insert a payment (Payment) . . . . .	52
8.2.1.5 Insert a refund (Refund) . . . . .	53
8.2.1.6 Payment receipt . . . . .	53
8.2.1.7 Remove a payment (Remove Payment) . . . . .	53
8.2.1.8 Give change... (Give change...) . . . . .	53
8.2.1.9 Save function (SAVE) . . . . .	53
8.2.1.10 Paid function (Paid) . . . . .	53
8.1.2.11 Print receipt function . . . . .	53
8.2.1.12 Close function (Close) . . . . .	53
8.2.2 Edit an existing bill (Edit Bill) . . . . .	54
8.2.3 Delete a bill (Delete Bill) . . . . .	54
8.2.4 Receipt (Receipt) . . . . .	54
8.2.5 Reports (Report) . . . . .	54
8.3 Functions of Accounting in multi-user mode . . . . .	56
<b>9 Vaccines (Patient Vaccines) . . . . .</b>	<b>57</b>
9.1 Main Characteristics . . . . .	57

9.2 Functions of Admission/Patients .....	58
9.2.1 Search vaccinations .....	59
9.2.2 Insert a new vaccination ( <u>New</u> ) .....	60
9.2.3 Modify data of a recorded Patient vaccination ( <u>Edit</u> ) .....	61
9.2.4 Delete a Patient vaccination ( <u>Delete</u> ) .....	61
9.3 Vaccines Extended (Patient <u>Vaccines</u> ) .....	62
9.3.1 New Vaccine Browsing (v 1.1.) .....	62
10 Admission/Patient ( <u>Admission/Patient</u> ) .....	62
10.1 Main Characteristics .....	62
10.2 Functions of Admission/Patients .....	63
10.2.1 Search patient .....	64
10.2.2 Search patient Enhanced .....	65
10.3 Insert a new Patient ( <u>New Patient</u> ) .....	66
10.3.1 Modify data of a recorded Patient ( <u>Edit Patient</u> ) .....	67
10.3.2 Delete a Patient ( <u>Delete Patient</u> ) .....	68
10.4 Insert a new Patient Extended ( <u>New Patient</u> ) .....	69
10.4.1 New features .....	69
10.4.2 Height and Weight functionality (Height and Weight) .....	70
10.4.3 Patient Photo (New Photo) .....	70
10.4.3.1 Camera settings (  ) .....	71
10.5 Admission functions ( <u>Admission</u> ) .....	71
10.5.1 Start the admission of a patient ( <u>Admission</u> ) .....	72
10.5.2 Patient examination .....	73
10.5.3 Insert/modify Surgery data .....	75
10.5.4 Insert/modify Delivery data .....	76
10.5.5 Discharge of a patient ( <u>Admission</u> ) .....	77
10.6 OPD ( <u>OPD</u> ) .....	78
10.7 Bill ( <u>Bill</u> ) .....	78
10.8 Manage Patient historical data ( <u>DATA</u> ) .....	78
10.8.1 Modify data of an admission or out-patient visit ( <u>EDIT</u> ) .....	79
10.8.2 Delete an admission ( <u>DELETE</u> ) .....	80
10.8.3 Manage malnutrition control of a patient ( <u>Malnutrition control</u> ) .....	80
10.8.3.1 Insert a new control ( <u>New</u> ) .....	81
10.9 Clinical Sheet ( <u>Clinical sheet</u> ) .....	81
10.9.1 DICOM ( <u>DICOM viewer</u> ) .....	83
10.10 Therapy management ( <u>Therapy</u> ) .....	86
10.10.1 Add a therapy ( <u>Add Therapy</u> ) .....	87
10.10.2 Modify a therapy ( <u>Edit Therapy</u> ) .....	88
10.10.3 Remove a therapy ( <u>Remove Therapy</u> ) .....	89
10.10.4 Check availability of the pharmaceuticals ( <u>Check availability</u> ) .....	89
10.10.5 Save function ( <u>SAVE</u> ) .....	89

10.10.6 Close function (Close) .....	91
10.10.7 Notify & SMS .....	91
10.11 Merge function ( <u>Merge</u> ) .....	91
10.11.1 Different Names .....	92
10.11.2 Different Sex .....	93
11 Statistics ( <u>Statistics</u> ) .....	93
11.1 Main Characteristics .....	93
11.2 Report Launcher (Launch Report) .....	95
12 Printing ( <u>Printing</u> ) .....	96
12.1 Main Characteristics .....	96
12.2 Printing .....	97
12.2.1 Exams List ( <u>Exams List</u> ) .....	98
12.2.2 Disease List ( <u>Disease List</u> ) .....	98
13 Communication ( <u>Communication</u> ) .....	98
13.1 Main Characteristics .....	98
13.2 Chat .....	99
13.3 Admission/Discharge Notifications .....	100
13.3.1 Admission Notifications .....	100
13.3.2 Discharge Notifications .....	101
13.4 Pharmaceuticals Critical Level Notifications .....	101
13.5 Report sharing .....	103
14 General Data ( <u>General Data</u> ) .....	103
14.1 Main Characteristics .....	103
14.2 Types ( <u>Types</u> ) .....	104
14.2.1 Admission Types ( <u>Admission Type</u> ) .....	106
14.2.2 Discharge Types ( <u>Discharge Type</u> ) .....	106
14.2.3 Delivery Types ( <u>Delivery Type</u> ) .....	107
14.2.4 Delivery Result Types ( <u>Delivery Result Type</u> ) .....	108
14.2.5 Disease Types ( <u>Disease Type</u> ) .....	108
14.2.6 Exam Types ( <u>Exam Type</u> ) .....	109
14.2.7 Medicals Stock Movement Types ( <u>Medicals Stock Mov Type</u> ) .....	109
14.2.8 Medical Types ( <u>Medical Type</u> ) .....	110
14.2.9 Operation Types ( <u>Operation Type</u> ) .....	111
14.2.10 Pregnant Treatment Types ( <u>Pregnant Treatment Type</u> ) .....	112
14.2.11 Other Prices ( <u>Other Prices</u> ) .....	112
14.2.12 Age Types ( <u>Age Type</u> ) .....	114
14.2.13 Vaccine Types ( <u>Vaccine Type</u> ) .....	115
14.2.14 Dicom Types ( <u>Dicom Type</u> ) .....	115
14.3 Hospital ( <u>Hospital</u> ) .....	116
14.4 Ward ( <u>Ward</u> ) .....	117
14.5 Disease ( <u>Disease</u> ) .....	118

14.6 Exam ( <u>Exams</u> ) . . . . .	120
14.6.1 Results ( <u>Results</u> ) . . . . .	121
14.7 Operations ( <u>Operation</u> ) . . . . .	122
14.8 Vaccine ( <u>Vaccine</u> ) . . . . .	123
14.9 Prices ( <u>Price Lists</u> ) . . . . .	124
14.9.1 Pricelists ( <i>Manage Lists</i> ) . . . . .	125
14.10 Supplier ( <u>Supplier</u> ) . . . . .	127
14.11 SMS Manager ( <u>SMS Manager</u> ) . . . . .	129
15 Users & Groups ( <u>File</u> → <u>Users</u> ) . . . . .	130
15.1 Groups ( <u>Groups</u> ) . . . . .	131
15.2 Users ( <u>Users</u> ) . . . . .	133
16 License . . . . .	135



Informatici Senza Frontiere Onlus, 2020

User's Guide, © 2020 by [Informatici Senza Frontiere Onlus](#)

Policies is made available under a [Creative Commons Attribution-ShareAlike 4.0 International License](#):  
<http://creativecommons.org/licenses/by-sa/4.0/>.

# OpenHospital

## 1 Abstract

This application is the first of a set of software products that ISF<sup>[1]</sup> has developed to support the management and the activities of the St. Luke Hospital in Angal (Uganda). After that mission, the St. Luke Hospital has become only the first one of a long list of hospitals that found this software useful.

All the work was realized as an open-source<sup>[2]</sup> project using only open-source development software.

This application software consists of the following parts:

- Pharmacy management
- Laboratory management
- OPD management
- Patient admission and discharge management
- Pregnancy management
- Malnutrition control management
- Vaccines database
- Patient billing support
- Therapy management
- Internal communication
- Statistics and printing

This document describes how all the above-mentioned items work and gives you some suggestions on the correct use of the program.

The reader will not find in this manual the information he needs for the installation of the application software or for administrative purposes; to have such information you should consult our Administrator's Guide, supplied with the application software.

## 2 Introduction

The aim of this program is to manage, in the simplest manner, the hospital administrative operations like registering patients and laboratory analysis, and to produce statistics for the health ministry. In the following chapters the users will find all the information they need in order to use properly the program.

## 3 Useful Information before reading this user manual.

### 3.1 Help

- The **HELP** function available on the bottom of the main MENU of OpenHospital allows you to access offline this document.


### 3.2 Legenda

In this document will be used following conventions:


- When in the text of this document you find a word written in bold and highlighted in grey – like **Pharmacy** or **New** – it indicates a function of the application and it is also called “button”.

**Pharmacy** is a button.


- When you find a text written in bold Italic (as an example **Laboratory browsing**) it indicates the screen with name “Laboratory browsing” (see example below). Each screen of the application is called window. **Laboratory browsing** is a window.
- When you find a text written in bold as - **Search patient visits** – it indicates a function of the application, or an area of the window (as an example **Data table**).
- Each button has always one letter with an underscore. You can select the functionality offered by the button pressing the “Alt” key and at the same time the “underscored” key (in the example of **Pharmacy** you have to press “Alt” and “P”). This behaviour is common all over the application and allows the user to operate (almost) without the use of the mouse. In the entire document “Alt” key and the “P” key will be indicated as “Alt + P”.



- Each screen of the application is called “window”. Most complex windows of the application are composed by more than one area. Areas can be **Selection panel**, **Data table** and **Buttons panel** (see **Laboratory browsing** window below)




- Highlight of a record. To highlight a record (it is a line on a **Data table**) you have to click with the mouse on the record. The record (all the line) will be highlighted in blue. This is valid all over the application (see example below):




## 4 Run the application

After double-clicking the program icon on your desktop, you will see an information image (splash image) for a few seconds and then the main *menu* of the OpenHospital application will appear.




From a menu you can get to another menu of deeper level, as in the example below. From the main **menu** you get the **General data** menu, or you can directly go in a function of the application (see the following example with the browser **OPD Out Patient Department**.



or you can directly go in a function of the application, as following example:

Clicking on  
**OPD** on the main **menu** you  
access directly the  
***OPD Out Patient Department***  
window showed below




## 5 Outpatient Department Management (OPD)

### 5.1 Main Characteristics

Out Patient Department functionalities allow to record Ambulatory Patient visits, search, review, edit and eventually delete visits, and allows queries necessary for statistical purposes.

Click on **OPD** button or press “Alt + O” in the main **menu** to access OPD function.



## 5.2 Functions of Out Patient Department

All functions available under **OPD** are accessible from the window **OPD Out Patient Department** showed below.

OPD Out Patient Department(1.2.1)											
Select a Disease	CODE	OPD No.	DATE	Pat.ID	FULL NAME	SEX	AGE	DISEASE	Disease Type	Status	
All Type	361	1	24/05/20	268	Biywaga Irene	F	0	Measles	1.NOTIFIABLE DISEASES	New	
Measles											
DATE From:	01	01	2014								
DATE To:	08	01	2015								
Age From:	0										
Age To:	0										
Select Sex											
<input checked="" type="radio"/> All <input type="radio"/> Male <input type="radio"/> Female											
OH Patient											
<input checked="" type="radio"/> All <input type="radio"/> New <input type="radio"/> Re-Attendance											
<b>Search</b>											
Count: 1	New	Edit	Delete	Close							

The following functions are available from the **Buttons Panel** of the window **OPD Out Patient Department**:

- **New** to create a new patient visit
- **Edit** to modify an already stored patient visit
- **Delete** to delete a patient visit
- **Close** to exit from the function **OPD Out Patient Department**

Furthermore, a search function (**Search**) is available using the **Selection Panel** on the left of the window.

### 5.2.1 Search patient visits (**Search**)

Queries about Ambulatory Patient Visits can be done using the search criteria available on the **Selection Panel** area of the window (left side of the window).

Doing the selection, data about patients can be selected by choosing specific fields among the following ones:

- **Disease type.** You can select one or all disease types
- **Disease.** You can select one or all the diseases or search by typing some letters in the search field
- **Date.** “DATE From” and “DATE To” allow the selection of all the visits performed over the requested period
- **Age.** “Age From” and “Age To” allow the selection of all the patients by age
- **Sex.** Allow the selection of all the patients by sex: All / Male / Female
- **Type of patient.** Allow the selection of all the visits by attendance: All / New / Re-Attendance
- **Count.** Counter at the bottom counts for you how many visits match your criteria after pressing the **Search** button.

After having chosen press **Search** button. The system will show on the **Data table** area results of the search applying criteria requested by you.

In the example hereinafter all the visits of patients with Asthma disease admitted in the period from 2006-11-01 until 2006-11-15 of all the ages, all sex, all patient types are showed.

CODE	OPD No.	DATE	Pat.ID	FULL NAME	SEX [AGE]	DISEASE	Disease Type	Status
257	250	03/11/06			M 4	Asthma	4 NON-COMMUNICABLE DISEASES	New
158	151	02/11/06			F 54	Asthma	4 NON-COMMUNICABLE DISEASES	Re-Att.
41	38	02/11/06			F 30	Asthma	4 NON-COMMUNICABLE DISEASES	Re-Att.
22	20	02/11/06			F 31	Asthma	4 NON-COMMUNICABLE DISEASES	Re-Att.
3	2	02/11/06			M 62	Asthma	4 NON-COMMUNICABLE DISEASES	Re-Att.

### 5.2.2 Create a new patient visit (**New**)

Press **New** button in the **OPD Out Patient Department** window to access the **New OPD registration** window showed below.

The screenshot shows a software interface titled 'New OPD registration(v 1.1)'. At the top, there are three checkboxes: 'New Attendance' (unchecked), 'Referral from' (unchecked), and 'Referral to' (unchecked). Below these are two sections: 'Attendance Date' with a field containing '30/07/19' and a dropdown arrow; and 'Disease Type' with a dropdown menu set to 'All Type' and a search icon. Under 'Disease Type', there are three sections for 'Diagnosis': 'Dental DISEASE and conditions' (selected), 'Diagnosis n.2 (full list)', and 'Diagnosis n.3 (full list)'. Each diagnosis section has a search icon and a dropdown arrow. Below these sections are fields for 'Age' (empty) and 'Sex' (radio buttons for 'Male' (checked) and 'Female'). At the bottom are 'OK' and 'Cancel' buttons.

To record a visit, enter the following fields:

- **Type of attendance.** This field is not meant to distinguish whether an individual is new or not in the ambulatory (absolutely first time he/she enters the ambulatory). The NEW ATTENDANCE is devoted to cases when Patient (at his first or n-th time in the ambulatory it does not care here) comes to the Ambulatory to report a new health issue / new disease for which no care has already been addressed and recorded. The re-attendance is – on the contrary – the case of records created when a Patient comes back to the Ambulatory in order to follow-up a past new attendance when he/she received cares and previous instructions to recover. \_

Example: a Patient comes to the ambulatory because he/she reports a cut => this event is recorded as NEW ATTENDANCE and Doctor sutures the wound and invites Patient to come back ten days later; then same patient comes back after ten days to have his/her stitches removed: a new OPD record is then created but with no NEW ATTENDANCE flag set.

- **Date of the visit.** Date in which Patient is met for recorded activity.
- **Disease Type:** By selecting a *DiseaseType* the first diagnosis list will contain only its related diseases. Second and third list will still contain all diseases.

\*NB\*: *Disease Types can be defined by the Administrator. Ask to your Administrator how to do it or see General Data in this document.*

- **Diagnosis.** Maximum three diseases can be diagnosed per each attendance (“new attendance” or “re-attendance” it does not care in this context). Normally patient reports at least one visit reason but it may happen that during same visit the Doctor finds other concurrent pathologies thus here possibility is given to record till maximum three (the first being the only one

mandatory).

It is possible to filter in order to find diseases more easily. To do so, you will need to enter a text fragment in the search field that is part of the disease name. The closer the search text comes to the name of the disease being searched, the more precise the search is.

**\*NB:** in the **\*OPD Out Patient Department** window only first diagnosis and its type will be shown, anyway all data are stored and processed in reports and searching.

- **Patient age.** Validity range is 0-200.
- **Patient sex.** Male/female

When you finish entering data in the **Buttons Panel** you have the following choices:

- Ok to confirm and record patient visits
- Cancel to close the window and to return to the Menu

### 5.2.3 Modify a recorded patient visit (Edit)

First of all, to modify a visit you have to highlight it in the **OPD Out Patient Department** window. Once you've done this, press the Edit button. When the **Edit OPD registration** window showed below appears, the record is available for changes. All data can be changed.


The screenshot shows the 'Edit OPD registration(v 1.1)' dialog box. At the top left is a logo of a stylized orange and yellow shape. The title bar contains the text 'Edit OPD registration(v 1.1)' and a close button 'X'. Below the title bar are three checkboxes: 'New Attendance', 'Referral from', and 'Referral to'. The main area starts with a section labeled 'Attendance Date' containing a date input field with the value '30/07/19'. Next is a 'Disease Type' dropdown menu set to '2. OTHER INFECTIOUS/COMMUNICABLE DISEASES'. Below that is a 'Diagnosis' input field with the value 'eye' and a magnifying glass icon for search. A dropdown menu for 'Eye Infection' is also visible. There are two more 'Diagnosis' input fields for 'n.2' and 'n.3' with magnifying glass icons. Further down are sections for 'Age' (with a value of '25') and 'Sex' (with radio buttons for 'Male' and 'Female', where 'Male' is selected). At the bottom are two buttons: 'OK' and 'Cancel'.

When you finish entering data in the **Buttons Panel** you have the following choices:

- Ok to confirm new values (all the previous values will be lost)
- Cancel to close the window and to return to the **OPD Out Patient Department** window without applying any change.

#### 5.2.4 Delete a recorded patient visit (Delete)

First of all, to delete a stored visit you have to highlight it in the **OPD Out Patient Department** window. Secondly press the **Delete** button. The highlighted record will be showed as in the **New Hospital** window below. Now the record can be deleted. Deleted records won't be available anymore.



In the **Buttons Panel** you have the following choices:

- Si to confirm the record deletion
- No to close the window and return to the previous window without delete the record

### 5.3 OPD Extended (OPD v1.3)

Since OpenHospital version 1.3.1 you can extend the OPD functionality by changing the **OPD\_EXTENDED** flag in the configuration file. Ask to your Administrator how to do it or read the *Administrator's Guide*.

#### 5.3.1 New features

Press New button in the **OPD Out Patient Department** window to access the **New OPD registration (1.3)** window showed below.

New OPD registration(1.3)

The screenshot shows a software interface for 'New OPD registration'. At the top, there are tabs for 'Re-Attendance' (selected), 'New Attendance', 'Referral from', and 'Referral to'. Below the tabs, there are several input fields:

- Attendance Date:** 06/11/19 (with a calendar icon) **1**
- OPD No.:** 1205 (with a blue border) **2**
- Search:** A dropdown menu with a search icon and a list item 'Tchembe Martin' **3**.
- Disease Type:** All Type **4**
- Diagnosis:** An empty field with a search icon **5**.
- Diagnosis n.2 (full list):** An empty field with a search icon **6**.
- Diagnosis n.3 (full list):** An empty field with a search icon **7**.

A section titled 'LAST OPD VISIT' shows a visit on 05/11/19 for 'Abus d'alcool et de drogues' **8**. Below this, there is a 'Note' field with the value '<none>' **9**.

The right side of the window has a large panel titled 'Note & Symptom' which is currently empty.

At the bottom, there are three buttons: 'OK', 'Examination', and 'Cancel'.

The OPD Extended module affords the following improvements:


- Calendar to choose the visit date (1);
- OPD number now is visible (2): it is the progressive number per year automatically set by the system, anyway you may change it if needed. The OPD number MUST be unique for each year;
- Registered Patient (3): before to choose a disease, you MUST select a patient first from the drop-down list; you can even fast search the patient with the search field nearby by typing part of its name or code; this will improve reliability for reports and statistics, thus service to the patients by knowing his/her history.
- one time the patient is selected and previous OPD visit is found from the program, special fields will be populated with the most recent visit of the patient (4), thus his/her personal data (5), re-attendance checkbox will be selected automatically (6);
- You can now set the next appointment date (7). This will automatically schedule a visit, visible in ***Therapy management***.
- in case you want to insert a new attendance for this patient you can check the "new attendance" check box on and proceed normally;
- in case of editing an old OPD it is possible to change everything except the patient, which the OPD refers to, and the "new-attendance" check box;
- in case the selected patient needs to update his/her personal data, you can do it by clicking on the Edit icon near his/her name; a new window will appear with the patient personal information to let you change them;
- in case the patient is not yet registered, the **<new patient>** entry can be selected to let you register the new patient; after registration you will be direct back to the OPD window and the

new patient will be selected.

- If the user is enabled by the admin (see **15. Users & Groups** ([File](#) → [Users](#))), you will see also the “Examination” button function (see **10.5.2 Patient examination**)

# 6 Pharmacy (Pharmacy)

By pressing **Pharmacy** from the main menu, you access the Pharmacy menu. From this menu you have the following functions available: **Pharmaceuticals** and **Pharmaceuticals Stock**, **Pharmaceuticals Stock Ward**.



\*NB:\* Pharmaceuticals Stock Ward functionality can be disabled by changing the INTERNALPHARMACIES flag in the configuration file. Ask to your Administrator how to do it or read the Administrator's Guide.

## 6.1 Pharmaceuticals (Pharmaceuticals)

### 6.1.1 Main Characteristics

Pharmaceutical functions allow you to insert, to modify and to delete pharmaceuticals. Moreover, it provides important information about pharmaceuticals:

- the current quantity lying in the stock
- the limit quantity that defines when a pharmaceutical is going out of stock
- if the pharmaceutical is out of stock

- the expiring drugs within today or a period

Note: in OpenHospital to identify pharmaceuticals sometimes is used the word “pharmaceutical” and in others the synonymous “Medical”.

## 6.1.2 Functions of pharmaceuticals

To access the functions of Pharmaceuticals, press **Pharmaceuticals** on the Pharmacy menu.

All functions available under Pharmaceuticals are accessible from the ***Pharmaceutical browsing window*** showed below. It displays all the pharmaceuticals available in the hospital.

Pharmaceutical browsing							
TYPE	CODE	DESCRIPTION	PcsXPck	STOCK	CRIT. LEVEL	OUT OF STOCK	
Laboratory		4 Dimethyl Aminobenzoaldehyde	0	3	5	<input type="checkbox"/>	
Drugs		Acetazolamide 250mg Tab	0	1 000	10	<input type="checkbox"/>	
Laboratory		Acetic Acid Glacial 1 ltr	0	0	0	<input checked="" type="checkbox"/>	
Laboratory		Aceton 99% 1ltr	0	1 000	0	<input type="checkbox"/>	
Drugs		Aciclovir	0	0	0	<input checked="" type="checkbox"/>	
Drugs		Acydovir 200mg Tab	0	0	0	<input checked="" type="checkbox"/>	
Surgery		Adhesive Tape 2.5cm x 5m	0	0	0	<input checked="" type="checkbox"/>	
Surgery		Adhesive Tape 7.5cm x 5m	0	0	0	<input checked="" type="checkbox"/>	
Drugs		Adrenaline 1mg/ml 1ml Amp	0	0	0	<input checked="" type="checkbox"/>	
Surgery		Air ring set 43x15cm, rubber with pump	0	0	0	<input checked="" type="checkbox"/>	
Surgery		Airway Guedel Size 0	0	0	0	<input checked="" type="checkbox"/>	
Surgery		Airway Guedel Size 00	0	0	0	<input checked="" type="checkbox"/>	
Surgery		Airway Guedel Size 1	0	0	0	<input checked="" type="checkbox"/>	
Surgery		Airway Guedel Size 2	0	0	0	<input checked="" type="checkbox"/>	
Surgery		Airway Guedel Size 3	0	0	0	<input checked="" type="checkbox"/>	
Drugs		Albendazole 200mg Tab	0	0	0	<input checked="" type="checkbox"/>	
Drugs		Albendazole 400mg Tab	0	0	0	<input checked="" type="checkbox"/>	
Drugs		Alcohol 95% not denatured 20Ltrs	0	0	0	<input checked="" type="checkbox"/>	
Drugs		Aminophylline 100mg Tab	0	0	0	<input checked="" type="checkbox"/>	
Drugs		Aminophylline 25mg/ml, 10ml Amp	0	0	0	<input checked="" type="checkbox"/>	
Drugs		Amitriptyline 25mg Tab	0	0	0	<input checked="" type="checkbox"/>	
Laboratory		Ammonium Oxalate	0	0	0	<input checked="" type="checkbox"/>	
Drugs		Amoxicillin /Clavulanate 375mg Tab	0	0	0	<input checked="" type="checkbox"/>	
Drugs		Amoxicillin 125mg/5ml Powd. Susp 100ml	0	0	0	<input checked="" type="checkbox"/>	
Drugs		Amoxicillin 250mg Caps	0	0	0	<input checked="" type="checkbox"/>	
Drugs		Amphotericin B 50mg Vial	0	0	0	<input checked="" type="checkbox"/>	
Drugs		Ampicillin 500mg Vial	0	0	0	<input checked="" type="checkbox"/>	

Select type ALL   

If the pharmaceutical quantity is under the critical level it will be shown in RED.

If the pharmaceutical quantity is zero it will be shown in GRAY and the square in the last column will be checked.

The following functions are accessible from the **Buttons Panel** of the ***Pharmaceutical browsing window***:

- **New** to register a new pharmaceutical
- **Edit** to modify an already registered pharmaceutical.
- **Delete** to delete a pharmaceutical.
- **Export** to export the pharmaceuticals to a CSV file (Excel)
- **Stock** to show the report of stock quantities
- **StockCard** to show the movements history for a certain pharmaceutical (you must select it in the list first)
- **Order** to show the list of pharmaceuticals that have to be ordered.
- **Expiring** to show the list of pharmaceuticals that are going to expire (today, next month, within two months, within three months, or within another month to be specified)
- **AMC** to show the Average Monthly Consumption
- **Close** to exit from the **Pharmaceuticals browsing**

On the left a particular combo box is placed. According to its selection, the table will display pharmaceutical of a specific type. By default, it's selected on the ALL option. Another empty field just aside the combo box, will allow to search a certain pharmaceutical (DESCRIPTION) by typing a keyword.

Since version 1.8.4, it is possible to sort the table by any of the column header by double clicking on its column name. Filtered type (combo box), searched keys (the aside field) and sorting are reflected in the STOCK report.

#### 6.1.2.1 Insert a new pharmaceutical (New)


Press New button in the **Pharmaceutical browsing** window to access the **New medical record** window showed below.

To insert a new pharmaceutical, enter the following fields:

- **Type** (for instance, Drugs or Chemical)

\*NB\*: Types can be defined by the Administrator. Ask to your Administrator how to do it see [General Data](#) in this document

- **Code**: code that identify univocally your pharmaceutical for fast searching
- **Description**: the description of the pharmaceutical
- **PcsXPck**: Pieces per packet (if more than 1)
- **Critical level**: the minimum quantity required in stock




When you finish entering data in the **Buttons Panel** you have the following choices:

- Ok to confirm data
- Cancel to close the window and to return to the Menu

#### 6.1.2.2 Modify an existing pharmaceutical (Edit)

Press Edit button in the **Pharmaceutical browsing** window to access the **Editing medical record**

window showed below. You can modify all data unless “Type”




When you finish entering data in the **Buttons Panel** you have the following choices:

- Ok to confirm data
- Cancel to close the window and to return to the Menu

#### 6.1.2.3 Delete a pharmaceutical (Delete)

In order to delete a pharmaceutical, you have to highlight it before. Secondly press the **Delete** button. *The Edit Medical Record window* appears.



In the **Buttons Panel** you have the following choices:

- Yes to confirm the record deletion
- No to close the window and return to the previous window without deleting the record

#### 6.1.2.4 Export the list of pharmaceuticals (Export)


Use this function to export on excel the list of pharmaceuticals showed in the **Pharmaceutical browsing** window.

Press **Export** button in the **Pharmaceutical browsing** window to access the **Save** window showed below. It will be in the language of your computer, no matter the language used in OpenHospital.

Then you can start the export of the list of pharmaceuticals.

In the **Save** window you have to:

- select the directory of your file system where you want to store the file
- input the name you want to give to the file (Filename)



#### 6.1.2.5 Stock report (STOCK)

Press STOCK button in the ***Pharmaceutical browsing*** window to produce the report of pharmaceuticals in the stock grouped by *IN STOCK* and *OUT OF STOCK*.

#### 6.1.2.6 Order of pharmaceuticals (Order)

Press Order button in the ***Pharmaceutical browsing*** window to produce the list of pharmaceuticals remaining in stock and the ones to be reordered according with their critical level.

#### 6.1.2.7 Order of pharmaceuticals (Expiring)

Press Expiring button in the ***Pharmaceutical browsing*** window to produce the list of pharmaceuticals that are going to expire grouped by type and lot.

## 6.2 Pharmaceutical Stock (Pharmaceutical Stock)

### 6.2.1 Main Characteristics

The Pharmaceutical Stock feature helps you to store and trace every stock movement that has been made. Every movement is identified by the following data:

- date of the movement
- type of the movement, that is, if it's a charging or discharging one
- the ward that the movement refers to. This characteristic is needed for discharging movements only. In fact, it's important to know in which ward pharmaceuticals have been used, otherwise this field will appear empty
- the quantity

- the pharmaceutical (which in turn relates to different categories: Laboratory, Surgery, Drugs or Chemical)
- the lot which the movement is referred to. Actually, there are some pharmaceuticals that may not have a lot related (for example ‘Gloves’), so you can omit this field. But it’s recommended to store even the lot (if it exists), because every lot has its own peculiarity:
  - a name (that can be its code)
  - a preparation date
  - a due date

In this way you can find which movement refers to the pharmaceuticals that are expiring, or pharmaceuticals prepared in a specific date, or how many movements have been registered about that lot, and so on.

- the supplier of the pharmaceutical. This characteristic is needed for charging movements only. This field will appear empty in other cases

## 6.2.2 Functions of Pharmaceuticals Stock

To access the functions of Pharmaceuticals, press **Pharmaceutical Stock** on the Pharmacy menu showed below.



The window **Stock movement browser** showed below will be opened. All functions available under Pharmaceutical Stock are accessible from the **Stock movement browser** window.

Stock movement browser												
Ref. No.	DATE	TYPE	WARD	Q.TY	PHARMACEUTICAL	MED TYPE	LOT	PREP DATE	DU DATE	ORIGIN	COST	TOTAL
test12...	28/07/19 14...	Disch...	INTERNAL MEDICINE	500	Chloroquine Coated 150...	Drugs	70189778...	28/07/19	28/07/19	1,000	500,00	
test12...	28/07/19 14...	Disch...	INTERNAL MEDICINE	400	Chloroquine Uncoated 1...	Drugs	10544899...	28/07/19	28/07/19	2,000	800,00	
test123	28/07/19 14...	Charge		2500	Chloroquine Uncoated 1...	Drugs	10544899...	28/07/19	28/07/19	TEST	2,000	5 000,00
test123	28/07/19 14...	Charge		2000	Chloroquine Coated 150...	Drugs	70189778...	28/07/19	28/07/19	TEST	1,000	2 000,00

**Selection panel**

**Pharmaceutical**

**Description**

**Type**

**Movement**

**Type**

**Ward**

**Date**

From  /  /   
To  /  /

**Lot preparation date**

From  /  /   
To  /  /

**Lot Due Date**

From  /  /   
To  /  /

**Buttons Panel**

Total Qty: N/A Total: 5 700,00

**Buttons:** Charge, Discharge, Export to Excel, StockCard, StockLedger, Close

The following functions are available from the **Buttons Panel** of the window **Stock movement browser**:

- **Charge** you use it to record a new charge movement
- **Discharge** you use it to record a new discharge movement
- **Export to excel** to export pharmaceuticals stock movements
- **StockCard** to show the movements history for a certain pharmaceutical (can be directly selected by the list otherwise will be requested)
- **StockLedger** to show the movements history for all pharmaceuticals (only dates range will be requested)
- **Close** button, to exit from the **Stock Movement Browser** window

As you can see, there's no "Delete" button as you're not allowed to delete a movement; but if a mistake occurs - for example you've inserted the wrong quantity of a pharmaceutical in charge – you must just insert the new movement to correct the mistake – a discharge movement in this example.

Furthermore, a search function (**Filter**) is available using the Selection panel on the left of the window.

#### 6.2.2.1 Search pharmaceuticals stock movements (**Filter**)

The image shows the 'Selection panel' of the Stock Movement Browser. It is divided into several sections:

- Pharmaceutical**: Contains fields for **Description** (text input with a search icon) and **Type** (dropdown menu set to "All").
- Movement**: Contains fields for **Type** (dropdown menu set to "All") and **Ward** (dropdown menu set to "All").
- Date**: Contains date range inputs for **From** (16/09/2019) and **To** (23/09/2019).
- Lot preparation date** and **Lot Due Date**: Both have "From" and "To" date range inputs.
- At the bottom are two buttons: **Filter** (highlighted in blue) and **Keep**.

Using **Stock Movement Browser** search function, you can filter and show on the window useful information such as:

- how many boxes of pharmaceutical remains in the stock
- which movements have been made in a specific day
- in which ward a specific pharmaceutical has been discharged
- if there are any pharmaceutical expired

Queries about movements of pharmaceuticals can be done using the search criteria available on the **Selection panel** area of the **Stock movement browser** window (left side of the browser). Results of your search are showed on the **Data table** area.

The selection panel is used to select a group of movements according to specific filters. You set a filter using the tools contained in the selection panel.

Filters refer to three different objects: the **Pharmaceutical**, the **Movement**, and the **Lot preparation and Lot due date**.

As far as a **Pharmaceutical** is concerned, user can choose its:

- description, that is its name

- type: Laboratory, Surgery, Chemical and Drugs

In order to avoid conflicts, you can change one of these options only. So, when the description combo box is active, the other one is not, and vice versa.

Since OpenHospital version 1.9, you can quickly find a medical you are looking for. Simply type a key word that is a part of its name into the text field at the top of the pharmaceuticals products combo box and press the search button ( ) that follows this text field.

As far as **Movement** are concerned, user can choose its:

- **Type**: it specifies if it's a charge or a discharge one. If you select the discharge option, then the ward combo box gets enabled. The ward combo box allows you to find any discharging movements that refer to a specific ward.
- **Date**: you can choose a time frame between 'Date from' and 'Data to'. The date tools consist of three blank areas, which (from left to right) refer to day, month and year. As you have inserted a value on a blank area, he can move to the next one by typing the "Tab" button on the keyboard. As the window is loaded, the date is set in such a way to cover the last week by default.

Finally, as far as **Lot preparation** and **Lot due date** you can search movements that refer to specific lots by inserting:

- the lot preparation date: you have to choose a valid time span (between 'Preparation Date From' and 'Preparation Date To')
- the due date; it behaves like the lot preparation tool and the movement date tool.

Each filter can be combined with another, allowing you to obtain many possibilities.

After have chosen, press **Filter** button. The system will show on the **Data table** area results of the search applying criteria requested by you.

#### **6.2.2.2 Insert stock charging movement (Charge)**

To insert charging movements, you have to Press **Charge** in the **Stock movement browser** window. The **Stock movement** window showed below appears. You can enter charge movements.

Date: 08/01/2015 09:25:34 Reference No.:  
Charge Type: Charge Supplier:  
Type a code or a description and press ENTER

Code	Description	Qty/Packet	Qty	Unit/Pack	TOTAL	Expiring	Cost	TOTAL


Save Cancel

Since OpenHospital 1.8, you can perform more than one charging movement at a time. The window is composed with two areas: a **Panel** and a **Grid**.


The panel contains following fields:

- **Date:** date of the movement
- **Charge Type:** charge
- **Supplier:** origin of the pharmaceutical
- **Reference No:** reference of the operation


The Grid should be field with pharmaceutical involved in the charging movement. To field the Grid, you have to use the field above the grid to select pharmaceutical. Focus the field, enter the code or the description of the pharmaceutical and press **ENTER**. This will open the **Choose a medical** window.



Select the desired medical and click **Yes**. This will open the **Input** window where you will enter the quantity of the medical.




Then press **Ok**. If there is existing lot in the system, the **Existing lot** window will appear.




If you want to use an existing Lot, you select the existing lot and click **Yes**. Else you click **No** and the **Lot information** window will appear with following fields:

- **Lot No:** The lot code
- **Preparation date:** The preparation date
- **Expiring date:** The expiring date



Fill them and press **Ok**. The ***Input*** window will appear and you will fill the unit cost.



Then click **Ok** to insert the medical line in the grid.

Click **Save** button to save the charge movement.

*\*NB\*: The Lot definition can be set as automatic by changing the flag AUTOMATICALOT in configuration file, so every new charging movement will automatically create a new lot; anyway, the Expiring Date must always be provided. Ask to your Administrator how to do it or read the Administrator's Guide.*

*\*NB\*: You can avoid managing medicals cost by setting the LOTWITHCOST to no. Ask your Administrator how to do it or read the Administrator's guide.*

#### 6.2.2.3 Insert stock discharging movement (Discharge)

To insert charging movements, you have to Press **Discharge** in the **Stock movement browser** window. The **Stock movement** window showed below appears. You can enter charge movements.


The screenshot shows the 'Stock movement' window. At the top, there are input fields for 'Date' (set to 08/01/2015 10:38:14), 'Discharge Type' (set to 'Discharge'), 'Destination' (a dropdown menu), and 'Reference No.' (an empty text field). Below these is a large grid area with a header row containing columns: 'Code', 'Description', 'Unit/Pack', 'Qty', 'Unit/Pack', 'TOTAL', 'Lot No.', and 'Expiring'. Above the grid, a message says 'Type a code or a description and press ENTER'. At the bottom of the window are two buttons: 'Save' and 'Cancel'.

Since OpenHospital 1.8, you can perform more than one discharging movement at a time. The window is composed with two areas: a **Panel** and a **Grid**.

The panel contains following fields:

- **Date:** date of the movement
- **Discharge Type:** Discharge
- **Destination:** Ward where the discharged medical will be affected.
- **Reference No:** reference of the operation


The Grid should be filled with pharmaceuticals involved in the discharging movement. To fill the Grid, you have to use the field above the grid to select pharmaceutical. Focus the field, enter the code or the description of the pharmaceutical and press **ENTER**. This will open the **Choose a medical** window.



Select the desired medical and click **Yes**. This will open the **Input** window where you will enter the quantity of the medical. You have the remaining stock on the window.



Then press **Ok**. The **Lot information** window will appear.



You select the existing lot and click **Yes**. Then click **Ok** to insert the medical line in the grid.

Click **Save** button to save the discharge movement.

*\*NB\*: The Lot definition can be set as automatic by changing the flag AUTOMATICALOT in configuration file, so every new discharging movement will automatically select a suitable lot for the operation according to the expiring date. If the first selected lot does not contain enough quantity to serve the discharging movement, several discharging movements may be generated. Ask to your Administrator how to do it or read the Administrator's Guide.*

## 6.3 Pharmaceuticals Stock Ward (Pharmaceuticals Stock Ward)

### 6.3.1 Main Characteristics

The Pharmaceutical Stock Ward feature allows the management of the pharmacy at ward level.


**Pharmaceuticals Stock Ward** functionality can be enabled or disabled by changing the INTERNALPHARMACIES flag in the configuration file. Ask to your Administrator how to do it or read the *Administrator's Guide*.



### 6.3.2 Functions of Pharmaceuticals Stock Ward

To access the functions of Pharmaceuticals, press **Pharmaceutical Stock Ward** on the Pharmacy menu showed below.

The window **Ward pharmacy** showed below will be opened. All functions available under Pharmaceutical Stock are accessible from the **Ward pharmacy** window selecting one **WARD** on the top left of the window.



After the selection of the ward (INTERNAL MEDICINE in the example) the **Ward pharmacy** window appears as showed below and you can start the management of the ward pharmacy of the INTERNAL MEDICINE ward.

The screenshot shows the Ward Pharmacy window with the following details:

- Top Bar:** Shows the logo "WardPharmacy", the category "INTERNAL MEDICINE" (selected), and the location "WARD". Date filters "From 23/09/19" and "To 23/09/19" are also present.
- Left Panel (Filter Panel):**
  - Medical:** A dropdown menu showing "All Types" with a search bar and a magnifying glass icon.
  - All Medicals:** A dropdown menu.
  - Age:** Fields for "Age From: 0" and "Age To: 0".
  - Sex:** Radio buttons for "All", "Male", and "Female" (the "All" option is selected).
  - Weight:** Fields for "From 0" and "To 0".
  - Buttons:** "Filter" and "Reset".
  - Count:** Displays "Count: 0".
- Middle Panel (Movements Panel):** A table titled "Medical" showing the following data:

	Quantity	Units
Paracetamol 120mg/5ml Syrup	15.5	pieces
Paracetamol 120mg/5ml 100ml	40.0	pieces
Blood Transfer Bag 300ml	4.0	pieces
Eye Pad Sterile	11.0	pieces
- Bottom Panel (Button Panel):** Buttons for "New", "Rectify" (highlighted in red), "Report", "Excel", "StockCard", and "Close".

These functionalities are available in the window


- **New:** Create a new discharging movement to patient
- **Rectify:** to rectify the quantity lying in stock (6.3.2.1 Rectify).
- **Report:** Print the Ward medical inventory report
- **Excel:** Export data to Excel
- **Stock Card** to show the movements history for a certain pharmaceutical (can be directly selected by the list otherwise will be requested)

Differently by **Pharmaceuticals Stock** functionality, the **Pharmaceutical Stock Ward** allows an only discharging movement to patients since is an internal management of pharmaceuticals lying in the wards after they have been “charged” by the main pharmacy. But since OpenHospital 1.9, discharging movement from ward to ward is also possible.

The **Ward Pharmacy** window will show a **Filter Panel** on the left, a **Movements Panel** in the right-centre and a **Button Panel** at the bottom.


### 6.3.2.1 Rectify (Rectify)

Since OpenHospital 1.8, it is possible to rectify the quantity lying in stock in the Ward Pharmacy. This can be necessary when a drug is damaged or stolen. To do this, click the Rectify button to open the Rectify window.



- Select the medical. Once done, the quantity lying in stock is displayed.
- Modify the **actual quantity**
- Enter the reason of the rectification

Click **Ok** to save the rectification or Cancel to abort.



### 6.3.2.2 Search Ward Pharmacy movements (Filter)

The **Filter Panel** allows you to filter registered movement by:

- Medical
- Age

- Sex
- Weight

The counter at the bottom will automatically count how many movements' matches your filtering criteria after clicking the **Filter** button.

A **Reset** button will bring back all values in the Filter Panel as in the figure shown.

### 6.3.2.3 The Movements Panel

The Movements Panel is made by three tabs:

- **Outcomes:** shows all the movements registered between the dates in **From** and **To** fields in the top of the window. By default, **From** and **To** dates are set on the date of today. Every movement is identified by following fields:
  - **Date:** the date of the movement
  - **Patient:** the patient the movement is related to, with his/her age, sex and weight (ND if the weight has not been defined at the registration moment)
  - **Medical:** the drug subject of the movement
  - **Quantity:** the quantity subject of the movement
- **Incomes:** shows all incomings from the main pharmacy, it's to say all discharging movements registered in **Pharmaceutical Stock** window related to selected ward
- **Drugs:** the number of drugs remaining in the selected ward as a result of all incoming minus all out comings.

### 6.3.2.4 Inserting a new Ward Pharmacy Movement (New)

To insert ward pharmacy movements, you have to press New in the **Ward Pharmacy** window. The **New / Edit** window showed below appears.

New / Edit

Patient

Internal use INTERNAL USE

Another ward MATERNITY

bloo  Blood Transfer Bag 300ml

Medical	Quantity
Paracetamol 120mg/5ml Syrup	10.0
Blood Transfer Bag 300ml	2.0

As told before, only discharging movements are allowed in this functionality. So, the solely information required are the follow:

- **Patient or Internal Use or Another ward:** you may select an already registered patient by clicking on **Pick Patient** button so the movement will be associated to his/her ID or select **Internal Use** and type a description to specify that the movement is not related to a patient. You may also select **Another ward** and choose the destination ward from the list provided.
- **Medicals:** by pressing **Medical** button you will be asked for the drug to give to that patient; a first window will appear to let you select the drug (the only ones you may have in the ward as a result of a previous discharging movement in the **Pharmaceutical Stock Browser**) and a second one to let you specify the quantity; multiply of half-piece are allowed.

Medical

Select a Medical

4 Dimethyl Aminobenzaldehyde

Quantity


4 Dimethyl Aminobenzaldehyde  
Insert quantity (pieces/mls):  
In stock: 14.5

Before to press the **OK** button, you may insert as many Medicals you need, it will show a correspondent number of movements in the **Outcomes** tab of the **Movement Panel** in the **Ward Pharmacy** window. These movements will also be visible in the **Incomes** tab of the **Movement Panel** in the **Ward Pharmacy** window of the receiving ward, in case of discharging to another ward.

# 7 Laboratory (Laboratory)

## 7.1 Main Characteristics

With Laboratory's features the user can manage the laboratory exams.



It is possible to create, modify or delete exams.

- Insert a new Laboratory exam
- Delete (or edit) an existing exam
- Select some exams with the Filter Button (user can select the exam's name, the exam's result and the date between the exam was made)

## 7.2 Functions of Laboratory

*To access the Laboratory's functions press **Laboratory** on the main menu of OpenHospital. The **Laboratory browsing** window appears.*

All functions available under **Laboratory** are accessible from the **Laboratory browsing** window showed below. By default, the system shows all the laboratory exams recorded.

Laboratory Browsing (v 1.0)			
Select an exam	DATE	EXAM	RESULT
All	12/11/2006 18:17:22	3.1 Blood Slide (Malaria)	NEGATIVE
	12/11/2006 17:52:43	3.1 Blood Slide (Malaria)	NEGATIVE
	12/11/2006 17:52:37	3.1 Blood Slide (Malaria)	NEGATIVE
DATE: From 10/11/2006	12/11/2006 17:50:32	3.1 Blood Slide (Malaria)	+++
DATE: To 17/11/2006	12/11/2006 17:50:22	3.1 Blood Slide (Malaria)	+++
<b>Search</b>	12/11/2006 17:29:54	3.1 Blood Slide (Malaria)	NEGATIVE
	12/11/2006 16:22:48	3.1 Blood Slide (Malaria)	NEGATIVE
	12/11/2006 15:59:39	3.1 Blood Slide (Malaria)	NEGATIVE
	12/11/2006 12:17:22	3.1 Blood Slide (Malaria)	NEGATIVE
	12/11/2006 12:16:10	3.1 Blood Slide (Malaria)	NEGATIVE
	12/11/2006 12:15:58	7.2 SUGAR	LOW
	12/11/2006 12:15:46	1.1 HB	6 - 12
	12/11/2006 12:15:28	1.6 Sickling Test	NEGATIVE
	12/11/2006 12:15:15	URINALYSIS	Multiple Results
	12/11/2006 12:15:2	1.1 HB	< 6
	12/11/2006 12:13:57	1.1 HB	6 - 12
	12/11/2006 12:13:49	2.1 Grouping	B RH+
	12/11/2006 12:13:39	1.1 HB	< 6
	12/11/2006 12:13:30	2.1 Grouping	O RH+
	12/11/2006 12:13:19	3.1 Blood Slide (Malaria)	NEGATIVE
	12/11/2006 12:13:3	3.1 Blood Slide (Malaria)	NEGATIVE
	12/11/2006 12:11:47	5.5 ZN	>=12 (NORMAL)
	12/11/2006 11:39:9	1.1 HB	>=12 (NORMAL)
	12/11/2006 11:38:33	1.1 HB	>=12 (NORMAL)

Data that identify laboratory exams are the following:

- **Date:** indicates date and time when the exam was entered
- **Exam:** description of the exam
- **Result:** result of the exam

To access the other functions of laboratory in the **Buttons Panel** you have the following choices:

- **New** to enter a new laboratory exam
- **Edit** to modify an existing laboratory exam
- **Delete**, to delete an existing laboratory exam
- **Close** to close the window and return to the Menu
- **Print table** to print the list of laboratory exams showed in the table

Furthermore, a search function (**Search**) is available using the Selection panel on the left of the window.

### 7.2.1 Search of Laboratory exams (Search)

Search function allows you to select and show laboratory exams on the **Data table** of the **Laboratory browsing** window.

In the example hereinafter, all types of exams executed from 10.11.2006 until 17.11.2006 are showed in **Data table**.

Laboratory Browsing (v 1.0)			
Select an exam	DATE	EXAM	RESULT
All	12/11/2006 18:17:22	3.1 Blood Slide (Malaria)	NEGATIVE
	12/11/2006 17:52:43	3.1 Blood Slide (Malaria)	NEGATIVE
	12/11/2006 17:52:37	3.1 Blood Slide (Malaria)	NEGATIVE
DATE: From 10/11/2006	12/11/2006 17:50:32	3.1 Blood Slide (Malaria)	+++
DATE: To 17/11/2006	12/11/2006 17:50:22	3.1 Blood Slide (Malaria)	+++
<b>Search</b>	12/11/2006 17:29:54	3.1 Blood Slide (Malaria)	NEGATIVE
	12/11/2006 16:22:48	3.1 Blood Slide (Malaria)	NEGATIVE
	12/11/2006 15:59:39	3.1 Blood Slide (Malaria)	NEGATIVE
	12/11/2006 12:17:22	3.1 Blood Slide (Malaria)	NEGATIVE
	12/11/2006 12:16:10	3.1 Blood Slide (Malaria)	NEGATIVE
	12/11/2006 12:15:58	7.2 SUGAR	LOW
	12/11/2006 12:15:46	1.1 HB	6 - 12
	12/11/2006 12:15:28	1.6 Sickling Test	NEGATIVE
	12/11/2006 12:15:15	URINALYSIS	Multiple Results
	12/11/2006 12:15:2	1.1 HB	< 6
	12/11/2006 12:13:57	1.1 HB	6 - 12
	12/11/2006 12:13:49	2.1 Grouping	B RH+
	12/11/2006 12:13:39	1.1 HB	< 6
	12/11/2006 12:13:30	2.1 Grouping	O RH+
	12/11/2006 12:13:19	3.1 Blood Slide (Malaria)	NEGATIVE
	12/11/2006 12:13:3	3.1 Blood Slide (Malaria)	NEGATIVE
	12/11/2006 12:11:47	5.5 ZN	>=12 (NORMAL)
	12/11/2006 11:39:9	1.1 HB	>=12 (NORMAL)
	12/11/2006 11:38:33	1.1 HB	>=12 (NORMAL)

Data about exams can be selected by choosing specific fields among the following:

- **Select an exam:** Values admitted are:

ALL, exams of all types are showed

Single exam, only the exams of the selected type are showed

- **Date:** “DATE From” and “DATE To” allow the selection of all the exam executed in the requested period

After the selection press **Search** button; the system will show on the table results of the search applying the criteria requested.

## 7.2.2 Create a new laboratory exam (New)

Press **New** button in the **Laboratory browsing** window: The **New Laboratory exam** window showed below appears:

New Laboratory Exam (v 1.0)

Data	17/06/07	Material	<input type="button" value="▼"/>
Exam	<input type="button" value="▼"/>		
Patient	<input checked="" type="checkbox"/> In	<input type="button" value="Select a patient"/>	<input type="button" value="▼"/>
Name	<input type="text"/>	Age	<input type="text"/>
Note	<input type="text"/>		
Result	<input type="text"/>		
<input type="button" value="OK"/> <input type="button" value="Cancel"/>			

To record the visit, enter the following fields:

- **Data:** date of the exam, the application propose the current date
- **Material:** choose from the available values the material used in the exam
- **Exam:** choose the exam
- **Patient in:** it activates itself if the selected patient is currently admitted, anyway is possible to change it if needed.
- **Select a patient:** you select the patient that does the exam. The field is not mandatory and therefore you can input an exam by typing patient's information in the following fields.
- **Name:** First and last name of the patient (*automatically filled if a patient is selected*)
- **Age:** age of the patient (range 0-200) (*automatically filled if a patient is selected*)
- **Sex:** value M for male, value F for female (*automatically filled if a patient is selected*)
- **Note:** free description
- **Result:** according with the chosen exam you will see in this panel a range of available results to select.

### 7.2.2.1 Results

In OpenHospital you have basically two kind of possible results for each exam:

- **Single Result:** where you can select only one result among a list
- **Multiple Results:** where you may specify many results among a list of positive/negative values

**\*NB\***: Exams, Exam Types and Results as well, can be defined by the Administrator. Ask to your Administrator how to do it or see [General Data](#) in this document.

When you finish entering data in the **Buttons Panel** you have the following choices:

- **Ok** to confirm and record data
- **Cancel** to close the window and return to the Menu without record data

### 7.2.3 Modify a laboratory exam (Edit)


To modify an exam, you have to highlight it first in the **Laboratory browsing** window. Once highlighted, press **Edit** button to enter the **Edit Laboratory** exam window showed below. Now the record is available for changes. With this function you can modify all data of the exam and you can input the result of the exam too.

**Edit Laboratory Exam (v 1.0)**

Data	03/11/06	Material	Blood				
Exam	1.1 HB						
Patient	<input type="checkbox"/> In	Select a patient					
Name	Aloysius Otuga	Age	0				
Note	7.1 g/dl						
<b>Result</b>							
<table border="1"> <tr><td>6 - 12</td></tr> <tr><td>6 - 12</td></tr> <tr><td>&lt; 6</td></tr> <tr><td>&gt;=12 (NORMAL)</td></tr> </table>				6 - 12	6 - 12	< 6	>=12 (NORMAL)
6 - 12							
6 - 12							
< 6							
>=12 (NORMAL)							
<input type="button" value="OK"/> <input type="button" value="Cancel"/>							

### 7.2.4 Delete Laboratory Exam (Delete)

To delete an exam, you have to highlight it first in the **Laboratory browsing** window. Once highlighted, press **Delete** button to see the confirmation window showed below.



## 7.3 Laboratory Extended (v.1.1)

Since OpenHospital version 1.3.1 you can extend the *New Laboratory* functionality by change the **LABEXTENDED** flag in the configuration file. Ask to your Administrator how to do it.

### 7.3.1 New Laboratory Browsing (v 1.1.)

The new window will appear like the following:

Select an exam	DATE	Patient	EXAM	RESULT
All	18/03/2008	Omwuchi Christopher	3.1 Blood Slide (Malaria)	NEGATIVE
	18/03/2008	Cwinyaii Valente	3.1 Blood Slide (Malaria)	NEGATIVE
	15/03/2008	Nyamutoro Scovia	3.1 Blood Slide (Malaria)	FEW
DATE:From 13/01/2006	15/03/2008	Ocirca Jacque	6.1 VDRL/RPR	NEGATIVE
DATE>To 20/01/2013	14/03/2008	Onga Coothum	1.5 ESR	< 17 NORMAL
	14/03/2008	Onga Coothum	1.3 Differential	
	14/03/2008	Onga Coothum	1.2 WBC Count	4000 - 7000 (NORMAL)
	14/03/2008	Acayo Harriet	3.1 Blood Slide (Malaria)	NEGATIVE
	14/03/2008	Okethwengu Juma	3.1 Blood Slide (Malaria)	NEGATIVE
	14/03/2008	Saviour OpenjMungu	3.1 Blood Slide (Malaria)	NEGATIVE
	14/03/2008	Awachango Manuella	3.1 Blood Slide (Malaria)	FEW
	14/03/2008	Awachango Manuella	1.1 HB	5-12
	14/03/2008	Fosca Acan	3.1 Blood Slide (Malaria)	NEGATIVE
	14/03/2008	Oloya Victoria	7.2 SUGAR	HIGH
	14/03/2008	Santa Apio	3.1 Blood Slide (Malaria)	+
	14/03/2008	PaMungu David	3.1 Blood Slide (Malaria)	NEGATIVE
	13/03/2008	Aromborach Florence	6.1 VDRL/RPR	NEGATIVE
	13/03/2008	Aromborach Florence	3.1 Blood Slide (Malaria)	NEGATIVE
	13/03/2008	Rwothomio Francis	3.1 Blood Slide (Malaria)	+
	13/03/2008	Kwiocwiny Manae	3.1 Blood Slide (Malaria)	NEGATIVE
	13/03/2008	Piracel Silvia	3.1 Blood Slide (Malaria)	NEGATIVE
	13/03/2008	Sabina Acham	1.1 HB	5-12
	13/03/2008	Giramia Beatrice	3.1 Blood Slide (Malaria)	NEGATIVE
	13/03/2008	AniRwoth Christine	3.1 Blood Slide (Malaria)	NEGATIVE

The only difference is the new column about the name of the patient for a fast research.


### 7.3.2 New Laboratory Exam (v. 2.0)

The new **Laboratory Exam** window is now strictly related to the patient, it's to say that the exam must be assigned to a patient previously registered in the DB.

Before to close the window with the exam result you must have selected a patient from the list; the fields below will give you a slight patient details summary.

A search field can be used to fast search the patient by typing part of his/her name or his/her OpenHospital code (which is specified in the Patient window, see **Patient Extended**).

The New Laboratory Exam window (thus the Edit one) will appear like the following:



The **Patient's data panel** cannot be modified except **Note Field** and only shows the information related to the selected Patient.


### 7.3.3 Laboratory Multiple Insert

Since OpenHospital version 1.4.1 you can extend the *New Laboratory* functionality by change the *LABMULTIPLEINSERT* flag in the configuration file. The flag *LABEXTENDED* have to be enabled too. Ask to your Administrator how to do it.

The New Laboratory Multiple allows multiple exam insertion for each patient, avoiding repeating the new laboratory exam procedure (New) for every exam for the same patient.

#### 7.3.3.1 New Patient Exam (New)

Press New button in the *Laboratory browsing* window: The *New Patient exam* window showed below appears.



To record the visit, enter the following fields:

- **Data:** date of the exam, the application propose the current date
- **Patient:** select a patient by pressing the **Find Patient** button
- **OPD/IPD:** the window automatically will check if the patient is admitted or not in the hospital; anyway, is possible to change it if needed
- **Exam:** choose the exam; a first window will ask you the material, then a second one the exam, finally a third one will ask you the result is the exam allow only a single result, otherwise the list of multiple results will be showed on the right, together with the chosen material.
- **Note:** free description for each exam

*\*NB\*: At any time, before to press **OK**, you can modify every exam by clicking it on the list and changing material, results and note in the relative panels.*

-

-


## 8 Accounting (Accounting)

### 8.1 Main Characteristics

Accounting is the function that you have to use to manage the billing process. You can enter the bill of pharmaceuticals, operations, exams or other costs of a patient. For the time being the billing process is not linked with other functions of **OpenHospital** and therefore the application does not propose the billing item based on the therapy followed by the patient: the user has to input all the

items.

Accounting function furthermore allows to manage the payment of bills (total or partial) and to produce reports.



## 8.2 Functions of Accounting

All functions available under **Accounting** are accessible from the **Patients Bills Management** window showed below. To access the **Patients bills Management** window press **Bills Manager** on the **Accounting** menu.

By default, the window shows in the **Data table** all the bills of today (current day).

**Patients Bills Management**

Today From 24/07/19 To 24/09/19 September 2019

Bills Pending Closed

Click to select or remove the patient to filter bills

ID	Date	Pat.ID	Patient	Amount	Last Pay	Balance
138462	09/09/19 - 05:53:44	31508	LOVELINE FOLIFACK	19000.0	09/09/19	19000.0
138461	09/09/19 - 05:41:09	31516	FIDELE TSONGNONG	99500.0	09/09/19	0.0
138460	29/08/19 - 09:51:40	31495	MARIE MILDRED DINI	200.0		
138459	29/08/19 - 09:03:55	31515	Ndongfack Anaclette	75000.0		
138458	29/08/19 - 08:26:52	31446	DUAMEL KENFACK			
138457	24/08/19 - 10:58:27	31511	Michelle Melissa Ngueyap	-450.0	24/08/19 - 10:58:57	0.0
138456	23/08/19 - 09:02:22	31500	BETHEL NGAPGUE DONGMO	50000.0	24/08/19 - 09:02:54	0.0
138455	23/08/19 - 16:17:01	31515	Ndongfack Anaclette	29500.0	23/08/19 - 16:20:22	0.0
138454	22/08/19 - 15:33:22	31512	teste test	12000.0	22/08/19 - 15:35:20	0.0
138453	16/08/19 - 14:53:37	31499	SYLVIE BADIANE DONFACK MA...	1250.0	16/08/19 - 14:54:43	0.0
138232	10/04/19 - 13:34:04	26364	KELLY VERDIANE ZEUFACK	2900.0	06/08/19 - 11:59:20	0.0
138227	10/04/19 - 13:28:41	30658	ZIDANE NGOUANA FOMEKONG	32000.0	29/08/19 - 08:47:18	0.0
138218	10/04/19 - 13:13:13	30658	ZIDANE NGOUANA FOMEKONG	1000.0	29/08/19 - 08:50:40	0.0
137214	06/04/19 - 09:15:53	31261	MEKOUA MIRIAM	4460.0	17/08/19 - 12:17:13	0.0
135408	28/03/19 - 16:13:38	27131	Fabrice SANWOUO FOTSO	23000.0	29/08/19 - 09:57:36	0.0
134753	26/03/19 - 09:40:38	29526	Nathalie KUATE	29000.0	29/08/19 - 10:10:16	0.0

TODAY: 0 Not Paid:  
PERIOD: 268,100 Not Paid: 19,200

New Bill Edit Bill Delete Bill Receipt Report Close

For each bill the following data are shown on **Data table**:

- ID:** it is the number of the bill (created automatically by the application)
- Date:** it is date and time of the bill creation
- Pat ID:** it is the patient ID (created automatically by the application at the registration time)
- Patient:** it is the patient name
- Amount:** it is the total amount of the bill
- Last payment:** it is date and time of the last payment
- Status:** it is the status of the bill; values are: "O" (open) if not fully paid; "C" (closed) if fully paid
- Balance:** it is the bill amount not paid yet

The following functions are accessible from the **Buttons Panel** of the **Patients Bills Management** window:

- Today** (button on top of the window) to show on **Data table** only the bills of the current day
- New Bill** to insert a new bill
- Edit Bill** to modify an already stored bill if its status is "O" (Open)
- Delete Bill** to delete an already stored bill
- Receipt** to print the bill receipt
- Report** to print a variety of reports
- Close** to exit from the function **Patients Bills Management** and return to the **Accounting** menu

Furthermore, the ***Patients Bills Management*** window shows an **Incomes Table** with follow information:

- **First Row:** the PAID and UNPAID within **Today**
- **Second Row:** the PAID and UNPAID within the visualized **Period**

### 8.2.1 Insert a new bill (New Bill)

You can use the **New Patient Bill** function to register a new bill of a patient. Press **New Bill** button in the ***Patients Bills Management*** window to access the **New Patient Bill** window showed below.

The bill is not saved until you do not confirm it with the **SAVE** function (see description below).

Before entering in the description of the function we provide you the description of the contents of the window **New Patient Bill**.

The **New Patient Bill** window is composed by three areas: the **Bill Panel** on the top, the **Item Panel** in the centre, the **Payments Panel** on the bottom and the **Buttons panel** on the right.

Bills are composed by items. A bill item is a cost related to either a pharmaceutical or an operation or an exam or others/custom costs.

Data showed on the **Bill Panel** area are:

- **Date:** it is the date and time of the bill
- **Patient:** it is the patient associated with the bill
- **List:** it is the PriceList that will be used for this bill

*\*NB\*: PriceLists can be defined by the Administrator. Ask to your Administrator how to do it or see [General Data](#) in this document.*


Data showed on the **Item Panel** area are:

- **Item, Qty, Amount:** they are the description of the bill entry, the selected quantity and the amount; the amount is calculated as the unitary cost of the item multiplied by the quantity;
- **TOTAL:** it is the total amount of the bill

*\*NB\*: Prices, or unitary costs, can be defined by the Administrator. Ask to your Administrator how to do it or see [General Data](#) in this document.*

Data showed on **The Payments** area are:

- **Date:** it is the date and time of the payment
- **Amount:** it is the amount of the payment
- **BALANCE:** it is the not yet paid amount of the bill (difference between the Total (\*) and the sum of the payments)



To insert a new bill first of all you have to enter the **Date** field. The application proposes you the current date and time but you can modify both of them.

Then you have to select a patient. To do it, press the **find Patient** button on top of the screen. The **Patient Selection** window showed below appears.

Once you have selected the patient you can start to enter bill entries of the bill.


**\*NB\***: A patient can have several pending bills if only if the parameter **ALLOWMULTIPLEOPENEDBILL** is enabled (see the administrator manual). Else If the patient has a pending bill associated it will be recalled to edit it. You cannot start a new bill for a patient before to close the previous one.

There are several types of Bill entry. They are identified by the button on the **Buttons panel** on the right of the window; you have the following choices:


- **Medical** to enter bill entries of pharmaceuticals
- **Operation** to enter bill entries of operations
- **Exam** to enter bill entries of exams
- **Other** to enter other prices defined in the PriceList
  - + **NB\*\***: Types can be defined by the Administrator. Ask to your Administrator how to do it or read the see [General Data](#) in this document.
- **Custom** to enter custom items defined on the fly

### 8.2.1.1 Insert a bill entry related to Medicals, Operations or Exams (Medical, Operation, Exam)

We show here how to insert an bill entry for pharmaceutical (Medical); the function to insert a bill entry for operation (Operation) and exam (Exam) is the same with the only difference that for the last two is not required the quantity (the quantity is always 1).



To insert a bill entry, press the **Medical** button. The **Medical** window showed below appears.




Using the mouse, you have to highlight the required pharmaceutical (medical).

On the **Buttons Panel** of the **Medical** window you have the following choices:

- **Ok** to select the highlighted pharmaceutical
- **Cancel** to return to the **New patient Bill** window without selecting any pharmaceutical

If you choose **OK** the **Quantity** window showed below appears and you can select the quantity of pharmaceutical used by the patient.




On the **Buttons Panel** of the **Quantity** window you have the following choices:

- **Ok** to select the highlighted pharmaceutical and return to the **New patient Bill** window
- **Cancel** to return to the **New patient Bill** window without selecting any pharmaceutical

### 8.2.1.2 Insert a bill entry related to various custom reasons (**Custom**)


To insert a custom bill entry, you have to press the **Custom** button. The application will show the **Custom item** window showed below.



In this window you have to enter a description (in the example below is “number of days of hospitalization”) and then:

On the **Buttons Panel** of the **Custom item** window you have the following choices:

- **Ok** to go to another **Custom item** window (to enter the quantity, see below)
- **Cancel** to return to the **New patient Bill** window without insert any bill entry



In the **Custom item** window, you have to enter the amount related to the bill entry (in the example above is “20” in the local currency, i.e. it is US dollar if the country is USA)

On the **Buttons Panel** of the **Custom item** window you have the following choices:


- **Ok** to confirm the bill entry and return in the **New patient Bill** window
- **Cancel** to return to the **New patient Bill** window without insert any bill entry

#### 8.2.1.3 Remove a bill entry of a bill (Remove Item)

First of all, to remove a bill entry you have to highlight it on the **New Patient Bill** window. Once you’ve done this, (pay attention!) pressing the **Remove Item** button, the bill entry is removed. Bill entries can be removed before or after the final saving (see **Save function** described below)

#### 8.2.1.4 Insert a payment (Payment)

To insert a payment, you have to press the **Payment** button. The application will show the **Quantity** window showed below.



You have to insert the amount of the payment. (in the example above is “12” in the local currency, i.e. it is US dollar if the country is USA)

On the **Buttons Panel** of the **Quantity** window you have the following choices:

- **Ok** to confirm the payment and return to the **New patient Bill** window
- **Cancel** to return to the **New patient Bill** window without insert any payment

### **8.2.1.5 Insert a refund (Refund)**

Sometimes it happens that the cashier has to refund the patient; in this case you will press the **Refund** button that allow you to insert the amount to refund. It will be automatically converted in a negative added to the payments list

### **8.2.1.6 Payment receipt**

Since OpenHospital version 1.8 you can print the Payment receipt any time, once you have made a payment. Click **Payment receipt** button.

### **8.2.1.7 Remove a payment (Remove Payment)**

First of all, to remove a payment you have to highlight it on the **New Patient Bill** window. Once you've done this, (pay attention!) pressing the **Remove Payment** button, the payment is removed.

### **8.2.1.8 Give change... (Give change...)**

Sometimes it could be useful to calculate the balance to give to a patient when he/she is paying his/her bill. By pressing on **Give change...** button you will be asked the cash amount the patient is giving and automatically you will know the amount to give to him/her calculated as a difference between the patient cash and the current bill balance.

### **8.2.1.9 Save function (SAVE)**

When you have completed the input of data (bill or payments) press the **SAVE** button on the button panel of the **New Patient Bill**.

The application will save the bill and return to the **Patients bills management** window; the status of the bill is “O” (Open) until you will set it as PAID (**Paid**)

### **8.2.1.10 Paid function (Paid)**


If the patient is going to pay his/her bill totally you can press the **Paid** button; if balance is not equal to zero it will automatically add a payment in the payments list and set this bill as “C” (Closed).

### **8.1.2.11 Print receipt function**

Since OpenHospital version 1.7 you can print on the fly a receipt when you press the **Paid** button. *To enable this feature, you must enable the RECEIPTPRINTER flag in the configuration file and a proper device must be connected to the system. Ask to your Administrator how to do it or read the Administrator's Guide.*

### **8.2.1.12 Close function (Close)**

Close function allows you to exit from the **New Patient Bill** window without saving changes done. Press the **Close** button to access the Close function. The confirmation window showed below appears.




### 8.2.2 Edit an existing bill (Edit Bill)

First of all, to modify an existing bill you have to highlight it in the **Patients Bills Management** window. Once you've done this, press the **Edit Bill** button. The **New Patient Bill** window will appear.

\*NB\*: Only bills with status "O" (Open) can be modified, otherwise an A4 report will be shown.

### 8.2.3 Delete a bill (Delete Bill)

First of all, to delete an existing bill you have to highlight it in the **Patients Bills Management** window. Once you've done this, press the **Delete Bill** button. The **Delete** window will appear.



\*NB\*: Generally, this is not allowed to regular users and should be performed only by the Administrator.


### 8.2.4 Receipt (Receipt)

Since OpenHospital version 1.8 you can print the bill receipt direct from the **Bill manager** window. Highlight the bill and click **Receipt** button. A proper device must be connected to the system.

### 8.2.5 Reports (Report)


OpenHospital Accounting module comes with a set of reports hereby listed:

- **Today (Closure)**: report that show the current user incomes
- **Today**: report that show a statement with all paid and unpaid bills within today
- **Period**: report that show a statement with all paid and unpaid bills within the period currently visualized
- **This month**: report that show a statement with all paid and unpaid bill within the current month
- **Other month**: report that show a statement with all paid and unpaid bill within a specified month that will be suddenly asked.



For each report, except Today (Closure), you will be asked to choose among two options:

- **Short Report (only BadDebts bills):** report that show a statement with only the unpaid bills and the total for the others
- **Full Report (all bills):** report that show a statement with all paid and unpaid bills
- \* OH23A1-open bills list\*: report that show the list of opened bills(pending bills)



Once the choice has been done, after some instants the JasperViewer® will show the generated report as follow:

ANGAL St LUKE'S HOSPITAL  
P.O. BOX 85 - NEBBI - ANGAL  
angal@ucmb.ug.co.  
+256 0472621076

BILLS REPORT FROM 01/01/2013 TO 31/01/2013

Bad Debts Bills						
Bill ID	Date	Patient	Amount	Last Payment	Paid	Not Paid
2	19/01/2013	Mungubitucu Babatof	120,00	19/01/2013	0,00	120,00
3	19/01/2013	Ongiera Ivan	1.200,00	19/01/2013	600,00	600,00
4	22/01/2013	Brian Owormungu	150,00	22/01/2013	0,00	150,00

Totals

TOTALS AMOUNT	1.590,00	TOTALS PAID	720,00	BAD DEBTS	870,00
---------------	----------	-------------	--------	-----------	--------

Page 1 of 1


**\*NB\***: By default, an internal PDF viewer is used. You can use an external PDF reader by modifying the INTERNALVIEWER flag in the configuration file. Ask to your Administrator how to do it or read the Administrator's Guide.

You can save the report as PDF by clicking on save button (PDF) or printing it by clicking on print button (Printer).

**\*NB\***: A PDF copy of every report is always saved within the folders of OpenHospital. Ask to your Administrator how to do it or read the Administrator's Guide.

## 8.3 Functions of Accounting in multi-user mode


If in multi-user mode, the Incomes Table will show the only Incomes for logged user, so the window will appear like following:



So, the **Incomes Table** will show follow information:

- **First Row:** the PAID and UNPAID within **Today**
- **Second Row:** the PAID and UNPAID within the visualized **Period**
- **Third Row:** the PAID and UNPAID for the current **user** within **Today**


While the admin user will be able to filter all incomes among all users that have been involved in some payments:



## 9 Vaccines (Patient Vaccines)

### 9.1 Main Characteristics

Vaccines functionality allows managing vaccines for all the patients registered. It is possible to register vaccinations, modify or delete them. A specific search function is also available.



## 9.2 Functions of Admission/Patients

All functions available under **Patient Vaccines** are accessible from the window **Patient vaccines browsing** window showed below.

By default, the window shows in **Data table** all the vaccinations currently present in the system.

The following functions are accessible from the **Buttons Panel** of the window **Patient vaccines browsing** window:

- **New** to insert a new vaccination
- **Edit** to modify an already stored vaccination
- **Delete** to delete an already stored vaccination
- **Close** to exit from the function Patient Vaccines and return to the main menu'

Furthermore, a search function is available using the **Selection panel** on the left of the window.

### 9.2.1 Search vaccinations

Queries about vaccinations can be done using the search criteria available on the **Selection panel** area of the window (left side of the window). Results of your search are showed on the **Data table** area.

Doing the selection, data about vaccinations can be selected by choosing specific fields among the following ones:

- **Vaccine type:** by selecting a Vaccine Type you will filter the Vaccine list
- **Vaccine.** You can select one vaccine or the value “All vaccines”

*\*NB\*: VaccineTypes and Vaccines can be defined by the Administrator. Ask to your Administrator how to do it or see [General Data](#) in this document.*

- **Date.** “DATE From” and “DATE To” allow the selection of all the vaccinations over the requested period
- **Age.** “Age From” and “Age To” allow the selection of all the patients subject to vaccinations by age
- **Sex.** All / Male / Female

After the selection press **Search** button; the system will show on **Data table** results of the search applying the criteria requested.

The function shows in the field “Count:” the number of vaccinations that are showed in **Data Table** (in the example they are 3).

Select a vaccine type	DATE	SEX	AGE	VACCINE	VACCINE TYPE
All Type	19/01/2013	M	32	DPT 1 - HepB + Hib 1	Child
	19/01/2013	F	42	DPT 3 - HepB + Hib 1	Child
	19/01/2013	M	32	DPT 1 - HepB + Hib 1	Child

Select a vaccine

All vaccines

Date: From 12/01/13

Date: To 19/01/13

Age From: 0

Age To: 0

Select Sex

All  Male  Female

Count: 3

## 9.2.2 Insert a new vaccination (New)

You can use this function to register a new Patient vaccination when executed.

Press **New** button in the **Patient vaccines browsing** window to access the **New patient vaccine** window showed below.

New patient vaccine(v 1.1)

Date	25/02/12 <input type="button" value="..."/>	Progressive	1 <input type="text"/>
Patient Code	<input type="text"/>	Select a patient	<input type="button" value="..."/>
Vaccine Type	All Type <input type="button" value="..."/>		
Vaccine	All vaccines <input type="button" value="..."/>		
<b>Patient's data</b>			
Name	<input type="text"/>	Age	<input type="text"/>
Sex (M/ F) <input type="text"/>			
<input type="button" value="OK"/> <input type="button" value="Cancel"/>			

To record a new patient vaccination enters the following fields:

- **Date:** the date of the vaccination
- **Progressive:** the progressive number in the year (set automatically by the system)
- **Patient:** You can select the patient entering the **Patient code** or in alternative selecting a patient.
- **Vaccine type:** the Vaccine Type
- **Vaccine:** the Vaccine

**\*NB\***: VaccineTypes and Vaccines can be defined by the Administrator. Ask to your Administrator how to do it or see [General Data](#) in this document.

When you finish entering data in the **Buttons Panel** you have the following choices:

- **Ok** to confirm data and record the Patient vaccination
- **Cancel** to close the window and to return to the **Patient vaccines browsing** window without record the patient vaccination

### 9.2.3 Modify data of a recorded Patient vaccination (Edit)

First of all, to modify data of a Patient vaccination you have to highlight it in the **Patient vaccines browsing** window. Once you've done this, press the **Edit** button. When the **Edit Patient vaccine** window showed below appears, the record is available for changes. Date, vaccine type and vaccine can be changed.

The screenshot shows a Windows-style dialog box titled "Edit patient vaccine(v 1.1)". It contains the following fields:

- Date: 25/02/12
- Progressiveness: 3
- Patient Code: Mugambi Aron
- Vaccine Type: No pregnant
- Vaccine: TT VACCINE DOSE 3

A section labeled "Patient's data" contains:

- Name: Mugambi Aron
- Age: 25
- Sex (M/ F): M

At the bottom of the dialog are two buttons: "OK" and "Cancel".

You may change all data except the patient associated with this vaccination.

When you finish entering data in the **Buttons Panel** you have the following choices:

- **Ok** to confirm new values (all the previous values will be lost)
- **Cancel** to close the window and to return to the Menu without applying any change

### 9.2.4 Delete a Patient vaccination (Delete)

First of all, to delete a stored Patient vaccination you have to highlight it in the **Patient vaccines browsing** window. Secondly press the **Delete** button. The confirmation window showed below will appear. The vaccination can then be deleted. Deleted vaccinations won't be available anymore.



## 9.3 Vaccines Extended (Patient Vaccines)

Since OpenHospital version 1.6 you can extend the Vaccine functionality by changing the *PATIENTVACCINEEXTENDED* flag in the configuration file. Ask to your Administrator how to do it or read the *Administrator's Guide*.

### 9.3.1 New Vaccine Browsing (v 1.1.)

The new window will appear like the following:

Select a vaccine type	DATE	PATIENT	SEX	AGE	VACCINE	VACCINE TYPE
All Type	19/01/2013	Roseline Angei	F	22	TT VACCINE DOSE 1	Pregnant
	19/01/2013	A Oyungmungu	F	2	DPT 2 - HepB + Hib 1	Child
	19/01/2013	Abiywagorwoth Abiywagorwoth	F	26	POLIO 1 C	Child

Select a vaccine

All vaccines

Date: From: 12/01/13

Date: To: 19/01/13

Age From: 0

Age To: 0

Select Sex

All  Male  Female


Count: 3

The only difference is the new column about the name of the patient for a fast research.

## 10 Admission/Patient (Admission/Patient)

### 10.1 Main Characteristics

Admission/Patient functionality allows registering a new patient, to modify his/her personal details, to browse his/her history, and to admit him/her in a hospital ward.



\*NB\*: you can also start an OPD registration from here if the OPDEXTENDED flag is set to YES. Ask to your Administrator how to do it or read the Administrator's Guide.

## 10.2 Functions of Admission/Patients

All functions available under **Admission/Patient** are accessible from the **Patients browser** window showed below.

By default, the window shows in **Data table** all the patients currently present in the system.

Patients browser						
Admission status		Name			AGE	SEX
WARD					City / Address / Telephone / Note	
<input checked="" type="checkbox"/> CHILDREN WARDS	<input checked="" type="checkbox"/> FEMALE WARDS	<input checked="" type="checkbox"/> MALE WARDS	<input checked="" type="checkbox"/> MATERNITY WARDS	Count: 15212		
Code	Name	AGE	SEX			Ward *
15561	Alex Okwong	40y 0m 0d	M	DRC - Jupasira - Cholecystitis R/o parasitosis		
15560	Berocan Donald	28y 0m 0d	M	Nyamola - Nyamola - severe Dehydration	MALE WARDS	
15559	Jatho Celestino	65y 0m 0d	M	Nyamola - Nyamola - HTN with stroke	MALE WARDS	
15558	Okumu Jackson	20y 0m 0d	M	Parombo - Pataka - RTA		
15557	Ayikanying Richard	38y 0m 0d	M	Mbaro - Pagoro - Malaria		
15556	Cwinya-ai Francis	9y 0m 0d	M	Erussi - Paminya - Nephrotic Syndromme	MALE WARDS	
15555	Wathum Alfred	30y 0m 0d	M	Jupathama - Jupathama - Cut wound R/o dislocation	MALE WARDS	
15554	Kabulu Agustino	80y 0m 0d	M	Nebbi - Central - Helminthiasis		
15553	Pacutho Santo	32y 0m 0d	M	DRC - Abanga - Pneumonia, Malaria	MALE WARDS	
15552	Munguriuk Brian	10y 0m 0d	M	Nebbi - Central - fracture Clavicle	MALE WARDS	
15551	Ofoyinwoth Emanuel	25y 0m 0d	M	Parombo - Parombo - Nad	MALE WARDS	
15550	Owinya Gilbert	52y 0m 0d	M	Panyango - Pamitu - Specific Myocills		
15549	Pithwa John	54y 0m 0d	M	Pamora - Alwala - Bladder sphincter incopmpetence		
15548	Omara Karlo	17y 0m 0d	M	Pamora - Angal S.S (Akwanji) - Malaria		
15547	Alex Ofoyuru	60y 0m 0d	M	DRC - Nyarambe - PTB R/o pleural Epileptic	MALE WARDS	
15546	Bidong Denis	25y 0m 0d	M	Pamora - Kiera - Severe facial burn	MALE WARDS	
15545	Mungu-acel Mark	10y 0m 0d	M	Mbaro (Uwaro) - Centre west - Intestinal Perforation	MALE WARDS	
15544	Opio Alfred	33y 0m 0d	M	Nebbi - Ojwang - Chronic Osteomyelitis		
15543	Ochama Vincent	43y 0m 0d	M	Pamora - Oduku - UTI	MALE WARDS	
15542	Odongo Denis	27y 0m 0d	M	Lira - Lira - STI R/o Fracture	MALE WARDS	
15541	Jepiyier Cwinya-ai	48y 0m 0d	M	Panyimur - Singla - Urinary in continent		
15540	Owonda Jenesio	64y 0m 0d	M	Erussi - Oleny TC - Acute constipation		
15539	Ruben Aijo	34y 0m 0d	M	Nylo - Nylo - Blunt chest trauma	MALE WARDS	
15538	Oncilio John	44y 0m 0d	M	Pamora - Alonzo - Blunt chest trauma		

\*NB\*: If the patients list become huge it is possible to experience a slowdown of the system depending on the network settings. It is possible to optimize the use of memory by changing the flag ENHANCEDSEARCH in configuration file. Ask to your Administrator how to do it or read the

The following data are shown in the **Patients browser** window:

- **Code**: the patient code (automatically generated by the application)
- **Name**: the patient full name
- **Age**: the patient age in years
- **Sex**: the patient sex
- **Address / City / Telephone / Note**: all this information separated by a “-“
- **Ward**: the ward where this patient is currently admitted; this field is blank if the patient is not admitted in the hospital in this moment

The following functions are accessible from the **Buttons Panel** of the window **Patients browser** window:

- **New Patient** to insert a new patient
- **Edit Patient** to modify an already stored patient
- **Delete Patient** to delete an already stored patient
- **Admission** to manage the admission of the patient in the hospital
- **Examination** to manage the patient examination
- **OPD** to start an OPD visit on the selected patient
- **Bill** to start a Bill on the selected patient
- **Data** to modify data of a patient and to modify the history of his admissions/out of patient visits as well as his/her malnutrition data
- **Clinical sheet** to analyse the clinical sheet of a patient and print it
- **Therapy** to manage the therapy of a patient
- **Close** to exit from the function Admission/Patients and return to the main menu

**\*NB:** It is possible to have a \***Merge** function that might help in case of double patient registration, by changing the flag MERGEFUNCTION in configuration file. Ask to your Administrator how to do it or read the *Administrator's Guide*.

Furthermore, a search function is available using the **Selection panel** on the left of the window.

### 10.2.1 Search patient

Queries about Patients can be done using the search criteria available on the **Selection panel** area of the window (left side of the window). Results of your search are showed on the **Data table** area.

Doing the selection, data about patients can be selected by choosing specific fields among the following ones:

- **Admission status.** Values admitted are:
- **ALL** (all patients are included in the selection)

- **Admitted** (only patients admitted are included in the selection)
- **Not admitted** (only patients not admitted are included in the selection)
- **Ward.** You can select one or more wards between Maternity, Nursery, Surgery, Internal medicine

\*NB\*: Wards can be defined by the Administrator. Ask to your Administrator how to do it or see [General Data](#) in this document.

- **Age.** You can filter the patients list by age range
- **Sex.** You can filter the patients list by gender
- **Search criteria.** You can digit the complete name of a patient or only same characters: the system will show all the patients that have the entered characters (Examples are: if you enter “solo wa” all patients that have “solo wa” in the name will be selected, “Solomon Wakunga” but also “Kamwa Solonik” will be showed).

The screenshot shows the 'Patients browser' window. On the left, there are filters for 'WARD' (CHILDREN WARDS, FEMALE WARDS, MALE WARDS, MATERNITY WARDS), 'Age' (From: [ ] To: [ ]), 'Sex' (All), and a 'Search Key' field containing 'solo wa'. The main area displays a table of patient records:

Code	Name	AGE	SEX	City / Address / Telephone / Note	Ward*
13188	Wakunga Solomon	01m 0d	M	Erussi - Padolo Padel - Ten months with malaria-Hyperpyr...	
8316	Wakunga Solomon	01m 0d	M	Erussi - Padolo - 10 months with malaria	
7701	Solonik Kamwa	22y 0m 0d	F	Akworo - Kasalo - APH	MATERNITY WA.
5225	Madithwotl Solomon	1y 0m 0d	M	Pakwach - Coo Pelwor - Four months with bronchitis	

At the bottom, there are buttons for New patient, Edit Patient, Delete patient, Admission, Triage, OPD, Bill, Data, Clinical sheet, Therapy, Merge, and Close.

## 10.2.2 Search patient Enhanced

OpenHospital, since version 1.6, allows optimizing memory usage when the number of registered patients becomes huge, by changing the *ENHANCEDSEARCH* flag in the configuration file. Ask to your Administrator how to do it or read the *Administrator's Guide*.

Once the enhanced search has been enabled the new **Patients browser** window will looks like following one:

The screenshot shows the 'Patients browser' window with an empty list of patients. The left sidebar contains the same filters as the previous version: 'WARD' (CHILDREN WARDS, FEMALE WARDS, MALE WARDS, MATERNITY WARDS), 'Age' (From: [ ] To: [ ]), 'Sex' (All), and a 'Search Key' field with a magnifying glass icon. At the bottom, there are buttons for New patient, Edit Patient, Delete patient, Admission, Triage, OPD, Bill, Data, Clinical sheet, Therapy, Merge, and Close.

Initially the list looks empty. In order to show some patient, you must enter a search criterion in **Search Key** field and the press the search (🔍) button and the window will show the only patients matching specified criteria.

Patients browser

Code	Name	AGE	SEX	City / Address / Telephone / Note	Ward *
15025	Kayeny-parwoth Gloria	17y 0m 0d	F	Erussi - Payera - In labour	MATERNITY WA...
14400	Jonaki Gloria	16y 0m 0d	F	Bulisia - Mukindua - Acute abdomen	FEMALE WARDS
13751	Akumu Gloria	1y 0m 0d	F	Nyaravur - Paminya - 8 months with GE	
11982	Kayeny pa Rwoth Gloria	0y 0m 0d	F	Nyaravur - Mbaro - 2 months with poorly treated malaria	
11829	Akelio Gloria	2y 0m 0d	F	Pamora - Atar west - 11 months with malaria and UTI	
11238	Kayeny Gloria	1y 0m 0d	F	Pamora - Ayombra - 9 months with acute GE/malaria/URTI	
9388	Akumu Gloria	8y 0m 0d	F	Rero - Oguta - Hepato splenomegally	
6896	Kayeny Gloria	17y 0m 0d	F	Nyaravur - Paminya - For labour	
6635	Gloria Akumu	7y 0m 0d	F	Nyaravur - Nyaravur - With malaria and URTI	
5953	Kwoicwiny Gloria	2y 0m 0d	F	Nyaravur - Pamora - Eight months with asthmatic attack R/O ...	
3521	Kacwinywoth Gloria	0y 0m 0d	F	Akworo - Murusi - Six months with severe malaria	
1807	Kayeny Gloria	0y 0m 0d	F	Nyaravur - Ayombra - Ten months with malaria	
1399	Kiturach Gloria	2y 0m 0d	F	Nyaravur - Nyaravur - With complicated malaria	

Admission status  
All

WARD  
 CHILDREN WARDS  
 FEMALE WARDS  
 MALE WARDS  
 MATERNITY WARDS  
Count: 13

Date  
Admission date  
From: 01/11/18 To: 31/12/18  
Discharge date  
From: To:

Age  
From: To:

Sex  
All

Search Key  
gloria ak 

New patient Edit Patient Admission Triage OPD Bill Data Clinical sheet Therapy Merge Close

Moreover, further search criterions are added in this modality:


- **Admission date.** To search all patients admitted in between the specified date, regardless if still admitted or not
- **Discharge date.** To search all patients discharged in between the specified date, regardless if admitted again later on

\*NB\*: to show the full patient list again, is enough to press the search button with an empty criterion

## 10.3 Insert a new Patient (New Patient)

You can use this function to register a new Patient when she/he is admitted in the Hospital.

Press **New Patient** button in the **Patients browser** window to access the **New Patient** window showed below.



To record a new patient, enter the following fields:


- **First name:** the first name
- **Second name:** the last name or other names
- **Age:** the age in year
- **Patient sex:** Male/female
- **Address:** the address where he/her comes from
- **City:** the city where he/her comes from
- **Next kin:** his/her closest relative
- **Telephone:** his/her telephone number
- **Note:** It is a free text

When you finish entering data in the **Buttons Panel** you have the following choices:

- **Ok** to confirm data and record the Patient
- **Cancel** to close the window and to return to the **Patient browser** window without record the patient

### **10.3.1 Modify data of a recorded Patient (Edit Patient)**

First of all, to modify data of a Patient you have to highlight it in the **Patient browser** window. Once you've done this, press the **Edit Patient** button. When the **New Patient** window showed below appears, the record is available for changes. All data can be changed.



When you finish entering data in the **Buttons Panel** you have the following choices:

- Ok to confirm new values (all the previous values will be lost)
- Cancel to close the window and to return to the Menu without applying any change

### 10.3.2 Delete a Patient (Delete Patient)

First of all, to delete a stored Patient you have to highlight it in the **Patients browser** window. Secondly press the **Delete Patient** button. The name of the Patient will be showed in the **Delete Patient** window below. The record can then be deleted. Deleted records won't be available anymore. *The patient will not completely remove from the system and you can ask to the Administrator to rescue his/her data at any time.*



In the **Buttons Panel** you have the following choices:

- Si to confirm the record deletion
- No to close the window and return to the previous window

## 10.4 Insert a new Patient Extended (New Patient)

Since OpenHospital version 1.3.1 you can extend the New Patient functionality by changing the *PATIENTEXTENDED* flag in the configuration file. Ask to your Administrator how to do it or read the *Administrator's Guide*.

### 10.4.1 New features

The New Patient Extended module affords the following improvements:

The screenshot shows the 'New Patient' dialog box with the following fields:

- First Name \***: Text input field.
- Second Name \***: Text input field.
- Tax Number ID**: Text input field.
- Age \***: Radio buttons for Age, BirthDate, and Description. Below are input fields for Years (0), Months (0), and Days (0).
- Sex \***: Radio buttons for Male and Female.
- Address**: Text input field.
- City**: Text input field.
- Next Kin**: Text input field.
- Telephone**: Text input field containing '+39'.
- Blood type**: Drop-down menu set to Unknown.
- Marital Status**: Drop-down menu set to Unknown.
- Profession**: Drop-down menu set to Unknown.
- Fathername**: Text input field.
- Mothername**: Text input field.
- Parents Together**: Radio buttons for Yes, No, and Unknown.
- Has Insurance**: Radio buttons for Yes, No, and Unknown.
- Patient photo**: Placeholder for a profile picture with a 'Load File' button.
- Note**: Large text area for notes.

\* Indicates required fields

OK Cancel

To record a new patient, enter the following fields:

- **Tax Number ID**: is the national ID or other ID you may use to identify univocally the patient
- **Age / BirthDate / Description**: the age can be specified in three different ways:

Three examples of age specification:

- Age \*  
Radio buttons: Age (selected), BirthDate, Description.  
Input fields: Years (0), Months (0), Days (0).
- Age  
Radio buttons: Age, BirthDate (selected), Description.  
Input field: Birth Date (23/01/2011) with calendar icons.
- Age  
Radio buttons: Age, BirthDate, Description (selected).  
Input field: Early Childhood (selected) with a dropdown arrow, and a months input field (0).

In any case it will be converted to an age in years in the *Patients browser* window. \* **BloodType**: it can be 0+, A+, B+, AB+, 0-, A-, B- \* **Marital Status**: it can be single, married, divorced, widowed. If left untouched, the default is unknown \* **Profession**: it can be other, farming, construction,

medicine, food/hospitality, homemaker, mechanic, business, janitorial, mining, engineering. If left untouched, the default is unknown \* **Father**: you can specify the father name and if is still alive \* **Mother**: you can specify the mother name and if is still alive \* **Parents Together**: you can specify if the parents are still together \* **Has Insurance**: you may specify if the patient has a health financial protection \* **Load File**: could be used to load a patient picture (will be cropped squared)

\*NB\*: *AgeTypes (Descriptions) can be defined by the Administrator. Ask to your Administrator how to do it or see [General Data](#) in this document.*

## 10.4.2 Height and Weight functionality (Height and Weight)

Since OpenHospital 1.8, the height and weight of the patient is no longer registered during patient creation. It is done through the examination module available in the **Admission browser** window.

## 10.4.3 Patient Photo (New Photo)

You can extend the New Patient functionality by changing the `VIDEOMODULEENABLED` [#] flag in the configuration file. Ask to your Administrator how to do it or read the *Administrator's Guide*.

Once the video module has been enabled the **New Patient Extended** window will looks as follow:

The screenshot shows a user interface for entering patient age. At the top, there is a label "Age \*". Below it are three radio buttons: the first one is selected and labeled "Age", the second is labeled "BirthDate", and the third is labeled "Description". Under each radio button is a set of three input fields: "Years" (containing "0"), "Months" (containing "0"), and "Days" (containing "0").


By clicking on **New Photo** button, the webcam should be activated (check any light on the device) and in the template you should see the “eye-view” of the camera.

New Patient

Insert data of new Patient

First Name *	<input type="text"/>	Blood type	<input type="text" value="Unknown"/>
Second Name *	<input type="text"/>	Fathername	<input type="text"/>
Tax Number ID	<input type="text"/>	<input type="radio"/> Dead <input checked="" type="radio"/> Unknown <input type="radio"/> Alive	
Age *	<input checked="" type="radio"/> Age <input type="radio"/> BirthDate <input type="radio"/> Description	Mothername	<input type="text"/>
	Years <input type="text" value="0"/> Months <input type="text" value="0"/> Days <input type="text" value="0"/>	<input type="radio"/> Dead <input checked="" type="radio"/> Unknown <input type="radio"/> Alive	
Sex *	<input type="radio"/> Male <input checked="" type="radio"/> Female	Parents Together	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Unknown
Address	<input type="text"/>	Has Insurance	<input type="radio"/> Yes <input type="radio"/> No <input checked="" type="radio"/> Unknown
City	<input type="text"/>	<input type="button" value="New Photo"/> <input type="button" value="File"/> <input type="button" value="Quality: - +"/>	
Next Kin	<input type="text"/>	Note <input type="text"/>	
Telephone	<input type="text" value="+39"/>		

\* Indicates required fields



By clicking again on **New Photo** button, you will make a shot ready to be saved in the system attached at the patient information.

#### 10.4.3.1 Camera settings (CAM)

If nothing happens when you press on **New Photo** button you can press the **switch camera** button that allows switching among the webcams connected to the computer if more than one; if only one camera is connected to the computer it is useful to reset the camera settings and restart it.

Once the camera is activated and you can see the “eye-view” of the camera, you may press on “+” or “-“ to increase or reduce the image quality.

OpenHospital will try automatically to set the best quality for any webcam connected to the computer and will remember the last settings used.

**\*NB\***: If the camera refuse to work is possible to check the problem deeper changing the flag DEBUG in configuration file. Ask to your Administrator how to do it or read the Administrator’s Guide.

## 10.5 Admission functions (Admission)

The admission functions include the managing of a patient admission, including surgery, delivery, and discharge.

To access the Admission function, first of all you have to highlight the Patient in the ***Patients browser*** window. Secondly press the **Admission** button.

If the patient is not admitted then the **New admission** window appears.

If the patient is already admitted then the **Edit admission record** window appears.

### 10.5.1 Start the admission of a patient (**Admission**)

Once a patient is registered, he/her can be admitted in a hospital ward.

First of all, to insert the admission of a patient you have to highlight the patient in the ***Patients browser*** window. Once you've done this, press the **Admission** button. The **New admission** window showed below appears (if the patient is already admitted the **Edit admission record** window appears).

The screenshot shows the 'New admission' window. On the left, there's a placeholder for a patient photo and some basic demographic info: Code: 114, Name: Awonda Michael, Age: 25y 0m 0d, Sex: M. Below that are fields for Tax Number ID, Address, Parents, Next kin (with Telephone +39), Blood type, and Insurance. On the right, the main form starts with 'Admission / Discharge' tabs. Under 'Admission / Discharge', there are fields for Ward (dropdown), From Health Unit (text input), Progressive in year (text input), Admission date (set to 30/07/19), Admission type (dropdown), Diagnosis -IN- (dropdown), Discharge date (date input), Bed Days (text input), Discharge type (dropdown), and Diagnosis -OUT- (three dropdowns labeled n. 1, n. 2, n. 3). A 'Malnutrition' checkbox is also present. At the bottom, there are 'Save', 'Examination', and 'Close' buttons. A note at the bottom right indicates that asterisks (\*) indicate required fields.

To start an admission, you have to enter the following fields (on the right side of the window):

- **Ward:** the ward where the patient is admitted
- **From health Unit:** (not mandatory) in case of referral you may type the facility where the patient comes from
- **Progressive in year:** is the progressive number per year and per ward automatically set by the system, anyway you may change it if needed
- **Admission date:** the date of admission, automatically set as today
- **Admission type:** the type of admission (i.e. Ambulance, Self, Referral, etc...)
- **Malnutrition** (not mandatory) in case of malnutrition you may check this box so you will manage the malnutrition control from the ***Patient data*** window (see Malnutrition control function).
- **Diagnosis IN:** it is the diagnosis the patient has been admitted with



It is possible to filter in order to find diseases more easily. To do this, you will need to enter a text fragment in the search fields that is part of the disease name. The closer the search text comes to the name of the disease being searched for, the more precise the search is.

**\*NB\***: Wards, AdmissionType and Diagnosis can be defined by the Administrator. Ask to your Administrator how to do it or see [General Data](#) in this document.

**\*NB\*:** The "Progressive in year" field is automatically populated by the program; in case of maternity the counter can start from first January or from first June as far as the current normative ask to the health facilities; to change this behaviour please ask to your Administrator to set the MATERNITYRESTARTINJUNE [.underline]# # flag in the configuration file or read the Administrator's Guide.

When you finish entering data in the **Buttons Panel** you have the following choices:

- **Save** to confirm the values on the window
  - **Close** to close the window and to return to the **Patient browser** window without applying any changes
  - **Examination** to open the **Examination** window (See 10.5.2 Patient examination).

Once you press the Save button the **New admission** window will close and you will see the status changed in the **Patients browser** window as follow figure:

### **10.5.2 Patient examination**

Since OpenHospital 1.8, you can register patient general parameters such as weight, height, arterial pressure, heart rate, Temperature, saturation, respiratory rate, and auscultation. Open hospital also calculates automatically the patient BMI.

You have two ways to access the module. In the ***Patient browser*** window, highlight the patient and click **Examination**. Or in the ***Admission*** window, click the **Examination** button bellow. The following window will appear.

Date: 15/05/2020 - 19:24

**BMI:** 0.0  
**Severe Underweight**

	Date	(H) Height	(W) Weight	cm	kg
<input type="checkbox"/> Arterial Pressure	min 80 / 120 max	mmHg			
<input type="checkbox"/> Heart Rate	bpm	60			
<input type="checkbox"/> Temperature	°C	36.0			
<input type="checkbox"/> Saturation	%	98.0			
<input type="checkbox"/> HGT	mg/dl	80			
<input type="checkbox"/> Respiratory Rate	bpm	20			
<input type="checkbox"/> Diuresis Vol 24H	ml	100			
<input type="checkbox"/> Diuresis	Physiological				
<input type="checkbox"/> Bowel	Regular				
<input type="checkbox"/> Auscultation	Normal (Vescicular)				

Complain

DATE | Height | Weight | Arterial Pressure | Heart Rate | Temper.. | Saturati.. | HGT | RR | Diuresis | Diuresis | Bowel | Auscultation

SAVE | Delete | Close

The window is divided into two areas: The panel where you enter information at the left and area where the examination history is displayed at the right.

Then enter following information:

- **Date:** Date of the examination
- **Height:** Patient height (in cm)
- **Weight:** Patient weight (in Kg)
- **Arterial pressure:** Patient arterial pressure (in mmHg)
- **Heart rate:** Patient heart rate (in bpm)
- **Temperature:** Patient temperature (in °C)
- **Saturation:** Patient saturation (%)
- **HGT:** Hemo Glucose Test (in mg/dl)
- **Respiratory Rate:** Patient respiratory rate (in bpm)
- **Diuresis:** Daily Urine Volume (in ml) and description
- **Bowel:** description of bowel function
- **Auscultation:** Patient auscultation. This will default to unknown if not specified. Options currently include: Unknown, Normal, Wheezes, Rhonchi, Crackles, Stridor, Bronchial.
- **Complain:** Any additional note concerning the examination

After typing data, OpenHospital automatically calculate the BMI and display the result on the human figure at the left.

Where everything is correct, click **Save** to save the examination.

Select one or more records in the table and click **Delete** to delete it/them.

### 10.5.3 Insert/modify Surgery data

First of all, to insert/modify operations data of a patient admission you have to highlight the patient in the **Patients browser** window. Once you've done this, press the **Admission** button. The **Edit admission record** window showed above appears.

You can also insert/modify operations data directly when you are inserting or modifying an admission by selecting the **Operation tab** in the top of the window

Operations data that you can manage are:

- **Operation date:** the operation date (must be at least older than, or equal to the admission date and at most, more recent than, or equal to the discharge date)
- **Operation type:** the operation type
- **Operation result:** the result of the operation
- **Transfusion Units:** (not mandatory): how many units of blood have been used
- **Remark:** (not mandatory): a comment about the operation

Date	Operation designation	Result	Trans Unit
30/07/19	Acute abdomen	N	0.0
30/07/19	Bladder biopsy	N	0.0

Since OpenHospital version 1.9, it is possible to record several operations at once. The buttons **New**, **Save** and **Delete** at the top right of the table allow you to manipulate the items of the table.

To add a new operation, click on the button **New** and enter the data as mentioned above and then click on **Save**.



Clicking on the button **Save** just adds the operation to the table; it is not yet permanently recorded.

To delete a line from the table, select the line to delete by clicking on it (it automatically highlights), then click on the button **Delete**. When you are finished, click on the button **Save** below the table to save your changes.

\*NB\*: *OperationType and Operations can be defined by the Administrator. Ask to your Administrator how to do it or see [General Data](#) in this document.*

#### 10.5.4 Insert/modify Delivery data

If a female patient is admitted, the Maternity ward will be present in the ward list and, by selecting it, the **Edit admission record** window will change as showed below:

In the window extension you will be able to specify much information about the Maternity Case, like:

- **Visit:** date: the date of a visit before the delivery, if any
- **Weight:** the weight of the mother before the delivery, if measured
- **Treatment:** the treatment type given to the mother, if any
- **Delivery Date:** the date of delivery
- **Delivery Type:** the type of delivery
- **Delivery Result Type:** the result of the delivery
- **Control dates:** the dates of control after the delivery
- **Abort date:** the date of the abort if the result of the delivery was an abortion

The screenshot shows the 'New admission' window with the 'Delivery' tab selected. The window is divided into several sections:

- Left Panel (Patient Information):** Includes fields for Tax Number ID, Address (Cubu, City DRC), Parents, Next kin, Telephone, Blood type, Insurance, and Patient notes (Three months).
- Top Right Panel (Delivery Details):** Contains tabs for Admission / Discharge, Operation, Delivery, and Note. Under the Delivery tab, there are fields for Visit date (08/01/15), Weight (100), Treatment type, Delivery date (09/01/15), Delivery type (DELIVERY ASSISTED BY CESARIAN SECTION), Delivery result type, Control n.1 date, Control n.2 date, and Abort date.
- Bottom Buttons:** Save, Examination, Close.

\*NB\*: *TreatmentType, DeliveryType and DeliveryResultType can be defined by the Administrator. Ask to your Administrator how to do it or see [General Data](#) in this document.*

## 10.5.5 Discharge of a patient (Admission)

First of all, to discharge a patient from the hospital you have to highlight the patient in the **Patients browser** window. Once you've done this, press the **Admission** button. The **Edit admission record** window showed above appears.

You have to enter the following data:

- **Discharge date:** the date of discharge
- **Discharge type:** the type of discharge
- **Diagnosis OUT:** it is the diagnosis the patient has been discharged with



As in the case of **Diagnosis IN**, it is possible to filter to find diseases more easily.

The screenshot shows the 'Edit admission record' window for a patient named Awonda Michael. On the left, there's a placeholder profile picture and basic patient information: Code: 114, Name: Awonda Michael, Age: 25y 0m 0d, Sex: M, and TOB: [empty]. Below this are sections for Tax Number ID, Address/City, Parents, Next kin/Telephone (+39), Blood type/Insurance, and Patient notes. On the right, the 'Admission / Discharge' tab is selected. It contains fields for Ward (INTERNAL MEDICINE), From Health Unit (Test), Progressive in year (1), Admission date (30/07/19), Admission type (SELF), Diagnosis IN (acut, filtered to Acute Flaccid Paralysis), Discharge date (30/07/19), Bed Days (1), Discharge type (REFERRED), and Diagnosis OUT (n. 1, n. 2, n. 3). A checkbox for Malnutrition is also present. At the bottom, there are Save, Examination, and Close buttons, with a note that asterisks indicate required fields.

\*NB\*: DischargeTypes and Diseases can be defined by the Administrator. Ask to your Administrator how to do it or see [General Data](#) in this document.

When you finish entering data in the **Buttons Panel** you have the following choices:

- **Save** to confirm the values on the window

**Close** to close the window and to return to the **Patient browser** window without applying any changes

Once you press the Save button the **Edit admission record** window will close and you will see the status changed in the **Patients browser** window as follow figure:

## 10.6 OPD (OPD)

If ***OPDEXTENDED*** flag is set as YES in the configuration file (ask to your Administrator) the button **OPD** in the Admission/Patient window will allow you to start an OPD by selecting the related patient first (see [Create a new patient visit \(New\)](#) for more information)

## 10.7 Bill (Bill)

The button **Bill** in the Admission/Patient window will allow you to start a bill by selecting the related patient first (see [Insert a new bill \(New Bill\)](#) for more information)

## 10.8 Manage Patient historical data (DATA)

This function allows modifying data of a Patient and modify/delete the history of out of patients/admissions of a patient. Malnutrition can also be managed with this function.

To access the Patient historical data function, first of all you have to highlight the Patient in the **Patient browser** window. Secondly press the **DATA** button. The **Patient data** window showed below will appear.

**Patient data**



Code: 233  
Name: Aron Mugambi  
Age: 35y 0m 0d  
Sex: M

TOB:

**Tax Number ID**

Address	City
Kithano	Unknown

**Parents**

Next kin	Telephone
	+39

**Blood type**

Insurance
-----------

**Patient notes**

DATE	WARD	DIAGNOSIS IN	DIAGNOSIS OUT	STATUS
01/07/19	INTERNAL ME...	Diarrhoea-Persistent	NO DISEASE	present

EDIT
DELETE
Malnutrition control
Close

The screen is divided in three areas:

- **Patient summary** (on the left)
- **Data table** (on the right)
- **Buttons panel**

The **Patient summary** area shows you a summary of patient data.

**Data table** shows you a summary of all the out-patients (OPD) visits and all the admissions related to the patient.

The following functions are accessible from the **Buttons Panel** of the window **Patient data**:

- Edit Patient to modify an already stored patient (it is the same Edit function of the **Patient browser** window)
- EDIT to modify data of an admission or an out-patient visit
- DELETE to delete an already stored admission
- Malnutrition control to create, modify or delete malnutrition control data of a patient
- Close to exit from the function **Patient Data** and return to the **Patients browser** window

### 10.8.1 Modify data of an admission or out-patient visit (EDIT)


First of all, to modify data of an admission or out-patient visit you have to highlight it in **Data table** of the **Patient Data** window. Once you've done this, press the EDIT button. When the **Edit admission record** window showed below appears, the record is available for changes. All data can be changed.

When you finish entering data in the **Buttons Panel** you have the following choices:

- Save to confirm new values (all the previous values will be lost)
- Close to close the window and to return to the Menu without applying any changes

## 10.8.2 Delete an admission (DELETE)

First of all, to delete a stored admission you have to highlight it in the **Patient Data** window. Secondly press the **DELETE** button. A confirmation window will appear and it is showed below. Now the admission can be deleted. Deleted admissions won't be available anymore.



In the **Buttons Panel** you have the following choices:

- **Si** to confirm the record deletion
- **No** to close the window and return to the previous screen

## 10.8.3 Manage malnutrition control of a patient (Malnutrition control)

Malnutrition control function is available for all and only the admissions that have concerns about malnutrition (malnutrition field activated in *New admission* window, see next page).

Malnutrition Control function allows you to register specified visits for those patients who need to control his/her Weight/Height index.

To access the Malnutrition control function, first of all you have to highlight the admission in the **Patient data** window. Secondly press the **Malnutrition control** button. The **Malnutrition browser** window showed below will appear.

The screenshot shows a window titled 'Malnutrition browser'. It contains a table with four columns: 'FURTHER DATE', 'APPROVAL DATE', 'HEIGHT', and 'WEIGHT'. The table has three rows of data:


FURTHER DATE	APPROVAL DATE	HEIGHT	WEIGHT
20/1/13	20/2/13	170.0	60.0
20/2/13	20/3/13	170.0	59.0
20/3/13	20/4/13	170.0	58.0

At the bottom of the window are four buttons: 'New', 'Edit', 'Close', and 'Delete'.

From this function you can insert (**New**) a new malnutrition control, modify (**Edit**) or **Delete** an existing malnutrition control already stored.

#### 10.8.3.1 Insert a new control (New)

By pressing the New button from the **Malnutrition Browser** window, you will access to the **Malnutrition** window below:



To record a new control, enter the following fields:

- **Date of this control:** the system automatically set the date of today
- **Date of next control:** the date of the next planned control
- **Weight:** the weight of the patient; you may use any kind of measure with decimal notation
- **Height:** the height of the patient; you may use any kind of measure with decimal notation

## 10.9 Clinical Sheet (Clinical sheet)

The Clinical Sheet functionality is very similar to the **DATA** functionality (see **Patients browser** window)

To access the Clinical sheet function, first of all you have to highlight the Patient in the **Patients browser** window. Secondly press the Clinical sheet button. The **Patient data** window showed below will appear.

Patient data

The screenshot shows a software interface for managing patient data. On the left, there's a placeholder for a patient photo, followed by the patient's code (114), name (Awonda Michael), age (25y 0m 0d), sex (M), and time of birth (TOB). Below this are sections for Tax Number ID, Address (with City), Parents, Next kin (with Telephone +39), Blood type, Insurance, and Patient notes. On the right, a data table lists admissions and operations. The 'Exams' tab is selected, showing three rows of operations: Acute abdomen (N, 0.0), Bladder biopsy (N, 0.0), and Cholecystitis (P, 1.0). Below the table are buttons for OPD Chart, Admission Chart, Discharge Chart, Launch Report, DICOM, and Close.

DATE	WARD	DIAGNOSIS IN	DIAGNOSIS OUT	STATUS
30/07/19	SURGERY	Gastro-intestinal ble...	NO DISEASE	present
30/07/19	OPD	Asthma	Asthma	New Attend...

Exams		Operations	
Date	Operation designati...	Result	Trans Unit
30/07/19	Acute abdomen	N	0.0
30/07/19	Bladder biopsy	N	0.0
30/07/19	Cholecystitis	P	1.0

**Buttons Panel:**

- OPD Chart
- Admission Chart
- Discharge Chart
- Launch Report
- DICOM
- Close

The window doesn't allow you to change data but, for the selected patient, it shows you all the out-patient (OPD) visits, the Admissions, his/her Laboratory exams and the various surgeries he/she underwent; by clicking on a row in the **Data table** on the top of the window, the related laboratory exams will be showed as follow:

- selected row is an Admission: all the exams done between the admission date and the discharge date will be showed in **Data table**, in the **Exams** tab
- selected row is an out-patient (OPD) visit: all the exams done after the selected OPD visit until next one (if any) or next admission date (if any) will be showed in the **Data table**, in the **Exams** tab

The tab **Operations** shows the various operations recorded for the selected patient between the admission date and the discharge date.

In the **Buttons Panel** you have the following choices:

- OPD Chart** to print the OPD chart if the selected row in the grid on top is an OPD visit
- Admission Chart** to print the Admission chart if the selected row in the grid on top is an Admission
- Discharge Chart** to print the Discharge chart if the selected row in the grid on top is an Admission and the patient is already discharged.
- Launch report** to print the clinical sheet of a patient
- DICOM** to launch DICOM viewer


- **Close** to close the window and to return to the **Patient browser** window without applying any changes

\*NB: You need to change the DICOM flag in the configuration file to activate the DICOM functionality. Ask to your Administrator how to do it or read the Administrator's Guide.


### 10.9.1 DICOM (**DICOM viewer**)

You need to change the DICOM flag in the configuration file to activate the DICOM functionality. Ask to your Administrator how to do it or read the Administrator's Guide.


On the patient Data window, click **DICOM** button to access the **DICOM viewer** window as shown below.



This module allows you to attach DICOM files to the patient's folder. In order to do this, click **Load DICOM** button. The following window will appear.




In case of multi-frame DICOM you can select a whole folder




You will be asked for the following data to be used for the DICOM (or the multi-frame DICOM serie):

- **Date:** the system will propose the current date or other dates provided by the DICOM file itself
- **Category (not mandatory):** you will be asked for a Dicom category (see [Dicom Type](#)):
- **Description:** the description to be used




**N.B.** There's no **Edit DICOM**, so if you make a mistake, you have to **Delete DICOM** and re-**Load DICOM** again.

Find the DICOM file on your computer and click **Open DICOM** button to load the file in the **DICOM viewer**.



To view the file in the main window, double-click on it.



You can use **Zoom** slider to Zoom in or out the image.

You can load more than one DICOM file to a patient folder. You can also delete a DICOM file from the patient folder. You just have to select the file in left view and click **Delete DICOM** button.

Since OpenHospital version 1.10 you can hide the thumbnails on the left by changing the **DICOMTHUMBNAILS** flag in the configuration file. Ask to your Administrator how to do it or read the *Administrator's Guide*.


## 10.10 Therapy management (**Therapy**)

First of all, to manage the therapy of a patient you have to highlight the patient in the **Patients browser** window. Once you've done this, press the **Therapy** button. The specific window for therapy management of the selected patient will appear. The window has no name, we call it **Therapy** window.

From the **Therapy** window you can insert, modify or remove a therapy.

From the **Therapy** window you can insert or remove a scheduled visit.

The window is complex, see the comments below to understand the structure.




### 10.10.1 Add a therapy (Add Therapy)

To add a new therapy for the patient, press the **Add Therapy** button on the right of the window. The **Therapy entry form** window showed below will appear.

A therapy defines for every pharmaceutical the quantity, frequency and period of use.

You can add more than one therapy for the same patient. The set of therapies defined for a patient is called “Therapy plan”.




**NB:** To better explain how the function **Add a therapy** works, the **Therapy** window below (next page) shows the results of the therapy defined in the **Therapy entry form** window above.

To add a therapy, you have to enter the following fields:

- **Pharmaceutical of the therapy:** in the example above *Cyclophosphamide 500mg* (highlight the desired pharmaceutical)
- **Quantity:** set the quantity; you can define it by clicking on the small up/down arrows (for small quantity) or moving the cursor on the right (for large quantity); in the example above the selected value is “4”
- **Frequency within the day:** set how many times (frequency) the dose has to be given within one day (possible choices are: one, two, three, four); in the example above “One” means once per day
- **Frequency within period:** set the periodicity of the therapy; in the example above every two days (a quantity of 4 *Cyclophosphamide 500mg* every two day has to be given)
- **Period:** set how long is the therapy, to do it select days, weeks and months; in the example above the therapy is 11 days long (4 days and 1 week)
- **Starts – Ends:** set start and end date of the therapy; in the example the therapy starts on November 20<sup>th</sup> and finish on November 30<sup>th</sup>
- **Note** (not mandatory): free text available for notes

When you finish entering data in the **Buttons Panel** you have the following choices:

- **Ok** to confirm data of the therapy. The therapy is not saved until you do not confirm it with the **SAVE** button in the *Therapy* window (see **Save function** described below)
- **Cancel** to close the window and to return to the *Therapy* window



## 10.10.2 Modify a therapy (Edit Therapy)

First of all, to modify a therapy you have to highlight one occurrence of the therapy (see box above) in the *Therapy* window. Once you've done this, press the **Edit Therapy** [Edit Therapy]# #button. The *Therapy entry form* window will appear. You can modify all data as in the **Add a therapy**

function.

See [Add a therapy \(Add Therapy\)](#) function for detailed description.

### 10.10.3 Remove a therapy (Remove Therapy)


First of all, to remove a therapy you have to highlight one occurrence of the therapy (see box above) in the **Therapy** window. Pay attention! Once you've done this, pressing the **Remove Therapy** button, the therapy is removed. Therapy can be removed before or after the final saving (see [Save function](#) described below)

### 10.10.4 Check availability of the pharmaceuticals (Check availability)

When you have entered the therapy plan (all the therapies of a patient) you can check the availability of the related pharmaceuticals in the hospital. If the pharmaceutical/s checked is/are present in the quantity requested by the therapy plan on the button panel on the right side of the **Therapy** window you see in green colour the text "OK"



otherwise the application shows the small window showed below, called **Therapy not available**:



This window provides you only information that the therapy is not available and does not block the input of the Therapy plan. You have to click **OK** on the button to exit from the window.

After the check, on the **button panel** of the **Therapy** window you see in red colour the text "NOT AVAILABLE" if at least one of the involved drugs starting from today are not available or the test "AVAILABLE" otherwise.

Note: check can also be done therapy by therapy and not only at the end of the input of all the therapies.

Check function is not mandatory, you can save the therapy plan also without checking the presence of the pharmaceuticals in the hospital (see [Save function](#) below).

### 10.10.5 Save function (SAVE)


When you have completed the input of the therapy plan press the **SAVE** button on the button panel of the **Therapy** window. Be aware that the therapy plan is saved when on the screen appears the

**Message** window showed below with the message “Therapies plan saved”.

If you have not done the availability check (see [Check availability function](#)) the **Not checked** window showed below appears.

On the **Buttons Panel** you have the following choices:


- **Ok** to confirm the therapy plan; you have to be aware that if you press **Ok** you have not checked the existence of the pharmaceuticals in the hospital. The application saves the therapy plan and shows the confirmation window showed below.
- **Cancel** to return to the **Therapy** window without saving the therapy plan.




If you have done the availability check (see [Check availability function](#)) but the pharmaceuticals requested by the therapy plan do not exists in the hospital the **Not available** window showed below appears.

On the **Buttons Panel** you have the following choices:

- **Ok** to confirm the therapy plan; you have to be aware that if you press **Ok** you have saved a therapy but there are not the requested pharmaceuticals in the hospital. The application saves the therapy plan and shows the confirmation window showed below.
- **Cancel** to return to the **Therapy** window without saving the therapy plan.



Either you have done the availability check that the pharmaceuticals are present in the hospital or you have not done the check, when the application shows the notification window below the therapies plan is saved.




Press **OK** to finish.


## 10.10.6 Close function (Close)

Close function allows you to exit from the **Therapy window**. Press the **Close** button to access the Close function. The **Select an option window** showed below appears. On the **Button panels** you have the following choices:

- **Si**: this function is the same as the **Save function (SAVE)** described above
- **No** to return to the **Therapy window** without saving the therapy plan
- **Cancel**: to stop the function and return to the **Therapy window** without apply any change



## 10.10.7 Notify & SMS



With these two checkboxes you can set the therapies plan for this patient as important (not implemented yet) and notifiable via SMS. Briefly:

- therapies: will be notified to the patient with an SMS at 8:00am, with text “REMINDER: “ + therapy details
- visits: will be notified to the patient with an SMS 24 hours before the scheduled date and time, with the text “REMINDER VISIT: “ + visit details


## 10.11 Merge function (Merge)

You can use this function to merge two patients' histories in case of wrong double registration when she/he is admitted in the Hospital.

First of all, to merge data of two patients you have to highlight them in the **Patient browser** window.

Patients browser						
Admission status	Code	Name	AGE	SEX	Address / City / Telephone / Note	Ward *
All	16869	Joan Kwiocwiny	1	F	Rest camp - Nyaravur - 7 mth with malaria, RTI	
	16865	Joan Pacuriema	4	F	Rero - Rero - malaria	
	16656	Joan Atyeronimungu	1	F	Penji - Payera - 6 months with malaria/RTI/dehydration	
WARD	16538	Joan Mulungu	60	M	Murusu - Akworo - GIT bleeding and dehydration	
<input checked="" type="checkbox"/> CHILDREN WARDS	16273	Joan Kayeny pa Rwoth	0	F	Jupukidi - Nebbi - 7 months with severe malaria	
<input checked="" type="checkbox"/> FEMALE WARDS	15933	Joan Apio	0	F	Thalha - Parombo Parwo - Five months with GE Malaria RTI	
<input checked="" type="checkbox"/> MALE WARDS	15386	Joan Pikwo	10	F	Gwii - DRC - Poorly treated malaria /GIT	
<input checked="" type="checkbox"/> MATERNITY WARDS	15045	Joan Giramia	19	F	Nyaravur T.C - Nyaravur	
Count: 59	14970	Joan Muber	14	F	Akuru jonam - Pamora - Asthma	
Search Key Joan	14553	Joan Pikwo	10	F	Gwii - DRC - Meninjilis R/o malaria	
	13897	Joan Akello	1	F	Pagot - Mbaro Nyaravur - 3 months with treated malaria an...	
	13637	Nyamutoro Joan	19	F	Padel - Parombo - For labour	
	13401	Joan Aiyorwoth	2	F	Lubinga - DRC - One month with Acute G/E/ malaria	

Once you've done this, press the **Merge** button. The **Merge** window showed below appears:




By pressing Yes, the patient with smaller Code will be deleted and all his/her history transferred to the other one, it's to say:

- Admission History
- Height & Weight History
- Laboratory History
- OPD History
- Bills History
- Pharmaceuticals Stock Ward History
- Therapy History
- Visit History
- Vaccine History

The old patient will be then deleted.


### 10.11.1 Different Names

In case you try to merge two patients with different names you will be asked to choose the final one, with the window showed below:



## 10.11.2 Different Sex


In case you try to merge two patients with different sex you will be notice that the operation is not allowed, with the window showed below:



# 11 Statistics (Statistics)

## 11.1 Main Characteristics

This functionality is the most important in order to extract data registered in previous ones.



OpenHospital comes with a set of reports made for the Ugandan Ministry of Health (HMIS) and for Kenyan Ministry of Health (MOH) as well as national independent reports (OH). Anyway, all these reports can be useful for any organization and can be added or removed as explained in the Admin Manual chapter “6 – Reports”.


OpenHospital 1.8.4 comes with this set of reports:

- OH001 - Registered Patients
- OH003 - Registered patients by Age and Sex
- OH002 - Patients registered by origin
- OH004 - All incomes by price codes
- OH005 - Count outpatient
- OH006 - Count outpatient diagnosis
- OH007 - Lab monthly basic
- OH008 - Lab summary for OPD
- OH009 – InPatient Report
- OH010 – OutPatient Report
- HMIS 108 - page 1 - 1. census info

- HMIS 108 - page 1 - 2. referrals
- HMIS 108 - page 1 - 3. operations
- HMIS 108 - In Patient (diagnosis In)
- HMIS 108 - In Patient (diagnosis Out)
- HMIS 105 - Opd attendance
- HMIS 105 - Opd referrals
- HMIS 105 - Opd by diagnosis
- HMIS 55b - Lab monthly formatted
- HMIS 33b - Weekly epidem. surveil.
- HMIS 33b - Weekly epidem. surveil. over 5 y.o.
- HMIS 33b - Weekly epidem. surveil. under 5 y.o.
- MOH 717 - Monthly Workload Report for Hospitals (Page1)
- MOH 717 - Monthly Workload Report for Hospitals (Page2)
- MOH 705A - Over 5 - Daily Outpatient Morbidity Summary Sheet
- MOH 705A - Under 5 - Daily Outpatient Morbidity Summary Sheet
- OH23A1 - open bills list: report that show the list of opened bills(pending bills) per period
- OH23B1 - Revenues, Incomes & Receivables: gives the list of incomes per period

## 11.2 Report Launcher (Launch Report)

With this function you can produce all reports listed in previous paragraph. Once you press the **S tatics** button on the main menu the **Report Launcher** window showed below will appear:



To produce one report, you must operate as follow:

- Select a report from the list
- Specify the period (it could be *month-year* or *from date-to date* depending on the report)
- Press the **Launch Report** button for PDF or **Excel** for CSV (Comma Separated Values) format

After some instants the JasperViewer® will show the generated report as follow:

JasperViewer

**Registered Patients**

St. Luke Catholic Hospital and College of Nursing

P.O. BOX 250 - Wolisso, Southwest Showa Zone  
st.lukehospital@ethionet.et  
+251-11 341 0800 / 0714

novembre

01 giovedì	253
02 venerdì	174
03 sabato	66
04 domenica	66
05 lunedì	287
06 martedì	251
07 mercoledì	241
08 giovedì	225
09 venerdì	163
10 sabato	65
11 domenica	66
12 lunedì	318
13 martedì	237
14 mercoledì	223
15 giovedì	1
<b>TOTAL</b>	<b>2636</b>

\*NB\*: By default, an internal PDF viewer is used. You can use an external PDF reader by modifying the INTERNALVIEWER flag in the configuration file. Ask to your Administrator how to do it or read the Administrator's Guide.


You can save the report as PDF by clicking on save button (PDF icon) or printing it by clicking on print button (Printer icon).

\*NB\*: A PDF copy of every report is always saved within the folders of OpenHospital. Ask to your Administrator how to do it or read the Administrator's Guide.

## 12 Printing (Printing)

### 12.1 Main Characteristics

This functionality is meant for print some information about the hospital like letterhead, list of exams, diseases, etc...




OpenHospital 1.7.0 comes at moment only with this couple of printings:

- Exams List
- Diseases List

## 12.2 Printing

By pressing **Printing** from the main menu, you access the **Printing** menu. From this menu you have the following printings available: **Exams List** and **Disease List**.



### **12.2.1 Exams List ([Exams List](#))**

This report will produce a report about the list of exams, divided by types, as defined in the application by the Administrator.


### **12.2.2 Disease List ([Disease List](#))**

This report will produce a report about the list of diseases, divided by types, as defined in the application by the Administrator.

## **13 Communication ([Communication](#))**

### **13.1 Main Characteristics**

Since OpenHospital version 1.7 you can use the Communication module by changing the `XMPPEMODULEENABLED` flag in the configuration file. Ask to your Administrator how to do it or read the *Administrator's Guide*.



With this functionality you can chat and share information with other users logged in the system, if in turn the application has been set in multi-user mode and an XMPP Server is active and running (Ask to your Administrator how to do it or read the *Administrator's Guide*).


The functionality, up to OpenHospital 1.7.0, allows following tasks:

- Chat
- Admissions notifications
- Pharmaceutical Stock critical levels notifications

- Report sharing


## 13.2 Chat

By pressing the **Communication** the **Communication** window showed below will appear:



It shows all users logged in the system. Some of them have a green circle near their names: it means that they are currently logged in the system and they are the only ones we can interact with. Others have the name close to a grey circle: it means that they logged at least one time in the past but are not using the system in this moment.

By double-clicking on an active user (i.e. Allan in the figure above) we may start a chat session with him/her, as showed in the figures below:



To send a message to Allan we must type it on the white box at the bottom then press “ENTER”; the message will be immediately forwarded to Allan; when Allan will do the same, his message will be immediately forwarded to us. Other users logged in (i.e. Mary in the figures above) cannot see our conversation.

## 13.3 Admission/Discharge Notifications

As told before, with the communication module we can share some events with other users.

In the **New Admission** window, we will see a new box in the **Buttons Panel**, as showed below:


The screenshot shows the 'New admission' window with various patient details and admission parameters. In the top right corner, there is a 'Buttons Panel' containing tabs for 'Admission / Discharge', 'Operation', 'Delivery', and 'Note'. The 'Admission / Discharge' tab is selected. Within this panel, there are fields for 'Ward \*' (set to 'CHILDREN WARDS'), 'From Health Unit' (empty), 'Progressive in year \*' (set to '0'), 'Admission date \*' (set to '21/01/13'), 'Admission type \*' (set to 'AMBULANCE'), and a checkbox for 'Malnutrition' which is unchecked. Below these, under 'Diagnosis IN-\*', the diagnosis is listed as 'Acute Flaccid Paralysis'. Under 'Diagnosis OUT-\*', there are three dropdown menus labeled 'n. 1', 'n. 2', and 'n. 3', each with a dropdown arrow. At the bottom of the panel, there is a note: '\* Indicates required fields'. At the very bottom of the window, there are buttons for 'Save', 'Close', and a dropdown menu for 'Share alert with: nobody - ▾'.

The box will list all users logged in the system in this moment (those ones with the green circle near the name) and you can decide to send an alert or not (nobody) in the moment we press the **Save** button.

### 13.3.1 Admission Notifications

If we choose to send a notification about this new admission to user Allan, when we press the **Save** button, he will see in his **Communication** window a message like “new patient admission:” followed by his/her name and the related ward.


An example of Allan **Communication** window is shown below.



### 13.3.2 Discharge Notifications

Similarly, this would happen for discharge events. If we choose to send a notification about a discharge to user Allan, when we press the **Save** button, he will see in his **Communication** window a message like “discharged patient:” followed by his/her name and the related DischargeType.

An example of Allan **Communication** window is shown below.



## 13.4 Pharmaceuticals Critical Level Notifications

As told before, with the communication module we can share some events with other users.

In the **Stock Movement Inserting - Discharge** window we will see a new box at the bottom, as showed below:

Stock movement inserting

**Selection panel**

Movement type (Charge/Discharge)  
Discharge

Medical

Product Code:

4 Dimethyl Aminobenzaldehyde

Quantity  
22

pieces/ml  bottles/boxes

**Lot Panel**

Choose a ward  
MATERNITY WARDS

Choose an already existent lot

Lot id	Preparation ...	Due date	Quantity
7624638385...	21-01-2013	21-01-2013	40

Current quantity lying in stock 40.0


-- Share alert with: Nobody --

**Buttons**

Ok Reset Close

The box become active and useful only if the movement is going to reduce the selected pharmaceutical under the critical level. So, we can decide to share this event with another user logged in the system at the moment we press the Ok button.


If we choose to send a notification about this discharging movement to user Allan, when we press the Ok button, he will see in his **Communication** window a message like “ALERT:” followed by the pharmaceutical name and the text “is about to end” as showed below:



## 13.5 Report sharing


As told before, with the communication module we can share some events with other users.

In the **Report Launcher** window, we will see a new box at the bottom, as showed below:



We can decide to produce and share the selected report with another user logged in the system at the moment we press the **Launch Report** button.


If we choose to share the report with user Allan, when we press the **Launch Report** button, he will see in his **Communication** window a message like “\* admin wants to share with you this report:” followed by the report name and a clickable icon that will link Allan to the related report. An example of this message is shown below:



## 14 General Data (General Data)

### 14.1 Main Characteristics

One of the Administration task is the setup of OpenHospital through the **General Data** functionality. It allows defining all “types” and “data” that are going to be used in OpenHospital.



Once you've pressed on **General Data** button from the main menu you access the **General Data** menu. From this menu you have the following functions available:

- **Types**: will bring to Types menu
- **Hospital**: to set some Hospital information (name, address, telephone, email, etc...)
- **Ward**: to define which departments are in the hospital
- **Disease**: to define which diseases are diagnosed in the hospital
- **Exams**: to define which laboratory exams are performed in the hospital
- **Operation**: to define which surgical operations are provided by the hospital
- **Vaccine**: to define which vaccines are given in the hospital
- **Prices lists**: to define unitary costs of the services provided by the hospital
- **Supplier**: to manage medicals suppliers
- **SMS Manager**: to send SMS or schedule SMS sending

## 14.2 Types (**Types**)

Once you've pressed on **Types** button from the **General Data** menu you access the **Types** menu:



From the **Types** menu you have the following functions available:


- **Admission Type:** the way the patient is admitted in the hospital  
*i.e. Ambulance, Self, Referral, etc...*
- **Discharge Type:** the way the patient is discharged from the hospital  
*i.e. Healed, Unchanged, Dead, etc...*
- **Delivery Type:** the ways the mothers are assisted in childbirth  
*i.e. Normal Delivery, Caesarean Session, etc...*
- **Delivery Result Type:** the result you are interested to track in reporting  
*i.e. Live Birth, Newborn Death, Fresh Still Birth, etc...*
- **Disease Type:** the way you need to group similar diseases  
*i.e. Epidemic, Maternal, etc...*
- **Exam Type:** the way you need to group similar laboratory exams  
*i.e. Haematology, Parasitology, Serology, etc...*
- **Medicals Stock Mov Type:** the kind of movements, meant as charge or discharge, you may perform in the Medical Store  
*i.e. Charge, Discharge, Donation, Correction, etc...*
- **Medicals Type:** the way you need to group similar pharmaceuticals  
*i.e. Drugs, Chemical, Laboratory, etc...*
- **Operation Type:** the way you need to group similar surgical operations  
*i.e. Abdominal, Obstetrical, Orthopaedic, etc...*
- **Pregnant Treatment:** the treatments the hospital can provide to mothers

*i.e. First dose with SP, Second dose with SP, etc...*

- **Other Prices:** extra services the hospital can provide (it will be reflected in Prices lists)  
*i.e. Admission Fee, Food, POP, etc...*
- **Age Type:** the age classifications you use in the hospital  
*i.e. Newborn, Childhood, Adult, Elderly, etc...*
- **Vaccine Type:** the way you need to group similar vaccines  
*i.e. Child, Adult, Pregnant, etc...*
- **Dicom Type:** the way you need to group similar dicom  
*i.e. X-Ray, CT-Scan, NMR, etc...*

### 14.2.1 Admission Types (Admission Type)

Once you've pressed on **Admission Type** button from the **Types** menu you access the **Disease Type Browsing** window as showed below:



CODE	DESCRIPTION
A	AMBULANCE
R	REFERRAL
I	SELF

The functions available from this window (but similarly to other windows in **Types** menu) are:

- **New:** to enter a new type (cannot be used an already used code)
- **Edit:** to edit an already existing type (the code must be unchanged)
- **Delete:** to delete an already existing type (cannot be deleted if still used somewhere in the application)
- **Close:** to close the window

The Admission Types defined in this functionality will be reflected in the Admission function (see [Start the admission of a patient](#) and [Discharge of a patient](#) in this document).

### 14.2.2 Discharge Types (Discharge Type)

Once you've pressed on **Discharge Type** button from the **Types** menu you access the **Discharge Type Browsing** window as showed below:

Discharge type browsing	
CODE	Description
D	DEAD
ES	ESCAPE
EQ	NORMAL DISCHARGE
B	REFERRED

[New](#) [Edit](#) [Delete](#) [Close](#)

The functions available from this window (but similarly to other windows in **Types** menu) are:

- **New**: to enter a new type (cannot be used an already used code)
- **Edit**: to edit an already existing type (the code must be unchanged)
- **Delete**: to delete an already existing type (cannot be deleted if still used somewhere in the application)
- **Close**: to close the window

The Discharge Types defined in this functionality will be reflected in the Admission function (see [Start the admission of a patient](#) and [Discharge of a patient](#) in this document).

### 14.2.3 Delivery Types (Delivery Type)

Once you've pressed on **Delivery Type** button from the **Types** menu you access the **Delivery Type Browsing** window as showed below:

Delivery type browsing	
CODE	DESCRIPTION
B	BORN BEFORE ARRIVAL
C	DELIVERY ASSISTED BY CESARIAN SECTION
V	DELIVERY ASSISTED BY VACUUM EXTRACTION
N	NORMAL DELIVERY
R	TRIPLET DELIVERY (ND)
T	TWIN DELIVERY (ND)

[New](#) [Edit](#) [Delete](#) [Close](#)


The functions available from this window (but similarly to other windows in **Types** menu) are:

- **New**: to enter a new type (cannot be used an already used code)
- **Edit**: to edit an already existing type (the code must be unchanged)
- **Delete**: to delete an already existing type (cannot be deleted if still used somewhere in the application)
- **Close**: to close the window

The Delivery Types defined in this functionality will be reflected in the Admission function (see link:#10\_5\_4\_insertmodify\_delivery\_data in this document).

#### 14.2.4 Delivery Result Types (Delivery Result Type)

Once you've pressed on **Delivery Result Type** button from the **Types** menu you access the **Delivery Result Type Browsing** window as showed below:




The functions available from this window (but similarly to other windows in **Types** menu) are:

- **New**: to enter a new type (cannot be used an already used code)
- **Edit**: to edit an already existing type (the code must be unchanged)
- **Delete**: to delete an already existing type (cannot be deleted if still used somewhere in the application)
- **Close**: to close the window

The Delivery Result Types defined in this functionality will be reflected in the Admission function (see link:#10\_5\_4\_insertmodify\_delivery\_data in this document).

#### 14.2.5 Disease Types (Disease Type)

Once you've pressed on **Disease Type** button from the **Types** menu you access the **Disease Type Browsing** window as showed below:



The functions available from this window (but similarly to other windows in **Types** menu) are:


- **New**: to enter a new type (cannot be used an already used code)
- **Edit**: to edit an already existing type (the code must be unchanged)
- **Delete**: to delete an already existing type (cannot be deleted if still used somewhere in the application)

- [Close](#): to close the window

The Disease Types defined in this functionality will be reflected in the entire application, like in Disease definition or in OPD (see [Disease](#) and [Create a new patient visit](#) in this document).

#### 14.2.6 Exam Types (Exam Type)

Once you've pressed on **Exam Type** button from the **Types** menu you access the **Exam Types Browser** window as showed below:



CODE	DESCRIPTION
HB	1.Haematology
BT	2.Blood transfusion
PA	3.Parasitology
BA	4.Bacteriology
MC	5.Microscopy
SE	6.Serology
CH	7. Chemistry
OC	8.Occult Blood
OL	OLD EXAMS
OT	OTHER
SP	STOOLPARASITES
UR	URINALYSIS

Buttons at the bottom: New, Edit, Delete, Close.


The functions available from this window (but similarly to other windows in **Types** menu) are:

- [New](#): to enter a new type (cannot be used an already used code)
- [Edit](#): to edit an already existing type (the code must be unchanged)
- [Delete](#): to delete an already existing type (cannot be deleted if still used somewhere in the application)
- [Close](#): to close the window

The Exam Types defined in this functionality will be reflected in the Laboratory function (see [Laboratory](#) in this document).

#### 14.2.7 Medicals Stock Movement Types (Medicals Stock Mov Type)

Once you've pressed on **Medicals Stock Mov Type** button from the **Types** menu you access the **Medicals Stock Movement Types Browsing** window as showed below:



CODE	DESCRIPTION	TYPE
charge	Charge	+
discharge	Discharge	-


Buttons at the bottom: New, Edit, Delete, Close.

The functions available from this window (but similarly to other windows in **Types** menu) are:

- [New](#): to enter a new type (cannot be used an already used code)

- Edit: to edit an already existing type (the code must be unchanged)
- Delete: to delete an already existing type (cannot be deleted if still used somewhere in the application)
- Close: to close the window

By pressing the New button, you access the **New Medical Stock Movement Type** window as showed below:



The allowed types are “” and “-“ and this means that any kind of movements can be simplified as a charging () or a discharging (-) of the stock.

Examples could be:

- Positive correction (+)
- Negative correction (-)
- Donation (+)
- Lost (-)
- ...

The Medical Stock Movement Types defined in this functionality will be reflected in the Pharmaceutical Stock function (see [Insert stock movement](#) in this document).

#### **14.2.8 Medical Types (Medical Type)**

Once you've pressed on Medical Type button from the **Types** menu you access the **Medical Type Browsing** window as showed below:

Medical Type Browsing	
CODE	DESCRIPTION
K	Chemical
D	Drugs
L	LABORATORY
S	SURGERY

**New**   **Edit**   **Delete**   **Close**

The functions available from this window (but similarly to other windows in **Types** menu) are:

- **New**: to enter a new type (cannot be used an already used code)
- **Edit**: to edit an already existing type (the code must be unchanged)
- **Delete**: to delete an already existing type (cannot be deleted if still used somewhere in the application)
- **Close**: to close the window

The Medical Types defined in this functionality will be reflected in the entire application, like in Pharmacy function and Pharmaceutical Stock Ward (see [Insert a new pharmaceutical](#) and [Search Ward Pharmacy movements](#) in this document).

#### 14.2.9 Operation Types (**Operation Type**)

Once you've pressed on **Operation Type** button from the **Types** menu you access the **Operation Type Browsing** window as showed below:

Operation Type Browsing	
CODE	DESCRIPTION
AG	ABDOMINAL GENERAL SURGERY
GY	GYNECOLOGICAL
OB	OBSTETRICAL
OR	ORTHOPEDICAL
OS	OTHERS: SKIN AND SUBCUTANEOUS

**New**   **Edit**   **Delete**   **Close**

The functions available from this window (but similarly to other windows in **Types** menu) are:

- **New**: to enter a new type (cannot be used an already used code)
- **Edit**: to edit an already existing type (the code must be unchanged)
- **Delete**: to delete an already existing type (cannot be deleted if still used somewhere in the application)
- **Close**: to close the window

The Operation Types defined in this functionality will be reflected in the Admission function (see [Insert/modify Surgery data](#) in this document).

## 14.2.10 Pregnant Treatment Types (Pregnant Treatment Type)

Once you've pressed on **Pregnant Treatment Type** button from the **Types** menu you access the **Pregnant Treatment Type Browsing** window as showed below:

CODE	DESCRIPTION
A	ANC RE-ATTENDANCE
S1	FIRST DOSE WITH SP
I1	IMMUNISATION 1
I2	IMMUNISATION 2
I3	IMMUNISATION 3
N	NEW ANC ATTENDANCE
S2	SECOND DOSE WITH SP

Buttons at the bottom: New, Edit, Delete, Close.

The functions available from this window (but similarly to other windows in **Types** menu) are:

- **New**: to enter a new type (cannot be used an already used code)
- **Edit**: to edit an already existing type (the code must be unchanged)
- **Delete**: to delete an already existing type (cannot be deleted if still used somewhere in the application)
- **Close**: to close the window

The Pregnant Treatment Types defined in this functionality will be reflected in the Admission function (see link:#10-5-4-insertmodify-delivery-data in this document).

## 14.2.11 Other Prices (Other Prices)

Once you've pressed on **Other Prices** button from the **Types** menu you access the **Other Prices Browser** window as showed below:

Code	Description	OPD	IPD	Daily	Discharge	Undefined
OTH001	Amount per day	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


Buttons at the bottom: New, Edit, Delete, Close.

The functions available from this window (but similarly to other windows in **Types** menu) are:

- **New**: to enter a new price (can be used an already used code)
- **Edit**: to edit an already existing price (the code can be changed)
- **Delete**: to delete an already existing price (cannot be deleted if still used somewhere in the application)


- **Close**: to close the window

By pressing the **New** button, you access the **New Medical Stock Movement Type** window as showed below:




In order to insert a New Price, you must input following data:

- **Code**: is the Price code and should be unique; anyway, there are no restriction on this field since the application will use an internal code to identify univocally this item
- **Description**: the Price description that may include the code for a fast search
- **OPD**: if the price is applicable with OPD (not yet implemented)
- **IPD**: if the price is applicable with IPD (not yet implemented)
- **Daily**: if the price should be applied for every bed-day (not yet implemented) or just once; if checked, you will be asked for “how many days?” when using this item, with follow **Days** window:




- **Discharge**: if the item has to be treated as a negative value so it will act as a discharge in the bill statement (i.e. Charge-Off, Free-of-charge, etc...).
- **Undefined**: if the item has no value in the PriceList and the amount have to be set “on the fly” while editing a bill; if checked, you will be asked for “how much is it?” with follow **Undefined** window:



The Other Prices defined in this functionality will be reflected in the Accounting and PriceLists functions (see [Insert a new bill](#) and [Prices](#) in this document).

## 14.2.12 Age Types (Age Type)

Once you've pressed on **Age Type** button from the **Types** menu you access the **Age Type Browser** window as showed below:




d0	0	0	Newborn
d1	1	5	Early Childhood
d2	6	13	Late Childhood
d3	14	24	Adolescent
d4	25	59	Adult
d5	60	99	Elderly

[Edit](#) [Close](#)

Since OpenHospital 1.7 age ranges are fixed and the Administrator can only change their values to best fit the health normative in the country.

By pressing the **Edit** button, the table will allow you to modify only the age values and the button become a **Save** button now:




d0	0	0	Newborn
d1	1	5	Early Childhood
d2	6	13	Late Childhood
d3	14	24	Adolescent
d4	25	59	Adult
d5	60	99	Elderly

[Save](#) [Close](#)

By double-clicking on each value, you can change it by typing the new value. Then by pressing the **Save** button, the new information will be stored in the system.

Only integer values are allowed and every range must be **contiguous** and not **overlapped** with the previous or with the following one:

For instance, in following case, ranges Late Childhood and Adolescent are not **contiguous** and ages 14 and 15 are not defined in any range:



d0	0	0	Newborn
d1	1	5	Early Childhood
d2	6	13	Late Childhood
d3	16	24	Adolescent
d4	25	59	Adult
d5	60	99	Elderly

[Save](#) [Close](#)

In following case instead, ranges Late Childhood and Adolescent are **overlapped** since both starts from age 6:

d0	0	0	Newborn
d1	1	5	Early Childhood
d2	6	13	Late Childhood
d3	6	24	Adolescent
d4	25	59	Adult
d5	60	99	Elderly

**Save**    **Close**

The Age Types defined in this functionality will be reflected in the Patient Extended functionality (see [Insert a new Patient Extended](#) in this document).

#### 14.2.13 Vaccine Types ([Vaccine Type](#))

Once you've pressed on **Vaccine Type** button from the **Types** menu you access the **Vaccine Type Browsing** window as showed below:

CODE	DESCRIPTION
C	Child
N	No pregnant
P	Pregnant

**New**    **Edit**    **Delete**    **Close**

The functions available from this window (but similarly to other windows in **Types** menu) are:

- **New**: to enter a new type (cannot be used an already used code)
- **Edit**: to edit an already existing type (the code must be unchanged)
- **Delete**: to delete an already existing type (cannot be deleted if still used somewhere in the application)
- **Close**: to close the window

The Vaccine Types defined in this functionality will be reflected in the Vaccine function (see [Vaccines](#) in this document).

#### 14.2.14 Dicom Types ([Dicom Type](#))

Once you've pressed on **Dicom Type** button from the **Types** menu you access the **Dicom Type**

**Browsing** window as showed below:

	CODE	DESCRIPTION
CTS	CT-SCAN	
NRM	NM Resonance	
XRA	X-RAY	

**New** **Edit** **Delete** **Close**

The functions available from this window (but similarly to other windows in **Types** menu) are:

- **New**: to enter a new type (cannot be used an already used code)
- **Edit**: to edit an already existing type (the code must be unchanged)
- **Delete**: to delete an already existing type (cannot be deleted if still used somewhere in the application)
- **Close**: to close the window

The Dicom Types defined in this functionality will be reflected in the Dicom Load function (see [Dicom Viewer](#) in this document).

## 14.3 Hospital (Hospital)

Once you've pressed on **Hospital** button from the **General Data** menu you access the **Hospital information** window as showed below:

Name: NGAL St LUKE'S HOSPITAL

Address: P.O. BOX 85 - NEBBI

City: ANGAL

Telephone: +256 0472621076

Fax number: +256 0

Email address: angal@ucmb.ug.co.

**Edit** **Update** **Close**

By pressing the **Edit** button, the fields will allow you to modify the values and set the facility information where you're installing the software:

Hospital informations

Name: NGAL St LUKE'S HOSPITAL

Address: P.O. BOX 85 - NEBBI

City: ANGAL

Telephone: +256 0472621076

Fax number: +256 0

Email address: angal@ucmb.ug.co.

Edit    Update    Close

By pressing the **Update** button, the new information will be stored in the system and will be reflected in the entire application, like in reports heading (see **Statistics** in this document)

## 14.4 Ward (Ward)

Once you've pressed on **Ward** button from the **General Data** menu you access the **Ward Browser** window as showed below:

Wards browser

CODE	NAME	TELEPHONE	FAX	E-MAIL	BEDS	NURSES	DOCTORS	HAS PHAR...	Male	Female
C	CHILDREN WARDS	219			1000	18	1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
F	FEMALE WARDS	218			41	15	1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
I	MALE WARDS	210			53	14	1	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
M	MATERNITY WARDS				67	19	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

New    Edit    Delete    Close

The functions available from this window (but similarly to other windows in **Types** menu) are:

- **New**: to enter a new ward (cannot be used an already used code)
- **Edit**: to edit an already existing ward (the code must be unchanged)
- **Delete**: to delete an already existing ward (cannot be deleted if still used somewhere in the application)
- **Close**: to close the window

By pressing the **New** button, you access the **New ward record** window as showed below:

New ward record

Code *	T
Name *	FEMALE WARDS
Telephone	232
Fax	
E-mail	
Number of beds *	100
Number of nurses *	5
Number of doctors *	2
<input checked="" type="checkbox"/> Ward with pharmacy	
<input checked="" type="checkbox"/> Male Ward	
<input type="checkbox"/> Female Ward	

\* Required fields

OK    Cancel

In order to insert a new Ward, you must provide following compulsive inputs:

- **Code:** the ward code (it must be unique)
- **Name:** the name of the ward
- **Number of beds:** it will be reflected in the admission module to check available beds; 0 – zero beds wards will be not shown in the admission module
- **Number of nurses:** it may be reflected in some reports (0 – zero is allowed)
- **Number of doctors:** it may be reflected in some reports (0 – zero is allowed)
- **Ward with pharmacy:** it will be reflected in Pharmaceuticals Stock; if checked we are saying that this ward can be a destination for discharging movements, otherwise it will be not shown in the list
- **Male Ward:** if it is a male Ward
- **Female Ward:** if it is a female Ward

*\*NB\*: through this function we may define some wards with 0 - zero beds but with pharmacy, in order to have “logic” departments (rather than physical) to manage pharmacy movements*

The Wards defined in this functionality will be reflected in the entire application, like in Admission module, Pharmaceuticals Stock and Pharmaceuticals Stock Ward (see [Admission/Patient](#), [Pharmaceutical Stock](#) and [Pharmaceuticals Stock Ward](#) in this document).

## 14.5 Disease (Disease)

Once you've pressed on **General Data** button from the **General Data** menu you access the **Diseases Browser** window as showed below:

CODE	TYPE	NAME
127	3.MATERNAL AND PERINATAL DISEASES	Abortion due to Gender based violence(GBV)
28	3.MATERNAL AND PERINATAL DISEASES	Abortions
128	3.MATERNAL AND PERINATAL DISEASES	Abortions due to other causes
1	1.EPIDEMIC PRONE DISEASES	Acute Flaccid Paralysis
106	8.MEDICAL EMERGENCIES	Acute renal failure
107	8.MEDICAL EMERGENCIES	Acute sepsis
123	1.EPIDEMIC PRONE DISEASES	Adverse Events Following Immunization (AERI)
75	4.NON-COMMUNICABLE DISEASES	Alcohol abuse
49	9. All Other	All Other DISEASEs (specify)
12	4.NON-COMMUNICABLE DISEASES	Anaemia
82	4.NON-COMMUNICABLE DISEASES	Animal bite
71	4.NON-COMMUNICABLE DISEASES	Anxiety disorders
68	4.NON-COMMUNICABLE DISEASES	Asthma
5	1.EPIDEMIC PRONE DISEASES	Bacterial Meningitis
93	4.NON-COMMUNICABLE DISEASES	Benine neoplasm's ( all type )
133	4.NON-COMMUNICABLE DISEASES	Bipolar disorder
94	4.NON-COMMUNICABLE DISEASES	Cancer of the breast
137	4.NON-COMMUNICABLE DISEASES	Cancer of the cervix (re-attendance)
120	4.NON-COMMUNICABLE DISEASES	cancer of the cervix(newly diagnosed cases)
95	4.NON-COMMUNICABLE DISEASES	Cancer of the prostate
103	8.MEDICAL EMERGENCIES	Cardiac arrest
19	4.NON-COMMUNICABLE DISEASES	Cardio-vascular diseases
118	4.NON-COMMUNICABLE DISEASES	Cardiovascular Diseases (other)
102	8.MEDICAL EMERGENCIES	Cerebro-vascular event
76	4.NON-COMMUNICABLE DISEASES	Childhood mental disorders

Select type ALL

New

Edit

Delete

Close

The functions available from this window (but similarly to other windows in **Types** menu) are:

- **Selected Type:** you may filter the list by selecting only one DiseaseType
- **New:** to enter a new disease (cannot be used an already used code)
- **Edit:** to edit an already existing disease (the code and type must be unchanged)
- **Delete:** to delete an already existing disease (it is set as not present in OPD neither in IPD)
- **Close:** to close the window

By pressing the **Edit** button, the **Edit Disease** window will appear as shown below:

**Edit disease (v 1.1)**

Type	1.NOTIFIABLE DISEASES
Code	95
Description	Cancer of the prostate
<input type="checkbox"/> OPD <input checked="" type="checkbox"/> IPD -IN- <input checked="" type="checkbox"/> IPD -OUT-	
<input type="button" value="OK"/> <input type="button" value="Cancel"/>	

In editing mode, you cannot change type and code but only modify the Description and specify if the disease should appear in OPD, Admissions or both.

By removing the check from both checkboxes OPD and IPD you are performing a **Delete** action, that is disabling it to not appear anymore in the application. Anyway, this can be changed anytime by editing it again.

The Diseases defined in this functionality will be reflected in the entire application, like in Admission module and OPD module (see [Admission/Patient](#) and [Outpatient Department Management](#) in this document).

## 14.6 Exam (Exams)

Once you've pressed on **Exams** button from the **General Data** menu you access the **Exam Browsing** window as showed below:

CODE	TYPE	DESCRIPTION	PROC	DEFAULT
01.02	1. Hematologie	1.2 numeration WBC	1	4000 - 7000 (NORMALE)
01.03	1. Hematologie	1.3 differentiel	1	RESULTATS EN NOTE
01.04	1. Hematologie	1.4 Commentaire de film	1	RESULTATS EN NOTE
01.05	1. Hematologie	1.5 ESR	1	NORMALE
01.06	1. Hematologie	1.6 Test de falcification	1	NEGATIF
01.01	2. Transfusion sanguine	1.1 Numeric Testing exam	1	2000 - 3000 (NORMALE EXP)
02.01	2. Transfusion sanguine	2.1 Regroupement	1	
02.02	2. Transfusion sanguine	2.2 Reaction de Coombs	1	NEGATIF
03.01	3. Parasitologie	3.1 Diapositive de sang (paludisme)	1	NEGATIF
03.02.1	3. Parasitologie	3.21 trypanosomiasis	1	NEGATIF
03.02.2	3. Parasitologie	3.22 MICROFILAIRES	1	NEGATIF

Below the table are buttons for **Select type** (with dropdown menu showing **ALL**), **New**, **Edit**, **Delete**, **Results**, and **Close**.

The functions available from this window (but similarly to other windows in **Types** menu) are:

- **Find:** you may filter the list by typing a keyword.
- **Selected Type:** you may filter the list by selecting only one ExamType
- **New:** to enter a new exam (cannot be used an already used code)
- **Edit:** to edit an already existing exam (the code and type must be unchanged)
- **Delete:** to delete an already existing exam (it is set as not present in OPD neither in IPD)
- **Results:** to define possible results for the selected exam
- **Close:** to close the window

By pressing the **Edit** button, the **Edit Exam** window will appear as shown below:


The window has the title "Edit exam (v 1.1)". It contains the following fields:

- Type: 1.Haematology
- Code: 01.06
- Description: 1.6 Sickling Test
- Procedure: 1
- Default: NEGATIVE

At the bottom are **Ok** and **Cancel** buttons.

In editing mode, you cannot change type, code and procedure but only modify the Description and the default value.

By pressing the **New** button, the **New Exam** window will appear as shown below:



In order to insert a new Exam, you must input the following data:

- **Type**: is the Exam Type (see [Exam Types](#) in this document)
- **Code**: you cannot use an already used code; a warning window will appear in case
- **Description**: is the exam name
- **Procedure**: the kind of results for this exam (see [Results](#) in this document)
- **Default**: a default value among the result we are going to define (see [Results](#) in this document)

#### 14.6.1 Results ([Results](#))

Once you've inserted a new exam you may define the set of results it can allow by first selecting the exam in the **Exam Browsing** window and then by pressing on the **Results** button.

In OpenHospital 1.7 you can define two kind of set of results, called "Procedure":

- **Procedure 1**: a set of values as description; only one will be selectable as exam **Single Result**
- **Procedure 2**: a set of Positive/Negative values; all of them will figure as exam **Multiple Results**

The difference between **Procedure1** and **Procedure2** will be seen in the Laboratory module (see [Create a new laboratory exam](#) and [Laboratory Multiple Insert](#) in this document)

So, the two possibilities are showed below:

The screenshot shows a software window titled "1.1 HB Results". At the top left is a small icon of a document with a flame. The main area contains a table with two columns: "CODE" and "DESCRIPTION". The table has three rows:

CODE	DESCRIPTION
220	5-12
219	<5
89	>=12 (NORMAL)

At the bottom of the window are three buttons: "New", "Delete", and "Close".

The functions available from both windows are:

- **New**: to enter a new result
- **Delete**: to delete an already inserted result
- **Close**: to close the window

## 14.7 Operations (Operation)

Once you've pressed on **Operation** button from the **General Data** menu you access the **Operation Browser** window as showed below:

The screenshot shows a software window titled "Operations browser". At the top left is a small icon of a document with a flame. The main area contains a table with three columns: "ID", "TYPE", and "NAME". The table has many rows, some of which are:


ID	TYPE	NAME
45	ABDOMINAL GENERAL SURGERY	Abdominal Tumours
13	GYNECOLOGICAL	Acute abdomen
43	ABDOMINAL GENERAL SURGERY	Appendicitis
1	OBSTETRICAL	Caesarian section
44	ABDOMINAL GENERAL SURGERY	Cholecystitis
51	OTHERS: SKIN AND SUBCUTANEOUS	Debridement
11	OBSTETRICAL	Dilatation and curettage
14	GYNECOLOGICAL	Ectopic pregnancy
3	OBSTETRICAL	elective
2	OBSTETRICAL	emergency
13123	GYNECOLOGICAL	Epigastrical Hernia
34	ABDOMINAL GENERAL SURGERY	Epigastrical Hernia
8	OBSTETRICAL	Evacuations
31	ABDOMINAL GENERAL SURGERY	Hernia (inguinal & femoral)
7	OBSTETRICAL	Hysterectomy
4	OBSTETRICAL	Hysterectomy
50	OTHERS: SKIN AND SUBCUTANEOUS	Incision & drainage
9	OBSTETRICAL	Incomplete abortion
6	OBSTETRICAL	Injured uterus
37	ABDOMINAL GENERAL SURGERY	Intestinal obstruction
40	ABDOMINAL GENERAL SURGERY	Laparotomy
48	ORTHOPEDICAL	Lower limb
38	ABDOMINAL GENERAL SURGERY	Mechanical
52	OTHERS: SKIN AND SUBCUTANEOUS	Mise -a- plat

At the bottom of the window are buttons: "Select type ALL", "New", "Edit", "Delete", and "Close".

The functions available from this window (but similarly to other windows in **Types** menu) are:

- **Selected Type:** you may filter the list by selecting only one OperationType
- **New:** to enter a new operation (cannot be used an already used code)
- **Edit:** to edit an already existing operation (the code and type must be unchanged)
- **Delete:** to delete an already existing operation (it is set as not present in OPD neither in IPD)
- **Close:** to close the window

By pressing the **Edit** button, the ***Editing operation record*** window will appear as shown below:



In editing mode, you cannot change type and code but only modify the Description and specify if the operation concerns Major or Minor surgery for statistical purpose (not yet implemented).

The Operations defined in this functionality will be reflected in the entire application, like in Admission module (see [Insert/modify Surgery data](#) in this document).

## 14.8 Vaccine (Vaccine)

Once you've pressed on **Vaccine** button from the ***General Data*** menu you access the ***Vaccine Browser*** window as showed below:


Code *	Type	Description *
1	Child	BCG
6	Child	DPT 1 - HepB + Hib 1
7	Child	DPT 2 - HepB + Hib 1
8	Child	DPT 3 - HepB + Hib 1
9	Child	MEASLES
2	Child	POLIO 0 C
3	Child	POLIO 1 C
4	Child	POLIO 2 C
5	Child	POLIO 3 C
10	Pregnant	TT VACCINE DOSE 1

Select type **ALL**   **New**   **Edit**   **Delete**   **Close**

The functions available from this window (but similarly to other windows in ***Types*** menu) are:

- **Selected Type:** you may filter the list by selecting only one VaccineType
- **New:** to enter a new vaccine (cannot be used an already used code)
- **Edit:** to edit an already existing vaccine (the code and type must be unchanged)
- **Delete:** to delete an already existing vaccine (it is set as not present in OPD neither in IPD)
- **Close:** to close the window

By pressing the **Edit** button, the **Edit vaccine record** window will appear as shown below:




In editing mode, you cannot change type and code but only modify the Description.

The Vaccines defined in this functionality will be reflected in the entire application, like in Vaccine module (see [Vaccines](#) in this document).

## 14.9 Prices (Price Lists)

Once you've pressed on **Price Lists** button from the **General Data** menu you access the **Prices Browser** window as showed below:



The functions available from this window are:

- **SAVE**: to save any modification made to the pricelist
- **Printing**: to print the current Price List
- **Cancel**: to close the window
- Switch pricelist: you can focus on a different pricelist by selecting it on the upper-left corner of

the window

- **Manage Lists:** you can define how many and which pricelist will be available in the application (see [Pricelists](#) in this document)


The **Prices Browser** window shows the list of all prices in the selected pricelists; the system automatically creates a price for every Exam (see [Exam](#)), Operation (see [Operations](#)) and Medical (see [Pharmaceuticals](#)) defined in the system, plus other prices defined in Other Prices module (see [Other Prices](#))

In order to modify a price just double-click on it and type the new price.

\*NB\*: if a price has been defined as “undefined” (see [Other Prices](#)) it will look as 0 – zero and cannot be modified.

\*NB\*: Exams, Operations and Medicals prices are automatically created as OPD, IPD, not “daily”, not “undefined”, not “discharge”; see [Other Prices](#) for more information.

When all modifications have been made, you can store them permanently in the system by pressing **SAVE** button. After some instants a confirmation message will inform you about the success of the operation:



#### 14.9.1 Pricelists (Manage Lists)

Once you've pressed on **Manage Lists** button from the **Prices Browser** window you access the **List Browser** window as showed below:

ID	Name	Description	Currency
LIST001	Basic	Basic price list	KShs

Below the table are five buttons: **New**, **Copy**, **Edit**, **Delete**, and **Close**.

The functions available from this window (but similarly to other windows in **Types** menu) are:


- **New:** to enter a new pricelist

- **Copy:** to create a new pricelist as a copy of another one
- **Edit:** to edit an already existing pricelist
- **Delete:** to delete an already existing pricelist
- **Close:** to close the window

By pressing the **Copy** button, the application will guide you step by step by asking:

1. a **Name** of the new pricelist
2. a **Multiplier** for all prices in the selected pricelist
3. a **Rounding factor** for all prices in the new pricelist

Depending on the size of the selected pricelist, after some instants a confirmation message will inform you about the success of the operation:



By default, the new list is created with following information:

**ID:** “aCode”


**Name:** the name you provided in the step by step copying procedure

**Description:** “aDescription”

**Currency:** the same of the selected pricelist

Once the copy has been created you may want to change default information by editing the pricelist just created.

By pressing the **Edit** button, the **Edit list** window will appear as shown below:




In editing mode, you can change all data related to the list.

The Lists defined in this functionality will be reflected in the Accounting module (see [Insert a new bill](#) in this document).

## 14.10 Supplier (Supplier)

Once you've pressed on **Supplier** button from the **General Data** menu you access the **Supplier Browser** window as showed below:



The functions available from this window are:

- **New**: to insert a new supplier
- **Edit**: to edit an existing supplier
- **Delete**: to delete a supplier
- **Close**: to close the window

The **Supplier Browser** window shows the list of all suppliers in the system.

In order to add a supplier, click the **New** button to access the **New supplier** window as shown below

The screenshot shows a Windows-style dialog box titled "New Supplier". The form contains the following fields:

- ID
- Name \*
- Address
- Tax Number ID
- Telephone
- Fax number
- E-mail
- Note
- Deleted

A note at the bottom left of the form area says "\* Required fields". At the bottom right are two buttons: "OK" and "Cancel".

In order to insert a new Supplier, you must input the following data:

- **Name:** is the Supplier name (it is the only required field)
- **Address:** is the Supplier address
- **Tax Number ID:** is the Supplier tax number
- **Telephone:** is the Supplier phone number
- **Fax number:** is the Supplier fax number
- **Fax number:** is the Supplier fax number
- **E-mail:** is the Supplier email address
- **Note:** Additional note concerning the supplier
- **Deleted:** Check this checkbox to mark the Supplier as deleted.


Then click **OK** to save the new Supplier.

In order to Edit Supplier information, in the **Supplier browser** highlights the Supplier and click the **Edit** button to open the **Edit Supplier** window. Perform modifications and click **Ok** to save.

In order to delete a Supplier, in the **Supplier browser** highlights the Supplier and click the **Delete** button to delete the selected Supplier.

## 14.11 SMS Manager (SMS Manager)

Once you've pressed on **SMS Manager** button from the **General Data** menu you access the **SMS Manager** window as showed below:




The functions available from this window are:

- **New**: to send a new SMS.
- **Delete**: to delete a SMS
- **Close**: to close the window

You can also filter SMS list by period.

In order to send a new SMS, click the **New** button to access the **New SMS** window.



In order to insert a new SMS, you must input the following data:

- **Scheduled Date:** use this field to plan sending a SMS in the future. Live the current date and time to send the SMS immediately.
- **Scheduled Time:** use this field to plan sending a SMS in the future. Live the current date and time to send the SMS immediately.
- **Number:** the recipient of the SMS. You can select a patient by clicking the button . The phone number of the selected patient will be automatically inserted.
- **SMS:** type the SMS in the white space bellow

Then click **OK** to save the new SMS. If the scheduled data and time is now, the SMS is immediately sent.


*\*NB: \* Sending SMS in OpenHospital require that the Gateway is well configured. You can use a GSM gateway or a WebApi Gateway. Ask your administrator how to do it or read the Administrator's Guide.*

In order to delete a SMS, highlights it and click the **Delete** button to delete the SMS.

## 15 Users & Groups (**File** → **Users**)

The User Menu can be enabled or disabled by changing the *SINGLEUSER* flag in the configuration file. Ask to your Administrator how to do it or read the *Administrator's Guide*.

If *SINGLEUSER* is set to NO the following login window will appear when the program starts:



Once successfully logged in the system, you have been enabled by the administrator you will find the **Users** button in the **File** submenu.

Once you've pressed on **Users** button from the **File** submenu you access the **Users** submenu as showed below:



OpenHospital allows the management of users organized into groups; each group is characterized by different permissions assigned by the Administrator.

Before to register a new user in the system, we should ensure there is a group with its related rights, where the user can be added to.

## 15.1 Groups (**Groups**)

Once you've pressed on **Groups** button from the **Users** submenu you access the **Groups Browser** window as showed below:


GROUP	DESC
admin	USER with all the privileges
guest	Read Only Users

The window has a toolbar at the bottom with buttons: Edit, New, GroupMenu, Delete, Close.

The functions available from this window are:

- **Edit**: to edit an already existing group (only description can be changed)
- **New**: to enter a new group
- **GroupMenu**: to define rights and permission on a selected group
- **Delete**: to delete an already existing group
- **Close**: to close the window

By pressing the **GroupMenu** button, the **Menu Item Browser** window will appear as shown below:




The window shows the full set of function of OpenHospital in a tree format:

- main is the “trunk”: the main menu
- **Blue** nodes are the “branches”: menus and windows
- **Black** nodes are the “leaves”: buttons and functions


By double-clicking on each branch or leaves we can enable or disable that function or set of functions for the selected group.

For instance, the group “Registration Office” and the group “Cashiers” may have the following group permission configurations:




So, the Registration Office group can only use the Admission/Patient module to insert and edit patients, while the Cashiers group can only use the Accounting module in order to produce bills. Both can run HELP (this guide) and Communication module.

So, the “main menu” for each user registered in Registration Office group and for each one in Cashiers group will appears like following:



Registration Office Menu



Cashiers Menu

## 15.2 Users (Users)

Once you've pressed on **Users** button from the **Users** submenu you access the **Users Browser** window as showed below:

USER	GROUP	PASSWD	DESC
admin	admin	xxxxxx	administrator
Allan	admin	xxxxxx	
Bob	admin	xxxxxx	
guest	guest	xxxxxx	guest
John	admin	xxxxxx	
Judith	Cashiers	xxxxxx	Cashier
Katy	registration	xxxxxx	Receptionist
Mary	admin	xxxxxx	


At the bottom of the window, there are buttons for Select group (with a dropdown menu showing 'ALL'), Edit, New, Delete, and Close.

The functions available from this window are:

- **Selected group:** you may filter the list by selecting only one Group
- **Edit:** to edit an already existing user (the group must be unchanged)

- **New:** to enter a new user (cannot be used an already used name)
- **Delete:** to delete an already existing user
- **Close:** to close the window

By pressing the **Edit** button, the ***Editing user record*** window will appear as shown below:



In editing mode, you cannot change the type (group) and the name but only the password, that is invisible in this window.

Each user is so identified by a name, a description and a **password** that can be modified in any moment by the Administrator.

# 16 License



Informatici Senza Frontiere Onlus, 2020

User's Guide, © 2020 by [Informatici Senza Frontiere Onlus](#)

Policies is made available under a [Creative Commons Attribution-ShareAlike 4.0 International License](#):  
<http://creativecommons.org/licenses/by-sa/4.0/>.

[1] Informatici Senza Frontiere = Computer scientists without frontiers

[2] Open-source = software for which the original **source code** is made available to anyone free of charge.