

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц ОКТЯБРЬ

Год 1957.

III/5

Число	Г л у б и н а , м										Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0			
1	0.0	0.0	0.0	0.0	0.0	-0.3	-0.5	0.0			
2				0.0	0.0	-0.3	-0.4	0.0			
3				-0.1	0.0	-0.1	-0.4	0.0			
4				-0.1	0.0	-0.3	-0.4	0.0			
5				-0.1	0.0	-0.3	-0.4	0.0			
6				-0.1	0.0	-0.3	-0.4	0.0			
7				-0.1	0.0	-0.3	-0.4	0.0			
8				-0.1	0.0	-0.3	-0.4	0.0			
9				-0.2	0.0	-0.3	-0.4	0.0			
10				-0.2	0.0	-0.3	-0.4	0.0			
11				-0.7	0.0	-0.3	-0.4	0.0			
12				-0.9	0.0	-0.3	-0.4	0.0			
13				-0.9	0.0	-0.3	-0.4	0.0			
14				-1.0	0.0	-0.3	-0.4	0.0			
15				-1.1	0.0	-0.3	-0.4	0.0			
16	-7.2	-4.7		-1.2	0.0	-0.3	-0.4	0.0			
17	-8.0	-7.9		-1.3	0.0	-0.3	-0.4	0.0			
18	-8.6	-7.0		-1.5	-0.1	-0.3	-0.4	0.0			
19	-8.2	-7.5		-1.6	-0.1	-0.3	-0.4	0.0			
20	-9.8	-8.2		-1.7	-0.2	-0.3	-0.4	0.0			
21	-9.3			-1.8	-0.3	-0.3	-0.4	0.0			
22	-9.7			-1.9	-0.4	-0.3	-0.3	0.0			
23	-9.2			-2.0	-0.5	-0.3	-0.3	0.0			
24	-9.3			-2.1	-0.6	-0.3	-0.3	0.0			
25	-12.3	-10.3		-2.2	-0.7	-0.3	-0.3	0.0			
26	-11.2	-10.6	-7.6	-2.3	-0.8	-0.3	-0.3	0.0			
27	-10.4			-2.5	-0.8	-0.3	-0.3	0.0			
28	-9.8			-2.6	-0.9	-0.3	-0.3	0.0			
29	-9.5			-2.7	-0.9	-0.3	-0.3	0.0			
30	-8.4			-2.8	-0.9	-0.3	-0.3	0.0			
31	-8.7			-2.9	-1.0	-0.4	-0.3	0.0			
Среднее за месяц	(-5.7)	(-5.7)	(-4.0)	-1.2	-0.3	-0.3	-0.4	0.0			

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц НОЯБРЬ

Год 1957

III/5

Число	Г л у б и н а , м									Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0		
1	-9.8	-9.7		-3.0	-1.0	-0.3	-0.3	0.0		
2	-10.6	-10.2		-3.0	-1.1	-0.4	-0.3	0.0		
3	-11.1	-10.4		-3.1	-1.1	-0.4	-0.3	0.0		
4	-11.4	-10.5		-3.2	-1.1	-0.4	-0.3	0.0		
5	-11.7	-10.5		-3.2	-1.2	-0.4	-0.3	0.0		
6	-11.2	-10.4		-3.3	-1.2	-0.4	-0.3	0.0		
7	-10.5	-10.3		-3.3	-1.2	-0.4	-0.3	0.0		
8	-9.6	-9.6		-3.4	-1.3	-0.4	-0.3	0.0		
9		-8.2	-3.5	-1.3	-0.4	-0.3	0.0			
10	-10.2	-10.0		-3.6	-1.3	-0.4	-0.3	0.0		
11	-10.3	-10.1		-3.7	-1.4	-0.4	-0.3	0.0		
12	-10.2	-10.1		-3.7	-1.4	-0.4	-0.3	0.0		
13	-9.5	-9.3		-3.7	-1.5	-0.4	-0.3	0.0		
14	-8.9	-8.6		-3.8	-1.5	-0.4	-0.3	0.0		
15	-8.6	-8.4		-3.8	-1.5	-0.4	-0.3	0.0		
16	-8.4	-8.2		-3.8	-1.5	-0.4	-0.3	0.0		
17	-8.1	-8.0		-3.9	-1.6	-0.4	-0.3	0.0		
18	-8.2	-8.1		-3.9	-1.7	-0.5	-0.3	0.0		
19	-8.0	-8.0	-6.2	-3.9	-1.8	-0.5	-0.3	0.0		
20	-8.0	-8.2		-3.9	-1.8	-0.5	-0.3	0.0		
21				-3.9	-1.8	-0.5	-0.3	0.0		
22	-8.1	-7.9		-3.9	-1.8	-0.5	-0.3	0.0		
23	-8.2	-8.2		-3.9	-1.8	-0.5	-0.3	0.0		
24	-8.8	-8.6		-3.9	-1.8	-0.5	-0.3	0.0		
25	-8.8	-8.8		-3.9	-1.9	-0.5	-0.3	0.0		
26	-8.8			-3.9	-1.9	-0.5	-0.3	0.0		
27	-8.8			-3.9	-1.9	-0.5	-0.3	0.0		
28	-8.8			-3.9	-1.9	-0.5	-0.3	0.0		
29	-8.8			-3.9	-1.9	-0.6	-0.2	0.0		
30	-9.8	-9.4		-4.0	-2.1	-0.6	-0.2	0.0		
31										
Среднее за месяц	-9.4	-9.3	(-7.1)	-3.6	-1.6	-0.4	-0.3	0.0		

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц ДЕКАБРЬ

Год 1957

III/5

Число	Г л у б и н а , м										Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0			
1											
2				-4.0	-1.9	-0.5	-0.3	0.0			
3	-10.2	-10.0	-8.0	-4.0	-2.0	-0.5	-0.3	0.0			
4											
5	-15.6	-11.4		-4.2	-2.0	-0.6	-0.2	0.0			
6	-16.3	-13.3		-4.3	-2.0	-0.5	-0.3	0.0			
7	-12.4	-13.6		-4.3	-2.0	-0.6	-0.3	0.0			
8	-12.4	-12.5		-4.3	-2.0	-0.6	-0.3	0.0			
9	-11.9	-11.2		-4.4	-2.0	-0.6	-0.3	0.0			
10	-14.8	-12.5		-4.4	-2.1	-0.6	-0.3	0.0			
11	-13.2	-11.8		-4.5	-2.1	-0.7	-0.3	0.0			
12		-11.4		-4.5	-2.1	-0.7	-0.3	0.0			
13	-17.2	-11.9		-4.6	-2.1	-0.7	-0.3	0.0			
14		-11.1		-4.6	-2.1	-0.7	-0.3	0.0			
15	-18.2	-11.9		-4.7	-2.2	-0.7	-0.3	0.0			
16				-4.8	-2.2	-0.7	-0.3	0.0			
17	-9.2	-11.1		-4.8	-2.2	-0.7	-0.3	0.0			
18	-10.6	-10.6		-4.9	-2.2	-0.7	-0.3	0.0			
19	-12.4	-10.7		-4.9	-2.3	-0.7	-0.3	0.0			
20	-6.7	-10.7		-4.9	-2.3	-0.7	-0.3	0.0			
21	-4.5	-10.6		-5.0	-2.3	-0.7	-0.3	0.0			
22	-6.7	-10.4		-5.0	-2.3	-0.7	-0.3	0.0			
23		-10.4		-5.0	-2.4	-0.7	-0.3	0.0			
24	-10.8	-10.5		-5.0	-2.4	-0.7	-0.3	0.0			
25		-10.5		-5.0	-2.4	-0.7	-0.3	0.0			
26				-5.1	-2.4	-0.7	-0.3	0.0			
27	-18.1	-11.9		-5.1	-2.4	-0.8	-0.3	0.0			
28				-5.1	-2.4	-0.8	-0.3	0.0			
29	-14.6	-12.8	-10.0	-5.2	-2.5	-0.8	-0.3	0.0			
30	-16.5			-5.3	-2.6	-0.8	-0.3	0.0			
31	-16.0	-11.9		-5.4	-2.7	-0.9	-0.3	0.0			
Среднее за месяц	-12.1	-11.5	(-9.0)	-4.7	-2.2	-0.7	-0.3	0.0			

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц ЯНВАРЬ

Год 1958

III/5

Число	Г л у б и н а , м										Глу- бина снега
	0.0	0.5	I.0	2.0	3.0	6.0	10.0	25.0			
1				-5.4	-2.7	-0.8	-0.3	0.0			
2	-17.9	-10.9		-5.4	-2.7	-0.8	-0.3	0.0			
3	-17.6	-11.0		-5.5	-2.7	-0.7	-0.3	0.0			
4	-19.4	-11.2		-5.5	-2.7	-0.8	-0.3	0.0			
5	-8.6	-11.5		-5.6	-2.7	-0.9	-0.3	0.0			
6	-5.2	-13.0		-5.7	-2.7	-0.9	-0.3	0.0			
7	-4.9	-12.4		-5.8	-2.8	-0.9	-0.3	0.0			
8				-5.8	-2.8	-0.9	-0.3	0.0			
9				-5.9	-2.9	-0.9	-0.3	0.0			
10	-13.4	-10.6	-10.1	-5.9	-2.9	-0.9	-0.3	0.0			
11				-5.9	-2.9	-0.9	-0.3	0.0			
12	-16.7	-10.7		-6.0	-3.0	-0.9	-0.3	0.0			
13	-14.6	-10.8		-6.0	-3.0	-0.9	-0.3	0.0			
14	-13.2	-10.8		-6.0	-3.0	-0.9	-0.3	0.0			
15	-17.0	-10.8		-6.0	-3.0	-0.9	-0.3	0.0			
16	-15.0	-10.8		-6.0	-3.0	-0.9	-0.3	0.0			
17	-14.0	-10.8		-6.0	-3.1	-0.9	-0.3	0.0			
18	-13.5	-10.8		-6.0	-3.1	-0.9	-0.3	0.0			
19	-13.3	-10.8		-6.0	-3.1	-0.9	-0.3	0.0			
20	-13.2	-10.7		-6.0	-3.1	-0.9	-0.3	0.0			
21	-14.9	-10.5		-6.0	-3.2	-1.0	-0.3	0.0			
22	-16.5	-10.8		-6.0	-3.2	-1.0	-0.3	0.0			
23	-17.4	-10.7	-9.0	-6.0	-3.2	-1.0	-0.3	0.0			
24	-18.3	-10.7		-6.0	-3.2	-1.1	-0.3	0.0			
25	-18.1	-10.7		-6.0	-3.3	-1.1	-0.3	0.0			
26				-6.1	-3.3	-1.1	-0.3	0.0			
27		-II.1		-6.1	-3.3	-1.1	-0.4	0.0			
28	-19.6	-II.4		-6.1	-3.3	-1.1	-0.4	0.0			
29	-20.1	-II.7		-6.1	-3.3	-1.1	-0.4	0.0			
30	-18.4	-II.0		-6.1	-3.3	-1.1	-0.4	0.0			
31	-17.0	-II.0		-6.2	-3.4	-1.1	-0.4	0.0			
Среднее за месяц	-16.1	-II.2	(- 9.3)	-5.9	-3.0	-0.9	-0.3	0.0			

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц ФЕВРАЛЬ

Год 1958

III/5

Число	Г л у б и н а , м										Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0			
1	-14.0	-11.8	-9.5	-6.2	-3.3	-1.2	-0.4	0.0			
2	-13.9	-11.4	(-9.5)	-6.3	-3.3	-1.2	-0.3	0.0			
3	-14.1	-11.0	(-9.5)	-6.3	-3.3	-1.2	-0.4	0.0			
4	-14.1	-11.3	(-9.5)	-6.3	-3.4	-1.2	-0.4	0.0			
5		-9.5	-6.3	-3.4	-1.2	-0.4	0.0				
6		-9.5	-6.3	-3.4	-1.2	-0.4	0.0				
7		-9.5	-6.3	-3.4	-1.2	-0.4	0.0				
8		-9.5	-6.3	-3.4	-1.2	-0.4	0.0				
9		-9.6	-6.3	-3.4	-1.2	-0.4	0.0				
10	-16.6	-10.6	-9.6	-6.3	-3.4	-1.2	-0.4	0.0			
11	-14.3	-10.8	-9.6	-6.3	-3.4	-1.2	-0.4	0.0			
12		-9.6	-6.3	-3.5	-1.3	-0.4	0.0				
13	-17.3	-11.0	(-9.6)	-6.3	-3.5	-1.3	-0.4	0.0			
14	-16.4	-11.1	(-9.6)	-6.3	-3.5	-1.3	-0.4	0.0			
15	-15.8	-11.1	(-9.6)	-6.3	-3.5	-1.3	-0.4	0.0			
16	-16.2	-11.0	(-9.7)	-6.3	-3.5	-1.3	-0.4	0.0			
17	-16.2	-11.3	(-9.7)	-6.3	-3.5	-1.3	-0.4	0.0			
18	-13.3	-11.6	(-9.7)	-6.4	-3.6	-1.3	-0.4	0.0			
19	-15.8	-10.8	-9.7	-6.4	-3.6	-1.3	-0.4	0.0			
20	-15.0	-10.7	-9.8	-6.4	-3.6	-1.3	-0.4	0.0			
21	-15.0	-10.8	(-9.7)	-6.4	-3.6	-1.3	-0.4	0.0			
22	-15.2	-10.8	(-9.5)	-6.4	-3.6	-1.3	-0.4	0.0			
23	-15.2	-10.8	(-9.5)	-6.4	-3.6	-1.3	-0.4	0.0			
24	-15.2	-10.7	(-9.5)	-6.4	-3.6	-1.3	-0.4	0.0			
25	-15.0	-10.7	-9.5	-6.4	-3.6	-1.3	-0.4	0.0			
26	-14.2	-10.8	-9.5	-6.4	-3.6	-1.3	-0.4	0.0			
27	-13.6	-10.7	-9.5	-6.4	-3.6	-1.3	-0.4	0.0			
28	-13.3	-10.5	-9.4	-6.4	-3.6	-1.4	-0.4	0.0			
29											
30											
31											
Среднее за месяц	-15.0	-11.1	(-9.6)	-6.4	-3.5	-1.3	-0.4	0.0			

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц МАРТ

Год 1958

III/5

Число	Г л у б и н а , м												Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0					
1	-10.5	-9.4	-6.4	-3.6	-1.4	-0.4	0.0						
2	-13.3	-10.5	-9.4	-6.4	-3.6	-1.4	-0.4	0.0					
3	-13.5	-10.4	-9.2	-6.4	-3.6	-1.3	-0.4	0.0					
4	-13.8	-10.3	-9.2	-6.4	-3.6	-1.4	-0.4	0.0					
5	-13.7	-10.3	-9.1	-6.4	-3.7	-1.4	-0.4	0.0					
6	-13.8	-10.3	-9.1	-6.4	-3.7	-1.4	-0.4	0.0					
7	-13.8	-10.3	-9.1	-6.4	-3.7	-1.5	-0.4	0.0					
8	-11.4	-10.3	-9.1	-6.4	-3.8	-1.5	-0.4	0.0					
9	-11.5	-10.3	-9.1	-6.4	-3.7	-1.5	-0.4	0.0					
10	-11.4	-10.3	-9.1	-6.4	-3.7	-1.5	-0.4	0.0					
11	-11.2	-10.2	-9.1	-6.4	-3.8	-1.5	-0.4	0.0					
12	-11.2	-10.2	-9.0	-6.4	-3.7	-1.5	-0.4	0.0					
13	-10.7	-9.9	-9.0	-6.3	-3.7	-1.5	-0.4	0.0					
14	-10.5	-9.8	-9.0	-6.5	-3.7	-1.5	-0.4	0.0					
15	-10.5	-9.7	-8.9	-6.5	-3.8	-1.5	-0.4	0.0					
16	-10.5	-9.5	-8.8	-6.5	-3.7	-1.5	-0.4	0.0					
17	-10.3	-9.5	-8.5	-6.6	-3.7	-1.5	-0.4	0.0					
18	-10.5	-9.3	-8.5	-6.6	-3.7	-1.5	-0.4	0.0					
19	-10.4	-9.4	-8.5	-6.6	-3.7	-1.5	-0.4	0.0					
20	-10.4	-9.4	-8.4	-6.6	-3.7	-1.5	-0.4	0.0					
21	-10.2	-9.2	-8.5	-6.6	-3.7	-1.6	-0.4	0.0					
22	-10.2	-9.2	-8.5	-6.6	-3.7	-1.6	-0.4	0.0					
23	-10.2	-9.2	-8.5	-6.5	-3.6	-1.6	-0.4	0.0					
24	-10.1	-9.1	-8.4	-6.5	-3.6	-1.6	-0.4	0.0					
25				-6.5	-3.6	-1.6	-0.4	0.0					
26				-6.5	-3.6	-1.6	-0.4	0.0					
27	-9.6	-8.7	-8.1	-6.5	-3.6	-1.6	-0.4	0.0					
28	-9.7	-8.7	-8.1	-6.5	-3.6	-1.6	-0.4	0.0					
29	-9.5	-8.6	-8.0	-6.5	-3.5	-1.6	-0.5	0.0					
30	-9.3	-8.6	-8.0	-6.5	-3.6	-1.6	-0.4	0.0					
31	-9.1	-8.6	-8.0	-6.4	-3.5	-1.6	-0.5	0.0					
Среднее за месяц	-11.1	-9.7	-8.7	-6.5	-3.6	-1.5	-0.4	0.0					

Таблица измерений температуры в глубинных слоях льда

Скважина № 4

Месяц АПРЕЛЬ

Год 1958

III/5

105

Число	Г л у б и н а , м									Глубина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0		
1										
2										
3	-8.9	-8.7	-7.9	-6.4	-3.5	-1.6	-0.4	0.0		
4	-8.4	-7.7	-7.6	-6.0	-3.5	-1.6	-0.4	0.0		
5	-8.3	-7.4	-7.3	-5.7	-3.5	-1.6	-0.4	0.0		
6	-8.2	-7.7	-7.2	-5.7	-3.4	-1.6	-0.4	0.0		
7	-7.9	-7.6	-7.1	-5.7	-3.4	-1.6	-0.4	0.0		
8	-7.3	-7.5	-7.0	-5.7	-3.4	-1.6	-0.4	0.0		
9										
10										
11										
12										
13										
14										
15										
16										
17	-6.5	-6.4	-6.5	-5.1	-3.4	-1.6	-0.5	0.0		
18	-6.4	-6.4	-6.5	-5.1	-3.3	-1.6	-0.5	0.0		
19	-6.4	-6.3	-6.4	-5.1	-3.3	-1.6	-0.5	0.0		
20	-6.3	-6.4	-6.4	-5.1	-3.3	-1.6	-0.5	0.0		
21	-6.4	-6.3	-6.4	-5.1	-3.4	-1.6	-0.5	0.0		
22	-6.4	-6.3	-6.4	-5.1	-3.4	-1.7	-0.5	0.0		
23	-5.9	-6.3	-6.4	-5.1	-3.4	-1.7	-0.5	0.0		
24	-6.3	-6.3	-6.3	-5.1	-3.4	-1.7	-0.5	0.0		
25	-6.4	-6.2	-6.3	-5.1	-3.4	-1.7	-0.5	0.0		250
26	-6.3	-6.1	-5.9	-5.1	-3.4	-1.7	-0.5	0.0		250
27	-6.3	-6.1	-5.9	-5.1	-3.4	-1.7	-0.5	0.0		
28	-6.2	-6.1	-5.9	-5.0	-3.4	-1.7	-0.5	0.0		
29	-6.2	-6.0	-5.8	-5.0	-3.4	-1.7	-0.5	0.0		
30	-6.1	-6.0	-5.8	-5.0	-3.4	-1.7	-0.5	0.0		
31										
Среднее за месяц	(-7.0)	(-6.8)	(-6.6)	(-5.4)	(-3.4)	(-1.6)	(-0.5)	(0.0)		

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц МАЙ

Год 1958

III/5

101

Число	Г л у б и н а , м										Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0			
1	-5.9	-5.9	-5.8	-4.9	-3.4	-1.7	-0.5	0.0			
2	-5.8	-5.8	-5.7	-4.9	-3.4	-1.7	-0.5	0.0			
3	-5.7	-5.7	-5.6	-4.8	-3.3	-1.8	-0.5	0.0			
4	-5.8	-5.6	-5.5	-4.8	-3.3	-1.8	-0.5	0.0			
5	-6.0	-5.5	-5.4	-4.6	-3.3	-1.8	-0.5	0.0			
6	-6.0	-5.4	-5.4	-4.6	-3.3	-1.8	-0.5	0.0			
7	-5.7	-5.5	-5.4	-4.6	-3.2	-1.8	-0.5	0.0			
8	-5.6	-5.6	-5.4	-4.7	-3.2	-1.8	-0.5	0.0			
9	-5.3	-5.4	-5.3	-4.5	-3.2	-1.7	-0.5	0.0			
10	-5.3	-5.4	-5.4	-4.5	-3.2	-1.8	-0.5	0.0			250
11	-5.2	-5.4	-5.3	-4.6	-3.2	-1.8	-0.5	0.0			
12	-5.2	-5.3	-5.2	-4.5	-3.2	-1.8	-0.6	0.0			
13	-5.1	-5.1	-5.1	-4.5	-3.1	-1.8	-0.6	0.0			
14	-5.1	-5.0	-5.1	-4.5	-3.1	-1.8	-0.6	0.0			
15	-5.1	-5.0	-5.0	-4.5	-3.1	-1.8	-0.6	0.0			300
16	-5.0	-5.0	-5.2	-4.4	-3.1	-1.8	-0.6	0.0			
17	-4.8	-5.0	-5.0	-4.4	-3.1	-1.8	-0.6	0.0			
18	-4.8	-4.9	-5.0	-4.3	-3.1	-1.8	-0.6	0.0			
19	-4.6	-5.0	-5.0	-4.3	-3.1	-1.8	-0.6	0.0			
20	-4.6	-4.9	-4.9	-4.3	-3.1	-1.8	-0.6	0.0			
21	-4.5	-4.8	-4.9	-4.3	-3.1	-1.8	-0.6	0.0			
22	-4.4	-4.6	-4.8	-4.2	-3.1	-1.8	-0.6	0.0			
23	-4.2	-4.4	-4.7	-4.2	-3.1	-1.8	-0.6	0.0			
24	-4.2	-4.3	-4.7	-4.2	-3.0	-1.8	-0.6	0.0			
25	-4.0	-4.3	-4.6	-4.2	-3.0	-1.9	-0.6	0.0			
26	-4.0	-4.2	-4.6	-4.1	-3.0	-1.8	-0.6	0.0			
27	-3.9	-4.2	-4.5	-4.1	-3.0	-1.8	-0.6	0.0			
28	-3.9	-4.1	-4.4	-4.1	-3.0	-1.8	-0.7	0.0			
29	-3.7	-4.1	-4.4	-4.0	-3.0	-1.8	-0.6	0.0			
30	-3.6	-4.1	-4.4	-4.0	-2.9	-1.9	-0.7	0.0			
31	-3.5	-4.1	-4.3	-4.0	-2.9	-1.9	-0.6	0.0			
Среднее за месяц	-4.9	-5.0	-5.0	-4.4	-3.1	-1.8	-0.6	0.0			

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц ИЮНЬ

Год 1958

III/5

Число	Г л у б и н а , м										Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0			
1	-4.1	-4.3	-4.0		-1.8	-0.5	0.0				400
2	-3.7	-4.1	-4.3	-4.0	-3.0	-1.8	-0.5	0.0			400
3	-3.4	-3.9	-4.3	-3.9	-2.9	-1.8	-0.6	0.0			400
4	-3.4	-3.9	-4.2	-3.9	-2.8	-1.8	-0.6	0.0			400
5	-3.2	-3.7	-4.1	-3.9	-2.7	-1.8	-0.6	0.0			400
6	-3.0	-3.4	-3.7	-3.8	-2.8	-1.8	-0.6	0.0			400
7	-2.9	-3.4	-3.6	-3.8	-2.7	-1.8	-0.6	0.0			400
8	-2.8	-3.3	-3.6	-3.8	-2.7	-1.8	-0.6	0.0			400
9	-2.6	-3.2	-3.5	-3.7	-2.7	-1.8	-0.6	0.0			400
10	-2.6	-3.1	-3.4	-3.6	-2.6	-1.8	-0.6	0.0			400
11	-2.9	-3.1	-3.4	-3.7	-2.6	-1.8	-0.6	0.0			400
12	-3.0	-3.0	-3.4	-3.6	-2.6	-1.8	-0.6	0.0			400
13	-2.8	-2.9	-3.3	-3.5	-2.6	-1.9	-0.6	0.0			400
14	-2.1	-2.9	-3.1	-3.5	-2.5	-1.9	-0.6	0.0			400
15			-3.0	-3.5	-2.5	-1.8	-0.6	0.0			
16	-2.6	-1.9	-2.6	-3.2	-2.4	-1.8	-0.6	0.0			
17	-2.0	-1.9	-2.5	-2.8	-2.4	-1.8	-0.6	0.0			
18	-0.1	-1.8	-2.4	-2.5	-2.5	-1.7	-0.6	0.0			
19	-0.1	-1.8	-2.3	-2.4	-2.5	-1.7	-0.6	0.0			
20	-0.1	-1.7	-2.3	-2.3	-2.5	-1.7	-0.6	0.0			
21	-0.1	-1.4	-1.6	-2.3	-2.3	-1.6	-0.6	0.0			
22	-0.1	-1.1	-1.5	-2.2	-2.3	-1.6	-0.6	0.0			
23	-0.1	-1.0	-1.5	-2.1	-2.3	-1.6	-0.6	0.0			
24	-0.1	-1.0	-1.5	-2.2	-2.3	-1.6	-0.6	0.0			
25	-0.1	-0.7	-1.3	-1.9	-2.2	-1.5	-0.6	0.0			
26	-0.1	-0.3	-1.0	-1.8	-2.0	-1.5	-0.6	0.0			
27	-0.1	-0.1	-0.8	-1.7	-1.9	-1.5	-0.6	0.0			350
28	-0.1	-0.1	-0.8	-1.7	-1.9	-1.5	-0.6	0.0			
29	-0.1	-0.1	-0.8	-1.7	-1.8	-1.5	-0.6	0.0			
30	-0.1	-0.1	-0.7	-1.6	-1.9	-1.5	-0.6	0.0			
31											
Среднее за месяц	-1.7	-2.2	-2.6	-2.9	-2.5	-1.7	-0.6	0.0			

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц ИЮЛЬ

Год 1958

III/5

Число	Г л у б и н а , м										Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0			
1	-0.1	-0.1	-0.6	-1.6	-1.8	-1.4	-0.6	0.0			
2	-0.1	-0.1	-0.6	-1.5	-1.6	-1.4	-0.6	0.0			
3	-0.1	-0.1	-0.5	-1.5	-1.6	-1.3	-0.6	0.0			
4	-0.1	-0.1	-0.5	-1.4	-1.5	-1.3	-0.6	0.0			
5	-0.1	-0.1	-0.5	-1.3	-1.3	-1.3	-0.6	0.0			
6	-0.1	-0.1	-0.4	-1.2	-1.3	-1.3	-0.6	0.0			
7	-0.1	-0.1	-0.4	-1.2	-1.2	-1.2	-0.6	0.0			
8	-0.1	-0.1	-0.4	-1.0	-1.2	-1.2	-0.6	0.0			
9	-0.1	-0.1	-0.4	-0.9	-1.1	-1.2	-0.6	0.0			
10	-0.1	-0.1	-0.3	-0.6	-1.0	-1.1	-0.6	0.0			
11	-0.1	-0.1	-0.4	-0.5	-0.9	-1.1	-0.6	0.0			
12	-0.1	-0.1	-0.3	-0.5	-0.7	-1.1	-0.7	0.0			
13	-0.1	-0.1	-0.3	-0.4	-0.7	-1.0	-0.6	0.0			
14	-0.1	-0.1	-0.3	-0.4	-0.6	-1.0	-0.6	0.0			
15	-0.2	-0.1	-0.3	-0.4	-0.6	-1.0	-0.6	0.0			
16	-0.2	-0.2	-0.2	-0.4	-0.5	-1.0	-0.7	0.0			
17	-0.2	-0.2	-0.2	-0.3	-0.5	-1.0	-0.6	0.0			
18	-0.2	-0.2	-0.3	-0.3	-0.5	-0.9	-0.6	0.0			
19	-0.3	-0.2	-0.2	-0.3	-0.4	-0.9	-0.7	0.0			
20	-0.2	-0.2	-0.2	-0.3	-0.4	-0.9	-0.6	0.0			
21	-0.2	-0.2	-0.2	-0.2	-0.4	-0.9	-0.6	0.0			350
22	-0.2	-0.2	-0.2	-0.2	-0.4	-0.9	-0.6	0.0			343
23	-0.2	-0.3	-0.2	-0.2	-0.3	-0.9	-0.6	0.0			345
24	-0.2	-0.2	-0.1	-0.2	-0.3	-0.9	-0.6	0.0			340
25	-0.2	-0.1	-0.2	-0.2	-0.3	-0.9	-0.7	0.0			334
26	-0.2	-0.2	-0.2	-0.2	-0.4	-0.9	-0.6	0.0			330
27	-0.1	-0.1	-0.1	-0.2	-0.3	-0.9	-0.6	0.0			326
28	-0.1	-0.1	-0.2	-0.2	-0.3	-0.9	-0.6	0.0			321
29	-0.1	-0.2	-0.1	-0.2	-0.3	-0.9	-0.6	0.0			317
30	-0.1	-0.1	-0.1	-0.2	-0.3	-0.9	-0.6	0.0			311
31	-0.1	-0.1	-0.1	-0.1	-0.2	-0.8	-0.6	0.0			305
Среднее за месяц	-0.1	-0.1	-0.3	-0.6	-0.8	-1.0	-0.6	0.0			

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц АВГУСТ

Год 1958

III/3

Число	Г л у б и н а , м								Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0	
1	-0.1	-0.2	-0.2	-0.2	-0.3	-0.8	-0.6	0.0	299
2	-0.1	-0.1	-0.1	-0.2	-0.3	-0.8	-0.6	0.0	296
3	-0.1	-0.1	-0.1	-0.1	-0.2	-0.8	-0.6	0.0	294
4	-0.1	-0.1	-0.1	-0.1	-0.2	-0.8	-0.6	0.0	291
5	-0.1	-0.1	-0.2	-0.1	-0.2	-0.8	-0.6	0.0	288
6	-0.1	-0.1	-0.1	-0.1	-0.3	-0.8	-0.6	0.0	285
7	-0.2	-0.1	-0.1	-0.1	-0.3	-0.8	-0.6	0.0	283
8	-0.1	-0.1	-0.2	-0.2	-0.3	-0.8	-0.6	0.0	280
9	-0.2	-0.1	-0.1	-0.1	-0.3	-0.8	-0.6	0.0	279
10	-0.2	-0.1	-0.1	-0.1	-0.3	-0.8	-0.6	0.0	277
11	-0.1	-0.1	-0.1	-0.1	-0.3	-0.8	-0.6	0.0	275
12	-0.2	-0.1	-0.1	-0.1	-0.3	-0.8	-0.6	0.0	273
13	-0.2	-0.1	-0.1	-0.1	-0.3	-0.8	-0.6	0.0	271
14	-0.1	-0.1	-0.1	-0.1	-0.3	-0.8	-0.5	0.0	269
15	-0.2	-0.1	-0.1	-0.1	-0.3	-0.8	-0.6	0.0	266
16	-0.1	-0.1	-0.2	-0.1	-0.3	-0.8	-0.5	0.0	264
17	-0.1	-0.1	-0.1	-0.1	-0.2	-0.8	-0.5	0.0	262
18	-0.1	-0.1	-0.1	-0.1	-0.2	-0.8	-0.5	0.0	261
19	-0.2	-0.1	-0.1	-0.1	-0.2	-0.8	-0.5	0.0	260
20	-0.1	-0.1	-0.1	-0.1	-0.2	-0.8	-0.5	0.0	259
21	-0.1	-0.1	-0.2	-0.1	-0.3	-0.8	-0.5	0.0	256
22	-0.1	-0.1	-0.1	-0.1	-0.3	-0.8	-0.5	0.0	252
23	-0.1	-0.1	-0.1	-0.1	-0.3	-0.8	-0.5	0.0	249
24	-0.1	-0.1	-0.1	-0.1	-0.3	-0.8	-0.5	0.0	244
25	-0.1	-0.1	-0.1	-0.1	-0.3	-0.8	-0.6	0.0	241
26	-0.1	-0.1	-0.1	-0.1	-0.3	-0.8	-0.6	0.0	238
27	-0.1	-0.1	-0.1	-0.1	-0.3	-0.8	-0.6	0.0	235
28	-0.1	-0.1	-0.1	-0.1	-0.3	-0.8	-0.6	0.0	232
29	-0.1	-0.1	-0.1	-0.1	-0.3	-0.8	-0.6	0.0	228
30	-0.1	-0.1	-0.1	-0.1	-0.3	-0.8	-0.6	0.0	225
31	-0.1	-0.1	-0.1	-0.1	-0.3	-0.7	-0.6	0.0	221
Среднее за месяц	-0.1	-0.1	-0.1	-0.1	-0.3	-0.8	-0.6	0.0	264

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц СЕНТЯБРЬ

Год 1958

III/5

Число	Г л у б и н а , м												Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0					
1	-0.1	-0.1	-0.1	-0.1	-0.3	-0.8	-0.6	0.0					218
2	-0.1	-0.1	-0.1	-0.1	-0.3	-0.8	-0.7	0.0					215
3	-0.1	-0.1	-0.1	-0.1	-0.3	-0.8	-0.7	0.0					214
4	-0.2	-0.1	-0.1	-0.1	-0.3	-0.8	-0.7	0.0					212
5	-0.2	-0.1	-0.1	-0.1	-0.3	-0.8	-0.7	0.0					210
6	-0.2	-0.2	-0.1	-0.2	-0.4	-0.8	-0.7	0.0					209
7	-0.2	-0.2	-0.2	-0.2	-0.4	-0.8	-0.7	0.0					205
8	-0.2	-0.2	-0.2	-0.2	-0.4	-0.8	-0.7	0.0					201
9	-0.2	-0.2	-0.1	-0.2	-0.4	-0.8	-0.6	0.0					I99
10	-0.3	-0.2	-0.2	-0.2	-0.4	-0.8	-0.6	0.0					200
11	-0.3	-0.2	-0.2	-0.2	-0.4	-0.8	-0.5	0.0					202
12	-0.2	-0.2	-0.2	-0.2	-0.3	-0.7	-0.5	0.0					200
13	-0.2	-0.2	-0.2	-0.2	-0.3	-0.7	-0.4	0.0					202
14	-0.2	-0.2	-0.1	-0.1	-0.3	-0.7	-0.4	0.0					205
15	-0.2	-0.2	-0.1	-0.2	-0.3	-0.7	-0.4	0.0					202
16	-0.3	-0.2	-0.1	-0.2	-0.3	-0.7	-0.4	0.0					208
17	-0.3	-0.2	-0.1	-0.2	-0.3	-0.7	-0.4	0.0					211
18	-0.3	-0.2	-0.2	-0.2	-0.3	-0.7	-0.4	0.0					209
19	-0.3	-0.2	-0.2	-0.2	-0.3	-0.7	-0.4	0.0					210
20	-0.3	-0.2	-0.2	-0.2	-0.3	-0.7	-0.4	0.0					208
21	-0.3	-0.2	-0.2	-0.1	-0.2	-0.3	-0.7	-0.4	0.0				209
22	-0.3	-0.2	-0.2	-0.2	-0.2	-0.3	-0.7	-0.4	0.0				206
23	-0.3	-0.2	-0.2	-0.2	-0.3	-0.7	-0.4	0.0					205
24	-0.3	-0.2	-0.2	-0.2	-0.3	-0.7	-0.4	0.0					207
25	-0.2	-0.2	-0.2	-0.2	-0.2	-0.3	-0.7	-0.4	0.0				200
26	-0.2	-0.2	-0.2	-0.2	-0.2	-0.3	-0.7	-0.4	0.0				204
27	-0.2	-0.2	-0.1	-0.2	-0.3	-0.7	-0.4	0.0					203
28	-0.3	-0.2	-0.2	-0.2	-0.3	-0.7	-0.4	0.0					I99
29	-0.5	-0.2	-0.2	-0.2	-0.3	-0.7	-0.4	0.0					201
30	-0.6	-0.2	-0.2	-0.2	-0.3	-0.7	-0.4	0.0					200
31													
Среднее за месяц	-0.3	-0.2	-0.2	-0.2	-0.3	-0.7	-0.5	0.0					206

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц ОКТЯБРЬ

Год 1958

III/5

Число	Г л у б и н а , м											Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0				
1	-0.8	-0.2	-0.2	-0.2	-0.3	-0.7	-0.4	0.0				200
2	-0.9	-0.2	-0.2	-0.2	-0.3	-0.7	-0.4	0.0				200
3	-1.0	-0.3	-0.2	-0.2	-0.3	-0.7	-0.4	0.0				200
4	-1.0	-0.3	-0.2	-0.2	-0.3	-0.7	-0.4	0.0				199
5	-1.1	-0.3	-0.2	-0.2	-0.3	-0.7	-0.4	0.0				197
6	-1.2	-0.3	-0.2	-0.2	-0.3	-0.7	-0.4	0.0				198
7	-1.2	-0.4	-0.2	-0.2	-0.3	-0.7	-0.4	0.0				200
8	-1.3	-0.4	-0.2	-0.2	-0.3	-0.7	-0.4	0.0				203
9	-1.3	-0.4	-0.2	-0.2	-0.3	-0.7	-0.4	0.0				205
10	-1.4	-0.5	-0.3	-0.2	-0.3	-0.7	-0.4	0.0				202
11	-1.4	-0.6	-0.3	-0.2	-0.3	-0.7	-0.4	0.0				204
12	-1.5	-0.6	-0.3	-0.2	-0.3	-0.7	-0.4	0.0				200
13	-1.6	-0.6	-0.3	-0.2	-0.3	-0.7	-0.4	0.0				200
14	-1.6	-0.6	-0.3	-0.2	-0.3	-0.7	-0.4	0.0				204
15	-1.6	-0.6	-0.3	-0.2	-0.3	-0.7	-0.4	0.0				200
16	-1.7	-0.7	-0.4	-0.2	-0.3	-0.7	-0.4	0.0				210
17	-1.9	-0.9	-0.4	-0.3	-0.3	-0.7	-0.4	0.0				205
18	-2.1	-1.0	-0.5	-0.3	-0.3	-0.7	-0.4	0.0				205
19	-2.1	-1.0	-0.5	-0.3	-0.3	-0.7	-0.4	0.0				205
20	-2.3	-1.1	-0.6	-0.3	-0.3	-0.6	-0.4	0.0				206
21	-2.3	-1.1	-0.5	-0.3	-0.3	-0.6	-0.4	0.0				200
22	-2.4	-1.3	-0.5	-0.3	-0.3	-0.6	-0.4	0.0				204
23	-2.3	-1.1	-0.6	-0.3	-0.3	-0.6	-0.4	0.0				200
24	-2.3	-1.1	-0.6	-0.3	-0.4	-0.6	-0.4	0.0				203
25	-2.3	-1.1	-0.6	-0.3	-0.4	-0.6	-0.4	0.0				205
26	-2.3	-1.1	-0.6	-0.3	-0.3	-0.6	-0.4	0.0				205
27	-2.3	-1.2	-0.7	-0.3	-0.3	-0.6	-0.4	0.0				205
28	-2.4	-1.2	-0.8	-0.3	-0.3	-0.5	-0.4	0.0				206
29	-2.6	-1.2	-0.8	-0.3	-0.3	-0.5	-0.4	0.0				204
30	-2.7	-1.3	-0.8	-0.4	-0.3	-0.5	-0.4	0.0				201
31	-2.7	-1.3	-0.8	-0.4	-0.3	-0.5	-0.4	0.0				202
Среднее за месяц	-1.8	-0.8	-0.4	-0.3	-0.3	-0.6	-0.4	0.0				I98
												202

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц НОЯБРЬ

Год 1958

III/5

Число	Г л у б и н а , м										Глубина стекла
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0			
1	-3.1	-1.9	-0.8	-0.4	-0.3	-0.5	-0.4	0.0			199
2	-3.2	-1.9	-0.8	-0.4	-0.3	-0.5	-0.4	0.0			199
3	-3.2	-2.0	-0.8	-0.4	-0.3	-0.5	-0.4	0.0			205
4	-3.2	-2.0	-0.8	-0.5	-0.3	-0.5	-0.4	0.0			204
5	-3.2	-2.0	-0.9	-0.5	-0.4	-0.5	-0.4	0.0			201
6	-3.2	-2.1	-0.9	-0.5	-0.4	-0.5	-0.4	0.0			198
7	-3.2	-2.1	-0.9	-0.5	-0.4	-0.5	-0.4	0.0			205
8	-3.3	-2.1	-0.9	-0.5	-0.4	-0.5	-0.4	0.0			211
9	-3.5	-2.1	-1.0	-0.5	-0.4	-0.5	-0.4	0.0			216
10	-3.5	-2.3	-1.0	-0.4	-0.4	-0.5	-0.4	0.0			210
11	-3.7	-2.5	-1.1	-0.5	-0.4	-0.5	-0.4	0.0			210
12	-3.5	-2.4	-1.2	-0.5	-0.4	-0.5	-0.4	0.0			210
13	-3.6	-2.6	-1.3	-0.6	-0.4	-0.5	-0.4	0.0			210
14	-3.6	-2.6	-1.3	-0.6	-0.4	-0.5	-0.4	0.0			208
15	-3.6	-2.6	-1.4	-0.6	-0.4	-0.5	-0.4	0.0			208
16	-3.7	-2.6	-1.5	-0.6	-0.4	-0.5	-0.4	0.0			209
17	-3.8	-2.7	-1.5	-0.6	-0.4	-0.5	-0.4	0.0			210
18	-3.9	-2.7	-1.6	-0.6	-0.4	-0.5	-0.4	0.0			210
19	-4.0	-2.8	-1.7	-0.6	-0.4	-0.5	-0.4	0.0			212
20	-4.0	-2.9	-1.7	-0.6	-0.4	-0.4	-0.4	0.0			211
21	-4.1	-3.0	-1.8	-0.6	-0.4	-0.4	-0.4	0.0			213
22	-4.2	-3.1	-1.8	-0.6	-0.4	-0.4	-0.4	0.0			213
23	-4.3	-3.1	-1.9	-0.7	-0.5	-0.4	-0.4	0.0			208
24	-4.4	-3.1	-1.9	-0.7	-0.5	-0.4	-0.4	0.0			206
25	-4.4	-3.1	-2.0	-0.8	-0.5	-0.4	-0.4	0.0			205
26	-4.5	-3.2	-2.1	-0.8	-0.5	-0.4	-0.4	0.0			206
27	-4.6	-3.3	-2.3	-0.8	-0.5	-0.4	-0.4	0.0			206
28	-4.6	-3.4	-2.3	-0.8	-0.5	-0.4	-0.4	0.0			205
29	-4.6	-3.3	-2.4	-0.8	-0.5	-0.5	-0.3	0.0			205
30	-4.7	-3.5	-2.4	-0.9	-0.6	-0.5	-0.3	0.0			205
31											
Среднее за месяц	-3.8	-2.6	-1.5	-0.6	-0.4	-0.5	-0.4	0.0			207

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц ДЕКАБРЬ

Год 1968

III/5

Число	Г л у б и н а , ж										Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0			
1	-4.7	-3.5	-2.4	-0.9	-0.6	-0.5	-0.3	0.0			207
2	-4.8	-3.6	-2.4	-0.9	-0.6	-0.5	-0.3	0.0			209
3	-4.9	-3.6	-2.5	-0.9	-0.6	-0.5	-0.4	0.0			211
4	-4.8	-3.7	-2.5	-0.9	-0.6	-0.5	-0.4	0.0			215
5	-4.9	-3.8	-2.5	-1.0	-0.7	-0.5	-0.4	0.0			214
6	-5.0	-3.7	-2.5	-1.0	-0.7	-0.5	-0.4	0.0			227
7	-5.0	-3.7	-2.6	-1.0	-0.7	-0.5	-0.4	0.0			226
8	-5.0	-3.7	-2.7	-1.0	-0.7	-0.5	-0.4	0.0			225
9	-5.0	-3.7	-2.5	-1.0	-0.7	-0.5	-0.4	0.0			222
10	-5.0	-3.7	-2.6	-1.0	-0.7	-0.5	-0.4	0.0			221
11	-5.0	-3.8	-2.7	-1.0	-0.7	-0.5	-0.4	0.0			220
12	-5.0	-3.8	-2.7	-1.1	-0.7	-0.5	-0.4	0.0			221
13	-5.1	-3.8	-2.7	-1.1	-0.8	-0.5	-0.4	0.0			222
14	-5.1	-3.8	-2.9	-1.1	-0.9	-0.5	-0.4	0.0			222
15	-5.1	-3.9	-2.8	-1.1	-1.0	-0.5	-0.4	0.0			223
16	-5.1	-3.9	-2.8	-1.1	-0.8	-0.5	-0.4	0.0			222
17	-5.1	-4.0	-2.9	-1.2	-0.8	-0.5	-0.4	0.0			222
18	-5.1	-4.1	-3.0	-1.2	-0.8	-0.5	-0.4	0.0			228
19	-5.1	-4.1	-3.1	-0.8	-1.3	-0.5	-0.4	0.0			226
20	-5.1	-4.1	-3.3	-1.3	-0.9	-0.5	-0.4	0.0			224
21	-5.2	-4.1	-3.3	-1.3	-0.9	-0.5	-0.4	0.0			223
22	-5.3	-4.2	-3.3	-1.4	-0.9	-0.5	-0.4	0.0			223
23	-5.4	-4.2	-3.4	-1.4	-0.9	-0.5	-0.4	0.0			223
24	-5.4	-4.3	-3.2	-1.5	-0.9	-0.6	-0.4	0.0			224
25	-5.4	-4.3	-3.4	-1.5	-1.0	-0.5	-0.4	0.0			222
26	-5.4	-4.4	-3.4	-1.5	-1.0	-0.6	-0.4	0.0			228
27	-5.5	-4.4	-3.5	-1.5	-1.0	-0.6	-0.4	0.0			230
28	-5.5	-4.4	-3.5	-1.6	-1.0	-0.6	-0.4	0.0			227
29	-5.5	-4.4	-3.6	-1.6	-1.0	-0.6	-0.4	0.0			228
30	-5.6	-4.5	-3.6	-1.6	-1.0	-0.6	-0.5	0.0			237
31	-5.7	-4.6	-3.5	-1.6	-1.1	-0.6	-0.5	0.0			240
Среднее за месяц											
	-5.1	-4.0	-3.0	-1.2	-0.8	-0.5	-0.4	0.0			223

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц ЯНВАРЬ

Год 1959

III/5

Число	Г л у б и н а , м												Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0					
1	-5.8	-4.6	-3.5	-1.6	-1.1	-0.6	-0.5	0.0					239
2	-5.9	-4.7	-3.5	-1.7	-1.1	-0.6	-0.5	0.0					240
3	-5.9	-4.7	-3.6	-1.7	-1.1	-0.6	-0.5	0.0					240
4	-5.9	-4.7	-3.6	-1.7	-1.1	-0.6	-0.5	0.0					240
5	-6.0	-4.7	-3.6	-1.8	-1.2	-0.6	-0.5	0.0					240
6	-6.0	-4.8	-3.6	-1.8	-1.2	-0.6	-0.5	0.0					242
7	-6.1	-4.8	-3.7	-1.9	-1.2	-0.6	-0.5	0.0					241
8	-6.1	-4.8	-3.7	-1.9	-1.2	-0.6	-0.5	0.0					241
9	-6.2	-4.8	-3.7	-1.9	-1.2	-0.6	-0.5	0.0					241
10	-6.3	-5.0	-3.8	-2.0	-1.3	-0.6	-0.5	0.0					241
11	-6.3	-5.0	-3.9	-2.0	-1.3	-0.6	-0.5	0.0					242
12	-6.3	-5.0	-3.9	-2.0	-1.3	-0.6	-0.5	0.0					243
13	-6.4	-5.1	-3.9	-2.1	-1.3	-0.6	-0.5	0.0					243
14	-6.5	-5.1	-4.0	-2.1	-1.3	-0.7	-0.5	0.0					242
15	-6.5	-5.2	-4.1	-2.1	-1.3	-0.7	-0.5	0.0					243
16	-6.6	-5.3	-4.1	-2.2	-1.3	-0.7	-0.5	0.0					243
17	-6.7	-5.3	-4.1	-2.2	-1.4	-0.7	-0.5	0.0					243
18	-6.8	-5.4	-4.2	-2.2	-1.4	-0.7	-0.5	0.0					243
19	-6.8	-5.4	-4.2	-2.2	-1.4	-0.7	-0.5	0.0					243
20	-6.8	-5.5	-4.3	-2.3	-1.4	-0.7	-0.5	0.0					244
21	-6.9	-5.5	-4.3	-2.3	-1.5	-0.7	-0.5	0.0					246
22	-6.9	-5.6	-4.4	-2.3	-1.5	-0.7	-0.5	0.0					246
23	-7.0	-5.7	-4.5	-2.3	-1.5	-0.7	-0.5	0.0					246
24	-6.9	-5.7	-4.6	-2.3	-1.5	-0.7	-0.5	0.0					246
25	-7.0	-5.7	-4.5	-2.3	-1.5	-0.7	-0.5	0.0					246
26	-7.0	-5.7	-4.7	-2.3	-1.5	-0.7	-0.5	0.0					255
27	-7.0	-5.7	-4.6	-2.3	-1.5	-0.7	-0.6	0.0					255
28	-7.0	-5.8	-4.6	-2.4	-1.6	-0.8	-0.5	0.0					255
29	-7.0	-5.8	-4.8	-2.4	-1.6	-0.8	-0.5	0.0					255
30	-7.0	-5.8	-4.8	-2.4	-1.6	-0.8	-0.5	0.0					255
31	-7.0	-5.9	-4.9	-2.5	-1.6	-0.8	-0.6	0.0					255
Среднее за месяц	-6.5	-5.2	-4.1	-2.1	-1.3	-0.7	-0.5	0.0					245

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц ФЕВРАЛЬ

Год 1959

III/5

Число	Г л у б и н а , м									Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0		
1	-7.0	-5.9	-4.9	-2.5	-1.6	-0.8	-0.5	0.0		258
2	-7.0	-5.9	-4.9	-2.6	-1.6	-0.8	-0.5	0.0		260
3	-7.0	-5.9	-4.9	-2.6	-1.8	-0.8	-0.5	0.0		269
4	-7.0	-5.9	-5.0	-2.6	-1.8	-0.8	-0.5	0.0		269
5	-7.0	-5.9	-4.9	-2.6	-1.8	-0.8	-0.5	0.0		269
6	-7.0	-5.9	-5.0	-2.6	-1.8	-0.8	-0.5	0.0		270
7	-7.1	-6.0	-5.0	-2.7	-1.8	-0.8	-0.5	0.0		270
8	-7.1	-6.0	-4.9	-2.7	-1.9	-0.8	-0.5	0.0		269
9	-7.1	-6.0	-4.9	-2.7	-1.8	-0.8	-0.5	0.0		270
10	-7.1	-6.0	-5.0	-2.7	-1.9	-0.8	-0.5	0.0		269
11	-7.1	-6.1	-5.0	-2.7	-1.9	-0.9	-0.5	0.0		269
12	-7.1	-6.1	-5.0	-2.8	-1.9	-0.9	-0.5	0.0		268
13	-7.1	-6.1	-5.0	-2.8	-1.9	-0.9	-0.5	0.0		267
14	-7.1	-6.0	-5.0	-2.8	-2.0	-0.9	-0.5	0.0		265
15	-7.1	-6.1	-5.0	-2.8	-1.9	-0.9	-0.5	0.0		267
16	-7.1	-6.1	-5.0	-2.8	-1.9	-0.9	-0.6	0.0		267
17	-7.2	-6.1	-5.0	-2.8	-1.9	-0.9	-0.5	0.0		267
18	-7.1	-6.1	-4.9	-2.8	-1.9	-0.9	-0.5	0.0		270
19	-7.1	-6.1	-5.0	-2.9	-2.0	-0.9	-0.5	0.0		269
20	-7.1	-6.1	-5.0	-2.9	-2.0	-0.9	-0.5	0.0		269
21	-7.1	-6.1	-5.0	-2.9	-2.0	-0.9	-0.5	0.0		269
22	-7.3	-6.2	-5.0	-2.9	-2.0	-0.9	-0.5	0.0		269
23	-7.3	-6.2	-5.0	-2.9	-2.0	-0.9	-0.5	0.0		270
24	-7.4	-6.2	-5.1	-2.9	-2.0	-0.9	-0.5	0.0		272
25	-7.4	-6.3	-5.1	-2.9	-2.1	-0.9	-0.5	0.0		273
26	-7.5	-6.4	-5.1	-3.0	-2.1	-0.8	-0.5	0.0		274
27	-7.7	-6.5	-5.2	-3.0	-2.1	-1.0	-0.5	0.0		272
28	-7.6	-6.5	-5.3	-3.1	-2.2	-1.0	-0.5	0.0		275
29										
30										
31										
Среднее за месяц	-7.2	-6.1	-5.0	-2.8	-1.9	-0.9	-0.5	0.0		269

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц МАРТ

Год 1959

III/5

Число	Г л у б и н а , м										Глубина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0			
1	-7.8	-6.5	-5.3	-3.1	-2.1	-1.0	-0.5	0.0			274
2	-8.0	-6.6	-5.2	-3.1	-2.1	-1.1	-0.5	0.0			273
3	-7.8	-6.6	-5.2	-3.1	-2.2	-1.0	-0.5	0.0			295
4	-7.9	-6.6	-5.2	-3.1	-2.2	-1.0	-0.5	0.0			295
5	-7.8	-6.6	-5.3	-3.1	-2.2	-1.0	-0.5	0.0			295
6	-7.8	-6.6	-5.3	-3.1	-2.3	-1.0	-0.5	0.0			294
7	-7.9	-6.6	-5.3	-3.2	-2.3	-1.0	-0.5	0.0			295
8	-7.8	-6.6	-5.3	-3.2	-2.3	-1.0	-0.5	0.0			292
9	-7.8	-6.6	-5.3	-3.2	-2.3	-1.0	-0.5	0.0			290
10	-7.8	-6.7	-5.2	-3.2	-2.4	-1.0	-0.5	0.0			291
11	-7.8	-6.7	-5.3	-3.3	-2.4	-1.0	-0.5	0.0			292
12	-7.8	-6.8	-5.3	-3.3	-2.4	-1.0	-0.5	0.0			292
13	-7.9	-6.8	-5.3	-3.4	-2.5	-1.0	-0.5	0.0			294
14	-7.9	-6.8	-5.4	-3.4	-2.5	-1.1	-0.5	0.0			298
15	-8.0	-7.0	-5.4	-3.4	-2.5	-1.1	-0.5	0.0			292
16	-8.0	-7.0	-5.4	-3.5	-2.5	-1.1	-0.5	0.0			292
17	-7.8	-6.8	-5.5	-3.5	-2.6	-1.1	-0.5	0.0			293
18	-7.9	-6.9	-5.5	-3.6	-2.6	-1.1	-0.5	0.0			294
19	-7.7	-6.7	-5.4	-3.6	-2.6	-1.1	-0.5	0.0			298
20	-7.8	-6.7	-5.6	-3.6	-2.6	-1.1	-0.5	0.0			298
21	-7.8	-6.8	-5.6	-3.7	-2.6	-1.0	-0.5	0.0			299
22	-7.9	-6.9	-5.7	-3.7	-2.6	-1.1	-0.5	0.0			300
23	-7.9	-6.8	-5.7	-3.8	-2.7	-1.1	-0.5	0.0			302
24	-7.9	-6.9	-5.7	-3.8	-2.7	-1.1	-0.5	0.0			306
25	-7.9	-6.9	-5.7	-3.8	-2.7	-1.1	-0.5	0.0			309
26	-7.9	-6.8	-5.9	-3.9	-2.7	-1.1	-0.5	0.0			310
27	-7.9	-6.8	-5.8	-3.9	-2.7	-1.1	-0.5	0.0			310
28	-7.8	-6.8	-5.9	-4.0	-2.8	-1.1	-0.5	0.0			310
29	-7.6	-6.8	-5.9	-4.0	-2.8	-1.1	-0.5	0.0			310
30	-7.6	-6.7	-5.9	-4.0	-2.8	-1.1	-0.5	0.0			310
31	-7.6	-6.7	-6.0	-4.1	-2.9	-1.2	-0.5	0.0			315
Среднее за месяц	-7.8	-6.7	-5.5	-3.5	-2.5	-1.1	-0.5	0.0			297

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц АПРЕЛЬ

год 1959

III/5

III

Число	Г л у б и н а , м										Глубина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0			
1	-7.6	-6.7	-5.9	-4.1	-2.9	-1.2	-0.5	0.0			3III
2	-7.5	-6.7	-6.0	-4.1	-2.9	-1.2	-0.5	0.0			308
3	-7.4	-6.7	-6.0	-4.2	-2.9	-1.2	-0.5	0.0			3II
4	-7.5	-6.7	-5.9	-4.2	-2.9	-1.3	-0.5	0.0			33I
5	-7.5	-6.6	-5.9	-4.2	-3.0	-1.3	-0.5	0.0			342
6	-7.4	-6.6	-5.9	-4.2	-2.9	-1.3	-0.5	0.0			346
7	-7.4	-6.6	-5.9	-4.3	-2.9	-1.2	-0.5	0.0			356
8	-7.3	-6.6	-5.9	-4.3	-3.0	-1.2	-0.5	0.0			36I
9	-7.2	-6.5	-5.9	-4.3	-2.9	-1.2	-0.5	0.0			366
10	-7.2	-6.5	-5.9	-4.3	-3.0	-1.2	-0.5	0.0			374
11	-7.1	-6.5	-5.9	-4.3	-3.0	-1.3	-0.5	0.0			370
12	-7.1	-6.5	-5.8	-4.3	-3.0	-1.2	-0.5	0.0			400
13	-7.0	-6.4	-5.8	-4.4	-3.0	-1.2	-0.5	0.0			392
14	-7.0	-6.4	-5.8	-4.4	-3.0	-1.3	-0.5	0.0			389
15	-7.0	-6.4	-5.8	-4.4	-3.0	-1.2	-0.5	0.0			387
16	-7.0	-6.4	-5.8	-4.4	-3.0	-1.2	-0.5	0.0			384
17	-6.9	-6.3	-5.7	-4.4	-3.0	-1.3	-0.5	0.0			380
18	-6.9	-6.3	-5.7	-4.4	-3.1	-1.3	-0.5	0.0			378
19	-6.9	-6.3	-5.7	-4.4	-3.1	-1.3	-0.5	0.0			377
20	-6.9	-6.3	-5.8	-4.4	-3.1	-1.2	-0.5	0.0			376
21	-6.8	-6.2	-5.7	-4.4	-3.1	-1.3	-0.5	0.0			369
22	-6.8	-6.2	-5.6	-4.4	-3.1	-1.3	-0.5	0.0			366
23	-6.8	-6.2	-5.6	-4.4	-3.2	-1.3	-0.5	0.0			363
24	-6.7	-6.1	-5.6	-4.4	-3.1	-1.3	-0.5	0.0			36I
25	-6.7	-6.2	-5.6	-4.4	-3.1	-1.4	-0.5	0.0			360
26	-6.7	-6.1	-5.7	-4.4	-3.1	-1.3	-0.5	0.0			357
27	-6.7	-6.1	-5.6	-4.4	-3.1	-1.2	-0.5	0.0			352
28	-6.7	-6.1	-5.6	-4.4	-3.1	-1.2	-0.5	0.0			352
29	-6.7	-6.1	-5.6	-4.4	-3.1	-1.2	-0.5	0.0			350
30	-6.8	-6.2	-5.6	-4.5	-3.1	-1.2	-0.5	0.0			354
31											
Среднее за месяц	-7.0	-6.4	-5.8	-4.4	-3.0	-1.2	-0.5	0.0			36I

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц МАЙ

Год 1959

III/5

Число	Г л у б и н а , м										Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0			
1	-6.8	-6.2	-5.6	-4.4	-3.1	-1.2	-0.5	0.0			359
2	-6.7	-6.2	-5.6	-4.5	-3.1	-1.2	-0.5	0.0			360
3	-6.8	-6.2	-5.6	-4.5	-3.2	-1.2	-0.5	0.0			356
4	-6.7	-6.2	-5.5	-4.4	-3.1	-1.2	-0.5	0.0			359
5	-6.7	-6.2	-5.5	-4.4	-3.1	-1.2	-0.5	0.0			358
6	-6.7	-6.1	-5.5	-4.4	-3.1	-1.2	-0.5	0.0			359
7	-6.7	-6.1	-5.5	-4.4	-3.0	-1.2	-0.5	0.0			361
8	-6.7	-6.1	-5.5	-4.3	-3.0	-1.2	-0.5	0.0			363
9	-6.6	-6.1	-5.5	-4.3	-3.0	-1.2	-0.5	0.0			365
10	-6.6	-6.1	-5.5	-4.3	-3.0	-1.2	-0.5	0.0			378
11	-6.5	-6.1	-5.5	-4.3	-3.0	-1.2	-0.5	0.0			375
12	-6.5	-6.0	-5.4	-4.2	-3.0	-1.2	-0.5	0.0			378
13	-6.4	-6.0	-5.4	-4.3	-3.0	-1.2	-0.6	0.0			372
14	-6.3	-5.9	-5.3	-4.2	-3.0	-1.2	-0.6	0.0			365
15	-6.2	-5.9	-5.4	-4.2	-3.0	-1.3	-0.6	0.0			364
16	-6.2	-5.9	-5.2	-4.2	-3.0	-1.2	-0.6	0.0			362
17	-6.2	-5.8	-5.2	-4.1	-3.0	-1.2	-0.6	0.0			360
18	-6.2	-5.7	-5.2	-4.1	-3.0	-1.3	-0.6	0.0			358
19	-6.1	-5.6	-5.1	-4.1	-3.0	-1.2	-0.6	0.0			361
20	-6.0	-5.6	-5.1	-4.1	-3.0	-1.2	-0.6	0.0			365
21	-5.6	-5.4	-5.0	-4.1	-3.0	-1.3	-0.6	0.0			372
22	-5.5	-5.2	-5.0	-4.1	-3.0	-1.2	-0.6	0.0			380
23	-5.4	-5.2	-5.0	-4.1	-3.0	-1.2	-0.6	0.0			376
24	-5.3	-5.2	-5.0	-4.1	-3.0	-1.3	-0.7	0.0			375
25	-5.2	-5.2	-5.0	-4.1	-3.0	-1.3	-0.7	0.0			374
26	-5.1	-5.2	-5.0	-4.1	-3.0	-1.3	-0.7	0.0			370
27	-5.1	-5.2	-5.0	-4.1	-3.0	-1.3	-0.6	0.0			370
28	-5.1	-5.1	-5.0	-4.1	-3.0	-1.3	-0.6	0.0			370
29	-4.9	-5.1	-5.0	-4.0	-3.0	-1.3	-0.6	0.0			370
30	-4.9	-5.1	-5.0	-4.0	-3.0	-1.3	-0.6	0.0			369
31	-4.8	-5.0	-4.9	-4.0	-2.9	-1.4	-0.7	0.0			368
Среднее за месяц	-6.1	-5.7	-5.3	-4.2	-3.0	-1.2	-0.6	0.0			366

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц ИЮНЬ

Год 1959

III/5

Число	Г л у б и н а , м											Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0				
1	-4.8	-4.9	-4.9	-4.0	-2.9	-1.4	-0.6	0.0				
2	-4.7	-4.8	-4.8	-4.0	-2.9	-1.4	-0.7	0.0				365
3	-4.6	-4.8	-4.7	-3.9	-2.9	-1.4	-0.6	0.0				360
4	-4.5	-4.7	-4.8	-3.8	-2.9	-1.4	-0.6	0.0				350
5	-4.5	-4.6	-4.6	-3.5	-2.9	-1.4	-0.6	0.0				357
6	-4.2	-4.3	-4.5	-3.4	-2.8	-1.4	-0.6	0.0				355
7	-3.9	-4.2	-4.4	-3.2	-2.6	-1.4	-0.6	0.0				355
8	-3.8	-4.1	-4.4	-3.2	-2.6	-1.4	-0.6	0.0				357
9	-3.5	-4.0	-4.3	-3.1	-2.5	-1.4	-0.6	0.0				
10	-3.0	-3.8	-4.2	-2.9	-2.4	-1.3	-0.6	0.0				
11	-2.8	-3.2	-3.4	-2.4	-2.2	-1.3	-0.6	0.0				
12	-2.4	-2.8	-3.0	-2.3	-2.0	-1.3	-0.6	0.0				460
13	-2.3	-2.6	-2.9	-2.2	-2.0	-1.3	-0.6	0.0				459
14	-2.1	-2.3	-2.6	-2.2	-1.8	-1.3	-0.6	0.0				460
15	-1.9	-2.0	-2.5	-2.1	-1.8	-1.2	-0.6	0.0				460
16	-1.9	-2.0	-2.5	-2.1	-1.8	-1.2	-0.6	0.0				461
17	-1.8	-2.0	-2.4	-2.2	-1.8	-1.2	-0.6	0.0				460
18	-1.6	-2.0	-2.3	-2.1	-1.8	-1.2	-0.6	0.0				460
19	-1.6	-2.0	-2.3	-2.1	-1.7	-1.2	-0.6	0.0				457
20	-1.6	-1.9	-2.2	-2.0	-1.7	-1.2	-0.6	0.0				457
21	-1.4	-1.8	-2.2	-1.9	-1.7	-1.2	-0.6	0.0				453
22	-1.3	-1.6	-2.0	-1.9	-1.6	-1.2	-0.6	0.0				451
23	-1.2	-1.5	-1.8	-1.7	-1.6	-1.1	-0.6	0.0				452
24	-1.1	-1.3	-1.5	-1.5	-1.6	-1.2	-0.6	0.0				456
25	-1.0	-1.2	-1.4	-1.5	-1.5	-1.2	-0.6	0.0				451
26	-1.0	-1.1	-1.3	-1.5	-1.4	-1.1	-0.6	0.0				450
27	-0.9	-1.1	-1.3	-1.4	-1.3	-1.2	-0.6	0.0				448
28	-0.8	-1.1	-1.2	-1.4	-1.3	-1.1	-0.6	0.0				444
29	-0.9	-1.0	-1.1	-1.4	-1.3	-1.1	-0.6	0.0				442
30	-0.8	-1.0	-1.1	-1.3	-1.3	-1.1	-0.6	0.0				440
31	Среднее за месяц											440
	-2.4	-2.7	-2.9	-2.4	-2.0	-1.3	-0.6	0.0				427

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

месяц ИЮЛЬ

год 1959

III/5

Число	Г л у б и н а , м										Глубина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0			
1	-0.8	-1.0	-1.0	-1.2	-1.2	-1.1	-0.6	0.0			438
2	-0.8	-1.0	-1.0	-1.1	-1.2	-1.1	-0.6	0.0			434
3	-0.8	-0.9	-1.0	-1.1	-1.2	-1.1	-0.6	0.0			429
4	-0.7	-0.9	-1.0	-1.1	-1.1	-1.1	-0.7	0.0			426
5	-0.7	-0.8	-0.9	-1.0	-1.1	-1.0	-0.7	0.0			422
6	-0.4	-0.7	-0.9	-1.0	-1.0	-1.0	-0.7	0.0			418
7	-0.3	-0.6	-0.9	-0.9	-1.0	-1.0	-0.7	0.0			414
8	-0.3	-0.7	-0.9	-1.0	-1.0	-1.0	-0.7	0.0			410
9	-0.3	-0.6	-0.8	-0.9	-0.9	-0.9	-0.7	0.0			410
10	-0.3	-0.6	-0.7	-0.9	-0.8	-0.9	-0.7	0.0			408
11	-0.2	-0.6	-0.7	-0.9	-0.7	-0.8	-0.7	0.0			405
12	-0.2	-0.6	-0.7	-0.9	-0.7	-0.8	-0.7	0.0			404
13	-0.2	-0.6	-0.7	-0.7	-0.7	-0.7	-0.7	0.0			402
14	-0.2	-0.5	-0.6	-0.6	-0.7	-0.7	-0.7	0.0			403
15	0.0	-0.5	-0.6	-0.6	-0.6	-0.7	-0.7	0.0			400
16	0.0	-0.5	-0.6	-0.5	-0.7	-0.6	-0.7	0.0			399
17	0.0	-0.5	-0.5	-0.5	-0.5	-0.6	-0.7	0.0			396
18	0.0	-0.3	-0.4	-0.4	-0.4	-0.5	-0.7	0.0			393
19	0.0	-0.2	-0.2	-0.3	-0.3	-0.4	-0.7	0.0			390
20	0.0	-0.1	-0.1	-0.2	-0.2	-0.4	-0.7	0.0			385
21	0.0	-0.0	0.0	-0.1	-0.3	-0.4	-0.7	0.0			380
22	0.0	0.0	0.0	-0.1	-0.3	-0.4	-0.7	0.0			379
23	0.0	0.0	0.0	-0.1	-0.2	-0.4	-0.7	0.0			384
24	0.0	-0.1	0.0	-0.1	-0.2	-0.4	-0.7	0.0			382
25	0.0	-0.1	0.0	-0.1	-0.2	-0.4	-0.7	0.0			381
26	0.0	-0.1	0.0	-0.1	-0.2	-0.4	-0.7	0.0			380
27	0.0	-0.1	0.0	-0.1	-0.2	-0.4	-0.7	0.0			377
28	0.0	0.0	0.0	-0.1	-0.2	-0.4	-0.7	0.0			377
29	0.0	0.0	0.0	-0.1	-0.2	-0.4	-0.7	0.0			376
30	0.0	0.0	0.0	-0.1	-0.2	-0.4	-0.7	0.0			373
31	0.0	0.0	0.0	-0.1	-0.2	-0.4	-0.7	0.0			370
Среднее за месяц	-0.2	-0.4	-0.5	-0.6	-0.6	-0.7	-0.7	0.0			399

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц АВГУСТ

Год 1959

III/5

Число	Г л у б и н а , м								Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0	
1	0.0	-0.1	0.0	-0.2	-0.2	-0.4	-0.7	0.0	370
2	0.0	-0.1	0.0	-0.1	-0.2	-0.4	-0.7	0.0	365
3	0.0	0.0	0.0	-0.1	-0.1	-0.4	-0.7	0.0	362
4	0.0	0.0	0.0	-0.1	-0.1	-0.4	-0.7	0.0	358
5	0.0	0.0	0.0	-0.1	-0.1	-0.4	-0.7	0.0	355
6	0.0	0.0	0.0	-0.2	-0.1	-0.4	-0.7	0.0	351
7	0.0	0.0	0.0	-0.1	-0.1	-0.4	-0.7	0.0	334
8	0.0	0.0	0.0	-0.1	-0.1	-0.4	-0.7	0.0	321
9	0.0	0.0	0.0	-0.1	-0.1	-0.4	-0.7	0.0	318
10	0.0	0.0	0.0	-0.1	-0.1	-0.4	-0.7	0.0	316
11	0.0	0.0	0.0	-0.1	-0.1	-0.4	-0.7	0.0	314
12	0.0	0.0	0.0	-0.1	-0.1	-0.4	-0.7	0.0	310
13	0.0	0.0	0.0	-0.1	-0.1	-0.4	-0.7	0.0	301
15	0.0	0.0	0.0	-0.1	0.0	-0.4	-0.7	0.0	298
16	0.0	0.0	0.0	-0.1	0.0	-0.4	-0.7	0.0	295
17	0.0	0.0	0.0	-0.1	0.0	-0.4	-0.7	0.0	293
18	0.0	0.0	0.0	0.0	0.0	-0.4	-0.7	0.0	290
19	0.0	0.0	0.0	0.0	0.0	-0.4	-0.7	0.0	289
20	0.0	0.0	0.0	0.0	-0.1	-0.4	-0.7	0.0	287
21	0.0	0.0	0.0	0.0	0.0	-0.4	-0.7	0.0	284
22	0.0	0.0	0.0	0.0	0.0	-0.4	-0.7	0.0	282
23	0.0	0.0	0.0	0.0	0.0	-0.4	-0.7	0.0	280
24	0.0	0.0	0.0	0.0	0.0	-0.4	-0.7	0.0	277
25	0.0	0.0	0.0	0.0	0.0	-0.4	-0.7	0.0	275
26	0.0	0.0	-0.1	0.0	0.0	-0.4	-0.6	0.0	273
27	0.0	0.0	0.0	0.0	0.0	-0.4	-0.6	0.0	270
28	0.0	0.0	0.0	0.0	-0.1	-0.3	-0.6	0.0	270
29	0.0	0.0	0.0	0.0	0.0	-0.3	-0.6	0.0	269
30	0.0	0.0	-0.1	0.0	0.0	-0.4	-0.6	0.0	267
31	0.0	0.0	0.0	0.0	-0.1	-0.4	-0.6	0.0	265
Среднее за месяц	0.0	0.0	0.0	0.0	-0.1	-0.4	-0.6	0.0	305

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц СЕНТИЕРЬ

Год 1959

III/5

Число	Г л у б и н а , м									Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0		
1	0.0	0.0	0.0	0.0	0.0	-0.3	-0.6	0.0		264
2	0.0	0.0	0.0	0.0	0.0	-0.3	-0.6	0.0		263
3	0.0	0.0	0.0	0.0	0.0	-0.3	-0.5	0.0		263
4	0.0	0.0	0.0	0.0	0.0	-0.3	-0.5	0.0		262
5	0.0	0.0	0.0	0.0	0.0	-0.4	-0.5	0.0		260
6	0.0	0.0	0.0	0.0	0.0	-0.3	-0.5	0.0		260
7	0.0	0.0	0.0	0.0	0.0	-0.3	-0.5	0.0		259
8	0.0	0.0	0.0	0.0	0.0	-0.3	-0.5	0.0		258
9	-0.1	0.0	0.0	0.0	0.0	-0.3	-0.5	0.0		260
10	-0.1	0.0	0.0	0.0	0.0	-0.4	-0.4	0.0		288
11	-0.1	0.0	0.0	0.0	0.0	-0.3	-0.4	0.0		295
12	-0.2	0.0	0.0	0.0	0.0	-0.3	-0.4	0.0		293
13	-0.2	0.0	0.0	0.0	0.0	-0.3	-0.4	0.0		292
14	-0.2	0.0	0.0	0.0	0.0	-0.3	-0.4	0.0		290
15	-0.3	-0.1	0.0	0.0	-0.1	-0.3	-0.3	0.0		290
16	-0.3	-0.1	0.0	0.0	0.0	-0.3	-0.3	0.0		288
17	-0.3	-0.1	0.0	0.0	0.0	-0.3	-0.3	0.0		286
18	-0.3	-0.1	-0.1	0.0	0.0	-0.3	-0.3	0.0		285
19	-0.3	-0.1	0.0	0.0	0.0	-0.3	-0.3	0.0		283
20	-0.3	-0.1	0.0	-0.1	0.0	-0.2	-0.3	0.0		279
21	-0.3	-0.1	-0.1	-0.1	0.0	-0.2	-0.3	0.0		277
22	-0.4	-0.2	-0.2	-0.1	0.0	-0.2	-0.3	0.0		274
23	-0.4	-0.3	-0.2	-0.1	0.0	-0.2	-0.3	0.0		272
24	-0.5	-0.4	-0.3	-0.1	0.0	-0.2	-0.3	0.0		270
25	-0.6	-0.5	-0.3	-0.2	0.0	-0.2	-0.3	0.0		269
26	-0.8	-0.5	-0.4	-0.2	0.0	-0.2	-0.3	0.0		268
27	-0.9	-0.6	-0.4	-0.2	-0.1	-0.2	-0.3	0.0		267
28	-1.0	-0.6	-0.4	-0.2	-0.2	-0.2	-0.3	0.0		266
29	-1.0	-0.6	-0.4	-0.3	-0.1	-0.2	-0.3	0.0		265
30	-1.0	-0.7	-0.4	-0.3	-0.2	-0.2	-0.3	0.0		265
31										
Среднее за месяц	-0.3	-0.2	-0.1	0.0	0.0	-0.3	-0.4	0.0		274

Таблица измерений температуры в глубинных слоях льда

СКВАДНА № 4

Месяц ОКТЯБРЬ

Год 1959

III/5

Число	Г л у б и н а , м										Глу- бина слега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0			
1	-1.0	-0.7	-0.4	-0.2	-0.1	-0.2	-0.3	0.0			260
2	-1.0	-0.7	-0.4	-0.2	-0.2	-0.2	-0.3	0.0			256
3	-1.0	-0.7	-0.5	-0.2	-0.1	-0.2	-0.3	0.0			252
4	-1.1	-0.8	-0.5	-0.2	-0.1	-0.2	-0.3	0.0			249
5	-1.1	-0.8	-0.5	-0.2	-0.1	-0.2	-0.3	0.0			244
6	-1.2	-0.8	-0.5	-0.2	-0.1	-0.2	-0.2	0.0			246
7	-1.2	-0.8	-0.6	-0.3	-0.1	-0.2	-0.2	0.0			246
8	-1.2	-0.8	-0.6	-0.3	-0.2	-0.2	-0.3	0.0			246
9	-1.2	-0.9	-0.6	-0.3	-0.2	-0.2	-0.3	0.0			245
10	-1.2	-0.9	-0.6	-0.3	-0.2	-0.2	-0.3	0.0			243
11	-1.3	-0.9	-0.6	-0.3	-0.2	-0.2	-0.3	0.0			240
12	-1.3	-0.9	-0.6	-0.3	-0.2	-0.2	-0.3	0.0			239
13	-1.3	-0.9	-0.7	-0.4	-0.3	-0.2	-0.3	0.0			237
14	-1.3	-1.0	-0.7	-0.4	-0.3	-0.2	-0.3	0.0			236
15	-1.4	-1.0	-0.8	-0.4	-0.3	-0.2	-0.3	0.0			240
16	-1.4	-1.0	-0.8	-0.5	-0.3	-0.2	-0.3	0.0			240
17	-1.4	-1.0	-0.8	-0.5	-0.4	-0.2	-0.3	0.0			240
18	-1.5	-1.1	-0.9	-0.6	-0.4	-0.2	-0.3	0.0			245
19	-1.6	-1.1	-0.9	-0.6	-0.4	-0.2	-0.3	0.0			252
20	-1.7	-1.1	-0.9	-0.6	-0.4	-0.2	-0.3	0.0			262
21	-1.8	-1.2	-0.9	-0.6	-0.5	-0.2	-0.3	0.0			267
22	-1.9	-1.3	-0.9	-0.6	-0.5	-0.2	-0.3	0.0			267
23	-2.0	-1.4	-1.0	-0.7	-0.5	-0.3	-0.2	0.0			267
24	-2.1	-1.5	-1.0	-0.7	-0.5	-0.3	-0.2	0.0			266
25	-2.2	-1.5	-1.0	-0.7	-0.6	-0.3	-0.2	0.0			266
26	-2.2	-1.5	-1.0	-0.7	-0.5	-0.2	-0.3	0.0			271
27	-2.2	-1.5	-1.0	-0.7	-0.5	-0.3	-0.2	0.0			271
28	-2.3	-1.5	-1.1	-0.7	-0.5	-0.3	-0.3	0.0			273
29	-2.3	-1.5	-1.1	-0.7	-0.5	-0.3	-0.3	0.0			273
30	-2.4	-1.6	-1.1	-0.8	-0.5	-0.3	-0.3	0.0			273
31	-2.5	-1.6	-1.1	-0.8	-0.6	-0.3	-0.3	0.0			273
Среднее за месяц	-1.6	-1.1	-0.8	-0.5	-0.3	-0.2	-0.3	0.0			280
											255

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц НОЯБРЬ

Год 1959

III/5

Число	Г л у б и н а , м										Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0			
1	-2.6	-1.7	-1.2	-0.8	-0.5	-0.3	-0.3	0.0			280
2	-2.6	-1.8	-1.2	-0.8	-0.5	-0.3	-0.3	0.0			280
3	-2.7	-1.8	-1.3	-0.8	-0.5	-0.3	-0.3	0.0			281
4	-2.7	-1.8	-1.3	-0.8	-0.5	-0.3	-0.3	0.0			281
5	-2.8	-1.8	-1.3	-0.8	-0.6	-0.3	-0.3	0.0			280
6	-2.9	-1.9	-1.3	-0.8	-0.5	-0.3	-0.3	0.0			280
7	-3.0	-1.9	-1.3	-0.9	-0.6	-0.3	-0.3	0.0			280
8	-3.0	-2.0	-1.4	-0.9	-0.6	-0.3	-0.3	0.0			286
9	-3.1	-2.1	-1.4	-0.9	-0.6	-0.3	-0.3	0.0			290
10	-3.1	-2.2	-1.5	-0.8	-0.6	-0.3	-0.3	0.0			290
11	-3.2	-2.1	-1.5	-0.9	-0.5	-0.3	-0.3	0.0			290
12	-3.2	-2.2	-1.5	-0.9	-0.5	-0.3	-0.3	0.0			290
13	-3.3	-2.2	-1.6	-1.0	-0.6	-0.3	-0.3	0.0			292
14	-3.3	-2.3	-1.6	-1.0	-0.6	-0.3	-0.3	0.0			292
15	-3.4	-2.4	-1.6	-1.0	-0.6	-0.3	-0.3	0.0			292
16	-3.4	-2.4	-1.6	-0.9	-0.6	-0.3	-0.3	0.0			300
17	-3.5	-2.5	-1.6	-1.0	-0.7	-0.3	-0.3	0.0			300
18	-3.6	-2.5	-1.7	-1.0	-0.7	-0.3	-0.3	0.0			300
19	-3.6	-2.6	-1.7	-1.0	-0.7	-0.3	-0.3	0.0			300
20	-3.7	-2.7	-1.8	-1.0	-0.7	-0.3	-0.3	0.0			306
21	-3.7	-2.7	-1.7	-1.0	-0.7	-0.3	-0.3	0.0			310
22	-3.8	-2.8	-1.8	-1.0	-0.7	-0.3	-0.3	0.0			325
23	-3.8	-2.8	-1.8	-1.1	-0.7	-0.3	-0.3	0.0			324
24	-3.8	-2.8	-1.8	-1.1	-0.7	-0.3	-0.3	0.0			320
25	-3.8	-2.8	-1.9	-1.2	-0.7	-0.3	-0.3	0.0			322
26	-3.9	-2.9	-1.9	-1.1	-0.7	-0.3	-0.3	0.0			321
27	-4.0	-3.0	-1.9	-1.2	-0.7	-0.3	-0.3	0.0			320
28	-4.0	-3.0	-2.0	-1.2	-0.8	-0.3	-0.3	0.0			320
29	-4.0	-3.0	-2.0	-1.2	-0.8	-0.4	-0.3	0.0			320
30	-4.0	-3.0	-2.0	-1.2	-0.8	-0.4	-0.3	0.0			320
31											
Среднее за месяц	-3.4	-2.4	-1.6	-1.0	-0.6	-0.3	-0.3	0.0			299

Таблица измерений температуры в глубинных слоях льда

СКВАЖИНА № 4

Месяц ДЕКАБРЬ

Год 1959

III/5

Число	Г л у б и н а , м											Глу- бина снега
	0.0	0.5	1.0	2.0	3.0	6.0	10.0	25.0				
1	-4.1	-3.0	-2.0	-1.2	-0.9	-0.4	-0.3	0.0				
2	-4.1	-3.0	-2.0	-1.2	-0.8	-0.4	-0.3	0.0				320
3	-4.0	-3.0	-2.0	-1.2	-0.8	-0.4	-0.3	0.0				320
4	-4.1	-3.1	-2.1	-1.2	-0.8	-0.4	-0.3	0.0				320
5	-4.1	-3.1	-2.1	-1.2	-0.8	-0.4	-0.3	0.0				320
6	-4.1	-3.1	-2.1	-1.2	-0.8	-0.4	-0.3	0.0				320
7	-4.2	-3.1	-2.1	-1.2	-0.8	-0.4	-0.3	0.0				320
8	-4.2	-3.1	-2.1	-1.2	-0.8	-0.4	-0.3	0.0				319
9	-4.2	-3.1	-2.1	-1.3	-0.9	-0.4	-0.3	0.0				318
10	-4.2	-3.2	-2.1	-1.3	-0.9	-0.4	-0.3	0.0				320
11	-4.2	-3.2	-2.1	-1.3	-0.9	-0.4	-0.3	0.0				320
12	-4.3	-3.2	-2.2	-1.3	-0.9	-0.4	-0.3	0.0				317
13	-4.3	-3.2	-2.2	-1.3	-0.9	-0.4	-0.3	0.0				317
14	-4.3	-3.2	-2.2	-1.3	-0.9	-0.4	-0.3	0.0				317
15	-4.3	-3.3	-2.3	-1.3	-0.9	-0.4	-0.3	0.0				317
16	-4.4	-3.3	-2.3	-1.3	-0.9	-0.4	-0.3	0.0				317
17	-4.4	-3.3	-2.3	-1.3	-0.9	-0.4	-0.3	0.0				317
18	-4.5	-3.4	-2.4	-1.4	-1.0	-0.5	-0.3	0.0				322
19	-4.5	-3.4	-2.4	-1.4	-1.0	-0.5	-0.3	0.0				321
20	-4.5	-3.5	-2.4	-1.4	-1.0	-0.5	-0.3	0.0				321
21	-4.5	-3.4	-2.3	-1.4	-1.0	-0.5	-0.3	0.0				321
22	-4.5	-3.4	-2.4	-1.4	-1.0	-0.5	-0.3	0.0				320
23	-4.4	-3.4	-2.4	-1.4	-1.0	-0.5	-0.3	0.0				323
24	-4.5	-3.4	-2.4	-1.4	-1.0	-0.5	-0.3	0.0				324
25	-4.5	-3.5	-2.4	-1.4	-1.0	-0.5	-0.3	0.0				324
26	-4.5	-3.5	-2.4	-1.4	-1.0	-0.5	-0.3	0.0				330
27	-4.5	-3.5	-2.4	-1.5	-1.1	-0.5	-0.3	0.0				332
28	-4.6	-3.5	-2.5	-1.5	-1.1	-0.6	-0.3	0.0				332
29	-4.6	-3.5	-2.5	-1.5	-1.1	-0.6	-0.3	0.0				340
30	-4.6	-3.5	-2.5	-1.5	-1.1	-0.6	-0.3	0.0				340
31	-4.6	-3.5	-2.5	-1.5	-1.1	-0.6	-0.3	0.0				336
Среднее за месяц	-4.4	-3.3	-2.3	-1.3	-0.9	-0.5	-0.3	0.0				323